

# BACH II FREQUENCY CODEBOOK

## BOSTON AREA COMMUNITY HEALTH (BACH) SURVEY FIRST FOLLOW-UP INTERVIEW



New England Research Institutes  
9 Galen Street  
Watertown, MA 02472  
(617) 923-7747

For questions or comments, contact the BACH Survey Project Director, Jessica Brewer, MPH (x291)  
Supported by the NIDDK U01 DK56842

SECTION A: INTERVIEW SUMMARY

A1. RESPONDENT ID:

master\_id

AFFIX ID LABEL here

A2. BACH Survey event

event

F	U	P	1
---	---	---	---

A3. Form Completion Date:

comp\_d

		/			/				
M	M		D	D		Y	Y	Y	Y

A4. DATA COLLECTOR ID:

intid\_1

--	--	--

A5. SEx of respondent:

gender\_1

male ..... 1

female ..... 2

GENDER_1	Frequency	Percent	Cum Freq	Cum Percent
1: MALE	1613	38.84	1613	38.84
2: FEMALE	2540	61.16	4153	100.00

A6. Language:

lang\_ensp\_1

English ..... 1

Spanish ..... 2

Table of GENDER_1 by LANG_ENSP_1			
GENDER_1	LANG_ENSP_1		
Frequency Percent Row Pct Col Pct	1: ENGLISH	2: SPANISH	Total
1: MALE	1269 30.56 78.67 40.65	344 8.28 21.33 33.37	1613 38.84
2: FEMALE	1853 44.62 72.95 59.35	687 16.54 27.05 66.63	2540 61.16
Total	3122 75.17	1031 24.83	4153 100.00

A7. MODE: IN-PERSON..... 1  
 mode\_1 TELEPHONE ..... 2

Table of GENDER_1 by MODE_1			
GENDER_1	MODE_1		
Frequency Percent Row Pct Col Pct	1: IN- PERSON	2: TELEPHONE	Total
1: MALE	1508 36.31 93.49 38.37	105 2.53 6.51 47.09	1613 38.84
2: FEMALE	2422 58.32 95.35 61.63	118 2.84 4.65 52.91	2540 61.16
Total	3930 94.63	223 5.37	4153 100.00

A8. Start Time of Interview: 

--	--

 : 

--	--

 24 HR CLOCK  
 strtm00\_1 H H M M

## SECTION B: SF-12 QUALITY OF LIFE ASSESSMENT

This interview will ask questions about your overall health, some specific health conditions, your lifestyle, and your typical daily activities. Remember, we are interested in how you feel about your health. Most of the questions are similar to what we asked in the first interview about 4-5 years ago. The information you provide today will help us to identify any changes that have occurred since that first interview.

Once again, I would like to remind you that all the information you provide is completely confidential. If you feel uncomfortable answering a question, you should feel free to tell me and we can skip it. Also, there are no right or wrong answers. If you don't know the answer to something, just tell me and we'll move on.

If you need to take a break at any time, just let me know. Are you ready? Let's begin.

B1. In general, would you say your health is:

sf01\_1

- Excellent ..... 1  
Very good ..... 2  
Good ..... 3  
Fair ..... 4  
Poor ..... 5

Table of GENDER_1 by SF01_1						
GENDER_1	SF01_1					
Frequency Percent Row Pct Col Pct	1: Excellent	2: Very good	3: Good	4: Fair	5: Poor	Total
1: MALE	207 4.98 12.83 46.21	450 10.84 27.90 42.57	543 13.07 33.66 37.47	354 8.52 21.95 34.95	59 1.42 3.66 31.72	1613 38.84
2: FEMALE	241 5.80 9.49 53.79	607 14.62 23.90 57.43	906 21.82 35.67 62.53	659 15.87 25.94 65.05	127 3.06 5.00 68.28	2540 61.16
Total	448 10.79	1057 25.45	1449 34.89	1013 24.39	186 4.48	4153 100.00

- B2. The following questions are about activities you might do during a typical day. Does your health now limit you in these activities? If so, how much....a lot or a little?  
IF R DOES NOT DO ACTIVITY, PROBE: Is that because of your health?

- |  | Yes, limited<br>a lot | Yes, limited<br>a little | No, not<br>limited at all |
|--|-----------------------|--------------------------|---------------------------|
| a. <u>Moderate activities</u> , such as moving a table, pushing a vacuum cleaner, softball, or playing golf<br>[PROBE: These are examples of activities. If you don't do these activities, think of similar activities.] <b>sf02_1</b> | 1                     | 2                        | 3                         |

Table of GENDER_1 by SF02_1					
GENDER_1	SF02_1				
Frequency Percent Row Pct Col Pct	MI:O	1: Yes, limited a lot	2: Yes, limited a little	3: No, not limited at all	Total
1: MALE	1	163	331	1118	1612
	.	3.93	7.97	26.93	38.82
	.	10.11	20.53	69.35	
	.	30.81	34.19	42.11	
2: FEMALE	0	366	637	1537	2540
	.	8.82	15.34	37.02	61.18
	.	14.41	25.08	60.51	
	.	69.19	65.81	57.89	
Total	.	529	968	2655	4152
	.	12.74	23.31	63.95	100.00
Frequency Missing = 1					

- |   |   |   |   |
|---|---|---|---|
| b. Climbing several flights of stairs <b>sf03_1</b> | 1 | 2 | 3 |
|---|---|---|---|

Table of GENDER_1 by SF03_1						
GENDER_1	SF03_1					
Frequency Percent Row Pct Col Pct	DK:O	MI:O	1: Yes, limited a lot	2: Yes, limited a little	3: No, not limited at all	Total
1: MALE	1	2	185	362	1063	1610
	.	.	4.46	8.72	25.61	38.80
	.	.	11.49	22.48	66.02	
	.	.	28.20	31.02	45.68	
2: FEMALE	0	0	471	805	1264	2540
	.	.	11.35	19.40	30.46	61.20
	.	.	18.54	31.69	49.76	
	.	.	71.80	68.98	54.32	
Total	.	.	656	1167	2327	4150
	.	.	15.81	28.12	56.07	100.00
Frequency Missing = 3						

B3. During the past four weeks, how much of the time have you had any of the following problems with your work or other regular daily activities as a result of your physical health?

How much of the time have you.....

<b>All of the time</b>	<b>Most of the time</b>	<b>Some of the time</b>	<b>A little of the time</b>	<b>None of the time</b>
------------------------	-------------------------	-------------------------	-----------------------------	-------------------------

\*a. Accomplished less than  
you would like **sf04\_1**

1 2 3 4 5

Table of GENDER_1 by SF04_1						
GENDER_1	SF04_1					
Frequency Percent Row Pct Col Pct	1: All of the Time	2: Most of the Time	3: Some of the time	4: A little of the Time	5: None of the Time	Total
1: MALE	52 1.25 3.22 28.42	121 2.91 7.50 31.59	279 6.72 17.30 34.53	232 5.59 14.38 36.19	929 22.37 57.59 43.45	1613 38.84
2: FEMALE	131 3.15 5.16 71.58	262 6.31 10.31 68.41	529 12.74 20.83 65.47	409 9.85 16.10 63.81	1209 29.11 47.60 56.55	2540 61.16
Total	183 4.41	383 9.22	808 19.46	641 15.43	2138 51.48	4153 100.00

\*b. Were limited in the kind of work  
or other activities? **sf05\_1**

1 2 3 4 5

Table of GENDER_1 by SF05_1						
GENDER_1	SF05_1					
Frequency Percent Row Pct Col Pct	1: All of the Time	2: Most of the Time	3: Some of the time	4: A little of the Time	5: None of the Time	Total
1: MALE	64 1.54 3.97 32.49	98 2.36 6.08 29.52	257 6.19 15.93 33.55	197 4.74 12.21 34.32	997 24.01 61.81 43.65	1613 38.84
2: FEMALE	133 3.20 5.24 67.51	234 5.63 9.21 70.48	509 12.26 20.04 66.45	377 9.08 14.84 65.68	1287 30.99 50.67 56.35	2540 61.16
Total	197 4.74	332 7.99	766 18.44	574 13.82	2284 55.00	4153 100.00

B4. During the past four weeks, how much of the time have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious)?

How much of the time have you.....

	All of the time	Most of the time	Some of the time	A little of the time	None of the time
*a. <u>Accomplished less</u> than you would like <b>sf06_1</b>	1	2	3	4	5

Table of GENDER_1 by SF06_1							
GENDER_1	SF06_1						
Frequency Percent Row Pct Col Pct	MI:O	1: All of the Time	2: Most of the Time	3: Some of the time	4: A little of the Time	5: None of the Time	Total
1: MALE	1	35	76	243	253	1005	1612
	.	0.84	1.83	5.85	6.09	24.21	38.82
	.	2.17	4.71	15.07	15.69	62.34	
	.	32.71	28.15	34.13	35.63	42.71	
2: FEMALE	0	72	194	469	457	1348	2540
	.	1.73	4.67	11.30	11.01	32.47	61.18
	.	2.83	7.64	18.46	17.99	53.07	
	.	67.29	71.85	65.87	64.37	57.29	
Total	.	107	270	712	710	2353	4152
	.	2.58	6.50	17.15	17.10	56.67	100.00
Frequency Missing = 1							

\*b. Done work or other activities less carefully than usual? **sf07\_1**

	1	2	3	4	5
--	---	---	---	---	---

Table of GENDER_1 by SF07_1							
GENDER_1	SF07_1						
Frequency Percent Row Pct Col Pct	MI:O	1: All of the Time	2: Most of the Time	3: Some of the time	4: A little of the Time	5: None of the Time	Total
1: MALE	2	28	65	192	217	1109	1611
	.	0.67	1.57	4.63	5.23	26.72	38.81
	.	1.74	4.03	11.92	13.47	68.84	
	.	28.87	31.86	32.21	35.63	41.93	
2: FEMALE	0	69	139	404	392	1536	2540
	.	1.66	3.35	9.73	9.44	37.00	61.19
	.	2.72	5.47	15.91	15.43	60.47	
	.	71.13	68.14	67.79	64.37	58.07	
Total	.	97	204	596	609	2645	4151
	.	2.34	4.91	14.36	14.67	63.72	100.00
Frequency Missing = 2							

B5. During the past four weeks, how much did pain interfere with your normal work (including both work outside the home and housework)? **sf08\_1**

Would you say:

- Not at all..... 1  
A little bit ..... 2  
Moderately ..... 3  
Quite a bit ..... 4  
Extremely..... 5

Table of GENDER_1 by SF08_1						
GENDER_1	SF08_1					
Frequency Percent Row Pct Col Pct	1: Not at all	2: Slightly	3: Moderatley	4: Quite a bit	5: Extremely	Total
1: MALE	857 20.64 53.13 44.08	373 8.98 23.12 38.02	226 5.44 14.01 35.09	116 2.79 7.19 25.84	41 0.99 2.54 30.37	1613 38.84
2: FEMALE	1087 26.17 42.80 55.92	608 14.64 23.94 61.98	418 10.07 16.46 64.91	333 8.02 13.11 74.16	94 2.26 3.70 69.63	2540 61.16
Total	1944 46.81	981 23.62	644 15.51	449 10.81	135 3.25	4153 100.00

These questions are about how you feel and how things have been with you during the past four weeks. For each question, please give the one answer that comes closest to the way you have been feeling.

[SHOW RESPONSE CARD 'B6']

B6. \*How much of the time during the past four weeks:

	All of the time	Most of the time	Some of the time	A little of the time	None of the time
*a. Have you felt calm and peaceful?	1	2	3	4	5

sf09\_1

Table of GENDER_1 by SF09_1						
GENDER_1	SF09_1					
Frequency Percent Row Pct Col Pct	1: All of the Time	2: Most of the Time	3: Some of the time	4: A Little of the Time	5: None of the Time	Total
1: MALE	345 8.31 21.39 45.63	697 16.78 43.21 42.27	402 9.68 24.92 34.69	130 3.13 8.06 27.31	39 0.94 2.42 34.51	1613 38.84
2: FEMALE	411 9.90 16.18 54.37	952 22.92 37.48 57.73	757 18.23 29.80 65.31	346 8.33 13.62 72.69	74 1.78 2.91 65.49	2540 61.16
Total	756 18.20	1649 39.71	1159 27.91	476 11.46	113 2.72	4153 100.00

b. Did you have a lot of energy? sf10\_1

	1	2	3	4	5
--	---	---	---	---	---

Table of GENDER_1 by SF10_1						
GENDER_1	SF10_1					
Frequency Percent Row Pct Col Pct	1: All of the Time	2: Most of the Time	3: Some of the time	4: A Little of the Time	5: None of the Time	Total
1: MALE	305 7.34 18.91 46.21	601 14.47 37.26 43.27	494 11.90 30.63 36.84	171 4.12 10.60 29.90	42 1.01 2.60 21.99	1613 38.84
2: FEMALE	355 8.55 13.98 53.79	788 18.97 31.02 56.73	847 20.39 33.35 63.16	401 9.66 15.79 70.10	149 3.59 5.87 78.01	2540 61.16
Total	660 15.89	1389 33.45	1341 32.29	572 13.77	191 4.60	4153 100.00

c. Have you felt downhearted and depressed? **sf11\_1**      1                  2                  3                  4                  5

Table of GENDER_1 by SF11_1						
GENDER_1	SF11_1					
Frequency Percent Row Pct Col Pct	1: All of the Time	2: Most of the Time	3: Some of the time	4: A Little of the Time	5: None of the Time	Total
1: MALE	38 0.92 2.36 31.93	91 2.19 5.64 27.49	314 7.56 19.47 35.44	426 10.26 26.41 37.67	744 17.91 46.13 44.13	1613 38.84
2: FEMALE	81 1.95 3.19 68.07	240 5.78 9.45 72.51	572 13.77 22.52 64.56	705 16.98 27.76 62.33	942 22.68 37.09 55.87	2540 61.16
Total	119 2.87	331 7.97	886 21.33	1131 27.23	1686 40.60	4153 100.00

B7. Has your physical health or emotional problems interfered with your social activities (like visiting friends, relatives, etc.)? **sf12\_1**      1                  2                  3                  4                  5

Table of GENDER_1 by SF12_1							
GENDER_1	SF12_1						
Frequency Percent Row Pct Col Pct	MI:O	1: All of the Time	2: Most of the Time	3: Some of the time	4: A Little of the Time	5: None of the Time	Total
1: MALE	1 . . .	55 1.32 3.41 31.07	86 2.07 5.33 28.29	233 5.61 14.45 33.92	259 6.24 16.07 38.66	979 23.58 60.73 42.31	1612 38.82
2: FEMALE	0 . . .	122 2.94 4.80 68.93	218 5.25 8.58 71.71	454 10.93 17.87 66.08	411 9.90 16.18 61.34	1335 32.15 52.56 57.69	2540 61.18
Total	. .	177 4.26	304 7.32	687 16.55	670 16.14	2314 55.73	4152 100.00
Frequency Missing = 1							

**[TAKE BACK RESPONSE CARD 'B6']**

The next set of questions is about fatigue during your usual daily activities in the past month.

[SHOW RESPONSE CARD 'B8a']

B8a. During everyday activities in the past month, how **weak** did you feel? Using this card, please choose the best category on a scale from 0 to 10 where 0 represents not weak at all and 10 represents very weak?

fatigue1\_1

Table of GENDER_1 by FATIGUE1_1														
GENDER_1	FATIGUE1_1													
Frequency Percent Row Pct Col Pct		MI:O	0	1	2	3	4	5	6	7	8	9	10	Total
1: MALE	923	0	261	70	97	64	30	64	32	33	24	7	8	690
	.	.	16.71	4.48	6.21	4.10	1.92	4.10	2.05	2.11	1.54	0.45	0.51	44.17
	.	.	37.83	10.14	14.06	9.28	4.35	9.28	4.64	4.78	3.48	1.01	1.16	
	.	.	50.00	46.36	50.52	52.46	34.88	35.56	35.16	34.38	35.82	33.33	23.53	
2: FEMALE	1667	1	261	81	95	58	56	116	59	63	43	14	26	872
	.	.	16.71	5.19	6.08	3.71	3.59	7.43	3.78	4.03	2.75	0.90	1.66	55.83
	.	.	29.93	9.29	10.89	6.65	6.42	13.30	6.77	7.22	4.93	1.61	2.98	
	.	.	50.00	53.64	49.48	47.54	65.12	64.44	64.84	65.63	64.18	66.67	76.47	
Total	.	.	522	151	192	122	86	180	91	96	67	21	34	1562
	.	.	33.42	9.67	12.29	7.81	5.51	11.52	5.83	6.15	4.29	1.34	2.18	100.00
Frequency Missing = 2591														

[TAKE BACK RESPONSE CARD 'B8a']

[SHOW RESPONSE CARD 'B8b']

B8b. During everyday activities in the past month, how **sleepy** did you feel during the day? Using this card, please choose the best category on a scale from 0 to 10 where 0 represents not sleepy at all and 10 represents very sleepy?

fatigue2\_1

Table of GENDER_1 by FATIGUE2_1														
GENDER_1	FATIGUE2_1													
Frequency Percent Row Pct Col Pct		MI:O	0	1	2	3	4	5	6	7	8	9	10	Total
1: MALE	923	0	170	59	90	91	63	75	44	44	39	7	8	690
	.	.	10.88	3.78	5.76	5.83	4.03	4.80	2.82	2.82	2.50	0.45	0.51	44.17
	.	.	24.64	8.55	13.04	13.19	9.13	10.87	6.38	6.38	5.65	1.01	1.16	
	.	.	47.22	50.86	45.45	47.89	49.61	39.89	42.31	40.74	43.33	30.43	13.79	
2: FEMALE	1667	1	190	57	108	99	64	113	60	64	51	16	50	872
	.	.	12.16	3.65	6.91	6.34	4.10	7.23	3.84	4.10	3.27	1.02	3.20	55.83
	.	.	21.79	6.54	12.39	11.35	7.34	12.96	6.88	7.34	5.85	1.83	5.73	
	.	.	52.78	49.14	54.55	52.11	50.39	60.11	57.69	59.26	56.67	69.57	86.21	
Total	.	.	360	116	198	190	127	188	104	108	90	23	58	1562
	.	.	23.05	7.43	12.68	12.16	8.13	12.04	6.66	6.91	5.76	1.47	3.71	100.00
Frequency Missing = 2591														

[TAKE BACK RESPONSE CARD 'B8b']

[SHOW RESPONSE CARD 'B8c']

B8c. During everyday activities in the past month, how **lively** did you feel? Using this card, please choose the best category on a scale from 0 to 10 where 0 represents not lively at all and 10 represents very lively?

fatigue3\_1

Table of GENDER_1 by FATIGUE3_1														
GENDER_1	FATIGUE3_1													
Frequency Percent Row Pct Col Pct	.	MI:O	0	1	2	3	4	5	6	7	8	9	10	Total
1: MALE	923	0	9	15	20	36	40	87	39	104	132	77	131	690
.	.	.	0.58	0.96	1.28	2.30	2.56	5.57	2.50	6.66	8.45	4.93	8.39	44.17
.	.	.	1.30	2.17	2.90	5.22	5.80	12.61	5.65	15.07	19.13	11.16	18.99	
.	.	.	25.71	55.56	40.82	41.86	36.70	39.91	32.77	47.71	46.48	48.13	50.97	
2: FEMALE	1667	1	26	12	29	50	69	131	80	114	152	83	126	872
.	.	.	1.66	0.77	1.86	3.20	4.42	8.39	5.12	7.30	9.73	5.31	8.07	55.83
.	.	.	2.98	1.38	3.33	5.73	7.91	15.02	9.17	13.07	17.43	9.52	14.45	
.	.	.	74.29	44.44	59.18	58.14	63.30	60.09	67.23	52.29	53.52	51.88	49.03	
Total	.	.	35	27	49	86	109	218	119	218	284	160	257	1562
.	.	.	2.24	1.73	3.14	5.51	6.98	13.96	7.62	13.96	18.18	10.24	16.45	100.00
Frequency Missing = 2591														

[TAKE BACK RESPONSE CARD 'B8c']

[SHOW RESPONSE CARD 'B8d']

B8d. During everyday activities in the past month, how **tired** did you feel? Using this card, please choose the best category on a scale from 0 to 10 where 0 represents not tired at all and 10 represents very tired?

fatigue4\_1

Table of GENDER_1 by FATIGUE4_1														
GENDER_1	FATIGUE4_1													
Frequency Percent Row Pct Col Pct	.	MI:O	0	1	2	3	4	5	6	7	8	9	10	Total
1: MALE	923	0	115	53	102	93	67	99	39	60	31	21	10	690
.	.	.	7.36	3.39	6.53	5.95	4.29	6.34	2.50	3.84	1.98	1.34	0.64	44.17
.	.	.	16.67	7.68	14.78	13.48	9.71	14.35	5.65	8.70	4.49	3.04	1.45	
.	.	.	51.34	54.08	51.52	46.27	49.63	41.95	37.14	40.00	31.63	40.38	15.38	
2: FEMALE	1667	1	109	45	96	108	68	137	66	90	67	31	55	872
.	.	.	6.98	2.88	6.15	6.91	4.35	8.77	4.23	5.76	4.29	1.98	3.52	55.83
.	.	.	12.50	5.16	11.01	12.39	7.80	15.71	7.57	10.32	7.68	3.56	6.31	
.	.	.	48.66	45.92	48.48	53.73	50.37	58.05	62.86	60.00	68.37	59.62	84.62	
Total	.	.	224	98	198	201	135	236	105	150	98	52	65	1562
.	.	.	14.34	6.27	12.68	12.87	8.64	15.11	6.72	9.60	6.27	3.33	4.16	100.00
Frequency Missing = 2591														

[TAKE BACK RESPONSE CARD 'B8d']

[SHOW RESPONSE CARD 'B8e']

B8e. During daily activities in the past month, what was your **usual energy level**? Using this card, please choose the best category on a scale from 0 to 10 where 0 represents no energy and 10 represents very energetic?

fatigue5\_1

Table of GENDER_1 by FATIGUE5_1														
GENDER_1	FATIGUE5_1													
Frequency Percent Row Pct Col Pct	.	MI:O	0	1	2	3	4	5	6	7	8	9	10	Total
1: MALE	923	0	7	8	18	28	37	74	68	124	146	77	103	690
.	.	.	0.45	0.51	1.15	1.79	2.37	4.74	4.35	7.94	9.35	4.93	6.59	44.17
.	.	.	1.01	1.16	2.61	4.06	5.36	10.72	9.86	17.97	21.16	11.16	14.93	
.	.	.	22.58	40.00	32.73	37.33	32.17	34.42	43.04	47.88	54.89	47.83	49.76	
2: FEMALE	1667	1	24	12	37	47	78	141	90	135	120	84	104	872
.	.	.	1.54	0.77	2.37	3.01	4.99	9.03	5.76	8.64	7.68	5.38	6.66	55.83
.	.	.	2.75	1.38	4.24	5.39	8.94	16.17	10.32	15.48	13.76	9.63	11.93	
.	.	.	77.42	60.00	67.27	62.67	67.83	65.58	56.96	52.12	45.11	52.17	50.24	
Total	.	.	31	20	55	75	115	215	158	259	266	161	207	1562
.	.	.	1.98	1.28	3.52	4.80	7.36	13.76	10.12	16.58	17.03	10.31	13.25	100.00
Frequency Missing = 2591														

[TAKE BACK RESPONSE CARD 'B8e']

SECTION C: PAIN INVENTORY

C1. Throughout our lives, most of us have had pain from time to time (such as minor headaches, sprains, and toothaches). Have you had pain other than these everyday kinds of pain today?

pain\_1

YES..... 1

NO ..... 2

Table of GENDER_1 by PAIN_1				
GENDER_1	PAIN_1			
Frequency Percent Row Pct Col Pct	.	1: YES	2: NO	Total
1: MALE	243	476	894	1370
.	.	13.84	25.99	39.83
.	.	34.74	65.26	
.	.	35.82	42.35	
2: FEMALE	470	853	1217	2070
.	.	24.80	35.38	60.17
.	.	41.21	58.79	
.	.	64.18	57.65	
Total	.	1329	2111	3440
.	.	38.63	61.37	100.00
Frequency Missing = 713				

GIVE THE RESPONDENT THE BODY MAP AND ASK RESPONDENT:

On the drawings below, shade the areas where you feel pain. Put an X on the area that hurts the most.

PROBE: Can you describe to me approximately where you feel pain today? Anywhere else? Of those places, where does it hurt the most?

[SHOW RESPONSE CARD 'C2']

- C2. Thinking of a scale from 0 – 10 where 0 = No pain and 10 = Pain as bad as you can imagine, please give me the number that best describes your pain at its worst in the last 24 hours.

painwrst\_1

Table of GENDER_1 by PAINWRST_1													
GENDER_1	PAINWRST_1												
Frequency Percent Row Pct Col Pct	.	0	1	2	3	4	5	6	7	8	9	10	Total
1: MALE	243	577	74	113	122	97	94	65	70	96	31	31	1370
.	.	16.77	2.15	3.28	3.55	2.82	2.73	1.89	2.03	2.79	0.90	0.90	39.83
.	.	42.12	5.40	8.25	8.91	7.08	6.86	4.74	5.11	7.01	2.26	2.26	
.	.	43.61	44.31	48.09	44.69	39.92	35.34	34.95	30.30	36.50	27.93	21.83	
2: FEMALE	470	746	93	122	151	146	172	121	161	167	80	111	2070
.	.	21.69	2.70	3.55	4.39	4.24	5.00	3.52	4.68	4.85	2.33	3.23	60.17
.	.	36.04	4.49	5.89	7.29	7.05	8.31	5.85	7.78	8.07	3.86	5.36	
.	.	56.39	55.69	51.91	55.31	60.08	64.66	65.05	69.70	63.50	72.07	78.17	
Total	.	1323	167	235	273	243	266	186	231	263	111	142	3440
.	.	38.46	4.85	6.83	7.94	7.06	7.73	5.41	6.72	7.65	3.23	4.13	100.00
Frequency Missing = 713													

- C3. Thinking of a scale from 0 – 10 where 0 = No pain and 10 = Pain as bad as you can imagine, please give me the number that best describes your pain at its least in the last 24 hours.

painlst\_1

Table of GENDER_1 by PAINLST_1														
GENDER_1	PAINLST_1													
Frequency Percent Row Pct Col Pct	.	DK:O	0	1	2	3	4	5	6	7	8	9	10	Total
1: MALE	243	0	827	133	135	109	58	46	23	15	17	5	2	1370
.	.	.	24.05	3.87	3.93	3.17	1.69	1.34	0.67	0.44	0.49	0.15	0.06	39.84
.	.	.	60.36	9.71	9.85	7.96	4.23	3.36	1.68	1.09	1.24	0.36	0.15	
.	.	.	43.85	40.80	38.68	39.21	30.21	25.41	30.26	25.86	32.69	19.23	13.33	
2: FEMALE	470	1	1059	193	214	169	134	135	53	43	35	21	13	2069
.	.	.	30.79	5.61	6.22	4.91	3.90	3.93	1.54	1.25	1.02	0.61	0.38	60.16
.	.	.	51.18	9.33	10.34	8.17	6.48	6.52	2.56	2.08	1.69	1.01	0.63	
.	.	.	56.15	59.20	61.32	60.79	69.79	74.59	69.74	74.14	67.31	80.77	86.67	
Total	.	.	1886	326	349	278	192	181	76	58	52	26	15	3439
.	.	.	54.84	9.48	10.15	8.08	5.58	5.26	2.21	1.69	1.51	0.76	0.44	100.00
Frequency Missing = 714														

- C4. Thinking of a scale from 0 – 10 where 0 = No pain and 10 = Pain as bad as you can imagine, please give me the number that best describes your pain on the average.

painavg\_1

Table of GENDER_1 by PAINAVG_1														
GENDER_1	PAINAVG_1													
Frequency Percent Row Pct Col Pct	.	DK:O	0	1	2	3	4	5	6	7	8	9	10	Total
1: MALE	243	1	549	153	132	154	100	114	66	41	31	20	9	1369
	.	.	15.97	4.45	3.84	4.48	2.91	3.32	1.92	1.19	0.90	0.58	0.26	39.82
	.	.	40.10	11.18	9.64	11.25	7.30	8.33	4.82	2.99	2.26	1.46	0.66	
	.	.	45.56	48.26	43.00	43.50	36.63	32.29	30.41	26.62	24.03	26.67	16.67	
2: FEMALE	470	1	656	164	175	200	173	239	151	113	98	55	45	2069
	.	.	19.08	4.77	5.09	5.82	5.03	6.95	4.39	3.29	2.85	1.60	1.31	60.18
	.	.	31.71	7.93	8.46	9.67	8.36	11.55	7.30	5.46	4.74	2.66	2.17	
	.	.	54.44	51.74	57.00	56.50	63.37	67.71	69.59	73.38	75.97	73.33	83.33	
Total	.	.	1205	317	307	354	273	353	217	154	129	75	54	3438
	.	.	35.05	9.22	8.93	10.30	7.94	10.27	6.31	4.48	3.75	2.18	1.57	100.00
Frequency Missing = 715														

- C5. Thinking of a scale from 0 – 10 where 0 = No pain and 10 = Pain as bad as you can imagine, please give me the number that tells how much pain you have right now.

painnow\_1

Table of GENDER_1 by PAINNOW_1													
GENDER_1	PAINNOW_1												
Frequency Percent Row Pct Col Pct		0	1	2	3	4	5	6	7	8	9	10	Total
1: MALE	243	892	97	91	86	55	54	31	26	19	12	7	1370
	.	25.93	2.82	2.65	2.50	1.60	1.57	0.90	0.76	0.55	0.35	0.20	39.83
	.	65.11	7.08	6.64	6.28	4.01	3.94	2.26	1.90	1.39	0.88	0.51	
	.	43.64	37.45	38.56	38.91	38.19	30.17	30.69	30.95	21.35	26.67	18.42	
2: FEMALE	470	1152	162	145	135	89	125	70	58	70	33	31	2070
	.	33.49	4.71	4.22	3.92	2.59	3.63	2.03	1.69	2.03	0.96	0.90	60.17
	.	55.65	7.83	7.00	6.52	4.30	6.04	3.38	2.80	3.38	1.59	1.50	
	.	56.36	62.55	61.44	61.09	61.81	69.83	69.31	69.05	78.65	73.33	81.58	
Total	.	2044	259	236	221	144	179	101	84	89	45	38	3440
	.	59.42	7.53	6.86	6.42	4.19	5.20	2.94	2.44	2.59	1.31	1.10	100.00
Frequency Missing = 713													

[TAKE BACK RESPONSE CARD 'C2']

[SHOW RESPONSE CARD 'C6']

C6. Thinking of a scale from 0 – 10 where 0 = Does not interfere and 10 = Completely interferes, please give me the number that describes how, during the past 24 hours, pain has interfered with your:

\*a. General activity

**painact\_1**

Table of GENDER_1 by PAINACT_1															
GENDER_1	PAINACT_1														
Frequency Percent Row Pct Col Pct	.	DK:O	RF:K	0	1	2	3	4	5	6	7	8	9	10	Total
1: MALE	243	1	0	872	76	80	68	56	63	40	40	31	10	33	1369
.	.	.	.	25.36	2.21	2.33	1.98	1.63	1.83	1.16	1.16	0.90	0.29	0.96	39.82
.	.	.	.	63.70	5.55	5.84	4.97	4.09	4.60	2.92	2.92	2.26	0.73	2.41	
.	.	.	.	43.97	45.78	41.03	35.05	39.72	29.30	33.61	29.63	24.41	16.95	31.73	
2: FEMALE	470	0	1	1111	90	115	126	85	152	79	95	96	49	71	2069
.	.	.	.	32.32	2.62	3.34	3.66	2.47	4.42	2.30	2.76	2.79	1.43	2.07	60.18
.	.	.	.	53.70	4.35	5.56	6.09	4.11	7.35	3.82	4.59	4.64	2.37	3.43	
.	.	.	.	56.03	54.22	58.97	64.95	60.28	70.70	66.39	70.37	75.59	83.05	68.27	
Total	.	.	.	1983	166	195	194	141	215	119	135	127	59	104	3438
.	.	.	.	57.68	4.83	5.67	5.64	4.10	6.25	3.46	3.93	3.69	1.72	3.03	100.00
Frequency Missing = 715															

\*b. Mood

**painmood\_1**

Table of GENDER_1 by PAINMOOD_1															
GENDER_1	PAINMOOD_1														
Frequency Percent Row Pct Col Pct	.	DK:O	RF:K	0	1	2	3	4	5	6	7	8	9	10	Total
1: MALE	243	1	0	906	74	84	65	49	68	29	37	33	13	11	1369
.	.	.	.	26.35	2.15	2.44	1.89	1.43	1.98	0.84	1.08	0.96	0.38	0.32	39.82
.	.	.	.	66.18	5.41	6.14	4.75	3.58	4.97	2.12	2.70	2.41	0.95	0.80	
.	.	.	.	43.08	38.74	42.86	36.93	34.03	34.34	34.94	33.04	30.28	23.21	15.71	
2: FEMALE	470	0	1	1197	117	112	111	95	130	54	75	76	43	59	2069
.	.	.	.	34.82	3.40	3.26	3.23	2.76	3.78	1.57	2.18	2.21	1.25	1.72	60.18
.	.	.	.	57.85	5.65	5.41	5.36	4.59	6.28	2.61	3.62	3.67	2.08	2.85	
.	.	.	.	56.92	61.26	57.14	63.07	65.97	65.66	65.06	66.96	69.72	76.79	84.29	
Total	.	.	.	2103	191	196	176	144	198	83	112	109	56	70	3438
.	.	.	.	61.17	5.56	5.70	5.12	4.19	5.76	2.41	3.26	3.17	1.63	2.04	100.00
Frequency Missing = 715															

\*c. Walking ability  
**painwalk\_1**

Table of GENDER_1 by PAINWALK_1																
GENDER_1	PAINWALK_1															
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	RF:K	0	1	2	3	4	5	6	7	8	9	10	Total
1: MALE	243	1	3	0	879	82	67	58	56	51	32	42	50	23	26	1366
	.	.	.	.	25.60	2.39	1.95	1.69	1.63	1.49	0.93	1.22	1.46	0.67	0.76	39.78
	.	.	.	.	64.35	6.00	4.90	4.25	4.10	3.73	2.34	3.07	3.66	1.68	1.90	
	.	.	.	.	43.11	46.86	41.88	41.13	45.16	30.72	28.83	29.79	31.65	23.00	21.85	
2: FEMALE	470	0	0	2	1160	93	93	83	68	115	79	99	108	77	93	2068
	.	.	.	.	33.78	2.71	2.71	2.42	1.98	3.35	2.30	2.88	3.15	2.24	2.71	60.22
	.	.	.	.	56.09	4.50	4.50	4.01	3.29	5.56	3.82	4.79	5.22	3.72	4.50	
	.	.	.	.	56.89	53.14	58.13	58.87	54.84	69.28	71.17	70.21	68.35	77.00	78.15	
Total	.	.	.	.	2039	175	160	141	124	166	111	141	158	100	119	3434
	.	.	.	.	59.38	5.10	4.66	4.11	3.61	4.83	3.23	4.11	4.60	2.91	3.47	100.00
Frequency Missing = 719																

d. Normal Work (includes both work outside the home and housework)  
**painwork\_1**

Table of GENDER_1 by PAINWORK_1															
GENDER_1	PAINWORK_1														
Frequency Percent Row Pct Col Pct	.	DK:O	RF:K	0	1	2	3	4	5	6	7	8	9	10	Total
1: MALE	243	1	0	927	64	74	61	48	51	27	36	41	12	28	1369
	.	.	.	26.96	1.86	2.15	1.77	1.40	1.48	0.79	1.05	1.19	0.35	0.81	39.82
	.	.	.	67.71	4.67	5.41	4.46	3.51	3.73	1.97	2.63	2.99	0.88	2.05	
	.	.	.	43.75	40.76	49.33	35.67	40.00	29.48	23.89	27.07	32.28	16.22	27.72	
2: FEMALE	470	0	1	1192	93	76	110	72	122	86	97	86	62	73	2069
	.	.	.	34.67	2.71	2.21	3.20	2.09	3.55	2.50	2.82	2.50	1.80	2.12	60.18
	.	.	.	57.61	4.49	3.67	5.32	3.48	5.90	4.16	4.69	4.16	3.00	3.53	
	.	.	.	56.25	59.24	50.67	64.33	60.00	70.52	76.11	72.93	67.72	83.78	72.28	
Total	.	.	.	2119	157	150	171	120	173	113	133	127	74	101	3438
	.	.	.	61.63	4.57	4.36	4.97	3.49	5.03	3.29	3.87	3.69	2.15	2.94	100.00
Frequency Missing = 715															

\*e. Relations with other people  
**painrel\_1**

Table of GENDER_1 by PAINREL_1															
GENDER_1	PAINREL_1														
Frequency Percent Row Pct Col Pct	.	DK:O	RF:K	0	1	2	3	4	5	6	7	8	9	10	Total
1: MALE	243	1	0	1061	62	61	42	23	44	16	28	18	4	10	1369
	.	.	.	30.86	1.80	1.77	1.22	0.67	1.28	0.47	0.81	0.52	0.12	0.29	39.82
	.	.	.	77.50	4.53	4.46	3.07	1.68	3.21	1.17	2.05	1.31	0.29	0.73	
	.	.	.	42.05	41.33	37.65	35.90	27.06	41.90	23.88	37.33	23.68	9.76	27.03	
2: FEMALE	470	0	1	1462	88	101	75	62	61	51	47	58	37	27	2069
	.	.	.	42.52	2.56	2.94	2.18	1.80	1.77	1.48	1.37	1.69	1.08	0.79	60.18
	.	.	.	70.66	4.25	4.88	3.62	3.00	2.95	2.46	2.27	2.80	1.79	1.30	
	.	.	.	57.95	58.67	62.35	64.10	72.94	58.10	76.12	62.67	76.32	90.24	72.97	
Total	.	.	.	2523	150	162	117	85	105	67	75	76	41	37	3438
	.	.	.	73.39	4.36	4.71	3.40	2.47	3.05	1.95	2.18	2.21	1.19	1.08	100.00
Frequency Missing = 715															

f. Sleep  
**painslp\_1**

Table of GENDER_1 by PAINSLP_1															
GENDER_1	PAINSLP_1														
Frequency Percent Row Pct Col Pct	.	DK:O	RF:K	0	1	2	3	4	5	6	7	8	9	10	Total
1: MALE	243	1	0	901	70	76	58	56	50	38	37	38	21	24	1369
	.	.	.	26.21	2.04	2.21	1.69	1.63	1.45	1.11	1.08	1.11	0.61	0.70	39.82
	.	.	.	65.81	5.11	5.55	4.24	4.09	3.65	2.78	2.70	2.78	1.53	1.75	
	.	.	.	42.62	47.62	43.93	35.37	43.75	31.06	38.38	31.09	29.69	25.61	19.51	
2: FEMALE	470	0	1	1213	77	97	106	72	111	61	82	90	61	99	2069
	.	.	.	35.28	2.24	2.82	3.08	2.09	3.23	1.77	2.39	2.62	1.77	2.88	60.18
	.	.	.	58.63	3.72	4.69	5.12	3.48	5.36	2.95	3.96	4.35	2.95	4.78	
	.	.	.	57.38	52.38	56.07	64.63	56.25	68.94	61.62	68.91	70.31	74.39	80.49	
Total	.	.	.	2114	147	173	164	128	161	99	119	128	82	123	3438
	.	.	.	61.49	4.28	5.03	4.77	3.72	4.68	2.88	3.46	3.72	2.39	3.58	100.00
Frequency Missing = 715															

\*g. Enjoyment of life  
**painenj\_1**

Table of GENDER_1 by PAINENJ_1																
GENDER_1	PAINENJ_1															
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	RF:K	0	1	2	3	4	5	6	7	8	9	10	Total
1: MALE	243	1	0	0	920	81	71	49	39	61	36	46	23	20	23	1369
	.	.	.	.	26.78	2.36	2.07	1.43	1.14	1.78	1.05	1.34	0.67	0.58	0.67	39.84
	.	.	.	.	67.20	5.92	5.19	3.58	2.85	4.46	2.63	3.36	1.68	1.46	1.68	
	.	.	.	.	43.27	43.09	40.57	32.03	35.14	32.62	38.71	36.22	20.72	27.40	25.00	
2: FEMALE	470	1	1	1	1206	107	104	104	72	126	57	81	88	53	69	2067
	.	.	.	.	35.10	3.11	3.03	3.03	2.10	3.67	1.66	2.36	2.56	1.54	2.01	60.16
	.	.	.	.	58.35	5.18	5.03	5.03	3.48	6.10	2.76	3.92	4.26	2.56	3.34	
	.	.	.	.	56.73	56.91	59.43	67.97	64.86	67.38	61.29	63.78	79.28	72.60	75.00	
Total	.	.	.	.	2126	188	175	153	111	187	93	127	111	73	92	3436
	.	.	.	.	61.87	5.47	5.09	4.45	3.23	5.44	2.71	3.70	3.23	2.12	2.68	100.00
Frequency Missing = 717																

**[TAKE BACK RESPONSE CARD 'C6']**

# SECTION D: PHYSICAL ACTIVITY (PASE)

Now I am going to ask you about your activities in the last seven days not including today. Your answers should reflect how you actually behaved. There are no right or wrong responses.

## D1. [SHOW RESPONSE CARD 'D1']

\*In the last 7 days, how often did you:

- \*a. Participate in sitting activities such as reading, watching TV or doing handcrafts. Would you say:  
 sitting\_1
- Never .....0  
 Seldom (1-2 days) .....1  
 Sometimes (3-4 days) .....2  
 Often (5-7 days) .....3

## [SHOW RESPONSE CARD 'D1i']

i. IF EVER: On average, how many hours per day did you engage in these activities?

- Less than 1 hour .....1  
 1 but less than 2 hours .....2  
 2-4 hours .....3  
 More than 4 hours .....4  
 sitdur\_1

Table of GENDER_1 by SITTING_1							
GENDER_1	SITTING_1						
Frequency Percent Row Pct Col Pct	MI:O	RF:K	0: Never	1: Seldom (1-2 days)	2: Sometimes (3-4 days)	3: Often (5-7 days)	Total
1: MALE	0	0	30	125	294	1164	1613
	.	.	0.72	3.01	7.08	28.04	38.86
	.	.	1.86	7.75	18.23	72.16	
	.	.	41.10	36.13	36.12	39.89	
2: FEMALE	1	1	43	221	520	1754	2538
	.	.	1.04	5.32	12.53	42.25	61.14
	.	.	1.69	8.71	20.49	69.11	
	.	.	58.90	63.87	63.88	60.11	
Total	.	.	73	346	814	2918	4151
	.	.	1.76	8.34	19.61	70.30	100.00
Frequency Missing = 2							

Table of GENDER_1 by SITDUR_1							
GENDER_1	SITDUR_1						
Frequency Percent Row Pct Col Pct	RF:K	Skip	1: Less than 1 hour	2: 1 but less than 2 hours	3: 2-4 hours	4: More than 4 hours	Total
1: MALE	0	30	101	282	566	634	1583
	.	.	2.48	6.91	13.88	15.54	38.81
	.	.	6.38	17.81	35.75	40.05	
	.	.	32.48	35.83	39.80	40.67	
2: FEMALE	1	43	210	505	856	925	2496
	.	.	5.15	12.38	20.99	22.68	61.19
	.	.	8.41	20.23	34.29	37.06	
	.	.	67.52	64.17	60.20	59.33	
Total	.	.	311	787	1422	1559	4079
	.	.	7.62	19.29	34.86	38.22	100.00
Frequency Missing = 74							

\*b. Take a walk outside your home or yard for any reason? For example, for fun or exercise, walking to work, walking the dog, etc. Would you say:

walk\_1

Never.....0  
 Seldom (1-2 days).....1  
 Sometimes (3-4 days).....2  
 Often (5-7 days).....3

Less than 1 hour .....1  
 1 but less than 2 hours.....2  
 2-4 hours .....3  
 More than 4 hours .....4

walkdur\_1

Table of GENDER_1 by WALK_1							
GENDER_1	WALK_1						
Frequency Percent Row Pct Col Pct	MI:O	RF:K	0: Never	1: Seldom (1-2 days)	2: Sometimes (3-4 days)	3: Often (5-7 days)	Total
1: MALE	0	0	191	308	366	748	1613
.	.	.	4.60	7.42	8.82	18.02	38.86
.	.	.	11.84	19.09	22.69	46.37	
.	.	.	31.83	39.59	38.16	41.23	
2: FEMALE	1	1	409	470	593	1066	2538
.	.	.	9.85	11.32	14.29	25.68	61.14
.	.	.	16.12	18.52	23.36	42.00	
.	.	.	68.17	60.41	61.84	58.77	
Total	.	.	600	778	959	1814	4151
.	.	.	14.45	18.74	23.10	43.70	100.00
Frequency Missing = 2							

Table of GENDER_1 by WALKDUR_1									
GENDER_1	WALKDUR_1								
Frequency Percent Row Pct Col Pct	DK:O	MI:O	RF:K	Skip	1: Less than 1 hour	2: 1 but less than 2 hours	3: 2-4 hours	4: More than 4 hours	Total
1: MALE	1	1	0	191	543	484	254	139	1420
.	.	.	.	.	15.30	13.64	7.16	3.92	40.02
.	.	.	.	.	38.24	34.08	17.89	9.79	
.	.	.	.	.	40.80	38.26	39.81	44.27	
2: FEMALE	0	2	1	409	788	781	384	175	2128
.	.	.	.	.	22.21	22.01	10.82	4.93	59.98
.	.	.	.	.	37.03	36.70	18.05	8.22	
.	.	.	.	.	59.20	61.74	60.19	55.73	
Total	.	.	.	.	1331	1265	638	314	3548
.	.	.	.	.	37.51	35.65	17.98	8.85	100.00
Frequency Missing = 605									

\*c. Engage in light sport or recreational activities such as catch, darts, bocci, golf with a cart, fishing from a boat or pier or other similar activities. Would you say:

**Itsport\_1**

Never.....0  
 Seldom (1-2 days).....1  
 Sometimes (3-4 days).....2  
 Often (5-7 days).....3

Less than 1 hour .....1  
 1 but less than 2 hours.....2  
 2-4 hours .....3  
 More than 4 hours .....4

**Itspdur\_1**

Table of GENDER_1 by LTSPORT_1							
GENDER_1	LTSPORT_1						
Frequency Percent Row Pct Col Pct	MI:O	RF:K	0: Never	1: Seldom (1-2 days)	2: Sometimes (3-4 days)	3: Often (5-7 days)	Total
1: MALE	2	0	1208	228	117	58	1611
.	.	.	29.11	5.49	2.82	1.40	38.82
.	.	.	74.98	14.15	7.26	3.60	
.	.	.	36.07	51.01	51.09	46.40	
2: FEMALE	0	1	2141	219	112	67	2539
.	.	.	51.59	5.28	2.70	1.61	61.18
.	.	.	84.32	8.63	4.41	2.64	
.	.	.	63.93	48.99	48.91	53.60	
Total	.	.	3349	447	229	125	4150
.	.	.	80.70	10.77	5.52	3.01	100.00
Frequency Missing = 3							

Table of GENDER_1 by LTSPDUR_1								
GENDER_1	LTSPDUR_1							
Frequency Percent Row Pct Col Pct	MI:O	RF:K	Skip	1: Less than 1 hour	2: 1 but less than 2 hours	3: 2-4 hours	4: More than 4 hours	Total
1: MALE	1	0	1208	119	154	104	27	404
.	.	.	.	14.86	19.23	12.98	3.37	50.44
.	.	.	.	29.46	38.12	25.74	6.68	
.	.	.	.	42.96	50.99	59.09	58.70	
2: FEMALE	1	1	2141	158	148	72	19	397
.	.	.	.	19.73	18.48	8.99	2.37	49.56
.	.	.	.	39.80	37.28	18.14	4.79	
.	.	.	.	57.04	49.01	40.91	41.30	
Total	.	.	.	277	302	176	46	801
.	.	.	.	34.58	37.70	21.97	5.74	100.00
Frequency Missing = 3352								

\*d. Engage in moderate sport  
 and recreational activities  
 such as doubles tennis,  
 dancing, hunting, ice  
 skating, golf w/o a cart,  
 softball, skating or other  
 similar activities. Would  
 you say:

mdsport\_1

Never.....0  
 Seldom (1-2 days).....1  
 Sometimes (3-4 days) .....2  
 Often (5-7 days) .....3

Less than 1 hour ..... 1  
 1 but less than 2 hours.....2  
 2-4 hours .....3  
 More than 4 hours .....4

mdspdur\_1

Table of GENDER_1 by MDSPORT_1						
GENDER_1	MDSPORT_1					
Frequency Percent Row Pct Col Pct	RF:K	0: Never	1: Seldom (1-2 days)	2: Sometimes (3-4 days)	3: Often (5-7 days)	Total
1: MALE	0	1316	182	89	26	1613
.	.	31.70	4.38	2.14	0.63	38.85
.	.	81.59	11.28	5.52	1.61	
.	.	38.90	39.91	41.20	26.80	
2: FEMALE	1	2067	274	127	71	2539
.	.	49.78	6.60	3.06	1.71	61.15
.	.	81.41	10.79	5.00	2.80	
.	.	61.10	60.09	58.80	73.20	
Total	.	3383	456	216	97	4152
.	.	81.48	10.98	5.20	2.34	100.00
Frequency Missing = 1						

Table of GENDER_1 by MDSPDUR_1								
GENDER_1	MDSPDUR_1							
Frequency Percent Row Pct Col Pct	MI:O	RF:K	Skip	1: Less than 1 hour	2: 1 but less than 2 hours	3: 2- 4 hours	4: More than 4 hours	Total
1: MALE	0	0	1316	100	112	72	13	297
.	.	.	.	13.02	14.58	9.38	1.69	38.67
.	.	.	.	33.67	37.71	24.24	4.38	
.	.	.	.	36.36	37.09	45.86	38.24	
2: FEMALE	1	1	2067	175	190	85	21	471
.	.	.	.	22.79	24.74	11.07	2.73	61.33
.	.	.	.	37.15	40.34	18.05	4.46	
.	.	.	.	63.64	62.91	54.14	61.76	
Total	.	.	.	275	302	157	34	768
.	.	.	.	35.81	39.32	20.44	4.43	100.00
Frequency Missing = 3385								

\*e. Engage in strenuous  
 sport and recreational  
 activities such as jogging,  
 swimming, cycling,  
 singles tennis, basketball,  
 skiing or other activities.  
 Would you say:

**stsport\_1**

Never.....0  
 Seldom (1-2 days).....1  
 Sometimes (3-4 days) .....2  
 Often (5-7 days) .....3

Less than 1 hour ..... 1  
 1 but less than 2 hours.....2  
 2-4 hours .....3  
 More than 4 hours .....4

**stspdur\_1**

Table of GENDER_1 by STSPORT_1						
GENDER_1	STSPORT_1					
Frequency Percent Row Pct Col Pct	RF:K	0: Never	1: Seldom (1-2 days)	2: Sometimes (3-4 days)	3: Often (5-7 days)	Total
1: MALE	0	1187	195	133	98	1613
.	.	28.59	4.70	3.20	2.36	38.85
.	.	73.59	12.09	8.25	6.08	
.	.	35.76	52.85	47.67	52.97	
2: FEMALE	1	2132	174	146	87	2539
.	.	51.35	4.19	3.52	2.10	61.15
.	.	83.97	6.85	5.75	3.43	
.	.	64.24	47.15	52.33	47.03	
Total	.	3319	369	279	185	4152
.	.	79.94	8.89	6.72	4.46	100.00
Frequency Missing = 1						

Table of GENDER_1 by STSPDUR_1								
GENDER_1	STSPDUR_1							
Frequency Percent Row Pct Col Pct	MI:O	RF:K	Skip	1: Less than 1 hour	2: 1 but less than 2 hours	3: 2-4 hours	4: More than 4 hours	Total
1: MALE	0	0	1187	141	192	74	19	426
.	.	.	.	16.97	23.10	8.90	2.29	51.26
.	.	.	.	33.10	45.07	17.37	4.46	
.	.	.	.	51.46	48.73	56.49	59.38	
2: FEMALE	2	1	2132	133	202	57	13	405
.	.	.	.	16.00	24.31	6.86	1.56	48.74
.	.	.	.	32.84	49.88	14.07	3.21	
.	.	.	.	48.54	51.27	43.51	40.63	
Total	.	.	.	274	394	131	32	831
.	.	.	.	32.97	47.41	15.76	3.85	100.00
Frequency Missing = 3322								

\*f. Do any exercises

specifically to increase  
 muscle strength and  
 endurance, such as lifting  
 weights or push-ups, etc.

Would you say:

**strength\_1**

Never.....0

Seldom (1-2 days).....1

Sometimes (3-4 days).....2

Often (5-7 days) .....3

Less than 1 hour ..... 1

1 but less than 2 hours.....2

2-4 hours .....3

More than 4 hours .....4

**stendur\_1**

Table of GENDER_1 by STRENGTH_1						
GENDER_1	STRENGTH_1					
Frequency Percent Row Pct Col Pct	RF:K	0: Never	1: Seldom (1-2 days)	2: Sometimes (3-4 days)	3: Often (5-7 days)	Total
1: MALE	0	1036	237	193	147	1613
.	.	24.95	5.71	4.65	3.54	38.85
.	.	64.23	14.69	11.97	9.11	
.	.	37.01	42.17	40.55	46.67	
2: FEMALE	1	1763	325	283	168	2539
.	.	42.46	7.83	6.82	4.05	61.15
.	.	69.44	12.80	11.15	6.62	
.	.	62.99	57.83	59.45	53.33	
Total	.	2799	562	476	315	4152
.	.	67.41	13.54	11.46	7.59	100.00
Frequency Missing = 1						

Table of GENDER_1 by STRENDUR_1								
GENDER_1	STRENDUR_1							
Frequency Percent Row Pct Col Pct	MI:O	RF:K	Skip	1: Less than 1 hour	2: 1 but less than 2 hours	3: 2-4 hours	4: More than 4 hours	Total
1: MALE	0	0	1036	314	200	49	14	577
.	.	.	.	23.22	14.79	3.62	1.04	42.68
.	.	.	.	54.42	34.66	8.49	2.43	
.	.	.	.	40.78	43.67	49.49	56.00	
2: FEMALE	1	1	1763	456	258	50	11	775
.	.	.	.	33.73	19.08	3.70	0.81	57.32
.	.	.	.	58.84	33.29	6.45	1.42	
.	.	.	.	59.22	56.33	50.51	44.00	
Total	.	.	.	770	458	99	25	1352
.	.	.	.	56.95	33.88	7.32	1.85	100.00
Frequency Missing = 2801								

**[TAKE BACK RESPONSE CARD FOR 'D1' AND 'D1i']**

- \*In the last 7 days, have you done any:  
D2. Light housework, such as dusting or washing dishes?  
**lthswork\_1**

Yes No  
1 2

Table of GENDER_1 by LTHSWORK_1				
GENDER_1	LTHSWORK_1			
Frequency Percent Row Pct Col Pct	RF:K	1: YES	2: NO	Total
1: MALE	0	1452	161	1613
	.	34.97	3.88	38.85
	.	90.02	9.98	
	.	37.32	61.69	
2: FEMALE	1	2439	100	2539
	.	58.74	2.41	61.15
	.	96.06	3.94	
	.	62.68	38.31	
Total	.	3891	261	4152
	.	93.71	6.29	100.00
Frequency Missing = 1				

- \*D3. Heavy housework or chores, such as vacuuming, scrubbing floors, washing windows, or carrying wood?  
**hvhswork\_1**

1 2

Table of GENDER_1 by HVHWORK_1				
GENDER_1	HVHWORK_1			
Frequency Percent Row Pct Col Pct	RF:K	1: YES	2: NO	Total
1: MALE	0	1019	594	1613
	.	24.54	14.31	38.85
	.	63.17	36.83	
	.	37.26	41.92	
2: FEMALE	1	1716	823	2539
	.	41.33	19.82	61.15
	.	67.59	32.41	
	.	62.74	58.08	
Total	.	2735	1417	4152
	.	65.87	34.13	100.00
Frequency Missing = 1				

D4a. Home repairs like painting, wallpapering, electrical work, etc.  
**homerep\_1**

1

2

Table of GENDER_1 by HOMEREP_1					
GENDER_1	HOMEREP_1				
Frequency Percent Row Pct Col Pct	MI:O	RF:K	1: YES	2: NO	Total
1: MALE	0	0	366	1247	1613
.	.	.	8.82	30.04	38.86
.	.	.	22.69	77.31	
.	.	.	62.89	34.94	
2: FEMALE	1	1	216	2322	2538
.	.	.	5.20	55.94	61.14
.	.	.	8.51	91.49	
.	.	.	37.11	65.06	
Total	.	.	582	3569	4151
.	.	.	14.02	85.98	100.00
Frequency Missing = 2					

\*b. Lawn work or yard care, including snow or leaf removal, wood chopping, etc.  
**lawnwork\_1**

1

2

Table of GENDER_1 by LAWNWORK_1					
GENDER_1	LAWNWORK_1				
Frequency Percent Row Pct Col Pct	MI:O	RF:K	1: YES	2: NO	Total
1: MALE	0	0	471	1142	1613
.	.	.	11.35	27.51	38.86
.	.	.	29.20	70.80	
.	.	.	53.28	34.96	
2: FEMALE	1	1	413	2125	2538
.	.	.	9.95	51.19	61.14
.	.	.	16.27	83.73	
.	.	.	46.72	65.04	
Total	.	.	884	3267	4151
.	.	.	21.30	78.70	100.00
Frequency Missing = 2					

c. Outdoor gardening  
**garden\_1**

1 2

Table of GENDER_1 by GARDEN_1					
GENDER_1	GARDEN_1				
Frequency Percent Row Pct Col Pct	MI:O	RF:K	1: YES	2: NO	Total
1: MALE	1	0	289	1323	1612
	.	.	6.97	31.89	38.85
	.	.	17.93	82.07	
	.	.	43.33	38.00	
2: FEMALE	2	1	378	2159	2537
	.	.	9.11	52.04	61.15
	.	.	14.90	85.10	
	.	.	56.67	62.00	
Total	.	.	667	3482	4149
	.	.	16.08	83.92	100.00
Frequency Missing = 4					

\*d. Caretaking of another person, such as children, dependent spouse, or  
 another adult **caretak\_1**

1 2

Table of GENDER_1 by CARETAK_1					
GENDER_1	CARETAK_1				
Frequency Percent Row Pct Col Pct	MI:O	RF:K	1: YES	2: NO	Total
1: MALE	0	0	604	1009	1613
	.	.	14.55	24.31	38.86
	.	.	37.45	62.55	
	.	.	31.91	44.69	
2: FEMALE	1	1	1289	1249	2538
	.	.	31.05	30.09	61.14
	.	.	50.79	49.21	
	.	.	68.09	55.31	
Total	.	.	1893	2258	4151
	.	.	45.60	54.40	100.00
Frequency Missing = 2					

D5. In the last 7 days, did you work, including work as a volunteer?

**work7dy\_1**

Yes ..... 1

No..... 2 (SECTION E)

Table of GENDER_1 by WORK7DY_1				
GENDER_1	WORK7DY_1			
Frequency Percent Row Pct Col Pct	RF:K	1: YES	2: NO	Total
1: MALE	0	972	641	1613
	.	23.41	15.44	38.85
	.	60.26	39.74	
	.	41.95	34.93	
2: FEMALE	1	1345	1194	2539
	.	32.39	28.76	61.15
	.	52.97	47.03	
	.	58.05	65.07	
Total	.	2317	1835	4152
	.	55.80	44.20	100.00
Frequency Missing = 1				

a. How many hours per week did you work, including work as a volunteer, in the last 7 days?

**hrs7dy\_1**

Table of GENDER_1 by HRS7DY_1								
GENDER_1	HRS7DY_1							
Frequency Percent Row Pct Col Pct	.	RF:K	Skip	≤20 hrs	21-40 hrs	40-60 rs	60 hrs<	Total
1: MALE	0	0	641	185	446	291	50	972
	.	.	.	7.99	19.26	12.56	2.16	41.97
	.	.	.	19.03	45.88	29.94	5.14	
	.	.	.	33.64	38.25	56.18	60.98	
2: FEMALE	1	1	1194	365	720	227	32	1344
	.	.	.	15.76	31.09	9.80	1.38	58.03
	.	.	.	27.16	53.57	16.89	2.38	
	.	.	.	66.36	61.75	43.82	39.02	
Total	.	.	.	550	1166	518	82	2316
	.	.	.	23.75	50.35	22.37	3.54	100.00
Frequency Missing = 1837								

- b. Which of the following categories best describes the amount of physical activity required on your job or in your volunteer work?

**physwork\_1**

- Mainly sitting with slight arm movements ..... 1  
Sitting or standing with some walking ..... 2  
Walking, with some handling of materials weighing less than 50 pounds ..... 3  
Walking and heavy manual work often requiring handling of materials weighing over 50 pounds..... 4

Table of GENDER_1 by PHYSWORK_1								
GENDER_1	PHYSWORK_1							
Frequency Percent Row Pct Col Pct	MI:O	RF:K	Skip	1: Mainly sitting with slight ar	2: Sitting or standing with some	3: Walking, with some handling o	4: Walking and heavy manual work	Total
1: MALE	1	0	641	166	273	383	149	971
	.	.	.	7.17	11.79	16.54	6.43	41.93
	.	.	.	17.10	28.12	39.44	15.35	
	.	.	.	39.34	34.60	42.79	70.95	
2: FEMALE	0	1	1194	256	516	512	61	1345
	.	.	.	11.05	22.28	22.11	2.63	58.07
	.	.	.	19.03	38.36	38.07	4.54	
	.	.	.	60.66	65.40	57.21	29.05	
Total	.	.	.	422	789	895	210	2316
	.	.	.	18.22	34.07	38.64	9.07	100.00
Frequency Missing = 1837								

## SECTION E: HEALTH AND HEALTH CARE

Now I have some questions about whether a health care provider has ever told you that you have a particular health condition. As you consider your answer, please keep in mind that a health care provider can be a general doctor, a specialist doctor, a nurse practitioner, a physician assistant, a nurse, or anyone else you would see for health care.

- E1. Have you ever been told by a health care provider (that can be a doctor or nurse) that you now have or previously had:
- YES NO REF DK i: IF YES: How old were you when you were first told OR at the time of the first event OR when you had surgery?
- a. A heart attack (myocardial infarction or MI) 1 2 -7 -8 mi\_1 mi\_1age

Table of GENDER_1 by MI_I					
GENDER_1	MI_I				
Frequency Percent Row Pct Col Pct	.	DK:0	1: Yes	2: No	Total
1: MALE	1	4	113	1495	1608
	.	.	2.73	36.07	38.79
	.	.	7.03	92.97	
	.	.	48.29	38.23	
2: FEMALE	2	1	121	2416	2537
	.	.	2.92	58.29	61.21
	.	.	4.77	95.23	
	.	.	51.71	61.77	
Total	.	.	234	3911	4145
	.	.	5.65	94.35	100.00
Frequency Missing = 8					

Table of GENDER_1 by MI_1AGE							
GENDER_1	MI_1AGE						
Frequency Percent Row Pct Col Pct	.	DK:0	Skip	≤40	41-60	60<	Total
1: MALE	1	1	1499	16	65	31	112
	.	.	.	6.96	28.26	13.48	48.70
	.	.	.	14.29	58.04	27.68	
	.	.	.	51.61	47.45	50.00	
2: FEMALE	2	3	2417	15	72	31	118
	.	.	.	6.52	31.30	13.48	51.30
	.	.	.	12.71	61.02	26.27	
	.	.	.	48.39	52.55	50.00	
Total	.	.	.	31	137	62	230
	.	.	.	13.48	59.57	26.96	100.00
Frequency Missing = 3923							

- \*b. Congestive heart failure (CHF) (you may have been short of breath and the doctor may have told you that you had fluid in your lungs or that your heart was not pumping well) 1 2 -7 -8 (E1c)

chftx\_1

chftx\_1age

Table of GENDER_1 by CHFTX_1					
GENDER_1	CHFTX_1				
Frequency Percent Row Pct Col Pct	.	DK:O	1: Yes	2: No	Total
1: MALE	1	4	45	1563	1608
	.	.	1.09	37.75	38.84
	.	.	2.80	97.20	
	.	.	37.82	38.87	
2: FEMALE	2	6	74	2458	2532
	.	.	1.79	59.37	61.16
	.	.	2.92	97.08	
	.	.	62.18	61.13	
Total	.	.	119	4021	4140
	.	.	2.87	97.13	100.00
Frequency Missing = 13					

Table of GENDER_1 by CHFTX_1AGE							
GENDER_1	CHFTX_1AGE						
Frequency Percent Row Pct Col Pct	.	DK:O	Skip	≤40	41-60	60<	Total
1: MALE	1	0	1567	6	25	14	45
	.	.	.	5.08	21.19	11.86	38.14
	.	.	.	13.33	55.56	31.11	
	.	.	.	37.50	43.10	31.82	
2: FEMALE	2	1	2464	10	33	30	73
	.	.	.	8.47	27.97	25.42	61.86
	.	.	.	13.70	45.21	41.10	
	.	.	.	62.50	56.90	68.18	
Total	.	.	.	16	58	44	118
	.	.	.	13.56	49.15	37.29	100.00
Frequency Missing = 4035							

- b1. IF YES: Were you treated for this? 1 2 -7 -8

chftx\_trt1

Table of GENDER_1 by CHFTX_TRT1							
GENDER_1	CHFTX_TRT1						
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	Skip	1: Yes	2: No	Total
1: MALE	1	0	2	1567	41	2	43
	.	.	.	.	35.96	1.75	37.72
	.	.	.	.	95.35	4.65	
	.	.	.	.	37.96	33.33	
2: FEMALE	2	1	2	2464	67	4	71
	.	.	.	.	58.77	3.51	62.28
	.	.	.	.	94.37	5.63	
	.	.	.	.	62.04	66.67	
Total	.	.	.	.	108	6	114
	.	.	.	.	94.74	5.26	100.00
Frequency Missing = 4039							

- \*c. Surgery or angioplasty for arterial disease  
of the leg (an operation to unclog or  
bypass arteries in your leg) **spvd\_1**

1 2 -7 -8

**spvd\_1age**

Table of GENDER_1 by SPVD_1						
GENDER_1	SPVD_1					
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	1: Yes	2: No	Total
1: MALE	1	3	3	43	1563	1606
	.	.	.	1.04	37.77	38.81
	.	.	.	2.68	97.32	
	.	.	.	53.09	38.53	
2: FEMALE	2	1	5	38	2494	2532
	.	.	.	0.92	60.27	61.19
	.	.	.	1.50	98.50	
	.	.	.	46.91	61.47	
Total	.	.	.	81	4057	4138
	.	.	.	1.96	98.04	100.00
Frequency Missing = 15						

Table of GENDER_1 by SPVD_1AGE							
GENDER_1	SPVD_1AGE						
Frequency Percent Row Pct Col Pct	.	DK:0	Skip	≤40	41-60	60<	Total
1: MALE	1	0	1569	6	15	22	43
	.	.	.	7.50	18.75	27.50	53.75
	.	.	.	13.95	34.88	51.16	
	.	.	.	42.86	38.46	81.48	
2: FEMALE	2	1	2500	8	24	5	37
	.	.	.	10.00	30.00	6.25	46.25
	.	.	.	21.62	64.86	13.51	
	.	.	.	57.14	61.54	18.52	
Total	.	.	.	14	39	27	80
	.	.	.	17.50	48.75	33.75	100.00
Frequency Missing = 4073							

- d. A TIA or mild stroke (Transient Ischemic Attack, mini stroke) **tia\_1** 1 2 -7 -8 **tia\_1age**

Table of GENDER_1 by TIA_1						
GENDER_1	TIA_1					
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	1: Yes	2: No	Total
1: MALE	1	1	0	41	1570	1611
	.	.	.	0.99	37.89	38.88
	.	.	.	2.55	97.45	
	.	.	.	34.45	39.01	
2: FEMALE	2	4	1	78	2455	2533
	.	.	.	1.88	59.24	61.12
	.	.	.	3.08	96.92	
	.	.	.	65.55	60.99	
Total	.	.	.	119	4025	4144
	.	.	.	2.87	97.13	100.00
Frequency Missing = 9						

Table of GENDER_1 by TIA_1AGE							
GENDER_1	TIA_1AGE						
Frequency Percent Row Pct Col Pct	.	DK:0	Skip	≤40	41-60	60<	Total
1: MALE	1	1	1571	4	26	10	40
	.	.	.	3.45	22.41	8.62	34.48
	.	.	.	10.00	65.00	25.00	
	.	.	.	23.53	42.62	26.32	
2: FEMALE	2	2	2460	13	35	28	76
	.	.	.	11.21	30.17	24.14	65.52
	.	.	.	17.11	46.05	36.84	
	.	.	.	76.47	57.38	73.68	
Total	.	.	.	17	61	38	116
	.	.	.	14.66	52.59	32.76	100.00
Frequency Missing = 4037							

- e. A Stroke (CVA, cerebrovascular accident, blood clot or bleeding in the brain) **stroke\_1** 1 2 -7 -8 **(E1f)** **stroke\_1age**

Table of GENDER_1 by STROKE_1					
GENDER_1	STROKE_1				
Frequency Percent Row Pct Col Pct	.	DK:0	1: Yes	2: No	Total
1: MALE	1	1	29	1582	1611
	.	.	0.70	38.17	38.87
	.	.	1.80	98.20	
	.	.	40.85	38.83	
2: FEMALE	2	4	42	2492	2534
	.	.	1.01	60.12	61.13
	.	.	1.66	98.34	
	.	.	59.15	61.17	
Total	.	.	71	4074	4145
	.	.	1.71	98.29	100.00
Frequency Missing = 8					

Table of GENDER_1 by STROKE_1AGE								
GENDER_1	STROKE_1AGE							
Frequency Percent Row Pct Col Pct	.	DK:0	MI:0	Skip	≤40	41-60	60<	Total
1: MALE	1	0	1	1583	7	14	7	28
	.	.	.	.	10.45	20.90	10.45	41.79
	.	.	.	.	25.00	50.00	25.00	
	.	.	.	.	41.18	45.1	36.84	
2: FEMALE	2	3	0	2496	10	17	12	39
	.	.	.	.	14.93	25.37	17.91	58.21
	.	.	.	.	25.64	43.59	30.77	
	.	.	.	.	58.82	54.84	63.16	
Total	.	.	.	.	17	31	19	67
	.	.	.	.	25.37	46.27	28.36	100.00
Frequency Missing = 4086								

- e1. **IF YES:** Do you have difficulty moving an arm or leg as a result of the stroke or cerebrovascular accident? 1 2 -7 -8 **stroke\_trt1**

Table of GENDER_1 by STROKE_TRT1					
GENDER_1	STROKE_TRT1				
Frequency Percent Row Pct Col Pct	.	Skip	1: Yes	2: No	Total
1: MALE	1	1584	10	18	28
	.	.	15.38	27.69	43.08
	.	.	35.71	64.29	
	.	.	33.33	51.43	
2: FEMALE	2	2501	20	17	37
	.	.	30.77	26.15	56.92
	.	.	54.05	45.95	
	.	.	66.67	48.57	
Total	.	.	30	35	65
	.	.	46.15	53.85	100.00
Frequency Missing = 4088					

\*f. Asthma **asthma\_1** 1 2 -7 -8 **asthma\_1age**  
(E1g)

Table of GENDER_1 by ASTHMA_1						
GENDER_1	ASTHMA_1					
Frequency Percent Row Pct Col Pct	.	DK:O	RF:K	1: Yes	2: No	Total
1: MALE	1	0	1	203	1408	1611
	.	.	.	4.90	33.96	38.86
	.	.	.	12.60	87.40	
	.	.	.	27.32	41.38	
2: FEMALE	2	3	0	540	1995	2535
	.	.	.	13.02	48.12	61.14
	.	.	.	21.30	78.70	
	.	.	.	72.68	58.62	
Total	.	.	.	743	3403	4146
	.	.	.	17.92	82.08	100.00
Frequency Missing = 7						

Table of GENDER_1 by ASTHMA_1AGE									
GENDER_1	ASTHMA_1AGE								
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	Skip	≤20	21-40	41-60	60<	Total
1: MALE	1	1	1	1409	100	49	36	16	201
	.	.	.	.	13.66	6.69	4.92	2.19	27.46
	.	.	.	.	49.75	24.38	17.91	7.96	
	.	.	.	.	37.04	19.92	20.34	41.03	
2: FEMALE	2	8	1	1998	170	197	141	23	531
	.	.	.	.	23.22	26.91	19.26	3.14	72.54
	.	.	.	.	32.02	37.10	26.55	4.33	
	.	.	.	.	62.96	80.08	79.66	58.97	
Total	.	.	.	.	270	246	177	39	732
	.	.	.	.	36.89	33.61	24.18	5.33	100.00
Frequency Missing = 3421									

- f1. IF YES: Do you take medication for your asthma? **asthma\_trt1**
- No..... 1
- Yes, only with flare-ups of my asthma..... 2
- Yes, I take medications regularly, even when I'm not having a flare up..... 3

Table of GENDER_1 by ASTHMA_TRT1							
GENDER_1	ASTHMA_TRT1						
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: No	2: Yes, only with flare-ups of m	3: Yes, I take medications regul	Total
1: MALE	1	0	1409	75	67	61	203
	.	.	.	10.11	9.03	8.22	27.36
	.	.	.	36.95	33.00	30.05	
	.	.	.	37.13	21.82	26.18	
2: FEMALE	2	1	1998	127	240	172	539
	.	.	.	17.12	32.35	23.18	72.64
	.	.	.	23.56	44.53	31.91	
	.	.	.	62.87	78.18	73.82	
Total	.	.	.	202	307	233	742
	.	.	.	27.22	41.37	31.40	100.00
Frequency Missing = 3411							

- g. Chronic lung disease such as chronic bronchitis, COPD, or emphysema, 1 2 -7 -8  
not including asthma. **clung\_1** (E1h) **clung\_1age**

Table of GENDER_1 by CLUNG_1					
GENDER_1	CLUNG_1				
Frequency Percent Row Pct Col Pct	.	DK:O	1: Yes	2: No	Total
1: MALE	1	1	99	1512	1611
	.	.	2.39	36.46	38.85
	.	.	6.15	93.85	
	.	.	31.53	39.45	
2: FEMALE	2	2	215	2321	2536
	.	.	5.18	55.97	61.15
	.	.	8.48	91.52	
	.	.	68.47	60.55	
Total	.	.	314	3833	4147
	.	.	7.57	92.43	100.00

Frequency Missing = 6

Table of GENDER_1 by CLUNG_1AGE									
GENDER_1	CLUNG_1AGE								
Frequency Percent Row Pct Col Pct	.	DK:0	MI:0	Skip	≤20	21-40	41-60	60<	Total
1: MALE	1	1	1	1513	13	21	45	18	97
	.	.	.	.	4.23	6.84	14.66	5.86	31.60
	.	.	.	.	13.40	21.65	46.39	18.56	
	.	.	.	.	31.71	28.38	33.83	30.51	
2: FEMALE	2	4	1	2323	28	53	88	41	210
	.	.	.	.	9.12	17.26	28.66	13.36	68.40
	.	.	.	.	13.33	25.24	41.90	19.52	
	.	.	.	.	68.29	71.62	66.17	69.49	
Total	.	.	.	.	41	74	133	59	307
	.	.	.	.	13.36	24.10	43.32	19.22	100.00

Frequency Missing = 3846

- g1. IF YES: Do you take medication for your lung disease? **clung\_trt1**  
No..... 1  
Yes, only with flare-ups of my lung disease ..... 2  
Yes, I take medications regularly, even when I'm not having a flare up ..... 3

Table of GENDER_1 by CLUNG_TRT1							
GENDER_1	CLUNG_TRT1						
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: No	2: Yes, only with flare-ups of m	3: Yes, I take medications regul	Total
1: MALE	1	1	1513	50	18	30	98
	.	.	.	16.18	5.83	9.71	31.72
	.	.	.	51.02	18.37	30.61	
	.	.	.	36.50	23.38	31.58	
2: FEMALE	2	4	2323	87	59	65	211
	.	.	.	28.16	19.09	21.04	68.28
	.	.	.	41.23	27.96	30.81	
	.	.	.	63.50	76.62	68.42	
Total	.	.	.	137	77	95	309
	.	.	.	44.34	24.92	30.74	100.00

Frequency Missing = 3844

\*h. Stomach ulcers or peptic ulcer  
disease **ulcer\_1**

1 2 -7 -8  
(E1i)

**ulcer\_1age**

Table of GENDER_1 by ULCER_1					
GENDER_1	ULCER_1				
Frequency Percent Row Pct Col Pct	.	DK:O	1: Yes	2: No	Total
1: MALE	1	3	113	1496	1609
	.	.	2.73	36.16	38.89
	.	.	7.02	92.98	
	.	.	34.14	39.31	
2: FEMALE	2	10	218	2310	2528
	.	.	5.27	55.84	61.11
	.	.	8.62	91.38	
	.	.	65.86	60.69	
Total	.	.	331	3806	4137
	.	.	8.00	92.00	100.00
Frequency Missing = 16					

Table of GENDER_1 by ULCER_1AGE								
GENDER_1	ULCER_1AGE							
Frequency Percent Row Pct Col Pct	.	DK:0	Skip	≤20	21-40	41-60	60<	Total
1: MALE	1	0	1499	18	53	40	2	113
	.	.	.	5.47	16.11	12.16	0.61	34.35
	.	.	.	15.93	46.90	35.40	1.77	
	.	.	.	41.86	37.59	33.90	7.41	
2: FEMALE	2	2	2320	25	88	78	25	216
	.	.	.	7.60	26.75	23.71	7.60	65.65
	.	.	.	11.57	40.74	36.11	11.57	
	.	.	.	58.14	62.41	66.10	92.59	
Total	.	.	.	43	141	118	27	329
	.	.	.	13.07	42.86	35.87	8.21	100.00
Frequency Missing = 3824								

h1. **IF YES:** Has this condition been diagnosed by endoscopy (where a  
doctor looks into your stomach through a scope) or an upper GI or  
barium swallow study (where you swallow chalky dye and then x-  
rays are taken)? **ulcer\_trt1**

1 2 -7 -8

Table of GENDER_1 by ULCER_TRT1							
GENDER_1	ULCER_TRT1						
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	Skip	1: Yes	2: No	Total
1: MALE	1	9	2	1499	75	27	102
	.	.	.	.	25.08	9.03	34.11
	.	.	.	.	73.53	26.47	
	.	.	.	.	33.94	34.62	
2: FEMALE	2	16	5	2320	146	51	197
	.	.	.	.	48.83	17.06	65.89
	.	.	.	.	74.11	25.89	
	.	.	.	.	66.06	65.38	
Total	.	.	.	.	221	78	299
	.	.	.	.	73.91	26.09	100.00
Frequency Missing = 3854							

- i. Kidney disease or poor kidney function (blood tests show high creatinine) **kidney\_1**

1 2 -7 -8  
(E1j)

**kidney\_1age**

Table of GENDER_1 by KIDNEY_1							
GENDER_1	KIDNEY_1						
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	RF:K	1: Yes	2: No	Total
1: MALE	1	4	1	0	63	1544	1607
	.	.	.	.	1.52	37.36	38.88
	.	.	.	.	3.92	96.08	
	.	.	.	.	41.72	38.77	
2: FEMALE	2	8	3	1	88	2438	2526
	.	.	.	.	2.13	58.99	61.12
	.	.	.	.	3.48	96.52	
	.	.	.	.	58.28	61.23	
Total	.	.	.	.	151	3982	4133
	.	.	.	.	3.65	96.35	100.00
Frequency Missing = 20							

Table of GENDER_1 by KIDNEY_1AGEA								
GENDER_1	KIDNEY_1AGEA							
Frequency Percent Row Pct Col Pct	.	DK:0	Skip	≤20	21-40	41-60	60<	Total
1: MALE	1	1	1549	4	13	25	20	62
	.	.	.	2.68	8.72	16.78	13.42	41.61
	.	.	.	6.45	20.97	40.32	32.26	
	.	.	.	33.33	39.39	42.37	44.44	
2: FEMALE	2	1	2450	8	20	34	25	87
	.	.	.	5.37	13.42	22.82	16.78	58.39
	.	.	.	9.20	22.99	39.08	28.74	
	.	.	.	66.67	60.61	57.63	55.56	
Total	.	.	.	12	33	59	45	149
	.	.	.	8.05	22.15	39.60	30.20	100.00
Frequency Missing = 4004								

- ii. IF YES: Have you ever used hemodialysis or peritoneal dialysis? **kidney\_trt1a**

1 2 -7 -8  
(E1j)

Table of GENDER_1 by KIDNEY_TRT1A					
GENDER_1	KIDNEY_TRT1A				
Frequency Percent Row Pct Col Pct	.	Skip	1: Yes	2: No	Total
1: MALE	1	1549	11	52	63
	.	.	7.28	34.44	41.72
	.	.	17.46	82.54	
	.	.	45.83	40.94	
2: FEMALE	2	2450	13	75	88
	.	.	8.61	49.67	58.28
	.	.	14.77	85.23	
	.	.	54.17	59.06	
Total	.	.	24	127	151
	.	.	15.89	84.11	100.00
Frequency Missing = 4002					

i2. **IF YES:** Have you ever received  
kidney transplantation?

1 2 -7 -8

kidney\_trt1b

kidney\_1ageb

Table of GENDER_1 by KIDNEY_TRT1B					
GENDER_1	KIDNEY_TRT1B				
Frequency Percent Row Pct Col Pct	.	Skip	1: Yes	2: No	Total
1: MALE	1	1549	6	57	63
	.	.	3.97	37.75	41.72
	.	.	9.52	90.48	
	.	.	60.00	40.43	
2: FEMALE	2	2450	4	84	88
	.	.	2.65	55.63	58.28
	.	.	4.55	95.45	
	.	.	40.00	59.57	
Total	.	.	10	141	151
	.	.	6.62	93.38	100.00
Frequency Missing = 4002					

Table of GENDER_1 by KIDNEY_1AGEB						
GENDER_1	KIDNEY_1AGEB					
Frequency Percent Row Pct Col Pct	.	Skip	21-40	41-60	60<	Total
1: MALE	1	1606	1	4	1	6
	.	.	10.00	40.00	10.00	60.00
	.	.	16.67	66.67	16.67	
	.	.	33.33	80.00	50.00	
2: FEMALE	2	2534	2	1	1	4
	.	.	20.00	10.00	10.00	40.00
	.	.	50.00	25.00	25.00	
	.	.	66.67	20.00	50.00	
Total	.	.	3	5	2	10
	.	.	30.00	50.00	20.00	100.00
Frequency Missing = 4143						

E1 cont.: Have you ever been told by a  
health care provider that you have or had:

YES

NO

REF

DK

i: **IF YES:** How old were  
you when you were first  
told **OR** at the time of the  
first event **OR** when you  
had surgery?

- j. Insulin-dependent or juvenile-onset  
diabetes (Type I) **diab1\_1**

1

2

-7

-8

(E1k)

**diab1\_1age**

Table of GENDER_1 by DIAB1_1						
GENDER_1	DIAB1_1					
Frequency Percent Row Pct Col Pct	.	DK:O	RF:K	1: Yes	2: No	Total
1: MALE	1	4	1	52	1555	1607
	.	.	.	1.26	37.55	38.81
	.	.	.	3.24	96.76	
	.	.	.	41.94	38.71	
2: FEMALE	2	3	1	72	2462	2534
	.	.	.	1.74	59.45	61.19
	.	.	.	2.84	97.16	
	.	.	.	58.06	61.29	
Total	.	.	.	124	4017	4141
	.	.	.	2.99	97.01	100.00
Frequency Missing = 12						

Table of GENDER_1 by DIAB1_1AGE								
GENDER_1	DIAB1_1AGE							
Frequency Percent Row Pct Col Pct	.	DK:O	Skip	≤20	21-40	41-60	60<	Total
1: MALE	1	0	1560	6	15	25	6	52
	.	.	.	4.92	12.30	20.49	4.92	42.62
	.	.	.	11.54	28.85	48.08	11.54	
	.	.	.	42.86	46.88	43.86	31.58	
2: FEMALE	2	2	2466	8	17	32	13	70
	.	.	.	6.56	13.93	26.23	10.66	57.38
	.	.	.	11.43	24.29	45.71	18.57	
	.	.	.	57.14	53.13	56.14	68.42	
Total	.	.	.	14	32	57	19	122
	.	.	.	11.48	26.23	46.72	15.57	100.00
Frequency Missing = 4031								

j1. IF YES: Are you treating your diabetes by.....

i. Modifying your diet **diab1\_1diet** 1 2 -7 -8

Table of GENDER_1 by DIAB1_1DIET					
GENDER_1	DIAB1_1DIET				
Frequency Percent Row Pct Col Pct	.	Skip	1: Yes	2: No	Total
1: MALE	244	1326	36	7	43
	.	.	35.64	6.93	42.57
	.	.	83.72	16.28	
	.	.	43.37	38.89	
2: FEMALE	472	2010	47	11	58
	.	.	46.53	10.89	57.43
	.	.	81.03	18.97	
	.	.	56.63	61.11	
Total	.	.	83	18	101
	.	.	82.18	17.82	100.00
Frequency Missing = 4052					

ii. Medications taken by mouth **diab1\_1med** 1 2 -7 -8

Table of GENDER_1 by DIAB1_1MED					
GENDER_1	DIAB1_1MED				
Frequency Percent Row Pct Col Pct	.	Skip	1: Yes	2: No	Total
1: MALE	244	1326	30	13	43
	.	.	29.70	12.87	42.57
	.	.	69.77	30.23	
	.	.	44.12	39.39	
2: FEMALE	472	2010	38	20	58
	.	.	37.62	19.80	57.43
	.	.	65.52	34.48	
	.	.	55.88	60.61	
Total	.	.	68	33	101
	.	.	67.33	32.67	100.00
Frequency Missing = 4052					

iii. Insulin injection **diab1\_1ins** 1 2 -7 -8

Table of GENDER_1 by DIAB1_1INS					
GENDER_1	DIAB1_1INS				
Frequency Percent Row Pct Col Pct	.	Skip	1: Yes	2: No	Total
1: MALE	244	1326	38	5	43
	.	.	37.62	4.95	42.57
	.	.	88.37	11.63	
	.	.	45.24	29.41	
2: FEMALE	472	2010	46	12	58
	.	.	45.54	11.88	57.43
	.	.	79.31	20.69	
	.	.	54.76	70.59	
Total	.	.	84	17	101
	.	.	83.17	16.83	100.00
Frequency Missing = 4052					

iv. No treatment **diab1\_1notrt** 1 2 -7 -8

Table of GENDER_1 by DIAB1_1NOTRT					
GENDER_1	DIAB1_1NOTRT				
Frequency Percent Row Pct Col Pct		1	2	Skip	Total
1: MALE	244	2	41	1326	1369
.	.	0.06	1.19	38.58	39.83
.	.	0.15	2.99	96.86	
.	.	40.00	42.71	39.75	
2: FEMALE	472	3	55	2010	2068
.	.	0.09	1.60	58.48	60.17
.	.	0.15	2.66	97.20	
.	.	60.00	57.29	60.25	
Total	.	5	96	3336	3437
.	.	0.15	2.79	97.06	100.00
Frequency Missing = 716					

j2. IF YES: Has the diabetes caused:

i. Problems with your kidneys

**diab1\_trt1a**

1 2 -7 -8

**diab1\_1agea**

Table of GENDER_1 by DIAB1_TRT1A						
GENDER_1	DIAB1_TRT1A					
Frequency Percent Row Pct Col Pct	.	DK:O	Skip	1: Yes	2: No	Total
1: MALE	1	1	1560	14	37	51
.	.	.	.	11.38	30.08	41.46
.	.	.	.	27.45	72.55	
.	.	.	.	56.00	37.76	
2: FEMALE	2	0	2466	11	61	72
.	.	.	.	8.94	49.59	58.54
.	.	.	.	15.28	84.72	
.	.	.	.	44.00	62.24	
Total	.	.	.	25	98	123
.	.	.	.	20.33	79.67	100.00
Frequency Missing = 4030						

Table of GENDER_1 by DIAB1_1AGEA								
GENDER_1	DIAB1_1AGEA							
Frequency Percent Row Pct Col Pct	.	DK:0	Skip	≤20	21-40	41-60	60<	Total
1: MALE	1	1	1598	1	1	7	4	13
.	.	.	.	4.17	4.17	29.17	16.67	54.17
.	.	.	.	7.69	7.69	53.85	30.77	
.	.	.	.	100.00	33.33	53.85	57.14	
2: FEMALE	2	0	2527	0	2	6	3	11
.	.	.	.	0.00	8.33	25.00	12.50	45.83
.	.	.	.	0.00	18.18	54.55	27.27	
.	.	.	.	0.00	66.67	46.15	42.86	
Total	.	.	.	1	3	13	7	24
.	.	.	.	4.17	12.50	54.17	29.17	100.00
Frequency Missing = 4129								

- ii. Problems with your eyes treated by an ophthalmologist? **diab1\_1trt1b** 1 2 -7 -8 **diab1\_1ageb**

Table of GENDER_1 by DIAB1_TRT1B						
GENDER_1	DIAB1_TRT1B					
Frequency Percent Row Pct Col Pct	.	DK:O	Skip	1: Yes	2: No	Total
1: MALE	1	2	1560	23	27	50
.	.	.	.	19.01	22.31	41.32
.	.	.	.	46.00	54.00	
.	.	.	.	46.00	38.03	
2: FEMALE	2	1	2466	27	44	71
.	.	.	.	22.31	36.36	58.68
.	.	.	.	38.03	61.97	
.	.	.	.	54.00	61.97	
Total	.	.	.	50	71	121
.	.	.	.	41.32	58.68	100.00
Frequency Missing = 4032						

Table of GENDER_1 by DIAB1_1AGEB							
GENDER_1	DIAB1_1AGEB						
Frequency Percent Row Pct Col Pct	.	DK:0	Skip	21-40	41-60	60<	Total
1: MALE	1	1	1589	3	12	7	22
.	.	.	.	6.38	25.53	14.89	46.81
.	.	.	.	13.64	54.55	31.82	
.	.	.	.	37.50	42.86	63.64	
2: FEMALE	2	2	2511	5	16	4	25
.	.	.	.	10.64	34.04	8.51	53.19
.	.	.	.	20.00	64.00	16.00	
.	.	.	.	62.50	57.14	36.36	
Total	.	.	.	8	28	11	47
.	.	.	.	17.02	59.57	23.40	100.00
Frequency Missing = 4106							

- \*k. Non-insulin dependent or adult-onset diabetes (Type II) **Diab2\_1** 1 2 (E1I) -7 -8 **diab2\_1age**

Table of GENDER_1 by DIAB2_1						
GENDER_1	DIAB2_1					
Frequency Percent Row Pct Col Pct	.	DK:O	RF:K	1: Yes	2: No	Total
1: MALE	1	6	1	228	1377	1605
	.	.	.	5.51	33.27	38.78
	.	.	.	14.21	85.79	
	.	.	.	37.44	39.01	
2: FEMALE	2	4	0	381	2153	2534
	.	.	.	9.21	52.02	61.22
	.	.	.	15.04	84.96	
	.	.	.	62.56	60.99	
Total	.	.	.	609	3530	4139
	.	.	.	14.71	85.29	100.00
Frequency Missing = 14						

Table of GENDER_1 by DIAB2_1AGE									
GENDER_1	DIAB2_1AGE								
Frequency Percent Row Pct Col Pct	.	DK:0	MI:0	Skip	≤20	21-40	41-60	60<	Total
1: MALE	1	0	1	1384	3	47	137	40	227
	.	.	.	.	0.50	7.81	22.76	6.64	37.71
	.	.	.	.	1.32	20.70	60.35	17.62	
	.	.	.	.	50.00	35.88	39.03	35.09	
2: FEMALE	2	4	2	2157	3	84	214	74	375
	.	.	.	.	0.50	13.95	35.55	12.29	62.29
	.	.	.	.	0.80	22.40	57.07	19.73	
	.	.	.	.	50.00	64.12	60.97	64.91	
Total	.	.	.	.	6	131	351	114	602
	.	.	.	.	1.00	21.76	58.31	18.94	100.00
Frequency Missing = 3551									

k1 IF YES: Are you treating your diabetes by.....

- i. Modifying your diet **diab2\_1diet** 1 2 -7 -8

Table of GENDER_1 by DIAB2_1DIET					
GENDER_1	DIAB2_1DIET				
Frequency Percent Row Pct Col Pct	.	Skip	1: Yes	2: No	Total
1: MALE	244	1186	164	19	183
	.	.	34.53	4.00	38.53
	.	.	89.62	10.38	
	.	.	40.10	28.79	
2: FEMALE	472	1776	245	47	292
	.	.	51.58	9.89	61.47
	.	.	83.90	16.10	
	.	.	59.90	71.21	
Total	.	.	409	66	475
	.	.	86.11	13.89	100.00
Frequency Missing = 3678					

ii. Medications taken by mouth **diab2\_1med** 1 2 -7 -8

Table of GENDER_1 by DIAB2_1MED					
GENDER_1	DIAB2_1MED				
Frequency Percent Row Pct Col Pct	.	Skip	1: Yes	2: No	Total
1: MALE	244	1186	150	33	183
	.	.	31.58	6.95	38.53
	.	.	81.97	18.03	
	.	.	38.27	39.76	
2: FEMALE	472	1776	242	50	292
	.	.	50.95	10.53	61.47
	.	.	82.88	17.12	
	.	.	61.73	60.24	
Total	.	.	392	83	475
	.	.	82.53	17.47	100.00
Frequency Missing = 3678					

iii. Insulin injection **diab2\_1ins** 1 2 -7 -8

Table of GENDER_1 by DIAB2_1INS						
GENDER_1	DIAB2_1INS					
Frequency Percent Row Pct Col Pct	.	DK:O	Skip	1: Yes	2: No	Total
1: MALE	244	0	1186	49	134	183
	.	.	.	10.34	28.27	38.61
	.	.	.	26.78	73.22	
	.	.	.	37.69	38.95	
2: FEMALE	472	1	1776	81	210	291
	.	.	.	17.09	44.30	61.39
	.	.	.	27.84	72.16	
	.	.	.	62.31	61.05	
Total	.	.	.	130	344	474
	.	.	.	27.43	72.57	100.00
Frequency Missing = 3679						

iv. No treatment **diab2\_1notrt** 1 2 -7 -8

Table of GENDER_1 by DIAB2_1NOTRT					
GENDER_1	DIAB2_1NOTRT				
Frequency Percent Row Pct Col Pct	.	Skip	1: Yes	2: No	Total
1: MALE	244	1186	8	175	183
	.	.	1.68	36.84	38.53
	.	.	4.37	95.63	
	.	.	33.33	38.80	
2: FEMALE	472	1776	16	276	292
	.	.	3.37	58.11	61.47
	.	.	5.48	94.52	
	.	.	66.67	61.20	
Total	.	.	24	451	475
	.	.	5.05	94.95	100.00
Frequency Missing = 3678					

k2. **IF YES:** Has the diabetes caused:

i. Problems with your kidneys

1

2

-7

-8

diab2\_trti

diab2\_1agea

Table of GENDER_1 by DIAB2_TRTI							
GENDER_1	DIAB2_TRTI						
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	Skip	1: Yes	2: No	Total
1: MALE	1	4	0	1384	26	198	224
	.	.	.	.	4.36	33.22	37.58
	.	.	.	.	11.61	88.39	
	.	.	.	.	50.00	36.40	
2: FEMALE	2	7	2	2157	26	346	372
	.	.	.	.	4.36	58.05	62.42
	.	.	.	.	6.99	93.01	
	.	.	.	.	50.00	63.60	
Total	.	.	.	.	52	544	596
	.	.	.	.	8.72	91.28	100.00
Frequency Missing = 3557							

Table of GENDER_1 by DIAB2_1AGEA							
GENDER_1	DIAB2_1AGEA						
Frequency Percent Row Pct Col Pct	.	DK:0	Skip	21-40	41-60	60<	Total
1: MALE	1	0	1586	2	15	9	26
	.	.	.	3.92	29.41	17.65	50.98
	.	.	.	7.69	57.69	34.62	
	.	.	.	66.67	51.72	47.37	
2: FEMALE	2	1	2512	1	14	10	25
	.	.	.	1.96	27.45	19.61	49.02
	.	.	.	4.00	56.00	40.00	
	.	.	.	33.33	48.28	52.63	
Total	.	.	.	3	29	19	51
	.	.	.	5.88	56.86	37.25	100.00
Frequency Missing = 4102							

- ii. Problems with your eyes treated by an ophthalmologist? **diab2\_trt1ii** 1 2 -7 -8 **diab2\_ageb**

Table of GENDER_1 by DIAB2_TRT1II								
GENDER_1	DIAB2_TRT1II							
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	Skip	1: Yes	2: No	Total	
1: MALE	1	5	0	1384	56	167	223	
	.	.	.	.	9.49	28.31	37.80	
	.	.	.	.	25.11	74.89		
	.	.	.	.	35.00	38.84		
2: FEMALE	2	12	2	2157	104	263	367	
	.	.	.	.	17.63	44.58	62.20	
	.	.	.	.	28.34	71.66		
	.	.	.	.	65.00	61.16		
Total	.	.	.	.	160	430	590	
	.	.	.	.	27.12	72.88	100.00	
Frequency Missing = 3563								

Table of GENDER_1 by DIAB2_1AGEB								
GENDER_1	DIAB2_1AGEB							
Frequency Percent Row Pct Col Pct	.	DK:0	MI:0	Skip	21-40	41-60	60<	Total
1: MALE	1	1	0	1556	4	43	8	55
	.	.	.	.	2.58	27.74	5.16	35.48
	.	.	.	.	7.27	78.18	14.55	
	.	.	.	.	25.00	42.16	21.62	
2: FEMALE	2	3	1	2434	12	59	29	100
	.	.	.	.	7.74	38.06	18.71	64.52
	.	.	.	.	12.00	59.00	29.00	
	.	.	.	.	75.00	57.84	78.38	
Total	.	.	.	.	16	102	37	155
	.	.	.	.	10.32	65.81	23.87	100.00
Frequency Missing = 3998								

E1 cont.: Have you ever been told by a health care provider that you have or had:

YES NO REF DK  
1 2  
(E1m) -7 -8

i: IF YES: How old were you when you were first told OR at the time of the first event OR when you had surgery?

I Arthritis or rheumatism  
arthr\_1

arthr\_1age

Table of GENDER_1 by ARTHR_1						
GENDER_1	ARTH_1					
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	1: Yes	2: No	Total
1: MALE	1	5	1	360	1246	1606
	.	.	.	8.70	30.10	38.80
	.	.	.	22.42	77.58	
	.	.	.	26.22	45.05	
2: FEMALE	2	5	0	1013	1520	2533
	.	.	.	24.47	36.72	61.20
	.	.	.	39.99	60.01	
	.	.	.	73.78	54.95	
Total	.	.	.	1373	2766	4139
	.	.	.	33.17	66.83	100.00
Frequency Missing = 14						

Table of GENDER_1 by ARTHR_1AGE									
GENDER_1	ARTH_1AGE								
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	Skip	≤20	21-40	41-60	60<	Total
1: MALE	1	2	1	1252	19	88	189	61	357
	.	.	.	.	1.41	6.51	13.99	4.52	26.42
	.	.	.	.	5.32	24.65	52.94	17.09	
	.	.	.	.	30.65	27.59	26.43	23.92	
2: FEMALE	2	18	1	1525	43	231	526	194	994
	.	.	.	.	3.18	17.10	38.93	14.36	73.58
	.	.	.	.	4.33	23.24	52.92	19.52	
	.	.	.	.	69.35	72.41	73.57	76.08	
Total	.	.	.	.	62	319	715	255	1351
	.	.	.	.	4.59	23.61	52.92	18.87	100.00
Frequency Missing = 2802									

11. **IF YES: Is it rheumatoid arthritis** 1 2 -7 -8  
**arth\_trt1a**

Table of GENDER_1 by ARTHR_TRT1A							
GENDER_1	ARTHUR_TRT1A						
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	Skip	1: Yes	2: No	Total
1: MALE	1	58	0	1252	73	229	302
	.	.	.	.	6.28	19.69	25.97
	.	.	.	.	24.17	75.83	
	.	.	.	.	23.25	26.97	
2: FEMALE	2	148	4	1525	241	620	861
	.	.	.	.	20.72	53.31	74.03
	.	.	.	.	27.99	72.01	
	.	.	.	.	76.75	73.03	
Total	.	.	.	.	314	849	1163
	.	.	.	.	27.00	73.00	100.00
Frequency Missing = 2990							

12. **IF YES: Do you take medications for** 1 2 -7 -8  
**it regularly? arth\_trt1b**

Table of GENDER_1 by ARTHR_TRT1B							
GENDER_1	ARTHUR_TRT1B						
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	Skip	1: Yes	2: No	Total
1: MALE	1	0	0	1539	41	32	73
	.	.	.	.	13.18	10.29	23.47
	.	.	.	.	56.16	43.84	
	.	.	.	.	23.70	23.19	
2: FEMALE	2	2	2	2296	132	106	238
	.	.	.	.	42.44	34.08	76.53
	.	.	.	.	55.46	44.54	
	.	.	.	.	76.30	76.81	
Total	.	.	.	.	173	138	311
	.	.	.	.	55.63	44.37	100.00
Frequency Missing = 3842							

\*m Lupus (systematic lupus erythematosus) 1 2 -7 -8 lupus\_1age  
lupus\_1

Table of GENDER_1 by LUPUS_1					
GENDER_1	LUPUS_1				
Frequency Percent Row Pct Col Pct	.	DK:O	1: Yes	2: No	Total
1: MALE	1	1	5	1606	1611
	.	.	0.12	38.74	38.86
	.	.	0.31	99.69	
	.	.	16.13	39.03	
2: FEMALE	2	3	26	2509	2535
	.	.	0.63	60.52	61.14
	.	.	1.03	98.97	
	.	.	83.87	60.97	
Total	.	.	31	4115	4146
	.	.	0.75	99.25	100.00
Frequency Missing = 7					

Table of GENDER_1 by LUPUS_1AGE						
GENDER_1	LUPUS_1AGE					
Frequency Percent Row Pct Col Pct	.	Skip	≤40	41-60	60<	Total
1: MALE	1	1607	2	3	0	5
	.	.	6.45	9.68	0.00	16.13
	.	.	40.00	60.00	0.00	
	.	.	12.50	25.00	0.00	
2: FEMALE	2	2512	14	9	3	26
	.	.	45.16	29.03	9.68	83.87
	.	.	53.85	34.62	11.54	
	.	.	87.50	75.00	100.00	
Total	.	.	16	12	3	31
	.	.	51.61	38.71	9.68	100.00
Frequency Missing = 4122						

n. Polymyalgia rheumatica

1 2 -7 -8

pmr\_1

pmr\_1age

Table of GENDER_1 by PMR_1					
GENDER_1	PMR_1				
Frequency Percent Row Pct Col Pct	.	DK:O	1: Yes	2: No	Total
1: MALE	1	2	1	1609	1610
	.	.	0.02	38.85	38.87
	.	.	0.06	99.94	
	.	.	5.88	39.01	
2: FEMALE	2	6	16	2516	2532
	.	.	0.39	60.74	61.13
	.	.	0.63	99.37	
	.	.	94.12	60.99	
Total	.	.	17	4125	4142
	.	.	0.41	99.59	100.00
Frequency Missing = 11					

Table of GENDER_1 by PMR_1AGE						
GENDER_1	PMR_1AGE					
Frequency Percent Row Pct Col Pct	.	Skip	≤40	41-60	60<	Total
1: MALE	1	1611	0	0	1	1
	.	.	0.00	0.00	5.88	5.88
	.	.	0.00	0.00	100.00	
	.	.	0.00	0.00	25.00	
2: FEMALE	2	2522	4	9	3	16
	.	.	23.53	52.94	17.65	94.12
	.	.	25.00	56.25	18.75	
	.	.	100.00	100.00	75.00	
Total	.	.	4	9	4	17
	.	.	23.53	52.94	23.53	100.00
Frequency Missing = 4136						

- o. Alzheimer's disease or another form of dementia **alzheimers\_1** 1 2 -7 -8 **alheim\_1age**

Table of GENDER_1 by ALZHEIMERS_1						
GENDER_1	ALZHEIMERS_1					
Frequency Percent Row Pct Col Pct	.	DK:O	RF:K	1: Yes	2: No	Total
1: MALE	1	1	0	10	1601	1611
	.	.	.	0.24	38.61	38.85
	.	.	.	0.62	99.38	
	.	.	.	62.50	38.76	
2: FEMALE	2	1	1	6	2530	2536
	.	.	.	0.14	61.01	61.15
	.	.	.	0.24	99.76	
	.	.	.	37.50	61.24	
Total	.	.	.	16	4131	4147
	.	.	.	0.39	99.61	100.00
Frequency Missing = 6						

Table of GENDER_1 by ALHEIM_1AGE						
GENDER_1	ALHEIM_1AGE					
Frequency Percent Row Pct Col Pct	.	Skip	≤40	41-60	60<	Total
1: MALE	1	1602	1	1	8	10
	.	.	6.25	6.25	50.00	62.50
	.	.	10.00	10.00	80.00	
	.	.	100.00	20.00	80.00	
2: FEMALE	2	2532	0	4	2	6
	.	.	0.00	25.00	12.50	37.50
	.	.	0.00	66.67	33.33	
	.	.	0.00	80.00	20.00	
Total	.	.	1	5	10	16
	.	.	6.25	31.25	62.50	100.00
Frequency Missing = 4137						

p. Cirrhosis or serious liver damage **cirr\_1** 1 2 -7 -8 **cirr\_1age**

Table of GENDER_1 by CIRR_1						
GENDER_1	CIRR_1					
Frequency Percent Row Pct Col Pct	.	DK:O	RF:K	1: Yes	2: No	Total
1: MALE	1	2	0	42	1568	1610
	.	.	.	1.01	37.87	38.88
	.	.	.	2.61	97.39	
	.	.	.	56.00	38.56	
2: FEMALE	2	6	1	33	2498	2531
	.	.	.	0.80	60.32	61.12
	.	.	.	1.30	98.70	
	.	.	.	44.00	61.44	
Total	.	.	.	75	4066	4141
	.	.	.	1.81	98.19	100.00
Frequency Missing = 12						

Table of GENDER_1 by CIRR_1AGE							
GENDER_1	CIRR_1AGE						
Frequency Percent Row Pct Col Pct	.	MI:0	Skip	≤40	41-60	60<	Total
1: MALE	1	0	1570	24	14	4	42
	.	.	.	32.43	18.92	5.41	56.76
	.	.	.	57.14	33.33	9.52	
	.	.	.	70.59	46.67	40.00	
2: FEMALE	2	1	2505	10	16	6	32
	.	.	.	13.51	21.62	8.11	43.24
	.	.	.	31.25	50.00	18.75	
	.	.	.	29.41	53.33	60.00	
Total	.	.	.	34	30	10	74
	.	.	.	45.95	40.54	13.51	100.00
Frequency Missing = 4079							

q. Leukemia or polycythemia vera

1

2

-7

-8

leukemia\_1

leukem\_1age

Table of GENDER_1 by LEUKEMIA_1					
GENDER_1	LEUKEMIA_1				
Frequency Percent Row Pct Col Pct	.	RF:K	1: Yes	2: No	Total
1: MALE	1	0	2	1610	1612
.	.	.	0.05	38.81	38.86
.	.	.	0.12	99.88	
.	.	.	28.57	38.88	
2: FEMALE	2	2	5	2531	2536
.	.	.	0.12	61.02	61.14
.	.	.	0.20	99.80	
.	.	.	71.43	61.12	
Total	.	.	7	4141	4148
.	.	.	0.17	99.83	100.00
Frequency Missing = 5					

Table of GENDER_1 by LEUKEM_1AGE							
GENDER_1	LEUKEM_1AGE						
Frequency Percent Row Pct Col Pct	.	Skip	≤20	21-40	41-60	60<	Total
1: MALE	1	1610	1	0	1	0	2
.	.	.	14.29	0.00	14.29	0.00	28.57
.	.	.	50.00	0.00	50.00	0.00	
.	.	.	100.0	0.00	50.00	0.00	
2: FEMALE	2	2533	0	2	1	2	5
.	.	.	0.00	28.57	14.29	28.57	71.43
.	.	.	0.00	40.00	20.00	40.00	
.	.	.	0.00	100.00	50.00	100.00	
Total	.	.	1	2	2	2	7
.	.	.	14.29	28.57	28.57	28.57	100.00
Frequency Missing = 4146							

r. Lymphoma **lymphoma\_1** 1 2 -7 -8 **lympho\_1age**

Table of GENDER_1 by LYMPHOMA_1							
GENDER_1	LYMPHOMA_1						
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	RF:K	1: Yes	2: No	Total
1: MALE	1	0	1	0	4	1607	1611
	.	.	.	.	0.10	38.76	38.86
	.	.	.	.	0.25	99.75	
	.	.	.	.	23.53	38.92	
2: FEMALE	2	2	0	1	13	2522	2535
	.	.	.	.	0.31	60.83	61.14
	.	.	.	.	0.51	99.49	
	.	.	.	.	76.47	61.08	
Total	.	.	.	.	17	4129	4146
	.	.	.	.	0.41	99.59	100.00
Frequency Missing = 7							

Table of GENDER_1 by LYMPHO_1AGE						
GENDER_1	LYMPHO_1AGE					
Frequency Percent Row Pct Col Pct	.	Skip	≤40	41-60	60<	Total
1: MALE	1	1608	1	3	0	4
	.	.	5.88	17.65	0.00	23.53
	.	.	25.00	75.00	0.00	
	.	.	33.33	25.00	0.00	
2: FEMALE	2	2525	2	9	2	13
	.	.	11.76	52.94	11.76	76.47
	.	.	15.38	69.23	15.38	
	.	.	66.67	75.00	100.00	
Total	.	.	3	12	2	17
	.	.	17.65	70.59	11.7	100.00
Frequency Missing = 4136						

E1 cont.: Have you ever been told by a health care provider that you have or had:

YES NO REF DK

i: IF YES: How old were you when you were first told OR at the time of the first event OR when you had surgery?

s. Cancer cancer1\_1

1

2

-7

-8

s1. SPECIFY: cancer1\_spc1

(E1v)

canc1agea\_1

Table of GENDER_1 by CANCER1_1						
GENDER_1	CANCER1_1					
Frequency Percent Row Pct Col Pct	.	DK:O	RF:K	1: Yes	2: No	Total
1: MALE	1	3	0	130	1479	1609
	.	.	.	3.14	35.70	38.84
	.	.	.	8.08	91.92	
	.	.	.	35.04	39.21	
2: FEMALE	2	2	2	241	2293	2534
	.	.	.	5.82	55.35	61.16
	.	.	.	9.51	90.49	
	.	.	.	64.96	60.79	
Total	.	.	.	371	3772	4143
	.	.	.	8.95	91.05	100.00
Frequency Missing = 10						

Table of GENDER_1 by CANCE1AGEA_1									
GENDER_1	CANCE1AGEA_1								
Frequency Percent Row Pct Col Pct	.	DK:0	MI:0	Skip	≤20	21-40	41-60	60<	Total
1: MALE	1	2	0	1482	2	13	54	59	128
	.	.	.	.	0.54	3.53	14.67	16.03	34.78
	.	.	.	.	1.56	10.16	42.19	46.09	
	.	.	.	.	50.00	21.67	33.54	41.26	
2: FEMALE	2	0	1	2297	2	47	107	84	240
	.	.	.	.	0.54	12.77	29.08	22.83	65.22
	.	.	.	.	0.83	19.58	44.58	35.00	
	.	.	.	.	50.00	78.33	66.46	58.74	
Total	.	.	.	.	4	60	161	143	368
	.	.	.	.	1.09	16.30	43.75	38.86	100.00
Frequency Missing = 3785									

s2. **IF YES:** Has the cancer spread or  
metastasized to other parts of your 1 2 -7 -8  
body? **canc1trt\_1**

**canc1ageb\_1**

Table of GENDER_1 by CANC1TRT_1							
GENDER_1	CANC1TRT_1						
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	Skip	1: Yes	2: No	Total
1: MALE	1	2	0	1482	2	126	128
	.	.	.	.	0.56	35.00	35.56
	.	.	.	.	1.56	98.44	
	.	.	.	.	10.53	36.95	
2: FEMALE	2	7	2	2297	17	215	232
	.	.	.	.	4.72	59.72	64.44
	.	.	.	.	7.33	92.67	
	.	.	.	.	89.47	63.05	
Total	.	.	.	.	19	341	360
	.	.	.	.	5.28	94.72	100.00
Frequency Missing = 3793							

Table of GENDER_1 by CANC1AGEB_1						
GENDER_1	CANC1AGEB_1					
Frequency Percent Row Pct Col Pct	.	Skip	21-40	41-60	60<	Total
1: MALE	1	1610	0	0	2	2
	.	.	0.00	0.00	10.53	10.53
	.	.	0.00	0.00	100.00	
	.	.	0.00	0.00	25.00	
2: FEMALE	2	2521	4	7	6	17
	.	.	21.05	36.84	31.58	89.47
	.	.	23.53	41.18	35.29	
	.	.	100.00	100.00	75.00	
Total	.	.	4	7	8	19
	.	.	21.05	36.84	42.11	100.00
Frequency Missing = 4134						

- t. Any other cancer **cancer2\_1**  
t1. SPECIFY: **canc2spc\_1** 1 **(E1v)** 2 -7 -8 **canc2agea\_1**

Table of GENDER_1 by CANCER2_1						
GENDER_1	CANCER2_1					
Frequency Percent Row Pct Col Pct	.	DK:O	Skip	1: Yes	2: No	Total
1: MALE	1	0	1482	16	114	130
	.	.	.	4.32	30.81	35.14
	.	.	.	12.31	87.69	
	.	.	.	32.65	35.51	
2: FEMALE	2	1	2297	33	207	240
	.	.	.	8.92	55.95	64.86
	.	.	.	13.75	86.25	
	.	.	.	67.35	64.49	
Total	.	.	.	49	321	370
	.	.	.	13.24	86.76	100.00
Frequency Missing = 3783						

Table of GENDER_1 by CANC2AGEA_1						
GENDER_1	CANC2AGEA_1					
Frequency Percent Row Pct Col Pct	.	Skip	≤40	41-60	60<	Total
1: MALE	1	1596	1	8	7	16
	.	.	2.04	16.33	14.29	32.65
	.	.	6.25	50.00	43.75	
	.	.	16.67	34.78	35.00	
2: FEMALE	2	2505	5	15	13	33
	.	.	10.20	30.61	26.53	67.35
	.	.	15.15	45.45	39.39	
	.	.	83.33	65.22	65.00	
Total	.	.	6	23	20	49
	.	.	12.24	46.94	40.82	100.00
Frequency Missing = 4104						

- t2. **IF YES:** Has the cancer spread or metastasized to other parts of your body? **canc2met\_1** 1 2 -7 -8

**canc2ageb\_1**

Table of GENDER_1 by CANC2MET_1						
GENDER_1	CANC2MET_1					
Frequency Percent Row Pct Col Pct	.	DK:O	Skip	1: Yes	2: No	Total
1: MALE	1	1	1596	0	15	15
.	.	.	.	0.00	31.25	31.25
.	.	.	.	0.00	100.00	
.	.	.	.	0.00	33.33	
2: FEMALE	2	0	2505	3	30	33
.	.	.	.	6.25	62.50	68.75
.	.	.	.	9.09	90.91	
.	.	.	.	100.00	66.67	
Total	.	.	.	3	45	48
.	.	.	.	6.25	93.75	100.00
Frequency Missing = 4105						

Table of GENDER_1 by CANC2AGEB_1					
GENDER_1	CANC2AGEB_1				
Frequency Percent Row Pct Col Pct	.	Skip	≤40	60<	Total
1: MALE	1	1612	0	0	0
.	.	.	0.00	0.00	0.00
.	.	.	.	.	
.	.	.	0.00	0.00	
2: FEMALE	2	2535	1	2	3
.	.	.	33.33	66.67	100.00
.	.	.	33.33	66.67	
.	.	.	100.00	100.00	
Total	.	.	1	2	3
.	.	.	33.33	66.67	100.00
Frequency Missing = 4150					

- u. Any other cancer **cancer3\_1**  
u1. SPECIFY: **canc3spc\_1** 1 **2** (E1v) -7 -8 **canc3agea\_1**

Table of GENDER_1 by CANCER3_1					
GENDER_1	CANCER3_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: Yes	2: No	Total
1: MALE	1	1596	3	13	16
.	.	.	6.12	26.53	32.65
.	.	.	18.75	81.25	
.	.	.	50.00	30.23	
2: FEMALE	2	2505	3	30	33
.	.	.	6.12	61.22	67.35
.	.	.	9.09	90.91	
.	.	.	50.00	69.77	
Total	.	.	6	43	49
.	.	.	12.24	87.76	100.00
Frequency Missing = 4104					

Table of GENDER_1 by CANC3AGEA_1					
GENDER_1	CANC3AGEA_1				
Frequency Percent Row Pct Col Pct	.	Skip	≤50	50<	Total
1: MALE	1	1609	0	3	3
.	.	.	0.00	50.00	50.00
.	.	.	0.00	100.00	
.	.	.	0.00	60.00	
2: FEMALE	2	2535	1	2	3
.	.	.	16.67	33.33	50.00
.	.	.	33.33	66.67	
.	.	.	100.00	40.00	
Total	.	.	1	5	6
.	.	.	16.67	83.33	100.00
Frequency Missing = 4147					

- u2. **IF YES:** Has the cancer spread or  
metastasized to other parts of your 1 2 -7 -8  
body? **canc3trt\_1**

**canc3ageb\_1**

Table of GENDER_1 by CANC3TRT_1						
GENDER_1	CANC3TRT_1					
Frequency Percent Row Pct Col Pct	.	DK:O	Skip	1: Yes	2: No	Total
1: MALE	1	1	1609	0	2	2
	.	.	.	0.00	40.00	40.00
	.	.	.	0.00	100.00	
	.	.	.	0.00	50.00	
2: FEMALE	2	0	2535	1	2	3
	.	.	.	20.00	40.00	60.00
	.	.	.	33.33	66.67	
	.	.	.	100.00	50.00	
Total	.	.	.	1	4	5
	.	.	.	20.00	80.00	100.00
Frequency Missing = 4148						

Table of GENDER_1 by CANC3AGEB_1				
GENDER_1	CANC3AGEB_1			
Frequency Percent Row Pct Col Pct	.	Skip	50<	Total
1: MALE	1	1612	0	0
	.	.	0.00	0.00
	.	.	.	
	.	.	0.00	
2: FEMALE	2	2537	1	1
	.	.	100.00	100.00
	.	.	100.00	
	.	.	100.00	
Total	.	.	1	1
	.	.	100.00	100.00
Frequency Missing = 4152				

\*v AIDS aids\_1 1 2 -7 -8 aids\_1age

Table of GENDER_1 by AIDS_1							
GENDER_1	AIDS_1						
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	RF:K	1: Yes	2: No	Total
1: MALE	1	1	1	2	20	1588	1608
	.	.	.	.	0.48	38.33	38.81
	.	.	.	.	1.24	98.76	
	.	.	.	.	80.00	38.56	
2: FEMALE	2	0	2	1	5	2530	2535
	.	.	.	.	0.12	61.07	61.19
	.	.	.	.	0.20	99.80	
	.	.	.	.	20.00	61.44	
Total	.	.	.	.	25	4118	4143
	.	.	.	.	0.60	99.40	100.00
Frequency Missing = 10							

Table of GENDER_1 by AIDS_1AGE					
GENDER_1	AIDS_1AGE				
Frequency Percent Row Pct Col Pct	.	Skip	≤40	41-60	Total
1: MALE	1	1592	16	4	20
	.	.	64.00	16.00	80.00
	.	.	80.00	20.00	
	.	.	84.21	66.67	
2: FEMALE	2	2533	3	2	5
	.	.	12.00	8.00	20.00
	.	.	60.00	40.00	
	.	.	15.79	33.33	
Total	.	.	19	6	25
	.	.	76.00	24.00	100.00
Frequency Missing = 4128					

w. Elevated blood sugar (hyperglycemia)

sugar\_1

IF FEMALE: excluding when you were pregnant (gestational diabetes)

1

2

-7

-8

sugar\_1age

Table of GENDER_1 by SUGAR_1					
GENDER_1	SUGAR_1				
Frequency Percent Row Pct Col Pct	.	DK:0	1: Yes	2: No	Total
1: MALE	1	6	198	1408	1606
	.	.	4.79	34.04	38.83
	.	.	12.33	87.67	
	.	.	40.91	38.55	
2: FEMALE	2	8	286	2244	2530
	.	.	6.91	54.26	61.17
	.	.	11.30	88.70	
	.	.	59.09	61.45	
Total	.	.	484	3652	4136
	.	.	11.70	88.30	100.00
Frequency Missing = 17					

Table of GENDER_1 by SUGAR_1AGE									
GENDER_1	SUGAR_1AGE								
Frequency Percent Row Pct Col Pct	.	DK:0	MI:0	Skip	≤20	21-40	41-60	60<	Total
1: MALE	1	2	1	1414	7	39	117	32	195
	.	.	.	.	1.47	8.18	24.53	6.71	40.89
	.	.	.	.	3.59	20.00	60.00	16.41	
	.	.	.	.	43.75	36.11	44.32	35.96	
2: FEMALE	2	3	1	2252	9	69	147	57	282
	.	.	.	.	1.89	14.47	30.82	11.95	59.12
	.	.	.	.	3.19	24.47	52.13	20.21	
	.	.	.	.	56.25	63.89	55.68	64.04	
Total	.	.	.	.	16	108	264	89	477
	.	.	.	.	3.35	22.64	55.35	18.66	100.00
Frequency Missing = 3676									

- x. Allergies or eczema (inflamed skin, rashes, sneezing, itchy eyes) **allergy\_1** 1 2 -7 -8 **allergy\_1age**

Table of GENDER_1 by ALLERGY_1						
GENDER_1	ALLERGY_1					
Frequency Percent Row Pct Col Pct	.	DK:O	RF:K	1: Yes	2: No	Total
1: MALE	1	3	1	319	1289	1608
	.	.	.	7.71	31.14	38.84
	.	.	.	19.84	80.16	
	.	.	.	27.88	43.02	
2: FEMALE	2	6	0	825	1707	2532
	.	.	.	19.93	41.23	61.16
	.	.	.	32.58	67.42	
	.	.	.	72.12	56.98	
Total	.	.	.	1144	2996	4140
	.	.	.	27.63	72.37	100.00
Frequency Missing = 13						

Table of GENDER_1 by ALLERGY_1AGE									
GENDER_1	ALLERGY_1AGE								
Frequency Percent Row Pct Col Pct	.	DK:0	MI:0	Skip	≤20	21-40	41-60	60<	Total
1: MALE	1	2	0	1293	145	98	60	14	317
	.	.	.	.	12.93	8.74	5.35	1.25	28.28
	.	.	.	.	45.74	30.91	18.93	4.42	
	.	.	.	.	33.72	27.61	22.47	20.29	
2: FEMALE	2	19	2	1713	285	257	207	55	804
	.	.	.	.	25.42	22.93	18.47	4.91	71.72
	.	.	.	.	35.45	31.97	25.75	6.84	
	.	.	.	.	66.28	72.39	77.53	79.71	
Total	.	.	.	.	430	355	267	69	1121
	.	.	.	.	38.36	31.67	23.82	6.16	100.00
Frequency Missing = 3032									

\*y. Coronary artery bypass or angioplasty (stent) **cabg\_1** 1 2 -7 -8 **cabg\_1age**

Table of GENDER_1 by CABG_1						
GENDER_1	CABG_1					
Frequency Percent Row Pct Col Pct	.	DK:0	MI:0	1: Yes	2: No	Total
1: MALE	1	4	0	69	1539	1608
	.	.	.	1.66	37.13	38.79
	.	.	.	4.29	95.71	
	.	.	.	61.06	38.17	
2: FEMALE	2	0	1	44	2493	2537
	.	.	.	1.06	60.14	61.21
	.	.	.	1.73	98.27	
	.	.	.	38.94	61.83	
Total	.	.	.	113	4032	4145
	.	.	.	2.73	97.27	100.00
Frequency Missing = 8						

Table of GENDER_1 by CABG_1AGE								
GENDER_1	CABG_1AGE							
Frequency Percent Row Pct Col Pct	.	DK:0	MI:0	Skip	≤40	41-60	60<	Total
1: MALE	1	1	0	1543	3	34	31	68
	.	.	.	.	2.70	30.63	27.93	61.26
	.	.	.	.	4.41	50.00	45.59	
	.	.	.	.	50.00	55.74	70.45	
2: FEMALE	2	0	1	2494	3	27	13	43
	.	.	.	.	2.70	24.32	11.71	38.74
	.	.	.	.	6.98	62.79	30.23	
	.	.	.	.	50.00	44.26	29.55	
Total	.	.	.	.	6	61	44	111
	.	.	.	.	5.41	54.95	39.64	100.00
Frequency Missing = 4042								

E1 cont.: Have you ever been told by a  
health care provider that you have or had:

YES NO REF DK

i: **IF YES:** How old were you  
when you were first told **OR**  
at the time of the first event  
**OR** when you had surgery?

z. Angina pectoris (chest pain) **angina\_1** 1 2 -7 -8 **angina\_1age**

Table of GENDER_1 by ANGINA_1						
GENDER_1	ANGINA_1					
Frequency Percent Row Pct Col Pct	.	DK:O	RF:K	1: Yes	2: No	Total
1: MALE	1	4	2	64	1542	1606
	.	.	.	1.55	37.29	38.84
	.	.	.	3.99	96.01	
	.	.	.	37.21	38.91	
2: FEMALE	2	9	0	108	2421	2529
	.	.	.	2.61	58.55	61.16
	.	.	.	4.27	95.73	
	.	.	.	62.79	61.09	
Total	.	.	.	172	3963	4135
	.	.	.	4.16	95.84	100.00
Frequency Missing = 18						

Table of GENDER_1 by ANGINA_1AGE							
GENDER_1	ANGINA_1AGE						
Frequency Percent Row Pct Col Pct	.	DK:0	Skip	≤40	41-60	60<	Total
1: MALE	1	1	1548	16	32	15	63
	.	.	.	9.76	19.51	9.15	38.41
	.	.	.	25.40	50.79	23.81	
	.	.	.	33.33	37.65	48.39	
2: FEMALE	2	7	2430	32	53	16	101
	.	.	.	19.51	32.32	9.76	61.59
	.	.	.	31.68	52.48	15.84	
	.	.	.	66.67	62.35	51.61	
Total	.	.	.	48	85	31	164
	.	.	.	29.27	51.83	18.90	100.00
Frequency Missing = 3989							

- aa. An irregular heartbeat or arrhythmia  
requiring insertion of a pacemaker

1 2 -7 -8

arrhyth\_1

arrhyth\_1age

Table of GENDER_1 by ARRHYTH_1						
GENDER_1	ARRHYTH_1					
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	1: Yes	2: No	Total
1: MALE	1	3	0	49	1560	1609
	.	.	.	1.18	37.67	38.86
	.	.	.	3.05	96.95	
	.	.	.	39.20	38.84	
2: FEMALE	2	5	1	76	2456	2532
	.	.	.	1.84	59.31	61.14
	.	.	.	3.00	97.00	
	.	.	.	60.80	61.16	
Total	.	.	.	125	4016	4141
	.	.	.	3.02	96.98	100.00
Frequency Missing = 12						

Table of GENDER_1 by ARRHYTH_1AGE									
GENDER_1	ARRHYTH_1AGE								
Frequency Percent Row Pct Col Pct	.	DK:0	MI:0	Skip	≤20	21-40	41-60	60<	Total
1: MALE	1	1	1	1563	7	5	15	20	47
	.	.	.	.	5.83	4.17	12.50	16.67	39.17
	.	.	.	.	14.89	10.64	31.91	42.55	
	.	.	.	.	43.75	20.83	38.46	48.78	
2: FEMALE	2	1	2	2462	9	19	24	21	73
	.	.	.	.	7.50	15.83	20.00	17.50	60.83
	.	.	.	.	12.33	26.03	32.88	28.77	
	.	.	.	.	56.25	79.17	61.54	51.22	
Total	.	.	.	.	16	24	39	41	120
	.	.	.	.	13.33	20.00	32.50	34.17	100.00
Frequency Missing = 4033									

bb. Carotid artery surgery (on artery in neck)

1

2

-7

-8

cas\_1

cas\_1age

Table of GENDER_1 by CAS_1						
GENDER_1	CAS_1					
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	1: Yes	2: No	Total
1: MALE	1	1	0	10	1601	1611
	.	.	.	0.24	38.60	38.84
	.	.	.	0.62	99.38	
	.	.	.	52.63	38.77	
2: FEMALE	2	0	1	9	2528	2537
	.	.	.	0.22	60.95	61.16
	.	.	.	0.35	99.65	
	.	.	.	47.37	61.23	
Total	.	.	.	19	4129	4148
	.	.	.	0.46	99.54	100.00
Frequency Missing = 5						

Table of GENDER_1 by CAS_1AGE							
GENDER_1	CAS_1AGE						
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	≤40	41-60	60<	Total
1: MALE	1	1	1602	1	1	7	9
	.	.	.	5.56	5.56	38.89	50.00
	.	.	.	11.11	11.11	77.78	
	.	.	.	50.00	25.00	58.33	
2: FEMALE	2	0	2529	1	3	5	9
	.	.	.	5.56	16.67	27.78	50.00
	.	.	.	11.11	33.33	55.56	
	.	.	.	50.00	75.00	41.67	
Total	.	.	.	2	4	12	18
	.	.	.	11.11	22.22	66.67	100.00
Frequency Missing = 4135							

cc. Intermittent claudication (leg cramps,  
usually in calves when walking)

1 2 -7 -8

FOFB.claud\_1

claudage\_1

Table of GENDER_1 by CLAUD_1						
GENDER_1	CLAUD_1					
Frequency Percent Row Pct Col Pct	.	DK:O	RF:K	1: Yes	2: No	Total
1: MALE	1	5	1	27	1579	1606
	.	.	.	0.65	38.15	38.80
	.	.	.	1.68	98.32	
	.	.	.	29.03	39.03	
2: FEMALE	2	5	0	66	2467	2533
	.	.	.	1.59	59.60	61.20
	.	.	.	2.61	97.39	
	.	.	.	70.97	60.97	
Total	.	.	.	93	4046	4139
	.	.	.	2.25	97.75	100.00
Frequency Missing = 14						

Table of GENDER_1 by CLAUDAGE_1								
GENDER_1	CLAUDAGE_1							
Frequency Percent Row Pct Col Pct	.	DK:0	MI:0	Skip	≤40	41-60	60<	Total
1: MALE	1	1	1	1585	7	13	5	25
	.	.	.	.	7.78	14.44	5.56	27.78
	.	.	.	.	28.00	52.00	20.00	
	.	.	.	.	21.88	30.95	31.25	
2: FEMALE	2	1	0	2472	25	29	11	65
	.	.	.	.	27.78	32.22	12.22	72.22
	.	.	.	.	38.46	44.62	16.92	
	.	.	.	.	78.13	69.05	68.75	
Total	.	.	.	.	32	42	16	90
	.	.	.	.	35.56	46.67	17.78	100.00
Frequency Missing = 4063								

- dd. Pulmonary embolus (blood clots in the lungs) **plumemb\_1** 1 2 -7 -8 **pulmembage\_1**

Table of GENDER_1 by PLUMEMB_1					
GENDER_1	PLUMEMB_1				
Frequency Percent Row Pct Col Pct	.	DK:O	1: Yes	2: No	Total
1: MALE	1	1	4	1607	1611
.	.	.	0.10	38.73	38.83
.	.	.	0.25	99.75	
.	.	.	12.90	39.02	
2: FEMALE	2	0	27	2511	2538
.	.	.	0.65	60.52	61.17
.	.	.	1.06	98.94	
.	.	.	87.10	60.98	
Total	.	.	31	4118	4149
.	.	.	0.75	99.25	100.00
Frequency Missing = 4					

Table of GENDER_1 by PULMEMBAGE_1						
GENDER_1	PULMEMBAGE_1					
Frequency Percent Row Pct Col Pct	.	Skip	≤40	41-60	60<	Total
1: MALE	1	1608	0	2	2	4
.	.	.	0.00	6.45	6.45	12.90
.	.	.	0.00	50.00	50.00	
.	.	.	0.00	15.38	40.00	
2: FEMALE	2	2511	13	11	3	27
.	.	.	41.94	35.48	9.68	87.10
.	.	.	48.15	40.74	11.11	
.	.	.	100.00	84.62	60.00	
Total	.	.	13	13	5	31
.	.	.	41.94	41.94	16.13	100.00
Frequency Missing = 4122						

ee. Aortic aneurysm (weakening of the aorta) 1 2 -7 -8  
ameur\_1 ameurance\_1

Table of GENDER_1 by AMEUR_1						
GENDER_1	AMEUR_1					
Frequency Percent Row Pct Col Pct	.	DK:O	RF:K	1: Yes	2: No	Total
1: MALE	1	1	0	10	1601	1611
	.	.	.	0.24	38.64	38.88
	.	.	.	0.62	99.38	
	.	.	.	52.63	38.82	
2: FEMALE	2	5	1	9	2523	2532
	.	.	.	0.22	60.90	61.12
	.	.	.	0.36	99.64	
	.	.	.	47.37	61.18	
Total	.	.	.	19	4124	4143
	.	.	.	0.46	99.54	100.00
Frequency Missing = 10						

Table of GENDER_1 by AMEURAGE_1					
GENDER_1	AMEURAGE_1				
Frequency Percent Row Pct Col Pct	.	Skip	≤60	60<	Total
1: MALE	1	1602	1	9	10
	.	.	5.26	47.37	52.63
	.	.	10.00	90.00	
	.	.	25.00	60.00	
2: FEMALE	2	2529	3	6	9
	.	.	15.79	31.58	47.37
	.	.	33.33	66.67	
	.	.	75.00	40.00	
Total	.	.	4	15	19
	.	.	21.05	78.95	100.00
Frequency Missing = 4134					

ff. Heart-rhythm disturbance

1 2 -7 -8

hrd\_1

hrdage\_1

Table of GENDER_1 by HRD_1					
GENDER_1	HRD_1				
Frequency Percent Row Pct Col Pct	.	DK:O	1: Yes	2: No	Total
1: MALE	1	6	94	1512	1606
	.	.	2.27	36.59	38.87
	.	.	5.85	94.15	
	.	.	38.37	38.90	
2: FEMALE	2	12	151	2375	2526
	.	.	3.65	57.48	61.13
	.	.	5.98	94.02	
	.	.	61.63	61.10	
Total	.	.	245	3887	4132
	.	.	5.93	94.07	100.00
Frequency Missing = 21					

Table of GENDER_1 by HRDAGE_1								
GENDER_1	HRDAGE_1							
Frequency Percent Row Pct Col Pct	.	DK:0	Skip	≤20	21-40	41-60	60<	Total
1: MALE	1	0	1518	16	24	36	18	94
	.	.	.	6.56	9.84	14.75	7.38	38.52
	.	.	.	17.02	25.53	38.30	19.15	
	.	.	.	37.21	32.43	43.37	40.91	
2: FEMALE	2	1	2387	27	50	47	26	150
	.	.	.	11.07	20.49	19.26	10.66	61.48
	.	.	.	18.00	33.33	31.33	17.33	
	.	.	.	62.79	67.57	56.63	59.09	
Total	.	.	.	43	74	83	44	244
	.	.	.	17.62	30.33	34.02	18.03	100.00
Frequency Missing = 3909								

gg. Deep vein thrombosis (blood clot, usually in the leg) **dvt\_1** 1 2 -7 -8 **dvtage\_1**

Table of GENDER_1 by DVT_1					
GENDER_1	DVT_1				
Frequency Percent Row Pct Col Pct	.	DK:O	1: Yes	2: No	Total
1: MALE	1	2	15	1595	1610
	.	.	0.36	38.47	38.83
	.	.	0.93	99.07	
	.	.	25.86	39.02	
2: FEMALE	2	2	43	2493	2536
	.	.	1.04	60.13	61.17
	.	.	1.70	98.30	
	.	.	74.14	60.98	
Total	.	.	58	4088	4146
	.	.	1.40	98.60	100.00
Frequency Missing = 7					

Table of GENDER_1 by DVTAGE_1						
GENDER_1	DVTAGE_1					
Frequency Percent Row Pct Col Pct	.	Skip	≤40	41-60	60<	Total
: MALE	1	1597	4	5	6	15
	.	.	6.90	8.62	10.34	25.86
	.	.	26.67	33.33	40.00	
	.	.	18.18	23.81	40.00	
2: FEMALE	2	2495	18	16	9	43
	.	.	31.03	27.59	15.52	74.14
	.	.	41.86	37.21	20.93	
	.	.	81.82	76.19	60.00	
Total	.	.	22	21	15	58
	.	.	37.93	36.21	25.86	100.00
Frequency Missing = 4095						

hh. Raynauds disease (poor circulation in toes & fingers) **raynauds\_1** 1 2 -7 -8 **raynaudage\_1**

Table of GENDER_1 by RAYNAUDS_1						
GENDER_1	RAYNAUDS_1					
Frequency Percent Row Pct Col Pct	.	DK:O	RF:K	1: Yes	2: No	Total
1: MALE	1	4	1	23	1584	1607
	.	.	.	0.56	38.26	38.82
	.	.	.	1.43	98.57	
	.	.	.	24.21	39.16	
2: FEMALE	2	5	0	72	2461	2533
	.	.	.	1.74	59.44	61.18
	.	.	.	2.84	97.16	
	.	.	.	75.79	60.84	
Total	.	.	.	95	4045	4140
	.	.	.	2.29	97.71	100.00
Frequency Missing = 13						

Table of GENDER_1 by RAYNAUDAGE_1									
GENDER_1	RAYNAUDAGE_1								
Frequency Percent Row Pct Col Pct	.	DK:0	MI:0	Skip	≤20	21-40	41-60	60<	Total
1: MALE	1	0	0	1589	0	6	13	4	23
	.	.	.	.	0.00	6.52	14.13	4.35	25.00
	.	.	.	.	0.00	26.09	56.52	17.39	
	.	.	.	.	0.00	25.00	28.89	23.53	
2: FEMALE	2	1	2	2466	6	18	32	13	69
	.	.	.	.	6.52	19.57	34.78	14.13	75.00
	.	.	.	.	8.70	26.09	46.38	18.84	
	.	.	.	.	100.00	75.00	71.11	76.47	
Total	.	.	.	.	6	24	45	17	92
	.	.	.	.	6.52	26.09	48.91	18.48	100.00
Frequency Missing = 4061									

li Peripheral vascular disease **pvd\_1** 1 2 -7 -8 **pvdage\_1**

Table of GENDER_1 by PVD_1						
GENDER_1	PVD_1					
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	1: Yes	2: No	Total
1: MALE	1	6	0	20	1586	1606
	.	.	.	0.48	38.33	38.81
	.	.	.	1.25	98.75	
	.	.	.	40.00	38.80	
2: FEMALE	2	5	1	30	2502	2532
	.	.	.	0.72	60.46	61.19
	.	.	.	1.18	98.82	
	.	.	.	60.00	61.20	
Total	.	.	.	50	4088	4138
	.	.	.	1.21	98.79	100.00
Frequency Missing = 15						

Table of GENDER_1 by PVDAGE_1								
GENDER_1	PVDAGE_1							
Frequency Percent Row Pct Col Pct	.	DK:0	MI:0	Skip	≤40	41-60	60<	Total
1: MALE	1	0	1	1592	6	11	2	19
	.	.	.	.	12.50	22.92	4.17	39.58
	.	.	.	.	31.58	57.89	10.53	
	.	.	.	.	50.00	40.74	22.22	
2: FEMALE	2	1	0	2508	6	16	7	29
	.	.	.	.	12.50	33.33	14.58	60.42
	.	.	.	.	20.69	55.17	24.14	
	.	.	.	.	50.00	59.26	77.78	
Total	.	.	.	.	12	27	9	48
	.	.	.	.	25.00	56.25	18.75	100.00
Frequency Missing = 4105								

jj. High cholesterol **cholest\_1** 1 2 -7 -8 **cholestage\_1**

Table of GENDER_1 by CHOLEST_1						
GENDER_1	CHOLEST_1					
Frequency Percent Row Pct Col Pct	.	DK:O	RF:K	1: Yes	2: No	Total
1: MALE	1	6	1	589	1016	1605
	.	.	.	14.23	24.55	38.78
	.	.	.	36.70	63.30	
	.	.	.	38.42	38.99	
2: FEMALE	2	4	0	944	1590	2534
	.	.	.	22.81	38.42	61.22
	.	.	.	37.25	62.75	
	.	.	.	61.58	61.01	
Total	.	.	.	1533	2606	4139
	.	.	.	37.04	62.96	100.00
Frequency Missing = 14						

Table of GENDER_1 by CHOLESTAGE_1						
GENDER_1	CHOLESTAGE_1					
Frequency Percent Row Pct Col Pct	.	≤20	21-40	41-60	60<	Total
1: MALE	1035	3	157	320	98	578
	.	0.20	10.48	21.36	6.54	38.58
	.	0.52	27.16	55.36	16.96	
	.	30.00	45.64	38.14	32.13	
2: FEMALE	1620	7	187	519	207	920
	.	0.47	12.48	34.65	13.82	61.42
	.	0.76	20.33	56.41	22.50	
	.	70.00	54.36	61.86	67.87	
Total	.	10	344	839	305	1498
	.	0.67	22.96	56.01	20.36	100.00
Frequency Missing = 2655						

E1 cont.: Have you ever been told by  
a health care provider that you have  
or had:

YES NO REF DK

i: **IF YES:** How old were you  
when you were first told **OR**  
at the time of the first event  
**OR** when you had surgery?

kk. High blood pressure (hypertension)

1 2 -7 -8

hbp\_1

hbpage\_1

Table of GENDER_1 by HBP_1					
GENDER_1	HBP_1				
Frequency Percent Row Pct Col Pct		DK:O	1: Yes	2: No	Total
1: MALE	1	7	633	972	1605
	.	.	15.29	23.47	38.76
	.	.	39.44	60.56	
	.	.	37.21	39.84	
2: FEMALE	2	2	1068	1468	2536
	.	.	25.79	35.45	61.24
	.	.	42.11	57.89	
	.	.	62.79	60.16	
Total	.	.	1701	2440	4141
	.	.	41.08	58.92	100.00
Frequency Missing = 12					

Table of GENDER_1 by HBPAGE_1						
GENDER_1	HBPAGE_1					
Frequency Percent Row Pct Col Pct		≤20	21-40	41-60	60<	Total
1: MALE	990	21	170	340	92	623
	.	1.26	10.20	20.41	5.52	37.39
	.	3.37	27.29	54.57	14.77	
	.	38.18	39.72	37.86	32.28	
2: FEMALE	1497	34	258	558	193	1043
	.	2.04	15.49	33.49	11.58	62.61
	.	3.26	24.74	53.50	18.50	
	.	61.82	60.28	62.14	67.72	
Total	.	55	428	898	285	1666
	.	3.30	25.69	53.90	17.11	100.00
Frequency Missing = 2487						

II. Osteoporosis (thin or brittle bones)

osteop\_1

1

2

-7

-8

osteopage\_1

Table of GENDER_1 by OSTEOP_1						
GENDER_1	OSTEOP_1					
Frequency Percent Row Pct Col Pct						
		DK:O	MI:O	1: Yes	2: No	Total
1: MALE	1	4	0	51	1557	1608
	.	.	.	1.23	37.59	38.82
	.	.	.	3.17	96.83	
	.	.	.	16.83	40.56	
2: FEMALE	2	3	1	252	2282	2534
	.	.	.	6.08	55.09	61.18
	.	.	.	9.94	90.06	
	.	.	.	83.17	59.44	
Total	.	.	.	303	3839	4142
	.	.	.	7.32	92.68	100.00
Frequency Missing = 11						

Table of GENDER_1 by OSTEOPAGE_1					
GENDER_1	OSTEOPAGE_1				
Frequency Percent Row Pct Col Pct					
		≤40	41-60	60<	Total
1: MALE	1562	6	29	16	51
	.	2.01	9.70	5.35	17.06
	.	11.76	56.86	31.37	
	.	16.22	17.79	16.16	
2: FEMALE	2292	31	134	83	248
	.	10.37	44.82	27.76	82.94
	.	12.50	54.03	33.47	
	.	83.78	82.21	83.84	
Total	.	37	163	99	299
	.	12.37	54.52	33.11	100.00
Frequency Missing = 3854					

mm. Parkinson's disease **parkin\_1** 1 2 -7 -8 **parkinage\_1**

Table of GENDER_1 by PARKIN_1					
GENDER_1	PARKIN_1				
Frequency Percent Row Pct Col Pct	.	RF:K	1: Yes	2: No	Total
1: MALE	1	1	4	1607	1611
	.	.	0.10	38.73	38.83
	.	.	0.25	99.75	
	.	.	80.00	38.78	
2: FEMALE	2	0	1	2537	2538
	.	.	0.02	61.15	61.17
	.	.	0.04	99.96	
	.	.	20.00	61.22	
Total	.	.	5	4144	4149
	.	.	0.12	99.88	100.00
Frequency Missing = 4					

Table of GENDER_1 by PARKINAGE_1								
GENDER_1	PARKINAGE_1							
Frequency Percent Row Pct Col Pct	.	Skip	18	44	60	70	71	Total
1: MALE	1	1608	1	1	0	1	1	4
	.	.	20.00	20.00	0.00	20.00	20.00	80.00
	.	.	25.00	25.00	0.00	25.00	25.00	
	.	.	100.00	100.00	0.00	100.00	100.00	
2: FEMALE	2	2537	0	0	1	0	0	1
	.	.	0.00	0.00	20.00	0.00	0.00	20.00
	.	.	0.00	0.00	100.00	0.00	0.00	
	.	.	0.00	0.00	100.00	0.00	0.00	
Total	.	.	1	1	1	1	1	5
	.	.	20.00	20.00	20.00	20.00	20.00	100.00
Frequency Missing = 4148								

nn. Multiple sclerosis (MS) **ms\_1** 1 2 -7 -8 **msage\_1**

Table of GENDER_1 by MS_1						
GENDER_1	MS_1					
Frequency Percent Row Pct Col Pct	.	DK:O	RF:K	1: Yes	2: No	Total
1: MALE	1	0	0	5	1607	1612
	.	.	.	0.12	38.74	38.86
	.	.	.	0.31	99.69	
	.	.	.	22.73	38.95	
2: FEMALE	2	1	1	17	2519	2536
	.	.	.	0.41	60.73	61.14
	.	.	.	0.67	99.33	
	.	.	.	77.27	61.05	
Total	.	.	.	22	4126	4148
	.	.	.	0.53	99.47	100.00
Frequency Missing = 5						

Table of GENDER_1 by MSAGE_1					
GENDER_1	MSAGE_1				
Frequency Percent Row Pct Col Pct	.	Skip	≤40	40<	Total
1: MALE	1	1607	4	1	5
	.	.	18.18	4.55	22.73
	.	.	80.00	20.00	
	.	.	23.53	20.00	
2: FEMALE	2	2521	13	4	17
	.	.	59.09	18.18	77.27
	.	.	76.47	23.53	
	.	.	76.47	80.00	
Total	.	.	17	5	22
	.	.	77.27	22.73	100.00
Frequency Missing = 4131					

oo. Fibromyalgia **fibro\_1** 1 2 -7 -8 **fibroage\_1**

Table of GENDER_1 by FIBRO_1						
GENDER_1	FIBRO_1					
Frequency Percent Row Pct Col Pct	.	DK:O	RF:K	1: Yes	2: No	Total
1: MALE	244	0	1	4	1364	1368
	.	.	.	0.12	39.74	39.86
	.	.	.	0.29	99.71	
	.	.	.	6.56	40.46	
2: FEMALE	472	4	0	57	2007	2064
	.	.	.	1.66	58.48	60.14
	.	.	.	2.76	97.24	
	.	.	.	93.44	59.54	
Total	.	.	.	61	3371	3432
	.	.	.	1.78	98.22	100.00
Frequency Missing = 721						

Table of GENDER_1 by FIBROAGE_1						
GENDER_1	FIBROAGE_1					
Frequency Percent Row Pct Col Pct	.	Skip	≤40	41-60	60<	Total
1: MALE	244	1365	2	1	1	4
	.	.	3.28	1.64	1.64	6.56
	.	.	50.00	25.00	25.00	
	.	.	8.33	2.94	33.33	
2: FEMALE	472	2011	22	33	2	57
	.	.	36.07	54.10	3.28	93.44
	.	.	38.60	57.89	3.51	
	.	.	91.67	97.06	66.67	
Total	.	.	24	34	3	61
	.	.	39.34	55.74	4.92	100.00
Frequency Missing = 4092						

pp. Chronic fatigue syndrome **cfs\_1** 1 2 -7 -8 **cfsage\_1**

Table of GENDER_1 by CFS_1					
GENDER_1	CFS_1				
Frequency Percent Row Pct Col Pct	.	DK:O	1: Yes	2: No	Total
1: MALE	244	2	18	1349	1367
	.	.	0.52	39.31	39.83
	.	.	1.32	98.68	
	.	.	37.50	39.86	
2: FEMALE	472	3	30	2035	2065
	.	.	0.87	59.29	60.17
	.	.	1.45	98.55	
	.	.	62.50	60.14	
Total	.	.	48	3384	3432
	.	.	1.40	98.60	100.00
Frequency Missing = 721					

Table of GENDER_1 by CFSAGE_1						
GENDER_1	CFSAGE_1					
Frequency Percent Row Pct Col Pct	.	Skip	≤40	41-60	60<	Total
1: MALE	244	1351	6	6	6	18
	.	.	12.50	12.50	12.50	37.50
	.	.	33.33	33.33	33.33	
	.	.	24.00	35.29	100.00	
2: FEMALE	472	2038	19	11	0	30
	.	.	39.58	22.92	0.00	62.50
	.	.	63.33	36.67	0.00	
	.	.	76.00	64.71	0.00	
Total	.	.	25	17	6	48
	.	.	52.08	35.42	12.50	100.00
Frequency Missing = 4105						

qq. Irritable Bowel Syndrome **ibs\_1** 1 2 -7 -8 **ibsage\_1**

Table of GENDER_1 by IBS_1						
GENDER_1	IBS_1					
Frequency Percent Row Pct Col Pct	.	DK:O	RF:K	1: Yes	2: No	Total
1: MALE	244	0	1	28	1340	1368
	.	.	.	0.82	39.03	39.85
	.	.	.	2.05	97.95	
	.	.	.	23.53	40.43	
2: FEMALE	472	3	0	91	1974	2065
	.	.	.	2.65	57.50	60.15
	.	.	.	4.41	95.59	
	.	.	.	76.47	59.57	
Total	.	.	.	119	3314	3433
	.	.	.	3.47	96.53	100.00
Frequency Missing = 720						

Table of GENDER_1 by IBSAGE_1						
GENDER_1	IBSAGE_1					
Frequency Percent Row Pct Col Pct	.	Skip	≤40	41-60	60<	Total
1: MALE	244	1341	16	9	3	28
	.	.	13.45	7.56	2.52	23.53
	.	.	57.14	32.14	10.71	
	.	.	29.63	18.75	17.65	
2: FEMALE	472	1977	38	39	14	91
	.	.	31.93	32.77	11.76	76.47
	.	.	41.76	42.86	15.38	
	.	.	70.37	81.25	82.35	
Total	.	.	54	48	17	119
	.	.	45.38	40.34	14.29	100.00
Frequency Missing = 4034						

**ASK WOMEN ONLY; MEN, SKIP TO E2**

E1 cont.: Have you ever been told by a health care provider that you have or previously had:

YES NO REF DK

i: **IF YES:** How old were you when you were first told **OR** at the time of the first event **OR** when you had surgery?

rr. Gestational diabetes **gdiab\_1**

1 2 -7 -8

**gdiabage\_1**

GDIAB_1	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
DK:O	4	.	.	.
RF:K	1	.	.	.
Skip	1612	.	.	.
1: Yes	96	3.79	96	3.79
2: No	2437	96.21	2533	100.00

Frequency Missing = 1620

GDIABAGE_1	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
Skip	4054	.	.	.
≤20	12	12.50	12	12.50
21-40	82	85.42	94	97.92
40<	2	2.08	96	100.00

Frequency Missing = 4057

ss. Endometriosis **endomet\_1**

1 2 -7 -8

**endometage\_1**

ENDOMET_1	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
DK:O	9	.	.	.
Skip	1612	.	.	.
1: Yes	9	3.56	90	3.56
2: No	2439	96.44	2529	100.00

Frequency Missing = 1624

ENDOMETAGE_1	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
DK:O	1	.	.	.
Skip	4060	.	.	.
≤20	13	14.61	13	14.61
21-40	57	64.04	70	78.65
40<	19	21.35	89	100.00

Frequency Missing = 4064

tt. Pelvic inflammatory disease or PID **pid\_1**

1 2 -7 -8

**pidage\_1**

PID_1	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
DK:O	3	.	.	.
RF:K	1	.	.	.
Skip	1612	.	.	.
1: Yes	59	2.33	59	2.33
2: No	2475	97.67	2534	100.00

Frequency Missing = 1619

PIDAGE_1	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
Skip	4091	.	.	.
≤20	12	20.34	12	20.34
21-40	40	67.80	52	88.14
40<	7	11.86	59	100.00

Frequency Missing = 4094

uu. Ovarian cyst(s) **cyst\_1** 1 2 -7 -8 **cystage\_1**

CYST_1	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
DK:O	7	.	.	.
Skip	1612	.	.	.
1: Yes	331	13.08	331	13.08
2: No	2200	86.92	2531	100.00

Frequency Missing = 1622

CYSTAGE_1	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
DK:O	3	.	.	.
Skip	3819	.	.	.
≤20	47	14.33	47	14.33
21-40	198	60.37	245	74.70
40<	83	25.30	328	100.00

Frequency Missing = 3825

vv. Polycystic ovarian syndrome (PCOS) **pcos\_1** 1 2 -7 -8 **pcosage\_1**

PCOS_1	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
DK:O	11	.	.	.
Skip	1612	.	.	.
1: Yes	26	1.03	26	1.03
2: No	2501	98.97	2527	100.00

Frequency Missing = 1626

PCOSAGE_1	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
DK:O	1	.	.	.
Skip	4124	.	.	.
≤20	6	24.00	6	24.00
21-40	16	64.00	22	88.00
40<	3	12.00	25	100.00

Frequency Missing = 4128

ww. Uterine fibroids (fibroids) **fibroid\_1** 1 2 -7 -8 **fibroidage\_1**

FIBROID_1	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
DK:O	18	.	.	.
Skip	1612	.	.	.
1: Yes	502	19.92	502	19.92
2: No	2018	80.08	2520	100.00

Frequency Missing = 1633

FIBROIDAGE_1	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
DK:O	6	.	.	.
Skip	3648	.	.	.
≤20	12	2.42	12	2.42
21-40	273	55.04	285	57.46
41-60	202	40.73	487	98.19
60<	9	1.81	496	100.00

Frequency Missing = 3657

xx. Prolapsed uterus **puterus\_1** 1 2 -7 -8 **puterusage\_1**

PUTERUS_1	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
DK:O	4	.	.	.
Skip	1612	.	.	.
1: Yes	57	2.25	57	2.25
2: No	2477	97.75	2534	100.00

Frequency Missing = 1619

PUTERUSAGE_1	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
DK:O	2	.	.	.
Skip	4093	.	.	.
≤20	1	1.82	1	1.82
21-40	26	47.27	27	49.09
41-60	20	36.36	47	85.45
60<	8	14.55	55	100.00

Frequency Missing = 4098

yy. Prolapsed bladder (cystocele) **pbladder\_1** 1 2 -7 -8 **pbladerage\_1**

PBLADDER_1	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
DK:O	11	.	.	.
Skip	1612	.	.	.
1: Yes	68	2.69	68	2.69
2: No	2459	97.31	2527	100.00

Frequency Missing = 1626

PBLADERAGE_1	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
Skip	4082	.	.	.
≤40	23	33.82	23	33.82
41-60	34	50.00	57	83.82
60<	1	16.18	68	100.00

Frequency Missing = 4085

zz. Prolapsed rectum (rectocele) **Prectum** 1 2 -7 -8 **prectumage\_1**

PRECTUM	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
DK:O	2	.	.	.
MI:O	1	.	.	.
Skip	1612	.	.	.
1: Yes	13	0.51	13	0.51
2: No	2522	99.49	2535	100.00

Frequency Missing = 1618

PRECTUMAGE_1	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
Skip	4137	.	.	.
≤40	4	30.77	4	30.77
41-60	7	53.85	11	84.62
60<	2	15.38	13	100.00

Frequency Missing = 4140

aaa. Chronic yeast infections **yeast\_1** 1 2 -7 -8 **yeastage\_1**

YEAST_1	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
DK:0	5	.	.	.
MI:0	3	.	.	.
Skip	1613	.	.	.
1: Yes	135	5.34	135	5.34
2: No	2394	94.66	2529	100.00

Frequency Missing = 1624

YEASTAGE_1	Frequency	Percent	Cum Freq	Cum Percent
.	716	.	.	.
DK:0	1	.	.	.
Skip	3342	.	.	.
≤40	80	85.11	80	85.11
41-60	11	11.70	91	96.81
60<	3	3.19	94	100.00

Frequency Missing = 4059

bbb. Sexual dysfunction **sexdys\_1** 1 2 -7 -8 **sexdysage\_1**

SEXDYS_1	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
DK:0	2	.	.	.
MI:0	7	.	.	.
RF:K	4	.	.	.
Skip	1369	.	.	.
1: Yes	44	1.59	44	1.59
2: No	2724	98.41	2768	100.00

Frequency Missing = 1385

SEXDYSAGE_1	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
DK:0	1	.	.	.
MI:0	2	.	.	.
Skip	4106	.	.	.
≤40	10	24.39	10	24.39
41-60	28	68.29	38	92.68
60<	3	7.32	41	100.00

Frequency Missing = 4112

**ASK MEN ONLY; WOMEN SKIP TO E2e**

E2. Have you ever been told by a health care provider that you have or previously had: **YES NO REF DK** i: IF YES, How old were you when you were first told?

a. BPH (Benign Prostatic Hyperplasia) **bph\_1** 1 2 -7 -8 **bphage\_1**

BPH_1	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
DK:O	5	.	.	.
Skip	2538	.	.	.
1: Yes	61	3.80	61	3.80
2: No	1546	96.20	1607	100.00

Frequency Missing = 2546

BPHAGE_1	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
Skip	4089	.	.	.
≤40	2	3.28	2	3.28
41-60	35	57.38	37	60.66
60<	24	39.34	61	100.00

Frequency Missing = 4092

b. Prostatitis **prostat\_1** 1 2 -7 -8 **prostatage\_1**

PROSTAT_1	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
DK:O	10	.	.	.
Skip	2538	.	.	.
1: Yes	75	4.68	75	4.68
2: No	1527	95.32	1602	100.00

Frequency Missing = 2551

PROSTATAGE_1	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
MI:0	1	.	.	.
Skip	4075	.	.	.
≤40	15	20.27	15	20.27
41-60	35	47.30	50	67.57
60<	24	32.43	74	100.00

Frequency Missing = 4079

c. Hypogonadism **hypogo\_1** 1 2 -7 -8 **hypogoage\_1**

HYPOGO_1	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
DK:O	3	.	.	.
MI:O	1	.	.	.
Skip	2538	.	.	.
1: Yes	11	0.68	11	0.68
2: No	1597	99.32	1608	100.00

Frequency Missing = 2545

HYPOGOAGE_1	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
Skip	4139	.	.	.
≤40	3	27.27	3	27.27
41-60	4	36.36	7	63.64
60<	4	36.36	11	100.00

Frequency Missing = 4142

d. Erectile Dysfunction **ed\_1** 1 2 -7 -8 **edage\_1**

ED_1	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
DK:O	3	.	.	.
MI:O	1	.	.	.
RF:K	2	.	.	.
Skip	2538	.	.	.
1: Yes	184	11.46	184	11.46
2: No	1422	88.54	1606	100.00

Frequency Missing = 2547

EDAGE_1	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
DK:O	3	.	.	.
MI:O	1	.	.	.
Skip	3966	.	.	.
≤40	16	8.89	16	8.89
41-60	100	55.56	116	64.44
60<	64	35.56	180	100.00

Frequency Missing = 3973

# ASK ALL RESPONDENTS

e. Urinary incontinence? **ui\_1** 1 2 -7 -8 **uiage\_1**

Table of GENDER_1 by UI_1						
GENDER_1	UI_1					
Frequency Percent Row Pct Col Pct						
	.	DK:O	MI:O	1: Yes	2: No	Total
1: MALE	1	1	3	70	1538	1608
	.	.	.	1.69	37.14	38.83
	.	.	.	4.35	95.65	
	.	.	.	25.09	39.82	
2: FEMALE	2	4	1	209	2324	2533
	.	.	.	5.05	56.12	61.17
	.	.	.	8.25	91.75	
	.	.	.	74.91	60.18	
Total	.	.	.	279	3862	4141
	.	.	.	6.74	93.26	100.00

Frequency Missing = 12

Table of GENDER_1 by UIAGE_1								
GENDER_1	UIAGE_1							
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	Skip	≤40	41-60	60<	Total
1: MALE	1	0	0	1542	7	32	31	70
	.	.	.	.	2.55	11.68	11.31	25.55
	.	.	.	.	10.00	45.71	44.29	
	.	.	.	.	11.11	26.02	35.23	
2: FEMALE	2	3	2	2329	56	91	57	204
	.	.	.	.	20.44	33.21	20.80	74.45
	.	.	.	.	27.45	44.61	27.94	
	.	.	.	.	88.89	73.98	64.77	
Total	.	.	.	.	63	123	88	274
	.	.	.	.	22.99	44.89	32.12	100.00

Frequency Missing = 3879

f. Interstitial cystitis? **ic\_1** 1 2 -7 -8 **icage\_1**

Table of GENDER_1 by IC_1						
GENDER_1	IC_1					
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	1: Yes	2: No	Total
1: MALE	1	3	3	3	1603	1606
	.	.	.	0.07	38.72	38.79
	.	.	.	0.19	99.81	
	.	.	.	7.32	39.11	
2: FEMALE	2	2	2	38	2496	2534
	.	.	.	0.92	60.29	61.21
	.	.	.	1.50	98.50	
	.	.	.	92.68	60.89	
Total	.	.	.	41	4099	4140
	.	.	.	0.99	99.01	100.00
Frequency Missing = 13						

Table of GENDER_1 by ICAGE_1							
GENDER_1	ICAGE_1						
Frequency Percent Row Pct Col Pct	.	MI:0	Skip	≤40	41-60	60<	Total
1: MALE	1	0	1609	0	1	2	3
	.	.	.	0.00	2.56	5.13	7.69
	.	.	.	0.00	33.33	66.67	
	.	.	.	0.00	7.14	28.57	
2: FEMALE	2	2	2500	18	13	5	36
	.	.	.	46.15	33.33	12.82	92.31
	.	.	.	50.00	36.11	13.89	
	.	.	.	100.00	92.86	71.43	
Total	.	.	.	18	14	7	39
	.	.	.	46.15	35.90	17.95	100.00
Frequency Missing = 4114							

g. Painful bladder syndrome? **pbs\_1** 1 2 -7 -8 **pbsage\_1**

Table of GENDER_1 by PBS_1							
GENDER_1	PBS_1						
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	RF:K	1: Yes	2: No	Total
1: MALE	1	3	3	0	5	1601	1606
	.	.	.	.	0.12	38.69	38.81
	.	.	.	.	0.31	99.69	
	.	.	.	.	22.73	38.90	
2: FEMALE	2	4	1	1	17	2515	2532
	.	.	.	.	0.41	60.78	61.19
	.	.	.	.	0.67	99.33	
	.	.	.	.	77.27	61.10	
Total	.	.	.	.	22	4116	4138
	.	.	.	.	0.53	99.47	100.00
Frequency Missing = 15							

Table of GENDER_1 by PBSAGE_1							
GENDER_1	PBSAGE_1						
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	≤40	41-60	60<	Total
1: MALE	1	0	1607	1	4	0	5
	.	.	.	4.76	19.05	0.00	23.81
	.	.	.	20.00	80.00	0.00	
	.	.	.	20.00	28.57	0.00	
2: FEMALE	2	1	2521	4	10	2	16
	.	.	.	19.05	47.62	9.52	76.19
	.	.	.	25.00	62.50	12.50	
	.	.	.	80.00	71.43	100.00	
Total	.	.	.	5	14	2	21
	.	.	.	23.81	66.67	9.52	100.00
Frequency Missing = 4132							

h. Chronic pelvic pain of bladder  
origin? **cpp\_1**

1

2

-7

-8

**cppage\_1**

Table of GENDER_1 by CPP_1							
GENDER_1	CPP_1						
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	RF:K	1: Yes	2: No	Total
1: MALE	1	2	3	1	8	1598	1606
.	.	.	.	.	0.19	38.62	38.81
.	.	.	.	.	0.50	99.50	
.	.	.	.	.	30.77	38.86	
2: FEMALE	2	4	1	1	18	2514	2532
.	.	.	.	.	0.43	60.75	61.19
.	.	.	.	.	0.71	99.29	
.	.	.	.	.	69.23	61.14	
Total	.	.	.	.	26	4112	4138
.	.	.	.	.	0.63	99.37	100.00
Frequency Missing = 15							

Table of GENDER_1 by CPPAGE_1							
GENDER_1	CPPAGE_1						
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	≤40	41-60	60<	Total
1: MALE	1	1	1604	2	3	2	7
.	.	.	.	8.33	12.50	8.33	29.17
.	.	.	.	28.57	42.86	28.57	
.	.	.	.	18.18	30.00	66.67	
2: FEMALE	2	1	2520	9	7	1	17
.	.	.	.	37.50	29.17	4.17	70.83
.	.	.	.	52.94	41.18	5.88	
.	.	.	.	81.82	70.00	33.33	
Total	.	.	.	11	10	3	24
.	.	.	.	45.83	41.67	12.50	100.00
Frequency Missing = 4129							

E3a. Have you ever been told by a health care provider that you had a problem with your bladder emptying as a result of nerves or muscles that supply the bladder not working well?

nbladder\_1

YES ..... 1  
NO ..... 2

Table of GENDER_1 by NBLADDER_1					
GENDER_1	NBLADDER_1				
Frequency Percent Row Pct Col Pct	.	DK:O	1: Yes	2: No	Total
1: MALE	1	1	29	1582	1611
	.	.	0.70	38.14	38.84
	.	.	1.80	98.20	
	.	.	27.10	39.15	
2: FEMALE	2	1	78	2459	2537
	.	.	1.88	59.28	61.16
	.	.	3.07	96.93	
	.	.	72.90	60.85	
Total	.	.	107	4041	4148
	.	.	2.58	97.42	100.00
Frequency Missing = 5					

E3b. Has a health care provider ever told you to use a catheter for a bladder condition?

catheter\_1

YES ..... 1  
NO ..... 2

(E3c)

Table of GENDER_1 by CATHETER_1				
GENDER_1	CATHETER_1			
Frequency Percent Row Pct Col Pct	.	1: Yes	2: No	Total
1: MALE	1	47	1565	1612
	.	1.13	37.71	38.84
	.	2.92	97.08	
	.	43.12	38.73	
2: FEMALE	2	62	2476	2538
	.	1.49	59.66	61.16
	.	2.44	97.56	
	.	56.88	61.27	
Total	.	109	4041	4150
	.	2.63	97.37	100.00
Frequency Missing = 3				

E3b1. Was it an in-dwelling or permanent catheter?

permcth\_1

YES ..... 1  
NO ..... 2

Table of GENDER_1 by PERMCTH_1							
GENDER_1	PERMCTH_1						
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	Skip	1: Yes	2: No	Total
1: MALE	1	0	0	1565	24	23	47
	.	.	.	.	22.43	21.50	43.93
	.	.	.	.	51.06	48.94	
	.	.	.	.	55.81	35.94	
2: FEMALE	2	1	1	2476	19	41	60
	.	.	.	.	17.76	38.32	56.07
	.	.	.	.	31.67	68.33	
	.	.	.	.	44.19	64.06	
Total	.	.	.	.	43	64	107
	.	.	.	.	40.19	59.81	100.00
Frequency Missing = 4046							

E3c. Have you ever been told by a health care provider that you had a bladder infection, a urinary tract infection or cystitis, or kidney infection (pyelonephritis)?

uti\_ki\_1

YES ..... 1  
NO ..... 2

(E4a)

Table of GENDER_1 by UTI_KI_1					
GENDER_1	UTI_KI_1				
Frequency Percent Row Pct Col Pct	.	DK:O	1: Yes	2: No	Total
1: MALE	1	1	194	1417	1611
	.	.	4.68	34.17	38.85
	.	.	12.04	87.96	
	.	.	14.92	49.77	
2: FEMALE	2	2	1106	1430	2536
	.	.	26.67	34.48	61.15
	.	.	43.61	56.39	
	.	.	85.08	50.23	
Total	.	.	1300	2847	4147
	.	.	31.35	68.65	100.00
Frequency Missing = 6					

c1. How many times were you diagnosed with a bladder infection, urinary tract infection or cystitis in the last 12 months? **ut12mo\_1**

TIMES

Table of GENDER_1 by UT12MO_1								
GENDER_1	UT12MO_1							
Frequency Percent Row Pct Col Pct	.	MI:0	Skip	0	1-3	4-6	6<	Total
1: MALE	25	0	1418	158	10	0	2	170
	.	.	.	14.04	0.89	0.00	0.18	15.11
	.	.	.	92.94	5.88	0.00	1.18	
	.	.	.	15.30	12.99	0.00	25.00	
2: FEMALE	152	1	1432	875	67	7	6	955
	.	.	.	77.78	5.96	0.62	0.53	84.89
	.	.	.	91.62	7.02	0.73	0.63	
	.	.	.	84.70	87.01	100.00	75.00	
Total	.	.	.	1033	77	7	8	1125
	.	.	.	91.82	6.84	0.62	0.71	100.00
Frequency Missing = 3028								

c2. How many times were you diagnosed with a bladder infection, urinary tract infection or cystitis in your lifetime? **utievrv\_1**

TIMES

Table of GENDER_1 by UTIEVR_1											
GENDER_1	UTIEVR_1										
Frequency Percent Row Pct Col Pct	.	DK:0	MI:0	Skip	0	1-3	4-6	7-9	10-12	12<	Total
1: MALE	1	0	1	1418	17	147	15	3	5	6	193
	.	.	.	.	1.32	11.45	1.17	0.23	0.39	0.47	15.03
	.	.	.	.	8.81	76.17	7.77	1.55	2.59	3.11	
	.	.	.	.	25.37	18.15	6.61	8.11	6.94	8.45	
2: FEMALE	2	15	0	1432	50	663	212	34	67	65	1091
	.	.	.	.	3.89	51.64	16.51	2.65	5.22	5.06	84.97
	.	.	.	.	4.58	60.77	19.43	3.12	6.14	5.96	
	.	.	.	.	74.63	81.85	93.39	91.89	93.06	91.55	
Total	.	.	.	.	67	810	227	37	72	71	1284
	.	.	.	.	5.22	63.08	17.68	2.88	5.61	5.53	100.00
Frequency Missing = 2869											

c3. How many times were you diagnosed with a kidney infection (pyelonephritis) in the last 12 months? **ki12mo\_1**

TIMES

Table of GENDER_1 by KI12MO_1							
GENDER_1	KI12MO_1						
Frequency Percent Row Pct Col Pct	.	Skip	0	1-2	3-4	4<	Total
1: MALE	1	1418	185	7	1	1	194
	.	.	14.23	0.54	0.08	0.08	14.92
	.	.	95.36	3.61	0.52	0.52	
	.	.	14.62	23.33	25.00	100.00	
2: FEMALE	2	1432	1080	23	3	0	1106
	.	.	83.08	1.77	0.23	0.00	85.08
	.	.	97.65	2.08	0.27	0.00	
	.	.	85.38	76.67	75.00	0.00	
Total	.	.	1265	30	4	1	1300
	.	.	97.31	2.31	0.31	0.08	100.00
Frequency Missing = 2853							

c4. How many times were you diagnosed with a kidney infection (pyelonephritis) in your lifetime? **kievr\_1**

TIMES

Table of GENDER_1 by KIEVR_1									
GENDER_1	KIEVR_1								
Frequency Percent Row Pct Col Pct	.	DK:0	Skip	0	1-2	3-4	5-6	6<	Total
1: MALE	1	0	1418	160	29	1	2	2	194
	.	.	.	12.34	2.24	0.08	0.15	0.15	14.96
	.	.	.	82.47	14.95	0.52	1.03	1.03	
	.	.	.	14.86	16.48	4.55	22.22	15.38	
2: FEMALE	2	3	1432	917	147	21	7	11	1103
	.	.	.	70.70	11.33	1.62	0.54	0.85	85.04
	.	.	.	83.14	13.33	1.90	0.63	1.00	
	.	.	.	85.14	83.52	95.45	77.78	84.62	
Total	.	.	.	1077	176	22	9	13	1297
	.	.	.	83.04	13.57	1.70	0.69	1.00	100.00
Frequency Missing = 2856									

E4a. Have you ever been told by a health care provider that you had kidney stones or stones in your urinary tract?

**kstones\_1**

YES..... 1  
NO..... 2

(E5a)

Table of GENDER_1 by KSTONES_1					
GENDER_1	KSTONES_1				
Frequency Percent Row Pct Col Pct	.	MI:0	1: Yes	2: No	Total
1: MALE	1	1	157	1454	1611
	.	.	3.78	35.04	38.83
	.	.	9.75	90.25	
	.	.	46.73	38.13	
2: FEMALE	2	0	179	2359	2538
	.	.	4.31	56.86	61.17
	.	.	7.05	92.95	
	.	.	53.27	61.87	
Total	.	.	336	3813	4149
	.	.	8.10	91.90	100.00
Frequency Missing = 4					

E4b. How many times in your lifetime? **kstonetime\_1**

Table of GENDER_1 by KSTONETIME_1								
GENDER_1	KSTONETIME_1							
Frequency Percent Row Pct Col Pct	.	MI:0	Skip	1-2	3-4	5-6	6<	Total
1: MALE	1	2	1455	131	12	8	4	155
.	.	.	.	39.22	3.59	2.40	1.20	46.41
.	.	.	.	84.52	7.74	5.16	2.58	
.	.	.	.	45.80	44.44	61.54	50.00	
2: FEMALE	2	0	2359	155	15	5	4	179
.	.	.	.	46.41	4.49	1.50	1.20	53.59
.	.	.	.	86.59	8.38	2.79	2.23	
.	.	.	.	54.20	55.56	38.46	50.00	
Total	.	.	.	286	27	13	8	334
.	.	.	.	85.63	8.08	3.89	2.40	100.00
Frequency Missing = 3819								

E5a. Has a healthcare provider ever told you that you had gallstones?

**gstones\_1**

YES ..... 1  
NO ..... 2

(E5c)

Table of GENDER_1 by GSTONES_1					
GENDER_1	GSTONES_1				
Frequency Percent Row Pct Col Pct	.	MI:0	1: Yes	2: No	Total
1: MALE	1	1	63	1548	1611
.	.	.	1.52	37.32	38.84
.	.	.	3.91	96.09	
.	.	.	19.27	40.51	
2: FEMALE	2	1	264	2273	2537
.	.	.	6.36	54.80	61.16
.	.	.	10.41	89.59	
.	.	.	80.73	59.49	
Total	.	.	327	3821	4148
.	.	.	7.88	92.12	100.00
Frequency Missing = 5					

E5b. Have you ever had medical treatment to dissolve or remove gallstones? Do not include surgery.

gstones\_trt1

YES..... 1  
NO..... 2

Table of GENDER_1 by GSTONES_TRT1						
GENDER_1	GSTONES_TRT1					
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: Yes	2: No	Total
1: MALE	1	0	1549	26	37	63
	.	.	.	7.98	11.35	19.33
	.	.	.	41.27	58.73	
	.	.	.	24.53	16.82	
2: FEMALE	2	1	2274	80	183	263
	.	.	.	24.54	56.13	80.67
	.	.	.	30.42	69.58	
	.	.	.	75.47	83.18	
Total	.	.	.	106	220	326
	.	.	.	32.52	67.48	100.00
Frequency Missing = 3827						

E5c. Have you ever had gallbladder surgery?

gstones\_sur1

YES..... 1  
NO..... 2

(E6)

Table of GENDER_1 by GSTONES_SUR1					
GENDER_1	GSTONES_SUR1				
Frequency Percent Row Pct Col Pct	.	MI:O	1: Yes	2: No	Total
1: MALE	1	2	52	1558	1610
	.	.	1.25	37.60	38.85
	.	.	3.23	96.77	
	.	.	16.00	40.80	
2: FEMALE	2	4	273	2261	2534
	.	.	6.59	54.56	61.15
	.	.	10.77	89.23	
	.	.	84.00	59.20	
Total	.	.	325	3819	4144
	.	.	7.84	92.16	100.00
Frequency Missing = 9					

E5d. How old were you when you had your gallbladder surgery? **gstones\_age1**

YEARS

Table of GENDER_1 by GSTONES_AGE1								
GENDER_1	GSTONES_AGE1							
Frequency Percent Row Pct Col Pct	.	MI:0	Skip	≤20	21-40	41-60	60<	Total
1: MALE	1	0	1560	3	15	24	10	52
	.	.	.	0.93	4.63	7.41	3.09	16.05
	.	.	.	5.77	28.85	46.15	19.23	
	.	.	.	16.67	11.36	18.75	21.74	
2: FEMALE	2	1	2265	15	117	104	36	272
	.	.	.	4.63	36.11	32.10	11.11	83.95
	.	.	.	5.51	43.01	38.24	13.24	
	.	.	.	83.33	88.64	81.25	78.26	
Total	.	.	.	18	132	128	46	324
	.	.	.	5.56	40.74	39.51	14.20	100.00
Frequency Missing = 3829								

Now I have a few questions about your health insurance and use of health care services.

E6. What is your current health insurance? You might have more than one type of insurance. **YES NO**  
Do you have...

\*a. Private insurance from your or your partner's employer **privins\_1** 1 2

Table of GENDER_1 by PRIVINS_1					
GENDER_1	PRIVINS_1				
Frequency Percent Row Pct Col Pct	.	MI:O	1: Yes	2: No	Total
1: MALE	1	0	754	858	1612
.	.	.	18.17	20.68	38.85
.	.	.	46.77	53.23	
.	.	.	43.89	35.29	
2: FEMALE	2	1	964	1573	2537
.	.	.	23.23	37.91	61.15
.	.	.	38.00	62.00	
.	.	.	56.11	64.71	
Total	.	.	1718	2431	4149
.	.	.	41.41	58.59	100.00
Frequency Missing = 4					

\*b. Private insurance that you purchased (you pay the entire premium) **selfpay\_1** 1 2

Table of GENDER_1 by SELFPAY_1				
GENDER_1	SELPAY_1			
Frequency Percent Row Pct Col Pct	.	1: Yes	2: No	Total
1: MALE	1	88	1524	1612
.	.	2.12	36.72	38.84
.	.	5.46	94.54	
.	.	37.61	38.92	
2: FEMALE	2	146	2392	2538
.	.	3.52	57.64	61.16
.	.	5.75	94.25	
.	.	62.39	61.08	
Total	.	234	3916	4150
.	.	5.64	94.36	100.00
Frequency Missing = 3				

c. Medicare **medicare\_1**

1

2

Table of GENDER_1 by MEDICARE_1					
GENDER_1	MEDICARE_1				
Frequency Percent Row Pct Col Pct	.	DK:O	1: Yes	2: No	Total
1: MALE	1	0	421	1191	1612
	.	.	10.15	28.71	38.85
	.	.	26.12	73.88	
	.	.	37.03	39.54	
2: FEMALE	2	1	716	1821	2537
	.	.	17.26	43.89	61.15
	.	.	28.22	71.78	
	.	.	62.97	60.46	
Total	.	.	1137	3012	4149
	.	.	27.40	72.60	100.00
Frequency Missing = 4					

d. Medicaid or Mass Health **medicaid\_1**

1

2

Table of GENDER_1 by MEDICAID_1					
GENDER_1	MEDICAID_1				
Frequency Percent Row Pct Col Pct	.	DK:O	1: Yes	2: No	Total
1: MALE	1	1	571	1040	1611
	.	.	13.77	25.07	38.84
	.	.	35.44	64.56	
	.	.	33.91	42.21	
2: FEMALE	2	1	1113	1424	2537
	.	.	26.83	34.33	61.16
	.	.	43.87	56.13	
	.	.	66.09	57.79	
Total	.	.	1684	2464	4148
	.	.	40.60	59.40	100.00
Frequency Missing = 5					

e. TriCare Military Health (Champus or ChampVA) **milhealt\_1**

1

2

Table of GENDER_1 by MILHEALT_1				
GENDER_1	MILHEALT_1			
Frequency Percent Row Pct Col Pct	.	1: Yes	2: No	Total
1: MALE	1	35	1577	1612
	.	0.84	38.00	38.84
	.	2.17	97.83	
	.	72.92	38.44	
2: FEMALE	2	13	2525	2538
	.	0.31	60.84	61.16
	.	0.51	99.49	
	.	27.08	61.56	
Total	.	48	4102	4150
	.	1.16	98.84	100.00
Frequency Missing = 3				

f. Worker's compensation (a current injury is covered by worker's comp.) **workcomp\_1**

1

2

Table of GENDER_1 by WORKCOMP_1				
GENDER_1	WORKCOMP_1			
Frequency Percent Row Pct Col Pct	.	1: Yes	2: No	Total
1: MALE	1	35	1577	1612
	.	0.84	38.00	38.84
	.	2.17	97.83	
	.	44.87	38.73	
2: FEMALE	2	43	2495	2538
	.	1.04	60.12	61.16
	.	1.69	98.31	
	.	55.13	61.27	
Total	.	78	4072	4150
	.	1.88	98.12	100.00
Frequency Missing = 3				

g. Some other type of insurance **othins\_1**

g1. SPECIFY:

↓ 1 2  
**othnssp\_1**

Table of GENDER_1 by OTHINS_1					
GENDER_1	OTHINS_1				
Frequency Percent Row Pct Col Pct	.	DK:O	1: Yes	2: No	Total
1: MALE	1	0	162	1450	1612
.	.	.	3.90	34.95	38.85
.	.	.	10.05	89.95	
.	.	.	30.00	40.18	
2: FEMALE	2	1	378	2159	2537
.	.	.	9.11	52.04	61.15
.	.	.	14.90	85.10	
.	.	.	70.00	59.82	
Total	.	.	540	3609	4149
.	.	.	13.02	86.98	100.00
Frequency Missing = 4					

h. Free care at a particular clinic or hospital **preecare\_1**

1 2

Table of GENDER_1 by PREECARE_1						
GENDER_1	PREECARE_1					
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	1: Yes	2: No	Total
1: MALE	1	2	0	163	1447	1610
.	.	.	.	3.93	34.89	38.82
.	.	.	.	10.12	89.88	
.	.	.	.	35.36	39.26	
2: FEMALE	2	0	1	298	2239	2537
.	.	.	.	7.19	53.99	61.18
.	.	.	.	11.75	88.25	
.	.	.	.	64.64	60.74	
Total	.	.	.	461	3686	4147
.	.	.	.	11.12	88.88	100.00
Frequency Missing = 6						

\*i. IF NO TO ALL: Do you currently have any type of health insurance? **anyins\_1**

i1. SPECIFY:

1 2  
↓ **anyinssp\_1**

Table of GENDER_1 by HMO_1_H					
GENDER_1	HMO_1_H				
Frequency Percent Row Pct Col Pct	.	DK:O	1: Yes	2: No	Total
1: MALE	1370	0	48	195	243
	.	.	6.76	27.46	34.23
	.	.	19.75	80.25	
	.	.	39.34	33.16	
2: FEMALE	2070	3	74	393	467
	.	.	10.42	55.35	65.77
	.	.	15.85	84.15	
	.	.	60.66	66.84	
Total	.	.	122	588	710
	.	.	17.18	82.82	100.00
Frequency Missing = 3443					

E7. Where do you usually go for health care?

a. An outpatient clinic or doctor's office **outpat\_1**

YES

1

NO

2

Table of GENDER_1 by OUTPAT_1				
GENDER_1	OUTPAT_1			
Frequency Percent Row Pct Col Pct	.	1: Yes	2: No	Total
1: MALE	1	1064	548	1612
	.	25.64	13.20	38.84
	.	66.00	34.00	
	.	40.05	36.70	
2: FEMALE	2	1593	945	2538
	.	38.39	22.77	61.16
	.	62.77	37.23	
	.	59.95	63.30	
Total	.	2657	1493	4150
	.	64.02	35.98	100.00
Frequency Missing = 3				

b. A hospital emergency room **hosper\_1**

1

2

Table of GENDER_1 by HOSPER_1				
GENDER_1	HOSPER_1			
Frequency Percent Row Pct Col Pct				
	.	1: Yes	2: No	Total
1: MALE	1	111	1501	1612
	.	2.67	36.17	38.84
	.	6.89	93.11	
	.	46.06	38.40	
2: FEMALE	2	130	2408	2538
	.	3.13	58.02	61.16
	.	5.12	94.88	
	.	53.94	61.60	
Total	.	241	3909	4150
	.	5.81	94.19	100.00
Frequency Missing = 3				

c. A hospital outpatient clinic **houtpat\_1**

1

2

Table of GENDER_1 by HOUTPAT_1					
GENDER_1	HOUTPAT_1				
Frequency Percent Row Pct Col Pct	.	MI:O	1: Yes	2: No	Total
1: MALE	1	0	449	1163	1612
.	.	.	10.82	28.03	38.85
.	.	.	27.85	72.15	
.	.	.	35.61	40.27	
2: FEMALE	2	1	812	1725	2537
.	.	.	19.57	41.58	61.15
.	.	.	32.01	67.99	
.	.	.	64.39	59.73	
Total	.	.	1261	2888	4149
.	.	.	30.39	69.61	100.00
Frequency Missing = 4					

d. A health center **healthctr\_1**

1

2

Table of GENDER_1 by HEALTHCTR_1				
GENDER_1	HEALTHCTR_1			
Frequency Percent Row Pct Col Pct	.	1: Yes	2: No	Total
1: MALE	244	446	923	1369
	.	12.98	26.85	39.83
	.	32.58	67.42	
	.	36.29	41.80	
2: FEMALE	472	783	1285	2068
	.	22.78	37.39	60.17
	.	37.86	62.14	
	.	63.71	58.20	
Total	.	1229	2208	3437
	.	35.76	64.24	100.00
Frequency Missing = 716				

e. A free clinic **freehos\_1**

1

2

Table of GENDER_1 by FREEHOS_1						
GENDER_1	FREEHOS_1					
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	1: Yes	2: No	Total
1: MALE	1	0	0	119	1493	1612
	.	.	.	2.87	35.99	38.86
	.	.	.	7.38	92.62	
	.	.	.	38.02	38.93	
2: FEMALE	2	1	1	194	2342	2536
	.	.	.	4.68	56.46	61.14
	.	.	.	7.65	92.35	
	.	.	.	61.98	61.07	
Total	.	.	.	313	3835	4148
	.	.	.	7.55	92.45	100.00
Frequency Missing = 5						

E8. In the last year, how many times did you go to see a health care provider for any reason? (This would include visits for routine health care, emergency, mental health care, dental, physical therapy, etc).

--	--	--

# VISITS IF ZERO, GO TO E10. **timehcp\_1**

Table of GENDER_1 by TIMEHCP_1														
GENDER_1	TIMEHCP_1													
Frequency Percent Row Pct Col Pct	.	DK:0	MI:0	0	1-3	4-6	7-9	10-12	13-15	16-18	19-21	22-24	24<	Total
1: MALE	1	5	1	121	600	425	108	146	34	19	42	14	97	1606
	.	.	.	2.93	14.54	10.30	2.62	3.54	0.82	0.46	1.02	0.34	2.35	38.92
	.	.	.	7.53	37.36	26.46	6.72	9.09	2.12	1.18	2.62	0.87	6.04	
	.	.	.	60.20	43.13	38.92	32.73	34.60	26.56	31.15	31.11	31.11	30.22	
2: FEMALE	2	17	1	80	791	667	222	276	94	42	93	31	224	2520
	.	.	.	1.94	19.17	16.17	5.38	6.69	2.28	1.02	2.25	0.75	5.43	61.08
	.	.	.	3.17	31.39	26.47	8.81	10.95	3.73	1.67	3.69	1.23	8.89	
	.	.	.	39.80	56.87	61.08	67.27	65.40	73.44	68.85	68.89	68.89	69.78	
Total	.	.	.	201	1391	1092	330	422	128	61	135	45	321	4126
	.	.	.	4.87	33.71	26.47	8.00	10.23	3.10	1.48	3.27	1.09	7.78	100.00
Frequency Missing = 27														

E9. What was (were) the major reason(s) for your visit(s)? Was it (Were they) for:

YES

NO

a. An urgent (acute) problem **hcpurg\_1**

1

2

Table of GENDER_1 by HCPURG_1							
GENDER_1	HCPURG_1						
Frequency Percent Row Pct Col Pct	.	DK:0	MI:0	Skip	1: Yes	2: No	Total
1: MALE	1	1	0	121	523	967	1490
	.	.	.	.	13.25	24.51	37.76
	.	.	.	.	35.10	64.90	
	.	.	.	.	34.43	39.84	
2: FEMALE	2	1	1	80	996	1460	2456
	.	.	.	.	25.24	37.00	62.24
	.	.	.	.	40.55	59.45	
	.	.	.	.	65.57	60.16	
Total	.	.	.	.	1519	2427	3946
	.	.	.	.	38.49	61.51	100.00
Frequency Missing = 207							

b. A routine visit for an ongoing problem **hpcROUT\_1**

1

2

Table of GENDER_1 by HCPROUT_1						
GENDER_1	HCPROUT_1					
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: Yes	2: No	Total
1: MALE	1	1	121	891	599	1490
	.	.	.	22.57	15.17	37.74
	.	.	.	59.80	40.20	
	.	.	.	35.99	40.69	
2: FEMALE	2	0	80	1585	873	2458
	.	.	.	40.15	22.11	62.26
	.	.	.	64.48	35.52	
	.	.	.	64.01	59.31	
Total	.	.	.	2476	1472	3948
	.	.	.	62.72	37.28	100.00
Frequency Missing = 205						

c. A flare-up of an ongoing problem **hcpFLARE\_1**

1

2

Table of GENDER_1 by HCPFLARE_1					
GENDER_1	HCPFLARE_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: Yes	2: No	Total
1: MALE	1	121	322	1169	1491
	.	.	8.15	29.60	37.76
	.	.	21.60	78.40	
	.	.	32.79	39.40	
2: FEMALE	2	80	660	1798	2458
	.	.	16.71	45.53	62.24
	.	.	26.85	73.15	
	.	.	67.21	60.60	
Total	.	.	982	2967	3949
	.	.	24.87	75.13	100.00
Frequency Missing = 204					

d. Pre- or post-surgery/injury care **hcpsurg\_1**

1

2

Table of GENDER_1 by HCPSURG_1					
GENDER_1	HCPSURG_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: Yes	2: No	Total
1: MALE	1	121	218	1273	1491
	.	.	5.52	32.24	37.76
	.	.	14.62	85.38	
	.	.	37.14	37.86	
2: FEMALE	2	80	369	2089	2458
	.	.	9.34	52.90	62.24
	.	.	15.01	84.99	
	.	.	62.86	62.14	
Total	.	.	587	3362	3949
	.	.	14.86	85.14	100.00
Frequency Missing = 204					

e. Non-illness care (e.g., routine prenatal, general exam) **hcpoth\_1**

1

2

Table of GENDER_1 by HCPOTH_1					
GENDER_1	HCPOTH_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: Yes	2: No	Total
1: MALE	1	121	1260	231	1491
	.	.	31.91	5.85	37.76
	.	.	84.51	15.49	
	.	.	37.25	40.81	
2: FEMALE	2	80	2123	335	2458
	.	.	53.76	8.48	62.24
	.	.	86.37	13.63	
	.	.	62.75	59.19	
Total	.	.	3383	566	3949
	.	.	85.67	14.33	100.00
Frequency Missing = 204					

E10. When did you last see a health care provider for your own health? Was it...

lasthcp\_1

6 months ago or less .....	1
More than 6 months ago, but less than a year ago .....	2
More than 1 year ago, but less than 2 years ago .....	3
More than 2 years ago, but less than 5 years ago.....	4
5 years ago or more.....	5

Table of GENDER_1 by LASTHCP_1										
GENDER_1	LASTHCP_1									
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	RF:K	1: 6 Months ago or less	2: More than 6 months ago, but le	3: More than 1 year ago, but less	4: More than 2 years ago, but le	5: 5 years ago or more	Total
1: MALE	1	1	2	1	1247	211	71	57	22	1608
	.	.	.	.	30.08	5.09	1.71	1.38	0.53	38.79
	.	.	.	.	77.55	13.12	4.42	3.54	1.37	
	.	.	.	.	36.55	45.09	46.71	70.37	68.75	
2: FEMALE	2	1	0	0	2165	257	81	24	10	2537
	.	.	.	.	52.23	6.20	1.95	0.58	0.24	61.21
	.	.	.	.	85.34	10.13	3.19	0.95	0.39	
	.	.	.	.	63.45	54.91	53.29	29.63	31.25	
Total	.	.	.	.	3412	468	152	81	32	4145
	.	.	.	.	82.32	11.29	3.67	1.95	0.77	100.00
Frequency Missing = 8										

## SECTION F: BIRTH CONTROL

Next, I have some questions about birth control methods that you or your partner may be using now or have used some time during your life. We ask these questions of all people in the health survey, so please be patient if some do not apply to you.

F1. Have you and a partner ever used any of these methods of birth control? **IF YES:** Are you and your partner currently using this method?

	YES	NO	DK	YES	NO	DK
a. Condoms, including female condoms <b>condevr_1</b>	1	2	-8	1	2	-8
				<b>condnow_1</b>		

Table of GENDER_1 by CONDEVR_1						
GENDER_1	CONDEVR_1					
Frequency Percent Row Pct Col Pct	.	DK:O	RF:K	1: Yes	2: No	Total
1: MALE	2	0	1	992	618	1610
	.	.	.	23.96	14.92	38.88
	.	.	.	61.61	38.39	
	.	.	.	42.81	33.88	
2: FEMALE	3	4	2	1325	1206	2531
	.	.	.	32.00	29.12	61.12
	.	.	.	52.35	47.65	
	.	.	.	57.19	66.12	
Total	.	.	.	2317	1824	4141
	.	.	.	55.95	44.05	100.00
Frequency Missing = 12						

Table of GENDER_1 by CONDNOW_1						
GENDER_1	CONDNOW_1					
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: Yes	2: No	Total
1: MALE	2	3	619	287	702	989
	.	.	.	12.43	30.40	42.83
	.	.	.	29.02	70.98	
	.	.	.	53.35	39.64	
2: FEMALE	3	5	1212	251	1069	1320
	.	.	.	10.87	46.30	57.17
	.	.	.	19.02	80.98	
	.	.	.	46.65	60.36	
Total	.	.	.	538	1771	2309
	.	.	.	23.30	76.70	100.00
Frequency Missing = 1844						

b. Diaphragm **diaphevr\_1**

1

2

-8

1

2

-8

**diaphnow\_1**

Table of GENDER_1 by DIAPHEVR_1						
GENDER_1	DIAPHEVR_1					
Frequency Percent Row Pct Col Pct	.	DK:O	RF:K	1: Yes	2: No	Total
1: MALE	2	63	1	208	1339	1547
	.	.	.	5.11	32.87	37.97
	.	.	.	13.45	86.55	
	.	.	.	29.55	39.73	
2: FEMALE	3	7	3	496	2031	2527
	.	.	.	12.17	49.85	62.03
	.	.	.	19.63	80.37	
	.	.	.	70.45	60.27	
Total	.	.	.	704	3370	4074
	.	.	.	17.28	82.72	100.00
Frequency Missing = 79						

Table of GENDER_1 by DIAPHNOW_1						
GENDER_1	DIAPHNOW_1					
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: Yes	2: No	Total
1: MALE	2	1	1403	14	193	207
	.	.	.	1.99	27.49	29.49
	.	.	.	6.76	93.24	
	.	.	.	46.67	28.72	
2: FEMALE	3	1	2041	16	479	495
	.	.	.	2.28	68.23	70.51
	.	.	.	3.23	96.77	
	.	.	.	53.33	71.28	
Total	.	.	.	30	672	702
	.	.	.	4.27	95.73	100.00
Frequency Missing = 3451						

c. Some other barrier method, such as cervical cap or sponge **barrevr\_1** 1 2 -8 1 2 -8 **barrnow\_1**

Table of GENDER_1 by BARREVR_1						
GENDER_1	BARREVR_1					
Frequency Percent Row Pct Col Pct	.	DK:O	RF:K	1: Yes	2: No	Total
1: MALE	2	65	1	57	1488	1545
	.	.	.	1.40	36.52	37.91
	.	.	.	3.69	96.31	
	.	.	.	29.84	38.31	
2: FEMALE	3	4	3	134	2396	2530
	.	.	.	3.29	58.80	62.09
	.	.	.	5.30	94.70	
	.	.	.	70.16	61.69	
Total	.	.	.	191	3884	4075
	.	.	.	4.69	95.31	100.00
Frequency Missing = 78						

Table of GENDER_1 by BARRNOW_1					
GENDER_1	BARRNOW_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: Yes	2: No	Total
1: MALE	2	1554	5	52	57
	.	.	2.62	27.23	29.84
	.	.	8.77	91.23	
	.	.	62.50	28.42	
2: FEMALE	3	2403	3	131	134
	.	.	1.57	68.59	70.16
	.	.	2.24	97.76	
	.	.	37.50	71.58	
Total	.	.	8	183	191
	.	.	4.19	95.81	100.00
Frequency Missing = 3962					

d. Foams **foamevr\_1**

1

2

-8

1

2

-8

**foamnow\_1**

Table of GENDER_1 by FOAMEVR_1						
GENDER_1	FOAMEVR_1					
Frequency Percent Row Pct Col Pct	.	DK:O	RF:K	1: Yes	2: No	Total
1: MALE	2	47	1	72	1491	1563
	.	.	.	1.76	36.44	38.20
	.	.	.	4.61	95.39	
	.	.	.	29.75	38.73	
2: FEMALE	3	5	3	170	2359	2529
	.	.	.	4.15	57.65	61.80
	.	.	.	6.72	93.28	
	.	.	.	70.25	61.27	
Total	.	.	.	242	3850	4092
	.	.	.	5.91	94.09	100.00
Frequency Missing = 61						

Table of GENDER_1 by FOAMNOW_1							
GENDER_1	FOAMNOW_1						
Frequency Percent Row Pct Col Pct	.	DK:O	RF:K	Skip	1: Yes	2: No	Total
1: MALE	2	6	1	1532	5	67	72
	.	.	.	.	2.07	27.69	29.75
	.	.	.	.	6.94	93.06	
	.	.	.	.	50.00	28.88	
2: FEMALE	3	0	0	2367	5	165	170
	.	.	.	.	2.07	68.18	70.25
	.	.	.	.	2.94	97.06	
	.	.	.	.	50.00	71.12	
Total	.	.	.	.	10	232	242
	.	.	.	.	4.13	95.87	100.00
Frequency Missing = 3911							

**IF MALE, GO TO SECTION G**

- F2. \*Are you currently using, or have you ever used for 3 months or more, any of the following:  
**IF YES, PROBE: Is this current?**  
**IF YES, GO ACROSS. IF NO, NEXT ITEM**
- i. How old were you when you began using?
- ii. Not counting any time when you stopped using, for how long altogether have you used?
- iii. UNITS

Birth control pills  
**bcpnow\_1**

**YES, CURRENT** 1 **YES, PAST** 2 **NO** 3 **AGE** **bcpage\_1** **NUMBER** **bcpdur\_1** **bcpunt\_1**

\*a. MONTHS 1  
YEARS 2

BCPNOW_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
RF:K	3	.	.	.
Skip	1611	.	.	.
1: Yes,Current	66	2.60	66	2.60
2: Yes,Past	1260	49.72	1326	52.33
3: No	1208	47.67	2534	100.00

Frequency Missing = 1619

BCPAGE_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:0	12	.	.	.
Skip	2822	.	.	.
≤ 15	51	3.88	51	3.88
16-19	373	28.39	424	32.27
20-23	424	32.27	848	64.54
24-27	220	16.74	1068	81.28
28-31	131	9.97	1199	91.25
31<	115	8.75	1314	100.00

Frequency Missing = 2839

BCPDUR_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:0	20	.	.	.
Skip	2822	.	.	.
1-4	572	43.80	572	43.80
5-8	333	25.50	905	69.30
9-12	198	15.16	1103	84.46
13-16	98	7.50	1201	91.96
17-20	69	5.28	1270	97.24
20<	36	2.76	1306	100.00

Frequency Missing = 2847

BCPUNT_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
MI:O	2	.	.	.
Skip	2842	.	.	.
1: Months	236	18.10	236	18.10
2: Years	1068	81.90	1304	100.00

Frequency Missing = 2849

\*b. Injections for birth control (Depo Provera, Lunelle) **bcinow\_1** 1 2 3 **bciage\_1** **bcidur\_1** **bciunt\_1**  
MONTHS 1  
YEARS 2

BCINOW_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
RF:K	3	.	.	.
Skip	1611	.	.	.
1: Yes,Current	12	0.47	12	0.47
2: Yes,Past	156	6.16	168	6.63
3: No	2366	93.37	2534	100.00

Frequency Missing = 1619

BCIAGE_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
Skip	3980	.	.	.
16-21	18	10.71	18	10.71
22-27	54	32.14	72	42.86
28-33	44	26.19	116	69.05
33<	52	30.95	168	100.00

Frequency Missing = 3985

BCIDUR_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:O	1	.	.	.
MI:O	1	.	.	.
Skip	3980	.	.	.
1	36	21.69	36	21.69
2	32	19.28	68	40.96
3	31	18.67	99	59.64
4	8	4.82	107	64.46
5	9	5.42	116	69.88
6	27	16.27	143	86.14
8	4	2.41	147	88.55
9	7	4.22	154	92.77
10	6	3.61	160	96.39
14	3	1.81	163	98.19
15	1	0.60	164	98.80
17	1	0.60	165	99.40
18	1	0.60	166	100.00

Frequency Missing = 3987

BCIUNT_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
Skip	3982	.	.	.
1: Months	75	45.18	75	45.18
2: Years	91	54.82	166	100.00

Frequency Missing = 3987

\*c. Norplant (Implanted under skin) **norpnw\_1** 1 2 3 **norpage\_1** **norpdur\_1** **norpunt\_1**  
MONTHS 1  
YEARS 2

NORPNOW_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
RF:K	3	.	.	.
Skip	1611	.	.	.
2: Yes,Past	29	1.14	29	1.14
3: No	2505	98.86	2534	100.00

Frequency Missing = 1619

NORPAGE_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
Skip	4119	.	.	.
17	1	3.45	1	3.45
19	1	3.45	2	6.90
20	2	6.90	4	13.79
22	2	6.90	6	20.69
23	5	17.24	11	37.93
24	3	10.34	14	48.28
25	3	10.34	17	58.62
27	1	3.45	18	62.07
28	2	6.90	20	68.97
29	2	6.90	22	75.86
30	2	6.90	24	82.76
33	1	3.45	25	86.21
34	1	3.45	26	89.66
36	1	3.45	27	93.10
38	1	3.45	28	96.55
41	1	3.45	29	100.00

Frequency Missing = 4124

NORPDUR_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
Skip	4119	.	.	.
1	8	27.59	8	27.59
2	7	24.14	15	51.72
3	2	6.90	17	58.62
4	3	10.34	20	68.97
5	6	20.69	26	89.66
6	3	10.34	29	100.00

Frequency Missing = 4124

NORPUNT_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
Skip	4119	.	.	.
1: Months	6	20.69	6	20.69
2: Years	23	79.31	29	100.00

Frequency Missing = 4124

Patch  
 patchnow\_1

1

2

3

patchage\_1

patchdur\_1

patchunt\_1

MONTHS

1

YEARS

2

d.

PATCHNOW_1	Frequency	Percent	Cum Freq	Cum Percent
.	718	.	.	.
RF:K	3	.	.	.
Skip	1368	.	.	.
1: Yes,Current	5	0.24	5	0.24
2: Yes,Past	19	0.92	24	1.16
3: No	2040	98.84	2064	100.00

Frequency Missing = 2089

PATCHAGE_1	Frequency	Percent	Cum Freq	Cum Percent
.	718	.	.	.
Skip	3411	.	.	.
23	1	4.17	1	4.17
24	1	4.17	2	8.33
30	1	4.17	3	12.50
31	3	12.50	6	25.00
32	1	4.17	7	29.17
33	2	8.33	9	37.50
34	2	8.33	11	45.83
35	4	16.67	15	62.50
36	3	12.50	18	75.00
37	1	4.17	19	79.17
38	1	4.17	20	83.33
39	1	4.17	21	87.50
40	2	8.33	23	95.83
50	1	4.17	24	100.00

Frequency Missing = 4129

PATCHDUR_1	Frequency	Percent	Cum Freq	Cum Percent
.	718	.	.	.
Skip	3411	.	.	.
1	4	16.67	4	16.67
2	2	8.33	6	25.00
3	7	29.17	13	54.17
4	2	8.33	15	62.50
5	2	8.33	17	70.83
6	6	25.00	23	95.83
7	1	4.17	24	100.00

Frequency Missing = 4129

PATCHUNT_1	Frequency	Percent	Cum Freq	Cum Percent
.	718	.	.	.
Skip	3411	.	.	.
1: Months	10	41.67	10	41.67
2: Years	14	58.33	24	100.00

Frequency Missing = 4129

e. Vaginal ring (NuvaRing) ringnow\_1 1 2 3 ringage\_1 ringdur\_1 ringunt\_1 MONTHS 1 YEARS 2

RINGNOW_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
RF:K	3	.	.	.
Skip	1611	.	.	.
1: Yes,Current	7	0.28	7	0.28
2: Yes,Past	30	1.18	37	1.46
3: No	2497	98.54	2534	100.00

Frequency Missing = 1619

RINGAGE_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:0	1	.	.	.
Skip	4111	.	.	.
16-23	6	16.67	6	16.67
24-31	12	33.33	18	50.00
31<	18	50.00	36	100.00

Frequency Missing = 4117

RINGDUR_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:0	1	.	.	.
Skip	4111	.	.	.
1	6	16.67	6	16.67
2	8	22.22	14	38.89
3	4	11.11	18	50.00
4	5	13.89	23	63.89
5	5	13.89	28	77.78
6	4	11.11	32	88.89
7	1	2.78	33	91.67
8	1	2.78	34	94.44
12	2	5.56	36	100.00

Frequency Missing = 4117

RINGUNT_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
Skip	4112	.	.	.
1: Months	14	38.89	14	38.89
2: Years	22	61.11	36	100.00

Frequency Missing = 4117

f. Intrauterine device (IUD):  
iudnow\_1

1 2 3  
(G2)

IUDNOW_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:O	2	.	.	.
RF:K	3	.	.	.
Skip	1611	.	.	.
1: Yes,Current	75	2.96	75	2.96
2: Yes,Past	359	14.18	434	17.14
3: No	2098	82.86	2532	100.00

Frequency Missing = 1621

Mirena  
iudmirnow\_1

1 2 3 iudmirage\_1 iudmirdur\_1 iudmirunt\_1

MONTHS 1  
YEARS 2

IUDMIRNOW_1	Frequency	Percent	Cum Freq	Cum Percent
.	718	.	.	.
DK:O	29	.	.	.
MI:O	2	.	.	.
Skip	3066	.	.	.
1: Yes,Current	29	8.58	29	8.58
2: Yes,Past	23	6.80	52	15.38
3: No	286	84.62	338	100.00

Frequency Missing = 3815

IUDMIRAGE_1	Frequency	Percent	Cum Freq	Cum Percent
.	718	.	.	.
Skip	3383	.	.	.
14-19	2	3.85	2	3.85
20-25	6	11.54	8	15.38
26-31	4	7.69	12	23.08
32-35	13	25.00	25	48.08
35<	27	51.92	52	100.00

Frequency Missing = 4101

IUDMIRDUR_1	Frequency	Percent	Cum Freq	Cum Percent
.	718	.	.	.
Skip	3383	.	.	.
1-6	46	88.46	46	88.46
7-12	4	7.69	50	96.15
12<	2	3.85	52	100.00

Frequency Missing = 4101

IUDMIRUNT_1	Frequency	Percent	Cum Freq	Cum Percent
.	718	.	.	.
Skip	3383	.	.	.
1: Months	16	30.77	16	30.77
2: Years	36	69.23	52	100.00

Frequency Missing = 4101

Other type  
iudothnow\_1

1

2

3

iudothage\_1

iudothdur\_1

iudothunt\_1

MONTHS

1

YEARS

2

IUDOTHNOW_1	Frequency	Percent	Cum Freq	Cum Percent
.	718	.	.	.
DK:O	8	.	.	.
Skip	3066	.	.	.
1: Yes,Current	35	9.70	35	9.70
2: Yes,Past	272	75.35	307	85.04
3: No	54	14.96	361	100.00

Frequency Missing = 3792

IUDOTHAGE_1	Frequency	Percent	Cum Freq	Cum Percent
.	718	.	.	.
DK:O	3	.	.	.
RF:K	1	.	.	.
Skip	3122	.	.	.
14-19	31	10.03	31	10.03
20-25	97	31.39	128	41.42
26-31	103	33.33	231	74.76
32-35	39	12.62	270	87.38
35<	39	12.62	309	100.00

Frequency Missing = 3844

IUDOTHDUR_1	Frequency	Percent	Cum Freq	Cum Percent
.	718	.	.	.
RF:K	1	.	.	.
Skip	3122	.	.	.
1-6	222	71.15	222	71.15
7-12	59	18.91	281	90.06
12<	31	9.94	312	100.00

Frequency Missing = 3841

IUDOTHUNT_1	Frequency	Percent	Cum Freq	Cum Percent
.	718	.	.	.
Skip	3123	.	.	.
1: Months	66	21.15	66	21.15
2: Years	246	78.85	312	100.00

Frequency Missing = 3841

## SECTION G: REPRODUCTIVE HISTORY

Now I have some more questions about your health history. I know that these may be quite personal, but we ask them of everyone. Please remember that all information you provide is confidential.

### FOR MEN; WOMEN GO TO G2

G1. \*Have you ever seen a health care provider for:

YES NO REF DK

i. IF YES: How old were you at the time of surgery?  
AGE

\*a. Hernia repair **hernrep\_1**

1 2 -7 -8 **hernage\_1**

HERNREP_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
RF:K	1	.	.	.
Skip	2536	.	.	.
1: Yes	219	13.59	219	13.59
2: No	1392	86.41	1611	100.00

Frequency Missing = 2542

HERNAGE_1	Frequency	Percent	Cum Freq	Cum Percent
.	12	.	.	.
DK:0	2	.	.	.
NA:K	2	.	.	.
Skip	3929	.	.	.
0	3	1.44	3	1.44
1-20	50	24.04	53	25.48
21-40	52	25.00	105	50.48
41-60	74	35.58	179	86.06
60<	29	13.94	208	100.00

Frequency Missing = 3945

\*b. Vasectomy **vasect\_1**

1 2 -7 -8  
(G1c)

**vasage\_1**

VASECT_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
RF:K	1	.	.	.
Skip	2536	.	.	.
1: Yes	95	5.90	95	5.90
2: No	1516	94.10	1611	100.00

Frequency Missing = 2542

VASAGE_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:0	1	.	.	.
MI:0	1	.	.	.
Skip	4053	.	.	.
21-40	68	73.12	68	73.12
40<	25	26.88	93	100.00

Frequency Missing = 4060

b1. Reversal of a vasectomy **rvasect\_1** 1 2 -7 -8 **rvasage\_1**

RVASECT_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
Skip	4053	.	.	.
2: No	95	100.00	95	100.00

Frequency Missing = 4058

RVASAGE_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
Skip	4148	.	.	.

Frequency Missing = 4153

\*c. Bladder surgery **bladmen\_1** 1 2 -7 -8 **bladmenage\_1**

BLADMEN_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:O	1	.	.	.
RF:K	1	.	.	.
Skip	2536	.	.	.
1: Yes	18	1.12	18	1.12
2: No	1592	98.88	1610	100.00

Frequency Missing = 2543

BLADMENAGE_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
Skip	4130	.	.	.
≤40	4	22.22	4	22.22
41-60	6	33.33	10	55.56
60<	8	44.44	18	100.00

Frequency Missing = 4135

d. Prostate surgery **prossurg\_1** 1 2 -7 -8 **prosage\_1**

PROSSURG_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
RF:K	2	.	.	.
Skip	2536	.	.	.
1: Yes	63	3.91	63	3.91
2: No	1547	96.09	1610	100.00

Frequency Missing = 2543

PROSAGE_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
Skip	4085	.	.	.
≤40	1	1.59	1	1.59
41-60	25	39.68	26	41.27
60<	37	58.73	63	100.00

Frequency Missing = 4090

- e. Have you been circumcised? **circise\_1** 1 2 -7 -8 If < 1 yr, WRITE 0.  
**circiseage\_1**

CIRCISE_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:O	8	.	.	.
RF:K	2	.	.	.
Skip	2536	.	.	.
1: Yes	700	43.70	700	43.70
2: No	902	56.30	1602	100.00

Frequency Missing = 2551

CIRCISEAGE_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:O	7	.	.	.
MI:O	1	.	.	.
Skip	3448	.	.	.
0	507	73.27	507	73.27
1	76	10.98	583	84.25
2-20	63	9.10	646	93.35
21-40	35	5.06	681	98.41
40<	11	1.59	692	100.00

Frequency Missing = 3461

- f. Surgery on the penis (other than  
circumcision) **spenis\_1** 1 2 -7 -8 **spenage\_1**

SPENIS_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
RF:K	1	.	.	.
Skip	2536	.	.	.
1: Yes	33	2.05	33	2.05
2: No	1578	97.95	1611	100.00

Frequency Missing = 2542

SPENAGE_1	Frequency	Percent	Cum Freq	Cum Percent
.	7	.	.	.
DK:O	1	.	.	.
Skip	4115	.	.	.
≤20	11	36.67	11	36.67
21-40	6	20.00	17	56.67
40<	13	43.33	30	100.00

Frequency Missing = 4123

G2. \*Have you ever been told by a health care provider that you had: **YES** **NO** **REF** **DK**

\*a. Chlamydia **chlamyd\_1** 1 2 -7 -8

Table of GENDER_1 by CHLAMYD_1						
GENDER_1	CHLAMYD_1					
Frequency Percent Row Pct Col Pct	.	DK:O	RF:K	1: Yes	2: No	Total
1: MALE	2	2	4	85	1520	1605
	.	.	.	2.06	36.79	38.85
	.	.	.	5.30	94.70	
	.	.	.	28.24	39.69	
2: FEMALE	3	7	4	216	2310	2526
	.	.	.	5.23	55.92	61.15
	.	.	.	8.55	91.45	
	.	.	.	71.76	60.31	
Total	.	.	.	301	3830	4131
	.	.	.	7.29	92.71	100.00
Frequency Missing = 22						

b. Genital herpes **genherp\_1** 1 2 -7 -8

Table of GENDER_1 by GENHERP_1						
GENDER_1	GENHERP_1					
Frequency Percent Row Pct Col Pct	.	DK:O	RF:K	1: Yes	2: No	Total
1: MALE	2	0	4	42	1565	1607
	.	.	.	1.01	37.82	38.84
	.	.	.	2.61	97.39	
	.	.	.	32.31	39.05	
2: FEMALE	3	1	5	88	2443	2531
	.	.	.	2.13	59.04	61.16
	.	.	.	3.48	96.52	
	.	.	.	67.69	60.95	
Total	.	.	.	130	4008	4138
	.	.	.	3.14	96.86	100.00
Frequency Missing = 15						

c. HPV or genital warts **hvpv\_1** 1 2 -7 -8

Table of GENDER_1 by HPV_1						
GENDER_1	HPV_1					
Frequency Percent Row Pct Col Pct	.	DK:O	RF:K	1: Yes	2: No	Total
1: MALE	2	1	4	35	1571	1606
	.	.	.	0.85	38.01	38.86
	.	.	.	2.18	97.82	
	.	.	.	25.93	39.29	
2: FEMALE	3	6	4	100	2427	2527
	.	.	.	2.42	58.72	61.14
	.	.	.	3.96	96.04	
	.	.	.	74.07	60.71	
Total	.	.	.	135	3998	4133
	.	.	.	3.27	96.73	100.00
Frequency Missing = 20						

\*d. Syphilis **syphilis\_1**

1 2 -7 -8

Table of GENDER_1 by SYPHILIS_1						
GENDER_1	SYPHILIS_1					
Frequency Percent Row Pct Col Pct	.	DK:O	RF:K	1: Yes	2: No	Total
1: MALE	2	2	4	54	1551	1605
	.	.	.	1.31	37.52	38.82
	.	.	.	3.36	96.64	
	.	.	.	59.34	38.36	
2: FEMALE	3	4	4	37	2492	2529
	.	.	.	0.90	60.28	61.18
	.	.	.	1.46	98.54	
	.	.	.	40.66	61.64	
Total	.	.	.	91	4043	4134
	.	.	.	2.20	97.80	100.00
Frequency Missing = 19						

e. Gonorrhea **gonorrh\_1**

1 2 -7 -8

Table of GENDER_1 by GONORRH_1						
GENDER_1	GONORRH_1					
Frequency Percent Row Pct Col Pct	.	DK:O	RF:K	1: Yes	2: No	Total
1: MALE	2	2	4	213	1392	1605
	.	.	.	5.16	33.70	38.86
	.	.	.	13.27	86.73	
	.	.	.	59.17	36.92	
2: FEMALE	3	8	4	147	2378	2525
	.	.	.	3.56	57.58	61.14
	.	.	.	5.82	94.18	
	.	.	.	40.83	63.08	
Total	.	.	.	360	3770	4130
	.	.	.	8.72	91.28	100.00
Frequency Missing = 23						

\*f. HIV **hiv\_1**

1 2 -7 -8

Table of GENDER_1 by HIV_1						
GENDER_1	HIV_1					
Frequency Percent Row Pct Col Pct	.	DK:O	RF:K	1: Yes	2: No	Total
1: MALE	2	1	4	30	1576	1606
	.	.	.	0.72	38.09	38.81
	.	.	.	1.87	98.13	
	.	.	.	75.00	38.46	
2: FEMALE	3	1	4	10	2522	2532
	.	.	.	0.24	60.95	61.19
	.	.	.	0.39	99.61	
	.	.	.	25.00	61.54	
Total	.	.	.	40	4098	4138
	.	.	.	0.97	99.03	100.00
Frequency Missing = 15						

**FOR WOMEN; MEN GO TO G13**

G3. Are you pregnant? **curpreg\_1**

YES..... 1  
NO ..... 2  
REFUSED..... -7  
DON'T KNOW..... -8

CURPREG_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:O	1	.	.	.
RF:K	1	.	.	.
Skip	1611	.	.	.
1: Yes	35	1.38	35	1.38
2: No	2500	98.62	2535	100.00

Frequency Missing = 1618

G4. Have you taken any female hormones including birth control pills for at least 6 of the last 12 months? **hormone\_1**

YES..... 1  
NO ..... 2  
REFUSED..... -7  
DON'T KNOW..... -8

HORMONE_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:O	3	.	.	.
MI:O	1	.	.	.
RF:K	2	.	.	.
Skip	1611	.	.	.
1: Yes	126	4.98	126	4.98
2: No	2405	95.02	2531	100.00

Frequency Missing = 1622

G5. \*Have you ever had:

i. **IF YES:** How old were you at the time of surgery?

\*a. A hysterectomy, an operation to remove your uterus or womb? **hyster\_1**

**YES** **NO** **DK** **AGE**  
1 2 (G5b) -8 **hysterage\_1**

HYSTER_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:O	3	.	.	.
Skip	1611	.	.	.
1: Yes	527	20.80	527	20.80
2: No	2007	79.20	2534	100.00

Frequency Missing = 1619

HYSTERAGE_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:O	6	.	.	.
MI:O	3	.	.	.
Skip	3621	.	.	.
0-34	110	21.24	110	21.24
35-41	148	28.57	258	49.81
42-47	123	23.75	381	73.55
47<	137	26.45	518	100.00

Frequency Missing = 3635

a1. Was this surgery done through the abdomen or vagina (birth canal)? **surgmeth\_1** ABDOMINALLY .....1  
VAGINALLY .....2 -8

SURGMETH_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:O	10	.	.	.
Skip	3621	.	.	.
1: Abdominally	369	71.37	369	71.37
2: Vaginally	148	28.63	517	100.00

Frequency Missing = 3636

a2. Did you have a menstrual period in the 3 months prior to surgery? **pre3mon\_1** 1 (G5a3) 2 -8

PRE3MON_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:O	6	.	.	.
MI:O	2	.	.	.
Skip	3621	.	.	.
1: Yes	420	80.92	420	80.92
2: No	99	19.08	519	100.00

Frequency Missing = 3634

a2a. Did you have a menstrual period in the 12 months prior to surgery? **pre12mon\_1** 1 2 -8

PRE12MON_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:O	7	.	.	.
MI:O	1	.	.	.
Skip	4041	.	.	.
1: Yes	26	26.26	26	26.26
2: No	73	73.74	99	100.00

Frequency Missing = 4054

a3. What was the reason for surgery?  
 CIRCLE ALL THAT APPLY.

CANCER.....1  
 UTERINE FIBROIDS.....2  
 ABNORMAL UTERINE BLEEDING...3  
 ENDOMETRIOSIS.....4  
 CHRONIC PAIN.....5  
 UTERINE PROLAPSE.....6  
 BENIGN CYST.....7  
 OTHER.....8

1. **surcan\_1**  
 2. **surutf\_1**  
 3. **suraut\_1**  
 4. **surendo\_1**  
 5. **surcp\_1**  
 6. **surutp\_1**  
 7. **surbc\_1**  
 8. **suroth\_1**  
 SPECIFY: **surothsp\_1**

SURCAN_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
Skip	3621	.	.	.
not selected	477	90.51	477	90.51
selected	50	9.49	527	100.00

Frequency Missing = 3626

SURUTF_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:0	1	.	.	.
Skip	3621	.	.	.
not selected	291	55.32	291	55.32
selected	235	44.68	526	100.00

Frequency Missing = 3627

SURAUT_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
Skip	3621	.	.	.
not selected	363	68.88	363	68.88
selected	164	31.12	527	100.00

Frequency Missing = 3626

SURENDO_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
Skip	3621	.	.	.
not selected	498	94.50	498	94.50
selected	29	5.50	527	100.00

Frequency Missing = 3626

SURCP_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
Skip	3621	.	.	.
not selected	479	90.89	479	90.89
selected	48	9.11	527	100.00

Frequency Missing = 3626

SURUTP_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
Skip	3621	.	.	.
not selected	502	95.26	502	95.26
selected	25	4.74	527	100.00

Frequency Missing = 3626

SURBC_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
Skip	3621	.	.	.
not selected	461	87.48	461	87.48
selected	66	12.52	527	100.00

Frequency Missing = 3626

SUROTH_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
Skip	3621	.	.	.
not selected	423	80.27	423	80.27
selected	104	19.73	527	100.00

Frequency Missing = 3626

G5 \*Have you ever had:

i. **IF YES:** How old were you at the time of surgery?

**YES**      **NO**      **DK**  
1      2 (G5c)      -8

**AGE**

\*b. An ovary removed? **ovarmd\_1**

**ovarmdage\_1**

OVARMD_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:O	21	.	.	.
Skip	1611	.	.	.
1: Yes	409	16.26	409	16.26
2: No	2107	83.74	2516	100.00

Frequency Missing = 1637

OVARMDAGE_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:O	7	.	.	.
MI:O	8	.	.	.
Skip	3739	.	.	.
0-32	93	23.60	93	23.60
33-39	80	20.30	173	43.91
40-47	118	29.95	291	73.86
47<	103	26.14	394	100.00

Frequency Missing = 3759

b1. Were one or two ovaries removed? **ovanum\_1**

ONE.....1  
TWO.....2

-8

OVANUM_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:O	7	.	.	.
MI:O	1	.	.	.
Skip	3739	.	.	.
1: One	150	37.41	150	37.41
2: Two	251	62.59	401	100.00

Frequency Missing = 3752

b2. Did you have a menstrual period in the 3 months prior to surgery? **pre3mon2\_1**

1 (G5b3)    2    -8

PRE3MON2_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:O	7	.	.	.
MI:O	3	.	.	.
Skip	3739	.	.	.
1: Yes	301	75.44	301	75.44
2: No	98	24.56	399	100.00

Frequency Missing = 3754

b2a. Did you have a menstrual period in the 12 months prior to surgery? **pre12mon2\_1**

1      2      -8

PRE12MON2_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:O	5	.	.	.
MI:O	3	.	.	.
Skip	4040	.	.	.
1: Yes	24	24.00	24	24.00
2: No	76	76.00	100	100.00

Frequency Missing = 4053

b3. What was the reason for surgery?  
CIRCLE ALL THAT APPLY

CANCER .....1. **ovsurcan\_1**  
ENDOMETRIOSIS ...2. **ovsurendo\_1**  
CHRONIC PAIN .....3. **ovsurcp\_1**  
BENIGN CYSTS .....4. **ovsurbc\_1**  
TO PREVENT .....5. **ovsurpc\_1**  
CANCER .....6. **ovsuroth\_1**  
OTHER .....SPECIFY: **ovsurothsp\_1**

OVSURCAN_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:0	1	.	.	.
MI:0	2	.	.	.
Skip	3739	.	.	.
not selected	370	91.13	370	91.13
selected	36	8.87	406	100.00

Frequency Missing = 3747

OVSURENDO_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:0	1	.	.	.
MI:0	2	.	.	.
Skip	3739	.	.	.
not selected	377	92.86	377	92.86
selected	29	7.14	406	100.00

Frequency Missing = 3747

OVSURCP_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:0	1	.	.	.
MI:0	2	.	.	.
Skip	3739	.	.	.
not selected	358	88.18	358	88.18
selected	48	11.82	406	100.00

Frequency Missing = 3747

OVSURBC_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:0	1	.	.	.
MI:0	2	.	.	.
Skip	3739	.	.	.
not selected	289	71.18	289	71.18
Selected	117	28.82	406	100.00

Frequency Missing = 3747

OVSURPC_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:0	1	.	.	.
MI:0	2	.	.	.
Skip	3739	.	.	.
not selected	358	88.18	358	88.18
Selected	48	11.82	406	100.00

Frequency Missing = 3747

OVSUROTH_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:0	2	.	.	.
MI:0	2	.	.	.
Skip	3739	.	.	.
not selected	207	51.11	207	51.11
selected	198	48.89	405	100.00

Frequency Missing = 3748

\*c. Surgery for incontinence (urine leakage)? **surgui\_1** 1 2 -8 **surguiage\_1**

SURGUI_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:O	2	.	.	.
Skip	1611	.	.	.
1: YES	60	2.37	60	2.37
2: NO	2475	97.63	2535	100.00

Frequency Missing = 1618

SURGUIAGE_1	Frequency	Percent	Cum Freq	Cum Percent
.	12	.	.	.
Skip	4088	.	.	.
0-37	11	20.75	11	20.75
38-47	11	20.75	22	41.51
48-54	16	30.19	38	71.70
54<	15	28.30	53	100.00

Frequency Missing = 4100

d. Bladder surgery? **bladsurg\_1** 1 2 -8 **bladsurage\_1**

BLADSURG_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:O	3	.	.	.
Skip	1611	.	.	.
1: YES	108	4.26	108	4.26
2: NO	2426	95.74	2534	100.00

Frequency Missing = 1619

BLADSURAGE_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:0	3	.	.	.
MI:0	2	.	.	.
Skip	4040	.	.	.
0-20	3	2.91	3	2.91
21-39	25	24.27	28	27.18
40-48	26	25.24	54	52.43
49-57	24	23.30	78	75.73
57<	25	24.27	103	100.00

Frequency Missing = 4050

e. Surgery for repair of pelvic prolapse (pelvic floor disorder)? **pfdsurg\_1** 1 2 -8 **pfdsurage\_1**

PFDSURG_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:O	3	.	.	.
Skip	1611	.	.	.
1: YES	17	0.67	17	0.67
2: NO	2517	99.33	2534	100.00

Frequency Missing = 1619

PFDSURAGE_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
Skip	4131	.	.	.
0-30	5	29.41	5	29.41
31-51	4	23.53	9	52.94
52-55	4	23.53	13	76.47
55<	4	23.53	17	100.00

Frequency Missing = 4136

f. Tubal ligation? **tublig\_1** 1 2 -8 **tubligage\_1**

TUBLIG_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:O	4	.	.	.
Skip	1611	.	.	.
1: YES	670	26.45	670	26.45
2: NO	1863	73.55	2533	100.00

Frequency Missing = 1620

TUBLIGAGE_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:O	9	.	.	.
Skip	3478	.	.	.
0-22	22	3.33	22	3.33
23-28	150	22.69	172	26.02
29-34	225	34.04	397	60.06
35-40	205	31.01	602	91.07
40<	59	8.93	661	100.00

Frequency Missing = 3492

g. A D and C (dilation and curettage)? **adc\_1** 1 2 (G5h) -8 **adcage\_1**

ADC_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:O	30	.	.	.
MI:O	2	.	.	.
RF:K	1	.	.	.
Skip	1611	.	.	.
1: YES	638	25.48	638	25.48
2: NO	1866	74.52	2504	100.00

Frequency Missing = 1649

ADCAGE_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:O	22	.	.	.
MI:O	2	.	.	.
RF:K	1	.	.	.
Skip	3510	.	.	.
0-22	160	26.10	160	26.10
23-28	163	26.59	323	52.69
29-35	144	23.49	467	76.18
35<	146	23.82	613	100.00

Frequency Missing = 3540

g1. IF YES: How many D and Cs? **adnum\_1**

ADNUM_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:O	4	.	.	.
MI:O	3	.	.	.
RF:K	1	.	.	.
Skip	3510	.	.	.
1	379	60.16	379	60.16
2-5	240	38.10	619	98.25
5<	11	1.75	630	100.00

Frequency Missing = 3523

h. An endometrial biopsy? **endbio\_1**

1

2 (G6)

i. **IF YES:** How old were you at the first surgery?  
-8 **endbioage\_1**

ENDBIO_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:O	50	.	.	.
MI:O	1	.	.	.
Skip	1611	.	.	.
1: YES	294	11.83	294	11.83
2: NO	2192	88.17	2486	100.00

Frequency Missing = 1667

ENDBIOAGE_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:0	5	.	.	.
MI:0	1	.	.	.
Skip	3854	.	.	.
0-20	14	4.86	14	4.86
21-30	59	20.49	73	25.35
31-40	75	26.04	148	51.39
41-48	73	25.35	221	76.74
48<	67	23.26	288	100.00

Frequency Missing = 3865

h1. **IF YES:** How many biopsies? **endbionum\_1**

ENDBIONUM_1	Frequency	Percent	Cum Freq	Cum Percent
.	13	.	.	.
MI:0	1	.	.	.
Skip	3854	.	.	.
1	194	68.07	194	68.07
2-5	91	31.93	285	100.00

Frequency Missing = 3868

- G6. Have you ever been pregnant? **everpreg\_1**
- YES ..... 1
- NO ..... 2 **(G8)**

EVERPREG_1	Frequency	Percent	Cum Freq	Cum Percent
.	718	.	.	.
Skip	1368	.	.	.
1: Yes	1811	87.61	1811	87.61
2: No	256	12.39	2067	100.00

Frequency Missing = 2086

[NOTE: ASK G6c, d, and e UNTIL TOTAL = G6b.]

- a. How many times have you been pregnant? Please include a current pregnancy, miscarriages, stillbirths, tubal or ectopic pregnancies, abortions and live births. **numpreg\_1**

# PREGNANCIES

NUMPREG_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:0	1	.	.	.
RF:K	3	.	.	.
Skip	1867	.	.	.
0	70	3.07	70	3.07
1-3	1152	50.59	1222	53.67
4-6	762	33.47	1984	87.13
7-9	210	9.22	2194	96.35
10-12	63	2.77	2257	99.12
12<	20	0.88	2277	100.00

Frequency Missing = 1876

- b. How many of your pregnancies resulted in a live birth? **livebrth\_1**
- [NOTE: COUNT A PREGNANCY RESULTING IN TWINS, TRIPLETS, ETC AS ONE BIRTH]

# BIRTHS **IF ZERO, GO TO G8**

LIVEBRTH_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:0	1	.	.	.
RF:K	2	.	.	.
Skip	1936	.	.	.
0	137	6.20	137	6.20
1-5	1887	85.42	2024	91.63
6-10	173	7.83	2197	99.46
10<	12	0.54	2209	100.00

Frequency Missing = 1944

- c. How many of these live birth pregnancies resulted in a vaginal delivery? **vagbrth\_1**

# DELIVERIES

VAGBRTH_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:0	1	.	.	.
RF:K	2	.	.	.
Skip	2073	.	.	.
0	276	13.32	276	13.32
1-5	1632	78.76	1908	92.08
6-10	153	7.38	2061	99.47
10<	11	0.53	2072	100.00

Frequency Missing = 2081

- d. **IF b ≠ c** How many of these live births were by cesarean (c-section) delivery? **csec\_1**

# C-SECTIONS

CSEC_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
Skip	3622	.	.	.
0	16	3.04	16	3.04
1-5	508	96.58	524	99.62
6-10	2	0.38	526	100.00

Frequency Missing = 3627

- e. **IF b ≠ c + d** How many of these live births were by both a vaginal and cesarean (c-section) delivery? **vagcsec\_1**

# VAGINAL AND C-SECTION DELIVERIES

VAGCSEC_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
MI:0	1	.	.	.
Skip	4039	.	.	.
0	89	82.41	89	82.41
1-5	18	16.67	107	99.07
6-10	1	0.93	108	100.00

Frequency Missing = 4045

f. What was the birth weight of the heaviest baby? (Pounds and ounces or grams?)

 

AND

 

OR

   

POUNDS

**bwlbs\_1**

OUNCES

**bwozs\_1**

GRAMS

**bwgrams\_1**

BWLBS_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:0	44	.	.	.
MI:0	2	.	.	.
NA:K	10	.	.	.
RF:K	3	.	.	.
Skip	2073	.	.	.
0-3	13	0.64	13	0.64
4-6	397	19.69	410	20.34
7-10	1562	77.48	1972	97.82
10<	44	2.18	2016	100.00

Frequency Missing = 2137

BWOZS_1	Frequency	Percent	Cum Freq	Cum Percent
.	368	.	.	.
DK:0	49	.	.	.
MI:0	2	.	.	.
NA:K	3	.	.	.
RF:K	3	.	.	.
Skip	2083	.	.	.
0-8	998	60.67	998	60.67
8<	647	39.33	1645	100.00

Frequency Missing = 2508

BWGRAMS_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
MI:0	1	.	.	.
NA:K	6	.	.	.
Skip	4132	.	.	.
0-1350	2	22.22	2	22.22
1351-2700	1	11.11	3	33.33
2701-4500	5	55.56	8	88.89
4500<	1	11.11	9	100.00

Frequency Missing = 4144

G7a. How old were you at the time of your first live birth?

YEARS    
fstlbthyr\_1

G7b. IF >1 LIVE BIRTH:  
How old were you at the time of your last live birth?

YEARS    
lastlbthyr\_1

FSTLBTHYR_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:0	9	.	.	.
MI:0	2	.	.	.
RF:K	2	.	.	.
Skip	2073	.	.	.
0-18	528	25.61	528	25.61
19-25	1022	49.56	1550	75.17
26-35	438	21.24	1988	96.41
35<	74	3.59	2062	100.00

Frequency Missing = 2091

LASTLBTHYR_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:0	13	.	.	.
MI:0	7	.	.	.
RF:K	1	.	.	.
Skip	2367	.	.	.
0-18	24	1.36	24	1.36
19-25	315	17.90	339	19.26
26-35	1018	57.84	1357	77.10
35<	403	22.90	1760	100.00

Frequency Missing = 2393

NOTE: THIS CAN BE SAME AGE.

YES NO REF DK

G8. Have you had a menstrual period in the last 12 months? **mp12mo\_1** 1 (G9) 2 -7 (G9) -8 G9)

MP12MO_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
MI:O	1	.	.	.
Skip	1611	.	.	.
1: Yes	944	37.22	944	37.22
2: No	1592	62.78	2536	100.00

Frequency Missing = 1617

a. Did your periods stop because of:

1. Menopause **stopmeno\_1** 1 2 -7 -8

STOPMENO_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:O	29	.	.	.
MI:O	3	.	.	.
RF:K	2	.	.	.
Skip	2556	.	.	.
1: Yes	1058	67.91	1058	67.91
2: No	500	32.09	1558	100.00

Frequency Missing = 2595

2. Pregnancy or breastfeeding **stoppreg\_1** 1 2 -7 -8

STOPPREG_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:O	10	.	.	.
MI:O	4	.	.	.
RF:K	2	.	.	.
Skip	2556	.	.	.
1: Yes	14	0.89	14	0.89
2: No	1562	99.11	1576	100.00

Frequency Missing = 2577

3. Medication, chemotherapy or radiation treatment **stoptx\_1** 1 2 -7 -8

STOPTX_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:O	15	.	.	.
MI:O	4	.	.	.
RF:K	2	.	.	.
Skip	2556	.	.	.
1: Yes	54	3.44	54	3.44
2: No	1517	96.56	1571	100.00

Frequency Missing = 2582

4. Severe weight loss or another reason **stopwtot\_1** 1 2 -7 -8

STOPWTOT_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:O	12	.	.	.
MI:O	3	.	.	.
RF:K	2	.	.	.
Skip	2556	.	.	.
1: Yes	421	26.73	421	26.73
2: No	1154	73.27	1575	100.00

Frequency Missing = 2578

b. Can you tell me approximately what year your periods stopped?

stopyear\_1

GO TO G12

Y Y Y Y

REF..... -7

DK..... -8

STOPYEAR_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:0	102	.	.	.
MI:0	4	.	.	.
RF:K	2	.	.	.
Skip	2556	.	.	.
<1990	549	36.99	549	36.99
1990-2000	500	33.69	1049	70.69
2000<	435	29.31	1484	100.00

Frequency Missing = 2669

G9. Compared to a year ago, has the number of days between the start of one menstrual period and the start of your next menstrual period become less predictable? mplpred\_1

YES..... 1

NO ..... 2

MPLPRED_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:O	3	.	.	.
MI:O	4	.	.	.
Skip	3203	.	.	.
1: Yes	394	42.00	394	42.00
2: No	544	58.00	938	100.00

Frequency Missing = 3215

G10. Have you had a menstrual period in the past 3 months? mp3mo\_1

YES..... 1

NO ..... 2

MP3MO_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
MI:O	2	.	.	.
Skip	3203	.	.	.
1: Yes	849	90.03	849	90.03
2: No	94	9.97	943	100.00

Frequency Missing = 3210

G11. a. In the last 12 months, have you had pelvic pain related in any way with your menstrual cycle?  
mppp12mo\_1

	YES	NO	REF	DK
	1	2	-7	-8
		(G12)	(G12)	(G12)

MPPP12MO_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
MI:O	2	.	.	.
Skip	3203	.	.	.
1: Yes	408	43.27	408	43.27
2: No	532	56.42	940	99.68
4	3	0.32	943	100.00

Frequency Missing = 3210

b. In the last 12 months, have you had this pain .....

i. Shortly before a period ppbefper\_1

	1	2	-7	-8

PPBEFPER_1	Frequency	Percent	Cum Freq	Cum Percent
.	718	.	.	.
Skip	3102	.	.	.
1: Yes	232	69.67	232	69.67
2: No	101	30.33	333	100.00

Frequency Missing = 3820

ii. Shortly after a period ppafptper\_1

	1	2	-7	-8

PPAFTPER_1	Frequency	Percent	Cum Freq	Cum Percent
.	718	.	.	.
Skip	3102	.	.	.
1: Yes	82	24.62	82	24.62
2: No	251	75.38	333	100.00

Frequency Missing = 3820

iii. At mid-cycle ppmidper\_1

	1	2	-7	-8

PPMIDPER_1	Frequency	Percent	Cum Freq	Cum Percent
.	718	.	.	.
Skip	3102	.	.	.
1: Yes	168	50.45	168	50.45
2: No	165	49.55	333	100.00

Frequency Missing = 3820

iv. During a period ppdurper\_1

	1	2	-7	-8

PPDURPER_1	Frequency	Percent	Cum Freq	Cum Percent
.	718	.	.	.
Skip	3102	.	.	.
1: Yes	249	74.77	249	74.77
2: No	84	25.23	333	100.00

Frequency Missing = 3820

v. Not at the same time in your cycle ppnotreg\_1

	1	2	-7	-8

PPNOTREG_1	Frequency	Percent	Cum Freq	Cum Percent
.	718	.	.	.
DK:O	3	.	.	.
Skip	3102	.	.	.
1: Yes	69	20.91	69	20.91
2: No	261	79.09	330	100.00

Frequency Missing = 3823

c. Is this pain in the area of your bladder? **ppblad\_1** 1 2 -7 -8

PPBLAD_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:O	10	.	.	.
MI:O	1	.	.	.
Skip	3740	.	.	.
1: Yes	182	45.84	182	45.84
2: No	215	54.16	397	100.00

Frequency Missing = 3756

G12. Have you had pain at the vulva, the opening to the vagina, either with intercourse or spontaneously?

**pvulva\_1**

YES ..... 1  
NO ..... 2 (G13)

PVULVA_1	Frequency	Percent	Cum Freq	Cum Percent
.	718	.	.	.
RF:K	1	.	.	.
Skip	1368	.	.	.
1: Yes	138	6.68	138	6.68
2: No	1928	93.32	2066	100.00

Frequency Missing = 2087

G12a. Where was the pain located? **pvulvaloc\_1**

Deep inside the vagina ..... 1  
At the opening of the vagina ..... 2  
Both deep inside and at the opening ..... 3  
DON'T KNOW ..... -8  
Other ..... 99

SPECIFY: **pvullocsp\_1**

PVULVALOC_1	Frequency	Percent	Cum Freq	Cum Percent
.	718	.	.	.
DK:O	3	.	.	.
Skip	3297	.	.	.
1: Deep inside the vagina	45	33.33	45	33.33
2: At the opening of the vagina	43	31.85	88	65.19
3: Both deep inside and at the o	46	34.07	134	99.26
99: Other	1	0.74	135	100.00

Frequency Missing = 4018

G12b. Did you ever have pain at the opening of the vagina (vulva) that lasted for at least three months? **pvulopen\_1**

YES ..... 1  
NO ..... 2

PVULOPEN_1	Frequency	Percent	Cum Freq	Cum Percent
.	718	.	.	.
Skip	3297	.	.	.
1: Yes	21	15.22	21	15.22
2: No	117	84.78	138	100.00

Frequency Missing = 4015

G12c. Did you feel that your vulvar pain has been cured or resolved? **pvulcur\_1**

YES..... 1  
NO ..... 2

PVULCUR_1	Frequency	Percent	Cum Freq	Cum Percent
.	718	.	.	.
DK:O	1	.	.	.
RF:K	1	.	.	.
Skip	3297	.	.	.
1: Yes	82	60.29	82	60.29
2: No	54	39.71	136	100.00

Frequency Missing = 4017

# ASK OF MEN AND WOMEN

G13. \*In the last 12 months, have you had:

\*a. Pelvic pain during or in the 24 hours after sexual intercourse? **ppint\_1**

YES NO REF DK  
1 2 -7 -8

Table of GENDER_1 by PPINT_1							
GENDER_1	PPINT_1						
Frequency Percent Row Pct Col Pct							
	.	DK:O	MI:O	RF:K	1: Yes	2: No	Total
1: MALE	2	1	4	7	9	1590	1599
	.	.	.	.	0.22	38.69	38.91
	.	.	.	.	0.56	99.44	
	.	.	.	.	8.11	39.76	
2: FEMALE	3	5	2	19	102	2409	2511
	.	.	.	.	2.48	58.61	61.09
	.	.	.	.	4.06	95.94	
	.	.	.	.	91.89	60.24	
Total	.	.	.	.	111	3999	4110
	.	.	.	.	2.70	97.30	100.00

Frequency Missing = 43

\*b. **WOMEN:** Pelvic pain not with periods or intercourse? **ppothw\_1**

1 2 -7 -8

PPOTHW_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:O	6	.	.	.
MI:O	2	.	.	.
RF:K	21	.	.	.
Skip	1611	.	.	.
1: Yes	111	4.43	111	4.43
2: No	2397	95.57	2508	100.00

Frequency Missing = 1645

c. **MEN:** Pelvic pain not with intercourse? **ppothm\_1**

1 2 -7 -8

PPOTHM_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:O	2	.	.	.
MI:O	3	.	.	.
RF:K	7	.	.	.
Skip	2537	.	.	.
1: Yes	33	2.06	33	2.06
2: No	1566	97.94	1599	100.00

Frequency Missing = 2554

IF NO PELVIC PAIN (G11 AND G13) , GO TO SECTION H

G14. On average, how many days of pelvic pain do you have a month? Would you say: **ppdays\_1**

- 1 - 2..... 1  
 3 - 5..... 2  
 6 - 10..... 3  
 More than 10..... 4

Table of GENDER_1 by PPDAYS_1										
GENDER_1	PPDAYS_1									
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	NA:K	Skip	1: 1-2	2: 3-5	3: 6-10	4: More than 10	Total
1: MALE	2	0	1	231	1346	12	13	4	4	33
	.	.	.	.	.	2.36	2.56	0.79	0.79	6.50
	.	.	.	.	.	36.36	39.39	12.12	12.12	
	.	.	.	.	.	3.65	9.77	14.81	21.05	
2: FEMALE	3	1	5	401	1655	317	120	23	15	475
	.	.	.	.	.	62.40	23.62	4.53	2.95	93.50
	.	.	.	.	.	66.74	25.26	4.84	3.16	
	.	.	.	.	.	96.35	90.23	85.19	78.95	
Total	.	.	.	.	.	329	133	27	19	508
	.	.	.	.	.	64.76	26.18	5.31	3.74	100.00
Frequency Missing = 3645										

G15. For how long have you been experiencing your pelvic pain? Would you say.... **ppdur\_1**

- Less than 3 months ..... 1  
 More than 3, but less than 6 months ..... 2  
 More than 6 months, but less than a year ..... 3  
 A year or longer ..... 4

Table of GENDER_1 by PPDUR_1								
GENDER_1	PPDUR_1							
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: Less than 3 months	2: More than 3, but less than 6	3: More than 6, but less than a	4: A year or longer	Total
1: MALE	2	0	1577	6	3	7	18	34
	.	.	.	1.17	0.58	1.36	3.50	6.61
	.	.	.	17.65	8.82	20.59	52.94	
	.	.	.	8.70	6.38	15.22	5.11	
2: FEMALE	3	1	2056	63	44	39	334	480
	.	.	.	12.26	8.56	7.59	64.98	93.39
	.	.	.	13.13	9.17	8.13	69.58	
	.	.	.	91.30	93.62	84.78	94.89	
Total	.	.	.	69	47	46	352	514
	.	.	.	13.42	9.14	8.95	68.48	100.00
Frequency Missing = 3639								

G16. To what extent does this pain prevent you from doing the things you want to do? **ppinterf\_1**

Would you say.....

- Not at all..... 1  
 Some ..... 2  
 A lot..... 3

Table of GENDER_1 by PPINTERF_1							
GENDER_1	PPINTERF_1						
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: Not at all	2: Some	3: A Lot	Total
1: MALE	2	0	1577	16	14	4	34
	.	.	.	3.11	2.72	0.78	6.61
	.	.	.	47.06	41.18	11.76	
	.	.	.	5.93	7.69	6.45	
2: FEMALE	3	1	2056	254	168	58	480
	.	.	.	49.42	32.68	11.28	93.39
	.	.	.	52.92	35.00	12.08	
	.	.	.	94.07	92.31	93.55	
Total	.	.	.	270	182	62	514
	.	.	.	52.53	35.41	12.06	100.00
Frequency Missing = 3639							

G17. In the last four weeks, how much has this been a problem for you? **ppprob\_1**

- No problem ..... 1  
 Very small problem ..... 2  
 Small problem..... 3  
 Medium problem ..... 4  
 Big problem..... 5

Table of GENDER_1 by PPPROB_1									
GENDER_1	PPPROB_1								
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: Not problem	2: Very Small Problem	3: Small Problem	4: Medium problem	5: Big Problem	Total
1: MALE	2	0	1577	12	6	4	8	4	34
	.	.	.	2.33	1.17	0.78	1.56	0.78	6.61
	.	.	.	35.29	17.65	11.76	23.53	11.76	
	.	.	.	5.33	5.61	4.40	14.55	11.11	
2: FEMALE	3	1	2056	213	101	87	47	32	480
	.	.	.	41.44	19.65	16.93	9.14	6.23	93.39
	.	.	.	44.38	21.04	18.13	9.79	6.67	
	.	.	.	94.67	94.39	95.60	85.45	88.89	
Total	.	.	.	225	107	91	55	36	514
	.	.	.	43.77	20.82	17.70	10.70	7.00	100.00
Frequency Missing = 3639									

## SECTION H: PSYCHOSOCIAL FACTORS

Next, I'm going to read you several statements describing how people sometimes feel. Think about the last week and the feelings you may have experienced. Please answer Yes or No to each statement that I read, keeping in mind that the "I" in each statement refers to you. Please tell me whether or not these statements apply to you and how you have been feeling over the last week.

\*Much of the time during the last week...

YES

NO

\*H1. I felt depressed. **cesd1\_1**

1

2

Table of GENDER_1 by CESD1_1				
GENDER_1	CESD1_1			
Frequency Percent Row Pct Col Pct	.	1: Yes	2: No	Total
1: MALE	2	317	1294	1611
.	.	7.64	31.20	38.84
.	.	19.68	80.32	
.	.	30.39	41.67	
2: FEMALE	3	726	1811	2537
.	.	17.50	43.66	61.16
.	.	28.62	71.38	
.	.	69.61	58.33	
Total	.	1043	3105	4148
.	.	25.14	74.86	100.00
Frequency Missing = 5				

\*H2. I felt that everything I did was an effort. **cesd2\_1**

1

2

Table of GENDER_1 by CESD2_1				
GENDER_1	CESD2_1			
Frequency Percent Row Pct Col Pct	.	1: Yes	2: No	Total
1: MALE	2	426	1185	1611
.	.	10.27	28.57	38.84
.	.	26.44	73.56	
.	.	33.94	40.96	
2: FEMALE	3	829	1708	2537
.	.	19.99	41.18	61.16
.	.	32.68	67.32	
.	.	66.06	59.04	
Total	.	1255	2893	4148
.	.	30.26	69.74	100.00
Frequency Missing = 5				

\*H3. My sleep was restless. **cesd3\_1**

1

2

Table of GENDER_1 by CESD3_1							
GENDER_1	CESD3_1						
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	RF:K	1: Yes	2: No	Total
1: MALE	2	1	0	1	562	1047	1609
	.	.	.	.	13.56	25.26	38.82
	.	.	.	.	34.93	65.07	
	.	.	.	.	33.55	42.39	
2: FEMALE	3	0	1	0	1113	1423	2536
	.	.	.	.	26.85	34.33	61.18
	.	.	.	.	43.89	56.11	
	.	.	.	.	66.45	57.61	
Total	.	.	.	.	1675	2470	4145
	.	.	.	.	40.41	59.59	100.00
Frequency Missing = 8							

H4. I was happy. **cesd4\_1**

1

2

Table of GENDER_1 by CESD4_1							
GENDER_1	CESD4_1						
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	RF:K	1: Yes	2: No	Total
1: MALE	2	1	0	1	1340	269	1609
	.	.	.	.	32.33	6.49	38.82
	.	.	.	.	83.28	16.72	
	.	.	.	.	41.03	30.60	
2: FEMALE	3	0	1	0	1926	610	2536
	.	.	.	.	46.47	14.72	61.18
	.	.	.	.	75.95	24.05	
	.	.	.	.	58.97	69.40	
Total	.	.	.	.	3266	879	4145
	.	.	.	.	78.79	21.21	100.00
Frequency Missing = 8							

H5. I felt lonely. **cesd5\_1**

1

2

Table of GENDER_1 by CESD5_1					
GENDER_1	CESD5_1				
Frequency Percent Row Pct Col Pct	.	RF:K	1: Yes	2: No	Total
1: MALE	2	1	346	1264	1610
	.	.	8.34	30.48	38.82
	.	.	21.49	78.51	
	.	.	32.80	40.88	
2: FEMALE	3	0	709	1828	2537
	.	.	17.10	44.08	61.18
	.	.	27.95	72.05	
	.	.	67.20	59.12	
Total	.	.	1055	3092	4147
	.	.	25.44	74.56	100.00
Frequency Missing = 6					

\*H6. I enjoyed life. **cesd6\_1**

1

2

Table of GENDER_1 by CESD6_1						
GENDER_1	CESD6_1					
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	1: Yes	2: No	Total
1: MALE	2	0	1	1409	201	1610
	.	.	.	33.99	4.85	38.84
	.	.	.	87.52	12.48	
	.	.	.	40.35	30.78	
2: FEMALE	3	1	1	2083	452	2535
	.	.	.	50.25	10.90	61.16
	.	.	.	82.17	17.83	
	.	.	.	59.65	69.22	
Total	.	.	.	3492	653	4145
	.	.	.	84.25	15.75	100.00
Frequency Missing = 8						

H7. I felt sad. **cesd7\_1**

1

2

Table of GENDER_1 by CESD7_1				
GENDER_1	CESD7_1			
Frequency Percent Row Pct Col Pct	.	1: Yes	2: No	Total
1: MALE	2	390	1221	1611
	.	9.40	29.44	38.84
	.	24.21	75.79	
	.	30.30	42.68	
2: FEMALE	3	897	1640	2537
	.	21.62	39.54	61.16
	.	35.36	64.64	
	.	69.70	57.32	
Total	.	1287	2861	4148
	.	31.03	68.97	100.00
Frequency Missing = 5				

\*H8. I could not “get going”. **cesd8\_1**

1

2

Table of GENDER_1 by CESD8_1						
GENDER_1	CESD8_1					
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	1: Yes	2: No	Total
1: MALE	2	1	0	260	1350	1610
	.	.	.	6.27	32.56	38.83
	.	.	.	16.15	83.85	
	.	.	.	32.87	40.24	
2: FEMALE	3	0	1	531	2005	2536
	.	.	.	12.81	48.36	61.17
	.	.	.	20.94	79.06	
	.	.	.	67.13	59.76	
Total	.	.	.	791	3355	4146
	.	.	.	19.08	80.92	100.00
Frequency Missing = 7						

H9. Now I have a few questions about people who may be close to you.

YES NO

- a. In the last six months, has anyone close to you caused you special worry or been especially demanding? **worry\_1** 1 2 (H10)

Table of GENDER_1 by WORRY_1					
GENDER_1	WORRY_1				
Frequency Percent Row Pct Col Pct	.	RF:K	1: Yes	2: No	Total
1: MALE	2	1	679	931	1610
	.	.	16.38	22.46	38.83
	.	.	42.17	57.83	
	.	.	35.02	42.18	
2: FEMALE	3	1	1260	1276	2536
	.	.	30.39	30.78	61.17
	.	.	49.68	50.32	
	.	.	64.98	57.82	
Total	.	.	1939	2207	4146
	.	.	46.77	53.23	100.00
Frequency Missing = 7					

- b. In the last 6 months, has [ITEM b1-b6] caused you special worry or been especially demanding?

\*b1. A spouse or partner? **worspse\_1**

1 2

Table of GENDER_1 by WORSPSE_1					
GENDER_1	WORSPSE_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: Yes	2: No	Total
1: MALE	2	932	264	415	679
	.	.	13.62	21.40	35.02
	.	.	38.88	61.12	
	.	.	45.60	30.51	
2: FEMALE	3	1277	315	945	1260
	.	.	16.25	48.74	64.98
	.	.	25.00	75.00	
	.	.	54.40	69.49	
Total	.	.	579	1360	1939
	.	.	29.86	70.14	100.00
Frequency Missing = 2214					

\*b2. A parent? worparnt\_1

1

2

Table of GENDER_1 by WORPARNT_1					
GENDER_1	WORPARNT_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: Yes	2: No	Total
1: MALE	2	932	190	489	679
	.	.	9.80	25.22	35.02
	.	.	27.98	72.02	
	.	.	38.78	33.75	
2: FEMALE	3	1277	300	960	1260
	.	.	15.47	49.51	64.98
	.	.	23.81	76.19	
	.	.	61.22	66.25	
Total	.	.	490	1449	1939
	.	.	25.27	74.73	100.00
Frequency Missing = 2214					

b3. A child? worchild\_1

1

2

Table of GENDER_1 by WORCHILD_1						
GENDER_1	WORCHILD_1					
Frequency Percent Row Pct Col Pct	.	RF:K	Skip	1: Yes	2: No	Total
1: MALE	2	0	932	284	395	679
	.	.	.	14.65	20.38	35.04
	.	.	.	41.83	58.17	
	.	.	.	28.26	42.34	
2: FEMALE	3	1	1277	721	538	1259
	.	.	.	37.20	27.76	64.96
	.	.	.	57.27	42.73	
	.	.	.	71.74	57.66	
Total	.	.	.	1005	933	1938
	.	.	.	51.86	48.14	100.00
Frequency Missing = 2215						

b4. A sibling? worsib\_1

1

2

Table of GENDER_1 by WORSIB_1					
GENDER_1	WORSIB_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: Yes	2: No	Total
1: MALE	2	932	175	504	679
	.	.	9.03	25.99	35.02
	.	.	25.77	74.23	
	.	.	32.35	36.05	
2: FEMALE	3	1277	366	894	1260
	.	.	18.88	46.11	64.98
	.	.	29.05	70.95	
	.	.	67.65	63.95	
Total	.	.	541	1398	1939
	.	.	27.90	72.10	100.00
Frequency Missing = 2214					

\*b5. Another relative or friend? **woroth\_1**

1

2

Table of GENDER_1 by WOROTH_1					
GENDER_1	WOROTH_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: Yes	2: No	Total
1: MALE	2	932	233	446	679
	.	.	12.02	23.00	35.02
	.	.	34.32	65.68	
	.	.	36.69	34.20	
2: FEMALE	3	1277	402	858	1260
	.	.	20.73	44.25	64.98
	.	.	31.90	68.10	
	.	.	63.31	65.80	
Total	.	.	635	1304	1939
	.	.	32.75	67.25	100.00
Frequency Missing = 2214					

b6. Someone at work? **worwork\_1**

1

2

Table of GENDER_1 by WORWORK_1					
GENDER_1	WORWORK_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: Yes	2: No	Total
1: MALE	2	932	96	583	679
	.	.	4.95	30.07	35.02
	.	.	14.14	85.86	
	.	.	41.56	34.13	
2: FEMALE	3	1277	135	1125	1260
	.	.	6.96	58.02	64.98
	.	.	10.71	89.29	
	.	.	58.44	65.87	
Total	.	.	231	1708	1939
	.	.	11.91	88.09	100.00
Frequency Missing = 2214					

These next questions ask about your feelings and thoughts during the last month. For each one, please indicate how often you felt or thought a certain way. **[SHOW RESPONSE CARD 'H10']**

**Never Almost Sometimes Fairly Very**  
**Never Never Often Often**

H10. In the last month, how often have you felt that you were

unable to control the important things in your life? **stress1\_1** 0 1 2 3 4

Table of GENDER_1 by STRESS1_1									
GENDER_1	STRESS1_1								
Frequency Percent Row Pct Col Pct	.	DK:O	RF:K	0: Never	1: Almost Never	2: Sometimes	3: Fairly Often	4: Very Often	Total
1: MALE	2	0	3	640	357	456	102	53	1608
.	.	.	.	15.46	8.62	11.01	2.46	1.28	38.84
.	.	.	.	39.80	22.20	28.36	6.34	3.30	
.	.	.	.	41.32	39.10	37.16	33.44	36.30	
2: FEMALE	3	2	3	909	556	771	203	93	2532
.	.	.	.	21.96	13.43	18.62	4.90	2.25	61.16
.	.	.	.	35.90	21.96	30.45	8.02	3.67	
.	.	.	.	58.68	60.90	62.84	66.56	63.70	
Total	.	.	.	1549	913	1227	305	146	4140
.	.	.	.	37.42	22.05	29.64	7.37	3.53	100.00
Frequency Missing = 13									

H11. In the last month, how often have you felt confident about your

ability to handle your personal problems? **stress2\_1** 0 1 2 3 4

Table of GENDER_1 by STRESS2_1								
GENDER_1	STRESS2_1							
Frequency Percent Row Pct Col Pct	.	RF:K	0: Never	1: Almost Never	2: Sometimes	3: Fairly Often	4: Very Often	Total
1: MALE	2	2	64	68	277	471	729	1609
.	.	.	1.54	1.64	6.69	11.37	17.60	38.84
.	.	.	3.98	4.23	17.22	29.27	45.31	
.	.	.	38.32	33.01	33.74	39.75	41.33	
2: FEMALE	3	3	103	138	544	714	1035	2534
.	.	.	2.49	3.33	13.13	17.23	24.98	61.16
.	.	.	4.06	5.45	21.47	28.18	40.84	
.	.	.	61.68	66.99	66.26	60.25	58.67	
Total	.	.	167	206	821	1185	1764	4143
.	.	.	4.03	4.97	19.82	28.60	42.58	100.00
Frequency Missing = 10								

H12. In the last month, how often have you felt that things were going your way? **stress3\_1**

0 1 2 3 4

Table of GENDER_1 by STRESS3_1								
GENDER_1	STRESS3_1							
Frequency Percent Row Pct Col Pct	.	RF:K	0: Never	1: Almost Never	2: Sometimes	3: Fairly Often	4: Very Often	Total
1: MALE	2	2	68	119	510	550	362	1609
	.	.	1.64	2.87	12.32	13.28	8.74	38.86
	.	.	4.23	7.40	31.70	34.18	22.50	
	.	.	35.60	35.63	36.85	41.11	40.49	
2: FEMALE	3	5	123	215	874	788	532	2532
	.	.	2.97	5.19	21.11	19.03	12.85	61.14
	.	.	4.86	8.49	34.52	31.12	21.01	
	.	.	64.40	64.37	63.15	58.89	59.51	
Total	.	.	191	334	1384	1338	894	4141
	.	.	4.61	8.07	33.42	32.31	21.59	100.00
Frequency Missing = 12								

H13. In the last month, how often have you felt difficulties were piling up so high that you could not overcome them?

0 1 2 3 4

**stress4\_1**

Table of GENDER_1 by STRESS4_1								
GENDER_1	STRESS4_1							
Frequency Percent Row Pct Col Pct	.	RF:K	0: Never	1: Almost Never	2: Sometimes	3: Fairly Often	4: Very Often	Total
1: MALE	2	2	742	406	321	89	51	1609
	.	.	17.91	9.80	7.75	2.15	1.23	38.85
	.	.	46.12	25.23	19.95	5.53	3.17	
	.	.	41.80	41.86	34.70	28.80	31.29	
2: FEMALE	3	4	1033	564	604	220	112	2533
	.	.	24.94	13.62	14.58	5.31	2.70	61.15
	.	.	40.78	22.27	23.85	8.69	4.42	
	.	.	58.20	58.14	65.30	71.20	68.71	
Total	.	.	1775	970	925	309	163	4142
	.	.	42.85	23.42	22.33	7.46	3.94	100.00
Frequency Missing = 11								

**[TAKE BACK RESPONSE CARD 'H10']**

H14. Please tell me how strongly you agree or disagree with the following statement:  
“I often have the feeling that I am being treated unfairly”

Would you say... **unfairly\_1**

- Strongly disagree..... 1  
Moderately disagree ..... 2  
Slightly disagree ..... 3  
Slightly agree ..... 4  
Moderately agree ..... 5  
Strongly agree ..... 6

Table of GENDER_1 by UNFAIRLY_1									
GENDER_1	UNFAIRLY_1								
Frequency Percent Row Pct Col Pct		MI:O	1: Strongly disagree	2: Moderately disagree	3: Slightly disagree	4: Slightly agree	5: Moderately agree	6: Strongly agree	Total
1: MALE	245	1	743	201	132	106	81	104	1367
	.	.	21.64	5.85	3.85	3.09	2.36	3.03	39.82
	.	.	54.35	14.70	9.66	7.75	5.93	7.61	
	.	.	42.07	37.50	34.92	40.61	32.02	43.51	
2: FEMALE	473	1	1023	335	246	155	172	135	2066
	.	.	29.80	9.76	7.17	4.52	5.01	3.93	60.18
	.	.	49.52	16.21	11.91	7.50	8.33	6.53	
	.	.	57.93	62.50	65.08	59.39	67.98	56.49	
Total	.	.	1766	536	378	261	253	239	3433
	.	.	51.44	15.61	11.01	7.60	7.37	6.96	100.00
Frequency Missing = 720									

The following questions relate to your usual sleep habits during the past month only. Your answers should indicate the most accurate reply for the majority of days and nights in the past month.

**[SHOW RESPONSE CARD 'H15']**

H15. Thinking about the past month...

	<b>Almost never or never</b>	<b>A few times</b>	<b>Sometimes</b>	<b>Most times</b>	<b>Almost always or always</b>
	1	2	3	4	5

\*a. Do you have difficulties falling asleep? **sleep1\_1**

Table of GENDER_1 by SLEEP1_1									
GENDER_1	SLEEP1_1								
Frequency Percent Row Pct Col Pct	.	RF:K	1: Almost Never/Never	2: A Few Times	3: Sometimes	4: Most Times	5: Almost always or always	Total	
1: MALE	2	1	888	222	271	122	107	1610	
	.	.	21.41	5.35	6.53	2.94	2.58	38.82	
	.	.	55.16	13.79	16.83	7.58	6.65		
	.	.	43.79	37.88	35.24	31.12	28.76		
2: FEMALE	3	0	1140	364	498	270	265	2537	
	.	.	27.49	8.78	12.01	6.51	6.39	61.18	
	.	.	44.93	14.35	19.63	10.64	10.45		
	.	.	56.21	62.12	64.76	68.88	71.24		
Total	.	.	2028	586	769	392	372	4147	
	.	.	48.90	14.13	18.54	9.45	8.97	100.00	
Frequency Missing = 6									

\*b. After getting up in the morning, can you fall asleep again? **sleep2\_1**

	1	2	3	4	5
--	---	---	---	---	---

Table of GENDER_1 by SLEEP2_1									
GENDER_1	SLEEP2_1								
Frequency Percent Row Pct Col Pct	.	DK:O	RF:K	1: Almost Never/Never	2: A Few Times	3: Sometimes	4: Most Times	5: Almost always or always	Total
1: MALE	2	0	1	563	190	340	219	298	1610
	.	.	.	13.59	4.58	8.20	5.28	7.19	38.85
	.	.	.	34.97	11.80	21.12	13.60	18.51	
	.	.	.	35.75	43.48	38.72	39.04	43.00	
2: FEMALE	3	2	1	1012	247	538	342	395	2534
	.	.	.	24.42	5.96	12.98	8.25	9.53	61.15
	.	.	.	39.94	9.75	21.23	13.50	15.59	
	.	.	.	64.25	56.52	61.28	60.96	57.00	
Total	.	.	.	1575	437	878	561	693	4144
	.	.	.	38.01	10.55	21.19	13.54	16.72	100.00
Frequency Missing = 9									

\*c. Do you use sleeping pills? **sleep3\_1** 1 2 3 4 5

Table of GENDER_1 by SLEEP3_1									
GENDER_1	SLEEP3_1								
Frequency Percent Row Pct Col Pct	.	MI:O	RF:K	1: Almost Never/Never	2: A Few Times	3: Sometimes	4: Most Times	5: Almost always or always	Total
1: MALE	2	1	1	1402	42	64	27	74	1609
	.	.	.	33.82	1.01	1.54	0.65	1.79	38.82
	.	.	.	87.13	2.61	3.98	1.68	4.60	
	.	.	.	40.98	32.31	31.84	29.67	24.50	
2: FEMALE	3	1	0	2019	88	137	64	228	2536
	.	.	.	48.71	2.12	3.31	1.54	5.50	61.18
	.	.	.	79.61	3.47	5.40	2.52	8.99	
	.	.	.	59.02	67.69	68.16	70.33	75.50	
Total	.	.	.	3421	130	201	91	302	4145
	.	.	.	82.53	3.14	4.85	2.20	7.29	100.00
Frequency Missing = 8									

d. Are you tired during wake time? **sleep4\_1** 1 2 3 4 5

Table of GENDER_1 by SLEEP4_1									
GENDER_1	SLEEP4_1								
Frequency Percent Row Pct Col Pct	.	MI:O	RF:K	1: Almost Never/Never	2: A Few Times	3: Sometimes	4: Most Times	5: Almost always or always	Total
1: MALE	2	0	1	722	263	458	102	65	1610
	.	.	.	17.43	6.35	11.06	2.46	1.57	38.87
	.	.	.	44.84	16.34	28.45	6.34	4.04	
	.	.	.	44.38	42.83	35.10	28.73	26.97	
2: FEMALE	3	5	0	905	351	847	253	176	2532
	.	.	.	21.85	8.47	20.45	6.11	4.25	61.13
	.	.	.	35.74	13.86	33.45	9.99	6.95	
	.	.	.	55.62	57.17	64.90	71.27	73.03	
Total	.	.	.	1627	614	1305	355	241	4142
	.	.	.	39.28	14.82	31.51	8.57	5.82	100.00
Frequency Missing = 11									

e. Are you tired after sleeping? **sleep5\_1** 1 2 3 4 5

Table of GENDER_1 by SLEEP5_1										
GENDER_1	SLEEP5_1									
Frequency Percent Row Pct Col Pct	.	MI:O	RF:K	1: Almost Never/Never	2: A Few Times	3: Sometimes	4: Most Times	5: Almost always or always	Total	
1: MALE	2	0	1	866	237	374	88	45	1610	
	.	.	.	20.89	5.72	9.02	2.12	1.09	38.83	
	.	.	.	53.79	14.72	23.23	5.47	2.80		
	.	.	.	42.00	42.70	35.12	31.43	24.46		
2: FEMALE	3	1	0	1196	318	691	192	139	2536	
	.	.	.	28.85	7.67	16.67	4.63	3.35	61.17	
	.	.	.	47.16	12.54	27.25	7.57	5.48		
	.	.	.	58.00	57.30	64.88	68.57	75.54		
Total	.	.	.	2062	555	1065	280	184	4146	
	.	.	.	49.73	13.39	25.69	6.75	4.44	100.00	
Frequency Missing = 7										

f. Are you restless during the night (moving your legs  
and arms)? **sleep6\_1** 1 2 3 4 5

Table of GENDER_1 by SLEEP6_1										
GENDER_1	SLEEP6_1									
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	RF:K	1: Almost Never/Never	2: A Few Times	3: Sometimes	4: Most Times	5: Almost always or always	Total
1: MALE	2	1	1	1	770	206	358	149	125	1608
	.	.	.	.	18.58	4.97	8.64	3.59	3.02	38.79
	.	.	.	.	47.89	12.81	22.26	9.27	7.77	
	.	.	.	.	41.35	41.53	37.06	34.98	31.65	
2: FEMALE	3	0	0	0	1092	290	608	277	270	2537
	.	.	.	.	26.34	7.00	14.67	6.68	6.51	61.21
	.	.	.	.	43.04	11.43	23.97	10.92	10.64	
	.	.	.	.	58.65	58.47	62.94	65.02	68.35	
Total	.	.	.	.	1862	496	966	426	395	4145
	.	.	.	.	44.92	11.97	23.31	10.28	9.53	100.00
Frequency Missing = 8										

g. Do you get up during the night? **sleep8\_1** 1 2 3 4 5

Table of GENDER_1 by SLEEP8_1									
GENDER_1	SLEEP8_1								
Frequency Percent Row Pct Col Pct	.	MI:O	RF:K	1: Almost Never/Never	2: A Few Times	3: Sometimes	4: Most Times	5: Almost always or always	Total
1: MALE	2	1	1	446	276	378	172	337	1609
	.	.	.	10.76	6.66	9.12	4.15	8.13	38.82
	.	.	.	27.72	17.15	23.49	10.69	20.94	
	.	.	.	39.82	41.88	38.49	34.06	38.34	
2: FEMALE	3	1	0	674	383	604	333	542	2536
	.	.	.	16.26	9.24	14.57	8.03	13.08	61.18
	.	.	.	26.58	15.10	23.82	13.13	21.37	
	.	.	.	60.18	58.12	61.51	65.94	61.66	
Total	.	.	.	1120	659	982	505	879	4145
	.	.	.	27.02	15.90	23.69	12.18	21.21	100.00
Frequency Missing = 8									

\*h. Do you suffer from headaches first thing in the morning? **sleep9\_1** 1 2 3 4 5

Table of GENDER_1 by SLEEP9_1								
GENDER_1	SLEEP9_1							
Frequency Percent Row Pct Col Pct	.	RF:K	1: Almost Never/Never	2: A Few Times	3: Sometimes	4: Most Times	5: Almost always or always	Total
1: MALE	2	1	1387	86	102	22	13	1610
	.	.	33.45	2.07	2.46	0.53	0.31	38.82
	.	.	86.15	5.34	6.34	1.37	0.81	
	.	.	42.26	30.60	24.29	26.83	15.85	
2: FEMALE	3	0	1895	195	318	60	69	2537
	.	.	45.70	4.70	7.67	1.45	1.66	61.18
	.	.	74.69	7.69	12.53	2.36	2.72	
	.	.	57.74	69.40	75.71	73.17	84.15	
Total	.	.	3282	281	420	82	82	4147
	.	.	79.14	6.78	10.13	1.98	1.98	100.00
Frequency Missing = 6								

i. Do you feel exhausted for no obvious reasons?

sleep10\_1

1 2 3 4 5

Table of GENDER_1 by SLEEP10_1								
GENDER_1	SLEEP10_1							
Frequency Percent Row Pct Col Pct	.	RF:K	1: Almost Never/Never	2: A Few Times	3: Sometimes	4: Most Times	5: Almost always or always	Total
1: MALE	2	2	1138	167	233	47	24	1609
.	.	.	27.45	4.03	5.62	1.13	0.58	38.82
.	.	.	70.73	10.38	14.48	2.92	1.49	
.	.	.	43.20	37.19	30.42	27.65	19.05	
2: FEMALE	3	1	1496	282	533	123	102	2536
.	.	.	36.09	6.80	12.86	2.97	2.46	61.18
.	.	.	58.99	11.12	21.02	4.85	4.02	
.	.	.	56.80	62.81	69.58	72.35	80.95	
Total	.	.	2634	449	766	170	126	4145
.	.	.	63.55	10.83	18.48	4.10	3.04	100.00
Frequency Missing = 8								

\*j. How often have you been told that you quit breathing  
during your sleep? sleep11\_1

1 2 3 4 5

Table of GENDER_1 by SLEEP11_1							
GENDER_1	SLEEP11_1						
Frequency Percent Row Pct Col Pct	.	1: Almost Never/Never	2: A Few Times	3: Sometimes	4: Most Times	5: Almost always or always	Total
1: MALE	245	1220	55	51	17	25	1368
.	.	35.52	1.60	1.48	0.49	0.73	39.83
.	.	89.18	4.02	3.73	1.24	1.83	
.	.	38.97	51.89	54.26	45.95	37.31	
2: FEMALE	473	1911	51	43	20	42	2067
.	.	55.63	1.48	1.25	0.58	1.22	60.17
.	.	92.45	2.47	2.08	0.97	2.03	
.	.	61.03	48.11	45.74	54.05	62.69	
Total	.	3131	106	94	37	67	3435
.	.	91.15	3.09	2.74	1.08	1.95	100.00
Frequency Missing = 718							

k. How often have you nodded off or fallen asleep while driving a vehicle? **sleep12\_1**

1 2 3 4 5

Table of GENDER_1 by SLEEP12_1							
GENDER_1	SLEEP12_1						
Frequency Percent Row Pct Col Pct		1: Almost Never/Never	2: A Few Times	3: Sometimes	4: Most Times	5: Almost always or always	Total
1: MALE	245	1279	56	28	2	3	1368
	.	37.23	1.63	0.82	0.06	0.09	39.83
	.	93.49	4.09	2.05	0.15	0.22	
	.	38.98	53.33	70.00	40.00	75.00	
2: FEMALE	473	2002	49	12	3	1	2067
	.	58.28	1.43	0.35	0.09	0.03	60.17
	.	96.86	2.37	0.58	0.15	0.05	
	.	61.02	46.67	30.00	60.00	25.00	
Total	.	3281	105	40	5	4	3435
	.	95.52	3.06	1.16	0.15	0.12	100.00
Frequency Missing = 718							

\*l. How frequently have you been told that you snore?  
**sleep7\_1**

1 2 3 4 5  
(H17a)

Table of GENDER_1 by SLEEP7_1									
GENDER_1	SLEEP7_1								
Frequency Percent Row Pct Col Pct		DK:O	RF:K	1: Almost Never/Never	2: A Few Times	3: Sometimes	4: Most Times	5: Almost always or always	Total
1: MALE	2	4	1	596	249	294	145	322	1606
	.	.	.	14.43	6.03	7.12	3.51	7.80	38.90
	.	.	.	37.11	15.50	18.31	9.03	20.05	
	.	.	.	33.46	42.56	41.06	43.41	45.16	
2: FEMALE	3	14	0	1185	336	422	189	391	2523
	.	.	.	28.70	8.14	10.22	4.58	9.47	61.10
	.	.	.	46.97	13.32	16.73	7.49	15.50	
	.	.	.	66.54	57.44	58.94	56.59	54.84	
Total	.	.	.	1781	585	716	334	713	4129
	.	.	.	43.13	14.17	17.34	8.09	17.27	100.00
Frequency Missing = 24									

[TAKE BACK RESPONSE CARD 'H15']

H16a. Has your snoring bothered other people? **snore1\_1**

YES..... 1  
NO ..... 2 (H17a)

Table of GENDER_1 by SNORE1_1						
GENDER_1	SNORE1_1					
Frequency Percent Row Pct Col Pct	.	DK:O	Skip	1: Yes	2: No	Total
1: MALE	245	2	511	508	347	855
	.	.	.	26.28	17.95	44.23
	.	.	.	59.42	40.58	
	.	.	.	51.42	36.72	
2: FEMALE	473	0	989	480	598	1078
	.	.	.	24.83	30.94	55.77
	.	.	.	44.53	55.47	
	.	.	.	48.58	63.28	
Total	.	.	.	988	945	1933
	.	.	.	51.11	48.89	100.00
Frequency Missing = 2220						

H16b. Has your snoring been described as: **snore2\_1**

Slightly louder than breathing..... 1  
As loud as talking ..... 2  
Louder than talking..... 3  
Very loud, can be heard in next room ..... 4  
DK ..... -8

Table of GENDER_1 by SNORE2_1								
GENDER_1	SNORE2_1							
Frequency Percent Row Pct Col Pct	.	DK:O	Skip	1: Slightly louder than breathin	2: As loud as talking	3: Louder than talking	4: Very loud, can be heard in ne	Total
1: MALE	245	56	858	106	106	114	128	454
	.	.	.	12.16	12.16	13.07	14.68	52.06
	.	.	.	23.35	23.35	25.11	28.19	
	.	.	.	45.11	53.81	57.87	52.67	
2: FEMALE	473	62	1587	129	91	83	115	418
	.	.	.	14.79	10.44	9.52	13.19	47.94
	.	.	.	30.86	21.77	19.86	27.51	
	.	.	.	54.89	46.19	42.13	47.33	
Total	.	.	.	235	197	197	243	872
	.	.	.	26.95	22.59	22.59	27.87	100.00
Frequency Missing = 3281								

H17a. How many hours of actual sleep do you usually get during the night?  
(This may be different than the number of hours you spend in bed)

hrsleep\_1

		.	
--	--	---	--

HOURS

Table of GENDER_1 by HRSLEEP_1							
GENDER_1	HRSLEEP_1						
Frequency Percent Row Pct Col Pct	.	DK:0	MI:0	0-4	5-8	8<	Total
1: MALE	3	3	1	167	1357	82	1606
	.	.	.	4.04	32.84	1.98	38.87
	.	.	.	10.40	84.50	5.11	
	.	.	.	35.38	39.99	30.71	
2: FEMALE	6	7	1	305	2036	185	2526
	.	.	.	7.38	49.27	4.48	61.13
	.	.	.	12.07	80.60	7.32	
	.	.	.	64.62	60.01	69.29	
Total	.	.	.	472	3393	267	4132
	.	.	.	11.42	82.12	6.46	100.00
Frequency Missing = 21							

H17b. How long does it usually take you to fall asleep at bedtime?

minsleap\_1

--	--	--

MINUTES

Table of GENDER_1 by MINSLEEP_1							
GENDER_1	MINSLEEP_1						
Frequency Percent Row Pct Col Pct	.	DK:0	MI:0	0-10	11-30	30<	Total
1: MALE	246	8	0	497	560	302	1359
	.	.	.	14.58	16.43	8.86	39.87
	.	.	.	36.57	41.21	22.22	
	.	.	.	42.59	43.14	31.99	
2: FEMALE	474	13	3	670	738	642	2050
	.	.	.	19.65	21.65	18.83	60.13
	.	.	.	32.68	36.00	31.32	
	.	.	.	57.41	56.86	68.01	
Total	.	.	.	1167	1298	944	3409
	.	.	.	34.23	38.08	27.69	100.00
Frequency Missing = 744							

Now I'm going to read you a list of symptoms you may or may not be experiencing.

[SHOW RESPONSE CARD 'H18']

H18. Which of the following symptoms apply to you at this time?

None  
Mild  
Moderate  
Severe  
Extremely  
severe

1 2 3 4 5

a. Decline in your feeling of general well-being (general state of health, subjective feeling)

ams01\_1

Table of GENDER_1 by AMS01_1								
GENDER_1	AMS01_1							
Frequency Percent Row Pct Col Pct	.	DK:O	1: None	2: Mild	3: Moderate	4: Severe	5: Extremely Severe	Total
1: MALE	2	0	811	413	313	59	15	1611
.	.	.	19.56	9.96	7.55	1.42	0.36	38.86
.	.	.	50.34	25.64	19.43	3.66	0.93	
.	.	.	41.17	37.96	36.27	34.50	27.78	
2: FEMALE	3	2	1159	675	550	112	39	2535
.	.	.	27.95	16.28	13.27	2.70	0.94	61.14
.	.	.	45.72	26.63	21.70	4.42	1.54	
.	.	.	58.83	62.04	63.73	65.50	72.22	
Total	.	.	1970	1088	863	171	54	4146
.	.	.	47.52	26.24	20.82	4.12	1.30	100.00
Frequency Missing = 7								

b. Joint pain and muscular ache (lower back pain, joint pain, pain in a limb, general back ache)

ams02\_1

1 2 3 4 5

Table of GENDER_1 by AMS02_1							
GENDER_1	AMS02_1						
Frequency Percent Row Pct Col Pct	.	1: None	2: Mild	3: Moderate	4: Severe	5: Extremely Severe	Total
1: MALE	2	626	499	356	102	28	1611
.	.	15.09	12.03	8.58	2.46	0.68	38.84
.	.	38.86	30.97	22.10	6.33	1.74	
.	.	44.71	41.27	35.07	26.22	20.74	
2: FEMALE	3	774	710	659	287	107	2537
.	.	18.66	17.12	15.89	6.92	2.58	61.16
.	.	30.51	27.99	25.98	11.31	4.22	
.	.	55.29	58.73	64.93	73.78	79.26	
Total	.	1400	1209	1015	389	135	4148
.	.	33.75	29.15	24.47	9.38	3.25	100.00
Frequency Missing = 5							

- c. Excessive sweating (unexpected/sudden episodes of sweating, hot flushes independent of strain) **ams03\_1** 1 2 3 4 5

Table of GENDER_1 by AMS03_1								
GENDER_1	AMS03_1							
Frequency Percent Row Pct Col Pct	.	MI:O	1: None	2: Mild	3: Moderate	4: Severe	5: Extremely Severe	Total
1: MALE	2	0	1197	217	122	64	11	1611
	.	.	28.86	5.23	2.94	1.54	0.27	38.85
	.	.	74.30	13.47	7.57	3.97	0.68	
	.	.	41.87	34.55	31.69	32.49	14.10	
2: FEMALE	3	1	1662	411	263	133	67	2536
	.	.	40.08	9.91	6.34	3.21	1.62	61.15
	.	.	65.54	16.21	10.37	5.24	2.64	
	.	.	58.13	65.45	68.31	67.51	85.90	
Total	.	.	2859	628	385	197	78	4147
	.	.	68.94	15.14	9.28	4.75	1.88	100.00
Frequency Missing = 6								

- d. Sleep problems (difficulty in falling asleep, difficulty in sleeping through, waking up early and feeling tired, poor sleep, sleeplessness) **ams04\_1** 1 2 3 4 5

Table of GENDER_1 by AMS04_1							
GENDER_1	AMS04_1						
Frequency Percent Row Pct Col Pct	.	1: None	2: Mild	3: Moderate	4: Severe	5: Extremely Severe	Total
1: MALE	2	867	300	267	124	53	1611
	.	20.90	7.23	6.44	2.99	1.28	38.84
	.	53.82	18.62	16.57	7.70	3.29	
	.	44.64	38.17	34.01	29.88	24.09	
2: FEMALE	3	1075	486	518	291	167	2537
	.	25.92	11.72	12.49	7.02	4.03	61.16
	.	42.37	19.16	20.42	11.47	6.58	
	.	55.36	61.83	65.99	70.12	75.91	
Total	.	1942	786	785	415	220	4148
	.	46.82	18.95	18.92	10.00	5.30	100.00
Frequency Missing = 5							

- e. Increased need for sleep, often feeling tired **ams05\_1** 1 2 3 4 5

Table of GENDER_1 by AMS05_1										
GENDER_1	AMS05_1									
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	RF:K	1: None	2: Mild	3: Moderate	4: Severe	5: Extremely Severe	Total
1: MALE	2	0	1	0	796	403	289	99	23	1610
	.	.	.	.	19.20	9.72	6.97	2.39	0.55	38.84
	.	.	.	.	49.44	25.03	17.95	6.15	1.43	
	.	.	.	.	44.27	40.06	34.57	25.65	19.33	
2: FEMALE	3	1	0	1	1002	603	547	287	96	2535
	.	.	.	.	24.17	14.55	13.20	6.92	2.32	61.16
	.	.	.	.	39.53	23.79	21.58	11.32	3.79	
	.	.	.	.	55.73	59.94	65.43	74.35	80.67	
Total	.	.	.	.	1798	1006	836	386	119	4145
	.	.	.	.	43.38	24.27	20.17	9.31	2.87	100.00
Frequency Missing = 8										

f. Irritability (feeling aggressive, easily upset about little things, moody) **ams06\_1**

1 2 3 4 5

Table of GENDER_1 by AMS06_1							
GENDER_1	AMS06_1						
Frequency Percent Row Pct Col Pct	.	1: None	2: Mild	3: Moderate	4: Severe	5: Extremely Severe	Total
1: MALE	2	841	453	233	66	18	1611
.	.	20.27	10.92	5.62	1.59	0.43	38.84
.	.	52.20	28.12	14.46	4.10	1.12	
.	.	43.33	37.81	32.41	30.14	25.35	
2: FEMALE	3	1100	745	486	153	53	2537
.	.	26.52	17.96	11.72	3.69	1.28	61.16
.	.	43.36	29.37	19.16	6.03	2.09	
.	.	56.67	62.19	67.59	69.86	74.65	
Total	.	1941	1198	719	219	71	4148
.	.	46.79	28.88	17.33	5.28	1.71	100.00
Frequency Missing = 5							

g. Nervousness (inner tension, restlessness, feeling fidgety) **ams07\_1**

1 2 3 4 5

Table of GENDER_1 by AMS07_1							
GENDER_1	AMS07_1						
Frequency Percent Row Pct Col Pct	.	1: None	2: Mild	3: Moderate	4: Severe	5: Extremely Severe	Total
1: MALE	2	956	367	209	59	20	1611
.	.	23.05	8.85	5.04	1.42	0.48	38.84
.	.	59.34	22.78	12.97	3.66	1.24	
.	.	43.28	36.44	33.07	25.76	28.17	
2: FEMALE	3	1253	640	423	170	51	2537
.	.	30.21	15.43	10.20	4.10	1.23	61.16
.	.	49.39	25.23	16.67	6.70	2.01	
.	.	56.72	63.56	66.93	74.24	71.83	
Total	.	2209	1007	632	229	71	4148
.	.	53.25	24.28	15.24	5.52	1.71	100.00
Frequency Missing = 5							

h. Anxiety (feeling panicky) **ams08\_1**

1 2 3 4 5

Table of GENDER_1 by AMS08_1								
GENDER_1	AMS08_1							
Frequency Percent Row Pct Col Pct	.	DK:O	1: None	2: Mild	3: Moderate	4: Severe	5: Extremely Severe	Total
1: MALE	2	0	960	364	196	63	28	1611
	.	.	23.15	8.78	4.73	1.52	0.68	38.85
	.	.	59.59	22.59	12.17	3.91	1.74	
	.	.	43.48	38.81	30.63	25.10	25.45	
2: FEMALE	3	1	1248	574	444	188	82	2536
	.	.	30.09	13.84	10.71	4.53	1.98	61.15
	.	.	49.21	22.63	17.51	7.41	3.23	
	.	.	56.52	61.19	69.38	74.90	74.55	
Total	.	.	2208	938	640	251	110	4147
	.	.	53.24	22.62	15.43	6.05	2.65	100.00
Frequency Missing = 6								

- i. Physical exhaustion / lacking vitality (general decrease in performance, reduced activity, lacking interest in leisure activities, feeling of getting less done, of achieving less, of having to force oneself to undertake activities) **ams09\_1** 1 2 3 4 5

Table of GENDER_1 by AMS09_1								
GENDER_1	AMS09_1							
Frequency Percent Row Pct Col Pct								
	.	RF:K	1: None	2: Mild	3: Moderate	4: Severe	5: Extremely Severe	Total
1: MALE	2	0	846	409	274	65	17	1611
	.	.	20.41	9.86	6.61	1.57	0.41	38.86
	.	.	52.51	25.39	17.01	4.03	1.06	
	.	.	43.65	38.66	35.26	22.49	20.24	
2: FEMALE	3	2	1092	649	503	224	67	2535
	.	.	26.34	15.65	12.13	5.40	1.62	61.14
	.	.	43.08	25.60	19.84	8.84	2.64	
	.	.	56.35	61.34	64.74	77.51	79.76	
Total	.	.	1938	1058	777	289	84	4146
	.	.	46.74	25.52	18.74	6.97	2.03	100.00
Frequency Missing = 7								

- j. Decrease in muscular strength (feeling of weakness) **ams10\_1** 1 2 3 4 5

Table of GENDER_1 by AMS10_1							
GENDER_1	AMS10_1						
Frequency Percent Row Pct Col Pct							
	.	1: None	2: Mild	3: Moderate	4: Severe	5: Extremely Severe	Total
1: MALE	2	861	407	249	75	19	1611
	.	20.76	9.81	6.00	1.81	0.46	38.84
	.	53.45	25.26	15.46	4.66	1.18	
	.	42.56	39.75	33.20	27.17	25.33	
2: FEMALE	3	1162	617	501	201	56	2537
	.	28.01	14.87	12.08	4.85	1.35	61.16
	.	45.80	24.32	19.75	7.92	2.21	
	.	57.44	60.25	66.80	72.83	74.67	
Total	.	2023	1024	750	276	75	4148
	.	48.77	24.69	18.08	6.65	1.81	100.00
Frequency Missing = 5							

- k. Depressive mood (feeling down, sad, on the verge of tears, lack of drive, mood swings, feeling nothing is of any use) **ams11\_1** 1 2 3 4 5

Table of GENDER_1 by AMS11_1							
GENDER_1	AMS11_1						
Frequency Percent Row Pct Col Pct							
	.	1: None	2: Mild	3: Moderate	4: Severe	5: Extremely Severe	Total
1: MALE	2	1007	306	215	60	23	1611
	.	24.28	7.38	5.18	1.45	0.55	38.84
	.	62.51	18.99	13.35	3.72	1.43	
	.	43.56	34.19	36.32	23.44	24.73	
2: FEMALE	3	1305	589	377	196	70	2537
	.	31.46	14.20	9.09	4.73	1.69	61.16
	.	51.44	23.22	14.86	7.73	2.76	
	.	56.44	65.81	63.68	76.56	75.27	
Total	.	2312	895	592	256	93	4148
	.	55.74	21.58	14.27	6.17	2.24	100.00
Frequency Missing = 5							

l. Feeling that you have passed your peak **ams12\_1**

1 2 3 4 5

Table of GENDER_1 by AMS12_1									
GENDER_1	AMS12_1								
Frequency Percent Row Pct Col Pct	.	DK:O	RF:K	1: None	2: Mild	3: Moderate	4: Severe	5: Extremely Severe	Total
1: MALE	2	2	0	804	357	315	83	50	1609
	.	.	.	19.42	8.62	7.61	2.00	1.21	38.86
	.	.	.	49.97	22.19	19.58	5.16	3.11	
	.	.	.	40.00	39.89	39.77	27.67	34.72	
2: FEMALE	3	3	2	1206	538	477	217	94	2532
	.	.	.	29.12	12.99	11.52	5.24	2.27	61.14
	.	.	.	47.63	21.25	18.84	8.57	3.71	
	.	.	.	60.00	60.11	60.23	72.33	65.28	
Total	.	.	.	2010	895	792	300	144	4141
	.	.	.	48.54	21.61	19.13	7.24	3.48	100.00
Frequency Missing = 12									

m. Feeling burnt out, having hit rock-bottom **ams13\_1**

1 2 3 4 5

Table of GENDER_1 by AMS13_1								
GENDER_1	AMS13_1							
Frequency Percent Row Pct Col Pct	.	MI:O	1: None	2: Mild	3: Moderate	4: Severe	5: Extremely Severe	Total
1: MALE	2	1	1149	243	128	61	29	1610
	.	.	27.71	5.86	3.09	1.47	0.70	38.82
	.	.	71.37	15.09	7.95	3.79	1.80	
	.	.	42.46	35.27	29.77	27.85	28.16	
2: FEMALE	3	0	1557	446	302	158	74	2537
	.	.	37.55	10.75	7.28	3.81	1.78	61.18
	.	.	61.37	17.58	11.90	6.23	2.92	
	.	.	57.54	64.73	70.23	72.15	71.84	
Total	.	.	2706	689	430	219	103	4147
	.	.	65.25	16.61	10.37	5.28	2.48	100.00
Frequency Missing = 6								

n. Decrease in sexual desire/libido (lacking pleasure in sex, lacking desire for sexual intercourse) **ams17\_1**

1 2 3 4 5

Table of GENDER_1 by AMS17_1										
GENDER_1	AMS17_1									
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	NA:K	RF:K	1: None	2: Mild	3: Moderate	4: Severe	5: Extremely Severe
1: MALE	2	1	1	0	9	843	329	271	100	57
	.	.	.	.	.	20.83	8.13	6.70	2.47	1.41
	.	.	.	.	.	52.69	20.56	16.94	6.25	3.56
	.	.	.	.	.	42.81	42.23	41.06	30.49	18.33
2: FEMALE	3	4	2	49	35	1126	450	389	228	254
	.	.	.	.	.	27.82	11.12	9.61	5.63	6.28
	.	.	.	.	.	46.02	18.39	15.90	9.32	10.38
	.	.	.	.	.	57.19	57.77	58.94	69.51	81.67
Total	.	.	.	.	.	1969	779	660	328	311
	.	.	.	.	.	48.65	19.25	16.31	8.10	7.68
Frequency Missing = 106										

o. Decrease in ability/frequency to perform sexually **ams15\_1**

1 2 3 4 5

Table of GENDER_1 by AMS15_1											
GENDER_1	AMS15_1										
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	NA:K	RF:K	1: None	2: Mild	3: Moderate	4: Severe	5: Extremely Severe	Total
1: MALE	2	2	1	1	10	890	301	236	100	70	1597
	.	.	.	.	.	22.11	7.48	5.86	2.48	1.74	39.68
	.	.	.	.	.	55.73	18.85	14.78	6.26	4.38	
	.	.	.	.	.	40.88	42.70	42.37	34.60	23.57	
2: FEMALE	3	7	2	61	39	1287	404	321	189	227	2428
	.	.	.	.	.	31.98	10.04	7.98	4.70	5.64	60.32
	.	.	.	.	.	53.01	16.64	13.22	7.78	9.35	
	.	.	.	.	.	59.12	57.30	57.63	65.40	76.43	
Total	.	.	.	.	.	2177	705	557	289	297	4025
	.	.	.	.	.	54.09	17.52	13.84	7.18	7.38	100.00

Frequency Missing = 128

p. **MEN ONLY:** Decrease in the number of morning erections **ams16\_1**

1 2 3 4 5

AMS16_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
DK:O	6	.	.	.
MI:O	2	.	.	.
RF:K	12	.	.	.
Skip	2537	.	.	.
1: None	909	57.13	909	57.13
2: Mild	273	17.16	1182	74.29
3: Moderate	243	15.27	1425	89.57
4: Severe	101	6.35	1526	95.91
5: Extremely Severe	65	4.09	1591	100.00

Frequency Missing = 2562

q. **MEN ONLY:** Decrease in beard growth **ams14\_1**

1 2 3 4 5

AMS14_1	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
RF:K	1	.	.	.
Skip	2537	.	.	.
1: None	1360	84.47	1360	84.47
2: Mild	135	8.39	1495	92.86
3: Moderate	74	4.60	1569	97.45
4: Severe	20	1.24	1589	98.70
5: Extremely Severe	21	1.30	1610	100.00

Frequency Missing = 2543

**[TAKE BACK RESPONSE CARD 'H18']**

**WOMEN, GO TO SECTION I.**

- H19. Erectile dysfunction (ED) (sometimes called impotence) means being unable to get and keep an erection that is rigid enough for satisfactory sexual activity. In general, how would you describe yourself? **[SHOW RESPONSE CARD 'H19']**

**dscrimpo\_1**

No ED/Not impotent: always able to get and keep an erection good enough for sexual intercourse.....

1

➔ **Go to Section I**

Minimal ED/Minimally impotent: usually able to get and keep an erection good enough for sexual intercourse .....

2

Moderate ED/Moderately impotent: sometimes able to get and keep an erection good enough for sexual intercourse.....

3

Complete ED/Completely impotent: never able to get and keep an erection good enough for sexual intercourse .....

4

DSCRIMPO_1	Frequency	Percent	Cum Freq	Cum Percent
.	521	.	.	.
DK:0	3	.	.	.
MI:0	30	.	.	.
RF:K	7	.	.	.
Skip	2067	.	.	.
1: No ED/No impotence	902	59.15	902	59.15
2: Minimal ED/Minimally impotent	281	18.43	1183	77.57
3: Moderate ED/ Moderately impotent	234	15.34	1417	92.92
4: Complete ED/Completely impotent	108	7.08	1525	100.00

Frequency Missing = 2628

**[TAKE BACK RESPONSE CARD 'H19']**

- H20. When did you start having trouble getting and keep an erection that's rigid enough for satisfactory sexual activity?

**srterctb\_1**

6 months or less .....

1

More than 6 months, less than a year .....

2

More than 1 year, less than 2 years .....

3

More than 2 years, less than 5 years .....

4

5 years or more .....

5

SRTERCTB_1	Frequency	Percent	Cum Freq	Cum Percent
.	521	.	.	.
DK:0	3	.	.	.
MI:0	43	.	.	.
RF:K	8	.	.	.
Skip	2969	.	.	.
1: 6 months or less	62	10.18	62	10.18
2: More than 6 months, less than 1 year	58	9.52	120	19.70
3: More than 1 year, less than 2 years	129	21.18	249	40.89
4: More than 2 years, less than 5 years	166	27.26	415	68.14
5: 5 years or more	194	31.86	609	100.00

Frequency Missing = 3544

H21. During the past 4 weeks, how much of a problem has this been? **mercpb\_1**

- No problem ..... 1  
 Very small problem..... 2  
 Small problem ..... 3  
 Medium problem..... 4  
 Big problem ..... 5

MERCPB_1	Frequency	Percent	Cum Freq	Cum Percent
.	521	.	.	.
DK:0	1	.	.	.
MI:0	36	.	.	.
RF:K	7	.	.	.
Skip	2969	.	.	.
1: No problem	250	40.39	250	40.39
2: Very small problem	103	16.64	353	57.03
3: Small problem	111	17.93	464	74.96
4: Medium problem	88	14.22	552	89.18
5: Big problem	67	10.82	619	100.00

Frequency Missing = 3534

# SECTION I: TOBACCO, ALCOHOL AND BEVERAGE CONSUMPTION

Now I'd like to ask you about your tobacco use and exposure to second hand smoke.

I1. Have you smoked at least 100 cigarettes (about 5 packs) during your entire life? **cigs100\_1**

YES ..... 1  
NO ..... 2 **(I5)**

Table of GENDER_1 by CIGS100_1				
GENDER_1	CIGS100_1			
Frequency Percent Row Pct Col Pct	.	1: Yes	2: No	Total
1: MALE	2	936	675	1611
.	.	22.57	16.27	38.84
.	.	58.10	41.90	
.	.	43.90	33.48	
2: FEMALE	3	1196	1341	2537
.	.	28.83	32.33	61.16
.	.	47.14	52.86	
.	.	56.10	66.52	
Total	.	2132	2016	4148
.	.	51.40	48.60	100.00
Frequency Missing = 5				

I1a. How old were you when you first started smoking cigarettes? **cigsagest\_1**

YEARS OLD

Table of GENDER_1 by CIGSAGEST_1								
GENDER_1	CIGSAGEST_1							
Frequency Percent Row Pct Col Pct	.	DK:0	Skip	≤14	15-16	17-19	19<	Total
1: MALE	245	4	580	251	181	212	140	784
.	.	.	.	14.33	10.33	12.10	7.99	44.75
.	.	.	.	32.02	23.09	27.04	17.86	
.	.	.	.	50.71	42.59	47.01	36.75	
2: FEMALE	473	1	1098	244	244	239	241	968
.	.	.	.	13.93	13.93	13.64	13.76	55.25
.	.	.	.	25.21	25.21	24.69	24.90	
.	.	.	.	49.29	57.41	52.99	63.25	
Total	.	.	.	495	425	451	381	1752
.	.	.	.	28.25	24.26	25.74	21.75	100.00
Frequency Missing = 2401								

- I2. Do you smoke cigarettes now? **cigsnow\_1**
- YES ..... 1 (13)
- NO ..... 2

Table of GENDER_1 by CIGSNOW_1					
GENDER_1	CIGSNOW_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: Yes	2: No	Total
1: MALE	2	675	398	538	936
	.	.	18.67	25.23	43.90
	.	.	42.52	57.48	
	.	.	45.49	42.80	
2: FEMALE	3	1341	477	719	1196
	.	.	22.37	33.72	56.10
	.	.	39.88	60.12	
	.	.	54.51	57.20	
Total	.	.	875	1257	2132
	.	.	41.04	58.96	100.00
Frequency Missing = 2021					

- I2a. How old were you when you quit smoking cigarettes? **cigsageqt\_1**

YEARS OLD

Table of GENDER_1 by CIGSAGEQT_1								
GENDER_1	CIGSAGEQT_1							
Frequency Percent Row Pct Col Pct	.	DK:0	Skip	≤29	30-38	39-49	49<	Total
1: MALE	245	3	920	115	113	120	97	445
	.	.	.	11.24	11.05	11.73	9.48	43.50
	.	.	.	25.84	25.39	26.97	21.80	
	.	.	.	43.89	44.14	45.98	39.75	
2: FEMALE	473	3	1486	147	143	141	147	578
	.	.	.	14.37	13.98	13.78	14.37	56.50
	.	.	.	25.43	24.74	24.39	25.43	
	.	.	.	56.11	55.86	54.02	60.25	
Total	.	.	.	262	256	261	244	1023
	.	.	.	25.61	25.02	25.51	23.85	100.00
Frequency Missing = 3130								

13. On average, about how many cigarettes do (did) you smoke?  
IF R ANSWERS IN PACKS, PROBE FOR NUMBER OF CIGARETTES

a. 

--	--	--

 # CIGARETTES  
avgcigs\_1

b. DAY ..... 1  
WEEK..... 2  
MONTH ..... 3  
YEAR..... 4  
cigsfreq\_1

Table of GENDER_1 by AVGCIGS_1															
GENDER_1	AVGCIGS_1														
Frequency Percent Row Pct Col Pct	.	DK:0	MI:0	Skip	0	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	40<	Total
1: MALE	2	4	0	675	1	204	225	70	273	13	39	7	62	38	932
	.	.	.	.	0.05	9.62	10.61	3.30	12.87	0.61	1.84	0.33	2.92	1.79	43.94
	.	.	.	.	0.11	21.89	24.14	7.51	29.29	1.39	4.18	0.75	6.65	4.08	
	.	.	.	.	100.00	37.23	42.78	47.95	45.65	52.00	50.00	87.50	51.24	54.29	
2: FEMALE	3	6	1	1341	0	344	301	76	325	12	39	1	59	32	1189
	.	.	.	.	0.00	16.22	14.19	3.58	15.32	0.57	1.84	0.05	2.78	1.51	56.06
	.	.	.	.	0.00	28.93	25.32	6.39	27.33	1.01	3.28	0.08	4.96	2.69	
	.	.	.	.	0.00	62.77	57.22	52.05	54.35	48.00	50.00	12.50	48.76	45.71	
Total	.	.	.	.	1	548	526	146	598	25	78	8	121	70	2121
	.	.	.	.	0.05	25.84	24.80	6.88	28.19	1.18	3.68	0.38	5.70	3.30	100.00

Frequency Missing = 2032

Table of GENDER_1 by CIGSFREQ_1								
GENDER_1	CIGSFREQ_1							
Frequency Percent Row Pct Col Pct	.	MI:0	Skip	1: Day	2: Week	3: Month	4: Year	Total
1: MALE	2	7	679	841	63	16	5	925
	.	.	.	39.90	2.99	0.76	0.24	43.88
	.	.	.	90.92	6.81	1.73	0.54	
	.	.	.	43.78	43.45	48.48	55.56	
2: FEMALE	3	6	1348	1080	82	17	4	1183
	.	.	.	51.23	3.89	0.81	0.19	56.12
	.	.	.	91.29	6.93	1.44	0.34	
	.	.	.	56.22	56.55	51.52	44.44	
Total	.	.	.	1921	145	33	9	2108
	.	.	.	91.13	6.88	1.57	0.43	100.00

Frequency Missing = 2045

I4. For approximately how many years have you smoked (did you smoke) this amount? **cigsdur\_1**

--	--

YEARS

**IF < 1 YEAR, RECORD 01.**

Table of GENDER_1 by CIGSDUR_1															
GENDER_1	CIGSDUR_1														
Frequency Percent Row Pct Col Pct	.	DK:0	MI:0	Skip	0	1-5	6-10	11-15	16-20	21-25	26-30	31-35	36-40	40<	Total
1: MALE	2	8	3	675	1	221	148	104	113	70	75	58	59	76	925
	.	.	.	.	0.05	10.50	7.03	4.94	5.37	3.33	3.56	2.76	2.80	3.61	43.94
	.	.	.	.	0.11	23.89	16.00	11.24	12.22	7.57	8.11	6.27	6.38	8.22	
	.	.	.	.	33.33	41.39	43.15	48.60	39.24	47.62	43.60	47.15	49.58	46.91	
2: FEMALE	3	15	1	1341	2	313	195	110	175	77	97	65	60	86	1180
	.	.	.	.	0.10	14.87	9.26	5.23	8.31	3.66	4.61	3.09	2.85	4.09	56.06
	.	.	.	.	0.17	26.53	16.53	9.32	14.83	6.53	8.22	5.51	5.08	7.29	
	.	.	.	.	66.67	58.61	56.85	51.40	60.76	52.38	56.40	52.85	50.42	53.09	
Total	.	.	.	.	3	534	343	214	288	147	172	123	119	162	2105
	.	.	.	.	0.14	25.37	16.29	10.17	13.68	6.98	8.17	5.84	5.65	7.70	100.00
Frequency Missing = 2048															

I5. Have you ever smoked at least 20 cigars in your entire life? **cigar20\_1**

YES ..... 1  
NO ..... 2 **(I6)**

Table of GENDER_1 by CIGAR20_1				
GENDER_1	CIGAR20_1			
Frequency Percent Row Pct Col Pct	.	1: Yes	2: No	Total
1: MALE	2	246	1365	1611
	.	5.93	32.91	38.84
	.	15.27	84.73	
	.	83.96	35.41	
2: FEMALE	3	47	2490	2537
	.	1.13	60.03	61.16
	.	1.85	98.15	
	.	16.04	64.59	
Total	.	293	3855	4148
	.	7.06	92.94	100.00
Frequency Missing = 5				

a. Do you smoke cigars now? **cigarnow\_1**

YES ..... 1  
NO ..... 2 **(I6)**

Table of GENDER_1 by CIGARNOW_1					
GENDER_1	CIGARNOW_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: Yes	2: No	Total
1: MALE	2	1365	72	174	246
	.	.	24.57	59.39	83.96
	.	.	29.27	70.73	
	.	.	81.82	84.88	
2: FEMALE	3	2490	16	31	47
	.	.	5.46	10.58	16.04
	.	.	34.04	65.96	
	.	.	18.18	15.12	
Total	.	.	88	205	293
	.	.	30.03	69.97	100.00
Frequency Missing = 3860					

b1. How many cigars do you smoke? **avgcigar\_1**

			# CIGARS
--	--	--	----------

**cigrfreq\_1**

b2. DAY.....1  
 WEEK.....2  
 MONTH.....3  
 YEAR .....4

Table of GENDER_1 by AVGCIGAR_1						
GENDER_1	AVGCIGAR_1					
Frequency Percent Row Pct Col Pct	.	Skip	0-3	4-6	6<	Total
1: MALE	2	1539	55	10	7	72
.	.	.	62.50	11.36	7.95	81.82
.	.	.	76.39	13.89	9.72	
.	.	.	78.57	90.91	100.00	
2: FEMALE	3	2521	15	1	0	16
.	.	.	17.05	1.14	0.00	18.18
.	.	.	93.75	6.25	0.00	
.	.	.	21.43	9.09	0.00	
Total	.	.	70	11	7	88
.	.	.	79.55	12.50	7.95	100.00
Frequency Missing = 4065						

Table of GENDER_1 by CIGRFREQ_1							
GENDER_1	CIGRFREQ_1						
Frequency Percent Row Pct Col Pct	.	Skip	1: Day	2: Week	3: Month	4: Year	Total
1: MALE	2	1539	21	17	17	17	72
.	.	.	23.86	19.32	19.32	19.32	81.82
.	.	.	29.17	23.61	23.61	23.61	
.	.	.	77.78	89.47	85.00	77.27	
2: FEMALE	3	2521	6	2	3	5	16
.	.	.	6.82	2.27	3.41	5.68	18.18
.	.	.	37.50	12.50	18.75	31.25	
.	.	.	22.22	10.53	15.00	22.73	
Total	.	.	27	19	20	22	88
.	.	.	30.68	21.59	22.73	25.00	100.00
Frequency Missing = 4065							

16. Do you live with someone who smokes tobacco at home regularly? **smokhome\_1**

YES ..... 1  
NO ..... 2

Table of GENDER_1 by SMOKHOME_1					
GENDER_1	SMOKHOME_1				
Frequency Percent Row Pct Col Pct	.	MI:O	1: Yes	2: No	Total
1: MALE	2	1	208	1402	1610
	.	.	5.02	33.81	38.82
	.	.	12.92	87.08	
	.	.	35.99	39.28	
2: FEMALE	3	0	370	2167	2537
	.	.	8.92	52.25	61.18
	.	.	14.58	85.42	
	.	.	64.01	60.72	
Total	.	.	578	3569	4147
	.	.	13.94	86.06	100.00
Frequency Missing = 6					

17. Currently do you spend time on a daily basis, at work or in other activities outside your home, with people who are smoking? **smokwork\_1**

YES ..... 1  
NO ..... 2

Table of GENDER_1 by SMOKWORK_1					
GENDER_1	SMOKWORK_1				
Frequency Percent Row Pct Col Pct	.	MI:O	1: Yes	2: No	Total
1: MALE	2	1	384	1226	1610
	.	.	9.27	29.60	38.87
	.	.	23.85	76.15	
	.	.	46.94	36.88	
2: FEMALE	3	5	434	2098	2532
	.	.	10.48	50.65	61.13
	.	.	17.14	82.86	
	.	.	53.06	63.12	
Total	.	.	818	3324	4142
	.	.	19.75	80.25	100.00
Frequency Missing = 11					

Now I would like to ask you a few questions about drinking alcoholic beverages.

18. Have you ever had an alcoholic drink? **evretoh\_1**

YES ..... 1  
NO ..... 2 (114)

Table of GENDER_1 by EVRETOH_1				
GENDER_1	EVRETOH_1			
Frequency Percent Row Pct Col Pct	.	1: Yes	2: No	Total
1: MALE	2	1541	70	1611
	.	37.15	1.69	38.84
	.	95.65	4.35	
	.	40.99	17.99	
2: FEMALE	3	2218	319	2537
	.	53.47	7.69	61.16
	.	87.43	12.57	
	.	59.01	82.01	
Total	.	3759	389	4148
	.	90.62	9.38	100.00
Frequency Missing = 5				

19. Have you had an alcoholic drink in the last 30 days? **alcoh30dy\_1**

YES ..... 1  
NO ..... 2 (113)

Table of GENDER_1 by ALCOH30DY_1					
GENDER_1	ALCOH30DY_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: Yes	2: No	Total
1: MALE	245	52	844	472	1316
	.	.	26.82	15.00	41.82
	.	.	64.13	35.87	
	.	.	47.36	34.58	
2: FEMALE	473	236	938	893	1831
	.	.	29.81	28.38	58.18
	.	.	51.23	48.77	
	.	.	52.64	65.42	
Total	.	.	1782	1365	3147
	.	.	56.63	43.37	100.00
Frequency Missing = 1006					

I10. \*In the last 30 days,  
did you drink any:

i. IF YES: About how often  
do you drink \_\_\_\_\_?  
Would you say:

ii. IF YES: About how much do  
you drink on a typical day when  
you drink \_\_\_\_\_?  
Would you say:

iii. IF YES: How often are  
you having a meal  
when you drink \_\_\_\_?  
Would you say:

\*a. Beer or lite beer?

YES.....1

NO.....2 (I10b)

Every day.....1

5-6 days a week.....2

3-4 days a week.....3

1-2 days a week.....4

Or, less often than weekly...5

1-2 12oz serving(s).....1

3-5 12oz servings.....2

1-2 six packs (12oz bottles/cans)..3

2-3 six packs(12oz bottles/cans)..4

3+ six packs (12oz bottles/cans)..5

Less than ½ the time...1

½ the time or more.....2

beer30dy\_1

beerfreq\_1

beervol\_1

beermeal\_1

Table of GENDER_1 by BEER30DY_1					
GENDER_1	BEER30DY_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: Yes	2: No	Total
1: MALE	2	542	791	278	1069
	.	.	33.04	11.61	44.65
	.	.	73.99	26.01	
	.	.	57.03	27.61	
2: FEMALE	3	1212	596	729	1325
	.	.	24.90	30.45	55.35
	.	.	44.98	55.02	
	.	.	42.97	72.39	
Total	.	.	1387	1007	2394
	.	.	57.94	42.06	100.00
Frequency Missing = 1759					

Table of GENDER_1 by BEERFREQ_1									
GENDER_1	BEERFREQ_1								
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: Everyday	2: 5-6 days a week	3: 3-4 days a week	4: 1-2 days a week	5: Less often than weekly	Total
1: MALE	2	1	820	63	32	125	292	278	790
	.	.	.	4.55	2.31	9.03	21.08	20.07	57.04
	.	.	.	7.97	4.05	15.82	36.96	35.19	
	.	.	.	78.75	69.57	78.13	65.91	42.38	
2: FEMALE	3	1	1941	17	14	35	151	378	595
	.	.	.	1.23	1.01	2.53	10.90	27.29	42.96
	.	.	.	2.86	2.35	5.88	25.38	63.53	
	.	.	.	21.25	30.43	21.88	34.09	57.62	
Total	.	.	.	80	46	160	443	656	1385
	.	.	.	5.78	3.32	11.55	31.99	47.36	100.00
Frequency Missing = 2768									

110. \*In the **last 30 days**, did you drink any:

i. **IF YES:** About how often do you drink \_\_\_\_\_? Would you say:

ii. **IF YES:** About how much do you drink on a typical day when you drink \_\_\_\_\_? Would you say:

iii. **IF YES:** How often are you having a meal when you drink \_\_\_\_? Would you say:

\*a. Beer or lite beer?  
YES.....1  
NO.....2 (110b)

Every day.....1  
5-6 days a week.....2  
3-4 days a week.....3  
1-2 days a week.....4  
Or, less often than weekly...5

1-2 12oz serving(s).....1  
3-5 12oz servings.....2  
1-2 six packs (12oz bottles/cans)..3  
2-3 six packs(12oz bottles/cans)..4  
3+ six packs (12oz bottles/cans)..5

Less than ½ the time...1  
½ the time or more.....2

beer30dy\_1

beerfreq\_1

beervol\_1

beermeal\_1

Table of GENDER_1 by BEERVOL_1									
GENDER_1	BEERVOL_1								
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: 1-2 12 oz servings	2: 3-5 12 oz servings	3: 1-2 six packs	4: 2-3 six packs	5: 3+ six packs	Total
1: MALE	2	1	820	441	213	123	12	1	790
	.	.	.	31.82	15.37	8.87	0.87	0.07	57.00
	.	.	.	55.82	26.96	15.57	1.52	0.13	
	.	.	.	50.06	65.34	75.93	75.00	100.00	
2: FEMALE	3	0	1941	440	113	39	4	0	596
	.	.	.	31.75	8.15	2.81	0.29	0.00	43.00
	.	.	.	73.83	18.96	6.54	0.67	0.00	
	.	.	.	49.94	34.66	24.07	25.00	0.00	
Total	.	.	.	881	326	162	16	1	1386
	.	.	.	63.56	23.52	11.69	1.15	0.07	100.00
Frequency Missing = 2767									

Table of GENDER_1 by BEERMEAL_1						
GENDER_1	BEERMEAL_1					
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: Less than half the time	2: Half the time or more	Total
1: MALE	245	1	692	290	385	675
	.	.	.	25.11	33.33	58.44
	.	.	.	42.96	57.04	
	.	.	.	58.94	58.07	
2: FEMALE	473	0	1587	202	278	480
	.	.	.	17.49	24.07	41.56
	.	.	.	42.08	57.92	
	.	.	.	41.06	41.93	
Total	.	.	.	492	663	1155
	.	.	.	42.60	57.40	100.00
Frequency Missing = 2998						

\*b. Wine, wine coolers,  
sangria or champagne?  
YES.....1  
NO.....2 **(I10c)**

Every day ..... 1 1-2 glasses (5oz) ..... 1 Less than ½ the time...1  
5-6 days a week..... 2 1/2 carafe (12.5oz) ..... 2 ½ the time or more...2  
3-4 days a week..... 3 1 bottle ..... 3  
1-2 days a week..... 4 2-4 bottles..... 4  
Or, less often than weekly..... 5 5 or more bottles of wine or  
champagne (125oz each).....5

wine30dy\_1

winefreq\_1

winevol\_1

winemeal\_1

Table of GENDER_1 by WINE30DY_1					
GENDER_1	WINE30DY_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: Yes	2: No	Total
1: MALE	2	542	518	551	1069
	.	.	21.64	23.02	44.65
	.	.	48.46	51.54	
	.	.	40.31	49.68	
2: FEMALE	3	1212	767	558	1325
	.	.	32.04	23.31	55.35
	.	.	57.89	42.11	
	.	.	59.69	50.32	
Total	.	.	1285	1109	2394
	.	.	53.68	46.32	100.00
Frequency Missing = 1759					

Table of GENDER_1 by WINEFREQ_1									
GENDER_1	WINEFREQ_1								
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: Everyday	2: 5-6 days a week	3: 3-4 days a week	4: 1-2 days a week	5: Less often than weekly	Total
1: MALE	2	0	1093	58	27	71	139	223	518
	.	.	.	4.52	2.10	5.53	10.83	17.37	40.34
	.	.	.	11.20	5.21	13.71	26.83	43.05	
	.	.	.	51.79	38.03	45.22	38.08	38.51	
2: FEMALE	3	1	1770	54	44	86	226	356	766
	.	.	.	4.21	3.43	6.70	17.60	27.73	59.66
	.	.	.	7.05	5.74	11.23	29.50	46.48	
	.	.	.	48.21	61.97	54.78	61.92	61.49	
Total	.	.	.	112	71	157	365	579	1284
	.	.	.	8.72	5.53	12.23	28.43	45.09	100.00
Frequency Missing = 2869									

\*b. Wine, wine coolers,  
sangria or champagne?  
YES.....1  
NO.....2 **(I10c)**

Every day ..... 1 1-2 glasses (5oz) ..... 1 Less than ½ the time...1  
5-6 days a week..... 2 1/2 carafe (12.5oz) ..... 2 ½ the time or more...2  
3-4 days a week..... 3 1 bottle ..... 3  
1-2 days a week..... 4 2-4 bottles..... 4  
Or, less often than weekly..... 5 5 or more bottles of wine or  
champagne (125oz each).....5

wine30dy\_1

winefreq\_1

winevol\_1

winemeal\_1

Table of GENDER_1 by WINEVOL_1							
GENDER_1	WINEVOL_1						
Frequency Percent Row Pct Col Pct	.	Skip	1: 1-2 glasses	2: 1/2 carafe	3: 1 Bottle	4: 2-4 Bottles	Total
1: MALE	2	1093	441	48	23	6	518
	.	.	34.32	3.74	1.79	0.47	40.31
	.	.	85.14	9.27	4.44	1.16	
	.	.	39.62	41.38	51.11	54.55	
2: FEMALE	3	1770	672	68	22	5	767
	.	.	52.30	5.29	1.71	0.39	59.69
	.	.	87.61	8.87	2.87	0.65	
	.	.	60.38	58.62	48.89	45.45	
Total	.	.	1113	116	45	11	1285
	.	.	86.61	9.03	3.50	0.86	100.00
Frequency Missing = 2868							

Table of GENDER_1 by WINEMEAL_1					
GENDER_1	WINEMEAL_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: Less than half the time	2: Half the time or more	Total
1: MALE	245	921	118	329	447
	.	.	10.97	30.58	41.54
	.	.	26.40	73.60	
	.	.	44.70	40.52	
2: FEMALE	473	1438	146	483	629
	.	.	13.57	44.89	58.46
	.	.	23.21	76.79	
	.	.	55.30	59.48	
Total	.	.	264	812	1076
	.	.	24.54	75.46	100.00
Frequency Missing = 3077					

- \*c. Hard liquor such as Every day ..... 1 1 shot (1.5oz)..... 1 Less than ½ the time...1  
 tequila, gin, vodka, 5-6 days a week..... 2 2-3 shots..... 2 ½ the time or more.....2  
 scotch, rum, whiskey, 3-4 days a week..... 3 4-6 shots or a 1/2pint.....3  
 or liqueurs, either alone 1-2 days a week..... 4 7-11 shots or a pint.....4  
 or mixed?  
 YES.....1 Or, less often than weekly..... 5 2 pints (32 oz) or more .....5  
 NO.....2 (I11)

liqu30dy\_1

liqufreq\_1

liquvol\_1

liqumeal\_1

Table of GENDER_1 by LIQU30DY_1					
GENDER_1	LIQU30DY_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: Yes	2: No	Total
1: MALE	2	542	562	507	1069
	.	.	23.48	21.18	44.65
	.	.	52.57	47.43	
	.	.	51.89	38.67	
2: FEMALE	3	1212	521	804	1325
	.	.	21.76	33.58	55.35
	.	.	39.32	60.68	
	.	.	48.11	61.33	
Total	.	.	1083	1311	2394
	.	.	45.24	54.76	100.00
Frequency Missing = 1759					

Table of GENDER_1 by LIQUFREQ_1								
GENDER_1	LIQUFREQ_1							
Frequency Percent Row Pct Col Pct	.	Skip	1: Everyday	2: 5-6 days a week	3: 3-4 days a week	4: 1-2 days a week	5: Less often than weekly	Total
1: MALE	2	1049	37	24	58	203	240	562
	.	.	3.42	2.22	5.36	18.74	22.16	51.89
	.	.	6.58	4.27	10.32	36.12	42.70	
	.	.	58.73	77.42	66.67	64.04	41.03	
2: FEMALE	3	2016	26	7	29	114	345	521
	.	.	2.40	0.65	2.68	10.53	31.86	48.11
	.	.	4.99	1.34	5.57	21.88	66.22	
	.	.	41.27	22.58	33.33	35.96	58.97	
Total	.	.	63	31	87	317	585	1083
	.	.	5.82	2.86	8.03	29.27	54.02	100.00
Frequency Missing = 3070								

- \*c. Hard liquor such as Every day ..... 1 1 shot (1.5oz)..... 1 Less than ½ the time...1  
 tequila, gin, vodka, 5-6 days a week..... 2 2-3 shots..... 2 ½ the time or more.....2  
 scotch, rum, whiskey, 3-4 days a week..... 3 4-6 shots or a 1/2pint.....3  
 or liqueurs, either alone 1-2 days a week..... 4 7-11 shots or a pint.....4  
 or mixed?  
 YES.....1 Or, less often than weekly..... 5 2 pints (32 oz) or more .....5  
 NO.....2 (I11)

liqu30dy\_1

liqufreq\_1

liquvol\_1

liqumeal\_1

Table of GENDER_1 by LIQUVOL_1									
GENDER_1	LIQUVOL_1								
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: 1 shot	2: 2-3 shots	3: 4-6 shots	4: 7-11 shots	5: 2 pints or more	Total
1: MALE	2	0	1049	169	263	98	23	9	562
	.	.	.	15.62	24.31	9.06	2.13	0.83	51.94
	.	.	.	30.07	46.80	17.44	4.09	1.60	
	.	.	.	40.53	54.45	71.01	69.70	81.82	
2: FEMALE	3	1	2016	248	220	40	10	2	520
	.	.	.	22.92	20.33	3.70	0.92	0.18	48.06
	.	.	.	47.69	42.31	7.69	1.92	0.38	
	.	.	.	59.47	45.55	28.99	30.30	18.18	
Total	.	.	.	417	483	138	33	11	1082
	.	.	.	38.54	44.64	12.75	3.05	1.02	100.00
Frequency Missing = 3071									

Table of GENDER_1 by LIQUMEAL_1					
GENDER_1	LIQUMEAL_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: Less than half the time	2: Half the time or more	Total
1: MALE	245	884	267	217	484
	.	.	29.15	23.69	52.84
	.	.	55.17	44.83	
	.	.	55.05	50.35	
2: FEMALE	473	1635	218	214	432
	.	.	23.80	23.36	47.16
	.	.	50.46	49.54	
	.	.	44.95	49.65	
Total	.	.	485	431	916
	.	.	52.95	47.05	100.00
Frequency Missing = 3237					

111. Considering all the types of alcoholic beverages, how many times during the last 30 days did you have 5 or more drinks within a 24-hour period? **bnge30dy\_1**  # TIMES

Table of GENDER_1 by BNGE30DY_1										
GENDER_1	BNGE30DY_1									
Frequency Percent Row Pct Col Pct	.	DK:0	MI:0	Skip	0	1-3	4-6	7-9	9<	Total
1: MALE	2	1	0	619	626	206	87	23	49	991
	.	.	.	.	29.46	9.69	4.09	1.08	2.31	46.64
	.	.	.	.	63.17	20.79	8.78	2.32	4.94	
	.	.	.	.	39.62	63.00	71.31	88.46	70.00	
2: FEMALE	3	1	3	1399	954	121	35	3	21	1134
	.	.	.	.	44.89	5.69	1.65	0.14	0.99	53.36
	.	.	.	.	84.13	10.67	3.09	0.26	1.85	
	.	.	.	.	60.38	37.00	28.69	11.54	30.00	
Total	.	.	.	.	1580	327	122	26	70	2125
	.	.	.	.	74.35	15.39	5.74	1.22	3.29	100.00
Frequency Missing = 2028										

112. Now, thinking about the occasions or days that you drink, how many drinks on average do you have during those occasions (at one sitting or session)? **avgndrnk\_1**  # DRINKS

Table of GENDER_1 by AVGNDRNK_1													
GENDER_1	AVGNDRNK_1												
Frequency Percent Row Pct Col Pct	.	DK:0	MI:0	NA:K	RF:K	Skip	0	1-3	4-6	7-9	10-12	12<	Total
1: MALE	2	6	1	1	2	542	42	725	212	33	37	10	1059
	.	.	.	.	.	.	1.77	30.51	8.92	1.39	1.56	0.42	44.57
	.	.	.	.	.	.	3.97	68.46	20.02	3.12	3.49	0.94	
	.	.	.	.	.	.	32.06	39.99	64.63	75.00	80.43	71.43	
2: FEMALE	3	5	1	1	1	1212	89	1088	116	11	9	4	1317
	.	.	.	.	.	.	3.75	45.79	4.88	0.46	0.38	0.17	55.43
	.	.	.	.	.	.	6.76	82.61	8.81	0.84	0.68	0.30	
	.	.	.	.	.	.	67.94	60.01	35.37	25.00	19.57	28.57	
Total	.	.	.	.	.	.	131	1813	328	44	46	14	2376
	.	.	.	.	.	.	5.51	76.30	13.80	1.85	1.94	0.59	100.00
Frequency Missing = 1777													

113. In the past 10 years, has your use of alcoholic beverages..... **alcohuse\_1**  
 Increased ..... 1  
 Decreased ..... 2  
 Not changed ..... 3

Table of GENDER_1 by ALCOHUSE_1							
GENDER_1	ALCOHUSE_1						
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: Increased	2: Decreased	3: Not changed	Total
1: MALE	245	1	52	95	708	512	1315
	.	.	.	3.02	22.50	16.27	41.80
	.	.	.	7.22	53.84	38.94	
	.	.	.	42.99	45.12	37.76	
2: FEMALE	473	0	236	126	861	844	1831
	.	.	.	4.01	27.37	26.83	58.20
	.	.	.	6.88	47.02	46.10	
	.	.	.	57.01	54.88	62.24	
Total	.	.	.	221	1569	1356	3146
	.	.	.	7.02	49.87	43.10	100.00
Frequency Missing = 1007							

Now I would like to ask you a few questions about other, non-alcoholic beverages that you drink every day. Think about the past 7 days.

I14 \*How many servings of [ITEM] did you drink each day? A serving is one 8 oz glass or cup. # SERVINGS

\*a. Water **h2o\_1**

Table of GENDER_1 by H2O_1									
GENDER_1	H2O_1								
Frequency Percent Row Pct Col Pct	.	DK:0	0	1-3	4-6	7-9	10-12	12<	Total
1: MALE	2	2	82	649	575	178	96	29	1609
	.	.	1.98	15.66	13.88	4.30	2.32	0.70	38.83
	.	.	5.10	40.34	35.74	11.06	5.97	1.80	
	.	.	41.62	41.02	37.88	31.73	41.56	52.73	
2: FEMALE	3	2	115	933	943	383	135	26	2535
	.	.	2.78	22.51	22.76	9.24	3.26	0.63	61.17
	.	.	4.54	36.80	37.20	15.11	5.33	1.03	
	.	.	58.38	58.98	62.12	68.27	58.44	47.27	
Total	.	.	197	1582	1518	561	231	55	4144
	.	.	4.75	38.18	36.63	13.54	5.57	1.33	100.00
Frequency Missing = 9									

\*b. Juice **juice\_1**

Table of GENDER_1 by JUICE_1								
GENDER_1	JUICE_1							
Frequency Percent Row Pct Col Pct	.	DK:0	0	1-3	4-6	7-9	9<	Total
1: MALE	2	0	574	936	90	6	5	1611
	.	.	13.84	22.57	2.17	0.14	0.12	38.85
	.	.	35.63	58.10	5.59	0.37	0.31	
	.	.	35.65	40.87	41.67	33.33	38.46	
2: FEMALE	3	1	1036	1354	126	12	8	2536
	.	.	24.98	32.65	3.04	0.29	0.19	61.15
	.	.	40.85	53.39	4.97	0.47	0.32	
	.	.	64.35	59.13	58.33	66.67	61.54	
Total	.	.	1610	2290	216	18	13	4147
	.	.	38.82	55.22	5.21	0.43	0.31	100.00
Frequency Missing = 6								

\*c. Milk **milk\_1**

Table of GENDER_1 by MILK_1							
GENDER_1	MILK_1						
Frequency Percent Row Pct Col Pct	.	MI:0	0	1-3	4-6	6<	Total
1: MALE	2	0	872	698	35	6	1611
	.	.	21.03	16.83	0.84	0.14	38.85
	.	.	54.13	43.33	2.17	0.37	
	.	.	41.02	36.66	35.35	33.33	
2: FEMALE	3	1	1254	1206	64	12	2536
	.	.	30.24	29.08	1.54	0.29	61.15
	.	.	49.45	47.56	2.52	0.47	
	.	.	58.98	63.34	64.65	66.67	
Total	.	.	2126	1904	99	18	4147
	.	.	51.27	45.91	2.39	0.43	100.00
Frequency Missing = 6							

\*d. Soda or carbonated beverages with caffeine **soda\_1**

Table of GENDER_1 by SODA_1									
GENDER_1	SODA_1								
Frequency Percent Row Pct Col Pct	.	DK:0	MI:0	0	1-3	4-6	7-9	9<	Total
1: MALE	2	0	0	1035	470	82	14	10	1611
	.	.	.	24.96	11.34	1.98	0.34	0.24	38.86
	.	.	.	64.25	29.17	5.09	0.87	0.62	
	.	.	.	36.18	44.85	45.56	38.89	47.62	
2: FEMALE	3	1	1	1826	578	98	22	11	2535
	.	.	.	44.04	13.94	2.36	0.53	0.27	61.14
	.	.	.	72.03	22.80	3.87	0.87	0.43	
	.	.	.	63.82	55.15	54.44	61.11	52.38	
Total	.	.	.	2861	1048	180	36	21	4146
	.	.	.	69.01	25.28	4.34	0.87	0.51	100.00
Frequency Missing = 7									

e. Soda or carbonated beverages without caffeine **dsoda\_1**

Table of GENDER_1 by DSODA_1									
GENDER_1	DSODA_1								
Frequency Percent Row Pct Col Pct	.	DK:0	MI:0	0	1-3	4-6	7-9	9<	Total
1: MALE	2	0	0	1351	229	29	0	2	1611
	.	.	.	32.59	5.52	0.70	0.00	0.05	38.86
	.	.	.	83.86	14.21	1.80	0.00	0.12	
	.	.	.	38.66	39.76	46.03	0.00	66.67	
2: FEMALE	3	1	1	2144	347	34	9	1	2535
	.	.	.	51.71	8.37	0.82	0.22	0.02	61.14
	.	.	.	84.58	13.69	1.34	0.36	0.04	
	.	.	.	61.34	60.24	53.97	100.00	33.33	
Total	.	.	.	3495	576	63	9	3	4146
	.	.	.	84.30	13.89	1.52	0.22	0.07	100.00
Frequency Missing = 7									

f. Herbal tea or decaffeinated tea **dtea\_1**

Table of GENDER_1 by DTEA_1							
GENDER_1	DTEA_1						
Frequency Percent Row Pct Col Pct	.	MI:0	0	1-3	4-6	6<	Total
1: MALE	2	0	1349	246	15	1	1611
	.	.	32.55	5.93	0.36	0.02	38.87
	.	.	83.74	15.27	0.93	0.06	
	.	.	42.10	27.67	32.61	16.67	
2: FEMALE	3	3	1855	643	31	5	2534
	.	.	44.75	15.51	0.75	0.12	61.13
	.	.	73.20	25.37	1.22	0.20	
	.	.	57.90	72.33	67.39	83.33	
Total	.	.	3204	889	46	6	4145
	.	.	77.30	21.45	1.11	0.14	100.00
Frequency Missing = 8							

g. Tea with caffeine, including green tea **tea\_1**

Table of GENDER_1 by TEA_1							
GENDER_1	TEA_1						
Frequency Percent Row Pct Col Pct	.	DK:0	0	1-3	4-6	6<	Total
1: MALE	2	1	1250	323	30	7	1610
	.	.	30.14	7.79	0.72	0.17	38.82
	.	.	77.64	20.06	1.86	0.43	
	.	.	40.68	32.76	40.54	50.00	
2: FEMALE	3	0	1823	663	44	7	2537
	.	.	43.96	15.99	1.06	0.17	61.18
	.	.	71.86	26.13	1.73	0.28	
	.	.	59.32	67.24	59.46	50.00	
Total	.	.	3073	986	74	14	4147
	.	.	74.10	23.78	1.78	0.34	100.00
Frequency Missing = 6							

h. Coffee with caffeine **coffee\_1**

Table of GENDER_1 by COFFEE_1									
GENDER_1	COFFEE_1								
Frequency Percent Row Pct Col Pct	.	DK:0	MI:0	0	1-3	4-6	7-9	9<	Total
1: MALE	2	0	0	598	862	129	12	10	1611
	.	.	.	14.42	20.79	3.11	0.29	0.24	38.86
	.	.	.	37.12	53.51	8.01	0.74	0.62	
	.	.	.	38.31	37.82	49.05	52.17	50.00	
2: FEMALE	3	1	1	963	1417	134	11	10	2535
	.	.	.	23.23	34.18	3.23	0.27	0.24	61.14
	.	.	.	37.99	55.90	5.29	0.43	0.39	
	.	.	.	61.69	62.18	50.95	47.83	50.00	
Total	.	.	.	1561	2279	263	23	20	4146
	.	.	.	37.65	54.97	6.34	0.55	0.48	100.00
Frequency Missing = 7									

\*i. Decaffeinated coffee **dcoffee\_1**

Table of GENDER_1 by DCOFFEE_1						
GENDER_1	DCOFFEE_1					
Frequency Percent Row Pct Col Pct	.	0	1-3	4-6	6<	Total
1: MALE	2	1476	126	6	3	1611
.	.	35.58	3.04	0.14	0.07	38.84
.	.	91.62	7.82	0.37	0.19	
.	.	39.96	29.44	28.57	60.00	
2: FEMALE	3	2218	302	15	2	2537
.	.	53.47	7.28	0.36	0.05	61.16
.	.	87.43	11.90	0.59	0.08	
.	.	60.04	70.56	71.43	40.00	
Total	.	3694	428	21	5	4148
.	.	89.05	10.32	0.51	0.12	100.00
Frequency Missing = 5						

j. Other caffeinated beverage, other than soda or coffee **otherbev\_1**

Table of GENDER_1 by OTHERBEV_1						
GENDER_1	OTHERBEV_1					
Frequency Percent Row Pct Col Pct	.	0	1-3	4-6	7-9	Total
1: MALE	2	1554	53	3	1	1611
.	.	37.46	1.28	0.07	0.02	38.84
.	.	96.46	3.29	0.19	0.06	
.	.	38.87	37.32	42.86	100.00	
2: FEMALE	3	2444	89	4	0	2537
.	.	58.92	2.15	0.10	0.00	61.16
.	.	96.33	3.51	0.16	0.00	
.	.	61.13	62.68	57.14	0.00	
Total	.	3998	142	7	1	4148
.	.	96.38	3.42	0.17	0.02	100.00
Frequency Missing = 5						

k. Other non-caffeinated, non-carbonated beverage **otherdbev\_1**

Table of GENDER_1 by OTHERDBEV_1									
GENDER_1	OTHERDBEV_1								
Frequency Percent Row Pct Col Pct	.	DK:0	MI:0	0	1-3	4-6	7-9	10-12	Total
1: MALE	2	1	0	1460	125	20	4	1	1610
.	.	.	.	35.22	3.02	0.48	0.10	0.02	38.84
.	.	.	.	90.68	7.76	1.24	0.25	0.06	
.	.	.	.	38.46	40.98	55.56	57.14	100.00	
2: FEMALE	3	1	1	2336	180	16	3	0	2535
.	.	.	.	56.36	4.34	0.39	0.07	0.00	61.16
.	.	.	.	92.15	7.10	0.63	0.12	0.00	
.	.	.	.	61.54	59.02	44.44	42.86	0.00	
Total	.	.	.	3796	305	36	7	1	4145
.	.	.	.	91.58	7.36	0.87	0.17	0.02	100.00
Frequency Missing = 8									

- I15. What time of the day did you drink the most beverages? Would you say **timebev\_1**
- Before noon ..... 1  
 Noon to 5 PM ..... 2  
 After 5 PM ..... 3

Table of GENDER_1 by TIMEBEV_1								
GENDER_1	TIMEBEV_1							
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	RF:K	1: Before noon	2: Noon to 5 PM	3: After 5 PM	Total
1: MALE	245	0	20	0	501	542	305	1348
	.	.	.	.	14.89	16.11	9.06	40.06
	.	.	.	.	37.17	40.21	22.63	
	.	.	.	.	39.45	37.12	48.03	
2: FEMALE	473	4	43	3	769	918	330	2017
	.	.	.	.	22.85	27.28	9.81	59.94
	.	.	.	.	38.13	45.51	16.36	
	.	.	.	.	60.55	62.88	51.97	
Total	.	.	.	.	1270	1460	635	3365
	.	.	.	.	37.74	43.39	18.87	100.00
Frequency Missing = 788								

## SECTION J: BLADDER HEALTH

I am going to ask you a series of questions about specific types of experiences that you may or may not have had during the last month, related to your bladder and pelvic area health. IF RESPONDENT DOES NOT HAVE SYMPTOM, PROCEED TO NEXT ITEM

[SHOW RESPONSE CARD 'J1, J2 and J3'].

- J1. \*During the last month, how often have you had:
- i. Would you say...
- ii. About how long have you had this experience? Would you say...
- iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say...
- iv. Have you ever seen a healthcare provider for this symptom?
- v. **IF YES:** Did you receive treatment?
- \*a. **A sensation of not emptying your bladder completely after you have finished urinating?**
- 1: I do not have the symptom  
2: Rarely  
3: A few times  
4: Fairly often  
5: Usually  
6: Almost always
- 1: < 3 months  
2: 3 - 6 months  
3: 7 - 12 months  
4: 1 - 5 years  
5: 6+ years
- 1: No problem  
2: Very small  
3: Small  
4: Medium  
5: Big
- 1: Yes  
2: No
- 1: Sought and received  
2: Sought, but did not receive
- emptyfrq\_1      emptydur\_1      empty4\_1      emptyhep\_1      emptytrt\_1

Table of GENDER_1 by EMPTYFRQ_1									
GENDER_1	EMPTYFRQ_1								
Frequency Percent Row Pct Col Pct	.	RF:K	1: I do not have the symptom	2: Rarely	3: A few times	4: Fairly often	5: Usually	6: Almost always	Total
1: MALE	3	0	1099	230	160	61	20	40	1610
.	.	.	26.51	5.55	3.86	1.47	0.48	0.97	38.84
.	.	.	68.26	14.29	9.94	3.79	1.24	2.48	
.	.	.	38.27	44.57	35.48	38.36	35.71	43.96	
: FEMALE	4	1	1773	286	291	98	36	51	2535
.	.	.	42.77	6.90	7.02	2.36	0.87	1.23	61.16
.	.	.	69.94	11.28	11.48	3.87	1.42	2.01	
.	.	.	61.73	55.43	64.52	61.64	64.29	56.04	
Total	.	.	2872	516	451	159	56	91	4145
.	.	.	69.29	12.45	10.88	3.84	1.35	2.20	100.00

Frequency Missing = 8

Table of GENDER_1 by EMPTYDUR_1									
GENDER_1	EMPTYDUR_1								
Frequency Percent Row Pct Col Pct	.	DK:O	Skip	1: <3 months	2: 3-6 months	3: 7-12 months	4: 1-5 years	5: 6+ years	Total
1: MALE	3	1	1099	107	75	81	163	84	510
.	.	.	.	8.41	5.90	6.37	12.81	6.60	40.09
.	.	.	.	20.98	14.71	15.88	31.96	16.47	
.	.	.	.	31.66	39.27	41.54	46.44	42.64	
2: FEMALE	4	0	1774	231	116	114	188	113	762
.	.	.	.	18.16	9.12	8.96	14.78	8.88	59.91
.	.	.	.	30.31	15.22	14.96	24.67	14.83	
.	.	.	.	68.34	60.73	58.46	53.56	57.36	
Total	.	.	.	338	191	195	351	197	1272
.	.	.	.	26.57	15.02	15.33	27.59	15.49	100.00

Frequency Missing = 2881

- J1. \*During the last month, how often have you had:
- i. Would you say...
- ii. About how long have you had this experience? Would you say...
- iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say...
- iv. Have you ever seen a healthcare provider for this symptom?
- v. **IF YES:** Did you receive treatment?
- \*a. A sensation of not emptying your bladder completely after you have finished urinating?
- 1: I do not have the symptom  
 2: Rarely  
 3: A few times  
 4: Fairly often  
 5: Usually  
 6: Almost always
- 1: < 3 months  
 2: 3 - 6 months  
 3: 7 - 12 months  
 4: 1 - 5 years  
 5: 6+ years
- 1: No problem  
 2: Very small  
 3: Small  
 4: Medium  
 5: Big
- 1: Yes  
 2: No
- 1: Sought and received  
 2: Sought, but did not receive
- emptyfrq\_1 emptydur\_1 empty4\_1 emptyhep\_1 emptytrt\_1

Table of GENDER_1 by EMPTY4_1								
GENDER_1	EMPTY4_1							
Frequency Percent Row Pct Col Pct	.	Skip	1: No problem	2: Very small	3: Small	4: Medium	5: Big	Total
1: MALE	3	1099	213	130	104	39	25	511
.	.	.	16.73	10.21	8.17	3.06	1.96	40.14
.	.	.	41.68	25.44	20.35	7.63	4.89	
.	.	.	43.03	38.58	44.83	28.89	33.78	
2: FEMALE	4	1774	282	207	128	96	49	762
.	.	.	22.15	16.26	10.05	7.54	3.85	59.86
.	.	.	37.01	27.17	16.80	12.60	6.43	
.	.	.	56.97	61.42	55.17	71.11	66.22	
Total	.	.	495	337	232	135	74	1273
.	.	.	38.88	26.47	18.22	10.60	5.81	100.00
Frequency Missing = 2880								

Table of GENDER_1 by EMPTYHEP_1						
GENDER_1	EMPTYHEP_1					
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: Yes	2: No	Total
1: MALE	3	1	1099	187	323	510
.	.	.	.	14.70	25.39	40.09
.	.	.	.	36.67	63.33	
.	.	.	.	42.02	39.06	
2: FEMALE	4	0	1774	258	504	762
.	.	.	.	20.28	39.62	59.91
.	.	.	.	33.86	66.14	
.	.	.	.	57.98	60.94	
Total	.	.	.	445	827	1272
.	.	.	.	34.98	65.02	100.00
Frequency Missing = 2881						

Table of GENDER_1 by EMPTYTRT_1					
GENDER_1	EMPTYTRT_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: Sought and received	2: Sought, but did not receive	Total
1: MALE	3	1423	91	96	187
.	.	.	20.45	21.57	42.02
.	.	.	48.66	51.34	
.	.	.	41.74	42.29	
2: FEMALE	4	2278	127	131	258
.	.	.	28.54	29.44	57.98
.	.	.	49.22	50.78	
.	.	.	58.26	57.71	
Total	.	.	218	227	445
.	.	.	48.99	51.01	100.00
Frequency Missing = 3708					

- J1. \*During the last month, how often have you had:      i. Would you say...      ii. About how long have you had this experience? Would you say...      iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say...      iv. Have you ever seen a healthcare provider for this symptom?      v. **IF YES:** Did you receive treatment?

\*b. To urinate again less than 2 hours after you finished urinating?

1: I do not have the symptom      2: Rarely      3: A few times      4: Fairly often      5: Usually      6: Almost always      1: < 3 months      2: 3 - 6 months      3: 7 - 12 months      4: 1 - 5 years      5: 6+ years      1: No problem      2: Very small      3: Small      4: Medium      5: Big      1: Yes      2: No      1: Sought and received      2: Sought, but did not receive

frqufrq\_1      frqudur\_1      frqu4\_1      frquhep\_1      frqutrt\_1

Table of GENDER_1 by FRQUFRQ_1										
GENDER_1	FRQUFRQ_1									
Frequency Percent Row Pct Col Pct	.	MI:O	RF:K	1: I do not have the symptom	2: Rarely	3: A few times	4: Fairly often	5: Usually	6: Almost always	Total
1: MALE	3	0	0	770	269	301	137	50	83	1610
	.	.	.	18.59	6.49	7.27	3.31	1.21	2.00	38.86
	.	.	.	47.83	16.71	18.70	8.51	3.11	5.16	
	.	.	.	40.15	42.36	38.94	34.51	30.49	32.42	
2: FEMALE	4	1	2	1148	366	472	260	114	173	2533
	.	.	.	27.71	8.83	11.39	6.28	2.75	4.18	61.14
	.	.	.	45.32	14.45	18.63	10.26	4.50	6.83	
	.	.	.	59.85	57.64	61.06	65.49	69.51	67.58	
Total	.	.	.	1918	635	773	397	164	256	4143
	.	.	.	46.29	15.33	18.66	9.58	3.96	6.18	100.00

Frequency Missing = 10

Table of GENDER_1 by FRQUDUR_1										
GENDER_1	FRQUDUR_1									
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	Skip	1: <3 months	2: 3-6 months	3: 7-12 months	4: 1-5 years	5: 6+ years	Total
1: MALE	3	5	1	770	137	112	102	287	196	834
	.	.	.	.	6.19	5.06	4.60	12.96	8.85	37.65
	.	.	.	.	16.43	13.43	12.23	34.41	23.50	
	.	.	.	.	28.13	41.03	36.82	43.42	37.91	
2: FEMALE	4	4	0	1151	350	161	175	374	321	1381
	.	.	.	.	15.80	7.27	7.90	16.88	14.49	62.35
	.	.	.	.	25.34	11.66	12.67	27.08	23.24	
	.	.	.	.	71.87	58.97	63.18	56.58	62.09	
Total	.	.	.	.	487	273	277	661	517	2215
	.	.	.	.	21.99	12.33	12.51	29.84	23.34	100.00

Frequency Missing = 1938

Table of GENDER_1 by FRQU4_1								
GENDER_1	FRQU4_1							
Frequency Percent Row Pct Col Pct	.	Skip	1: No problem	2: Very small	3: Small	4: Medium	5: Big	Total
1: MALE	3	770	412	189	135	70	34	840
	.	.	18.52	8.49	6.07	3.15	1.53	37.75
	.	.	49.05	22.50	16.07	8.33	4.05	
	.	.	38.72	39.29	39.13	30.97	31.19	
2: FEMALE	4	1151	652	292	210	156	75	1385
	.	.	29.30	13.12	9.44	7.01	3.37	62.25
	.	.	47.08	21.08	15.16	11.26	5.42	
	.	.	61.28	60.71	60.87	69.03	68.81	
Total	.	.	1064	481	345	226	109	2225
	.	.	47.82	21.62	15.51	10.16	4.90	100.00

Frequency Missing = 1928

- J1. **\*During the last month**, how often have you had:
- i. Would you say...
- ii. About how long have you had this experience? Would you say...
- iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say...
- iv. Have you ever seen a healthcare provider for this symptom?
- v. **IF YES:** Did you receive treatment?
- \*b. **To urinate again less than 2 hours after you finished urinating?**

1: I do not have the symptom

2: Rarely

3: A few times

4: Fairly often

5: Usually

6: Almost always

1: < 3 months

2: 3 - 6 months

3: 7 - 12 months

4: 1 - 5 years

5: 6+ years

1: No problem

2: Very small

3: Small

4: Medium

5: Big

1: Yes

2: No

1: Sought and received

2: Sought, but did not receive

frqufrq\_1

frqudur\_1

frqu4\_1

frquhep\_1

frqutrt\_1

Table of GENDER_1 by FRQUHEP_1					
GENDER_1	FRQUHEP_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: Yes	2: No	Total
1: MALE	3	770	232	608	840
	.	.	10.43	27.33	37.75
	.	.	27.62	72.38	
	.	.	40.35	36.85	
2: FEMALE	4	1151	343	1042	1385
	.	.	15.42	46.83	62.25
	.	.	24.77	75.23	
	.	.	59.65	63.15	
Total	.	.	575	1650	2225
	.	.	25.84	74.16	100.00
Frequency Missing = 1928					

Table of GENDER_1 by FRQUTRT_1						
GENDER_1	FRQUTRT_1					
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: Sought and received	2: Sought, but did not receive	Total
1: MALE	3	0	1378	114	118	232
	.	.	.	19.86	20.56	40.42
	.	.	.	49.14	50.86	
	.	.	.	39.72	41.11	
2: FEMALE	4	1	2193	173	169	342
	.	.	.	30.14	29.44	59.58
	.	.	.	50.58	49.42	
	.	.	.	60.28	58.89	
Total	.	.	.	287	287	574
	.	.	.	50.00	50.00	100.00
Frequency Missing = 3579						

- J1. \*During the last month, how often have you had: i. Would you say... ii. About how long have you had this experience? Would you say... iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say... iv. Have you ever seen a healthcare provider for this symptom? v. **IF YES:** Did you receive treatment?

**\*c. To stop and start again several times while you urinate?**

1: I do not have the symptom

2: Rarely

3: A few times

4: Fairly often

5: Usually

6: Almost always

1: < 3 months

2: 3 - 6 months

3: 7 - 12 months

4: 1 - 5 years

5: 6+ years

1: No problem

2: Very small

3: Small

4: Medium

5: Big

1: Yes

2: No

1: Sought and received

2: Sought, but did not receive

spstfrq\_1

spstdur\_1

spst4\_1

spsthep\_1

spsttrt\_1

Table of GENDER_1 by SPSTFRQ_1										
GENDER_1	SPSTFRQ_1									
Frequency Percent Row Pct Col Pct	.	DK:O	RF:K	1: I do not have the symptom	2: Rarely	3: A few times	4: Fairly often	5: Usually	6: Almost always	Total
1: MALE	3	0	0	1276	141	110	43	17	23	1610
	.	.	.	30.79	3.40	2.65	1.04	0.41	0.56	38.85
	.	.	.	79.25	8.76	6.83	2.67	1.06	1.43	
	.	.	.	37.94	43.52	46.22	42.57	28.81	38.98	
2: FEMALE	4	1	1	2087	183	128	58	42	36	2534
	.	.	.	50.36	4.42	3.09	1.40	1.01	0.87	61.15
	.	.	.	82.36	7.22	5.05	2.29	1.66	1.42	
	.	.	.	62.06	56.48	53.78	57.43	71.19	61.02	
Total	.	.	.	3363	324	238	101	59	59	4144
	.	.	.	81.15	7.82	5.74	2.44	1.42	1.42	100.00

Frequency Missing = 9

Table of GENDER_1 by SPSTDUR_1										
GENDER_1	SPSTDUR_1									
Frequency Percent Row Pct Col Pct	.	DK:O	RF:K	Skip	1: <3 months	2: 3-6 months	3: 7-12 months	4: 1-5 years	5: 6+ years	Total
1: MALE	3	1	0	1276	58	55	56	105	59	333
	.	.	.	.	7.44	7.05	7.18	13.46	7.56	42.69
	.	.	.	.	17.42	16.52	16.82	31.53	17.72	
	.	.	.	.	32.77	39.01	44.09	49.76	47.58	
2: FEMALE	4	1	1	2087	119	86	71	106	65	447
	.	.	.	.	15.26	11.03	9.10	13.59	8.33	57.31
	.	.	.	.	26.62	19.24	15.88	23.71	14.54	
	.	.	.	.	67.23	60.99	55.91	50.24	52.42	
Total	.	.	.	.	177	141	127	211	124	780
	.	.	.	.	22.69	18.08	16.28	27.05	15.90	100.00

Frequency Missing = 3373

Table of GENDER_1 by SPST4_1										
GENDER_1	SPST4_1									
Frequency Percent Row Pct Col Pct	.	DK:O	RF:K	Skip	1: No problem	2: Very small	3: Small	4: Medium	5: Big	Total
1: MALE	3	0	0	1276	128	91	63	32	20	334
	.	.	.	.	16.39	11.65	8.07	4.10	2.56	42.77
	.	.	.	.	38.32	27.25	18.86	9.58	5.99	
	.	.	.	.	46.89	49.19	39.38	32.32	31.25	
2: FEMALE	4	1	1	2087	145	94	97	67	44	447
	.	.	.	.	18.57	12.04	12.42	8.58	5.63	57.23
	.	.	.	.	32.44	21.03	21.70	14.99	9.84	
	.	.	.	.	53.11	50.81	60.63	67.68	68.75	
Total	.	.	.	.	273	185	160	99	64	781
	.	.	.	.	34.96	23.69	20.49	12.68	8.19	100.00

Frequency Missing = 3372

- J1. \*During the last month, how often have you had: i. Would you say... ii. About how long have you had this experience? Would you say... iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say... iv. Have you ever seen a healthcare provider for this symptom? v. **IF YES:** Did you receive treatment?

\*c. To stop and start again several times while you urinate?

1: I do not have the symptom

2: Rarely

3: A few times

4: Fairly often

5: Usually

6: Almost always

1: < 3 months

2: 3 - 6 months

3: 7 - 12 months

4: 1 - 5 years

5: 6+ years

1: No problem

2: Very small

3: Small

4: Medium

5: Big

1: Yes

2: No

1: Sought and received

2: Sought, but did not receive

spstfrq\_1

spstdur\_1

spst4\_1

spsthep\_1

spsttrt\_1

Table of GENDER_1 by SPSTHEP_1						
GENDER_1	SPSTHEP_1					
Frequency Percent Row Pct Col Pct	.	RF:K	Skip	1: Yes	2: No	Total
1: MALE	3	0	1276	109	225	334
	.	.	.	13.96	28.81	42.77
	.	.	.	32.63	67.37	
	.	.	.	45.42	41.59	
2: FEMALE	4	2	2087	131	316	447
	.	.	.	16.77	40.46	57.23
	.	.	.	29.31	70.69	
	.	.	.	54.58	58.41	
Total	.	.	.	240	541	781
	.	.	.	30.73	69.27	100.00
Frequency Missing = 3372						

Table of GENDER_1 by SPSTTRT_1					
GENDER_1	SPSTTRT_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: Sought and received	2: Sought, but did not receive	Total
1: MALE	3	1501	65	44	109
	.	.	27.08	18.33	45.42
	.	.	59.63	40.37	
	.	.	48.15	41.90	
2: FEMALE	4	2405	70	61	131
	.	.	29.17	25.42	54.58
	.	.	53.44	46.56	
	.	.	51.85	58.10	
Total	.	.	135	105	240
	.	.	56.25	43.75	100.00
Frequency Missing = 3913					

- J1. \*During the last month, how often have you had:      i. Would you say...      ii. About how long have you had this experience? Would you say...      iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say...      iv. Have you ever seen a healthcare provider for this symptom?      v. **IF YES:** Did you receive treatment?

**d. Difficulty postponing urination?**

1: I do not have the symptom      2: Rarely      3: A few times      4: Fairly often      5: Usually      6: Almost always      1: < 3 months      2: 3 - 6 months      3: 7 - 12 months      4: 1 - 5 years      5: 6+ years      1: No problem      2: Very small      3: Small      4: Medium      5: Big      1: Yes      2: No      1: Sought and received      2: Sought, but did not receive

**postpfrq\_1      postpdur\_1      postp4\_1      postphep\_1      postprt1\_1**

Table of GENDER_1 by POSTPFRQ_1										
GENDER_1	POSTPFRQ_1									
Frequency Percent Row Pct Col Pct	.	MI:O	RF:K	1: I do not have the symptom	2: Rarely	3: A few times	4: Fairly often	5: Usually	6: Almost always	Total
1: MALE	3	0	0	1243 30.00 77.20 40.32	143 3.45 8.88 38.13	102 2.46 6.34 33.77	49 1.18 3.04 32.24	28 0.68 1.74 36.36	45 1.09 2.80 29.03	1610 38.85
2: FEMALE	4	1	1	1840 44.40 72.61 59.68	232 5.60 9.16 61.87	200 4.83 7.89 66.23	103 2.49 4.06 67.76	49 1.18 1.93 63.64	110 2.65 4.34 70.97	2534 61.15
Total	.	.	.	3083 74.40	375 9.05	302 7.29	152 3.67	77 1.86	155 3.74	4144 100.00

Frequency Missing = 9

Table of GENDER_1 by POSTPDUR_1											
GENDER_1	POSTPDUR_1										
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	RF:K	Skip	1: <3 months	2: 3-6 months	3: 7-12 months	4: 1-5 years	5: 6+ years	Total
1: MALE	3	0	0	0	1243	54 5.10 14.71 29.67	44 4.15 11.99 32.84	47 4.44 12.81 28.31	150 14.16 40.87 41.55	72 6.80 19.62 33.33	367 34.66
2: FEMALE	4	2	1	1	1840	128 12.09 18.50 70.33	90 8.50 13.01 67.16	119 11.24 17.20 71.69	211 19.92 30.49 58.45	144 13.60 20.81 66.67	692 65.34
Total	.	.	.	.	.	182 17.19	134 12.65	166 15.68	361 34.09	216 20.40	1059 100.00

Frequency Missing = 3094

Table of GENDER_1 by POSTP4_1										
GENDER_1	POSTP4_1									
Frequency Percent Row Pct Col Pct	.	MI:O	RF:K	Skip	1: No problem	2: Very small	3: Small	4: Medium	5: Big	Total
1: MALE	3	0	0	1243	101 9.52 27.52 37.69	105 9.90 28.61 35.47	93 8.77 25.34 37.65	44 4.15 11.99 27.85	24 2.26 6.54 26.09	367 34.59
2: FEMALE	4	1	1	1840	167 15.74 24.06 62.31	191 18.00 27.52 64.53	154 14.51 22.19 62.35	114 10.74 16.43 72.15	68 6.41 9.80 73.91	694 65.41
Total	.	.	.	.	268 25.26	296 27.90	247 23.28	158 14.89	92 8.67	1061 100.00

Frequency Missing = 3092

- J1. \*During the last month, how often have you had: i. Would you say... ii. About how long have you had this experience? Would you say... iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say... iv. Have you ever seen a healthcare provider for this symptom? v. **IF YES:** Did you receive treatment?

**d. Difficulty postponing urination?**

1: I do not have the symptom

2: Rarely

3: A few times

4: Fairly often

5: Usually

6: Almost always

1: < 3 months

2: 3 - 6 months

3: 7 - 12 months

4: 1 - 5 years

5: 6+ years

1: No problem

2: Very small

3: Small

4: Medium

5: Big

1: Yes

2: No

1: Sought and received

2: Sought, but did not receive

postpfrq\_1

postpdur\_1

postp4\_1

postphep\_1

postprt\_1

Table of GENDER_1 by POSTPHEP_1							
GENDER_1	POSTPHEP_1						
Frequency Percent Row Pct Col Pct		MI:O	RF:K	Skip	1: Yes	2: No	Total
1: MALE	3	1	0	1243	109	257	366
	.	.	.	.	10.28	24.25	34.53
	.	.	.	.	29.78	70.22	
	.	.	.	.	34.38	34.59	
2: FEMALE	4	1	1	1840	208	486	694
	.	.	.	.	19.62	45.85	65.47
	.	.	.	.	29.97	70.03	
	.	.	.	.	65.62	65.41	
Total	.	.	.	.	317	743	1060
	.	.	.	.	29.91	70.09	100.00
Frequency Missing = 3093							

Table of GENDER_1 by POSTPTRT_1						
GENDER_1	POSTPTRT_1					
Frequency Percent Row Pct Col Pct		MI:O	Skip	1: Sought and received	2: Sought, but did not receive	Total
1: MALE	3	0	1501	58	51	109
	.	.	.	18.35	16.14	34.49
	.	.	.	53.21	46.79	
	.	.	.	32.58	36.96	
2: FEMALE	4	1	2328	120	87	207
	.	.	.	37.97	27.53	65.51
	.	.	.	57.97	42.03	
	.	.	.	67.42	63.04	
Total	.	.	.	178	138	316
	.	.	.	56.33	43.67	100.00
Frequency Missing = 3837						

- J1. \*During the last month, how often have you had:      i. Would you say...      ii. About how long have you had this experience? Would you say...      iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say...      iv. Have you ever seen a healthcare provider for this symptom?      v. **IF YES:** Did you receive treatment?

**e. A weak urinary stream?**

1: I do not have the symptom      2: Rarely      3: A few times      4: Fairly often      5: Usually      6: Almost always      1: < 3 months      2: 3 - 6 months      3: 7 - 12 months      4: 1 - 5 years      5: 6+ years      1: No problem      2: Very small      3: Small      4: Medium      5: Big      1: Yes      2: No      1: Sought and received      2: Sought, but did not receive

**weakufrq\_1**

**weakudur\_1**

**weaku4\_1**

**weakuhep\_1**

**weakutrt\_1**

Table of GENDER_1 by WEAKUFRQ_1									
GENDER_1	WEAKUFRQ_1								
Frequency Percent Row Pct Col Pct	.	RF:K	1: I do not have the symptom	2: Rarely	3: A few times	4: Fairly often	5: Usually	6: Almost always	Total
1: MALE	3	0	1301 31.39 80.81 37.29	120 2.90 7.45 44.94	92 2.22 5.71 46.46	44 1.06 2.73 51.16	31 0.75 1.93 62.00	22 0.53 1.37 40.00	1610 38.84
2: FEMALE	4	1	2188 52.79 86.31 62.71	147 3.55 5.80 55.06	106 2.56 4.18 53.54	42 1.01 1.66 48.84	19 0.46 0.75 38.00	33 0.80 1.30 60.00	2535 61.16
Total	.	.	3489 84.17	267 6.44	198 4.78	86 2.07	50 1.21	55 1.33	4145 100.00
Frequency Missing = 8									

Table of GENDER_1 by WEAKUDUR_1									
GENDER_1	WEAKUDUR_1								
Frequency Percent Row Pct Col Pct	.	RF:K	Skip	1: <3 months	2: 3-6 months	3: 7-12 months	4: 1-5 years	5: 6+ years	Total
1: MALE	3	0	1301	38 5.79 12.30 28.15	35 5.34 11.33 34.31	54 8.23 17.48 52.94	129 19.66 41.75 63.55	53 8.08 17.15 46.49	309 47.10
2: FEMALE	4	1	2188	97 14.79 27.95 71.85	67 10.21 19.31 65.69	48 7.32 13.83 47.06	74 11.28 21.33 36.45	61 9.30 17.58 53.51	347 52.90
Total	.	.	.	135 20.58	102 15.55	102 15.55	203 30.95	114 17.38	656 100.00
Frequency Missing = 3497									

Table of GENDER_1 by WEAKU4_1									
GENDER_1	WEAKU4_1								
Frequency Percent Row Pct Col Pct	.	RF:K	Skip	1: No problem	2: Very small	3: Small	4: Medium	5: Big	Total
1: MALE	3	0	1301	122 18.60 39.48 50.83	69 10.52 22.33 50.74	62 9.45 20.06 46.97	37 5.64 11.97 43.53	19 2.90 6.15 30.16	309 47.10
2: FEMALE	4	1	2188	118 17.99 34.01 49.17	67 10.21 19.31 49.26	70 10.67 20.17 53.03	48 7.32 13.83 56.47	44 6.71 12.68 69.84	347 52.90
Total	.	.	.	240 36.59	136 20.73	132 20.12	85 12.96	63 9.60	656 100.00
Frequency Missing = 3497									

- J1. \*During the last month, how often have you had:
- i. Would you say...
- ii. About how long have you had this experience? Would you say...
- iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say...
- iv. Have you ever seen a healthcare provider for this symptom?
- v. **IF YES:** Did you receive treatment?

**e. A weak urinary stream?**

1: I do not have the symptom

2: Rarely

3: A few times

4: Fairly often

5: Usually

6: Almost always

1: < 3 months

2: 3 - 6 months

3: 7 - 12 months

4: 1 - 5 years

5: 6+ years

1: No problem

2: Very small

3: Small

4: Medium

5: Big

1: Yes

2: No

1: Sought and received

2: Sought, but did not receive

**weakufreq\_1**

**weakudur\_1**

**weaku4\_1**

**weakuhep\_1**

**weakutrt\_1**

Table of GENDER_1 by WEAKUHEP_1						
GENDER_1	WEAKUHEP_1					
Frequency Percent Row Pct Col Pct	.	RF:K	Skip	1: Yes	2: No	Total
1: MALE	3	0	1301	105	204	309
	.	.	.	16.01	31.10	47.10
	.	.	.	33.98	66.02	
	.	.	.	52.50	44.74	
2: FEMALE	4	1	2188	95	252	347
	.	.	.	14.48	38.41	52.90
	.	.	.	27.38	72.62	
	.	.	.	47.50	55.26	
Total	.	.	.	200	456	656
	.	.	.	30.49	69.51	100.00
Frequency Missing = 3497						

Table of GENDER_1 by WEAKUTRT_1					
GENDER_1	WEAKUTRT_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: Sought and received	2: Sought, but did not receive	Total
1: MALE	3	1505	55	50	105
	.	.	27.50	25.00	52.50
	.	.	52.38	47.62	
	.	.	47.83	58.82	
2: FEMALE	4	2441	60	35	95
	.	.	30.00	17.50	47.50
	.	.	63.16	36.84	
	.	.	52.17	41.18	
Total	.	.	115	85	200
	.	.	57.50	42.50	100.00
Frequency Missing = 3953					

- J1. \*During the last month, how often have you had: i. Would you say... ii. About how long have you had this experience? Would you say... iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say... iv. Have you ever seen a healthcare provider for this symptom? v. **IF YES:** Did you receive treatment?

f. To push or strain to begin urination?

1: I do not have the symptom  
 2: Rarely  
 3: A few times  
 4: Fairly often  
 5: Usually  
 6: Almost always  
 1: < 3 months  
 2: 3 - 6 months  
 3: 7 - 12 months  
 4: 1 - 5 years  
 5: 6+ years  
 1: No problem  
 2: Very small  
 3: Small  
 4: Medium  
 5: Big  
 1: Yes  
 2: No  
 1: Sought and received  
 2: Sought, but did not receive

pushfrq\_1

pushdur\_1

push4\_1

pushhep\_1

pushttrt\_1

Table of GENDER_1 by PUSHFRQ_1									
GENDER_1	PUSHFRQ_1								
Frequency Percent Row Pct Col Pct	.	RF:K	1: I do not have the symptom	2: Rarely	3: A few times	4: Fairly often	5: Usually	6: Almost always	Total
1: MALE	3	0	1372	105	81	22	14	16	1610
	.	.	33.10	2.53	1.95	0.53	0.34	0.39	38.84
	.	.	85.22	6.52	5.03	1.37	0.87	0.99	
	.	.	37.16	60.00	49.39	44.90	53.85	41.03	
2: FEMALE	4	1	2320	70	83	27	12	23	2535
	.	.	55.97	1.69	2.00	0.65	0.29	0.55	61.16
	.	.	91.52	2.76	3.27	1.07	0.47	0.91	
	.	.	62.84	40.00	50.61	55.10	46.15	58.97	
Total	.	.	3692	175	164	49	26	39	4145
	.	.	89.07	4.22	3.96	1.18	0.63	0.94	100.00

Frequency Missing = 8

Table of GENDER_1 by PUSHDUR_1									
GENDER_1	PUSHDUR_1								
Frequency Percent Row Pct Col Pct	.	DK:O	Skip	1: <3 months	2: 3-6 months	3: 7-12 months	4: 1-5 years	5: 6+ years	Total
1: MALE	3	1	1372	38	37	32	85	45	237
	.	.	.	8.44	8.22	7.11	18.89	10.00	52.67
	.	.	.	16.03	15.61	13.50	35.86	18.99	
	.	.	.	43.68	42.53	47.76	63.43	60.00	
2: FEMALE	4	2	2321	49	50	35	49	30	213
	.	.	.	10.89	11.11	7.78	10.89	6.67	47.33
	.	.	.	23.00	23.47	16.43	23.00	14.08	
	.	.	.	56.32	57.47	52.24	36.57	40.00	
Total	.	.	.	87	87	67	134	75	450
	.	.	.	19.33	19.33	14.89	29.78	16.67	100.00

Frequency Missing = 3703

Table of GENDER_1 by PUSH4_1								
GENDER_1	PUSH4_1							
Frequency Percent Row Pct Col Pct	.	Skip	1: No problem	2: Very small	3: Small	4: Medium	5: Big	Total
1: MALE	3	1372	79	62	53	30	14	238
	.	.	17.44	13.69	11.70	6.62	3.09	52.54
	.	.	33.19	26.05	22.27	12.61	5.88	
	.	.	57.66	59.05	49.53	46.88	35.00	
2: FEMALE	4	2321	58	43	54	34	26	215
	.	.	12.80	9.49	11.92	7.51	5.74	47.46
	.	.	26.98	20.00	25.12	15.81	12.09	
	.	.	42.34	40.95	50.47	53.13	65.00	
Total	.	.	137	105	107	64	40	453
	.	.	30.24	23.18	23.62	14.13	8.83	100.00

Frequency Missing = 3700

- J1. \*During the last month, how often have you had:
- i. Would you say...
- ii. About how long have you had this experience? Would you say...
- iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say...
- iv. Have you ever seen a healthcare provider for this symptom?
- v. **IF YES:** Did you receive treatment?

f. To push or strain to begin urination?

1: I do not have the symptom

2: Rarely

3: A few times

4: Fairly often

5: Usually

6: Almost always

1: < 3 months

2: 3 - 6 months

3: 7 - 12 months

4: 1 - 5 years

5: 6+ years

1: No problem

2: Very small

3: Small

4: Medium

5: Big

1: Yes

2: No

1: Sought and received

2: Sought, but did not receive

pushfrq\_1

pushdur\_1

push4\_1

pushhep\_1

pushttrt\_1

Table of GENDER_1 by PUSHHEP_1						
GENDER_1	PUSHHEP_1					
Frequency Percent Row Pct Col Pct						
	.	MI:O	Skip	1: Yes	2: No	Total
1: MALE	3	1	1372	87	150	237
	.	.	.	19.25	33.19	52.43
	.	.	.	36.71	63.29	
	.	.	.	55.06	51.02	
2: FEMALE	4	0	2321	71	144	215
	.	.	.	15.71	31.86	47.57
	.	.	.	33.02	66.98	
	.	.	.	44.94	48.98	
Total	.	.	.	158	294	452
	.	.	.	34.96	65.04	100.00

Frequency Missing = 3701

Table of GENDER_1 by PUSHTRT_1					
GENDER_1	PUSHTRT_1				
Frequency Percent Row Pct Col Pct					
	.	Skip	1: Sought and received	2: Sought, but did not receive	Total
1: MALE	3	1523	54	33	87
	.	.	34.18	20.89	55.06
	.	.	62.07	37.93	
	.	.	60.00	48.53	
2: FEMALE	4	2465	36	35	71
	.	.	22.78	22.15	44.94
	.	.	50.70	49.30	
	.	.	40.00	51.47	
Total	.	.	90	68	158
	.	.	56.96	43.04	100.00

Frequency Missing = 3995

**IF RESPONDENT DOES NOT HAVE SYMPTOM, PROCEED TO NEXT ITEM**

**[SHOW RESPONSE CARD 'J1, J2 and J3'].**

- J1. \*During the last month, how often have you had:
- i. Would you say...
- ii. About how long have you had this experience? Would you say...
- iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say...
- iv. Have you ever seen a healthcare provider for this symptom?
- v. **IF YES:** Did you receive treatment?

\*g. To get up to urinate more than once during the night?

1: I do not have the symptom

2: Rarely

3: A few times

4: Fairly often

5: Usually

6: Almost always

1: < 3 months

2: 3 - 6 months

3: 7 - 12 months

4: 1 - 5 years

5: 6+ years

1: No problem

2: Very small

3: Small

4: Medium

5: Big

1: Yes

2: No

1: Sought and received

2: Sought, but did not receive

nghtufrq\_1

nghtudur\_1

nghtu4\_1

nghtuhep\_1

nghtutrt\_1

Table of GENDER_1 by NGHTUFRQ_1										
GENDER_1	NGHTUFRQ_1									
Frequency Percent Row Pct Col Pct	.	DK:O	RF:K	1: I do not have the symptom	2: Rarely	3: A few times	4: Fairly often	5: Usually	6: Almost always	Total
1: MALE	3	1	0	866	200	214	91	47	191	1609
	.	.	.	20.90	4.83	5.16	2.20	1.13	4.61	38.83
	.	.	.	53.82	12.43	13.30	5.66	2.92	11.87	
	.	.	.	38.85	41.07	38.21	38.56	33.57	38.82	
2: FEMALE	4	0	1	1363	287	346	145	93	301	2535
	.	.	.	32.89	6.93	8.35	3.50	2.24	7.26	61.17
	.	.	.	53.77	11.32	13.65	5.72	3.67	11.87	
	.	.	.	61.15	58.93	61.79	61.44	66.43	61.18	
Total	.	.	.	2229	487	560	236	140	492	4144
	.	.	.	53.79	11.75	13.51	5.69	3.38	11.87	100.00

Frequency Missing = 9

Table of GENDER_1 by NGHTUDUR_1										
GENDER_1	NGHTUDUR_1									
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	Skip	1: <3 months	2: 3-6 months	3: 7-12 months	4: 1-5 years	5: 6+ years	Total
1: MALE	3	2	1	867	94	76	83	277	210	740
	.	.	.	.	4.92	3.98	4.35	14.51	11.00	38.76
	.	.	.	.	12.70	10.27	11.22	37.43	28.38	
	.	.	.	.	30.92	34.39	37.90	42.48	40.94	
2: FEMALE	4	3	0	1364	210	145	136	375	303	1169
	.	.	.	.	11.00	7.60	7.12	19.64	15.87	61.24
	.	.	.	.	17.96	12.40	11.63	32.08	25.92	
	.	.	.	.	69.08	65.61	62.10	57.52	59.06	
Total	.	.	.	.	304	221	219	652	513	1909
	.	.	.	.	15.92	11.58	11.47	34.15	26.87	100.00

Frequency Missing = 2244

Table of GENDER_1 by NGHTU4_1									
GENDER_1	NGHTU4_1								
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: No problem	2: Very small	3: Small	4: Medium	5: Big	Total
1: MALE	3	1	867	298	183	137	77	47	742
	.	.	.	15.57	9.56	7.16	4.02	2.46	38.77
	.	.	.	40.16	24.66	18.46	10.38	6.33	
	.	.	.	38.70	43.68	40.06	33.05	31.33	
2: FEMALE	4	0	1364	472	236	205	156	103	1172
	.	.	.	24.66	12.33	10.71	8.15	5.38	61.23
	.	.	.	40.27	20.14	17.49	13.31	8.79	
	.	.	.	61.30	56.32	59.94	66.95	68.67	
Total	.	.	.	770	419	342	233	150	1914
	.	.	.	40.23	21.89	17.87	12.17	7.84	100.00

Frequency Missing = 2239

- J1. \*During the last month, how often have you had:
- i. Would you say...
- ii. About how long have you had this experience? Would you say...
- iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say...
- iv. Have you ever seen a healthcare provider for this symptom?
- v. **IF YES:** Did you receive treatment?

\*g. To get up to urinate more than once during the night?

1: I do not have the symptom

2: Rarely

3: A few times

4: Fairly often

5: Usually

6: Almost always

1: < 3 months

2: 3 - 6 months

3: 7 - 12 months

4: 1 - 5 years

5: 6+ years

1: No problem

2: Very small

3: Small

4: Medium

5: Big

1: Yes

2: No

1: Sought and received

2: Sought, but did not receive

nghtufreq\_1

nghtudur\_1

nghtu4\_1

nghtuhep\_1

nghtutrt\_1

Table of GENDER_1 by NGHTUHEP_1						
GENDER_1	NGHTUHEP_1					
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: Yes	2: No	Total
1: MALE	3	1	867	211	531	742
	.	.	.	11.02	27.74	38.77
	.	.	.	28.44	71.56	
	.	.	.	42.45	37.47	
2: FEMALE	4	0	1364	286	886	1172
	.	.	.	14.94	46.29	61.23
	.	.	.	24.40	75.60	
	.	.	.	57.55	62.53	
Total	.	.	.	497	1417	1914
	.	.	.	25.97	74.03	100.00
Frequency Missing = 2239						

Table of GENDER_1 by NGHTUTRT_1_2006							
GENDER_1	NGHTUTRT_1_2006						
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: Did not seek	2: Sought and Received	3: Sought and did not received	Total
1: MALE	1370	1	210	6	16	10	32
	.	.	.	6.45	17.20	10.75	34.41
	.	.	.	18.75	50.00	31.25	
	.	.	.	35.29	32.65	37.04	
2: FEMALE	2070	0	409	11	33	17	61
	.	.	.	11.83	35.48	18.28	65.59
	.	.	.	18.03	54.10	27.87	
	.	.	.	64.71	67.35	62.96	
Total	.	.	.	17	49	27	93
	.	.	.	18.28	52.69	29.03	100.00
Frequency Missing = 4060							

Table of GENDER_1 by NGHTUTRT_1_2007					
GENDER_1	NGHTUTRT_1_2007				
Frequency Percent Row Pct Col Pct	.	Skip	1: Sought and Received	2: Sought and did not received	Total
1: MALE	246	1189	92	86	178
	.	.	22.83	21.34	44.17
	.	.	51.69	48.31	
	.	.	46.00	42.36	
2: FEMALE	474	1841	108	117	225
	.	.	26.80	29.03	55.83
	.	.	48.00	52.00	
	.	.	54.00	57.64	
Total	.	.	200	203	403
	.	.	49.63	50.37	100.00
Frequency Missing = 3750					

- J1. \*During the last month, how often have you had:
- i. Would you say...
- ii. About how long have you had this experience? Would you say...
- iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say...
- iv. Have you ever seen a healthcare provider for this symptom?
- v. **IF YES:** Did you receive treatment?

**h. A prolonged trickle or dribble at the end of your urine flow?**

1: I do not have the symptom

2: Rarely

3: A few times

4: Fairly often

5: Usually

6: Almost always

1: < 3 months

2: 3 - 6 months

3: 7 - 12 months

4: 1 - 5 years

5: 6+ years

1: No problem

2: Very small

3: Small

4: Medium

5: Big

1: Yes

2: No

1: Sought and received

2: Sought, but did not receive

**floendfrq\_1**

**floenddur\_1**

**floend4\_1**

**floendhep\_1**

**floendtrt\_1**

Table of GENDER_1 by FLOENDFRQ_1										
GENDER_1	FLOENDFRQ_1									
Frequency Percent Row Pct Col Pct	.	DK:O	RF:K	1: I do not have the symptom	2: Rarely	3: A few times	4: Fairly often	5: Usually	6: Almost always	Total
1: MALE	3	1	0	1203	155	112	55	18	66	1609
.	.	.	.	29.04	3.74	2.70	1.33	0.43	1.59	38.85
.	.	.	.	74.77	9.63	6.96	3.42	1.12	4.10	
.	.	.	.	36.53	45.45	47.26	49.11	45.00	55.46	
2: FEMALE	4	2	1	2090	186	125	57	22	53	2533
.	.	.	.	50.46	4.49	3.02	1.38	0.53	1.28	61.15
.	.	.	.	82.51	7.34	4.93	2.25	0.87	2.09	
.	.	.	.	63.47	54.55	52.74	50.89	55.00	44.54	
Total	.	.	.	3293	341	237	112	40	119	4142
.	.	.	.	79.50	8.23	5.72	2.70	0.97	2.87	100.00

Frequency Missing = 11

Table of GENDER_1 by FLOENDDUR_1										
GENDER_1	FLOENDDUR_1									
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	Skip	1: <3 months	2: 3-6 months	3: 7-12 months	4: 1-5 years	5: 6+ years	Total
1: MALE	3	1	0	1204	54	48	60	156	87	405
.	.	.	.	.	6.40	5.69	7.11	18.48	10.31	47.99
.	.	.	.	.	13.33	11.85	14.81	38.52	21.48	
.	.	.	.	.	36.00	35.82	47.62	58.65	51.79	
2: FEMALE	4	3	1	2093	96	86	66	110	81	439
.	.	.	.	.	11.37	10.19	7.82	13.03	9.60	52.01
.	.	.	.	.	21.87	19.59	15.03	25.06	18.45	
.	.	.	.	.	64.00	64.18	52.38	41.35	48.21	
Total	.	.	.	.	150	134	126	266	168	844
.	.	.	.	.	17.77	15.88	14.93	31.52	19.91	100.00

Frequency Missing = 3309

Table of GENDER_1 by FLOEND4_1									
GENDER_1	FLOEND4_1								
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: No problem	2: Very small	3: Small	4: Medium	5: Big	Total
1: MALE	3	0	1204	144	109	95	38	20	406
.	.	.	.	16.98	12.85	11.20	4.48	2.36	47.88
.	.	.	.	35.47	26.85	23.40	9.36	4.93	
.	.	.	.	49.83	50.93	52.78	36.54	32.79	
2: FEMALE	4	1	2093	145	105	85	66	41	442
.	.	.	.	17.10	12.38	10.02	7.78	4.83	52.12
.	.	.	.	32.81	23.76	19.23	14.93	9.28	
.	.	.	.	50.17	49.07	47.22	63.46	67.21	
Total	.	.	.	289	214	180	104	61	848
.	.	.	.	34.08	25.24	21.23	12.26	7.19	100.00

Frequency Missing = 3305

- J1. \*During the last month, how often have you had:
- i. Would you say...
- ii. About how long have you had this experience? Would you say...
- iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say...
- iv. Have you ever seen a healthcare provider for this symptom?
- v. **IF YES:** Did you receive treatment?

h. A prolonged trickle or dribble at the end of your urine flow?

1: I do not have the symptom

2: Rarely

3: A few times

4: Fairly often

5: Usually

6: Almost always

1: < 3 months

2: 3 - 6 months

3: 7 - 12 months

4: 1 - 5 years

5: 6+ years

1: No problem

2: Very small

3: Small

4: Medium

5: Big

1: Yes

2: No

1: Sought and received

2: Sought, but did not receive

floendfrq\_1

floenddur\_1

floend4\_1

floendhep\_1

floendtrt\_1

Table of GENDER_1 by FLOENDHEP_1						
GENDER_1	FLOENDHEP_1					
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: Yes	2: No	Total
1: MALE	3	0	1204	100	306	406
	.	.	.	11.79	36.08	47.88
	.	.	.	24.63	75.37	
	.	.	.	50.00	47.22	
2: FEMALE	4	1	2093	100	342	442
	.	.	.	11.79	40.33	52.12
	.	.	.	22.62	77.38	
	.	.	.	50.00	52.78	
Total	.	.	.	200	648	848
	.	.	.	23.58	76.42	100.00
Frequency Missing = 3305						

Table of GENDER_1 by FLOENDTRT_1_2006						
GENDER_1	FLOENDTRT_1_2006					
Frequency Percent Row Pct Col Pct	.	Skip	1: Did not seek	2: Sought and Received	3: Sought and did not received	Total
1: MALE	1370	229	2	6	6	14
	.	.	6.06	18.18	18.18	42.42
	.	.	14.29	42.86	42.86	
	.	.	40.00	40.00	46.15	
2: FEMALE	2070	451	3	9	7	19
	.	.	9.09	27.27	21.21	57.58
	.	.	15.79	47.37	36.84	
	.	.	60.00	60.00	53.85	
Total	.	.	5	15	13	33
	.	.	15.15	45.45	39.39	100.00
Frequency Missing = 4120						

Table of GENDER_1 by FLOENDTRT_1_2007					
GENDER_1	FLOENDTRT_1_2007				
Frequency Percent Row Pct Col Pct	.	Skip	1: Sought and Received	2: Sought and did not received	Total
1: MALE	246	1281	54	32	86
	.	.	32.34	19.16	51.50
	.	.	62.79	37.21	
	.	.	54.00	47.76	
2: FEMALE	474	1985	46	35	81
	.	.	27.54	20.96	48.50
	.	.	56.79	43.21	
	.	.	46.00	52.24	
Total	.	.	100	67	167
	.	.	59.88	40.12	100.00
Frequency Missing = 3986					

- J1. \*During the last month, how often have you had:
- i. Would you say... ii. About how long have you had this experience? iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say... iv. Have you ever seen a healthcare provider for this symptom? v. **IF YES:** Did you receive treatment?

i. Urine leakage almost immediately after you have finished urinating and walked away from the toilet?

1: I do not have the symptom  
2: Rarely  
3: A few times  
4: Fairly often  
5: Usually  
6: Almost always  
1: < 3 months  
2: 3 - 6 months  
3: 7 - 12 months  
4: 1 - 5 years  
5: 6+ years  
1: No problem  
2: Very small  
3: Small  
4: Medium  
5: Big  
1: Yes  
2: No  
1: Sought and received  
2: Sought, but did not receive

postufrq\_1

postudur\_1

postu4\_1

postuhep\_1

postutrt\_1

PROBE: This refers to leakage not in connection with a sudden compelling urge, nor in connection with sneezing, coughing or other physical activity

Table of GENDER_1 by POSTUFRQ_1											
GENDER_1	POSTUFRQ_1										
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	RF:K	1: I do not have the symptom	2: Rarely	3: A few times	4: Fairly often	5: Usually	6: Almost always	Total
1: MALE	3	1	3	0	1246	167	95	36	22	40	1606
	.	.	.	.	30.10	4.03	2.29	0.87	0.53	0.97	38.79
	.	.	.	.	77.58	10.40	5.92	2.24	1.37	2.49	
	.	.	.	.	36.43	55.30	48.97	43.90	47.83	41.67	
2: FEMALE	4	0	1	1	2174	135	99	46	24	56	2534
	.	.	.	.	52.51	3.26	2.39	1.11	0.58	1.35	61.21
	.	.	.	.	85.79	5.33	3.91	1.82	0.95	2.21	
	.	.	.	.	63.57	44.70	51.03	56.10	52.17	58.33	
Total	.	.	.	.	3420	302	194	82	46	96	4140
	.	.	.	.	82.61	7.29	4.69	1.98	1.11	2.32	100.00
Frequency Missing = 13											

Table of GENDER_1 by POSTUDUR_1									
GENDER_1	POSTUDUR_1								
Frequency Percent Row Pct Col Pct	.	DK:O	Skip	1: <3 months	2: 3-6 months	3: 7-12 months	4: 1-5 years	5: 6+ years	Total
1: MALE	3	2	1250	39	63	50	138	68	358
	.	.	.	5.43	8.77	6.96	19.22	9.47	49.86
	.	.	.	10.89	17.60	13.97	38.55	18.99	
	.	.	.	36.45	49.61	48.08	58.23	47.55	
2: FEMALE	4	0	2176	68	64	54	99	75	360
	.	.	.	9.47	8.91	7.52	13.79	10.45	50.14
	.	.	.	18.89	17.78	15.00	27.50	20.83	
	.	.	.	63.55	50.39	51.92	41.77	52.45	
Total	.	.	.	107	127	104	237	143	718
	.	.	.	14.90	17.69	14.48	33.01	19.92	100.00
Frequency Missing = 3435									

Table of GENDER_1 by POSTU4_1								
GENDER_1	POSTU4_1							
Frequency Percent Row Pct Col Pct	.	Skip	1: No problem	2: Very small	3: Small	4: Medium	5: Big	Total
1: MALE	3	1250	119	98	84	36	23	360
	.	.	16.53	13.61	11.67	5.00	3.19	50.00
	.	.	33.06	27.22	23.33	10.00	6.39	
	.	.	61.66	49.75	51.53	37.89	31.94	
2: FEMALE	4	2176	74	99	79	59	49	360
	.	.	10.28	13.75	10.97	8.19	6.81	50.00
	.	.	20.56	27.50	21.94	16.39	13.61	
	.	.	38.34	50.25	48.47	62.11	68.06	
Total	.	.	193	197	163	95	72	720
	.	.	26.81	27.36	22.64	13.19	10.00	100.00
Frequency Missing = 3433								

- J1. \*During the last month, how often have you had:
- i. Would you say...
- ii. About how long have you had this experience? Would you say...
- iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say...
- iv. Have you ever seen a healthcare provider for this symptom?
- v. **IF YES:** Did you receive treatment?

i. Urine leakage almost immediately after you have finished urinating and walked away from the toilet?

1: I do not have the symptom  
 2: Rarely  
 3: A few times  
 4: Fairly often  
 5: Usually  
 6: Almost always

postufreq\_1

1: < 3 months  
 2: 3 - 6 months  
 3: 7 - 12 months  
 4: 1 - 5 years  
 5: 6+ years

postudur\_1

1: No problem  
 2: Very small  
 3: Small  
 4: Medium  
 5: Big

postu4\_1

1: Yes  
 2: No

postuhep\_1

1: Sought and received  
 2: Sought, but did not receive

postutrt\_1

Table of GENDER_1 by POSTUHEP_1					
GENDER_1	POSTUHEP_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: Yes	2: No	Total
1: MALE	3	1250	83	277	360
	.	.	11.53	38.47	50.00
	.	.	23.06	76.94	
	.	.	45.86	51.39	
2: FEMALE	4	2176	98	262	360
	.	.	13.61	36.39	50.00
	.	.	27.22	72.78	
	.	.	54.14	48.61	
Total	.	.	181	539	720
	.	.	25.14	74.86	100.00
Frequency Missing = 3433					

Table of GENDER_1 by POSTUTRT_1_2006							
GENDER_1	POSTUTRT_1_2006						
Frequency Percent Row Pct Col Pct	.	MI:0	Skip	1: Did not seek	2: Sought and Received	3: Sought and did not received	Total
1: MALE	1370	0	232	0	7	4	11
	.	.	.	0.00	21.88	12.50	34.38
	.	.	.	0.00	63.64	36.36	
	.	.	.	0.00	38.89	40.00	
2: FEMALE	2070	1	448	4	11	6	21
	.	.	.	12.50	34.38	18.75	65.63
	.	.	.	19.05	52.38	28.57	
	.	.	.	100.00	61.11	60.00	
Total	.	.	.	4	18	10	32
	.	.	.	12.50	56.25	31.25	100.00
Frequency Missing = 4121							

Table of GENDER_1 by POSTUTRT_1_2007				
GENDER_1	POSTUTRT_1_2007			
Frequency Percent Row Pct Col Pct	.	1: Sought and Received	2: Sought and did not received	Total
1: MALE	1541	41	31	72
	.	27.70	20.95	48.65
	.	56.94	43.06	
	.	49.40	47.69	
2: FEMALE	2464	42	34	76
	.	28.38	22.97	51.35
	.	55.26	44.74	
	.	50.60	52.31	
Total	.	83	65	148
	.	56.08	43.92	100.00
Frequency Missing = 4005				

- J1. \*During the last month, how often have you had:
- i. Would you say...
- ii. About how long have you had this experience? Would you say...
- iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say...
- iv. Have you ever seen a healthcare provider for this symptom?
- v. **IF YES:** Did you receive treatment?

j. Difficulty starting to urinate?

1: I do not have the symptom

2: Rarely

3: A few times

4: Fairly often

5: Usually

6: Almost always

1: < 3 months

2: 3 - 6 months

3: 7 - 12 months

4: 1 - 5 years

5: 6+ years

1: No problem

2: Very small

3: Small

4: Medium

5: Big

1: Yes

2: No

1: Sought and received

2: Sought, but did not receive

dstrtrfq\_1

dstrtdur\_1

dstrt4\_1

dstrthep\_1

dstrt\_1

Table of GENDER_1 by DSTRTRFQ_1									
GENDER_1	DSTRTRFQ_1								
Frequency Percent Row Pct Col Pct	.	RF:K	1: I do not have the symptom	2: Rarely	3: A few times	4: Fairly often	5: Usually	6: Almost always	Total
1: MALE	3	0	1429	75	63	22	5	16	1610
	.	.	34.48	1.81	1.52	0.53	0.12	0.39	38.84
	.	.	88.76	4.66	3.91	1.37	0.31	0.99	
	.	.	37.69	50.34	52.94	56.41	29.41	53.33	
2: FEMALE	4	1	2362	74	56	17	12	14	2535
	.	.	56.98	1.79	1.35	0.41	0.29	0.34	61.16
	.	.	93.18	2.92	2.21	0.67	0.47	0.55	
	.	.	62.31	49.66	47.06	43.59	70.59	46.67	
Total	.	.	3791	149	119	39	17	30	4145
	.	.	91.46	3.59	2.87	0.94	0.41	0.72	100.00

Frequency Missing = 8

Table of GENDER_1 by DSTRTDUR_1									
GENDER_1	DSTRTDUR_1								
Frequency Percent Row Pct Col Pct	.	DK:O	Skip	1: <3 months	2: 3-6 months	3: 7-12 months	4: 1-5 years	5: 6+ years	Total
1: MALE	3	1	1429	23	24	25	69	39	180
	.	.	.	6.52	6.80	7.08	19.55	11.05	50.99
	.	.	.	12.78	13.33	13.89	38.33	21.67	
	.	.	.	35.38	45.28	40.98	63.89	59.09	
2: FEMALE	4	0	2363	42	29	36	39	27	173
	.	.	.	11.90	8.22	10.20	11.05	7.65	49.01
	.	.	.	24.28	16.76	20.81	22.54	15.61	
	.	.	.	64.62	54.72	59.02	36.11	40.91	
Total	.	.	.	65	53	61	108	66	353
	.	.	.	18.41	15.01	17.28	30.59	18.70	100.00

Frequency Missing = 3800

Table of GENDER_1 by DSTRT4_1								
GENDER_1	DSTRT4_1							
Frequency Percent Row Pct Col Pct	.	Skip	1: No problem	2: Very small	3: Small	4: Medium	5: Big	Total
1: MALE	3	1429	42	47	54	22	16	181
	.	.	11.86	13.28	15.25	6.21	4.52	51.13
	.	.	23.20	25.97	29.83	12.15	8.84	
	.	.	55.26	54.02	55.67	36.67	47.06	
2: FEMALE	4	2363	34	40	43	38	18	173
	.	.	9.60	11.30	12.15	10.73	5.08	48.87
	.	.	19.65	23.12	24.86	21.97	10.40	
	.	.	44.74	45.98	44.33	63.33	52.94	
Total	.	.	76	87	97	60	34	354
	.	.	21.47	24.58	27.40	16.95	9.60	100.00

Frequency Missing = 3799

- J1. \*During the last month, how often have you had:
- i. Would you say... ii. About how long have you had this experience? iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say... iv. Have you ever seen a healthcare provider for this symptom? v. **IF YES:** Did you receive treatment?

j. Difficulty starting to urinate?

1: I do not have the symptom

2: Rarely

3: A few times

4: Fairly often

5: Usually

6: Almost always

1: < 3 months

2: 3 - 6 months

3: 7 - 12 months

4: 1 - 5 years

5: 6+ years

1: No problem

2: Very small

3: Small

4: Medium

5: Big

1: Yes

2: No

1: Sought and received

2: Sought, but did not receive

dstrtfreq\_1

dstrtdur\_1

dstrt4\_1

dstrthep\_1

dstrt\_1

Table of GENDER_1 by DSTRTHEP_1					
GENDER_1	DSTRTHEP_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: Yes	2: No	Total
1: MALE	3	1429	61	120	181
	.	.	17.23	33.90	51.13
	.	.	33.70	66.30	
	.	.	52.14	50.63	
2: FEMALE	4	2363	56	117	173
	.	.	15.82	33.05	48.87
	.	.	32.37	67.63	
	.	.	47.86	49.37	
Total	.	.	117	237	354
	.	.	33.05	66.95	100.00
Frequency Missing = 3799					

Table of GENDER_1 by DSTRT_1_2006							
GENDER_1	DSTRT_1_2006						
Frequency Percent Row Pct Col Pct	.	MI:0	Skip	1: Did not seek	2: Sought and Received	3: Sought and did not received	Total
1: MALE	1370	0	234	2	5	2	9
	.	.	.	11.76	29.41	11.76	52.94
	.	.	.	22.22	55.56	22.22	
	.	.	.	50.00	55.56	50.00	
2: FEMALE	2070	1	461	2	4	2	8
	.	.	.	11.76	23.53	11.76	47.06
	.	.	.	25.00	50.00	25.00	
	.	.	.	50.00	44.44	50.00	
Total	.	.	.	4	9	4	17
	.	.	.	23.53	52.94	23.53	100.00
Frequency Missing = 4136							

Table of GENDER_1 by DSTRT_1_2007					
GENDER_1	DSTRT_1_2007				
Frequency Percent Row Pct Col Pct	.	Skip	1: Sought and Received	2: Sought and did not received	Total
1: MALE	246	1315	36	16	52
	.	.	36.36	16.16	52.53
	.	.	69.23	30.77	
	.	.	56.25	45.71	
2: FEMALE	474	2019	28	19	47
	.	.	28.28	19.19	47.47
	.	.	59.57	40.43	
	.	.	43.75	54.29	
Total	.	.	64	35	99
	.	.	64.65	35.35	100.00
Frequency Missing = 4054					

- J1. \*During the last month, how often have you had:
- i. Would you say...
- ii. About how long have you had this experience? Would you say...
- iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say...
- iv. Have you ever seen a healthcare provider for this symptom?
- v. **IF YES:** Did you receive treatment?

**k. Pain or burning during urination?**

1: I do not have the symptom  
 2: Rarely  
 3: A few times  
 4: Fairly often  
 5: Usually  
 6: Almost always

1: < 3 months  
 2: 3 - 6 months  
 3: 7 - 12 months  
 4: 1 - 5 years  
 5: 6+ years

1: No problem  
 2: Very small  
 3: Small  
 4: Medium  
 5: Big

1: Yes  
 2: No

1: Sought and received  
 2: Sought, but did not receive

**painfrq\_1      paindur\_1      pain4\_1      painhep\_1      paintrt\_1**

Table of GENDER_1 by PAINFRQ_1									
GENDER_1	PAINFRQ_1								
Frequency Percent Row Pct Col Pct	.	RF:K	1: I do not have the symptom	2: Rarely	3: A few times	4: Fairly often	5: Usually	6: Almost always	Total
1: MALE	3	0	1524	53	22	1	3	7	1610
	.	.	36.77	1.28	0.53	0.02	0.07	0.17	38.84
	.	.	94.66	3.29	1.37	0.06	0.19	0.43	
	.	.	38.85	44.17	34.92	5.88	33.33	53.85	
2: FEMALE	4	1	2399	67	41	16	6	6	2535
	.	.	57.88	1.62	0.99	0.39	0.14	0.14	61.16
	.	.	94.64	2.64	1.62	0.63	0.24	0.24	
	.	.	61.15	55.83	65.08	94.12	66.67	46.15	
Total	.	.	3923	120	63	17	9	13	4145
	.	.	94.64	2.90	1.52	0.41	0.22	0.31	100.00
Frequency Missing = 8									

Table of GENDER_1 by PAINDUR_1									
GENDER_1	PAINDUR_1								
Frequency Percent Row Pct Col Pct	.	RF:K	Skip	1: <3 months	2: 3-6 months	3: 7-12 months	4: 1-5 years	5: 6+ years	Total
1: MALE	3	0	1524	18	15	8	24	21	86
	.	.	.	8.11	6.76	3.60	10.81	9.46	38.74
	.	.	.	20.93	17.44	9.30	27.91	24.42	
	.	.	.	25.35	51.72	25.81	44.44	56.76	
2: FEMALE	4	1	2399	53	14	23	30	16	136
	.	.	.	23.87	6.31	10.36	13.51	7.21	61.26
	.	.	.	38.97	10.29	16.91	22.06	11.76	
	.	.	.	74.65	48.28	74.19	55.56	43.24	
Total	.	.	.	71	29	31	54	37	222
	.	.	.	31.98	13.06	13.96	24.32	16.67	100.00
Frequency Missing = 3931									

Table of GENDER_1 by PAIN4_1									
GENDER_1	PAIN4_1								
Frequency Percent Row Pct Col Pct	.	RF:K	Skip	1: No problem	2: Very small	3: Small	4: Medium	5: Big	Total
1: MALE	3	0	1524	24	26	20	11	5	86
	.	.	.	10.81	11.71	9.01	4.95	2.25	38.74
	.	.	.	27.91	30.23	23.26	12.79	5.81	
	.	.	.	42.11	54.17	41.67	23.91	21.74	
2: FEMALE	4	1	2399	33	22	28	35	18	136
	.	.	.	14.86	9.91	12.61	15.77	8.11	61.26
	.	.	.	24.26	16.18	20.59	25.74	13.24	
	.	.	.	57.89	45.83	58.33	76.09	78.26	
Total	.	.	.	57	48	48	46	23	222
	.	.	.	25.68	21.62	21.62	20.72	10.36	100.00
Frequency Missing = 3931									

- J1. \*During the last month, how often have you had:
- i. Would you say...
- ii. About how long have you had this experience? Would you say...
- iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say...
- iv. Have you ever seen a healthcare provider for this symptom?
- v. **IF YES:** Did you receive treatment?

**k. Pain or burning during urination?**

1: I do not have the symptom

2: Rarely

3: A few times

4: Fairly often

5: Usually

6: Almost always

1: < 3 months

2: 3 - 6 months

3: 7 - 12 months

4: 1 - 5 years

5: 6+ years

1: No problem

2: Very small

3: Small

4: Medium

5: Big

1: Yes

2: No

1: Sought and received

2: Sought, but did not receive

**painfrq\_1**

**paindur\_1**

**pain4\_1**

**painhep\_1**

**paintrt\_1**

Table of GENDER_1 by PAINHEP_1						
GENDER_1	PAINHEP_1					
Frequency Percent Row Pct Col Pct	.	RF:K	Skip	1: Yes	2: No	Total
1: MALE	3	0	1524	38	48	86
	.	.	.	17.12	21.62	38.74
	.	.	.	44.19	55.81	
	.	.	.	40.00	37.80	
2: FEMALE	4	1	2399	57	79	136
	.	.	.	25.68	35.59	61.26
	.	.	.	41.91	58.09	
	.	.	.	60.00	62.20	
Total	.	.	.	95	127	222
	.	.	.	42.79	57.21	100.00

Frequency Missing = 3931

Table of GENDER_1 by PAINTRT_1_2006						
GENDER_1	PAINTRT_1_2006					
Frequency Percent Row Pct Col Pct	.	Skip	1: Did not seek	2: Sought and Received	3: Sought and did not received	Total
1: MALE	1370	239	1	3	0	4
	.	.	7.69	23.08	0.00	30.77
	.	.	25.00	75.00	0.00	
	.	.	50.00	33.33	0.00	
2: FEMALE	2070	461	1	6	2	9
	.	.	7.69	46.15	15.38	69.23
	.	.	11.11	66.67	22.22	
	.	.	50.00	66.67	100.00	
Total	.	.	2	9	2	13
	.	.	15.38	69.23	15.38	100.00

Frequency Missing = 4140

Table of GENDER_1 by PAINTRT_1_2007					
GENDER_1	PAINTRT_1_2007				
Frequency Percent Row Pct Col Pct	.	Skip	1: Sought and Received	2: Sought and did not received	Total
1: MALE	246	1333	24	10	34
	.	.	29.27	12.20	41.46
	.	.	70.59	29.41	
	.	.	41.38	41.67	
2: FEMALE	474	2018	34	14	48
	.	.	41.46	17.07	58.54
	.	.	70.83	29.17	
	.	.	58.62	58.33	
Total	.	.	58	24	82
	.	.	70.73	29.27	100.00

Frequency Missing = 4071

- J1. \*During the last month, how often have you had:      i. Would you say...      ii. About how long have you had this experience? Would you say...      iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say...      iv. Have you ever seen a healthcare provider for this symptom?      v. IF YES: Did you receive treatment?

**I. IF MALE: Pain or discomfort in the area between the rectum and testicles**

1: I do not have the symptom

2: Rarely

3: A few times

4: Fairly often

5: Usually

6: Almost always

1: < 3 months

2: 3 - 6 months

3: 7 - 12 months

4: 1 - 5 years

5: 6+ years

1: No problem

2: Very small

3: Small

4: Medium

5: Big

1: Yes

2: No

1: Sought and received

2: Sought, but did not receive

peripfrq\_1

peripdur\_1

perip4\_1

periphep\_1

periptrt\_1

PERIPFRQ_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	7	.	.	.
RF:K	1	.	.	.
Skip	2536	.	.	.
1: I do not have the symptom	1557	96.77	1557	96.77
2: Rarely	25	1.55	1582	98.32
3: A few times	17	1.06	1599	99.38
4: Fairly often	4	0.25	1603	99.63
5: Usually	3	0.19	1606	99.81
6: Almost always	3	0.19	1609	100.00

Frequency Missing = 2544

PERIPDUR_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	7	.	.	.
Skip	4094	.	.	.
1: <3 months	15	28.85	15	28.85
2: 3-6 months	8	15.38	23	44.23
3: 7-12 months	8	15.38	31	59.62
4: 1-5 years	12	23.08	43	82.69
5: 6+ years	9	17.31	52	100.00

Frequency Missing = 4101

PERIP4_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	7	.	.	.
Skip	4094	.	.	.
1: No problem	5	9.62	5	9.62
2: Very small	13	25.00	18	34.62
3: Small	21	40.38	39	75.00
4: Medium	9	17.31	48	92.31
5: Big	4	7.69	52	100.00

Frequency Missing = 4101

PERIPHEP_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	7	.	.	.
Skip	4094	.	.	.
1: Yes	22	42.31	22	42.31
2: No	30	57.69	52	100.00

Frequency Missing = 4101

PERIPTRT_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	7	.	.	.
Skip	4124	.	.	.
1: Sought and received	16	72.73	16	72.73
2: Sought, but did not receive	6	27.27	22	100.00

Frequency Missing = 4131

- J1. \*During the last month, how often have you had:      i. Would you say...      ii. About how long have you had this experience? Would you say...      iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say...      iv. Have you ever seen a healthcare provider for this symptom?      v. IF YES: Did you receive treatment?

**m. IF MALE: Pain in your testicles?**

1: I do not have the symptom

2: Rarely

3: A few times

4: Fairly often

5: Usually

6: Almost always

1: < 3 months

2: 3 - 6 months

3: 7 - 12 months

4: 1 - 5 years

5: 6+ years

1: No problem

2: Very small

3: Small

4: Medium

5: Big

1: Yes

2: No

1: Sought and received

2: Sought, but did not receive

**testfrq\_1**

**testdur\_1**

**test4\_1**

**testhep\_1**

**testtrt\_1**

TESTFRQ_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	7	.	.	.
RF:K	1	.	.	.
Skip	2536	.	.	.
1: I do not have the symptom	1533	95.28	1533	95.28
2: Rarely	38	2.36	1571	97.64
3: A few times	27	1.68	1598	99.32
4: Fairly often	6	0.37	1604	99.69
5: Usually	3	0.19	1607	99.88
6: Almost always	2	0.12	1609	100.00

Frequency Missing = 2544

TESTDUR_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	7	.	.	.
Skip	4070	.	.	.
1: <3 months	15	19.74	15	19.74
2: 3-6 months	13	17.11	28	36.84
3: 7-12 months	13	17.11	41	53.95
4: 1-5 years	22	28.95	63	82.89
5: 6+ years	13	17.11	76	100.00

Frequency Missing = 4077

TEST4_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	7	.	.	.
Skip	4070	.	.	.
1: No problem	17	22.37	17	22.37
2: Very small	25	32.89	42	55.26
3: Small	19	25.00	61	80.26
4: Medium	9	11.84	70	92.11
5: Big	6	7.89	76	100.00

Frequency Missing = 4077

TESTHEP_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	7	.	.	.
Skip	4070	.	.	.
1: Yes	30	39.47	30	39.47
2: No	46	60.53	76	100.00

Frequency Missing = 4077

TESTTRT_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	7	.	.	.
Skip	4116	.	.	.
1: Sought and received	18	60.00	18	60.00
2: Sought, but did not receive	12	40.00	30	100.00

Frequency Missing = 4123

- J1. \*During the last month, how often have you had:
- i. Would you say...
- ii. About how long have you had this experience? Would you say...
- iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say...
- iv. Have you ever seen a healthcare provider for this symptom?
- v. IF YES: Did you receive treatment?
- n. IF MALE: Pain or discomfort at the tip of the penis, not related to urination?
- 1: I do not have the symptom  
 2: Rarely  
 3: A few times  
 4: Fairly often  
 5: Usually  
 6: Almost always
- 1: < 3 months  
 2: 3 - 6 months  
 3: 7 - 12 months  
 4: 1 - 5 years  
 5: 6+ years
- 1: No problem  
 2: Very small  
 3: Small  
 4: Medium  
 5: Big
- 1: Yes  
 2: No
- 1: Sought and received  
 2: Sought, but did not receive
- tpenfrq\_1                      tpendur\_1                      tpen4\_1                      tpenhep\_1                      tpentrt\_1**

TPENFRQ_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	7	.	.	.
RF:K	1	.	.	.
Skip	2536	.	.	.
1: I do not have the symptom	1585	98.51	1585	98.51
2: Rarely	18	1.12	1603	99.63
3: A few times	1	0.06	1604	99.69
4: Fairly often	3	0.19	1607	99.88
5: Usually	1	0.06	1608	99.94
6: Almost always	1	0.06	1609	100.00

Frequency Missing = 2544

TPENDUR_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	7	.	.	.
Skip	4122	.	.	.
1: <3 months	7	29.17	7	29.17
2: 3-6 months	3	12.50	10	41.67
3: 7-12 months	2	8.33	12	50.00
4: 1-5 years	4	16.67	16	66.67
5: 6+ years	8	33.33	24	100.00

Frequency Missing = 4129

TPEN4_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	7	.	.	.
Skip	4122	.	.	.
1: No problem	7	29.17	7	29.17
2: Very small	6	25.00	13	54.17
3: Small	5	20.83	18	75.00
4: Medium	4	16.67	22	91.67
5: Big	2	8.33	24	100.00

Frequency Missing = 4129

TPENHEP_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	7	.	.	.
Skip	4122	.	.	.
1: Yes	10	41.67	10	41.67
2: No	14	58.33	24	100.00

Frequency Missing = 4129

TPENTRT_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	7	.	.	.
Skip	4136	.	.	.
1: Sought and received	4	40.00	4	40.00
2: Sought, but did not receive	6	60.00	10	100.00

Frequency Missing = 4143

- J1. \*During the last month, how often have you had:
- i. Would you say...
- ii. About how long have you had this experience? Would you say...
- iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say...
- iv. Have you ever seen a healthcare provider for this symptom?
- v. IF YES: Did you receive treatment?
- o. IF MALE: Pain or discomfort during or after sexual climax (ejaculation)?
- 1: I do not have the symptom  
 2: Rarely  
 3: A few times  
 4: Fairly often  
 5: Usually  
 6: Almost always
- 1: < 3 months  
 2: 3 - 6 months  
 3: 7 - 12 months  
 4: 1 - 5 years  
 5: 6+ years
- 1: No problem  
 2: Very small  
 3: Small  
 4: Medium  
 5: Big
- 1: Yes  
 2: No
- 1: Sought and received  
 2: Sought, but did not receive
- ejacfrq\_1**      **ejacdur\_1**      **ejac4\_1**      **ejachep\_1**      **ejactrt\_1**

EJACFRQ_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	7	.	.	.
MI:O	4	.	.	.
RF:K	3	.	.	.
Skip	2536	.	.	.
1: I do not have the symptom	1565	97.63	1565	97.63
2: Rarely	17	1.06	1582	98.69
3: A few times	11	0.69	1593	99.38
4: Fairly often	2	0.12	1595	99.50
5: Usually	3	0.19	1598	99.69
6: Almost always	5	0.31	1603	100.00

Frequency Missing = 2550

EJACDUR_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	7	.	.	.
Skip	4108	.	.	.
1: <3 months	8	21.05	8	21.05
2: 3-6 months	5	13.16	13	34.21
3: 7-12 months	6	15.79	19	50.00
4: 1-5 years	8	21.05	27	71.05
5: 6+ years	11	28.95	38	100.00

Frequency Missing = 4115

EJAC4_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	7	.	.	.
Skip	4108	.	.	.
1: No problem	11	28.95	11	28.95
2: Very small	11	28.95	22	57.89
3: Small	8	21.05	30	78.95
4: Medium	5	13.16	35	92.11
5: Big	3	7.89	38	100.00

Frequency Missing = 4115

EJACHEP_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	7	.	.	.
Skip	4108	.	.	.
1: Yes	12	31.58	12	31.58
2: No	26	68.42	38	100.00

Frequency Missing = 4115

EJACTRT_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	7	.	.	.
Skip	4134	.	.	.
1: Sought and received	6	50.00	6	50.00
2: Sought, but did not receive	6	50.00	12	100.00

Frequency Missing = 4141

- J1. \*During the last month, how often have you had:      i. Would you say...      ii. About how long have you had this experience? Would you say...      iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say...      iv. Have you ever seen a healthcare provider for this symptom?      v. IF YES: Did you receive treatment?

\*p. A strong urge or pressure to urinate immediately, with no, or little warning?

1: I do not have the symptom      2: Rarely      3: A few times      4: Fairly often      5: Usually      6: Almost always      1: < 3 months      2: 3 - 6 months      3: 7 - 12 months      4: 1 - 5 years      5: 6+ years      1: No problem      2: Very small      3: Small      4: Medium      5: Big      1: Yes      2: No      1: Sought and received      2: Sought, but did not receive

**surgefrq\_1      surgedur\_1      surge4\_1      surgehep\_1      surgetrt\_1**

Table of GENDER_1 by SURGEFRQ_1											
GENDER_1	SURGEFRQ_1										
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	RF:K	1: I do not have the symptom	2: Rarely	3: A few times	4: Fairly often	5: Usually	6: Almost always	Total
1: MALE	3	0	1	1	1341	106	78	32	17	34	1608
	.	.	.	.	32.38	2.56	1.88	0.77	0.41	0.82	38.83
	.	.	.	.	83.40	6.59	4.85	1.99	1.06	2.11	
	.	.	.	.	40.40	36.93	32.50	26.89	30.36	28.33	
2: FEMALE	4	1	1	1	1978	181	162	87	39	86	2533
	.	.	.	.	47.77	4.37	3.91	2.10	0.94	2.08	61.17
	.	.	.	.	78.09	7.15	6.40	3.43	1.54	3.40	
	.	.	.	.	59.60	63.07	67.50	73.11	69.64	71.67	
Total	.	.	.	.	3319	287	240	119	56	120	4141
	.	.	.	.	80.15	6.93	5.80	2.87	1.35	2.90	100.00
Frequency Missing = 12											

Table of GENDER_1 by SURGEDUR_1									
GENDER_1	SURGEDUR_1								
Frequency Percent Row Pct Col Pct	.	DK:O	Skip	1: <3 months	2: 3-6 months	3: 7-12 months	4: 1-5 years	5: 6+ years	Total
1: MALE	3	0	1343	32	34	38	98	65	267
	.	.	.	3.90	4.14	4.63	11.94	7.92	32.52
	.	.	.	11.99	12.73	14.23	36.70	24.34	
	.	.	.	20.38	25.37	29.92	39.68	41.67	
2: FEMALE	4	1	1981	125	100	89	149	91	554
	.	.	.	15.23	12.18	10.84	18.15	11.08	67.48
	.	.	.	22.56	18.05	16.06	26.90	16.43	
	.	.	.	79.62	74.63	70.08	60.32	58.33	
Total	.	.	.	157	134	127	247	156	821
	.	.	.	19.12	16.32	15.47	30.09	19.00	100.00
Frequency Missing = 3332									

Table of GENDER_1 by SURGE4_1								
GENDER_1	SURGE4_1							
Frequency Percent Row Pct Col Pct	.	Skip	1: No problem	2: Very small	3: Small	4: Medium	5: Big	Total
1: MALE	3	1343	76	69	61	34	27	267
	.	.	9.25	8.39	7.42	4.14	3.28	32.48
	.	.	28.46	25.84	22.85	12.73	10.11	
	.	.	34.70	38.98	32.62	22.97	29.67	
2: FEMALE	4	1981	143	108	126	114	64	555
	.	.	17.40	13.14	15.33	13.87	7.79	67.52
	.	.	25.77	19.46	22.70	20.54	11.53	
	.	.	65.30	61.02	67.38	77.03	70.33	
Total	.	.	219	177	187	148	91	822
	.	.	26.64	21.53	22.75	18.00	11.07	100.00
Frequency Missing = 3331								

- J1. \*During the last month, how often have you had:
- i. Would you say...
- ii. About how long have you had this experience? Would you say...
- iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say...
- iv. Have you ever seen a healthcare provider for this symptom?
- v. IF YES: Did you receive treatment?
- \*p. A strong urge or pressure to urinate immediately, with no, or little warning?
- 1: I do not have the symptom  
 2: Rarely  
 3: A few times  
 4: Fairly often  
 5: Usually  
 6: Almost always  
 1: < 3 months  
 2: 3 - 6 months  
 3: 7 - 12 months  
 4: 1 - 5 years  
 5: 6+ years  
 1: No problem  
 2: Very small  
 3: Small  
 4: Medium  
 5: Big  
 1: Yes  
 2: No  
 1: Sought and received  
 2: Sought, but did not receive
- surgefrq\_1      surgedur\_1      surge4\_1      surgehep\_1      surgetrt\_1

Table of GENDER_1 by SURGEHEP_1						
GENDER_1	SURGEHEP_1					
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: Yes	2: No	Total
1: MALE	3	1	1343	89	177	266
	.	.	.	10.84	21.56	32.40
	.	.	.	33.46	66.54	
	.	.	.	34.36	31.49	
2: FEMALE	4	0	1981	170	385	555
	.	.	.	20.71	46.89	67.60
	.	.	.	30.63	69.37	
	.	.	.	65.64	68.51	
Total	.	.	.	259	562	821
	.	.	.	31.55	68.45	100.00
Frequency Missing = 3332						

Table of GENDER_1 by SURGETRT_1						
GENDER_1	SURGETRT_1					
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: Sought and received	2: Sought, but did not receive	Total
1: MALE	3	0	1521	55	34	89
	.	.	.	21.32	13.18	34.50
	.	.	.	61.80	38.20	
	.	.	.	34.81	34.00	
2: FEMALE	4	1	2366	103	66	169
	.	.	.	39.92	25.58	65.50
	.	.	.	60.95	39.05	
	.	.	.	65.19	66.00	
Total	.	.	.	158	100	258
	.	.	.	61.24	38.76	100.00
Frequency Missing = 3895						

- J1. \*During the last month, how often have you had:
- i. Would you say...
- ii. About how long have you had this experience? Would you say...
- iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say...
- iv. Have you ever seen a healthcare provider for this symptom?
- v. IF YES: Did you receive treatment?

q. Frequent urination during the day?

1: I do not have the symptom  
 2: Rarely  
 3: A few times  
 4: Fairly often  
 5: Usually  
 6: Almost always  
 1: < 3 months  
 2: 3 - 6 months  
 3: 7 - 12 months  
 4: 1 - 5 years  
 5: 6+ years  
 1: No problem  
 2: Very small  
 3: Small  
 4: Medium  
 5: Big  
 1: Yes  
 2: No  
 1: Sought and received  
 2: Sought, but did not receive

frquzfrq\_1

frquzdur\_1

frquz4\_1

frquzhep\_1

frquztrt\_1

Table of GENDER_1 by FRQUZFRQ_1												
GENDER_1	FRQUZFRQ_1											
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	RF:K	1: I do not have the symptom	2: Rarely	3: A few times	4: Fairly often	5: Usually	6: Almost always	Total	
1: MALE	3	1	2	1	1077 26.01 67.06 40.81	147 3.55 9.15 43.11	151 3.65 9.40 36.04	84 2.03 5.23 29.68	49 1.18 3.05 31.82	98 2.37 6.10 32.24	1606 38.79	
2: FEMALE	4	0	1	1	1562 37.73 61.64 59.19	194 4.69 7.66 56.89	268 6.47 10.58 63.96	199 4.81 7.85 70.32	105 2.54 4.14 68.18	206 4.98 8.13 67.76	2534 61.21	
Total	.	.	.	.	2639 63.74	341 8.24	419 10.12	283 6.84	154 3.72	304 7.34	4140 100.00	
Frequency Missing = 13												

Table of GENDER_1 by FRQUZDUR_1										
GENDER_1	FRQUZDUR_1									
Frequency Percent Row Pct Col Pct	.	DK:O	Skip	1: <3 months	2: 3-6 months	3: 7-12 months	4: 1-5 years	5: 6+ years	Total	
1: MALE	3	0	1081	80 5.34 15.12 30.65	54 3.60 10.21 28.88	62 4.14 11.72 33.16	186 12.41 35.16 41.15	147 9.81 27.79 35.68	529 35.29	
2: FEMALE	4	2	1564	181 12.07 18.66 69.35	133 8.87 13.71 71.12	125 8.34 12.89 66.84	266 17.75 27.42 58.85	265 17.68 27.32 64.32	970 64.71	
Total	.	.	.	261 17.41	187 12.47	187 12.47	452 30.15	412 27.48	1499 100.00	
Frequency Missing = 2654										

Table of GENDER_1 by FRQUZ4_1								
GENDER_1	FRQUZ4_1							
Frequency Percent Row Pct Col Pct	.	Skip	1: No problem	2: Very small	3: Small	4: Medium	5: Big	Total
1: MALE	3	1081	227 15.12 42.91 37.15	108 7.20 20.42 36.61	114 7.59 21.55 37.62	54 3.60 10.21 26.47	26 1.73 4.91 29.55	529 35.24
2: FEMALE	4	1564	384 25.58 39.51 62.85	187 12.46 19.24 63.39	189 12.59 19.44 62.38	150 9.99 15.43 73.53	62 4.13 6.38 70.45	972 64.76
Total	.	.	611 40.71	295 19.65	303 20.19	204 13.59	88 5.86	1501 100.00
Frequency Missing = 2652								

- J1. \*During the last month, how often have you had:
- i. Would you say...
- ii. About how long have you had this experience? Would you say...
- iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say...
- iv. Have you ever seen a healthcare provider for this symptom?
- v. IF YES: Did you receive treatment?

q. Frequent urination during the day?

1: I do not have the symptom

2: Rarely

3: A few times

4: Fairly often

5: Usually

6: Almost always

1: < 3 months

2: 3 - 6 months

3: 7 - 12 months

4: 1 - 5 years

5: 6+ years

1: No problem

2: Very small

3: Small

4: Medium

5: Big

1: Yes

2: No

1: Sought and received

2: Sought, but did not receive

frquzfrq\_1

frquzdur\_1

frquz4\_1

frquzhep\_1

frquztrt\_1

Table of GENDER_1 by FRQUZHEP_1						
GENDER_1	FRQUZHEP_1					
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: Yes	2: No	Total
1: MALE	3	1	1081	159	369	528
.	.	.	.	10.60	24.60	35.20
.	.	.	.	30.11	69.89	
.	.	.	.	38.41	33.98	
2: FEMALE	4	0	1564	255	717	972
.	.	.	.	17.00	47.80	64.80
.	.	.	.	26.23	73.77	
.	.	.	.	61.59	66.02	
Total	.	.	.	414	1086	1500
.	.	.	.	27.60	72.40	100.00
Frequency Missing = 2653						

Table of GENDER_1 by FRQUZTRT_1						
GENDER_1	FRQUZTRT_1					
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: Sought and received	2: Sought, but did not receive	Total
1: MALE	3	0	1451	80	79	159
.	.	.	.	19.37	19.13	38.50
.	.	.	.	50.31	49.69	
.	.	.	.	38.65	38.35	
2: FEMALE	4	1	2281	127	127	254
.	.	.	.	30.75	30.75	61.50
.	.	.	.	50.00	50.00	
.	.	.	.	61.35	61.65	
Total	.	.	.	207	206	413
.	.	.	.	50.12	49.88	100.00
Frequency Missing = 3740						

- J1. \*During the last month, how often have you had:
- i. Would you say...
- ii. About how long have you had this experience? Would you say...
- iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say...
- iv. Have you ever seen a healthcare provider for this symptom?
- v. IF YES: Did you receive treatment?
- \*r. Burning, discomfort, pain or pressure in your pelvic or bladder area?
- 1: I do not have the symptom  
 2: Rarely  
 3: A few times  
 4: Fairly often  
 5: Usually  
 6: Almost always  
 1: < 3 months  
 2: 3 - 6 months  
 3: 7 - 12 months  
 4: 1 - 5 years  
 5: 6+ years  
 1: No problem  
 2: Very small  
 3: Small  
 4: Medium  
 5: Big  
 1: Yes  
 2: No  
 1: Sought and received  
 2: Sought, but did not receive

pbladfrq\_1

pbladdur\_1

pblad4\_1

pbladhep\_1

pbladtrt\_1

Table of GENDER_1 by PBLADFRQ_1										
GENDER_1	PBLADFRQ_1									
Frequency Percent Row Pct Col Pct	.	MI:O	RF:K	1: I do not have the symptom	2: Rarely	3: A few times	4: Fairly often	5: Usually	6: Almost always	Total
1: MALE	3	1	2	1540	32	16	7	9	3	1607
.	.	.	.	37.18	0.77	0.39	0.17	0.22	0.07	38.80
.	.	.	.	95.83	1.99	1.00	0.44	0.56	0.19	
.	.	.	.	39.36	33.68	23.88	28.00	50.00	12.50	
2: FEMALE	4	0	1	2373	63	51	18	9	21	2535
.	.	.	.	57.29	1.52	1.23	0.43	0.22	0.51	61.20
.	.	.	.	93.61	2.49	2.01	0.71	0.36	0.83	
.	.	.	.	60.64	66.32	76.12	72.00	50.00	87.50	
Total	.	.	.	3913	95	67	25	18	24	4142
.	.	.	.	94.47	2.29	1.62	0.60	0.43	0.58	100.00

Frequency Missing = 11

Table of GENDER_1 by PBLADDUR_1								
GENDER_1	PBLADDUR_1							
Frequency Percent Row Pct Col Pct	.	Skip	1: <3 months	2: 3-6 months	3: 7-12 months	4: 1-5 years	5: 6+ years	Total
1: MALE	3	1543	15	11	12	15	14	67
	.	.	6.55	4.80	5.24	6.55	6.11	29.26
	.	.	22.39	16.42	17.91	22.39	20.90	
	.	.	22.39	22.45	48.00	28.85	38.89	
2: FEMALE	4	2374	52	38	13	37	22	162
	.	.	22.71	16.59	5.68	16.16	9.61	70.74
	.	.	32.10	23.46	8.02	22.84	13.58	
	.	.	77.61	77.55	52.00	71.15	61.11	
Total	.	.	67	49	25	52	36	229
	.	.	29.26	21.40	10.92	22.71	15.72	100.00
Frequency Missing = 3924								

Frequency Missing = 3924

Table of GENDER_1 by PBLAD4_1								
GENDER_1	PBLAD4_1							
Frequency Percent Row Pct Col Pct	.	Skip	1: No problem	2: Very small	3: Small	4: Medium	5: Big	Total
1: MALE	3	1543	17	22	12	11	5	67
.	.	.	7.42	9.61	5.24	4.80	2.18	29.26
.	.	.	25.37	32.84	17.91	16.42	7.46	
.	.	.	36.17	44.00	22.64	22.45	16.67	
2: FEMALE	4	2374	30	28	41	38	25	162
.	.	.	13.10	12.23	17.90	16.59	10.92	70.74
.	.	.	18.52	17.28	25.31	23.46	15.43	
.	.	.	63.83	56.00	77.36	77.55	83.33	
Total	.	.	47	50	53	49	30	229
.	.	.	20.52	21.83	23.14	21.40	13.10	100.00

Frequency Missing = 3924

- J1. \*During the last month, how often have you had:
- i. Would you say...
- ii. About how long have you had this experience? Would you say...
- iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say...
- iv. Have you ever seen a healthcare provider for this symptom?
- v. IF YES: Did you receive treatment?
- \*r. Burning, discomfort, pain or pressure in your pelvic or bladder area?
- 1: I do not have the symptom  
 2: Rarely  
 3: A few times  
 4: Fairly often  
 5: Usually  
 6: Almost always  
 1: < 3 months  
 2: 3 - 6 months  
 3: 7 - 12 months  
 4: 1 - 5 years  
 5: 6+ years  
 1: No problem  
 2: Very small  
 3: Small  
 4: Medium  
 5: Big  
 1: Yes  
 2: No  
 1: Sought and received  
 2: Sought, but did not receive
- pbladfrq\_1**      **pbladur\_1**      **pblad4\_1**      **pbladhep\_1**      **pbladtrt\_1**

Table of GENDER_1 by PBLADHEP_1					
GENDER_1	PBLADHEP_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: Yes	2: No	Total
1: MALE	3	1543	27	40	67
	.	.	11.79	17.47	29.26
	.	.	40.30	59.70	
	.	.	28.72	29.63	
2: FEMALE	4	2374	67	95	162
	.	.	29.26	41.48	70.74
	.	.	41.36	58.64	
	.	.	71.28	70.37	
Total	.	.	94	135	229
	.	.	41.05	58.95	100.00
Frequency Missing = 3924					

Table of GENDER_1 by PBLADTRT_1					
GENDER_1	PBLADTRT_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: Sought and received	2: Sought, but did not receive	Total
1: MALE	3	1583	19	8	27
	.	.	20.21	8.51	28.72
	.	.	70.37	29.63	
	.	.	31.15	24.24	
2: FEMALE	4	2469	42	25	67
	.	.	44.68	26.60	71.28
	.	.	62.69	37.31	
	.	.	68.85	75.76	
Total	.	.	61	33	94
	.	.	64.89	35.11	100.00
Frequency Missing = 4059					

- J1. \*During the last month, how often have you had:
- i. Would you say...
- ii. About how long have you had this experience? Would you say...
- iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say...
- iv. Have you ever seen a healthcare provider for this symptom?
- v. IF YES: Did you receive treatment?

**s. Pain or discomfort in your urethra?**

1: I do not have the symptom  
 2: Rarely  
 3: A few times  
 4: Fairly often  
 5: Usually  
 6: Almost always  
 1: < 3 months  
 2: 3 - 6 months  
 3: 7 - 12 months  
 4: 1 - 5 years  
 5: 6+ years  
 1: No problem  
 2: Very small  
 3: Small  
 4: Medium  
 5: Big  
 1: Yes  
 2: No  
 1: Sought and received  
 2: Sought, but did not receive

**puretrfq\_1**

**puretdur\_1**

**puret4\_1**

**purethep\_1**

**puretrrt\_1**

Table of GENDER_1 by PURETRFQ_1										
GENDER_1	PURETRFQ_1									
Frequency Percent Row Pct Col Pct	.	MI:O	RF:K	1: I do not have the symptom	2: Rarely	3: A few times	4: Fairly often	5: Usually	6: Almost always	Total
1: MALE	3	1	2	1574	13	12	4	1	3	1607
.	.	.	.	38.00	0.31	0.29	0.10	0.02	0.07	38.80
.	.	.	.	97.95	0.81	0.75	0.25	0.06	0.19	
.	.	.	.	39.04	28.89	33.33	28.57	14.29	37.50	
2: FEMALE	4	0	1	2458	32	24	10	6	5	2535
.	.	.	.	59.34	0.77	0.58	0.24	0.14	0.12	61.20
.	.	.	.	96.96	1.26	0.95	0.39	0.24	0.20	
.	.	.	.	60.96	71.11	66.67	71.43	85.71	62.50	
Total	.	.	.	4032	45	36	14	7	8	4142
.	.	.	.	97.34	1.09	0.87	0.34	0.17	0.19	100.00

Frequency Missing = 11

Table of GENDER_1 by PURETDUR_1								
GENDER_1	PURETDUR_1							
Frequency Percent Row Pct Col Pct	.	Skip	1: <3 months	2: 3-6 months	3: 7-12 months	4: 1-5 years	5: 6+ years	Total
1: MALE	3	1577	9	4	5	7	8	33
	.	.	8.18	3.64	4.55	6.36	7.27	30.00
	.	.	27.27	12.12	15.15	21.21	24.24	
	.	.	31.03	19.05	25.00	33.33	42.11	
2: FEMALE	4	2459	20	17	15	14	11	77
	.	.	18.18	15.45	13.64	12.73	10.00	70.00
	.	.	25.97	22.08	19.48	18.18	14.29	
	.	.	68.97	80.95	75.00	66.67	57.89	
Total	.	.	29	21	20	21	19	110
	.	.	26.36	19.09	18.18	19.09	17.27	100.00
Frequency Missing = 4043								

Frequency Missing = 4043

Table of GENDER_1 by PURET4_1								
GENDER_1	PURET4_1							
Frequency Percent Row Pct Col Pct	.	Skip	1: No problem	2: Very small	3: Small	4: Medium	5: Big	Total
1: MALE	3	1577	7	5	9	7	5	33
.	.	.	6.36	4.55	8.18	6.36	4.55	30.00
.	.	.	21.21	15.15	27.27	21.21	15.15	
.	.	.	38.89	26.32	29.03	25.93	33.33	
2: FEMALE	4	2459	11	14	22	20	10	77
.	.	.	10.00	12.73	20.00	18.18	9.09	70.00
.	.	.	14.29	18.18	28.57	25.97	12.99	
.	.	.	61.11	73.68	70.97	74.07	66.67	
Total	.	.	18	19	31	27	15	110
.	.	.	16.36	17.27	28.18	24.55	13.64	100.00

Frequency Missing = 4043

- J1. \*During the last month, how often have you had:
- i. Would you say...
- ii. About how long have you had this experience? Would you say...
- iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say...
- iv. Have you ever seen a healthcare provider for this symptom?
- v. IF YES: Did you receive treatment?

**s. Pain or discomfort in your urethra?**

1: I do not have the symptom

2: Rarely

3: A few times

4: Fairly often

5: Usually

6: Almost always

1: < 3 months

2: 3 - 6 months

3: 7 - 12 months

4: 1 - 5 years

5: 6+ years

1: No problem

2: Very small

3: Small

4: Medium

5: Big

1: Yes

2: No

1: Sought and received

2: Sought, but did not receive

puretrfq\_1

puretdur\_1

puret4\_1

purethep\_1

puretrtrt\_1

Table of GENDER_1 by PURETHEP_1					
GENDER_1	PURETHEP_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: Yes	2: No	Total
1: MALE	3	1577	15	18	33
	.	.	13.64	16.36	30.00
	.	.	45.45	54.55	
	.	.	30.00	30.00	
2: FEMALE	4	2459	35	42	77
	.	.	31.82	38.18	70.00
	.	.	45.45	54.55	
	.	.	70.00	70.00	
Total	.	.	50	60	110
	.	.	45.45	54.55	100.00
Frequency Missing = 4043					

Table of GENDER_1 by PURETTRT_1					
GENDER_1	PURETTRT_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: Sought and received	2: Sought, but did not receive	Total
1: MALE	3	1595	13	2	15
	.	.	26.00	4.00	30.00
	.	.	86.67	13.33	
	.	.	38.24	12.50	
2: FEMALE	4	2501	21	14	35
	.	.	42.00	28.00	70.00
	.	.	60.00	40.00	
	.	.	61.76	87.50	
Total	.	.	34	16	50
	.	.	68.00	32.00	100.00
Frequency Missing = 4103					

- J1. \*During the last month, how often have you had:
- i. Would you say...
- ii. About how long have you had this experience? Would you say...
- iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say...
- iv. Have you ever seen a healthcare provider for this symptom?
- v. IF YES: Did you receive treatment?

t. Visible blood in your urine?

1: I do not have the symptom  
 2: Rarely  
 3: A few times  
 4: Fairly often  
 5: Usually  
 6: Almost always  
 1: < 3 months  
 2: 3 - 6 months  
 3: 7 - 12 months  
 4: 1 - 5 years  
 5: 6+ years  
 1: No problem  
 2: Very small  
 3: Small  
 4: Medium  
 5: Big  
 1: Yes  
 2: No  
 1: Sought and received  
 2: Sought, but did not receive

**bldufrq\_1                      bldudur\_1                      bldu4\_1                      blduhep\_1                      bldutrt\_1**

Table of GENDER_1 by BLDUFRQ_1										
GENDER_1	BLDUFRQ_1									
Frequency Percent Row Pct Col Pct	.	MI:O	RF:K	1: I do not have the symptom	2: Rarely	3: A few times	4: Fairly often	5: Usually	6: Almost always	Total
1: MALE	3	1	2	1584	9	10	2	1	1	1607
	.	.	.	38.24	0.22	0.24	0.05	0.02	0.02	38.80
	.	.	.	98.57	0.56	0.62	0.12	0.06	0.06	
	.	.	.	38.74	39.13	50.00	40.00	100.00	25.00	
2: FEMALE	4	0	1	2505	14	10	3	0	3	2535
	.	.	.	60.48	0.34	0.24	0.07	0.00	0.07	61.20
	.	.	.	98.82	0.55	0.39	0.12	0.00	0.12	
	.	.	.	61.26	60.87	50.00	60.00	0.00	75.00	
Total	.	.	.	4089	23	20	5	1	4	4142
	.	.	.	98.72	0.56	0.48	0.12	0.02	0.10	100.00

Frequency Missing = 11

Table of GENDER_1 by BLDUDUR_1								
GENDER_1	BLDUDUR_1							
Frequency Percent Row Pct Col Pct	.	Skip	1: <3 months	2: 3-6 months	3: 7-12 months	4: 1-5 years	5: 6+ years	Total
1: MALE	3	1587	6	0	2	11	4	23
	.	.	11.32	0.00	3.77	20.75	7.55	43.40
	.	.	26.09	0.00	8.70	47.83	17.39	
	.	.	37.50	0.00	66.67	68.75	40.00	
2: FEMALE	4	2506	10	8	1	5	6	30
	.	.	18.87	15.09	1.89	9.43	11.32	56.60
	.	.	33.33	26.67	3.33	16.67	20.00	
	.	.	62.50	100.00	33.33	31.25	60.00	
Total	.	.	16	8	3	16	10	53
	.	.	30.19	15.09	5.66	30.19	18.87	100.00

Frequency Missing = 4100

Table of GENDER_1 by BLDU4_1								
GENDER_1	BLDU4_1							
Frequency Percent Row Pct Col Pct	.	Skip	1: No problem	2: Very small	3: Small	4: Medium	5: Big	Total
1: MALE	3	1587	4	2	9	3	5	23
	.	.	7.55	3.77	16.98	5.66	9.43	43.40
	.	.	17.39	8.70	39.13	13.04	21.74	
	.	.	28.57	40.00	69.23	42.86	35.71	
2: FEMALE	4	2506	10	3	4	4	9	30
	.	.	18.87	5.66	7.55	7.55	16.98	56.60
	.	.	33.33	10.00	13.33	13.33	30.00	
	.	.	71.43	60.00	30.77	57.14	64.29	
Total	.	.	14	5	13	7	14	53
	.	.	26.42	9.43	24.53	13.21	26.42	100.00

Frequency Missing = 4100

- J1. \*During the last month, how often have you had:
- i. Would you say...
- ii. About how long have you had this experience? Would you say...
- iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say...
- iv. Have you ever seen a healthcare provider for this symptom?
- v. IF YES: Did you receive treatment?

t. Visible blood in your urine?

1: I do not have the symptom

2: Rarely

3: A few times

4: Fairly often

5: Usually

6: Almost always

1: < 3 months

2: 3 - 6 months

3: 7 - 12 months

4: 1 - 5 years

5: 6+ years

1: No problem

2: Very small

3: Small

4: Medium

5: Big

1: Yes

2: No

1: Sought and received

2: Sought, but did not receive

bldufreq\_1

bldudur\_1

bldu4\_1

blduhep\_1

bldutrt\_1

Table of GENDER_1 by BLDUHEP_1					
GENDER_1	BLDUHEP_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: Yes	2: No	Total
1: MALE	3	1587	15	8	23
.	.	.	28.30	15.09	43.40
.	.	.	65.22	34.78	
.	.	.	37.50	61.54	
2: FEMALE	4	2506	25	5	30
.	.	.	47.17	9.43	56.60
.	.	.	83.33	16.67	
.	.	.	62.50	38.46	
Total	.	.	40	13	53
.	.	.	75.47	24.53	100.00
Frequency Missing = 4100					

Table of GENDER_1 by BLDUTRT_1					
GENDER_1	BLDUTRT_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: Sought and received	2: Sought, but did not receive	Total
1: MALE	3	1595	12	3	15
.	.	.	30.00	7.50	37.50
.	.	.	80.00	20.00	
.	.	.	46.15	21.43	
2: FEMALE	4	2511	14	11	25
.	.	.	35.00	27.50	62.50
.	.	.	56.00	44.00	
.	.	.	53.85	78.57	
Total	.	.	26	14	40
.	.	.	65.00	35.00	100.00
Frequency Missing = 4113					

- J1. \*During the last month, how often have you had:
- i. Would you say...
- ii. About how long have you had this experience? Would you say...
- iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say...
- iv. Have you ever seen a healthcare provider for this symptom?
- v. IF YES: Did you receive treatment?

**u. Pain increasing when your bladder fills?**

1: I do not have the symptom  
 2: Rarely  
 3: A few times  
 4: Fairly often  
 5: Usually  
 6: Almost always

1: < 3 months  
 2: 3 - 6 months  
 3: 7 - 12 months  
 4: 1 - 5 years  
 5: 6+ years

1: No problem  
 2: Very small  
 3: Small  
 4: Medium  
 5: Big

1: Yes  
 2: No

1: Sought and received  
 2: Sought, but did not receive

**pfillfrq\_1                      pfilldur\_1                      pfill4\_1                      pfillhep\_1                      pfilltrt\_1**

Table of GENDER_1 by PFILLFRQ_1										
GENDER_1	PFILLFRQ_1									
Frequency Percent Row Pct Col Pct	.	MI:O	RF:K	1: I do not have the symptom	2: Rarely	3: A few times	4: Fairly often	5: Usually	6: Almost always	Total
1: MALE	3	1	2	1551	34	14	6	0	2	1607
.	.	.	.	37.45	0.82	0.34	0.14	0.00	0.05	38.80
.	.	.	.	96.52	2.12	0.87	0.37	0.00	0.12	
.	.	.	.	39.66	33.33	19.18	24.00	0.00	13.33	
2: FEMALE	4	0	1	2360	68	59	19	16	13	2535
.	.	.	.	56.98	1.64	1.42	0.46	0.39	0.31	61.20
.	.	.	.	93.10	2.68	2.33	0.75	0.63	0.51	
.	.	.	.	60.34	66.67	80.82	76.00	100.00	86.67	
Total	.	.	.	3911	102	73	25	16	15	4142
.	.	.	.	94.42	2.46	1.76	0.60	0.39	0.36	100.00

Frequency Missing = 11

Table of GENDER_1 by PFILLDUR_1								
GENDER_1	PFILLDUR_1							
Frequency Percent Row Pct Col Pct	.	Skip	1: <3 months	2: 3-6 months	3: 7-12 months	4: 1-5 years	5: 6+ years	Total
1: MALE	3	1554	14	9	10	19	4	56
.	.	.	6.06	3.90	4.33	8.23	1.73	24.24
.	.	.	25.00	16.07	17.86	33.93	7.14	
.	.	.	23.73	20.45	29.41	28.36	14.81	
2: FEMALE	4	2361	45	35	24	48	23	175
.	.	.	19.48	15.15	10.39	20.78	9.96	75.76
.	.	.	25.71	20.00	13.71	27.43	13.14	
.	.	.	76.27	79.55	70.59	71.64	85.19	
Total	.	.	59	44	34	67	27	231
.	.	.	25.54	19.05	14.72	29.00	11.69	100.00

Frequency Missing = 3922

Table of GENDER_1 by PFILL4_1								
GENDER_1	PFILL4_1							
Frequency Percent Row Pct Col Pct	.	Skip	1: No problem	2: Very small	3: Small	4: Medium	5: Big	Total
1: MALE	3	1554	14	18	13	7	4	56
.	.	.	6.06	7.79	5.63	3.03	1.73	24.24
.	.	.	25.00	32.14	23.21	12.50	7.14	
.	.	.	24.14	33.33	24.07	21.21	12.50	
2: FEMALE	4	2361	44	36	41	26	28	175
.	.	.	19.05	15.58	17.75	11.26	12.12	75.76
.	.	.	25.14	20.57	23.43	14.86	16.00	
.	.	.	75.86	66.67	75.93	78.79	87.50	
Total	.	.	58	54	54	33	32	231
.	.	.	25.11	23.38	23.38	14.29	13.85	100.00

Frequency Missing = 3922

- J1. \*During the last month, how often have you had:
- i. Would you say...
- ii. About how long have you had this experience? Would you say...
- iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say...
- iv. Have you ever seen a healthcare provider for this symptom?
- v. IF YES: Did you receive treatment?

**u. Pain increasing when your bladder fills?**

1:1 do not have the symptom

2:Rarely

3:A few times

4:Fairly often

5:Usually

6:Almost always

1:< 3 months

2:3 - 6 months

3:7 - 12 months

4:1 - 5 years

5:6+ years

1:No problem

2:Very small

3:Small

4:Medium

5:Big

1:Yes

2:No

1:Sought and received

2:Sought, but did not receive

**pfillfrq\_1**

**pfilldur\_1**

**pfill4\_1**

**pfillhep\_1**

**pfilltrt\_1**

Table of GENDER_1 by PFILLHEP_1					
GENDER_1	PFILLHEP_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: Yes	2: No	Total
1: MALE	3	1554	13	43	56
	.	.	5.63	18.61	24.24
	.	.	23.21	76.79	
	.	.	17.57	27.39	
2: FEMALE	4	2361	61	114	175
	.	.	26.41	49.35	75.76
	.	.	34.86	65.14	
	.	.	82.43	72.61	
Total	.	.	74	157	231
	.	.	32.03	67.97	100.00
Frequency Missing = 3922					

Table of GENDER_1 by PFILLTRT_1					
GENDER_1	PFILLTRT_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: Sought and received	2: Sought, but did not receive	Total
1: MALE	3	1597	9	4	13
	.	.	12.16	5.41	17.57
	.	.	69.23	30.77	
	.	.	21.95	12.12	
2: FEMALE	4	2475	32	29	61
	.	.	43.24	39.19	82.43
	.	.	52.46	47.54	
	.	.	78.05	87.88	
Total	.	.	41	33	74
	.	.	55.41	44.59	100.00
Frequency Missing = 4079					

- J1. \*During the last month, how often have you had:
- i. Would you say...
- ii. About how long have you had this experience? Would you say...
- iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say...
- iv. Have you ever seen a healthcare provider for this symptom?
- v. IF YES: Did you receive treatment?

\*v. Pain relieved by urination?

1: I do not have the symptom  
 2: Rarely  
 3: A few times  
 4: Fairly often  
 5: Usually  
 6: Almost always  
 1: < 3 months  
 2: 3 - 6 months  
 3: 7 - 12 months  
 4: 1 - 5 years  
 5: 6+ years  
 1: No problem  
 2: Very small  
 3: Small  
 4: Medium  
 5: Big  
 1: Yes  
 2: No  
 1: Sought and received  
 2: Sought, but did not receive

**purinfrq\_1                      purindur\_1                      purin4\_1                      purinhep\_1                      purintrt\_1**

Table of GENDER_1 by PURINFRQ_1										
GENDER_1	PURINFRQ_1									
Frequency Percent Row Pct Col Pct	.	MI:O	RF:K	1: I do not have the symptom	2: Rarely	3: A few times	4: Fairly often	5: Usually	6: Almost always	Total
1: MALE	3	1	2	1536	29	19	12	6	5	1607
.	.	.	.	37.08	0.70	0.46	0.29	0.14	0.12	38.80
.	.	.	.	95.58	1.80	1.18	0.75	0.37	0.31	
.	.	.	.	39.25	33.72	32.76	38.71	18.75	22.73	
2: FEMALE	4	0	1	2377	57	39	19	26	17	2535
.	.	.	.	57.39	1.38	0.94	0.46	0.63	0.41	61.20
.	.	.	.	93.77	2.25	1.54	0.75	1.03	0.67	
.	.	.	.	60.75	66.28	67.24	61.29	81.25	77.27	
Total	.	.	.	3913	86	58	31	32	22	4142
.	.	.	.	94.47	2.08	1.40	0.75	0.77	0.53	100.00

Frequency Missing = 11

Table of GENDER_1 by PURINDUR_1								
GENDER_1	PURINDUR_1							
Frequency Percent Row Pct Col Pct	.	Skip	1: <3 months	2: 3-6 months	3: 7-12 months	4: 1-5 years	5: 6+ years	Total
1: MALE	3	1539	15	8	11	18	19	71
	.	.	6.55	3.49	4.80	7.86	8.30	31.00
	.	.	21.13	11.27	15.49	25.35	26.76	
	.	.	27.78	18.18	31.43	33.33	45.24	
2: FEMALE	4	2378	39	36	24	36	23	158
	.	.	17.03	15.72	10.48	15.72	10.04	69.00
	.	.	24.68	22.78	15.19	22.78	14.56	
	.	.	72.22	81.82	68.57	66.67	54.76	
Total	.	.	54	44	35	54	42	229
	.	.	23.58	19.21	15.28	23.58	18.34	100.00
Frequency Missing = 3924								

Frequency Missing = 3924

Table of GENDER_1 by PURIN4_1								
GENDER_1	PURIN4_1							
Frequency Percent Row Pct Col Pct	.	Skip	1: No problem	2: Very small	3: Small	4: Medium	5: Big	Total
1: MALE	3	1539	22	21	14	8	6	71
.	.	.	9.61	9.17	6.11	3.49	2.62	31.00
.	.	.	30.99	29.58	19.72	11.27	8.45	
.	.	.	38.60	35.59	29.17	20.00	24.00	
2: FEMALE	4	2378	35	38	34	32	19	158
.	.	.	15.28	16.59	14.85	13.97	8.30	69.00
.	.	.	22.15	24.05	21.52	20.25	12.03	
.	.	.	61.40	64.41	70.83	80.00	76.00	
Total	.	.	57	59	48	40	25	229
.	.	.	24.89	25.76	20.96	17.47	10.92	100.00

Frequency Missing = 3924

- J1. \*During the last month, how often have you had:
- i. Would you say...
- ii. About how long have you had this experience? Would you say...
- iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say...
- iv. Have you ever seen a healthcare provider for this symptom?
- v. IF YES: Did you receive treatment?

**\*v. Pain relieved by urination?**

1: I do not have the symptom

2: Rarely

3: A few times

4: Fairly often

5: Usually

6: Almost always

1: < 3 months

2: 3 - 6 months

3: 7 - 12 months

4: 1 - 5 years

5: 6+ years

1: No problem

2: Very small

3: Small

4: Medium

5: Big

1: Yes

2: No

1: Sought and received

2: Sought, but did not receive

purinfrq\_1

purindur\_1

purin4\_1

purinhep\_1

purintrt\_1

Table of GENDER_1 by PURINHEP_1					
GENDER_1	PURINHEP_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: Yes	2: No	Total
1: MALE	3	1539	20	51	71
.	.	.	8.73	22.27	31.00
.	.	.	28.17	71.83	
.	.	.	29.41	31.68	
2: FEMALE	4	2378	48	110	158
.	.	.	20.96	48.03	69.00
.	.	.	30.38	69.62	
.	.	.	70.59	68.32	
Total	.	.	68	161	229
.	.	.	29.69	70.31	100.00
Frequency Missing = 3924					

Table of GENDER_1 by PURINTRT_1					
GENDER_1	PURINTRT_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: Sought and received	2: Sought, but did not receive	Total
1: MALE	3	1590	11	9	20
.	.	.	16.18	13.24	29.41
.	.	.	55.00	45.00	
.	.	.	31.43	27.27	
2: FEMALE	4	2488	24	24	48
.	.	.	35.29	35.29	70.59
.	.	.	50.00	50.00	
.	.	.	68.57	72.73	
Total	.	.	35	33	68
.	.	.	51.47	48.53	100.00
Frequency Missing = 4085					

- J1. \*During the last month, how often have you had:
- i. Would you say...
- ii. About how long have you had this experience? Would you say...
- iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say...
- iv. Have you ever seen a healthcare provider for this symptom?
- v. IF YES: Did you receive treatment?

**w. Pain or discomfort in your lower back?**

- 1: I do not have the symptom  
 2: Rarely  
 3: A few times  
 4: Fairly often  
 5: Usually  
 6: Almost always
- 1: < 3 months  
 2: 3 - 6 months  
 3: 7 - 12 months  
 4: 1 - 5 years  
 5: 6+ years
- 1: No problem  
 2: Very small  
 3: Small  
 4: Medium  
 5: Big
- 1: Yes  
 2: No
- 1: Sought and received  
 2: Sought, but did not receive
- pbackfrq\_1                      pbackdur\_1                      pback4\_1                      pbackhep\_1                      pbacktrt\_1**

Table of GENDER_1 by PBACKFRQ_1											
GENDER_1	PBACKFRQ_1										
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	RF:K	1: I do not have the symptom	2: Rarely	3: A few times	4: Fairly often	5: Usually	6: Almost always	Total
1: MALE	3	0	1	2	1288	91	91	66	22	49	1607
	.	.	.	.	31.12	2.20	2.20	1.59	0.53	1.18	38.83
	.	.	.	.	80.15	5.66	5.66	4.11	1.37	3.05	
	.	.	.	.	40.20	46.19	32.85	31.73	23.66	30.63	
2: FEMALE	4	1	2	1	1916	106	186	142	71	111	2532
	.	.	.	.	46.29	2.56	4.49	3.43	1.72	2.68	61.17
	.	.	.	.	75.67	4.19	7.35	5.61	2.80	4.38	
	.	.	.	.	59.80	53.81	67.15	68.27	76.34	69.38	
Total	.	.	.	.	3204	197	277	208	93	160	4139
	.	.	.	.	77.41	4.76	6.69	5.03	2.25	3.87	100.00

Frequency Missing = 14

Table of GENDER_1 by PBACKDUR_1									
GENDER_1	PBACKDUR_1								
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: <3 months	2: 3-6 months	3: 7-12 months	4: 1-5 years	5: 6+ years	Total
1: MALE	3	2	1291	31	36	34	96	120	317
	.	.	.	3.32	3.86	3.64	10.29	12.86	33.98
	.	.	.	9.78	11.36	10.73	30.28	37.85	
	.	.	.	23.85	31.03	31.78	35.56	38.71	
2: FEMALE	4	0	1920	99	80	73	174	190	616
	.	.	.	10.61	8.57	7.82	18.65	20.36	66.02
	.	.	.	16.07	12.99	11.85	28.25	30.84	
	.	.	.	76.15	68.97	68.22	64.44	61.29	
Total	.	.	.	130	116	107	270	310	933
	.	.	.	13.93	12.43	11.47	28.94	33.23	100.00

Frequency Missing = 3220

Table of GENDER_1 by PBACK4_1									
GENDER_1	PBACK4_1								
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: No problem	2: Very small	3: Small	4: Medium	5: Big	Total
1: MALE	3	2	1291	48	83	76	68	42	317
	.	.	.	5.14	8.90	8.15	7.29	4.50	33.98
	.	.	.	15.14	26.18	23.97	21.45	13.25	
	.	.	.	35.82	39.34	35.68	31.92	25.93	
2: FEMALE	4	0	1920	86	128	137	145	120	616
	.	.	.	9.22	13.72	14.68	15.54	12.86	66.02
	.	.	.	13.96	20.78	22.24	23.54	19.48	
	.	.	.	64.18	60.66	64.32	68.08	74.07	
Total	.	.	.	134	211	213	213	162	933
	.	.	.	14.36	22.62	22.83	22.83	17.36	100.00

Frequency Missing = 3220

- J1. \*During the last month, how often have you had:
- i. Would you say...
- ii. About how long have you had this experience? Would you say...
- iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say...
- iv. Have you ever seen a healthcare provider for this symptom?
- v. IF YES: Did you receive treatment?

**w. Pain or discomfort in your lower back?**

1: I do not have the symptom

2: Rarely

3: A few times

4: Fairly often

5: Usually

6: Almost always

1: < 3 months

2: 3 - 6 months

3: 7 - 12 months

4: 1 - 5 years

5: 6+ years

1: No problem

2: Very small

3: Small

4: Medium

5: Big

1: Yes

2: No

1: Sought and received

2: Sought, but did not receive

**pbackfrq\_1**

**pbackdur\_1**

**pback4\_1**

**pbackhep\_1**

**pbacktrt\_1**

Table of GENDER_1 by PBACKHEP_1						
GENDER_1	PBACKHEP_1					
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: Yes	2: No	Total
1: MALE	3	2	1291	172	145	317
.	.	.	.	18.44	15.54	33.98
.	.	.	.	54.26	45.74	
.	.	.	.	32.33	36.16	
2: FEMALE	4	0	1920	360	256	616
.	.	.	.	38.59	27.44	66.02
.	.	.	.	58.44	41.56	
.	.	.	.	67.67	63.84	
Total	.	.	.	532	401	933
.	.	.	.	57.02	42.98	100.00
Frequency Missing = 3220						

Table of GENDER_1 by PBACKTRT_1						
GENDER_1	PBACKTRT_1					
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: Sought and received	2: Sought, but did not receive	Total
1: MALE	3	0	1438	124	48	172
.	.	.	.	23.35	9.04	32.39
.	.	.	.	72.09	27.91	
.	.	.	.	30.62	38.10	
2: FEMALE	4	1	2176	281	78	359
.	.	.	.	52.92	14.69	67.61
.	.	.	.	78.27	21.73	
.	.	.	.	69.38	61.90	
Total	.	.	.	405	126	531
.	.	.	.	76.27	23.73	100.00
Frequency Missing = 3622						

- J1. \*During the last month, how often have you had:
- i. Would you say...
- ii. About how long have you had this experience? Would you say...
- iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say...
- iv. Have you ever seen a healthcare provider for this symptom?
- v. IF YES: Did you receive treatment?

**x. Pain or discomfort in your rectum?**

- 1: I do not have the symptom  
 2: Rarely  
 3: A few times  
 4: Fairly often  
 5: Usually  
 6: Almost always  
 1: < 3 months  
 2: 3 - 6 months  
 3: 7 - 12 months  
 4: 1 - 5 years  
 5: 6+ years  
 1: No problem  
 2: Very small  
 3: Small  
 4: Medium  
 5: Big  
 1: Yes  
 2: No  
 1: Sought and received  
 2: Sought, but did not receive

precfrq\_1

prectdur\_1

prect4\_1

precthep\_1

precttrt\_1

Table of GENDER_1 by PRECTFRQ_1										
GENDER_1	PRECTFRQ_1									
Frequency Percent Row Pct Col Pct	.	MI:O	RF:K	1: I do not have the symptom	2: Rarely	3: A few times	4: Fairly often	5: Usually	6: Almost always	Total
1: MALE	3	0	3	1538	31	23	10	2	3	1607
	.	.	.	37.15	0.75	0.56	0.24	0.05	0.07	38.82
	.	.	.	95.71	1.93	1.43	0.62	0.12	0.19	
	.	.	.	39.14	34.83	32.39	40.00	22.22	17.65	
2: FEMALE	4	2	1	2391	58	48	15	7	14	2533
	.	.	.	57.75	1.40	1.16	0.36	0.17	0.34	61.18
	.	.	.	94.39	2.29	1.89	0.59	0.28	0.55	
	.	.	.	60.86	65.17	67.61	60.00	77.78	82.35	
Total	.	.	.	3929	89	71	25	9	17	4140
	.	.	.	94.90	2.15	1.71	0.60	0.22	0.41	100.00

Frequency Missing = 13

Table of GENDER_1 by PRECTDUR_1								
GENDER_1	PRECTDUR_1							
Frequency Percent Row Pct Col Pct	.	Skip	1: <3 months	2: 3-6 months	3: 7-12 months	4: 1-5 years	5: 6+ years	Total
1: MALE	3	1541	13	10	8	23	15	69
	.	.	6.16	4.74	3.79	10.90	7.11	32.70
	.	.	18.84	14.49	11.59	33.33	21.74	
	.	.	28.26	37.04	28.57	37.10	31.25	
2: FEMALE	4	2394	33	17	20	39	33	142
	.	.	15.64	8.06	9.48	18.48	15.64	67.30
	.	.	23.24	11.97	14.08	27.46	23.24	
	.	.	71.74	62.96	71.43	62.90	68.75	
Total	.	.	46	27	28	62	48	211
	.	.	21.80	12.80	13.27	29.38	22.75	100.00
Frequency Missing = 3942								

Frequency Missing = 3942

Table of GENDER_1 by PRECT4_1									
GENDER_1	PRECT4_1								
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: No problem	2: Very small	3: Small	4: Medium	5: Big	Total
1: MALE	3	0	1541	11	17	25	14	2	69
	.	.	.	5.24	8.10	11.90	6.67	0.95	32.86
	.	.	.	15.94	24.64	36.23	20.29	2.90	
	.	.	.	29.73	34.69	43.10	36.84	7.14	
2: FEMALE	4	1	2394	26	32	33	24	26	141
	.	.	.	12.38	15.24	15.71	11.43	12.38	67.14
	.	.	.	18.44	22.70	23.40	17.02	18.44	
	.	.	.	70.27	65.31	56.90	63.16	92.86	
Total	.	.	.	37	49	58	38	28	210
	.	.	.	17.62	23.33	27.62	18.10	13.33	100.00

Frequency Missing = 3943

- J1. \*During the last month, how often have you had:
- i. Would you say...
- ii. About how long have you had this experience? Would you say...
- iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say...
- iv. Have you ever seen a healthcare provider for this symptom?
- v. IF YES: Did you receive treatment?

**x. Pain or discomfort in your rectum?**

1: I do not have the symptom

2: Rarely

3: A few times

4: Fairly often

5: Usually

6: Almost always

1: < 3 months

2: 3 - 6 months

3: 7 - 12 months

4: 1 - 5 years

5: 6+ years

1: No problem

2: Very small

3: Small

4: Medium

5: Big

1: Yes

2: No

1: Sought and received

2: Sought, but did not receive

prectfrq\_1

prectdur\_1

prect4\_1

precthep\_1

precttrt\_1

Table of GENDER_1 by PRECTHEP_1						
GENDER_1	PRECTHEP_1					
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: Yes	2: No	Total
1: MALE	3	0	1541	31	38	69
.	.	.	.	14.76	18.10	32.86
.	.	.	.	44.93	55.07	
.	.	.	.	27.43	39.18	
2: FEMALE	4	1	2394	82	59	141
.	.	.	.	39.05	28.10	67.14
.	.	.	.	58.16	41.84	
.	.	.	.	72.57	60.82	
Total	.	.	.	113	97	210
.	.	.	.	53.81	46.19	100.00
Frequency Missing = 3943						

Table of GENDER_1 by PRECTTRT_1					
GENDER_1	PRECTTRT_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: Sought and received	2: Sought, but did not receive	Total
1: MALE	3	1579	20	11	31
.	.	.	17.70	9.73	27.43
.	.	.	64.52	35.48	
.	.	.	26.32	29.73	
2: FEMALE	4	2454	56	26	82
.	.	.	49.56	23.01	72.57
.	.	.	68.29	31.71	
.	.	.	73.68	70.27	
Total	.	.	76	37	113
.	.	.	67.26	32.74	100.00
Frequency Missing = 4040					

- J1. \*During the last month, how often have you had:
- i. Would you say...
- ii. About how long have you had this experience? Would you say...
- iii. In the past 4 weeks, how much has \_\_\_\_\_ been a problem for you? Would you say...
- iv. Have you ever seen a healthcare provider for this symptom?
- v. IF YES: Did you receive treatment?

y. IF FEMALE: Pain or discomfort at the entrance to the vagina?

1: I do not have the symptom

2: Rarely

3: A few times

4: Fairly often

5: Usually

6: Almost always

1: < 3 months

2: 3 - 6 months

3: 7 - 12 months

4: 1 - 5 years

5: 6+ years

1: No problem

2: Very small

3: Small

4: Medium

5: Big

1: Yes

2: No

1: Sought and received

2: Sought, but did not receive

**pvagfrq\_1**

**pvagdur\_1**

**pvag4\_1**

**pvaghep\_1**

**pvagtrt\_1**

PVAGFRQ_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	7	.	.	.
MI:O	1	.	.	.
RF:K	2	.	.	.
Skip	1610	.	.	.
1: I do not have the symptom	2456	96.96	2456	96.96
2: Rarely	36	1.42	2492	98.38
3: A few times	23	0.91	2515	99.29
4: Fairly often	10	0.39	2525	99.68
5: Usually	4	0.16	2529	99.84
6: Almost always	4	0.16	2533	100.00

Frequency Missing = 1620

PVAGDUR_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	7	.	.	.
DK:O	1	.	.	.
Skip	4069	.	.	.
1: <3 months	17	22.37	17	22.37
2: 3-6 months	18	23.68	35	46.05
3: 7-12 months	12	15.79	47	61.84
4: 1-5 years	16	21.05	63	82.89
5: 6+ years	13	17.11	76	100.00

Frequency Missing = 4077

PVAG4_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	7	.	.	.
Skip	4069	.	.	.
1: No problem	20	25.97	20	25.97
2: Very small	15	19.48	35	45.45
3: Small	16	20.78	51	66.23
4: Medium	17	22.08	68	88.31
5: Big	9	11.69	77	100.00

Frequency Missing = 4076

PVAGHEP_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	7	.	.	.
Skip	4069	.	.	.
1: Yes	31	40.26	31	40.26
2: No	46	59.74	77	100.00

Frequency Missing = 4076

PVAGTRT_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	7	.	.	.
Skip	4115	.	.	.
1: Sought and received	25	80.65	25	80.65
2: Sought, but did not receive	6	19.35	31	100.00

Frequency Missing = 4122

[TAKE BACK RESPONSE CARD 'J1, J2 and J3']

J2. Some people experience a strong urge or pressure to urinate that signals the need to urinate. In the last 7 days, how many times did you feel a strong urge or pressure that signaled the need to urinate immediately, whether or not you urinated or leaked urine? Would you say...

urgea\_1

- Not at all ..... 1 (J3a/b)  
Once ..... 2 (J2b)  
A few times (2 -3) ..... 3 (J2b)  
Several times (4 -6) ..... 4 (J2b)  
Many times (7 or more) but not everyday ..... 5 (J2b)  
Everyday ..... 6



Table of GENDER_1 by URGEA_1											
GENDER_1	URGEA_1										
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	RF:K	1: Not at all	2: Once	3: A few times (2-3)	4: Several times (4-6)	5: Many times (7 or more) but no	6: Everyday	Total
1: MALE	3	0	5	1	1216	107	167	33	30	51	1604
	.	.	.	.	29.43	2.59	4.04	0.80	0.73	1.23	38.82
	.	.	.	.	75.81	6.67	10.41	2.06	1.87	3.18	
	.	.	.	.	39.97	38.91	35.84	32.35	35.71	31.29	
2: FEMALE	4	1	6	1	1826	168	299	69	54	112	2528
	.	.	.	.	44.19	4.07	7.24	1.67	1.31	2.71	61.18
	.	.	.	.	72.23	6.65	11.83	2.73	2.14	4.43	
	.	.	.	.	60.03	61.09	64.16	67.65	64.29	68.71	
Total	.	.	.	.	3042	275	466	102	84	163	4132
	.	.	.	.	73.62	6.66	11.28	2.47	2.03	3.94	100.00

Frequency Missing = 21

a. IF EVERYDAY: How many times per day?

urgea\_xday\_1

--	--

TIMES

Table of GENDER_1 by URGEA_XDAY_1							
GENDER_1	URGEA_XDAY_1						
Frequency Percent Row Pct Col Pct	.	DK:0	Skip	0-5	6-11	12+	Total
1: MALE	246	0	1320	35	11	1	47
	.	.	.	23.81	7.48	0.68	31.97
	.	.	.	74.47	23.40	2.13	
	.	.	.	33.33	31.43	14.29	
2: FEMALE	474	1	1965	70	24	6	100
	.	.	.	47.62	16.33	4.08	68.03
	.	.	.	70.00	24.00	6.00	
	.	.	.	66.67	68.57	85.71	
Total	.	.	.	105	35	7	147
	.	.	.	71.43	23.81	4.76	100.00

Frequency Missing = 4006

J2b. About how long have you had this experience? Would you say... **urgeadur\_1**

< 3 months ..... 1  
3 - 6 months ..... 2  
7 - 12 months ..... 3  
1 - 5 years ..... 4  
6+ years ..... 5

Table of GENDER_1 by URGEADUR_1										
GENDER_1	URGEADUR_1									
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	Skip	1: less than 3 months	2: 3-6 months	3: 7-12 months	4: 1-5 years	5: 6+ years	Total
1: MALE	3	1	2	1222	76	46	50	117	96	385
	.	.	.	.	7.00	4.24	4.60	10.77	8.84	35.45
	.	.	.	.	19.74	11.95	12.99	30.39	24.94	
	.	.	.	.	28.68	28.75	40.00	38.24	41.74	
2: FEMALE	4	0	1	1834	189	114	75	189	134	701
	.	.	.	.	17.40	10.50	6.91	17.40	12.34	64.55
	.	.	.	.	26.96	16.26	10.70	26.96	19.12	
	.	.	.	.	71.32	71.25	60.00	61.76	58.26	
Total	.	.	.	.	265	160	125	306	230	1086
	.	.	.	.	24.40	14.73	11.51	28.18	21.18	100.00
Frequency Missing = 3067										

J2c. In the past 4 weeks, how much has this been a problem for you? Would you say...

**urgea4\_1**

No problem..... 1  
Very small..... 2  
Small ..... 3  
Medium..... 4  
Big ..... 5

Table of GENDER_1 by URGEA4_1									
GENDER_1	URGEA4_1								
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: No problem	2: Very small	3: Small	4: Medium	5: Big	Total
1: MALE	3	2	1222	151	81	78	56	20	386
	.	.	.	13.89	7.45	7.18	5.15	1.84	35.51
	.	.	.	39.12	20.98	20.21	14.51	5.18	
	.	.	.	40.81	35.22	33.33	32.94	24.10	
2: FEMALE	4	1	1834	219	149	156	114	63	701
	.	.	.	20.15	13.71	14.35	10.49	5.80	64.49
	.	.	.	31.24	21.26	22.25	16.26	8.99	
	.	.	.	59.19	64.78	66.67	67.06	75.90	
Total	.	.	.	370	230	234	170	83	1087
	.	.	.	34.04	21.16	21.53	15.64	7.64	100.00
Frequency Missing = 3066									

J2d. Have you ever seen a healthcare provider for this symptom?

urgeshep\_1

YES ..... 1  
NO ..... 2 (J3a/b)

Table of GENDER_1 by URGEAHEP_1						
GENDER_1	URGEAHEP_1					
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: Yes	2: No	Total
1: MALE	3	2	1222	116	270	386
	.	.	.	10.67	24.84	35.51
	.	.	.	30.05	69.95	
	.	.	.	37.30	34.79	
2: FEMALE	4	1	1834	195	506	701
	.	.	.	17.94	46.55	64.49
	.	.	.	27.82	72.18	
	.	.	.	62.70	65.21	
Total	.	.	.	311	776	1087
	.	.	.	28.61	71.39	100.00
Frequency Missing = 3066						

J2e. Did you receive treatment?

urgetrt\_1

Sought, and received ..... 1  
Sought, and not received ..... 2

Table of GENDER_1 by URGEATRT_1					
GENDER_1	URGEATRT_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: Sought and received	2: Sought, but did not receive	Total
1: MALE	3	1494	73	43	116
	.	.	23.47	13.83	37.30
	.	.	62.93	37.07	
	.	.	39.04	34.68	
2: FEMALE	4	2341	114	81	195
	.	.	36.66	26.05	62.70
	.	.	58.46	41.54	
	.	.	60.96	65.32	
Total	.	.	187	124	311
	.	.	60.13	39.87	100.00
Frequency Missing = 3842					

FOR MALES:

J3a. Think about any pain or discomfort associated with your bladder and pelvic area. This includes your genitals (penis, testicles, and perineum). On a scale of 0 – 10, with 0 being no pain or discomfort and 10 being pain as bad as you can imagine, how would you rate your usual pain or discomfort over the last month? **painbladm\_1**

--	--

PAINBLADM_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	7	.	.	.
MI:O	1	.	.	.
RF:K	1	.	.	.
Skip	2536	.	.	.
0: No pain	1288	80.10	1288	80.10
1	108	6.72	1396	86.82
2	68	4.23	1464	91.04
3	62	3.86	1526	94.90
4	22	1.37	1548	96.27
5	25	1.55	1573	97.82
6	11	0.68	1584	98.51
7	10	0.62	1594	99.13
8	11	0.68	1605	99.81
9	1	0.06	1606	99.88
10: Pain as bad as you can imagi	2	0.12	1608	100.00

Frequency Missing = 2545

FOR FEMALES:

J3b. Think about any pain or discomfort associated with your bladder and pelvic area. Include your genitals (vagina and perineum). On a scale of 0 – 10, with 0 being no pain or discomfort and 10 being pain as bad as you can imagine, how would you rate your usual pain or discomfort over the last month? **painbladf\_1**

--	--

PAINBLADF_1	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	7	.	.	.
MI:O	1	.	.	.
RF:K	1	.	.	.
Skip	1610	.	.	.
0: No pain	1958	77.27	1958	77.27
1	167	6.59	2125	83.86
2	96	3.79	2221	87.65
3	109	4.30	2330	91.95
4	61	2.41	2391	94.36
5	58	2.29	2449	96.65
6	22	0.87	2471	97.51
7	23	0.91	2494	98.42
8	23	0.91	2517	99.33
9	8	0.32	2525	99.64
10: Pain as bad as you can imagi	9	0.36	2534	100.00

Frequency Missing = 1619

Would you say: **intfpain\_1**

Not at all .....	1
Slightly .....	2
Moderately .....	3
Greatly .....	4

Table of GENDER_1 by INTFPAIN_1								
GENDER_1	INTFPAIN_1							
Frequency Percent Row Pct Col Pct	.	MI:O	RF:K	1: Not at all	2: Slight	3: Moderately	4: Greatly	Total
1: MALE	3	10	0	1419	115	52	14	1600
	.	.	.	34.39	2.79	1.26	0.34	38.78
	.	.	.	88.69	7.19	3.25	0.88	
	.	.	.	39.63	33.72	32.91	30.43	
2: FEMALE	4	9	1	2162	226	106	32	2526
	.	.	.	52.40	5.48	2.57	0.78	61.22
	.	.	.	85.59	8.95	4.20	1.27	
	.	.	.	60.37	66.28	67.09	69.57	
Total	.	.	.	3581	341	158	46	4126
	.	.	.	86.79	8.26	3.83	1.11	100.00
Frequency Missing = 27								

J5. \*During the last month, how often have urinary symptoms, pain, or discomfort in your pelvic or bladder area interfered with [ITEM a-g]. Would you say.....

**All of  
the time**

\*a. Drinking fluids before you travel?

resfluid 1

1

2

3

4

5

Table of GENDER_1 by RESFLUID_1									
GENDER_1	RESFLUID_1								
Frequency Percent Row Pct Col Pct	.	MI:O	RF:K	1: None of the time	2: A little of the time	3: Some of the time	4: Most of the time	5: All of the time	Total
1: MALE	3	1	0	1318	136	91	38	26	1609
	.	.	.	31.81	3.28	2.20	0.92	0.63	38.84
	.	.	.	81.91	8.45	5.66	2.36	1.62	
	.	.	.	41.12	33.33	36.55	25.33	19.85	
2: FEMALE	4	1	1	1887	272	158	112	105	2534
	.	.	.	45.55	6.57	3.81	2.70	2.53	61.16
	.	.	.	74.47	10.73	6.24	4.42	4.14	
	.	.	.	58.88	66.67	63.45	74.67	80.15	
Total	.	.	.	3205	408	249	150	131	4143
	.	.	.	77.36	9.85	6.01	3.62	3.16	100.00
Frequency Missing = 10									

\*b. Drinking fluids before you go to bed? **ntfluid\_1**      1      2      3      4      5

Table of GENDER_1 by NTFLUID_1									
GENDER_1	NTFLUID_1								
Frequency Percent Row Pct Col Pct				1: None of the time	2: A little of the time	3: Some of the time	4: Most of the time	5: All of the time	Total
1: MALE	3	1	0	1287	136	102	58	26	1609
	.	.	.	31.08	3.28	2.46	1.40	0.63	38.86
	.	.	.	79.99	8.45	6.34	3.60	1.62	
	.	.	.	41.32	33.42	34.34	31.69	18.71	
2: FEMALE	4	1	3	1828	271	195	125	113	2532
	.	.	.	44.14	6.54	4.71	3.02	2.73	61.14
	.	.	.	72.20	10.70	7.70	4.94	4.46	
	.	.	.	58.68	66.58	65.66	68.31	81.29	
Total	.	.	.	3115	407	297	183	139	4141
	.	.	.	75.22	9.83	7.17	4.42	3.36	100.00
Frequency Missing = 12									

\*c. Driving for 2 hours without stopping? **driv2hr\_1**      1      2      3      4      5

Table of GENDER_1 by DRIV2HR_1									
GENDER_1	DRIV2HR_1								
Frequency Percent Row Pct Col Pct				1: None of the time	2: A little of the time	3: Some of the time	4: Most of the time	5: All of the time	Total
1: MALE	3	1	0	1352	118	79	31	29	1609
	.	.	.	32.66	2.85	1.91	0.75	0.70	38.86
	.	.	.	84.03	7.33	4.91	1.93	1.80	
	.	.	.	39.49	42.14	38.35	25.62	26.61	
2: FEMALE	4	2	3	2072	162	127	90	80	2531
	.	.	.	50.05	3.91	3.07	2.17	1.93	61.14
	.	.	.	81.86	6.40	5.02	3.56	3.16	
	.	.	.	60.51	57.86	61.65	74.38	73.39	
Total	.	.	.	3424	280	206	121	109	4140
	.	.	.	82.71	6.76	4.98	2.92	2.63	100.00
Frequency Missing = 13									

d. Getting enough sleep at night? **enufslp\_1**      1      2      3      4      5

Table of GENDER_1 by ENUFSLP_1									
GENDER_1	ENUFSLP_1								
Frequency Percent Row Pct Col Pct				1: None of the time	2: A little of the time	3: Some of the time	4: Most of the time	5: All of the time	Total
1: MALE	3	1	0	1272	142	98	62	35	1609
	.	.	.	30.72	3.43	2.37	1.50	0.85	38.86
	.	.	.	79.06	8.83	6.09	3.85	2.18	
	.	.	.	40.94	36.60	30.15	35.03	24.31	
2: FEMALE	4	2	2	1835	246	227	115	109	2532
	.	.	.	44.31	5.94	5.48	2.78	2.63	61.14
	.	.	.	72.47	9.72	8.97	4.54	4.30	
	.	.	.	59.06	63.40	69.85	64.97	75.69	
Total	.	.	.	3107	388	325	177	144	4141
	.	.	.	75.03	9.37	7.85	4.27	3.48	100.00
Frequency Missing = 12									

e. Going to places that may not have a toilet?

notoil\_1

1 2 3 4 5

Table of GENDER_1 by NOTOIL_1										
GENDER_1	NOTOIL_1									
Frequency Percent Row Pct Col Pct	.	MI:O	RF:K	1: None of the time	2: A little of the time	3: Some of the time	4: Most of the time	5: All of the time	Total	
1: MALE	3	1	0	1304	118	91	56	40	1609	
	.	.	.	31.48	2.85	2.20	1.35	0.97	38.85	
	.	.	.	81.04	7.33	5.66	3.48	2.49		
	.	.	.	41.07	35.76	33.21	33.73	20.30		
2: FEMALE	4	1	2	1871	212	183	110	157	2533	
	.	.	.	45.17	5.12	4.42	2.66	3.79	61.15	
	.	.	.	73.86	8.37	7.22	4.34	6.20		
	.	.	.	58.93	64.24	66.79	66.27	79.70		
Total	.	.	.	3175	330	274	166	197	4142	
	.	.	.	76.65	7.97	6.62	4.01	4.76	100.00	
Frequency Missing = 11										

f. Playing sports outdoors such as golf outdsprt\_1

1 2 3 4 5

Table of GENDER_1 by OUTDSPRT_1										
GENDER_1	OUTDSPRT_1									
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	RF:K	1: None of the time	2: A little of the time	3: Some of the time	4: Most of the time	5: All of the time	Total
1: MALE	3	1	1	0	1508	49	33	7	11	1608
	.	.	.	.	36.43	1.18	0.80	0.17	0.27	38.84
	.	.	.	.	93.78	3.05	2.05	0.44	0.68	
	.	.	.	.	39.28	41.53	38.82	17.50	18.97	
2: FEMALE	4	0	1	3	2331	69	52	33	47	2532
	.	.	.	.	56.30	1.67	1.26	0.80	1.14	61.16
	.	.	.	.	92.06	2.73	2.05	1.30	1.86	
	.	.	.	.	60.72	58.47	61.18	82.50	81.03	
Total	.	.	.	.	3839	118	85	40	58	4140
	.	.	.	.	92.73	2.85	2.05	0.97	1.40	100.00
Frequency Missing = 13										

g. Going to movies, shows, church, etc.? goingout\_1

1 2 3 4 5

Table of GENDER_1 by GOINGOUT_1										
GENDER_1	GOINGOUT_1									
Frequency Percent Row Pct Col Pct	.	MI:O	RF:K	1: None of the time	2: A little of the time	3: Some of the time	4: Most of the time	5: All of the time	Total	
1: MALE	3	1	0	1452	81	50	12	14	1609	
	.	.	.	35.06	1.96	1.21	0.29	0.34	38.85	
	.	.	.	90.24	5.03	3.11	0.75	0.87		
	.	.	.	39.94	37.85	32.89	18.46	18.42		
2: FEMALE	4	1	2	2183	133	102	53	62	2533	
	.	.	.	52.70	3.21	2.46	1.28	1.50	61.15	
	.	.	.	86.18	5.25	4.03	2.09	2.45		
	.	.	.	60.06	62.15	67.11	81.54	81.58		
Total	.	.	.	3635	214	152	65	76	4142	
	.	.	.	87.76	5.17	3.67	1.57	1.83	100.00	
Frequency Missing = 11										

[TAKE BACK RESPONSE CARD 'J5']

J6. In the last 7 days, on average, how many times have you had to go to the bathroom to empty your bladder during the day meaning from the time you woke up in the morning until you fell asleep at night? **urinday\_1**

--	--

TIMES

Table of GENDER_1 by URINDAY_1												
GENDER_1	URINDAY_1											
Frequency Percent Row Pct Col Pct	.	DK:0	MI:0	NA:K	RF:K	0	1-3	4-6	7-9	10-12	12<	Total
1: MALE	3	3	3	0	2	3	508	820	174	79	18	1602
	.	.	.	.	.	0.07	12.34	19.92	4.23	1.92	0.44	38.92
	.	.	.	.	.	0.19	31.71	51.19	10.86	4.93	1.12	
	.	.	.	.	.	42.86	47.97	38.23	32.22	27.82	22.22	
2: FEMALE	4	15	0	1	6	4	551	1325	366	205	63	2514
	.	.	.	.	.	0.10	13.39	32.19	8.89	4.98	1.53	61.08
	.	.	.	.	.	0.16	21.92	52.70	14.56	8.15	2.51	
	.	.	.	.	.	57.14	52.03	61.77	67.78	72.18	77.78	
Total	.	.	.	.	.	7	1059	2145	540	284	81	4116
	.	.	.	.	.	0.17	25.73	52.11	13.12	6.90	1.97	100.00
Frequency Missing = 37												

a. In the last 7 days, how much has this been a problem for you? **urindy7dy\_1**

- No problem..... 1  
 Very small problem..... 2  
 Small problem ..... 3  
 Medium problem..... 4  
 Big problem ..... 5

Table of GENDER_1 by URINDY7DY_1									
GENDER_1	URINDY7DY_1								
Frequency Percent Row Pct Col Pct	.	MI:0	RF:K	1: No problem	2: Very small problem	3: Small problem	4: Medium problem	5: Big problem	Total
1: MALE	3	2	2	1323	105	106	46	26	1606
	.	.	.	32.04	2.54	2.57	1.11	0.63	38.90
	.	.	.	82.38	6.54	6.60	2.86	1.62	
	.	.	.	39.78	41.34	38.83	27.22	24.30	
2: FEMALE	4	6	7	2003	149	167	123	81	2523
	.	.	.	48.51	3.61	4.04	2.98	1.96	61.10
	.	.	.	79.39	5.91	6.62	4.88	3.21	
	.	.	.	60.22	58.66	61.17	72.78	75.70	
Total	.	.	.	3326	254	273	169	107	4129
	.	.	.	80.55	6.15	6.61	4.09	2.59	100.00
Frequency Missing = 24									

- b. In your opinion, do you feel that you urinate too often during the day? **urioftndy\_1**  
 YES ..... 1  
 NO ..... 2

Table of GENDER_1 by URIOFTNDY_1						
GENDER_1	URIOFTNDY_1					
Frequency Percent Row Pct Col Pct	.	MI:O	RF:K	1: Yes	2: No	Total
1: MALE	3	2	1	286	1321	1607
	.	.	.	6.92	31.95	38.87
	.	.	.	17.80	82.20	
	.	.	.	34.50	39.97	
2: FEMALE	4	3	6	543	1984	2527
	.	.	.	13.13	47.99	61.13
	.	.	.	21.49	78.51	
	.	.	.	65.50	60.03	
Total	.	.	.	829	3305	4134
	.	.	.	20.05	79.95	100.00
Frequency Missing = 19						

- J7. In the last 7 days, on average, how many times have you had to go to the bathroom to empty your bladder during the night after falling asleep?  
**urinnt\_1**

--	--

TIMES

Table of GENDER_1 by URINNT_1											
GENDER_1	URINNT_1										
Frequency Percent Row Pct Col Pct	.	DK:0	MI:0	NA:K	RF:K	0	1-3	4-6	7-9	9<	Total
1: MALE	3	1	3	0	2	491	1002	93	13	5	1604
	.	.	.	.	.	11.88	24.24	2.25	0.31	0.12	38.81
	.	.	.	.	.	30.61	62.47	5.80	0.81	0.31	
	.	.	.	.	.	42.04	38.06	33.57	40.63	21.74	
2: FEMALE	4	4	0	1	2	677	1631	184	19	18	2529
	.	.	.	.	.	16.38	39.46	4.45	0.46	0.44	61.19
	.	.	.	.	.	26.77	64.49	7.28	0.75	0.71	
	.	.	.	.	.	57.96	61.94	66.43	59.38	78.26	
Total	.	.	.	.	.	1168	2633	277	32	23	4133
	.	.	.	.	.	28.26	63.71	6.70	0.77	0.56	100.00
Frequency Missing = 20											

a. In the last 7 days, how much has this been a problem for you? **urinnt7dy\_1**

No problem..... 1  
Very small problem..... 2  
Small problem ..... 3  
Medium problem..... 4  
Big problem ..... 5

Table of GENDER_1 by URINNT7DY_1									
GENDER_1	URINNT7DY_1								
Frequency Percent Row Pct Col Pct	.	MI:O	RF:K	1: No problem	2: Very small problem	3: Small problem	4: Medium problem	5: Big problem	Total
1: MALE	3	3	1	1269	104	127	67	39	1606
	.	.	.	30.67	2.51	3.07	1.62	0.94	38.82
	.	.	.	79.02	6.48	7.91	4.17	2.43	
	.	.	.	40.21	35.62	39.69	30.59	26.00	
2: FEMALE	4	3	2	1887	188	193	152	111	2531
	.	.	.	45.61	4.54	4.67	3.67	2.68	61.18
	.	.	.	74.56	7.43	7.63	6.01	4.39	
	.	.	.	59.79	64.38	60.31	69.41	74.00	
Total	.	.	.	3156	292	320	219	150	4137
	.	.	.	76.29	7.06	7.74	5.29	3.63	100.00
Frequency Missing = 16									

b. In your opinion, do you feel that you get up too often during the night to urinate?

**urioftnt\_1**

YES ..... 1  
NO ..... 2

Table of GENDER_1 by URIOFTNT_1						
GENDER_1	URIOFTNT_1					
Frequency Percent Row Pct Col Pct	.	MI:O	RF:K	1: Yes	2: No	Total
1: MALE	3	3	2	312	1293	1605
	.	.	.	7.54	31.25	38.79
	.	.	.	19.44	80.56	
	.	.	.	35.99	39.53	
2: FEMALE	4	1	2	555	1978	2533
	.	.	.	13.41	47.80	61.21
	.	.	.	21.91	78.09	
	.	.	.	64.01	60.47	
Total	.	.	.	867	3271	4138
	.	.	.	20.95	79.05	100.00
Frequency Missing = 15						

The next set of questions asks about symptoms you may or may not have related to urine leakage or accidents with urination.

J8. Many people complain that they leak urine (wet themselves) or have accidents. In the last 12 months, have you leaked even a small amount of urine? **leakurin\_1**

YES ..... 1  
NO ..... 2 (J15)

Table of GENDER_1 by LEAKURIN_1						
GENDER_1	LEAKURIN_1					
Frequency Percent Row Pct Col Pct	.	MI:O	RF:K	1: Yes	2: No	Total
1: MALE	3	2	0	328	1280	1608
	.	.	.	7.92	30.90	38.82
	.	.	.	20.40	79.60	
	.	.	.	29.13	42.44	
2: FEMALE	4	1	1	798	1736	2534
	.	.	.	19.27	41.91	61.18
	.	.	.	31.49	68.51	
	.	.	.	70.87	57.56	
Total	.	.	.	1126	3016	4142
	.	.	.	27.18	72.82	100.00
Frequency Missing = 11						

a. In the last 12 months, how often did you experience urinary leakage (wet yourself)?

**leakfreq\_1**

Less than once per month..... 1  
One or more times per month ..... 2  
One or more times per week ..... 3  
Everyday ..... 4

Table of GENDER_1 by LEAKFREQ_1								
GENDER_1	LEAKFREQ_1							
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: Less than once per month	2: One or more times per month	3: One or more times per week	4: Everyday	Total
1: MALE	3	0	1282	112	94	70	52	328
	.	.	.	9.96	8.36	6.22	4.62	29.16
	.	.	.	34.15	28.66	21.34	15.85	
	.	.	.	29.95	31.65	27.13	26.53	
2: FEMALE	4	1	1738	262	203	188	144	797
	.	.	.	23.29	18.04	16.71	12.80	70.84
	.	.	.	32.87	25.47	23.59	18.07	
	.	.	.	70.05	68.35	72.87	73.47	
Total	.	.	.	374	297	258	196	1125
	.	.	.	33.24	26.40	22.93	17.42	100.00
Frequency Missing = 3028								

- b. Does this leaking happen... **leakwhen\_1**  
 After you finish urinating but before you leave the toilet ..... 1  
 When you are not using the toilet at all ..... 2  
 At both times (after urinating as well as when you are not using the toilet) ..... 3

Table of GENDER_1 by LEAKWHEN_1								
GENDER_1	LEAKWHEN_1							
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	Skip	1: After you finish urinating be	2: When you are not using the to	3: At both times (after urinatin	Total
1: MALE	3	3	2	1282	152	93	78	323
	.	.	.	.	13.60	8.32	6.98	28.89
	.	.	.	.	47.06	28.79	24.15	
	.	.	.	.	69.09	15.74	25.41	
2: FEMALE	4	2	1	1738	68	498	229	795
	.	.	.	.	6.08	44.54	20.48	71.11
	.	.	.	.	8.55	62.64	28.81	
	.	.	.	.	30.91	84.26	74.59	
Total	.	.	.	.	220	591	307	1118
	.	.	.	.	19.68	52.86	27.46	100.00
Frequency Missing = 3035								

- J9. When you leak urine, about how much is it? **leakamt\_1**  
 Would you say....

- Drops or a little more ..... 1  
 Small splashes ..... 2  
 Or more ..... 3

Table of GENDER_1 by LEAKAMT_1							
GENDER_1	LEAKAMT_1						
Frequency Percent Row Pct Col Pct	.	DK:O	Skip	1: Drops or a little more	2: Small splashes	3: Or more	Total
1: MALE	3	0	1282	261	46	21	328
	.	.	.	23.20	4.09	1.87	29.16
	.	.	.	79.57	14.02	6.40	
	.	.	.	32.87	21.20	18.42	
2: FEMALE	4	1	1738	533	171	93	797
	.	.	.	47.38	15.20	8.27	70.84
	.	.	.	66.88	21.46	11.67	
	.	.	.	67.13	78.80	81.58	
Total	.	.	.	794	217	114	1125
	.	.	.	70.58	19.29	10.13	100.00
Frequency Missing = 3028							

- J10. a. Have you ever accidentally leaked urine when you were coughing, sneezing, or performing some physical activity such as lifting or exercise? **leakphysac\_1**  
 YES ..... 1  
 NO ..... 2 (J10b)

Table of GENDER_1 by LEAKPHYSAC_1						
GENDER_1	LEAKPHYSAC_1					
Frequency Percent Row Pct Col Pct	.	DK:O	Skip	1: Yes	2: No	Total
1: MALE	3	0	1282	65	263	328
	.	.	.	5.78	23.38	29.16
	.	.	.	19.82	80.18	
	.	.	.	9.50	59.64	
2: FEMALE	4	1	1738	619	178	797
	.	.	.	55.02	15.82	70.84
	.	.	.	77.67	22.33	
	.	.	.	90.50	40.36	
Total	.	.	.	684	441	1125
	.	.	.	60.80	39.20	100.00
Frequency Missing = 3028						

- a1. How many times has this happened in the last 7 days? **leak7dy1\_1**

		TIMES
--	--	-------

Table of GENDER_1 by LEAK7DY1_1										
GENDER_1	LEAK7DY1_1									
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	Skip	0	1-3	4-6	7-9	9<	Total
1: MALE	3	1	1	1545	29	27	7	0	0	63
	.	.	.	.	4.27	3.98	1.03	0.00	0.00	9.28
	.	.	.	.	46.03	42.86	11.11	0.00	0.00	
	.	.	.	.	9.29	10.89	9.33	0.00	0.00	
2: FEMALE	4	1	2	1917	283	221	68	25	19	616
	.	.	.	.	41.68	32.55	10.01	3.68	2.80	90.72
	.	.	.	.	45.94	35.88	11.04	4.06	3.08	
	.	.	.	.	90.71	89.11	90.67	100.00	100.00	
Total	.	.	.	.	312	248	75	25	19	679
	.	.	.	.	45.95	36.52	11.05	3.68	2.80	100.00
Frequency Missing = 3474										

a2. In the last 7 days, how much has this been a problem for you? **leak7dy2\_1**

- No problem..... 1  
Very small problem..... 2  
Small problem ..... 3  
Medium problem..... 4  
Big problem ..... 5

Table of GENDER_1 by LEAK7DY2_1									
GENDER_1	LEAK7DY2_1								
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: No Problem	2: Very small problem	3: Small problem	4: Medium problem	5: Big problem	Total
1: MALE	3	0	1545	35	4	15	6	5	65
	.	.	.	5.13	0.59	2.20	0.88	0.73	9.53
	.	.	.	53.85	6.15	23.08	9.23	7.69	
	.	.	.	9.49	4.65	17.05	8.45	7.35	
2: FEMALE	4	2	1917	334	82	73	65	63	617
	.	.	.	48.97	12.02	10.70	9.53	9.24	90.47
	.	.	.	54.13	13.29	11.83	10.53	10.21	
	.	.	.	90.51	95.35	82.95	91.55	92.65	
Total	.	.	.	369	86	88	71	68	682
	.	.	.	54.11	12.61	12.90	10.41	9.97	100.00
Frequency Missing = 3471									

b. Have you accidentally leaked urine when you had the strong feeling that you needed to empty your bladder, but couldn't get to the toilet fast enough?

**leakurgeac\_1**

- YES ..... 1  
NO ..... 2 (J10c)

Table of GENDER_1 by LEAKURGEAC_1					
GENDER_1	LEAKURGEAC_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: Yes	2: No	Total
1: MALE	3	1282	173	155	328
	.	.	15.36	13.77	29.13
	.	.	52.74	47.26	
	.	.	24.93	35.88	
2: FEMALE	4	1738	521	277	798
	.	.	46.27	24.60	70.87
	.	.	65.29	34.71	
	.	.	75.07	64.12	
Total	.	.	694	432	1126
	.	.	61.63	38.37	100.00
Frequency Missing = 3027					

b1. How many times has this happened in the last 7 days? **leakurge\_1**

--	--

TIMES

Table of GENDER_1 by LEAKURGE_1									
GENDER_1	LEAKURGE_1								
Frequency Percent Row Pct Col Pct	.	MI:0	RF:K	Skip	0	1-3	4-6	6<	Total
1: MALE	3	0	0	1437	82	77	7	7	173
	.	.	.	.	11.87	11.14	1.01	1.01	25.04
	.	.	.	.	47.40	44.51	4.05	4.05	
	.	.	.	.	30.94	23.26	14.29	15.22	
2: FEMALE	4	2	1	2015	183	254	42	39	518
	.	.	.	.	26.48	36.76	6.08	5.64	74.96
	.	.	.	.	35.33	49.03	8.11	7.53	
	.	.	.	.	69.06	76.74	85.71	84.78	
Total	.	.	.	.	265	331	49	46	691
	.	.	.	.	38.35	47.90	7.09	6.66	100.00
Frequency Missing = 3462									

b2. In the last 7 days, how much has this been a problem for you? **leakurge7\_1**

No problem.....	1
Very small problem .....	2
Small problem .....	3
Medium problem .....	4
Big problem .....	5

Table of GENDER_1 by LEAKURGE7_1										
GENDER_1	LEAKURGE7_1									
Frequency Percent Row Pct Col Pct	.	MI:O	RF:K	Skip	1: No Problem	2: Very small problem	3: Small problem	4: Medium problem	5: Big problem	Total
1: MALE	3	0	0	1437	97	19	31	14	12	173
	.	.	.	.	14.02	2.75	4.48	2.02	1.73	25.00
	.	.	.	.	56.07	10.98	17.92	8.09	6.94	
	.	.	.	.	29.22	22.62	29.52	16.09	14.29	
2: FEMALE	4	1	1	2015	235	65	74	73	72	519
	.	.	.	.	33.96	9.39	10.69	10.55	10.40	75.00
	.	.	.	.	45.28	12.52	14.26	14.07	13.87	
	.	.	.	.	70.78	77.38	70.48	83.91	85.71	
Total	.	.	.	.	332	84	105	87	84	692
	.	.	.	.	47.98	12.14	15.17	12.57	12.14	100.00
Frequency Missing = 3461										

- c. Have you accidentally leaked urine without any particular physical activity or warning?

leaknowarn\_1

YES ..... 1

NO ..... 2 (J11)

Table of GENDER_1 by LEAKNOWARN_1					
GENDER_1	LEAKNOWARN_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: Yes	2: No	Total
1: MALE	3	1282	91	237	328
	.	.	8.08	21.05	29.13
	.	.	27.74	72.26	
	.	.	28.53	29.37	
2: FEMALE	4	1738	228	570	798
	.	.	20.25	50.62	70.87
	.	.	28.57	71.43	
	.	.	71.47	70.63	
Total	.	.	319	807	1126
	.	.	28.33	71.67	100.00
Frequency Missing = 3027					

- c1. How many times has this happened in the last 7 days? leaknowa\_1

		TIMES
--	--	-------

Table of GENDER_1 by LEAKNOWA_1										
GENDER_1	LEAKNOWA_1									
Frequency Percent Row Pct Col Pct	.	DK:0	MI:0	Skip	0	1-3	4-6	7-9	9<	Total
1: MALE	3	0	1	1519	33	41	11	3	2	90
	.	.	.	.	10.48	13.02	3.49	0.95	0.63	28.57
	.	.	.	.	36.67	45.56	12.22	3.33	2.22	
	.	.	.	.	37.93	26.80	24.44	16.67	16.67	
2: FEMALE	4	2	1	2308	54	112	34	15	10	225
	.	.	.	.	17.14	35.56	10.79	4.76	3.17	71.43
	.	.	.	.	24.00	49.78	15.11	6.67	4.44	
	.	.	.	.	62.07	73.20	75.56	83.33	83.33	
Total	.	.	.	.	87	153	45	18	12	315
	.	.	.	.	27.62	48.57	14.29	5.71	3.81	100.00
Frequency Missing = 3838										

c2. In the last 7 days, how much has this been a problem for you? **leaknow7\_1**

- No problem ..... 1  
 Very small problem ..... 2  
 Small problem ..... 3  
 Medium problem ..... 4  
 Big problem..... 5

Table of GENDER_1 by LEAKNOW7_1									
GENDER_1	LEAKNOW7_1								
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: No Problem	2: Very small problem	3: Small problem	4: Medium problem	5: Big problem	Total
1: MALE	3	1	1519	43	13	18	7	9	90
.	.	.	.	13.52	4.09	5.66	2.20	2.83	28.30
.	.	.	.	47.78	14.44	20.00	7.78	10.00	
.	.	.	.	40.57	28.89	31.03	14.29	15.00	
2: FEMALE	4	0	2308	63	32	40	42	51	228
.	.	.	.	19.81	10.06	12.58	13.21	16.04	71.70
.	.	.	.	27.63	14.04	17.54	18.42	22.37	
.	.	.	.	59.43	71.11	68.97	85.71	85.00	
Total	.	.	.	106	45	58	49	60	318
.	.	.	.	33.33	14.15	18.24	15.41	18.87	100.00
Frequency Missing = 3835									

J11. What type of protection or products do you use most often? **uiprot\_1**

- None (no protection) ..... 1 **(J13)**  
 Tissue, toilet paper, or paper towel ..... 2 **(J13)**  
 Minipad or pantiliner..... 3  
 Menstrual pad ..... 4  
 Incontinence pad (Poise, Serenity or other) ..... 5  
 Incontinence diaper (Attends, Depends) ..... 6  
 Something else ..... 7 **(J13)**

Table of GENDER_1 by UIPROT_1										
GENDER_1	UIPROT_1									
Frequency Percent Row Pct Col Pct	.	Skip	1: None (no protection)	2: Tissue, toilet paper, or pape	3: Minipad or pantiliner	4: Menstrual pad	5: Incontinence pad (Poise, Sere	6: Incontinence diaper (Attends,	7: Something else	Total
1: MALE	3	1282	276	32	3	0	6	8	3	328
.	.	.	24.51	2.84	0.27	0.00	0.53	0.71	0.27	29.13
.	.	.	84.15	9.76	0.91	0.00	1.83	2.44	0.91	
.	.	.	39.83	42.67	1.45	0.00	10.00	27.59	42.86	
2: FEMALE	4	1738	417	43	204	55	54	21	4	798
.	.	.	37.03	3.82	18.12	4.88	4.80	1.87	0.36	70.87
.	.	.	52.26	5.39	25.56	6.89	6.77	2.63	0.50	
.	.	.	60.17	57.33	98.55	100.00	90.00	72.41	57.14	
Total	.	.	693	75	207	55	60	29	7	1126
.	.	.	61.55	6.66	18.38	4.88	5.33	2.58	0.62	100.00
Frequency Missing = 3027										

J12. During a typical 24-hour period, on average, how many pads or adult diapers do you use because they get wet or damp? **uipads\_1**

Zero .....  
One .....  
Two or three .....  
Four or more .....

1  
2  
3  
4

Table of GENDER_1 by UIPADS_1							
GENDER_1	UIPADS_1						
Frequency Percent Row Pct Col Pct	.	Skip	1: Zero	2: One	3: Two or three	4: Four or more	Total
1: MALE	3	1593	4	8	5	0	17
	.	.	1.14	2.28	1.42	0.00	4.84
	.	.	23.53	47.06	29.41	0.00	
	.	.	10.81	6.15	3.38	0.00	
2: FEMALE	4	2202	33	122	143	36	334
	.	.	9.40	34.76	40.74	10.26	95.16
	.	.	9.88	36.53	42.81	10.78	
	.	.	89.19	93.85	96.62	100.00	
Total	.	.	37	130	148	36	351
	.	.	10.54	37.04	42.17	10.26	100.00
Frequency Missing = 3802							

J13. About how long have you had urine leakage? Would you say: **leakdur\_1**

Less than 3 months ..... 1  
3 but less than 6 months ..... 2  
6 or more but less than 12 months ..... 3  
1 year or more but less than 5 years ..... 4  
5 years or more ..... 5

Table of GENDER_1 by LEAKDUR_1										
GENDER_1	LEAKDUR_1									
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	Skip	1: Less than 3 months	2: 3 to less than 6 months	3: 6 to less than 12 months	4: 1 years to less than 5 years	5: 5 years or more	Total
1: MALE	3	1	1	1285	38	19	41	142	83	323
	.	.	.	.	3.41	1.70	3.68	12.74	7.44	28.97
	.	.	.	.	11.76	5.88	12.69	43.96	25.70	
	.	.	.	.	25.00	19.19	26.45	32.13	31.09	
2: FEMALE	4	1	2	1741	114	80	114	300	184	792
	.	.	.	.	10.22	7.17	10.22	26.91	16.50	71.03
	.	.	.	.	14.39	10.10	14.39	37.88	23.23	
	.	.	.	.	75.00	80.81	73.55	67.87	68.91	
Total	.	.	.	.	152	99	155	442	267	1115
	.	.	.	.	13.63	8.88	13.90	39.64	23.95	100.00
Frequency Missing = 3038										

J14. Have you ever seen a health care provider for your urine leakage? **leakhep\_1**

YES ..... 1  
NO ..... 2 (J14b)

Table of GENDER_1 by LEAKHEP_1					
GENDER_1	LEAKHEP_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: Yes	2: No	Total
1: MALE	3	1282	95	233	328
	.	.	8.44	20.69	29.13
	.	.	28.96	71.04	
	.	.	24.74	31.40	
2: FEMALE	4	1738	289	509	798
	.	.	25.67	45.20	70.87
	.	.	36.22	63.78	
	.	.	75.26	68.60	
Total	.	.	384	742	1126
	.	.	34.10	65.90	100.00
Frequency Missing = 3027					

a. Did you receive treatment? **leakheptrt\_1**

YES ..... 1  
NO ..... 2

Table of GENDER_1 by LEAKHEPTRT_1					
GENDER_1	LEAKHEPTRT_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: Yes	2: No	Total
1: MALE	3	1515	51	44	95
	.	.	13.28	11.46	24.74
	.	.	53.68	46.32	
	.	.	26.84	22.68	
2: FEMALE	4	2247	139	150	289
	.	.	36.20	39.06	75.26
	.	.	48.10	51.90	
	.	.	73.16	77.32	
Total	.	.	190	194	384
	.	.	49.48	50.52	100.00
Frequency Missing = 3769					

b. \*To help with your incontinence, are you currently  
[ITEM b1-b5] ?

YES

NO

\*b1. Doing exercises to strengthen the muscles near the  
bladder? **uiexerc\_1**

1

2

Table of GENDER_1 by UIEXERC_1						
GENDER_1	UIEXERC_1					
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: Yes	2: No	Total
1: MALE	3	0	1282	27	301	328
	.	.	.	2.40	26.78	29.18
	.	.	.	8.23	91.77	
	.	.	.	12.16	33.37	
2: FEMALE	4	2	1738	195	601	796
	.	.	.	17.35	53.47	70.82
	.	.	.	24.50	75.50	
	.	.	.	87.84	66.63	
Total	.	.	.	222	902	1124
	.	.	.	19.75	80.25	100.00
Frequency Missing = 3029						

\*b2. Timing your urination (bladder training) **uitiming\_1**

1

2

Table of GENDER_1 by UITIMING_1						
GENDER_1	UITIMING_1					
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: Yes	2: No	Total
1: MALE	3	0	1282	29	299	328
	.	.	.	2.58	26.60	29.18
	.	.	.	8.84	91.16	
	.	.	.	31.18	29.00	
2: FEMALE	4	2	1738	64	732	796
	.	.	.	5.69	65.12	70.82
	.	.	.	8.04	91.96	
	.	.	.	68.82	71.00	
Total	.	.	.	93	1031	1124
	.	.	.	8.27	91.73	100.00
Frequency Missing = 3029						

\*b3. Taking a prescription medication **uimedrx\_1** 1 2

Table of GENDER_1 by UIMEDRX_1						
GENDER_1	UIMEDRX_1					
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: Yes	2: No	Total
1: MALE	3	0	1282	33	295	328
	.	.	.	2.94	26.25	29.18
	.	.	.	10.06	89.94	
	.	.	.	30.84	29.01	
2: FEMALE	4	2	1738	74	722	796
	.	.	.	6.58	64.23	70.82
	.	.	.	9.30	90.70	
	.	.	.	69.16	70.99	
Total	.	.	.	107	1017	1124
	.	.	.	9.52	90.48	100.00
Frequency Missing = 3029						

b4. Using some other medical treatment (pessary, biofeedback, electric stimulation, acupuncture, homeopathy or herbs)? **uiiothtx\_1** 1 2

Table of GENDER_1 by UIOTHTX_1						
GENDER_1	UIOTHTX_1					
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: Yes	2: No	Total
1: MALE	3	0	1282	1	327	328
	.	.	.	0.09	29.09	29.18
	.	.	.	0.30	99.70	
	.	.	.	6.25	29.51	
2: FEMALE	4	2	1738	15	781	796
	.	.	.	1.33	69.48	70.82
	.	.	.	1.88	98.12	
	.	.	.	93.75	70.49	
Total	.	.	.	16	1108	1124
	.	.	.	1.42	98.58	100.00
Frequency Missing = 3029						

\*b5. Doing nothing **uinotx\_1**

1

2

Table of GENDER_1 by UINOTX_1						
GENDER_1	UINOTX_1					
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: Yes	2: No	Total
1: MALE	3	0	1282	259	69	328
	.	.	.	23.04	6.14	29.18
	.	.	.	78.96	21.04	
	.	.	.	32.38	21.30	
2: FEMALE	4	2	1738	541	255	796
	.	.	.	48.13	22.69	70.82
	.	.	.	67.96	32.04	
	.	.	.	67.63	78.70	
Total	.	.	.	800	324	1124
	.	.	.	71.17	28.83	100.00
Frequency Missing = 3029						

The next questions refer to the experiences with urinary symptoms and pain/discomfort in your pelvic or bladder area and how much it may affect different aspects of your life.

[SHOW RESPONSE CARD 'J15']

J15. \*How much do urinary symptoms, pain or discomfort in your pelvic or bladder area affect **Not at all** **Slightly** **Moderately** **Greatly**  
[ITEM]?

\*a. Your ability to do household chores, such as cooking, housecleaning, laundry, or yard work? 1 2 3 4  
**uiqol1\_1**

Table of GENDER_1 by UIQOL1_1							
GENDER_1	UIQOL1_1						
Frequency Percent Row Pct Col Pct	.	MI:O	1: Not at all	2: Slightly	3: Moderately	4: Greatly	Total
1: MALE	3	4	1494	80	27	5	1606
	.	.	36.10	1.93	0.65	0.12	38.80
	.	.	93.03	4.98	1.68	0.31	
	.	.	39.68	33.33	25.00	19.23	
2: FEMALE	4	3	2271	160	81	21	2533
	.	.	54.87	3.87	1.96	0.51	61.20
	.	.	89.66	6.32	3.20	0.83	
	.	.	60.32	66.67	75.00	80.77	
Total	.	.	3765	240	108	26	4139
	.	.	90.96	5.80	2.61	0.63	100.00
Frequency Missing = 14							

- \*b. Physical recreational activities, such as walking, swimming, or other exercise? **uiqol2\_1** 1 2 3 4

Table of GENDER_1 by UIQOL2_1							
GENDER_1	UIQOL2_1						
Frequency Percent Row Pct Col Pct	.	MI:O	1: Not at all	2: Slightly	3: Moderately	4: Greatly	Total
1: MALE	3	4	1455	100	38	13	1606
.	.	.	35.15	2.42	0.92	0.31	38.80
.	.	.	90.60	6.23	2.37	0.81	
.	.	.	39.98	31.85	30.65	20.97	
2: FEMALE	4	3	2184	214	86	49	2533
.	.	.	52.77	5.17	2.08	1.18	61.20
.	.	.	86.22	8.45	3.40	1.93	
.	.	.	60.02	68.15	69.35	79.03	
Total	.	.	3639	314	124	62	4139
.	.	.	87.92	7.59	3.00	1.50	100.00
Frequency Missing = 14							

- \*c. Entertainment activities such as going to a film or concert? **uiqol3\_1** 1 2 3 4

Table of GENDER_1 by UIQOL3_1							
GENDER_1	UIQOL3_1						
Frequency Percent Row Pct Col Pct	.	MI:O	1: Not at all	2: Slightly	3: Moderately	4: Greatly	Total
1: MALE	3	4	1464	95	38	9	1606
.	.	.	35.37	2.30	0.92	0.22	38.80
.	.	.	91.16	5.92	2.37	0.56	
.	.	.	39.77	35.58	30.40	13.64	
2: FEMALE	4	3	2217	172	87	57	2533
.	.	.	53.56	4.16	2.10	1.38	61.20
.	.	.	87.52	6.79	3.43	2.25	
.	.	.	60.23	64.42	69.60	86.36	
Total	.	.	3681	267	125	66	4139
.	.	.	88.93	6.45	3.02	1.59	100.00
Frequency Missing = 14							

- d. Your ability to travel by car or bus for distances greater than 30 minutes away from home? 1 2 3 4  
 uiqol4\_1

Table of GENDER_1 by UIQOL4_1							
GENDER_1	UIQOL4_1						
Frequency Percent Row Pct Col Pct	.	MI:O	1: Not at all	2: Slightly	3: Moderately	4: Greatly	Total
1: MALE	3	4	1429	115	44	18	1606
	.	.	34.53	2.78	1.06	0.43	38.80
	.	.	88.98	7.16	2.74	1.12	
	.	.	40.04	37.22	26.99	18.37	
2: FEMALE	4	3	2140	194	119	80	2533
	.	.	51.70	4.69	2.88	1.93	61.20
	.	.	84.48	7.66	4.70	3.16	
	.	.	59.96	62.78	73.01	81.63	
Total	.	.	3569	309	163	98	4139
	.	.	86.23	7.47	3.94	2.37	100.00
Frequency Missing = 14							

- J15. \*How much do urinary symptoms, pain or discomfort in your pelvic or bladder area affect [ITEM]? **Not at all** **Slightly** **Moderately** **Greatly**
- e. Your participation in social activities outside your home? uiqol5\_1 1 2 3 4

Table of GENDER_1 by UIQOL5_1							
GENDER_1	UIQOL5_1						
Frequency Percent Row Pct Col Pct	.	MI:O	1: Not at all	2: Slightly	3: Moderately	4: Greatly	Total
1: MALE	3	3	1466	83	46	12	1607
	.	.	35.41	2.00	1.11	0.29	38.82
	.	.	91.23	5.16	2.86	0.75	
	.	.	40.04	33.20	28.05	18.46	
2: FEMALE	4	3	2195	167	118	53	2533
	.	.	53.02	4.03	2.85	1.28	61.18
	.	.	86.66	6.59	4.66	2.09	
	.	.	59.96	66.80	71.95	81.54	
Total	.	.	3661	250	164	65	4140
	.	.	88.43	6.04	3.96	1.57	100.00
Frequency Missing = 13							

\*f. Your emotional health? **uiqol6\_1** 1 2 3 4

Table of GENDER_1 by UIQOL6_1							
GENDER_1	UIQOL6_1						
Frequency Percent Row Pct Col Pct	.	MI:O	1: Not at all	2: Slightly	3: Moderately	4: Greatly	Total
1: MALE	3	3	1470	85	39	13	1607
.	.	.	35.50	2.05	0.94	0.31	38.81
.	.	.	91.47	5.29	2.43	0.81	
.	.	.	40.00	32.44	26.90	22.03	
2: FEMALE	4	2	2205	177	106	46	2534
.	.	.	53.25	4.27	2.56	1.11	61.19
.	.	.	87.02	6.99	4.18	1.82	
.	.	.	60.00	67.56	73.10	77.97	
Total	.	.	3675	262	145	59	4141
.	.	.	88.75	6.33	3.50	1.42	100.00
Frequency Missing = 12							

J16. In addition, do urinary symptoms, pain or discomfort in your pelvic or bladder area cause you to experience frustration? Would you say... 1 2 3 4  
**uiqol7\_1**

Table of GENDER_1 by UIQOL7_1							
GENDER_1	UIQOL7_1						
Frequency Percent Row Pct Col Pct	.	MI:O	1: Not at all	2: Slightly	3: Moderately	4: Greatly	Total
1: MALE	3	4	1426	109	46	25	1606
.	.	.	34.45	2.63	1.11	0.60	38.80
.	.	.	88.79	6.79	2.86	1.56	
.	.	.	40.49	30.79	27.88	25.51	
2: FEMALE	4	3	2096	245	119	73	2533
.	.	.	50.64	5.92	2.88	1.76	61.20
.	.	.	82.75	9.67	4.70	2.88	
.	.	.	59.51	69.21	72.12	74.49	
Total	.	.	3522	354	165	98	4139
.	.	.	85.09	8.55	3.99	2.37	100.00
Frequency Missing = 14							

**[TAKE BACK RESPONSE CARD 'J15']**

J17. How much did you think about your urinary symptoms and/or pelvic pain during the last month?

symthink\_1

None..... 1  
Only a little ..... 2  
Some..... 3  
A lot..... 4

Table of GENDER_1 by SYMTHINK_1									
GENDER_1	SYMTHINK_1								
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	RF:K	1: None	2: Only a little	3: Some	4: A lot	Total
1: MALE	3	1	4	0	1151	302	90	62	1605
	.	.	.	.	27.81	7.30	2.17	1.50	38.78
	.	.	.	.	71.71	18.82	5.61	3.86	
	.	.	.	.	40.24	37.80	31.36	32.12	
2: FEMALE	4	0	1	1	1709	497	197	131	2534
	.	.	.	.	41.29	12.01	4.76	3.17	61.22
	.	.	.	.	67.44	19.61	7.77	5.17	
	.	.	.	.	59.76	62.20	68.64	67.88	
Total	.	.	.	.	2860	799	287	193	4139
	.	.	.	.	69.10	19.30	6.93	4.66	100.00
Frequency Missing = 14									

J18. If you were to spend the rest of your life with your urinary and/or pelvic pain condition the way it has been over the last month, how would you feel about that? lifecon\_1

Delighted ..... 1  
Pleased ..... 2  
Mostly satisfied..... 3  
Mixed, about equally satisfied and dissatisfied ..... 4  
Mostly dissatisfied ..... 5  
Unhappy ..... 6  
Terrible ..... 7

Table of GENDER_1 by LIFECON_1												
GENDER_1	LIFECON_1											
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	RF:K	1: Delighted	2: Pleased	3: Mostly satisfied	4: Mixed, about equally satisfie	5: Mostly dissatisfied	6: Unhappy	7: Terrible	Total
1: MALE	3	0	4	1	539	358	397	165	86	33	27	1605
	.	.	.	.	13.03	8.66	9.60	3.99	2.08	0.80	0.65	38.81
	.	.	.	.	33.58	22.31	24.74	10.28	5.36	2.06	1.68	
	.	.	.	.	40.37	40.36	42.78	34.74	30.28	28.21	24.55	
2: FEMALE	4	1	1	3	796	529	531	310	198	84	83	2531
	.	.	.	.	19.25	12.79	12.84	7.50	4.79	2.03	2.01	61.19
	.	.	.	.	31.45	20.90	20.98	12.25	7.82	3.32	3.28	
	.	.	.	.	59.63	59.64	57.22	65.26	69.72	71.79	75.45	
Total	.	.	.	.	1335	887	928	475	284	117	110	4136
	.	.	.	.	32.28	21.45	22.44	11.48	6.87	2.83	2.66	100.00
Frequency Missing = 17												

J19. Which of the following statements best describes your bladder condition best at the moment? My bladder condition ..... **bladconow\_1**

- Does not cause me any problems at all ..... 1  
Causes me some very minor problems..... 2  
Causes me some minor problems ..... 3  
Causes me (some) moderate problems ..... 4  
Causes me severe problems ..... 5  
Causes many severe problems..... 6

Table of GENDER_1 by BLADCONOW_1										
GENDER_1	BLADCONOW_1									
Frequency Percent Row Pct Col Pct	.	MI:O	RF:K	1: Does not cause me any problem	2: Causes me some very minor pro	3: Causes me some minor problems	4: Causes me (some) moderate pro	5: Causes me severe problems	6: Causes many severe problems	Total
1: MALE	3	3	0	1034	258	208	74	22	11	1607
	.	.	.	24.97	6.23	5.02	1.79	0.53	0.27	38.81
	.	.	.	64.34	16.05	12.94	4.60	1.37	0.68	
	.	.	.	40.61	38.80	40.55	25.52	29.33	21.15	
2: FEMALE	4	1	1	1512	407	305	216	53	41	2534
	.	.	.	36.51	9.83	7.37	5.22	1.28	0.99	61.19
	.	.	.	59.67	16.06	12.04	8.52	2.09	1.62	
	.	.	.	59.39	61.20	59.45	74.48	70.67	78.85	
Total	.	.	.	2546	665	513	290	75	52	4141
	.	.	.	61.48	16.06	12.39	7.00	1.81	1.26	100.00
Frequency Missing = 12										

# SECTION K: SOCIO-DEMOGRAPHIC INFORMATION

Now I am going to ask you some questions about your background.

K1. What is your current marital status? marital\_1

Married.....	1
Living with a partner.....	2
Divorced/separated.....	3
Widowed.....	4
Single, never married.....	5
OTHER.....	99

Table of GENDER_1 by MARITAL_1									
GENDER_1	MARITAL_1								
Frequency Percent Row Pct Col Pct	.	MI:O	1: Married	2: Living with a partner	3: Divorced/ Separated	4: Widowed	5: Single, never married	99: OTHER	Total
1: MALE	4	0	836	104	260	39	366	4	1609
	.	.	20.16	2.51	6.27	0.94	8.83	0.10	38.81
	.	.	51.96	6.46	16.16	2.42	22.75	0.25	
	.	.	50.88	38.52	28.60	11.17	38.20	23.53	
2: FEMALE	3	1	807	166	649	310	592	13	2537
	.	.	19.46	4.00	15.65	7.48	14.28	0.31	61.19
	.	.	31.81	6.54	25.58	12.22	23.33	0.51	
	.	.	49.12	61.48	71.40	88.83	61.80	76.47	
Total	.	.	1643	270	909	349	958	17	4146
	.	.	39.63	6.51	21.92	8.42	23.11	0.41	100.00
Frequency Missing = 8									

K2. What is the highest grade/degree you have completed? **degrestat\_1**

- Less than 8<sup>th</sup> grade ..... 1  
 8<sup>th</sup> grade..... 2  
 9<sup>th</sup> through 11<sup>th</sup> grade ..... 3  
 High school diploma/GED ..... 4  
 Technical training ..... 5  
 Associates degree ..... 6  
 Bachelors degree ..... 7  
 Masters degree..... 8  
 Doctorate degree (e.g. MD, PhD, JD)..... 9

Table of GENDER_1 by DEGRESTAT_1														
GENDER_1	DEGRESTAT_1													
Frequency Percent Row Pct Col Pct	.	MI:O	RF:K	1: Less than 8th grade	2: 8th grade	3: 9th through 11th grade	4: High school diploma/ GED	5: Technical training	6: Associate degree	7: Bachelors degree	8: Master degree	9: Doctorate degree (e.g. MD, Ph	Total	
1: MALE	4	1	1	139	46	175	491	127	97	272	193	67	1607	
	.	.	.	3.35	1.11	4.22	11.85	3.06	2.34	6.56	4.66	1.62	38.78	
	.	.	.	8.65	2.86	10.89	30.55	7.90	6.04	16.93	12.01	4.17		
	.	.	.	33.90	35.38	39.68	36.70	38.02	33.11	44.96	41.42	52.76		
2: FEMALE	3	1	0	271	84	266	847	207	196	333	273	60	2537	
	.	.	.	6.54	2.03	6.42	20.44	5.00	4.73	8.04	6.59	1.45	61.22	
	.	.	.	10.68	3.31	10.48	33.39	8.16	7.73	13.13	10.76	2.36		
	.	.	.	66.10	64.62	60.32	63.30	61.98	66.89	55.04	58.58	47.24		
Total	.	.	.	410	130	441	1338	334	293	605	466	127	4144	
	.	.	.	9.89	3.14	10.64	32.29	8.06	7.07	14.60	11.25	3.06	100.00	
Frequency Missing = 10														

K3. How many years of school have you completed altogether? **educ\_1**

YEARS

Table of GENDER_1 by EDUC_1														
GENDER_1	EDUC_1													
Frequency Percent Row Pct Col Pct	.	DK:0	MI:0	RF:K	0	1-3	4-6	7-9	10-12	13-15	16-18	19-21	21<	Total
1: MALE	4	0	0	0	9	35	64	141	480	317	386	130	47	1609
	.	.	.	.	0.22	0.84	1.54	3.40	11.59	7.65	9.32	3.14	1.13	38.84
	.	.	.	.	0.56	2.18	3.98	8.76	29.83	19.70	23.99	8.08	2.92	
	.	.	.	.	34.62	36.84	32.49	37.01	35.82	38.24	42.28	48.15	51.09	
2: FEMALE	3	1	2	1	17	60	133	240	860	512	527	140	45	2534
	.	.	.	.	0.41	1.45	3.21	5.79	20.76	12.36	12.72	3.38	1.09	61.16
	.	.	.	.	0.67	2.37	5.25	9.47	33.94	20.21	20.80	5.52	1.78	
	.	.	.	.	65.38	63.16	67.51	62.99	64.18	61.76	57.72	51.85	48.91	
Total	.	.	.	.	26	95	197	381	1340	829	913	270	92	4143
	.	.	.	.	0.63	2.29	4.76	9.20	32.34	20.01	22.04	6.52	2.22	100.00
Frequency Missing = 11														

Now I would like to ask you a few questions about your current work situation.

K4. Which of the following categories best describes your current work situation?

workstat\_1

- Working for pay ..... 1  
Unemployed and looking for work..... 2 (K6)  
Temporarily laid off; On sick or other leave..... 3 (K6)  
Disabled ..... 4 (K6)  
Retired ..... 5 (K6)  
Homemaker..... 6 (K6)  
Full-Time Student..... 7 (K6)  
Other (INCLUDING VOLUNTEER) ..... 99

a. SPECIFY:

workspec\_1

Table of GENDER_1 by WORKSTAT_1												
GENDER_1	WORKSTAT_1											
Frequency Percent Row Pct Col Pct		MI:O	RF:K	1: Working for pay	2: Unemployed and looking for wo	3: Temporarily laid off; On sick	4: Disabled	5: Retired	6: Homemaker	7: Full- Time Student	99: Other (INCLUDING VOLUNTEER)	Total
1: MALE	4	1	1	911	88	23	281	273	2	4	25	1607
	.	.	.	21.98	2.12	0.55	6.78	6.59	0.05	0.10	0.60	38.77
	.	.	.	56.69	5.48	1.43	17.49	16.99	0.12	0.25	1.56	
	.	.	.	42.91	40.74	41.07	35.71	38.18	1.31	21.05	32.89	
2: FEMALE	3	0	0	1212	128	33	506	442	151	15	51	2538
	.	.	.	29.24	3.09	0.80	12.21	10.66	3.64	0.36	1.23	61.23
	.	.	.	47.75	5.04	1.30	19.94	17.42	5.95	0.59	2.01	
	.	.	.	57.09	59.26	58.93	64.29	61.82	98.69	78.95	67.11	
Total	.	.	.	2123	216	56	787	715	153	19	76	4145
	.	.	.	51.22	5.21	1.35	18.99	17.25	3.69	0.46	1.83	100.00
Frequency Missing = 9												

K5. Are you currently working 35 hours or more each week (full time) or less than 35 hours?

fulltime\_1

- 35 HRS OR MORE/WK ..... 1  
LESS THAN 35 HRS/WK ..... 2

Table of GENDER_1 by FULLTIME_1							
GENDER_1	FULLTIME_1						
Frequency Percent Row Pct Col Pct		DK:O	MI:O	Skip	1: 35 Hrs or more/wk	2: Less than 35 hrs/wk	Total
1: MALE	4	1	2	673	751	182	933
	.	.	.	.	34.25	8.30	42.54
	.	.	.	.	80.49	19.51	
	.	.	.	.	46.62	31.27	
2: FEMALE	3	0	3	1275	860	400	1260
	.	.	.	.	39.22	18.24	57.46
	.	.	.	.	68.25	31.75	
	.	.	.	.	53.38	68.73	
Total	.	.	.	.	1611	582	2193
	.	.	.	.	73.46	26.54	100.00
Frequency Missing = 1961							

K6. What is (was) your usual occupation? usoccup\_1 SPECIFY:

K7. How many people, including yourself, are supported on your household's income? numpeop\_1

		# PEOPLE
--	--	----------

Table of GENDER_1 by NUMPEOP_1										
GENDER_1	NUMPEOP_1									
Frequency Percent Row Pct Col Pct	.	MI:0	NA:K	RF:K	0	1-3	4-6	7-9	10<	Total
1: MALE	4	4	0	0	17	1177	378	29	4	1605
	.	.	.	.	0.41	28.44	9.13	0.70	0.10	38.78
	.	.	.	.	1.06	73.33	23.55	1.81	0.25	
	.	.	.	.	34.00	36.78	45.99	53.70	30.77	
2: FEMALE	3	2	1	1	33	2023	444	25	9	2534
	.	.	.	.	0.80	48.88	10.73	0.60	0.22	61.22
	.	.	.	.	1.30	79.83	17.52	0.99	0.36	
	.	.	.	.	66.00	63.22	54.01	46.30	69.23	
Total	.	.	.	.	50	3200	822	54	13	4139
	.	.	.	.	1.21	77.31	19.86	1.30	0.31	100.00
Frequency Missing = 15										

K8. \*Are you having trouble paying for.....

YES

NO

\*a. Transportation trtrans\_1

1

2

Table of GENDER_1 by TRTRANS_1					
GENDER_1	TRTRANS_1				
Frequency Percent Row Pct Col Pct	.	MI:O	1: Yes	2: No	Total
1: MALE	4	1	184	1424	1608
	.	.	4.44	34.35	38.79
	.	.	11.44	88.56	
	.	.	31.62	39.97	
2: FEMALE	3	1	398	2139	2537
	.	.	9.60	51.60	61.21
	.	.	15.69	84.31	
	.	.	68.38	60.03	
Total	.	.	582	3563	4145
	.	.	14.04	85.96	100.00
Frequency Missing = 9					

\*b. Housing **trhous\_1**

1

2

Table of GENDER_1 by TRHOUS_1					
GENDER_1	TRHOUS_1				
Frequency Percent Row Pct Col Pct		MI:O	1: Yes	2: No	Total
1: MALE	4	1	238	1370	1608
	.	.	5.74	33.05	38.79
	.	.	14.80	85.20	
	.	.	34.90	39.56	
2: FEMALE	3	1	444	2093	2537
	.	.	10.71	50.49	61.21
	.	.	17.50	82.50	
	.	.	65.10	60.44	
Total	.	.	682	3463	4145
	.	.	16.45	83.55	100.00
Frequency Missing = 9					

c. Health or medical care, medications **trhlth\_1**

1

2

Table of GENDER_1 by TRHLTH_1					
GENDER_1	TRHLTH_1				
Frequency Percent Row Pct Col Pct		MI:O	1: Yes	2: No	Total
1: MALE	4	1	213	1395	1608
	.	.	5.14	33.66	38.80
	.	.	13.25	86.75	
	.	.	36.04	39.26	
2: FEMALE	3	2	378	2158	2536
	.	.	9.12	52.08	61.20
	.	.	14.91	85.09	
	.	.	63.96	60.74	
Total	.	.	591	3553	4144
	.	.	14.26	85.74	100.00
Frequency Missing = 10					

\*d. Food **trfood\_1**

1

2

Table of GENDER_1 by TRFOOD_1					
GENDER_1	TRFOOD_1				
Frequency Percent Row Pct Col Pct		MI:O	1: Yes	2: No	Total
1: MALE	4	1	186	1422	1608
	.	.	4.49	34.31	38.80
	.	.	11.57	88.43	
	.	.	30.34	40.27	
2: FEMALE	3	2	427	2109	2536
	.	.	10.30	50.89	61.20
	.	.	16.84	83.16	
	.	.	69.66	59.73	
Total	.	.	613	3531	4144
	.	.	14.79	85.21	100.00
Frequency Missing = 10					

K9. [SHOW RESPONSE CARD 'K9']

Income is important in analyzing the health information we collect. Including income from wages, salaries, Social Security or retirement benefits, help from relatives, veteran's benefits, real estate, investments, and other sources, about how much was your total household income in the last 12 months? Please look at this card and tell me which category best describes the amount.

income_1	Less than \$5,000 .....	1
	\$5,000 - \$9,999 .....	2
	\$10,000 - \$19,999 .....	3
	\$20,000 - \$29,999 .....	4
	\$30,000 - \$39,999 .....	5
	\$40,000 - \$49,999 .....	6
	\$50,000 - \$59,999 .....	7
	\$60,000 - \$69,999 .....	8
	\$70,000 - \$79,999 .....	9
	\$80,000 - \$89,999 .....	10
	\$90,000 - \$99,999 .....	11
	\$100,000 - \$109,999 .....	12
	\$110,000 - \$119,999 .....	13
	\$120,000 or more .....	14
	REFUSED .....	-7
	DON'T KNOW .....	-8

[TAKE BACK RESPONSE CARD 'K9']

Table of GENDER_1 by INCOME_1																				
GENDER_1	INCOME_1																			
Frequency Percent Row Pct Col Pct					1: Less Than \$5,000	2: \$5,000- \$9,999	3: \$10,000- \$19,999	4: \$20,000- \$29,999	5: \$30,000- \$39,999	6: \$40,000- \$49,999	7: \$50,000- \$59,999	8: \$60,000- \$69,000	9: \$70,000- \$79,999	10: \$80,000- \$89,999	11: \$90,000- \$99,999	12: \$100,000- \$109,999	13: \$110,000- \$119,999	14: \$120,000 or more	Total	
1: MALE	4	48	1	35	75	165	235	193	134	150	96	89	72	45	43	45	33	150	1525	
	.	.	.	.	1.93	4.25	6.06	4.98	3.45	3.87	2.47	2.29	1.86	1.16	1.11	1.16	0.85	3.87	39.31	
	.	.	.	.	4.92	10.82	15.41	12.66	8.79	9.84	6.30	5.84	4.72	2.95	2.82	2.95	2.16	9.84		
	.	.	.	.	26.69	28.35	35.66	38.91	37.33	48.23	46.15	51.15	47.06	39.13	47.25	51.72	46.48	51.37		
2: FEMALE	3	127	1	56	206	417	424	303	225	161	112	85	81	70	48	42	38	142	2354	
	.	.	.	.	5.31	10.75	10.93	7.81	5.80	4.15	2.89	2.19	2.09	1.80	1.24	1.08	0.98	3.66	60.69	
	.	.	.	.	8.75	17.71	18.01	12.87	9.56	6.84	4.76	3.61	3.44	2.97	2.04	1.78	1.61	6.03		
	.	.	.	.	73.31	71.65	64.34	61.09	62.67	51.77	53.85	48.85	52.94	60.87	52.75	48.28	53.52	48.63		
Total	.	.	.	.	281	582	659	496	359	311	208	174	153	115	91	87	71	292	3879	
	.	.	.	.	7.24	15.00	16.99	12.79	9.25	8.02	5.36	4.49	3.94	2.96	2.35	2.24	1.83	7.53	100.00	
Frequency Missing = 275																				

Frequency Missing = 275

K10. Do you (or any family member) have a computer at home or use a computer located somewhere else? **comp\_1**

Yes, computer at home ..... 1  
No computer at home, but access to a computer ..... 2 (K12)  
No computer at home and no access to a computer ..... 3 (Section L)

Table of GENDER_1 by COMP_1						
GENDER_1	COMP_1					
Frequency Percent Row Pct Col Pct		MI:O	1: Yes, computer at home	2: No computer at home, but acce	3: No computer at home and no ac	Total
1: MALE	247	1	937	64	364	1365
	.	.	27.30	1.86	10.61	39.77
	.	.	68.64	4.69	26.67	
	.	.	41.44	34.78	36.88	
2: FEMALE	473	1	1324	120	623	2067
	.	.	38.58	3.50	18.15	60.23
	.	.	64.05	5.81	30.14	
	.	.	58.56	65.22	63.12	
Total	.	.	2261	184	987	3432
	.	.	65.88	5.36	28.76	100.00
Frequency Missing = 722						

K10a. How many computers? **compnum\_1**

--	--

Table of GENDER_1 by COMPNUM_1							
GENDER_1	COMPNUM_1						
Frequency Percent Row Pct Col Pct		MI:O	Skip	1	2	2<	Total
1: MALE	247	0	429	517	240	180	937
	.	.	.	22.88	10.62	7.96	41.46
	.	.	.	55.18	25.61	19.21	
	.	.	.	37.30	45.20	52.48	
2: FEMALE	473	1	744	869	291	163	1323
	.	.	.	38.45	12.88	7.21	58.54
	.	.	.	65.68	22.00	12.32	
	.	.	.	62.70	54.80	47.52	
Total	.	.	.	1386	531	343	2260
	.	.	.	61.33	23.50	15.18	100.00
Frequency Missing = 1894							

- K11. Do you have an internet connection? **internet\_1**
- YES ..... 1
- NO ..... 2 (K12)

Table of GENDER_1 by INTERNET_1						
GENDER_1	INTERNET_1					
Frequency Percent Row Pct Col Pct	.	DK:O	Skip	1: YES	2: NO	Total
1: MALE	247	1	429	870	66	936
	.	.	.	38.51	2.92	41.43
	.	.	.	92.95	7.05	
	.	.	.	41.95	35.68	
2: FEMALE	473	1	744	1204	119	1323
	.	.	.	53.30	5.27	58.57
	.	.	.	91.01	8.99	
	.	.	.	58.05	64.32	
Total	.	.	.	2074	185	2259
	.	.	.	91.81	8.19	100.00
Frequency Missing = 1895						

- K11a. How are you connected to the Internet? **intcon\_1**
- Dial-up..... 1
- Fiber Optic..... 2
- DSL ..... 3
- Cable..... 4
- Satellite Wireless..... 5
- Other ..... 6

Table of GENDER_1 by INTCON_1										
GENDER_1	INTCON_1									
Frequency Percent Row Pct Col Pct	.	DK:O	Skip	1: Dial- up	2: Fiber Optic	3: DSL	4: Cable	5: Satellite Wireless	6: Other	Total
1: MALE	247	15	495	37	25	360	379	38	17	856
	.	.	.	1.81	1.22	17.64	18.57	1.86	0.83	41.94
	.	.	.	4.32	2.92	42.06	44.28	4.44	1.99	
	.	.	.	30.58	47.17	43.32	41.74	40.43	50.00	
2: FEMALE	473	20	863	84	28	471	529	56	17	1185
	.	.	.	4.12	1.37	23.08	25.92	2.74	0.83	58.06
	.	.	.	7.09	2.36	39.75	44.64	4.73	1.43	
	.	.	.	69.42	52.83	56.68	58.26	59.57	50.00	
Total	.	.	.	121	53	831	908	94	34	2041
	.	.	.	5.93	2.60	40.72	44.49	4.61	1.67	100.00
Frequency Missing = 2113										

K12. Other than home, where do you use the computer?

a. Work **compwrk\_1**

YES  
1

NO  
2

Table of GENDER_1 by COMPWRK_1					
GENDER_1	COMPWRK_1				
Frequency Percent Row Pct Col Pct		Skip	1: YES	2: NO	Total
1: MALE	247	365	435	566	1001
.	.	.	17.79	23.15	40.94
.	.	.	43.46	56.54	
.	.	.	42.48	39.83	
2: FEMALE	473	624	589	855	1444
.	.	.	24.09	34.97	59.06
.	.	.	40.79	59.21	
.	.	.	57.52	60.17	
Total	.	.	1024	1421	2445
.	.	.	41.88	58.12	100.00
Frequency Missing = 1709					

b. Local Library **complib\_1**

1

2

Table of GENDER_1 by COMPLIB_1					
GENDER_1	COMPLIB_1				
Frequency Percent Row Pct Col Pct		Skip	1: YES	2: NO	Total
1: MALE	247	365	129	872	1001
.	.	.	5.28	35.66	40.94
.	.	.	12.89	87.11	
.	.	.	40.82	40.96	
2: FEMALE	473	624	187	1257	1444
.	.	.	7.65	51.41	59.06
.	.	.	12.95	87.05	
.	.	.	59.18	59.04	
Total	.	.	316	2129	2445
.	.	.	12.92	87.08	100.00
Frequency Missing = 1709					

c. Friends **compfrd\_1**

1

2

Table of GENDER_1 by COMPFRD_1					
GENDER_1	COMPFRD_1				
Frequency Percent Row Pct Col Pct		Skip	1: YES	2: NO	Total
1: MALE	247	365	114	887	1001
.	.	.	4.66	36.28	40.94
.	.	.	11.39	88.61	
.	.	.	46.15	40.35	
2: FEMALE	473	624	133	1311	1444
.	.	.	5.44	53.62	59.06
.	.	.	9.21	90.79	
.	.	.	53.85	59.65	
Total	.	.	247	2198	2445
.	.	.	10.10	89.90	100.00
Frequency Missing = 1709					

d. Family outside household **compfam\_1**

1

2

Table of GENDER_1 by COMPFAM_1					
GENDER_1	COMPFAM_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: YES	2: NO	Total
1: MALE	247	365	130	871	1001
	.	.	5.32	35.62	40.94
	.	.	12.99	87.01	
	.	.	39.51	41.16	
2: FEMALE	473	624	199	1245	1444
	.	.	8.14	50.92	59.06
	.	.	13.78	86.22	
	.	.	60.49	58.84	
Total	.	.	329	2116	2445
	.	.	13.46	86.54	100.00
Frequency Missing = 1709					

e. Other **compoth\_1**

1

2

Table of GENDER_1 by COMPOTH_1					
GENDER_1	COMPOTH_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: YES	2: NO	Total
1: MALE	247	365	108	893	1001
	.	.	4.42	36.52	40.94
	.	.	10.79	89.21	
	.	.	45.00	40.50	
2: FEMALE	473	624	132	1312	1444
	.	.	5.40	53.66	59.06
	.	.	9.14	90.86	
	.	.	55.00	59.50	
Total	.	.	240	2205	2445
	.	.	9.82	90.18	100.00
Frequency Missing = 1709					

K13. How many hours per week do you use a computer (do not include work related time)? **comphrs\_1**

--	--

HOURS

Table of GENDER_1 by COMPHRS_1							
GENDER_1	COMPHRS_1						
Frequency Percent Row Pct Col Pct	.	Skip	0-5	6-10	10-15	15<	Total
1: MALE	247	365	587	207	85	122	1001
	.	.	24.01	8.47	3.48	4.99	40.94
	.	.	58.64	20.68	8.49	12.19	
	.	.	37.75	43.58	46.96	52.14	
2: FEMALE	473	624	968	268	96	112	1444
	.	.	39.59	10.96	3.93	4.58	59.06
	.	.	67.04	18.56	6.65	7.76	
	.	.	62.25	56.42	53.04	47.86	
Total	.	.	1555	475	181	234	2445
	.	.	63.60	19.43	7.40	9.57	100.00
Frequency Missing = 1709							

- K14. Do you ever search for health-related information on the internet? **intsrch\_1**  
 YES ..... 1  
 NO ..... 2 (Section L)

Table of GENDER_1 by INTSRCH_1					
GENDER_1	INTSRCH_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: YES	2: NO	Total
1: MALE	247	365	447	554	1001
.	.	.	18.28	22.66	40.94
.	.	.	44.66	55.34	
.	.	.	39.01	42.65	
2: FEMALE	473	624	699	745	1444
.	.	.	28.59	30.47	59.06
.	.	.	48.41	51.59	
.	.	.	60.99	57.35	
Total	.	.	1146	1299	2445
.	.	.	46.87	53.13	100.00
Frequency Missing = 1709					

- K14a. How often? **intsrchfq\_1**  
 About once a week ..... 1  
 About once a month ..... 2  
 Several times a year ..... 3

Table of GENDER_1 by INTSRCHFQ_1							
GENDER_1	INTSRCHFQ_1						
Frequency Percent Row Pct Col Pct	.	MI:O	Skip	1: About once a week	2: About once a month	3: Several times a year	Total
1: MALE	247	1	919	101	121	224	446
.	.	.	.	8.83	10.58	19.58	38.99
.	.	.	.	22.65	27.13	50.22	
.	.	.	.	39.76	38.91	38.69	
2: FEMALE	473	1	1369	153	190	355	698
.	.	.	.	13.37	16.61	31.03	61.01
.	.	.	.	21.92	27.22	50.86	
.	.	.	.	60.24	61.09	61.31	
Total	.	.	.	254	311	579	1144
.	.	.	.	22.20	27.19	50.61	100.00
Frequency Missing = 3010							

K14b. Do you search on the internet by .....

YES

NO

a. Using search engines (includes banner ads) **intsrchen\_1**

1

2

Table of GENDER_1 by INTSRCHEN_1						
GENDER_1	INTSRCHEN_1					
Frequency Percent Row Pct Col Pct		DK:O	Skip	1: YES	2: NO	Total
1: MALE	247	0	919	415	32	447
	.	.	.	36.28	2.80	39.07
	.	.	.	92.84	7.16	
	.	.	.	39.37	35.56	
2: FEMALE	473	2	1369	639	58	697
	.	.	.	55.86	5.07	60.93
	.	.	.	91.68	8.32	
	.	.	.	60.63	64.44	
Total	.	.	.	1054	90	1144
	.	.	.	92.13	7.87	100.00
Frequency Missing = 3010						

b. Using general health portals (e.g. WebMd) **intsrchgh\_1**

1

2

Table of GENDER_1 by INTSRCHGH_1						
GENDER_1	INTSRCHGH_1					
Frequency Percent Row Pct Col Pct		DK:O	Skip	1: YES	2: NO	Total
1: MALE	247	0	919	244	203	447
	.	.	.	21.33	17.74	39.07
	.	.	.	54.59	45.41	
	.	.	.	38.13	40.28	
2: FEMALE	473	2	1369	396	301	697
	.	.	.	34.62	26.31	60.93
	.	.	.	56.81	43.19	
	.	.	.	61.88	59.72	
Total	.	.	.	640	504	1144
	.	.	.	55.94	44.06	100.00
Frequency Missing = 3010						

c. Using disease specific websites **intsrchdx\_1**

1

2

Table of GENDER_1 by INTSRCHDX_1						
GENDER_1	INTSRCHDX_1					
Frequency Percent Row Pct Col Pct		DK:O	Skip	1: YES	2: NO	Total
1: MALE	247	0	919	132	315	447
	.	.	.	11.54	27.53	39.07
	.	.	.	29.53	70.47	
	.	.	.	32.43	42.74	
2: FEMALE	473	2	1369	275	422	697
	.	.	.	24.04	36.89	60.93
	.	.	.	39.45	60.55	
	.	.	.	67.57	57.26	
Total	.	.	.	407	737	1144
	.	.	.	35.58	64.42	100.00
Frequency Missing = 3010						

K14c. Have you ever used the internet to obtain information concerning a urological problem (e.g., urinary problem, pelvic pain, sexual functioning, etc.)? **inturprb1\_1**

YES..... 1  
NO ..... 2 (Section L)

Table of GENDER_1 by INTURPRB1_1					
GENDER_1	INTURPRB1_1				
Frequency Percent Row Pct Col Pct	.	Skip	1: YES	2: NO	Total
1: MALE	247	919	50	397	447
	.	.	4.36	34.64	39.01
	.	.	11.19	88.81	
	.	.	44.64	38.39	
2: FEMALE	473	1369	62	637	699
	.	.	5.41	55.58	60.99
	.	.	8.87	91.13	
	.	.	55.36	61.61	
Total	.	.	112	1034	1146
	.	.	9.77	90.23	100.00
Frequency Missing = 3008					

K14d. What was the problem? **inturprb2\_1**

SPECIFY: \_\_\_\_\_

SECTION L: MEDICATIONS

IF MEDICATION AND VITAMIN BOTTLES ARE NOT AVAILABLE, PROCEED TO L2.  
IF RESPONDENT COLLECTED MEDICATIONS AT THE BEGINNING OF THE INTERVIEW:

Now I'd like to collect some information about any medications you have taken over the past 4 weeks.  
First I'd like to write down the information from the medications you have collected. This should only take a moment. Then, I will ask you some questions about vitamins or supplements.

L1.	i. MEDICATION NAME	ii. AMOUNT PER DOSE	iii. DOSES PER DAY	iv. How long have you been on this medication?	
a.	medd1a_1	amtd1a_1	dosd1a_1	dur1a_1 <input type="text"/> <input type="text"/>	unit1a_1 MONTHS ..... 1 YEARS..... 2
b.				<input type="text"/> <input type="text"/>	MONTHS ..... 1 YEARS..... 2
c.				<input type="text"/> <input type="text"/>	MONTHS ..... 1 YEARS..... 2
d.				<input type="text"/> <input type="text"/>	MONTHS ..... 1 YEARS..... 2
e.				<input type="text"/> <input type="text"/>	MONTHS ..... 1 YEARS..... 2
f.				<input type="text"/> <input type="text"/>	MONTHS ..... 1 YEARS..... 2
g.				<input type="text"/> <input type="text"/>	MONTHS ..... 1 YEARS..... 2
h.				<input type="text"/> <input type="text"/>	MONTHS ..... 1 YEARS..... 2
i.				<input type="text"/> <input type="text"/>	MONTHS ..... 1 YEARS..... 2
j.				<input type="text"/> <input type="text"/>	MONTHS ..... 1 YEARS..... 2

L1.	i. MEDICATION NAME	ii. AMOUNT PER DOSE	iii. DOSES PER DAY	iv. How long have you been on this medication?	
k.				<input type="text"/> <input type="text"/>	MONTHS ..... 1 YEARS..... 2
l.				<input type="text"/> <input type="text"/>	MONTHS ..... 1 YEARS..... 2
m.				<input type="text"/> <input type="text"/>	MONTHS ..... 1 YEARS..... 2
n.				<input type="text"/> <input type="text"/>	MONTHS ..... 1 YEARS..... 2
o.				<input type="text"/> <input type="text"/>	MONTHS ..... 1 YEARS..... 2
p.				<input type="text"/> <input type="text"/>	MONTHS ..... 1 YEARS..... 2
q.				<input type="text"/> <input type="text"/>	MONTHS ..... 1 YEARS..... 2
r.				<input type="text"/> <input type="text"/>	MONTHS ..... 1 YEARS..... 2
s.				<input type="text"/> <input type="text"/>	MONTHS ..... 1 YEARS..... 2
t.				<input type="text"/> <input type="text"/>	MONTHS ..... 1 YEARS..... 2

IF RESPONDENT COLLECTED VITAMINS OR SUPPLEMENTS AT THE BEGINNING OF THE INTERVIEW:

Now I'd like to collect some information about any vitamins or supplements you have taken over the past 4 weeks. First I'd like to write down the information from the vitamins or supplements you have collected. This should only take a moment. Then, I will ask you some questions about the medications.

L2.	i. VITAMIN OR SUPPLEMENT NAME	ii. AMOUNT PER DOSE	iii. DOSES PER DAY	iv. How long have you been on this vitamin or supplement?	
a.	vit1a_1	vamt1a_1	vdos1a_1	vdur1a_1 <input type="text"/> <input type="text"/>	vunit1a_1 MONTHS ..... 1 YEARS ..... 2
b.				<input type="text"/> <input type="text"/>	MONTHS ..... 1 YEARS ..... 2
c.				<input type="text"/> <input type="text"/>	MONTHS ..... 1 YEARS ..... 2
d.				<input type="text"/> <input type="text"/>	MONTHS ..... 1 YEARS ..... 2
e.				<input type="text"/> <input type="text"/>	MONTHS ..... 1 YEARS ..... 2
f.				<input type="text"/> <input type="text"/>	MONTHS ..... 1 YEARS ..... 2
g.				<input type="text"/> <input type="text"/>	MONTHS ..... 1 YEARS ..... 2
h.				<input type="text"/> <input type="text"/>	MONTHS ..... 1 YEARS ..... 2
i.				<input type="text"/> <input type="text"/>	MONTHS ..... 1 YEARS ..... 2
j.				<input type="text"/> <input type="text"/>	MONTHS ..... 1 YEARS ..... 2

L2.	i. VITAMIN OR SUPPLEMENT NAME	ii. AMOUNT PER DOSE	iii. DOSES PER DAY	iv. How long have you been on this vitamin or supplement?	
k.				<input type="text"/> <input type="text"/>	MONTHS ..... 1 YEARS..... 2
l.				<input type="text"/> <input type="text"/>	MONTHS ..... 1 YEARS..... 2
m.				<input type="text"/> <input type="text"/>	MONTHS ..... 1 YEARS..... 2
n.				<input type="text"/> <input type="text"/>	MONTHS ..... 1 YEARS..... 2
o.				<input type="text"/> <input type="text"/>	MONTHS ..... 1 YEARS..... 2
p.				<input type="text"/> <input type="text"/>	MONTHS ..... 1 YEARS..... 2
q.				<input type="text"/> <input type="text"/>	MONTHS ..... 1 YEARS..... 2
r.				<input type="text"/> <input type="text"/>	MONTHS ..... 1 YEARS..... 2
s.				<input type="text"/> <input type="text"/>	MONTHS ..... 1 YEARS..... 2
t.				<input type="text"/> <input type="text"/>	MONTHS ..... 1 YEARS..... 2

**PROCEED TO L3.**

Now I am going to ask you questions about your medications. Let's start with pills or medicines you are currently taking or have taken within the last 4 weeks, which are prescribed by your health care provider. I will read off a list of medications, please let me know if you are taking any in the groups I mention. IF YES, GO ACROSS. IF NO, GO TO NEXT ITEM

- L3. i. \*In the last four weeks have you taken: IF YES, ASK NAME YES NO REF DK ii. What is the name of that medication? Any others? iii. How long have you been on this medicine? MONTHS YEARS
- \*a. Any medication, pills, or injection medicines to thin your blood? (Lovenox, Heparin, Coumadin) bldthin\_1 medd2a1dur\_1 medd2a1unt\_1 1 2 -7 -8 medd2a1\_1 1 2 medd2a2\_1 1 2 medd2a2dur\_1 medd2a2unt\_1

Table of GENDER_1 by BLDTHIN_1							
GENDER_1	BLDTHIN_1						
Frequency Percent Row Pct Col Pct							
	DK:0	MI:0	RF:K	1: Yes	2: No	Total	
1: MALE	4	7	0	2	127	1473	1600
	.	.	.	.	3.08	35.67	38.75
	.	.	.	.	7.94	92.06	
	.	.	.	.	38.84	38.74	
2: FEMALE	3	3	2	4	200	2329	2529
	.	.	.	.	4.84	56.41	61.25
	.	.	.	.	7.91	92.09	
	.	.	.	.	61.16	61.26	
Total	.	.	.	.	327	3802	4129
	.	.	.	.	7.92	92.08	100.00
Frequency Missing = 25							

- \*b. Anything for your heart or heart beat including pills, paste or patches? (Digoxin, Nitrodur, Nitroglycerin, Inderal) heartmed\_1 medd2b1dur\_1 medd2b1unt\_1 1 2 -7 -8 medd2b1\_1 1 2 medd2b2\_1 1 2 medd2b2dur\_1 medd2b2unt\_1

Table of GENDER_1 by HEARTMED_1							
GENDER_1	HEARTMED_1						
Frequency Percent Row Pct Col Pct							
	DK:0	MI:0	RF:K	1: Yes	2: No	Total	
1: MALE	4	7	0	2	103	1497	1600
	.	.	.	.	2.49	36.26	38.75
	.	.	.	.	6.44	93.56	
	.	.	.	.	38.87	38.74	
2: FEMALE	3	5	2	2	162	2367	2529
	.	.	.	.	3.92	57.33	61.25
	.	.	.	.	6.41	93.59	
	.	.	.	.	61.13	61.26	
Total	.	.	.	.	265	3864	4129
	.	.	.	.	6.42	93.58	100.00
Frequency Missing = 25							

\*c. Anything for stomach ulcers, reflux  
or heartburn? (Nexium, Axid)  
ulcermed\_1

1 2 -7 -8 medd2c1\_1  
medd2c2\_1

medd2c1dur\_1 medd2c1unt\_1  
1  
2  
1  
2  
medd2c2dur\_1 medd2c2unt\_1

Table of GENDER_1 by ULCERMED_1							
GENDER_1	ULCERMED_1						
Frequency Percent Row Pct Col Pct	.	DK:0	MI:0	RF:K	1: Yes	2: No	Total
1: MALE	4	4	0	2	190	1413	1603
	.	.	.	.	4.60	34.18	38.78
	.	.	.	.	11.85	88.15	
	.	.	.	.	28.96	40.63	
2: FEMALE	3	3	2	2	466	2065	2531
	.	.	.	.	11.27	49.95	61.22
	.	.	.	.	18.41	81.59	
	.	.	.	.	71.04	59.37	
Total	.	.	.	.	656	3478	4134
	.	.	.	.	15.87	84.13	100.00
Frequency Missing = 20							

d. Any medications for cholesterol or  
fats in your blood? (Lipitor, Zocor,  
Mevacor, Pravachol) cholmed\_1

1 2 -7 -8 medd2d1\_1  
medd2d2\_1

medd2d1dur\_1 medd2d1unt\_1  
1  
2  
1  
2  
medd2d2dur\_1 medd2d2unt\_1

Table of GENDER_1 by CHOLMED_1							
GENDER_1	CHOLMED_1						
Frequency Percent Row Pct Col Pct	.	DK:0	MI:0	RF:K	1: Yes	2: No	Total
1: MALE	4	5	0	2	360	1242	1602
	.	.	.	.	8.71	30.06	38.77
	.	.	.	.	22.47	77.53	
	.	.	.	.	37.66	39.11	
2: FEMALE	3	3	3	2	596	1934	2530
	.	.	.	.	14.42	46.81	61.23
	.	.	.	.	23.56	76.44	
	.	.	.	.	62.34	60.89	
Total	.	.	.	.	956	3176	4132
	.	.	.	.	23.14	76.86	100.00
Frequency Missing = 22							

- \*e. Blood pressure or fluid pills (Norvasc, Vasotec, Aldomet, Nifedipine, Captopril, Atenolol, Lasix, HCTZ, Spironolactone)?
- 1 2 -7 -8 medd2e1\_1 medd2e1dur\_1 medd2e1unt\_1
- medd2e2\_1
- bpmed\_1 medd2e2dur\_1 medd2e2unt\_1

Table of GENDER_1 by BPMED_1							
GENDER_1	BPMED_1						
Frequency Percent Row Pct Col Pct	.	DK:0	MI:0	RF:K	1: Yes	2: No	Total
1: MALE	4	8	0	3	514	1084	1598
	.	.	.	.	12.46	26.29	38.75
	.	.	.	.	32.17	67.83	
	.	.	.	.	35.28	40.64	
2: FEMALE	3	8	2	2	943	1583	2526
	.	.	.	.	22.87	38.39	61.25
	.	.	.	.	37.33	62.67	
	.	.	.	.	64.72	59.36	
Total	.	.	.	.	1457	2667	4124
	.	.	.	.	35.33	64.67	100.00
Frequency Missing = 30							

- f. Thyroid pills? (Synthroid, Levoxyl, Tapazole) thyrmmed\_1
- 1 2 -7 -8 medd2f1\_1 medd2f1dur\_1 medd2f1unt\_1
- medd2f2\_1
- medd2f2dur\_1 medd2f2unt\_1

Table of GENDER_1 by THYRMED_1							
GENDER_1	THYRMED_1						
Frequency Percent Row Pct Col Pct	.	DK:0	MI:0	RF:K	1: Yes	2: No	Total
1: MALE	4	6	0	2	41	1560	1601
	.	.	.	.	0.99	37.81	38.80
	.	.	.	.	2.56	97.44	
	.	.	.	.	16.21	40.28	
2: FEMALE	3	8	3	2	212	2313	2525
	.	.	.	.	5.14	56.06	61.20
	.	.	.	.	8.40	91.60	
	.	.	.	.	83.79	59.72	
Total	.	.	.	.	253	3873	4126
	.	.	.	.	6.13	93.87	100.00
Frequency Missing = 28							

- g. Insulin or pills for sugar in your blood? (NPH, regular insulin, Glucophage, Micronase, Glucotrol, Avandia) **insulin\_1**

1

2

-7

-8

**medd2g1\_1**

**medd2g1dur\_1**

**medd2g1unt\_1**

1

2

**medd2g2\_1**

1

2

**medd2g2dur\_1**

**medd2g2unt\_1**

Table of GENDER_1 by INSULIN_1							
GENDER_1	INSULIN_1						
Frequency Percent Row Pct Col Pct	.	DK:0	MI:0	RF:K	1: Yes	2: No	Total
1: MALE	4	4	0	2	228	1375	1603
	.	.	.	.	5.52	33.26	38.78
	.	.	.	.	14.22	85.78	
	.	.	.	.	38.97	38.74	
2: FEMALE	3	1	3	3	357	2174	2531
	.	.	.	.	8.64	52.59	61.22
	.	.	.	.	14.11	85.89	
	.	.	.	.	61.03	61.26	
Total	.	.	.	.	585	3549	4134
	.	.	.	.	14.15	85.85	100.00
Frequency Missing = 20							

- \*h. Medications for anxiety, such as tranquilizers, sedatives, or sleeping pills? (Ativan, Halcion, Valium, Xanax) **anxmed\_1**

1

2

-7

-8

**medd2h1\_1**

**medd2h2dur\_1**

**medd2h2unt\_1**

1

2

**medd2h2\_1**

1

2

**medd2i1dur\_1**

**medd2i1unt\_1**

Table of GENDER_1 by ANXMED_1							
GENDER_1	ANXMED_1						
Frequency Percent Row Pct Col Pct	.	DK:0	MI:0	RF:K	1: Yes	2: No	Total
1: MALE	4	2	0	5	143	1459	1602
	.	.	.	.	3.46	35.30	38.76
	.	.	.	.	8.93	91.07	
	.	.	.	.	28.04	40.27	
2: FEMALE	3	2	3	2	367	2164	2531
	.	.	.	.	8.88	52.36	61.24
	.	.	.	.	14.50	85.50	
	.	.	.	.	71.96	59.73	
Total	.	.	.	.	510	3623	4133
	.	.	.	.	12.34	87.66	100.00
Frequency Missing = 21							

i. Anti-depression medication?  
(Prozac, Zoloft, Paxil, Elavil)

1 2 -7 -8 medd2i1\_1  
medd2i2\_1

antidep\_1

medd2i1dur\_1 medd2i1unt\_1  
1  
2  
1  
2  
medd2i2dur\_1 medd2i2unt\_1

Table of GENDER_1 by ANTIDEP_1							
GENDER_1	ANTIDEP_1						
Frequency Percent Row Pct Col Pct	.	DK:0	MI:0	RF:K	1: Yes	2: No	Total
1: MALE	4	3	0	4	146	1456	1602
	.	.	.	.	3.53	35.25	38.78
	.	.	.	.	9.11	90.89	
	.	.	.	.	28.02	40.33	
2: FEMALE	3	4	3	2	375	2154	2529
	.	.	.	.	9.08	52.14	61.22
	.	.	.	.	14.83	85.17	
	.	.	.	.	71.98	59.67	
Total	.	.	.	.	521	3610	4131
	.	.	.	.	12.61	87.39	100.00
Frequency Missing = 23							

\* IF MALE: Hormones, including  
j. pills, patches, creams, and  
injectables? (Testosterone  
injections/patches)

1 2 -7 -8 medd2j1\_1  
medd2j2\_1

malehorm\_1

medd2j1dur\_1 medd2j1unt\_1  
1  
2  
1  
2  
medd2j2dur\_1 medd2j2unt\_1

MALEHORM_1	Frequency	Percent	Cum Freq	Cum Percent
.	7	.	.	.
DK:0	3	.	.	.
RF:K	3	.	.	.
Skip	2538	.	.	.
1: Yes	20	1.25	20	1.25
2: No	1583	98.75	1603	100.00

Frequency Missing = 2551

k IF MALE: Medication for erectile  
dysfunction? (Viagra,  
Alprostadil, Caverject)

1 2 -7 -8 medd2k1\_1  
medd2k2\_1

EDMED_1	Frequency	Percent	Cum Freq	Cum Percent
.	7	.	.	.
DK:0	3	.	.	.
MI:0	2	.	.	.
RF:K	4	.	.	.
Skip	2538	.	.	.
1: Yes	48	3.00	48	3.00
2: No	1552	97.00	1600	100.00

Frequency Missing = 2554

medd2k1dur\_1 medd2k1unt\_1  
1  
2  
1  
2  
medd2k2dur\_1 medd2k2unt\_1

l IF FEMALE: Medications for  
· endometriosis? (Birth control  
pills, Indocin, Naprosyn)

bcmed\_1

1 2 -7 -8

medd2l1\_1

medd2l2\_1

medd2l1dur\_1

medd2l1unt\_1

1  
2  
1  
2

medd2l2dur\_1

medd2l2unt\_1

BCMED_1	Frequency	Percent	Cum Freq	Cum Percent
.	7	.	.	.
DK:0	2	.	.	.
MI:0	3	.	.	.
RF:K	2	.	.	.
Skip	1609	.	.	.
1: Yes	11	0.43	11	0.43
2: No	2520	99.57	2531	100.00

Frequency Missing = 1623

\* Medications for pelvic pain  
m. (Codeine, Aspirin, Oxycodone,  
Demerol, Morphine, Dilantin,  
Tegretol, Elavil, Pamelor, Tofranil)?

ppmed\_1

1 2 -7 -8

medd2m1\_1

medd2m2\_1

medd2m1dur\_1

medd2m1unt\_1

1  
2  
1  
2

medd2m2dur\_1

medd2m2unt\_1

Table of GENDER_1 by PPMED_1							
GENDER_1	PPMED_1						
Frequency Percent Row Pct Col Pct							
	.	DK:0	MI:0	RF:K	1: Yes	2: No	Total
1: MALE	4	4	1	3	18	1583	1601
	.	.	.	.	0.44	38.31	38.75
	.	.	.	.	1.12	98.88	
	.	.	.	.	31.58	38.85	
2: FEMALE	3	2	3	2	39	2492	2531
	.	.	.	.	0.94	60.31	61.25
	.	.	.	.	1.54	98.46	
	.	.	.	.	68.42	61.15	
Total	.	.	.	.	57	4075	4132
	.	.	.	.	1.38	98.62	100.00

Frequency Missing = 22

n Medications for urinary incontinence 1 2 -7 -8 medd2n1\_1 1  
 · and/or urgency? (Detrol, Ditropan, medd2n2\_1 2  
 Urispas, Probanthine) medd2n2dur\_1 1  
 uimed\_1 medd2n2unt\_1 2

Table of GENDER_1 by UIMED_1							
GENDER_1	UIMED_1						
Frequency Percent Row Pct Col Pct	.	DK:0	MI:0	RF:K	1: Yes	2: No	Total
1: MALE	4	4	1	2	29	1573	1602
	.	.	.	.	0.70	38.07	38.77
	.	.	.	.	1.81	98.19	
	.	.	.	.	35.37	38.84	
2: FEMALE	3	3	3	2	53	2477	2530
	.	.	.	.	1.28	59.95	61.23
	.	.	.	.	2.09	97.91	
	.	.	.	.	64.63	61.16	
Total	.	.	.	.	82	4050	4132
	.	.	.	.	1.98	98.02	100.00
Frequency Missing = 22							

\*o. Any non-steroid anti- medd2o1dur\_1 medd2o1unt\_1 1  
 nflammatories? (Celebrex, 1 2  
 Ibuprofen, Naprosyn) medd2o2\_1 1  
 nsaid\_1 medd2o2dur\_1 medd2o2unt\_1 2

Table of GENDER_1 by NSAID_1							
GENDER_1	NSAID_1						
Frequency Percent Row Pct Col Pct	.	DK:0	MI:0	RF:K	1: Yes	2: No	Total
1: MALE	4	7	1	4	79	1518	1597
	.	.	.	.	1.92	36.81	38.72
	.	.	.	.	4.95	95.05	
	.	.	.	.	27.92	39.52	
2: FEMALE	3	6	3	2	204	2323	2527
	.	.	.	.	4.95	56.33	61.28
	.	.	.	.	8.07	91.93	
	.	.	.	.	72.08	60.48	
Total	.	.	.	.	283	3841	4124
	.	.	.	.	6.86	93.14	100.00
Frequency Missing = 30							

p. Any steroid anti-inflammatory? (Prednisone, Decadron)

1 2 -7 -8

medd2p1\_1

medd2p2\_1

medd2p1dur\_1

medd2p1unt\_1

medd2p2dur\_1

medd2p2unt\_1

said\_1

Table of GENDER_1 by SAID_1							
GENDER_1	SAID_1						
Frequency Percent Row Pct Col Pct	.	DK:0	MI:0	RF:K	1: Yes	2: No	Total
1: MALE	4	6	0	2	19	1582	1601
	.	.	.	.	0.46	38.31	38.77
	.	.	.	.	1.19	98.81	
	.	.	.	.	27.54	38.97	
2: FEMALE	3	5	3	2	50	2478	2528
	.	.	.	.	1.21	60.01	61.23
	.	.	.	.	1.98	98.02	
	.	.	.	.	72.46	61.03	
Total	.	.	.	.	69	4060	4129
	.	.	.	.	1.67	98.33	100.00
Frequency Missing = 25							

q. IF FEMALE: Any female hormones including for birth control, including pills, creams, patches, implants or injectables? (Premarin, Provera, Prempro, Estrace)

1 2 -7 -8

medd2q1\_1

medd2q2\_1

medd2q1dur\_1

medd2q1unt\_1

medd2q2dur\_1

medd2q2unt\_1

femhorm\_1

FEMHORM_1	Frequency	Percent	Cum Freq	Cum Percent
.	7	.	.	.
DK:0	4	.	.	.
MI:0	3	.	.	.
RF:K	2	.	.	.
Skip	1609	.	.	.
1: Yes	115	4.55	115	4.55
2: No	2414	95.45	2529	100.00

Frequency Missing = 1625

r. Any medications for your urinary symptoms? (including BPH IF MALE)

1 2 -8

medd2r\_1

medd2r2\_1

medd2r1dur\_1

medd2r1unt\_1

urisy\_1

medd2r2dur\_1

medd2r2unt\_1

1  
2  
1  
2

Table of GENDER_1 by URISYM_1							
GENDER_1	URISYM_1						
Frequency Percent Row Pct Col Pct	.	DK:0	MI:0	RF:K	1: Yes	2: No	Total
1: MALE	4	3	1	2	57	1546	1603
	.	.	.	.	1.38	37.42	38.79
	.	.	.	.	3.56	96.44	
	.	.	.	.	67.86	38.19	
2: FEMALE	3	3	3	3	27	2502	2529
	.	.	.	.	0.65	60.55	61.21
	.	.	.	.	1.07	98.93	
	.	.	.	.	32.14	61.81	
Total	.	.	.	.	84	4048	4132
	.	.	.	.	2.03	97.97	100.00
Frequency Missing = 22							

\*s. Any inhalers?(Albuterol, Advair)

1 2 -7 -8

medd2s1\_1

medd2s2\_1

medd2s1dur\_1

medd2s1unt\_1

inhaler\_1

medd2s2dur\_1

medd2s2unt\_1

1  
2  
1  
2

Table of GENDER_1 by INHALER_1							
GENDER_1	INHALER_1						
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	RF:K	1: Yes	2: No	Total
1: MALE	247	2	1	3	91	1269	1360
	.	.	.	.	2.66	37.06	39.72
	.	.	.	.	6.69	93.31	
	.	.	.	.	25.42	41.39	
2: FEMALE	473	1	1	2	267	1797	2064
	.	.	.	.	7.80	52.48	60.28
	.	.	.	.	12.94	87.06	
	.	.	.	.	74.58	58.61	
Total	.	.	.	.	358	3066	3424
	.	.	.	.	10.46	89.54	100.00
Frequency Missing = 730							

t. Any medications for allergies,  
either pills or sprays) (Allegra,  
Zyrtec, Flonase)

1 2 -7 -8

medd2t1\_1

medd2t2\_1

allergy\_1

medd2t2dur\_1

medd2t2dur\_1

medd2t2unt\_1

medd2t2unt\_1

1  
2  
1  
2

Table of GENDER_1 by ALLERGY_1							
GENDER_1	ALLERGY_1						
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	RF:K	1: Yes	2: No	Total
1: MALE	247	2	1	2	56	1305	1361
	.	.	.	.	1.64	38.12	39.76
	.	.	.	.	4.11	95.89	
	.	.	.	.	22.67	41.09	
2: FEMALE	473	1	1	4	191	1871	2062
	.	.	.	.	5.58	54.66	60.24
	.	.	.	.	9.26	90.74	
	.	.	.	.	77.33	58.91	
Total	.	.	.	.	247	3176	3423
	.	.	.	.	7.22	92.78	100.00
Frequency Missing = 731							

\*u. Any other prescription pills or  
medications?

1 2 -7 -8

medd2u1\_1

medd2u2\_1

othmed\_1

medd2u1dur\_1

medd2u2dur\_1

medd2u1unt\_1

medd2u2unt\_1

1  
2  
1  
2

Table of GENDER_1 by OTHMED_1							
GENDER_1	OTHMED_1						
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	RF:K	1: Yes	2: No	Total
1: MALE	4	4	1	3	200	1401	1601
	.	.	.	.	4.84	33.90	38.74
	.	.	.	.	12.49	87.51	
	.	.	.	.	32.79	39.77	
2: FEMALE	3	1	3	2	410	2122	2532
	.	.	.	.	9.92	51.34	61.26
	.	.	.	.	16.19	83.81	
	.	.	.	.	67.21	60.23	
Total	.	.	.	.	610	3523	4133
	.	.	.	.	14.76	85.24	100.00
Frequency Missing = 21							

Now I'm going to ask you about over-the-counter medicines (non-prescription) that you are currently taking or have taken within the last 4 weeks.

IF YES, GO ACROSS. IF NO, GO TO NEXT ITEM

- L4. i. \*In the last four weeks have you taken: IF YES, ASK NAME YES NO REF DK ii. What is the name of that medicine? Any others? iii. What are you taking it for?

- \*a. Any over the-counter medications for pain? **painotc\_1** 1 2 -7 -8 **otcd3a1\_1** **otcd3a2\_1** **read3a1\_1** **read3a2\_1**

Table of GENDER_1 by PAINOTC_1						
GENDER_1	PAINOTC_1					
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	1: Yes	2: No	Total
1: MALE	247	1	0	410	955	1365
	.	.	.	11.95	27.83	39.78
	.	.	.	30.04	69.96	
	.	.	.	31.93	44.48	
2: FEMALE	473	0	2	874	1192	2066
	.	.	.	25.47	34.74	60.22
	.	.	.	42.30	57.70	
	.	.	.	68.07	55.52	
Total	.	.	.	1284	2147	3431
	.	.	.	37.42	62.58	100.00
Frequency Missing = 723						

- \*b. Anything for problems sleeping (Nytol, Benadryl)? **sleepotc\_1** 1 2 -7 -8 **otcd3b1\_1** **otcd3b2\_1** **read3b1\_1** **read3b2\_1**

Table of GENDER_1 by SLEEPOTC_1						
GENDER_1	SLEEPOTC_1					
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	1: Yes	2: No	Total
1: MALE	247	0	0	49	1317	1366
	.	.	.	1.43	38.39	39.81
	.	.	.	3.59	96.41	
	.	.	.	28.00	40.45	
2: FEMALE	473	1	2	126	1939	2065
	.	.	.	3.67	56.51	60.19
	.	.	.	6.10	93.90	
	.	.	.	72.00	59.55	
Total	.	.	.	175	3256	3431
	.	.	.	5.10	94.90	100.00
Frequency Missing = 723						

\*c. Any cold medications (Sudafed, Nyquil, Coricidin)? **coldotc\_1**

1 2 -7 -8

**otcd3c1\_1**  
**otcd3c2\_1**

**read3c1\_1**  
**read3c2\_1**

Table of GENDER_1 by COLDOTC_1						
GENDER_1	COLDOTC_1					
Frequency Percent Row Pct Col Pct		MI:O	RF:K	1: Yes	2: No	Total
1: MALE	247	0	1	111	1254	1365
	.	.	.	3.24	36.55	39.78
	.	.	.	8.13	91.87	
	.	.	.	36.51	40.10	
2: FEMALE	473	2	0	193	1873	2066
	.	.	.	5.63	54.59	60.22
	.	.	.	9.34	90.66	
	.	.	.	63.49	59.90	
Total	.	.	.	304	3127	3431
	.	.	.	8.86	91.14	100.00
Frequency Missing = 723						

d. Any non-steroidal anti-inflammatories (Motrin, Advil, Aleve)? **nsaidotc\_1**

1 2 -7 -8

**otcd3d1\_1**  
**otcd3d2\_1**

**read3d1\_1**  
**read3d2\_1**

Table of GENDER_1 by NSAIDOTC_1						
GENDER_1	NSAIDOTC_1					
Frequency Percent Row Pct Col Pct		DK:O	MI:O	1: Yes	2: No	Total
1: MALE	247	0	0	144	1222	1366
	.	.	.	4.20	35.62	39.81
	.	.	.	10.54	89.46	
	.	.	.	38.10	40.03	
2: FEMALE	473	1	2	234	1831	2065
	.	.	.	6.82	53.37	60.19
	.	.	.	11.33	88.67	
	.	.	.	61.90	59.97	
Total	.	.	.	378	3053	3431
	.	.	.	11.02	88.98	100.00
Frequency Missing = 723						

- \*e. Any steroidal anti-inflammatories  
(Hydrocortisone)? **saidotc\_1**

1 2 -7 -8

**otcd3e1\_1**  
**otcd3e2\_1**

**read3e1\_1**  
**read3e2\_1**

Table of GENDER_1 by SAIDOTC_1						
GENDER_1	SAIDOTC_1					
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	1: Yes	2: No	Total
1: MALE	247	0	0	15	1351	1366
.	.	.	.	0.44	39.38	39.81
.	.	.	.	1.10	98.90	
.	.	.	.	41.67	39.79	
2: FEMALE	473	1	2	21	2044	2065
.	.	.	.	0.61	59.57	60.19
.	.	.	.	1.02	98.98	
.	.	.	.	58.33	60.21	
Total	.	.	.	36	3395	3431
.	.	.	.	1.05	98.95	100.00
Frequency Missing = 723						

- f. IF FEMALE: Anything for PMS  
(premenstrual syndrome) (Pamprin, Advil  
or Midol)? **pmsotc\_1**

1 2 -7 -8

**otcd3f1\_1**  
**otcd3f2\_1**

**read3f1\_1**  
**read3f2\_1**

PMSOTC_1	Frequency	Percent	Cum Freq	Cum Percent
.	720	.	.	.
MI:O	2	.	.	.
RF:K	1	.	.	.
Skip	1366	.	.	.
1: Yes	52	2.52	52	2.52
2: No	2013	97.48	2065	100.00

Frequency Missing = 2089

- g. Omega-3, fish oil or flax seed oil?  
**omegaotc\_1**

1 2 -7 -8

**otcd3x1\_1**  
**otcd3x2\_1**

**read3x1\_1**  
**read3x2\_1**

Table of GENDER_1 by OMEGAOTC_1						
GENDER_1	OMEGAOTC_1					
Frequency Percent Row Pct Col Pct	.	MI:O	RF:K	1: Yes	2: No	Total
1: MALE	247	0	0	156	1210	1366
.	.	.	.	4.55	35.27	39.81
.	.	.	.	11.42	88.58	
.	.	.	.	35.14	40.51	
2: FEMALE	473	2	1	288	1777	2065
.	.	.	.	8.39	51.79	60.19
.	.	.	.	13.95	86.05	
.	.	.	.	64.86	59.49	
Total	.	.	.	444	2987	3431
.	.	.	.	12.94	87.06	100.00
Frequency Missing = 723						

- L4. i. \*In the last four weeks have you taken:  
IF YES, ASK NAME YES NO REF DK ii. What is the name  
of that medicine?  
Any others? iii. What are you taking it  
for?
- \*h. Any herbal or natural medications? 1 2 -7 -8 otcd3g1\_1 read3g1\_1  
herbotc\_1 otcd3g2\_1 read3g2\_1

Table of GENDER_1 by HERBOTC_1						
GENDER_1	HERBOTC_1					
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	1: Yes	2: No	Total
1: MALE	247	0	0	44	1322	1366
	.	.	.	1.28	38.53	39.81
	.	.	.	3.22	96.78	
	.	.	.	30.14	40.24	
2: FEMALE	473	1	2	102	1963	2065
	.	.	.	2.97	57.21	60.19
	.	.	.	4.94	95.06	
	.	.	.	69.86	59.76	
Total	.	.	.	146	3285	3431
	.	.	.	4.26	95.74	100.00
Frequency Missing = 723						

- i. Any other non-prescription  
medications? othotc\_1 1 2 -7 -8 otcd3h1\_1 read3h1\_1  
otcd3h2\_1 read3h2\_1

Table of GENDER_1 by OTHOTC_1						
GENDER_1	OTHOTC_1					
Frequency Percent Row Pct Col Pct	.	DK:O	MI:O	1: Yes	2: No	Total
1: MALE	247	0	0	191	1175	1366
	.	.	.	5.57	34.26	39.83
	.	.	.	13.98	86.02	
	.	.	.	40.21	39.76	
2: FEMALE	473	1	3	284	1780	2064
	.	.	.	8.28	51.90	60.17
	.	.	.	13.76	86.24	
	.	.	.	59.79	60.24	
Total	.	.	.	475	2955	3430
	.	.	.	13.85	86.15	100.00
Frequency Missing = 724						

### SECTION M: CONTACT INFORMATION

In the event that we need to contact you at some point in the future, it would be helpful for us to verify your contact information.

M1. What is your home telephone number? homephon\_1

M2. What is your work telephone number? workphone\_1

M3. What is your cell phone number? cellphone\_1

M4. Do you have an email address where we could contact you? email\_1

M5. **IF MARRIED/PARTNERED:** What is your spouse/partner's first and last name?

a. FIRST NAME: fnameprt\_1

b. LAST NAME: lnameprt\_1

It would also be helpful to have the name and phone number of a contact person for you. This would be someone who does not live in your household but who would know how to contact you. We will only contact this person if we cannot contact you. This information, as with all of the other information that you have provided, will remain strictly confidential.

M6. What is the name of a reliable contact person for you? Can you spell the first and last name?

a. FIRST NAME: fnamecon1\_1

b. LAST NAME: lnamecon1\_1

c. What is (his/her) address?

c1. ADDRESS addrcon1\_1

c2. CITY citycon1\_1

c3. STATE statecon1\_1

c4. ZIP zipcon1\_1

d. What is (his/her) home, work, and cell phone numbers?

d1. HOME: hphoncon1\_1

d2. WORK: wphoncon1\_1

d3. CELL: cphoncon1\_1

M7. What is the name of a second reliable contact person for you? Can you spell the first and last name?

a. FIRST NAME: fnamecon2\_1

b. LAST NAME: lnamecon2\_1

c. What is (his/her) address?

c1. ADDRESS addrcon2\_1

c2. CITY citycon2\_1

c3. STATE statecon2\_1

c4. ZIP zipcon2\_1

d. What is (his/her) home, work, and cell phone numbers?

d1. HOME: hphoncon2\_1

d2. WORK: wphoncon2\_1

d3. CELL: cphoncon2\_1

M8. **FEMALES ONLY:** Sometimes it is helpful to have a maiden name when we try to re-contact people. What is your maiden name?

MAIDEN NAME: maiden\_1

M9. END TIME OF INTERVIEW: 

--	--

 H H : 

--	--

 M M 24 HR CLOCK  
endtimei\_1