

A1. RESPONDENT ID:  
master\_id

A2. DATE  
(MM/DD/YYYY):  
comp\_d

A3. CODER ID: intid\_1

A4. Coding QC  
Status: Not Completed ☐<sup>0</sup> Completed ☐<sup>1</sup>  
qc\_coding

B1. NO PAIN AT ALL nopain

Yes No

Table of GENDER_1 by NOPAIN				
GENDER_1	NOPAIN			
Frequency Percent Row Pct Col Pct	.	0: Has pain	1: No Pain	Total
1: MALE	245 . . .	819 23.84 59.87 36.73	549 15.98 40.13 45.56	1368 39.83
2: FEMALE	473 . . .	1411 41.08 68.26 63.27	656 19.10 31.74 54.44	2067 60.17
Total	. .	2230 64.92	1205 35.08	3435 100.00
Frequency Missing = 718				

B2. COMMENTS: p\_com

Front of Body				
Q#	Location	Code	Shaded Pain A	Most Pain B
C1	forehead	1	forehead_s	forehead_m

Table of GENDER_1 by FOREHEAD_S					
GENDER_1	FOREHEAD_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245 . . .	549 . . .	744 33.36 90.84 37.90	75 3.36 9.16 28.09	819 36.73
2: FEMALE	473 . . .	656 . . .	1219 54.66 86.39 62.10	192 8.61 13.61 71.91	1411 63.27
Total	. .	. .	1963 88.03	267 11.97	2230 100.00
Frequency Missing = 1923					

Table of GENDER_1 by FOREHEAD_M					
GENDER_1	FOREHEAD_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245 . . .	1293 . . .	51 19.10 68.00 30.54	24 8.99 32.00 24.00	75 28.09
2: FEMALE	473 . . .	1875 . . .	116 43.45 60.42 69.46	76 28.46 39.58 76.00	192 71.91
Total	. .	. .	167 62.55	100 37.45	267 100.00
Frequency Missing = 3886					

## Front of Body

Location Code

Shaded Pain

Most Pain

Q#

A

B

C2 face 2

face\_s

face\_m

Table of GENDER_1 by FACE_S					
GENDER_1	FACE_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	777	42	819
	.	.	34.84	1.88	36.73
	.	.	94.87	5.13	
	.	.	36.86	34.43	
2: FEMALE	473	656	1331	80	1411
	.	.	59.69	3.59	63.27
	.	.	94.33	5.67	
	.	.	63.14	65.57	
Total	.	.	2108	122	2230
	.	.	94.53	5.47	100.00
Frequency Missing = 1923					

Table of GENDER_1 by FACE_M					
GENDER_1	FACE_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1326	27	15	42
	.	.	22.13	12.30	34.43
	.	.	64.29	35.71	
	.	.	31.76	40.54	
2: FEMALE	473	1987	58	22	80
	.	.	47.54	18.03	65.57
	.	.	72.50	27.50	
	.	.	68.24	59.46	
Total	.	.	85	37	122
	.	.	69.67	30.33	100.00
Frequency Missing = 4031					

C3 neck 3

fneck\_s

fneck\_m

Table of GENDER_1 by FNECK_S					
GENDER_1	FNECK_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	779	40	819
	.	.	34.93	1.79	36.73
	.	.	95.12	4.88	
	.	.	36.92	33.33	
2: FEMALE	473	656	1331	80	1411
	.	.	59.69	3.59	63.27
	.	.	94.33	5.67	
	.	.	63.08	66.67	
Total	.	.	2110	120	2230
	.	.	94.62	5.38	100.00
Frequency Missing = 1923					

Table of GENDER_1 by FNECK_M					
GENDER_1	FNECK_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1328	28	12	40
	.	.	23.33	10.00	33.33
	.	.	70.00	30.00	
	.	.	29.47	48.00	
2: FEMALE	473	1987	67	13	80
	.	.	55.83	10.83	66.67
	.	.	83.75	16.25	
	.	.	70.53	52.00	
Total	.	.	95	25	120
	.	.	79.17	20.83	100.00
Frequency Missing = 4033					

C4 shoulder\_right 4

fshrt\_s

fshrt\_m

Table of GENDER_1 by FSHRT_S					
GENDER_1	FSHRT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	737	82	819
	.	.	33.05	3.68	36.73
	.	.	89.99	10.01	
	.	.	37.54	30.71	
2: FEMALE	473	656	1226	185	1411
	.	.	54.98	8.30	63.27
	.	.	86.89	13.11	
	.	.	62.46	69.29	
Total	.	.	1963	267	2230
	.	.	88.03	11.97	100.00
Frequency Missing = 1923					

Table of GENDER_1 by FSHRT_M					
GENDER_1	FSHRT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1286	49	33	82
	.	.	18.35	12.36	30.71
	.	.	59.76	40.24	
	.	.	27.07	38.37	
2: FEMALE	473	1882	132	53	185
	.	.	49.44	19.85	69.29
	.	.	71.35	28.65	
	.	.	72.93	61.63	
Total	.	.	181	86	267
	.	.	67.79	32.21	100.00
Frequency Missing = 3886					

## Front of Body

Location Code

Shaded Pain

Most Pain

Q#

A

B

C5 shoulder\_left 5

fshlft\_s

fshlft\_m

Table of GENDER_1 by FSHLFT_S					
GENDER_1	FSHLFT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	741	78	819
	.	.	33.23	3.50	36.73
	.	.	90.48	9.52	
	.	.	37.25	32.37	
2: FEMALE	473	656	1248	163	1411
	.	.	55.96	7.31	63.27
	.	.	88.45	11.55	
	.	.	62.75	67.63	
Total	.	.	1989	241	2230
	.	.	89.19	10.81	100.00
Frequency Missing = 1923					

Table of GENDER_1 by FSHLFT_M					
GENDER_1	FSHLFT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1290	49	29	78
	.	.	20.33	12.03	32.37
	.	.	62.82	37.18	
	.	.	28.99	40.28	
2: FEMALE	473	1904	120	43	163
	.	.	49.79	17.84	67.63
	.	.	73.62	26.38	
	.	.	71.01	59.72	
Total	.	.	169	72	241
	.	.	70.12	29.88	100.00
Frequency Missing = 3912					

C6 Arm\_right 6

farmrt\_s

farmrt\_m

Table of GENDER_1 by FARMRT_S					
GENDER_1	FARMRT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	796	23	819
	.	.	35.70	1.03	36.73
	.	.	97.19	2.81	
	.	.	36.97	29.87	
2: FEMALE	473	656	1357	54	1411
	.	.	60.85	2.42	63.27
	.	.	96.17	3.83	
	.	.	63.03	70.13	
Total	.	.	2153	77	2230
	.	.	96.55	3.45	100.00
Frequency Missing = 1923					

Table of GENDER_1 by FARMRT_M					
GENDER_1	FARMRT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1345	20	3	23
	.	.	25.97	3.90	29.87
	.	.	86.96	13.04	
	.	.	29.85	30.00	
2: FEMALE	473	2013	47	7	54
	.	.	61.04	9.09	70.13
	.	.	87.04	12.96	
	.	.	70.15	70.00	
Total	.	.	67	10	77
	.	.	87.01	12.99	100.00
Frequency Missing = 4076					

C7 arm\_left 7

farmlft\_s

farmlft\_m

Table of GENDER_1 by FARMLFT_S					
GENDER_1	FARMLFT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	794	25	819
	.	.	35.61	1.12	36.73
	.	.	96.95	3.05	
	.	.	36.79	34.72	
2: FEMALE	473	656	1364	47	1411
	.	.	61.17	2.11	63.27
	.	.	96.67	3.33	
	.	.	63.21	65.28	
Total	.	.	2158	72	2230
	.	.	96.77	3.23	100.00
Frequency Missing = 1923					

Table of GENDER_1 by FARMLFT_M					
GENDER_1	FARMLFT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1343	18	7	25
	.	.	25.00	9.72	34.72
	.	.	72.00	28.00	
	.	.	32.73	41.18	
2: FEMALE	473	2020	37	10	47
	.	.	51.39	13.89	65.28
	.	.	78.72	21.28	
	.	.	67.27	58.82	
Total	.	.	55	17	72
	.	.	76.39	23.61	100.00
Frequency Missing = 4081					

## Front of Body

Location Code

Shaded Pain

Most Pain

Q#

A

B

C8 elbow\_right 8

felbrt\_s

felbrt\_m

Table of GENDER_1 by FELBRT_S					
GENDER_1	FELBRT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	789	30	819
	.	.	35.38	1.35	36.73
	.	.	96.34	3.66	
	.	.	37.34	25.64	
2: FEMALE	473	656	1324	87	1411
	.	.	59.37	3.90	63.27
	.	.	93.83	6.17	
	.	.	62.66	74.36	
Total	.	.	2113	117	2230
	.	.	94.75	5.25	100.00
Frequency Missing = 1923					

Table of GENDER_1 by FELBRT_M					
GENDER_1	FELBRT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1338	26	4	30
	.	.	22.22	3.42	25.64
	.	.	86.67	13.33	
	.	.	26.53	21.05	
2: FEMALE	473	1980	72	15	87
	.	.	61.54	12.82	74.36
	.	.	82.76	17.24	
	.	.	73.47	78.95	
Total	.	.	98	19	117
	.	.	83.76	16.24	100.00
Frequency Missing = 4036					

C9 elbow\_left 9

felblft\_s

felblft\_m

Table of GENDER_1 by FELBLFT_S					
GENDER_1	FELBLFT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	787	32	819
	.	.	35.29	1.43	36.73
	.	.	96.09	3.91	
	.	.	37.07	29.91	
2: FEMALE	473	656	1336	75	1411
	.	.	59.91	3.36	63.27
	.	.	94.68	5.32	
	.	.	62.93	70.09	
Total	.	.	2123	107	2230
	.	.	95.20	4.80	100.00
Frequency Missing = 1923					

Table of GENDER_1 by FELBLFT_M					
GENDER_1	FELBLFT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1336	24	8	32
	.	.	22.43	7.48	29.91
	.	.	75.00	25.00	
	.	.	27.27	42.11	
2: FEMALE	473	1992	64	11	75
	.	.	59.81	10.28	70.09
	.	.	85.33	14.67	
	.	.	72.73	57.89	
Total	.	.	88	19	107
	.	.	82.24	17.76	100.00
Frequency Missing = 4046					

C10 forearm\_right 10

ffarmrt\_s

ffarmrt\_m

Table of GENDER_1 by FFARMRT_S					
GENDER_1	FFARMRT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	796	23	819
	.	.	35.70	1.03	36.73
	.	.	97.19	2.81	
	.	.	36.97	29.87	
2: FEMALE	473	656	1357	54	1411
	.	.	60.85	2.42	63.27
	.	.	96.17	3.83	
	.	.	63.03	70.13	
Total	.	.	2153	77	2230
	.	.	96.55	3.45	100.00
Frequency Missing = 1923					

Table of GENDER_1 by FFARMRT_M					
GENDER_1	FFARMRT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1345	22	1	23
	.	.	28.57	1.30	29.87
	.	.	95.65	4.35	
	.	.	32.35	11.11	
2: FEMALE	473	2013	46	8	54
	.	.	59.74	10.39	70.13
	.	.	85.19	14.81	
	.	.	67.65	88.89	
Total	.	.	68	9	77
	.	.	88.31	11.69	100.00
Frequency Missing = 4076					

## Front of Body

Location Code

Shaded Pain

Most Pain

Q#

A

B

C11 forearm\_left 11

ffarmleft\_s

ffarmleft\_m

Table of GENDER_1 by FFARMLFT_S					
GENDER_1	FFARMLFT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	795	24	819
	.	.	35.65	1.08	36.73
	.	.	97.07	2.93	
	.	.	36.87	32.43	
2: FEMALE	473	656	1361	50	1411
	.	.	61.03	2.24	63.27
	.	.	96.46	3.54	
	.	.	63.13	67.57	
Total	.	.	2156	74	2230
	.	.	96.68	3.32	100.00
Frequency Missing = 1923					

Table of GENDER_1 by FFARMLFT_M					
GENDER_1	FFARMLFT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1344	19	5	24
	.	.	25.68	6.76	32.43
	.	.	79.17	20.83	
	.	.	31.67	35.71	
2: FEMALE	473	2017	41	9	50
	.	.	55.41	12.16	67.57
	.	.	82.00	18.00	
	.	.	68.33	64.29	
Total	.	.	60	14	74
	.	.	81.08	18.92	100.00
Frequency Missing = 4079					

C12 wrist\_right 12

fwrstrt\_s

fwrstrt\_m

Table of GENDER_1 by FWRSTRT_S					
GENDER_1	FWRSTRT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	785	34	819
	.	.	35.20	1.52	36.73
	.	.	95.85	4.15	
	.	.	37.65	23.45	
2: FEMALE	473	656	1300	111	1411
	.	.	58.30	4.98	63.27
	.	.	92.13	7.87	
	.	.	62.35	76.55	
Total	.	.	2085	145	2230
	.	.	93.50	6.50	100.00
Frequency Missing = 1923					

Table of GENDER_1 by FWRSTRT_M					
GENDER_1	FWRSTRT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1334	24	10	34
	.	.	16.55	6.90	23.45
	.	.	70.59	29.41	
	.	.	21.43	30.30	
2: FEMALE	473	1956	88	23	111
	.	.	60.69	15.86	76.55
	.	.	79.28	20.72	
	.	.	78.57	69.70	
Total	.	.	112	33	145
	.	.	77.24	22.76	100.00
Frequency Missing = 4008					

C13 wrist\_left 13

fwrstlft\_s

fwrstlft\_m

Table of GENDER_1 by FWRSTLFT_S					
GENDER_1	FWRSTLFT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	791	28	819
	.	.	35.47	1.26	36.73
	.	.	96.58	3.42	
	.	.	37.40	24.35	
2: FEMALE	473	656	1324	87	1411
	.	.	59.37	3.90	63.27
	.	.	93.83	6.17	
	.	.	62.60	75.65	
Total	.	.	2115	115	2230
	.	.	94.84	5.16	100.00
Frequency Missing = 1923					

Table of GENDER_1 by FWRSTLFT_M					
GENDER_1	FWRSTLFT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1340	24	4	28
	.	.	20.87	3.48	24.35
	.	.	85.71	14.29	
	.	.	24.49	23.53	
2: FEMALE	473	1980	74	13	87
	.	.	64.35	11.30	75.65
	.	.	85.06	14.94	
	.	.	75.51	76.47	
Total	.	.	98	17	115
	.	.	85.22	14.78	100.00
Frequency Missing = 4038					

## Front of Body

Location Code

Shaded Pain

Most Pain

Q#

A

B

C14 hand\_right 14

fhndrt\_s

fhndrt\_m

Table of GENDER_1 by FHNDRT_S					
GENDER_1	FHNDRT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	758	61	819
	.	.	33.99	2.74	36.73
	.	.	92.55	7.45	
	.	.	37.67	27.98	
2: FEMALE	473	656	1254	157	1411
	.	.	56.23	7.04	63.27
	.	.	88.87	11.13	
	.	.	62.33	72.02	
Total	.	.	2012	218	2230
	.	.	90.22	9.78	100.00
Frequency Missing = 1923					

Table of GENDER_1 by FHNDRT_M					
GENDER_1	FHNDRT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1307	43	18	61
	.	.	19.72	8.26	27.98
	.	.	70.49	29.51	
	.	.	27.04	30.51	
2: FEMALE	473	1910	116	41	157
	.	.	53.21	18.81	72.02
	.	.	73.89	26.11	
	.	.	72.96	69.49	
Total	.	.	159	59	218
	.	.	72.94	27.06	100.00
Frequency Missing = 3935					

C15 hand\_left 15

fhndlft\_s

fhndlft\_m

Table of GENDER_1 by FHNDLFT_S					
GENDER_1	FHNDLFT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	764	55	819
	.	.	34.26	2.47	36.73
	.	.	93.28	6.72	
	.	.	37.47	28.80	
2: FEMALE	473	656	1275	136	1411
	.	.	57.17	6.10	63.27
	.	.	90.36	9.64	
	.	.	62.53	71.20	
Total	.	.	2039	191	2230
	.	.	91.43	8.57	100.00
Frequency Missing = 1923					

Table of GENDER_1 by FHNDLFT_M					
GENDER_1	FHNDLFT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1313	43	12	55
	.	.	22.51	6.28	28.80
	.	.	78.18	21.82	
	.	.	30.94	23.08	
2: FEMALE	473	1931	96	40	136
	.	.	50.26	20.94	71.20
	.	.	70.59	29.41	
	.	.	69.06	76.92	
Total	.	.	139	52	191
	.	.	72.77	27.23	100.00
Frequency Missing = 3962					

C16 chest 16

chest\_s

chest\_m

Table of GENDER_1 by CHEST_S					
GENDER_1	CHEST_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	781	38	819
	.	.	35.02	1.70	36.73
	.	.	95.36	4.64	
	.	.	37.17	29.46	
2: FEMALE	473	656	1320	91	1411
	.	.	59.19	4.08	63.27
	.	.	93.55	6.45	
	.	.	62.83	70.54	
Total	.	.	2101	129	2230
	.	.	94.22	5.78	100.00
Frequency Missing = 1923					

Table of GENDER_1 by CHEST_M					
GENDER_1	CHEST_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1330	27	11	38
	.	.	20.93	8.53	29.46
	.	.	71.05	28.95	
	.	.	27.00	37.93	
2: FEMALE	473	1976	73	18	91
	.	.	56.59	13.95	70.54
	.	.	80.22	19.78	
	.	.	73.00	62.07	
Total	.	.	100	29	129
	.	.	77.52	22.48	100.00
Frequency Missing = 4024					

## Front of Body

Location Code

Shaded Pain

Most Pain

Q#

A

B

C17 abdomen\_up 18

abdom\_s

abdom\_m

Table of GENDER_1 by ABDOM_S					
GENDER_1	ABDOM_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	771	48	819
	.	.	34.57	2.15	36.73
	.	.	94.14	5.86	
	.	.	36.61	38.71	
2: FEMALE	473	656	1335	76	1411
	.	.	59.87	3.41	63.27
	.	.	94.61	5.39	
	.	.	63.39	61.29	
Total	.	.	2106	124	2230
	.	.	94.44	5.56	100.00
Frequency Missing = 1923					

Table of GENDER_1 by ABDOM_M					
GENDER_1	ABDOM_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1320	31	17	48
	.	.	25.00	13.71	38.71
	.	.	64.58	35.42	
	.	.	39.24	37.78	
2: FEMALE	473	1991	48	28	76
	.	.	38.71	22.58	61.29
	.	.	63.16	36.84	
	.	.	60.76	62.22	
Total	.	.	79	45	124
	.	.	63.71	36.29	100.00
Frequency Missing = 4029					

C18 abdomen\_low 37

abdomlo\_s

abdomlo\_m

Table of GENDER_1 by ABDOMLO_S					
GENDER_1	ABDOMLO_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	747	72	819
	.	.	33.50	3.23	36.73
	.	.	91.21	8.79	
	.	.	37.02	33.96	
2: FEMALE	473	656	1271	140	1411
	.	.	57.00	6.28	63.27
	.	.	90.08	9.92	
	.	.	62.98	66.04	
Total	.	.	2018	212	2230
	.	.	90.49	9.51	100.00
Frequency Missing = 1923					

Table of GENDER_1 by ABDOMLO_M					
GENDER_1	ABDOMLO_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1296	48	24	72
	.	.	22.64	11.32	33.96
	.	.	66.67	33.33	
	.	.	33.10	35.82	
2: FEMALE	473	1927	97	43	140
	.	.	45.75	20.28	66.04
	.	.	69.29	30.71	
	.	.	66.90	64.18	
Total	.	.	145	67	212
	.	.	68.40	31.60	100.00
Frequency Missing = 3941					

C19 hip\_right 20

hiprt\_s

hiprt\_m

Table of GENDER_1 by HIPRT_S					
GENDER_1	HIPRT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	787	32	819
	.	.	35.29	1.43	36.73
	.	.	96.09	3.91	
	.	.	37.62	23.19	
2: FEMALE	473	656	1305	106	1411
	.	.	58.52	4.75	63.27
	.	.	92.49	7.51	
	.	.	62.38	76.81	
Total	.	.	2092	138	2230
	.	.	93.81	6.19	100.00
Frequency Missing = 1923					

Table of GENDER_1 by HIPRT_M					
GENDER_1	HIPRT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1336	21	11	32
	.	.	15.22	7.97	23.19
	.	.	65.63	34.38	
	.	.	22.83	23.91	
2: FEMALE	473	1961	71	35	106
	.	.	51.45	25.36	76.81
	.	.	66.98	33.02	
	.	.	77.17	76.09	
Total	.	.	92	46	138
	.	.	66.67	33.33	100.00
Frequency Missing = 4015					

## Front of Body

Location Code

Shaded Pain

Most Pain

Q#

A

B

C20 hip\_left 21

hiplft\_s

hiplft\_m

Table of GENDER_1 by HIPLFT_S					
GENDER_1	HIPLFT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	786	33	819
	.	.	35.25	1.48	36.73
	.	.	95.97	4.03	
	.	.	37.38	25.98	
2: FEMALE	473	656	1317	94	1411
	.	.	59.06	4.22	63.27
	.	.	93.34	6.66	
	.	.	62.62	74.02	
Total	.	.	2103	127	2230
	.	.	94.30	5.70	100.00
Frequency Missing = 1923					

Table of GENDER_1 by HIPLFT_M					
GENDER_1	HIPLFT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1335	22	11	33
	.	.	17.32	8.66	25.98
	.	.	66.67	33.33	
	.	.	25.29	27.50	
2: FEMALE	473	1973	65	29	94
	.	.	51.18	22.83	74.02
	.	.	69.15	30.85	
	.	.	74.71	72.50	
Total	.	.	87	40	127
	.	.	68.50	31.50	100.00
Frequency Missing = 4026					

C21 thigh\_right 24

fthirt\_s

fthirt\_m

Table of GENDER_1 by FTHIRT_S					
GENDER_1	FTHIRT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	775	44	819
	.	.	34.75	1.97	36.73
	.	.	94.63	5.37	
	.	.	37.60	26.04	
2: FEMALE	473	656	1286	125	1411
	.	.	57.67	5.61	63.27
	.	.	91.14	8.86	
	.	.	62.40	73.96	
Total	.	.	2061	169	2230
	.	.	92.42	7.58	100.00
Frequency Missing = 1923					

Table of GENDER_1 by FTHIRT_M					
GENDER_1	FTHIRT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1324	33	11	44
	.	.	19.53	6.51	26.04
	.	.	75.00	25.00	
	.	.	27.27	22.92	
2: FEMALE	473	1942	88	37	125
	.	.	52.07	21.89	73.96
	.	.	70.40	29.60	
	.	.	72.73	77.08	
Total	.	.	121	48	169
	.	.	71.60	28.40	100.00
Frequency Missing = 3984					

C22 thigh\_left 25

fthilft\_s

fthilft\_m

Table of GENDER_1 by FTHILFT_S					
GENDER_1	FTHILFT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	775	44	819
	.	.	34.75	1.97	36.73
	.	.	94.63	5.37	
	.	.	37.40	27.85	
2: FEMALE	473	656	1297	114	1411
	.	.	58.16	5.11	63.27
	.	.	91.92	8.08	
	.	.	62.60	72.15	
Total	.	.	2072	158	2230
	.	.	92.91	7.09	100.00
Frequency Missing = 1923					

Table of GENDER_1 by FTHILFT_M					
GENDER_1	FTHILFT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1324	32	12	44
	.	.	20.25	7.59	27.85
	.	.	72.73	27.27	
	.	.	27.59	28.57	
2: FEMALE	473	1953	84	30	114
	.	.	53.16	18.99	72.15
	.	.	73.68	26.32	
	.	.	72.41	71.43	
Total	.	.	116	42	158
	.	.	73.42	26.58	100.00
Frequency Missing = 3995					

## Front of Body

Location Code

Shaded Pain

Most Pain

Q#

A

B

C23 knee\_right 26

fkner\_s

fkner\_m

Table of GENDER_1 by FKNERT_S					
GENDER_1	FKNERT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	654	165	819
	.	.	29.33	7.40	36.73
	.	.	79.85	20.15	
	.	.	39.68	28.35	
2: FEMALE	473	656	994	417	1411
	.	.	44.57	18.70	63.27
	.	.	70.45	29.55	
	.	.	60.32	71.65	
Total	.	.	1648	582	2230
	.	.	73.90	26.10	100.00
Frequency Missing = 1923					

Table of GENDER_1 by FKNERT_M					
GENDER_1	FKNERT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1203	80	85	165
	.	.	13.75	14.60	28.35
	.	.	48.48	51.52	
	.	.	22.47	37.61	
2: FEMALE	473	1650	276	141	417
	.	.	47.42	24.23	71.65
	.	.	66.19	33.81	
	.	.	77.53	62.39	
Total	.	.	356	226	582
	.	.	61.17	38.83	100.00
Frequency Missing = 3571					

C24 knee\_left 27

fknel\_s

fknel\_m

Table of GENDER_1 by FKNELFT_S					
GENDER_1	FKNELFT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	641	178	819
	.	.	28.74	7.98	36.73
	.	.	78.27	21.73	
	.	.	39.71	28.90	
2: FEMALE	473	656	973	438	1411
	.	.	43.63	19.64	63.27
	.	.	68.96	31.04	
	.	.	60.29	71.10	
Total	.	.	1614	616	2230
	.	.	72.38	27.62	100.00
Frequency Missing = 1923					

Table of GENDER_1 by FKNELFT_M					
GENDER_1	FKNELFT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1190	99	79	178
	.	.	16.07	12.82	28.90
	.	.	55.62	44.38	
	.	.	26.05	33.47	
2: FEMALE	473	1629	281	157	438
	.	.	45.62	25.49	71.10
	.	.	64.16	35.84	
	.	.	73.95	66.53	
Total	.	.	380	236	616
	.	.	61.69	38.31	100.00
Frequency Missing = 3537					

C25 lower\_leg\_right 28

fleg\_s

fleg\_m

Table of GENDER_1 by FLEGRT_S					
GENDER_1	FLEGRT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	776	43	819
	.	.	34.80	1.93	36.73
	.	.	94.75	5.25	
	.	.	37.82	24.16	
2: FEMALE	473	656	1276	135	1411
	.	.	57.22	6.05	63.27
	.	.	90.43	9.57	
	.	.	62.18	75.84	
Total	.	.	2052	178	2230
	.	.	92.02	7.98	100.00
Frequency Missing = 1923					

Table of GENDER_1 by FLEGRT_M					
GENDER_1	FLEGRT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1325	34	9	43
	.	.	19.10	5.06	24.16
	.	.	79.07	20.93	
	.	.	24.29	23.68	
2: FEMALE	473	1932	106	29	135
	.	.	59.55	16.29	75.84
	.	.	78.52	21.48	
	.	.	75.71	76.32	
Total	.	.	140	38	178
	.	.	78.65	21.35	100.00
Frequency Missing = 3975					

## Front of Body

Location Code

Shaded Pain

Most Pain

Q#

A

B

C26 lower\_leg\_left 29

fleglft\_s

fleglft\_m

Table of GENDER_1 by FLEGLFT_S					
GENDER_1	FLEGLFT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	764	55	819
	.	.	34.26	2.47	36.73
	.	.	93.28	6.72	
	.	.	37.20	31.25	
2: FEMALE	473	656	1290	121	1411
	.	.	57.85	5.43	63.27
	.	.	91.42	8.58	
	.	.	62.80	68.75	
Total	.	.	2054	176	2230
	.	.	92.11	7.89	100.00
Frequency Missing = 1923					

Table of GENDER_1 by FLEGLFT_M					
GENDER_1	FLEGLFT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1313	41	14	55
	.	.	23.30	7.95	31.25
	.	.	74.55	25.45	
	.	.	29.29	38.89	
2: FEMALE	473	1946	99	22	121
	.	.	56.25	12.50	68.75
	.	.	81.82	18.18	
	.	.	70.71	61.11	
Total	.	.	140	36	176
	.	.	79.55	20.45	100.00
Frequency Missing = 3977					

C27 ankle\_right 30

fankrt\_s

fankrt\_m

Table of GENDER_1 by FANKRT_S					
GENDER_1	FANKRT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	768	51	819
	.	.	34.44	2.29	36.73
	.	.	93.77	6.23	
	.	.	37.39	28.98	
2: FEMALE	473	656	1286	125	1411
	.	.	57.67	5.61	63.27
	.	.	91.14	8.86	
	.	.	62.61	71.02	
Total	.	.	2054	176	2230
	.	.	92.11	7.89	100.00
Frequency Missing = 1923					

Table of GENDER_1 by FANKRT_M					
GENDER_1	FANKRT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1317	41	10	51
	.	.	23.30	5.68	28.98
	.	.	80.39	19.61	
	.	.	28.47	31.25	
2: FEMALE	473	1942	103	22	125
	.	.	58.52	12.50	71.02
	.	.	82.40	17.60	
	.	.	71.53	68.75	
Total	.	.	144	32	176
	.	.	81.82	18.18	100.00
Frequency Missing = 3977					

C28 ankle\_left 31

fanklft\_s

fanklft\_m

Table of GENDER_1 by FANKLFT_S					
GENDER_1	FANKLFT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	764	55	819
	.	.	34.26	2.47	36.73
	.	.	93.28	6.72	
	.	.	37.34	29.89	
2: FEMALE	473	656	1282	129	1411
	.	.	57.49	5.78	63.27
	.	.	90.86	9.14	
	.	.	62.66	70.11	
Total	.	.	2046	184	2230
	.	.	91.75	8.25	100.00
Frequency Missing = 1923					

Table of GENDER_1 by FANKLFT_M					
GENDER_1	FANKLFT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1313	40	15	55
	.	.	21.74	8.15	29.89
	.	.	72.73	27.27	
	.	.	28.37	34.88	
2: FEMALE	473	1938	101	28	129
	.	.	54.89	15.22	70.11
	.	.	78.29	21.71	
	.	.	71.63	65.12	
Total	.	.	141	43	184
	.	.	76.63	23.37	100.00
Frequency Missing = 3969					

## Front of Body

Location Code

Shaded Pain

Most Pain

Q#

A

B

C29 foot\_right 32

ffootrt\_s

ffootrt\_m

Table of GENDER_1 by FFOOTRT_S					
GENDER_1	FFOOTRT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	741	78	819
	.	.	33.23	3.50	36.73
	.	.	90.48	9.52	
	.	.	36.98	34.51	
2: FEMALE	473	656	1263	148	1411
	.	.	56.64	6.64	63.27
	.	.	89.51	10.49	
	.	.	63.02	65.49	
Total	.	.	2004	226	2230
	.	.	89.87	10.13	100.00
Frequency Missing = 1923					

Table of GENDER_1 by FFOOTRT_M					
GENDER_1	FFOOTRT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1290	43	35	78
	.	.	19.03	15.49	34.51
	.	.	55.13	44.87	
	.	.	26.71	53.85	
2: FEMALE	473	1919	118	30	148
	.	.	52.21	13.27	65.49
	.	.	79.73	20.27	
	.	.	73.29	46.15	
Total	.	.	161	65	226
	.	.	71.24	28.76	100.00
Frequency Missing = 3927					

C30 foot\_left 33

ffootlft\_s

ffootlft\_m

Table of GENDER_1 by FFOOTLFT_S					
GENDER_1	FFOOTLFT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	725	94	819
	.	.	32.51	4.22	36.73
	.	.	88.52	11.48	
	.	.	36.82	36.02	
2: FEMALE	473	656	1244	167	1411
	.	.	55.78	7.49	63.27
	.	.	88.16	11.84	
	.	.	63.18	63.98	
Total	.	.	1969	261	2230
	.	.	88.30	11.70	100.00
Frequency Missing = 1923					

Table of GENDER_1 by FFOOTLFT_M					
GENDER_1	FFOOTLFT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1274	56	38	94
	.	.	21.46	14.56	36.02
	.	.	59.57	40.43	
	.	.	31.11	46.91	
2: FEMALE	473	1900	124	43	167
	.	.	47.51	16.48	63.98
	.	.	74.25	25.75	
	.	.	68.89	53.09	
Total	.	.	180	81	261
	.	.	68.97	31.03	100.00
Frequency Missing = 3892					

C31 genitalia 34

gen\_s

gen\_m

Table of GENDER_1 by GEN_S					
GENDER_1	GEN_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	810	9	819
	.	.	36.32	0.40	36.73
	.	.	98.90	1.10	
	.	.	36.80	31.03	
2: FEMALE	473	656	1391	20	1411
	.	.	62.38	0.90	63.27
	.	.	98.58	1.42	
	.	.	63.20	68.97	
Total	.	.	2201	29	2230
	.	.	98.70	1.30	100.00
Frequency Missing = 1923					

Table of GENDER_1 by GEN_M					
GENDER_1	GEN_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1359	9	0	9
	.	.	31.03	0.00	31.03
	.	.	100.00	0.00	
	.	.	36.00	0.00	
2: FEMALE	473	2047	16	4	20
	.	.	55.17	13.79	68.97
	.	.	80.00	20.00	
	.	.	64.00	100.00	
Total	.	.	25	4	29
	.	.	86.21	13.79	100.00
Frequency Missing = 4124					

**Most Pain**  
**B**

C32 head 35

head m

Table of GENDER_1 by HEAD_M					
GENDER_1	HEAD_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1317	36	15	51
	.	.	23.84	9.93	33.77
	.	.	70.59	29.41	
	.	.	31.03	42.86	
2: FEMALE	473	1967	80	20	100
	.	.	52.98	13.25	66.23
	.	.	80.00	20.00	
	.	.	68.97	57.14	
Total	.	.	116	35	151
	.	.	76.82	23.18	100.00
Frequency Missing = 4002					

C33	neck	3
-----	------	---

bneck m

Table of GENDER_1 by BNECK_M					
GENDER_1	BNECK_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1285	60	23	83
	.	.	24.29	9.31	33.60
	.	.	72.29	27.71	
	.	.	31.41	41.07	
2: FEMALE	473	1903	131	33	164
	.	.	53.04	13.36	66.40
	.	.	79.88	20.12	
	.	.	68.59	58.93	
Total	.	.	191	56	247
	.	.	77.33	22.67	100.00
Frequency Missing = 3906					

C34	shoulder_right	4
-----	----------------	---

bshrt m

Table of GENDER_1 by BSHRT_M					
GENDER_1	BSHRT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1323	32	13	45
	.	.	19.51	7.93	27.44
	.	.	71.11	28.89	
	.	.	24.24	40.63	
2: FEMALE	473	1948	100	19	119
	.	.	60.98	11.59	72.56
	.	.	84.03	15.97	
	.	.	75.76	59.38	
Total	.	.	132	32	164
	.	.	80.49	19.51	100.00
Frequency Missing = 3989					

## Back of Body

Location Code

Shaded Pain

Most Pain

Q#

A

B

C35 shoulder\_left 5

bshlft\_s

bshlft\_m

Table of GENDER_1 by BSHLFT_S					
GENDER_1	BSHLFT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	768	51	819
	.	.	34.44	2.29	36.73
	.	.	93.77	6.23	
	.	.	36.80	35.66	
2: FEMALE	473	656	1319	92	1411
	.	.	59.15	4.13	63.27
	.	.	93.48	6.52	
	.	.	63.20	64.34	
Total	.	.	2087	143	2230
	.	.	93.59	6.41	100.00
Frequency Missing = 1923					

Table of GENDER_1 by BSHLFT_M					
GENDER_1	BSHLFT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1317	33	18	51
	.	.	23.08	12.59	35.66
	.	.	64.71	35.29	
	.	.	29.46	58.06	
2: FEMALE	473	1975	79	13	92
	.	.	55.24	9.09	64.34
	.	.	85.87	14.13	
	.	.	70.54	41.94	
Total	.	.	112	31	143
	.	.	78.32	21.68	100.00
Frequency Missing = 4010					

C36 arm\_right 6

barmrt\_s

barmrt\_m

Table of GENDER_1 by BARMRT_S					
GENDER_1	BARMRT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	804	15	819
	.	.	36.05	0.67	36.73
	.	.	98.17	1.83	
	.	.	36.86	30.61	
2: FEMALE	473	656	1377	34	1411
	.	.	61.75	1.52	63.27
	.	.	97.59	2.41	
	.	.	63.14	69.39	
Total	.	.	2181	49	2230
	.	.	97.80	2.20	100.00
Frequency Missing = 1923					

Table of GENDER_1 by BARMRT_M					
GENDER_1	BARMRT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1353	12	3	15
	.	.	24.49	6.12	30.61
	.	.	80.00	20.00	
	.	.	28.57	42.86	
2: FEMALE	473	2033	30	4	34
	.	.	61.22	8.16	69.39
	.	.	88.24	11.76	
	.	.	71.43	57.14	
Total	.	.	42	7	49
	.	.	85.71	14.29	100.00
Frequency Missing = 4104					

C37 arm\_left 7

barmlft\_s

barmlft\_m

Table of GENDER_1 by BARMLFT_S					
GENDER_1	BARMLFT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	802	17	819
	.	.	35.96	0.76	36.73
	.	.	97.92	2.08	
	.	.	36.79	34.00	
2: FEMALE	473	656	1378	33	1411
	.	.	61.79	1.48	63.27
	.	.	97.66	2.34	
	.	.	63.21	66.00	
Total	.	.	2180	50	2230
	.	.	97.76	2.24	100.00
Frequency Missing = 1923					

Table of GENDER_1 by BARMLFT_M					
GENDER_1	BARMLFT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1351	12	5	17
	.	.	24.00	10.00	34.00
	.	.	70.59	29.41	
	.	.	27.27	83.33	
2: FEMALE	473	2034	32	1	33
	.	.	64.00	2.00	66.00
	.	.	96.97	3.03	
	.	.	72.73	16.67	
Total	.	.	44	6	50
	.	.	88.00	12.00	100.00
Frequency Missing = 4103					

## Back of Body

Location Code

Shaded Pain

Most Pain

Q#

A

B

C38 elbow\_right 8

belbrt\_s

belbrt\_m

Table of GENDER_1 by BELBRT_S					
GENDER_1	BELBRT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	788	31	819
	.	.	35.34	1.39	36.73
	.	.	96.21	3.79	
	.	.	37.08	29.52	
2: FEMALE	473	656	1337	74	1411
	.	.	59.96	3.32	63.27
	.	.	94.76	5.24	
	.	.	62.92	70.48	
Total	.	.	2125	105	2230
	.	.	95.29	4.71	100.00
Frequency Missing = 1923					

Table of GENDER_1 by BELBRT_M					
GENDER_1	BELBRT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1337	22	9	31
	.	.	20.95	8.57	29.52
	.	.	70.97	29.03	
	.	.	25.58	47.37	
2: FEMALE	473	1993	64	10	74
	.	.	60.95	9.52	70.48
	.	.	86.49	13.51	
	.	.	74.42	52.63	
Total	.	.	86	19	105
	.	.	81.90	18.10	100.00
Frequency Missing = 4048					

C39 elbow\_left 9

belblft\_s

belblft\_m

Table of GENDER_1 by BELBLFT_S					
GENDER_1	BELBLFT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	782	37	819
	.	.	35.07	1.66	36.73
	.	.	95.48	4.52	
	.	.	36.73	36.63	
2: FEMALE	473	656	1347	64	1411
	.	.	60.40	2.87	63.27
	.	.	95.46	4.54	
	.	.	63.27	63.37	
Total	.	.	2129	101	2230
	.	.	95.47	4.53	100.00
Frequency Missing = 1923					

Table of GENDER_1 by BELBLFT_M					
GENDER_1	BELBLFT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1331	28	9	37
	.	.	27.72	8.91	36.63
	.	.	75.68	24.32	
	.	.	35.44	40.91	
2: FEMALE	473	2003	51	13	64
	.	.	50.50	12.87	63.37
	.	.	79.69	20.31	
	.	.	64.56	59.09	
Total	.	.	79	22	101
	.	.	78.22	21.78	100.00
Frequency Missing = 4052					

C40 forearm\_right 10

bfarmrt\_s

bfarmrt\_m

Table of GENDER_1 by BFARMRT_S					
GENDER_1	BFARMRT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	808	11	819
	.	.	36.23	0.49	36.73
	.	.	98.66	1.34	
	.	.	36.93	26.19	
2: FEMALE	473	656	1380	31	1411
	.	.	61.88	1.39	63.27
	.	.	97.80	2.20	
	.	.	63.07	73.81	
Total	.	.	2188	42	2230
	.	.	98.12	1.88	100.00
Frequency Missing = 1923					

Table of GENDER_1 by BFARMRT_M					
GENDER_1	BFARMRT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1357	10	1	11
	.	.	23.81	2.38	26.19
	.	.	90.91	9.09	
	.	.	26.32	25.00	
2: FEMALE	473	2036	28	3	31
	.	.	66.67	7.14	73.81
	.	.	90.32	9.68	
	.	.	73.68	75.00	
Total	.	.	38	4	42
	.	.	90.48	9.52	100.00
Frequency Missing = 4111					

## Back of Body

Location Code

Shaded Pain

Most Pain

Q#

A

B

C41 forearm\_left 11

bfarmleft\_s

bfarmleft\_m

Table of GENDER_1 by BFARMLFT_S					
GENDER_1	BFARMLFT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	803	16	819
	.	.	36.01	0.72	36.73
	.	.	98.05	1.95	
	.	.	36.70	38.10	
2: FEMALE	473	656	1385	26	1411
	.	.	62.11	1.17	63.27
	.	.	98.16	1.84	
	.	.	63.30	61.90	
Total	.	.	2188	42	2230
	.	.	98.12	1.88	100.00
Frequency Missing = 1923					

Table of GENDER_1 by BFARMLFT_M					
GENDER_1	BFARMLFT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1352	13	3	16
	.	.	30.95	7.14	38.10
	.	.	81.25	18.75	
	.	.	35.14	60.00	
2: FEMALE	473	2041	24	2	26
	.	.	57.14	4.76	61.90
	.	.	92.31	7.69	
	.	.	64.86	40.00	
Total	.	.	37	5	42
	.	.	88.10	11.90	100.00
Frequency Missing = 4111					

C42 wrist\_right 12

bwrstrt\_s

bwrstrt\_m

Table of GENDER_1 by BWRSTRT_S					
GENDER_1	BWRSTRT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	801	18	819
	.	.	35.92	0.81	36.73
	.	.	97.80	2.20	
	.	.	36.95	29.03	
2: FEMALE	473	656	1367	44	1411
	.	.	61.30	1.97	63.27
	.	.	96.88	3.12	
	.	.	63.05	70.97	
Total	.	.	2168	62	2230
	.	.	97.22	2.78	100.00
Frequency Missing = 1923					

Table of GENDER_1 by BWRSTRT_M					
GENDER_1	BWRSTRT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1350	15	3	18
	.	.	24.19	4.84	29.03
	.	.	83.33	16.67	
	.	.	28.85	30.00	
2: FEMALE	473	2023	37	7	44
	.	.	59.68	11.29	70.97
	.	.	84.09	15.91	
	.	.	71.15	70.00	
Total	.	.	52	10	62
	.	.	83.87	16.13	100.00
Frequency Missing = 4091					

C43 wrist\_left 13

bwrstlft\_s

bwrstlft\_m

Table of GENDER_1 by BWRSTLFT_S					
GENDER_1	BWRSTLFT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	802	17	819
	.	.	35.96	0.76	36.73
	.	.	97.92	2.08	
	.	.	36.89	30.36	
2: FEMALE	473	656	1372	39	1411
	.	.	61.52	1.75	63.27
	.	.	97.24	2.76	
	.	.	63.11	69.64	
Total	.	.	2174	56	2230
	.	.	97.49	2.51	100.00
Frequency Missing = 1923					

Table of GENDER_1 by BWRSTLFT_M					
GENDER_1	BWRSTLFT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1351	15	2	17
	.	.	26.79	3.57	30.36
	.	.	88.24	11.76	
	.	.	30.00	33.33	
2: FEMALE	473	2028	35	4	39
	.	.	62.50	7.14	69.64
	.	.	89.74	10.26	
	.	.	70.00	66.67	
Total	.	.	50	6	56
	.	.	89.29	10.71	100.00
Frequency Missing = 4097					

## Back of Body

Location Code

Shaded Pain

Most Pain

Q#

A

B

C44 hand\_right 14

bhndrt\_s

bhndrt\_m

Table of GENDER_1 by BHNDRT_S					
GENDER_1	BHNDRT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	781	38	819
	.	.	35.02	1.70	36.73
	.	.	95.36	4.64	
	.	.	37.10	30.40	
2: FEMALE	473	656	1324	87	1411
	.	.	59.37	3.90	63.27
	.	.	93.83	6.17	
	.	.	62.90	69.60	
Total	.	.	2105	125	2230
	.	.	94.39	5.61	100.00
Frequency Missing = 1923					

Table of GENDER_1 by BHNDRT_M					
GENDER_1	BHNDRT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1330	34	4	38
	.	.	27.20	3.20	30.40
	.	.	89.47	10.53	
	.	.	33.01	18.18	
2: FEMALE	473	1980	69	18	87
	.	.	55.20	14.40	69.60
	.	.	79.31	20.69	
	.	.	66.99	81.82	
Total	.	.	103	22	125
	.	.	82.40	17.60	100.00
Frequency Missing = 4028					

C45 hand\_left 15

bhndlft\_s

bhndlft\_m

Table of GENDER_1 by BHNDLFT_S					
GENDER_1	BHNDLFT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	782	37	819
	.	.	35.07	1.66	36.73
	.	.	95.48	4.52	
	.	.	37.04	31.09	
2: FEMALE	473	656	1329	82	1411
	.	.	59.60	3.68	63.27
	.	.	94.19	5.81	
	.	.	62.96	68.91	
Total	.	.	2111	119	2230
	.	.	94.66	5.34	100.00
Frequency Missing = 1923					

Table of GENDER_1 by BHNDLFT_M					
GENDER_1	BHNDLFT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1331	30	7	37
	.	.	25.21	5.88	31.09
	.	.	81.08	18.92	
	.	.	32.61	25.93	
2: FEMALE	473	1985	62	20	82
	.	.	52.10	16.81	68.91
	.	.	75.61	24.39	
	.	.	67.39	74.07	
Total	.	.	92	27	119
	.	.	77.31	22.69	100.00
Frequency Missing = 4034					

C46 back\_upper 17

backup\_s

backup\_m

Table of GENDER_1 by BACKUP_S					
GENDER_1	BACKUP_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	702	117	819
	.	.	31.48	5.25	36.73
	.	.	85.71	14.29	
	.	.	38.70	28.13	
2: FEMALE	473	656	1112	299	1411
	.	.	49.87	13.41	63.27
	.	.	78.81	21.19	
	.	.	61.30	71.88	
Total	.	.	1814	416	2230
	.	.	81.35	18.65	100.00
Frequency Missing = 1923					

Table of GENDER_1 by BACKUP_M					
GENDER_1	BACKUP_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1251	73	44	117
	.	.	17.55	10.58	28.13
	.	.	62.39	37.61	
	.	.	26.45	31.43	
2: FEMALE	473	1768	203	96	299
	.	.	48.80	23.08	71.88
	.	.	67.89	32.11	
	.	.	73.55	68.57	
Total	.	.	276	140	416
	.	.	66.35	33.65	100.00
Frequency Missing = 3737					

## Back of Body

Location Code

Shaded Pain

Most Pain

Q#

A

B

C47 back\_lower 19

backlow\_s

backlow\_m

Table of GENDER_1 by BACKLOW_S					
GENDER_1	BACKLOW_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	513	306	819
	.	.	23.00	13.72	36.73
	.	.	62.64	37.36	
	.	.	36.59	36.96	
2: FEMALE	473	656	889	522	1411
	.	.	39.87	23.41	63.27
	.	.	63.00	37.00	
	.	.	63.41	63.04	
Total	.	.	1402	828	2230
	.	.	62.87	37.13	100.00
Frequency Missing = 1923					

Table of GENDER_1 by BACKLOW_M					
GENDER_1	BACKLOW_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1062	140	166	306
	.	.	16.91	20.05	36.96
	.	.	45.75	54.25	
	.	.	36.36	37.47	
2: FEMALE	473	1545	245	277	522
	.	.	29.59	33.45	63.04
	.	.	46.93	53.07	
	.	.	63.64	62.53	
Total	.	.	385	443	828
	.	.	46.50	53.50	100.00
Frequency Missing = 3325					

C48 buttock\_right 22

buttrt\_s

buttrt\_m

Table of GENDER_1 by BUTTRT_S					
GENDER_1	BUTTRT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	774	45	819
	.	.	34.71	2.02	36.73
	.	.	94.51	5.49	
	.	.	37.65	25.86	
2: FEMALE	473	656	1282	129	1411
	.	.	57.49	5.78	63.27
	.	.	90.86	9.14	
	.	.	62.35	74.14	
Total	.	.	2056	174	2230
	.	.	92.20	7.80	100.00
Frequency Missing = 1923					

Table of GENDER_1 by BUTTRT_M					
GENDER_1	BUTTRT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1323	34	11	45
	.	.	19.54	6.32	25.86
	.	.	75.56	24.44	
	.	.	27.42	22.00	
2: FEMALE	473	1938	90	39	129
	.	.	51.72	22.41	74.14
	.	.	69.77	30.23	
	.	.	72.58	78.00	
Total	.	.	124	50	174
	.	.	71.26	28.74	100.00
Frequency Missing = 3979					

C49 buttock\_left 23

buttlft\_s

buttlft\_m

Table of GENDER_1 by BUTTLFT_S					
GENDER_1	BUTTLFT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	758	61	819
	.	.	33.99	2.74	36.73
	.	.	92.55	7.45	
	.	.	36.87	35.06	
2: FEMALE	473	656	1298	113	1411
	.	.	58.21	5.07	63.27
	.	.	91.99	8.01	
	.	.	63.13	64.94	
Total	.	.	2056	174	2230
	.	.	92.20	7.80	100.00
Frequency Missing = 1923					

Table of GENDER_1 by BUTTLFT_M					
GENDER_1	BUTTLFT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1307	41	20	61
	.	.	23.56	11.49	35.06
	.	.	67.21	32.79	
	.	.	36.28	32.79	
2: FEMALE	473	1954	72	41	113
	.	.	41.38	23.56	64.94
	.	.	63.72	36.28	
	.	.	63.72	67.21	
Total	.	.	113	61	174
	.	.	64.94	35.06	100.00
Frequency Missing = 3979					

## Back of Body

Location Code

Shaded Pain

Most Pain

Q#

A

B

C50 thigh\_right 24

bthirt\_s

bthirt\_m

Table of GENDER_1 by BTHIRT_S					
GENDER_1	BTHIRT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	790	29	819
	.	.	35.43	1.30	36.73
	.	.	96.46	3.54	
	.	.	37.65	21.97	
2: FEMALE	473	656	1308	103	1411
	.	.	58.65	4.62	63.27
	.	.	92.70	7.30	
	.	.	62.35	78.03	
Total	.	.	2098	132	2230
	.	.	94.08	5.92	100.00
Frequency Missing = 1923					

Table of GENDER_1 by BTHIRT_M					
GENDER_1	BTHIRT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1339	23	6	29
	.	.	17.42	4.55	21.97
	.	.	79.31	20.69	
	.	.	22.77	19.35	
2: FEMALE	473	1964	78	25	103
	.	.	59.09	18.94	78.03
	.	.	75.73	24.27	
	.	.	77.23	80.65	
Total	.	.	101	31	132
	.	.	76.52	23.48	100.00
Frequency Missing = 4021					

C51 thigh\_left 25

bthilft\_s

bthilft\_m

Table of GENDER_1 by BTHILFT_S					
GENDER_1	BTHILFT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	781	38	819
	.	.	35.02	1.70	36.73
	.	.	95.36	4.64	
	.	.	37.26	28.36	
2: FEMALE	473	656	1315	96	1411
	.	.	58.97	4.30	63.27
	.	.	93.20	6.80	
	.	.	62.74	71.64	
Total	.	.	2096	134	2230
	.	.	93.99	6.01	100.00
Frequency Missing = 1923					

Table of GENDER_1 by BTHILFT_M					
GENDER_1	BTHILFT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1330	31	7	38
	.	.	23.13	5.22	28.36
	.	.	81.58	18.42	
	.	.	28.70	26.92	
2: FEMALE	473	1971	77	19	96
	.	.	57.46	14.18	71.64
	.	.	80.21	19.79	
	.	.	71.30	73.08	
Total	.	.	108	26	134
	.	.	80.60	19.40	100.00
Frequency Missing = 4019					

C52 knee\_right 26

bknert\_s

bknert\_m

Table of GENDER_1 by BKNERT_S					
GENDER_1	BKNERT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	774	45	819
	.	.	34.71	2.02	36.73
	.	.	94.51	5.49	
	.	.	37.79	24.73	
2: FEMALE	473	656	1274	137	1411
	.	.	57.13	6.14	63.27
	.	.	90.29	9.71	
	.	.	62.21	75.27	
Total	.	.	2048	182	2230
	.	.	91.84	8.16	100.00
Frequency Missing = 1923					

Table of GENDER_1 by BKNERT_M					
GENDER_1	BKNERT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1323	36	9	45
	.	.	19.78	4.95	24.73
	.	.	80.00	20.00	
	.	.	23.68	30.00	
2: FEMALE	473	1930	116	21	137
	.	.	63.74	11.54	75.27
	.	.	84.67	15.33	
	.	.	76.32	70.00	
Total	.	.	152	30	182
	.	.	83.52	16.48	100.00
Frequency Missing = 3971					



## Back of Body

Location Code

Shaded Pain

Most Pain

Q#

A

B

C56 ankle\_right 30

bankrt\_s

bankrt\_m

Table of GENDER_1 by BANKRT_S					
GENDER_1	BANKRT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	794	25	819
	.	.	35.61	1.12	36.73
	.	.	96.95	3.05	
	.	.	37.28	25.00	
2: FEMALE	473	656	1336	75	1411
	.	.	59.91	3.36	63.27
	.	.	94.68	5.32	
	.	.	62.72	75.00	
Total	.	.	2130	100	2230
	.	.	95.52	4.48	100.00
Frequency Missing = 1923					

Table of GENDER_1 by BANKRT_M					
GENDER_1	BANKRT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1343	19	6	25
	.	.	19.00	6.00	25.00
	.	.	76.00	24.00	
	.	.	23.75	30.00	
2: FEMALE	473	1992	61	14	75
	.	.	61.00	14.00	75.00
	.	.	81.33	18.67	
	.	.	76.25	70.00	
Total	.	.	80	20	100
	.	.	80.00	20.00	100.00
Frequency Missing = 4053					

C57 ankle\_left 31

banklft\_s

banklft\_m

Table of GENDER_1 by BANKLFT_S					
GENDER_1	BANKLFT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	795	24	819
	.	.	35.65	1.08	36.73
	.	.	97.07	2.93	
	.	.	37.39	23.08	
2: FEMALE	473	656	1331	80	1411
	.	.	59.69	3.59	63.27
	.	.	94.33	5.67	
	.	.	62.61	76.92	
Total	.	.	2126	104	2230
	.	.	95.34	4.66	100.00
Frequency Missing = 1923					

Table of GENDER_1 by BANKLFT_M					
GENDER_1	BANKLFT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1344	19	5	24
	.	.	18.27	4.81	23.08
	.	.	79.17	20.83	
	.	.	22.09	27.78	
2: FEMALE	473	1987	67	13	80
	.	.	64.42	12.50	76.92
	.	.	83.75	16.25	
	.	.	77.91	72.22	
Total	.	.	86	18	104
	.	.	82.69	17.31	100.00
Frequency Missing = 4049					

C58 foot\_right 32

bfootrt\_s

bfootrt\_m

Table of GENDER_1 by BFOOTRT_S					
GENDER_1	BFOOTRT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	783	36	819
	.	.	35.11	1.61	36.73
	.	.	95.60	4.40	
	.	.	36.99	31.86	
2: FEMALE	473	656	1334	77	1411
	.	.	59.82	3.45	63.27
	.	.	94.54	5.46	
	.	.	63.01	68.14	
Total	.	.	2117	113	2230
	.	.	94.93	5.07	100.00
Frequency Missing = 1923					

Table of GENDER_1 by BFOOTRT_M					
GENDER_1	BFOOTRT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1332	22	14	36
	.	.	19.47	12.39	31.86
	.	.	61.11	38.89	
	.	.	25.88	50.00	
2: FEMALE	473	1990	63	14	77
	.	.	55.75	12.39	68.14
	.	.	81.82	18.18	
	.	.	74.12	50.00	
Total	.	.	85	28	113
	.	.	75.22	24.78	100.00
Frequency Missing = 4040					

## Back of Body

Q#	Location	Code	Shaded Pain A	Most Pain B
C59	foot_left	33	bfootlft_s	bfootlft_m

Table of GENDER_1 by BFOOTLFT_S					
GENDER_1	BFOOTLFT_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	783	36	819
	.	.	35.11	1.61	36.73
	.	.	95.60	4.40	
	.	.	36.95	32.43	
2: FEMALE	473	656	1336	75	1411
	.	.	59.91	3.36	63.27
	.	.	94.68	5.32	
	.	.	63.05	67.57	
Total	.	.	2119	111	2230
	.	.	95.02	4.98	100.00
Frequency Missing = 1923					

Table of GENDER_1 by BFOOTLFT_M					
GENDER_1	BFOOTLFT_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1332	22	14	36
	.	.	19.82	12.61	32.43
	.	.	61.11	38.89	
	.	.	25.88	53.85	
2: FEMALE	473	1992	63	12	75
	.	.	56.76	10.81	67.57
	.	.	84.00	16.00	
	.	.	74.12	46.15	
Total	.	.	85	26	111
	.	.	76.58	23.42	100.00
Frequency Missing = 4042					

C60	sacrum	36	sacrum_s	sacrum_m
-----	--------	----	----------	----------

Table of GENDER_1 by SACRUM_S					
GENDER_1	SACRUM_S				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	549	663	156	819
	.	.	29.73	7.00	36.73
	.	.	80.95	19.05	
	.	.	37.18	34.90	
2: FEMALE	473	656	1120	291	1411
	.	.	50.22	13.05	63.27
	.	.	79.38	20.62	
	.	.	62.82	65.10	
Total	.	.	1783	447	2230
	.	.	79.96	20.04	100.00
Frequency Missing = 1923					

Table of GENDER_1 by SACRUM_M					
GENDER_1	SACRUM_M				
Frequency Percent Row Pct Col Pct	.	Skip	0: No	1: Yes	Total
1: MALE	245	1212	82	74	156
	.	.	18.34	16.55	34.90
	.	.	52.56	47.44	
	.	.	34.75	35.07	
2: FEMALE	473	1776	154	137	291
	.	.	34.45	30.65	65.10
	.	.	52.92	47.08	
	.	.	65.25	64.93	
Total	.	.	236	211	447
	.	.	52.80	47.20	100.00
Frequency Missing = 3706					