

Pre-Diabetes DATA CODEBOOK

Data set: Pre-Diabetes

Number of observations: 3155

Number of variables: 780

FOIG: T1c. Race/ethnicity [RE]

<i>B</i>	(N=1026) 32.5 %
<i>H</i>	(N=1036) 32.8 %
<i>W</i>	(N=1093) 34.6 %
<i>None of the above but missing:</i>	(N=0) 0 %

FOIA: T1c. Language [LANG]

<i>1: English</i>	(N=2356) 74.7 %
<i>2: Spanish</i>	(N=799) 25.3 %
<i>None of the above but missing:</i>	(N=0) 0 %

FOIA: A5. Sex of respondent [GENDER]

<i>1: Male</i>	(N=1184) 37.5 %
<i>2: Female</i>	(N=1971) 62.5 %
<i>None of the above but missing:</i>	(N=0) 0 %

FOIA: A6. Language [LANG_ENSP]

<i>1: English</i>	(N=2330) 73.9 %
<i>2: Spanish</i>	(N=825) 26.1 %
<i>None of the above but missing:</i>	(N=0) 0 %

FOIA: B1. In general, would you say your health is [SF01]

<i>1: Excellent</i>	(N=486) 15.4 %
<i>2: Very good</i>	(N=804) 25.5 %
<i>3: Good</i>	(N=1035) 32.8 %
<i>4: Fair</i>	(N=684) 21.7 %
<i>5: Poor</i>	(N=145) 4.6 %
<i>None of the above but missing:</i>	(N=1) 0 %

FOIA: B2a. Moderate activities [SF02]

<i>1: Yes, limited a lot</i>	(N=367) 11.6 %
<i>2: Yes, limited a little</i>	(N=585) 18.5 %
<i>3: No, not limited at all</i>	(N=2202) 69.8 %
<i>None of the above but missing:</i>	(N=1) 0 %

FOIA: B2b. Climbing several flights of stairs [SF03]

<i>1: Yes, limited a lot</i>	(N=464) 14.7 %
<i>2: Yes, limited a little</i>	(N=722) 22.9 %
<i>3: No, not limited at all</i>	(N=1967) 62.3 %
<i>None of the above but missing:</i>	(N=2) 0.1 %

FOIA: B3a. Accomplished less than you would like (physical) [SF04]

<i>1: Yes</i>	(N=837) 26.5 %
<i>2: No</i>	(N=2316) 73.4 %
<i>None of the above but missing:</i>	(N=2) 0.1 %

FOIA: B3b. Were limited in the kind of work or other activities [SF05]

1: Yes (N=810) 25.7 %
2: No (N=2342) 74.2 %
None of the above but missing: (N=3) 0.1 %

FOIA: B4a. Accomplished less than you would like (emotional) [SF06]

1: Yes (N=857) 27.2 %
2: No (N=2294) 72.7 %
None of the above but missing: (N=4) 0.1 %

FOIA: B4b. Didn't do work or other activities as carefully as usual [SF07]

1: Yes (N=695) 22 %
2: No (N=2456) 77.8 %
None of the above but missing: (N=4) 0.1 %

FOIA: B5. How much did pain interfere with your normal work [SF08]

1: Not at all (N=1761) 55.8 %
2: Slightly (N=647) 20.5 %
3: Moderately (N=365) 11.6 %
4: Quite a bit (N=261) 8.3 %
5: Extremely (N=119) 3.8 %
None of the above but missing: (N=2) 0.1 %

FOIA: B6a. Have you felt calm and peaceful [SF09]

1: None of the time (N=76) 2.4 %
2: A little of the time (N=332) 10.5 %
3: Some of the time (N=714) 22.6 %
4: A good bit of the time (N=609) 19.3 %
5: Most of the time (N=1046) 33.2 %
6: All of the time (N=372) 11.8 %
None of the above but missing: (N=6) 0.2 %

FOIA: B6b. Did you have a lot of energy [SF10]

1: None of the time (N=109) 3.5 %
2: A little of the time (N=361) 11.4 %
3: Some of the time (N=720) 22.8 %
4: A good bit of the time (N=696) 22.1 %
5: Most of the time (N=878) 27.8 %
6: All of the time (N=386) 12.2 %
None of the above but missing: (N=5) 0.2 %

FOIA: B6c. Have you felt downhearted and blue [SF11]

1: None of the time (N=1069) 33.9 %
2: A little of the time (N=1042) 33 %
3: Some of the time (N=595) 18.9 %
4: A good bit of the time (N=202) 6.4 %
5: Most of the time (N=165) 5.2 %
6: All of the time (N=74) 2.3 %
None of the above but missing: (N=8) 0.3 %

FOIA: B7. How much have physical or emotional problems interfered [SF12]

1: *None of the time* (N=1999) 63.4 %
2: *A little of the time* (N=502) 15.9 %
3: *Some of the time* (N=372) 11.8 %
4: *Most of the time* (N=188) 6 %
5: *All of the time* (N=90) 2.9 %
None of the above but missing: (N=4) 0.1 %

FOID: E3ai. Have you ever or are you currently receiving treatment [DIAB1TX]

1: *Yes, past* (N=0) 0 %
2: *Yes, current* (N=9) 0.3 %
3: *No* (N=3146) 99.7 %
None of the above but missing: (N=0) 0 %

FOID: E3bi. Have you ever or are you currently receiving treatment [DIAB2TX]

1: *Yes, past* (N=30) 1 %
2: *Yes, current* (N=356) 11.3 %
3: *No* (N=2751) 87.2 %
None of the above but missing: (N=18) 0.6 %

FOID: E3c. Elevated blood sugar [SUGAR]

-8: *DK* (N=0) 0 %
1: *Yes* (N=419) 13.3 %
2: *No* (N=2735) 86.7 %
None of the above but missing: (N=1) 0 %

FOID: E3ci. Have you ever or are you currently receiving treatment [SUGARTX]

1: *Yes, past* (N=50) 1.6 %
2: *Yes, current* (N=294) 9.3 %
3: *No* (N=2810) 89.1 %
None of the above but missing: (N=1) 0 %

FOID: E3d. Asthma [ASTHMA]

-8: *DK* (N=0) 0 %
1: *Yes* (N=555) 17.6 %
2: *No* (N=2596) 82.3 %
None of the above but missing: (N=4) 0.1 %

FOID: E3e. Chronic lung disease [CLUNG]

-8: *DK* (N=0) 0 %
1: *Yes* (N=222) 7 %
2: *No* (N=2928) 92.8 %
None of the above but missing: (N=5) 0.2 %

FOID: E3f. Allergies or eczema [ALLERGY]

-8: *DK* (N=0) 0 %
1: *Yes* (N=1042) 33 %
2: *No* (N=2103) 66.7 %
None of the above but missing: (N=10) 0.3 %

FOID: E3g. Coronary artery bypass or angioplasty [CABG]

-8: *DK* (N=0) 0 %
1: *Yes* (N=67) 2.1 %
2: *No* (N=3080) 97.6 %
None of the above but missing: (N=8) 0.3 %

FOID: E3h. Heart attack [MI]

-8: DK (N=0) 0 %
1: Yes (N=112) 3.5 %
2: No (N=3043) 96.5 %
None of the above but missing: (N=0) 0 %

FOID: E3i. Angina pectoris [ANGINA]

-8: DK (N=0) 0 %
1: Yes (N=197) 6.2 %
2: No (N=2957) 93.7 %
None of the above but missing: (N=1) 0 %

FOID: E3j. An irregular heartbeat or arrhythmia [ARRHYTH]

-8: DK (N=0) 0 %
1: Yes (N=92) 2.9 %
2: No (N=3063) 97.1 %
None of the above but missing: (N=0) 0 %

FOID: E3k. Congestive heart failure [CHF]

-8: DK (N=0) 0 %
1: Yes (N=48) 1.5 %
2: No (N=3106) 98.4 %
None of the above but missing: (N=1) 0 %

FOID: E3n. Carotid artery surgery [CAS]

-8: DK (N=0) 0 %
1: Yes (N=19) 0.6 %
2: No (N=3136) 99.4 %
None of the above but missing: (N=0) 0 %

FOID: E3o. Intermittent claudication [CLAUD]

-8: DK (N=0) 0 %
1: Yes (N=92) 2.9 %
2: No (N=3056) 96.9 %
None of the above but missing: (N=7) 0.2 %

FOID: E3p. PVD Surgery [SPVD]

-8: DK (N=0) 0 %
1: Yes (N=41) 1.3 %
2: No (N=3114) 98.7 %
None of the above but missing: (N=0) 0 %

FOID: E3q. Pulmonary embolus [PULMEMB]

-8: DK (N=0) 0 %
1: Yes (N=15) 0.5 %
2: No (N=3135) 99.4 %
None of the above but missing: (N=5) 0.2 %

FOID: E3r. Aortic aneurysm [ANEUR]

-8: DK (N=0) 0 %
1: Yes (N=10) 0.3 %
2: No (N=3140) 99.5 %
None of the above but missing: (N=5) 0.2 %

FOID: E3s. Heart-rhythm disturbance [HRD]

-8: DK (N=0) 0 %
1: Yes (N=224) 7.1 %
2: No (N=2929) 92.8 %
None of the above but missing: (N=2) 0.1 %

FOID: E3t. Deep vein thrombosis [DVT]

-8: DK (N=0) 0 %
1: Yes (N=44) 1.4 %
2: No (N=3108) 98.5 %
None of the above but missing: (N=3) 0.1 %

FOID: E3u. Raynauds disease [RAYNAUDS]

-8: DK (N=0) 0 %
1: Yes (N=70) 2.2 %
2: No (N=3076) 97.5 %
None of the above but missing: (N=9) 0.3 %

FOID: E3v. Peripheral vascular disease [PVD]

-8: DK (N=0) 0 %
1: Yes (N=52) 1.6 %
2: No (N=3101) 98.3 %
None of the above but missing: (N=2) 0.1 %

FOID: E3w. High cholesterol [CHOLEST]

-8: DK (N=0) 0 %
1: Yes (N=1028) 32.6 %
2: No (N=2117) 67.1 %
None of the above but missing: (N=10) 0.3 %

FOID: E3wi. Have you ever or are you currently receiving treatment [CHOLTX]

1: Yes, past (N=157) 5 %
2: Yes, current (N=577) 18.3 %
3: No (N=2411) 76.4 %
None of the above but missing: (N=10) 0.3 %

FOID: E3x. High blood pressure [HBP]

-8: DK (N=0) 0 %
1: Yes (N=1060) 33.6 %
2: No (N=2088) 66.2 %
None of the above but missing: (N=7) 0.2 %

FOID: E3xi. Have you ever or are you currently receiving treatment [HBPTX]

1: Yes, past (N=103) 3.3 %
2: Yes, current (N=851) 27 %
3: No (N=2194) 69.5 %
None of the above but missing: (N=7) 0.2 %

FOID: E3y. Kidney disease [KIDNEY]

-8: DK (N=0) 0 %
1: Yes (N=78) 2.5 %
2: No (N=3076) 97.5 %
None of the above but missing: (N=1) 0 %

FOID: E3z. Arthritis or rheumatism [ARTHRR]

-8: DK (N=0) 0 %
1: Yes (N=903) 28.6 %
2: No (N=2239) 71 %
None of the above but missing: (N=13) 0.4 %

FOID: E3dd. Cancer [CANCER1]

-8: DK (N=0) 0 %
1: Yes (N=211) 6.7 %
2: No (N=2934) 93 %
None of the above but missing: (N=10) 0.3 %

FOID: E3gg. Gestational diabetes [GDIAB]

-8: DK (N=0) 0 %
1: Yes (N=87) 2.8 %
2: No (N=1884) 59.7 %
None of the above but missing: (N=1184) 37.5 %

FOIE: T1c. E6b. Have any of your primary blood relatives had diabetes? (edited response, 1=Y)

[DIABFHX]

1: Yes (N=1304) 41.3 %
2: No (N=1851) 58.7 %
None of the above but missing: (N=0) 0 %

FOIE: E6c. Heart attack (is non circled) [MIFHX]

1: Yes (N=2125) 67.4 %
2: No (N=1024) 32.5 %
None of the above but missing: (N=6) 0.2 %

FOIE: E6d. Stroke (is none circled) [STROKFHX]

1: Yes (N=2543) 80.6 %
2: No (N=606) 19.2 %
None of the above but missing: (N=6) 0.2 %

FOIE: E8a. An urgent (acute) problem [HCPURG]

1: Yes (N=1134) 35.9 %
2: No (N=2017) 63.9 %
None of the above but missing: (N=4) 0.1 %

FOIE: E8b. A routine visit for an ongoing problem [HCPROUT]

1: Yes (N=1761) 55.8 %
2: No (N=1389) 44 %
None of the above but missing: (N=5) 0.2 %

FOIE: E8c. A flare-up of an ongoing problem [HCPFLARE]

1: Yes (N=911) 28.9 %
2: No (N=2237) 70.9 %
None of the above but missing: (N=7) 0.2 %

FOIE: E8d. Pre- or post-surgery/injury care [HCPSURG]

1: Yes (N=529) 16.8 %
2: No (N=2617) 82.9 %
None of the above but missing: (N=9) 0.3 %

FOIE: E8e. Non-illness care [HCPOTH]

1: Yes (N=2728) 86.5 %
2: No (N=423) 13.4 %
None of the above but missing: (N=4) 0.1 %

FOIE: E9. When did you last see a health care provider [LASTHCP]

1: 6 months or less (N=2510) 79.6 %
2: More than 6 months, less than (N=399) 12.6 %
3: More than 1 year, less than 2 (N=141) 4.5 %
4: More than 2 years, less than (N=64) 2 %
5: 5 years or more (N=37) 1.2 %
None of the above but missing: (N=4) 0.1 %

FOIE: E10a. Do you go for regular care [REGCARE]

1: Yes (N=2754) 87.3 %
2: No (N=350) 11.1 %
None of the above but missing: (N=51) 1.6 %

FOIE: E10a1. An outpatient clinic or doctor's office [OUTPAT]

1: Yes (N=2036) 64.5 %
2: No (N=1112) 35.2 %
None of the above but missing: (N=7) 0.2 %

FOIE: E10a2. An HMO [HMO]

1: Yes (N=695) 22 %
2: No (N=2445) 77.5 %
None of the above but missing: (N=15) 0.5 %

FOIE: E10a3. A hospital emergency room [HOSPER]

1: Yes (N=215) 6.8 %
2: No (N=2931) 92.9 %
None of the above but missing: (N=9) 0.3 %

FOIE: E10a4. A hospital outpatient clinic [HOUTPAT]

1: Yes (N=1128) 35.8 %
2: No (N=2019) 64 %
None of the above but missing: (N=8) 0.3 %

FOIE: F1a. How often did you (participate in sitting) [SITTING]

0: Never (N=58) 1.8 %
1: Seldom (1-2 days) (N=215) 6.8 %
2: Sometimes (3-4 days) (N=561) 17.8 %
3: Often (5-7 days) (N=2316) 73.4 %
None of the above but missing: (N=5) 0.2 %

FOIE: F1ai. How many hours per day (participate in sitting) [SITDUR]

0: never (N=58) 1.8 %
1: Less than 1 hour (N=342) 10.8 %
2: 1 but less than 2 hours (N=638) 20.2 %
3: 2-4 hours (N=934) 29.6 %
4: More than 4 hours (N=1178) 37.3 %
None of the above but missing: (N=5) 0.2 %

FOIE: F1b. How often did you (take a walk) [WALK]

0: Never	(N=361) 11.4 %
1: Seldom (1-2 days)	(N=643) 20.4 %
2: Sometimes (3-4 days)	(N=709) 22.5 %
3: Often (5-7 days)	(N=1433) 45.4 %
None of the above but missing:	(N=9) 0.3 %

FOIE: F1bi. How many hours per day (take a walk) [WALKDUR]

0: never	(N=361) 11.4 %
1: Less than 1 hour	(N=1205) 38.2 %
2: 1 but less than 2 hours	(N=829) 26.3 %
3: 2-4 hours	(N=445) 14.1 %
4: More than 4 hours	(N=301) 9.5 %
None of the above but missing:	(N=14) 0.4 %

FOIE: F1c. How often did you (engage in light sport) [LTSPORT]

0: Never	(N=2537) 80.4 %
1: Seldom (1-2 days)	(N=362) 11.5 %
2: Sometimes (3-4 days)	(N=146) 4.6 %
3: Often (5-7 days)	(N=103) 3.3 %
None of the above but missing:	(N=7) 0.2 %

FOIE: F1ci. How many hours per day (engage in light sport) [LTSPDUR]

0: never	(N=2537) 80.4 %
1: Less than 1 hour	(N=269) 8.5 %
2: 1 but less than 2 hours	(N=189) 6 %
3: 2-4 hours	(N=114) 3.6 %
4: More than 4 hours	(N=39) 1.2 %
None of the above but missing:	(N=7) 0.2 %

FOIE: F1d. How often did you (engage in moderate sport) [MDSPORT]

0: Never	(N=2585) 81.9 %
1: Seldom (1-2 days)	(N=337) 10.7 %
2: Sometimes (3-4 days)	(N=153) 4.8 %
3: Often (5-7 days)	(N=75) 2.4 %
None of the above but missing:	(N=5) 0.2 %

FOIE: F1di. How many hours per day (engage in moderate sport) [MDSPDUR]

0: never	(N=2585) 81.9 %
1: Less than 1 hour	(N=196) 6.2 %
2: 1 but less than 2 hours	(N=201) 6.4 %
3: 2-4 hours	(N=119) 3.8 %
4: More than 4 hours	(N=49) 1.6 %
None of the above but missing:	(N=5) 0.2 %

FOIE: F1e. How often did you (engage in strenuous sport) [STSPORT]

0: Never	(N=2585) 81.9 %
1: Seldom (1-2 days)	(N=245) 7.8 %
2: Sometimes (3-4 days)	(N=204) 6.5 %
3: Often (5-7 days)	(N=117) 3.7 %
None of the above but missing:	(N=4) 0.1 %

FOIE: F1ei. How many hours per day (engage in strenuous sport) [STSPDUR]

0: *never* (N=2585) 81.9 %
1: *Less than 1 hour* (N=211) 6.7 %
2: *1 but less than 2 hours* (N=224) 7.1 %
3: *2-4 hours* (N=97) 3.1 %
4: *More than 4 hours* (N=33) 1 %
None of the above but missing: (N=5) 0.2 %

FOIE: F1f. How often did you (exercise to increase strength) [STRENGTH]

0: *Never* (N=2160) 68.5 %
1: *Seldom (1-2 days)* (N=419) 13.3 %
2: *Sometimes (3-4 days)* (N=329) 10.4 %
3: *Often (5-7 days)* (N=243) 7.7 %
None of the above but missing: (N=4) 0.1 %

FOIE: F1fi. How many hours per day (exercise to increase strength) [STRENDUR]

0: *never* (N=2160) 68.5 %
1: *Less than 1 hour* (N=591) 18.7 %
2: *1 but less than 2 hours* (N=295) 9.4 %
3: *2-4 hours* (N=71) 2.3 %
4: *More than 4 hours* (N=33) 1 %
None of the above but missing: (N=5) 0.2 %

FOIE: F2. Have you done any light housework [LTHSWORK]

1: *Yes* (N=2948) 93.4 %
2: *No* (N=205) 6.5 %
None of the above but missing: (N=2) 0.1 %

FOIE: F3. Have you done any heavy housework [HVHSWORK]

1: *Yes* (N=2223) 70.5 %
2: *No* (N=928) 29.4 %
None of the above but missing: (N=4) 0.1 %

FOIE: F4a. Home repairs [HOMEREP]

1: *Yes* (N=444) 14.1 %
2: *No* (N=2708) 85.8 %
None of the above but missing: (N=3) 0.1 %

FOIE: F4b. Lawn work or yard care [LAWNWORK]

1: *Yes* (N=670) 21.2 %
2: *No* (N=2483) 78.7 %
None of the above but missing: (N=2) 0.1 %

FOIE: F4c. Outdoor gardening [GARDEN]

1: *Yes* (N=448) 14.2 %
2: *No* (N=2705) 85.7 %
None of the above but missing: (N=2) 0.1 %

FOIE: F4d. Caretaking of another person [CARETAK]

1: *Yes* (N=1419) 45 %
2: *No* (N=1734) 55 %
None of the above but missing: (N=2) 0.1 %

FOIE: F5. Did you work for pay or as a volunteer [WORK7DY]

1: Yes (N=1878) 59.5 %
2: No (N=1273) 40.3 %
None of the above but missing: (N=4) 0.1 %

FOIE: F5b. Which describes the amount of physical activity at your job [PHYSWORK]

0: no physical activity (N=1273) 40.3 %
1: Mainly sitting with slight arm movement (N=273) 8.7 %
2: Sitting or standing with some walking (N=684) 21.7 %
3: Walking, with some handling of materials weighing <50lb (N=685) 21.7 %
4: Walking + heavy manual work often requiring handling of materials weighing >50lbs (N=231) 7.3 %
None of the above but missing: (N=9) 0.3 %

FOIF: G3a. Female only: A hysterectomy...? [HYSTER]

1: Yes (N=359) 11.4 %
2: No (N=1611) 51.1 %
None of the above but missing: (N=1185) 37.6 %

FOIF: G3b. An ovary removed? [OVARMD]

1: Yes (N=297) 9.4 %
2: No (N=1670) 52.9 %
None of the above but missing: (N=1188) 37.7 %

FOIF: G5. Have you had a menstrual period - 12 months? [MP12MO]

1: Yes (N=988) 31.3 %
2: No (N=982) 31.1 %
None of the above but missing: (N=1185) 37.6 %

FOIF: G5a1. Medication, chemotherapy... [STOPTX]

1: Yes (N=39) 1.2 %
2: No (N=1921) 60.9 %
None of the above but missing: (N=1195) 37.9 %

FOIF: G5a3. Menopause [STOPMENO]

1: Yes (N=661) 21 %
2: No (N=1303) 41.3 %
None of the above but missing: (N=1191) 37.7 %

FOIF: G5a4. Severe weight loss or another reason [STOPWTOT]

1: Yes (N=243) 7.7 %
2: No (N=1716) 54.4 %
None of the above but missing: (N=1196) 37.9 %

FOIF: G6. Compared to a year ago, has the number of days? [MPLPRED]

1: Yes (N=439) 13.9 %
2: No (N=1528) 48.4 %
None of the above but missing: (N=1188) 37.7 %

FOIF: G7. Have you had a menstrual period in the past 3 months? [MP3MO]

1: Yes (N=900) 28.5 %
2: No (N=1069) 33.9 %
None of the above but missing: (N=1186) 37.6 %

FOIF: H1. I felt depressed [CESD1]

1: Yes (N=928) 29.4 %
2: No (N=2223) 70.5 %
None of the above but missing: (N=4) 0.1 %

FOIF: H2. I felt that everything I did was an effort [CESD2]

1: Yes (N=1073) 34 %
2: No (N=2078) 65.9 %
None of the above but missing: (N=4) 0.1 %

FOIF: H3. My sleep was restless [CESD3]

1: Yes (N=1281) 40.6 %
2: No (N=1869) 59.2 %
None of the above but missing: (N=5) 0.2 %

FOIF: H4. I was happy [CESD4]

1: Yes (N=2422) 76.8 %
2: No (N=729) 23.1 %
None of the above but missing: (N=4) 0.1 %

FOIF: H5. I felt lonely [CESD5]

1: Yes (N=888) 28.1 %
2: No (N=2262) 71.7 %
None of the above but missing: (N=5) 0.2 %

FOIF: H6. I enjoyed life [CESD6]

1: Yes (N=2649) 84 %
2: No (N=498) 15.8 %
None of the above but missing: (N=8) 0.3 %

FOIF: H7. I felt sad [CESD7]

1: Yes (N=1097) 34.8 %
2: No (N=2053) 65.1 %
None of the above but missing: (N=5) 0.2 %

FOIF: H8. I could not "get going" [CESD8]

1: Yes (N=704) 22.3 %
2: No (N=2444) 77.5 %
None of the above but missing: (N=7) 0.2 %

FOIF: H9a. In the last six months, has anyone close caused you worry ? [WORRY]

1: Yes (N=1515) 48 %
2: No (N=1636) 51.9 %
None of the above but missing: (N=4) 0.1 %

FOIF: H9b1. A spouse or partner? [WORSPSE]

1: Yes (N=518) 16.4 %
2: No (N=2631) 83.4 %
None of the above but missing: (N=6) 0.2 %

FOIF: H9b2. A parent? [WORPARNT]

1: Yes (N=424) 13.4 %
2: No (N=2726) 86.4 %
None of the above but missing: (N=5) 0.2 %

FOIF: H9b3. A child? [WORCHILD]

1: Yes (N=782) 24.8 %
2: No (N=2368) 75.1 %
None of the above but missing: (N=5) 0.2 %

FOIF: H9b4. A sibling? [WORSIB]

1: Yes (N=375) 11.9 %
2: No (N=2774) 87.9 %
None of the above but missing: (N=6) 0.2 %

FOIF: H9b5. Another relative or friend? [WOROTH]

1: Yes (N=453) 14.4 %
2: No (N=2696) 85.5 %
None of the above but missing: (N=6) 0.2 %

FOIF: H9b6. Someone at work? [WORWORK]

1: Yes (N=223) 7.1 %
2: No (N=2926) 92.7 %
None of the above but missing: (N=6) 0.2 %

FOIF: J1. Have you smoked at least 100 cigarettes during life? [CIGS100]

1: Yes (N=1558) 49.4 %
2: No (N=1596) 50.6 %
None of the above but missing: (N=1) 0 %

FOIF: J2. Do you smoke cigarettes now? [CIGSNOW]

1: Yes (N=735) 23.3 %
2: No (N=2415) 76.5 %
None of the above but missing: (N=5) 0.2 %

FOIF: J8. Have you ever had an alcoholic drink? [EVRETOH]

1: Yes (N=2786) 88.3 %
2: No (N=364) 11.5 %
None of the above but missing: (N=5) 0.2 %

FOIF: J10. Considering, how many times during the last 30 days? [BNGE30DY]



N= 3147
Mean(SD)=0.6(2.8)
Median(Q1,Q3)=0.0(0.0,0.0)
Range=0.0-30.0
None of the above but missing= 8

FOIF: J11. Now, how many drinks on average... those occasions? [AVGNDRNK]



N= 3145
Mean(SD)=2.0(2.8)
Median(Q1,Q3)=1.0(0.0,3.0)
Range=0.0-48.0
None of the above but missing= 10

FOIF: J12a. Water [H2O]



N= 3148
Mean(SD)=4.4(3.4)
Median(Q1,Q3)=4.0(2.0,6.0)
Range=0.0-50.0
None of the above but missing= 7

FOIF: J12b. Juice [JUICE]



N= 3149
Mean(SD)=1.5(1.8)
Median(Q1,Q3)=1.0(0.0,2.0)
Range=0.0-20.0
None of the above but missing= 6

FOIF: J12c. Soda [SODA]



N= 3149
Mean(SD)=1.3(2.1)
Median(Q1,Q3)=1.0(0.0,2.0)
Range=0.0-50.0
None of the above but missing= 6

FOIF: J12d. Decaffeinated coffee [DCOFFEE]



N= 3149
Mean(*SD*)=0.2(0.7)
Median(*Q1*,*Q3*)=0.0(0.0,0.0)
Range=0.0-12.0
None of the above but missing= 6

FOIF: J12e. Coffee [COFFEE]



N= 3150
Mean(*SD*)=1.3(1.7)
Median(*Q1*,*Q3*)=1.0(0.0,2.0)
Range=0.0-20.0
None of the above but missing= 5

FOIF: J12f. Tea [TEA]



N= 3146
Mean(*SD*)=0.6(1.3)
Median(*Q1*,*Q3*)=0.0(0.0,1.0)
Range=0.0-25.0
None of the above but missing= 9

FOIF: J12g. Herbal tea [HERBTEA]



N= 3150
Mean(*SD*)=0.3(0.8)
Median(*Q1*,*Q3*)=0.0(0.0,0.0)
Range=0.0-10.0
None of the above but missing= 5

FOIF: J12h. Milk [MILK]



N= 3150
Mean(SD)=0.9(1.3)
Median(Q1,Q3)=1.0(0.0,1.0)
Range=0.0-16.0
None of the above but missing= 5

FOIG: K17. How much do you usually sleep? [AVGSLEEP]

1: Less than 5 hours a night (N=255) 8.1 %
2: Or more than 5 hours a night (N=926) 29.4 %
None of the above but missing: (N=1974) 62.6 %

FOIG: K18. Have you recently been bothered by headaches? [HEADACHE]

1: Yes (N=225) 7.1 %
2: No (N=956) 30.3 %
None of the above but missing: (N=1974) 62.6 %

FOIG: L2. Were you born in the United States? [BORNUS]

1: Yes (N=1907) 60.4 %
2: No (N=1245) 39.5 %
None of the above but missing: (N=3) 0.1 %


FOIG: L5. What is the first language you learned to speak? [FRSTLANG]

1: English (N=35) 1.1 %
2: English + Spanish simultaneo (N=46) 1.5 %
3: Spanish (N=935) 29.6 %
99: Or something else (N=13) 0.4 %
None of the above but missing: (N=2126) 67.4 %

FOIG: L7. What is your current marital status? [MARITAL]

1: Married (N=1183) 37.5 %
2: Living with a partner (N=222) 7 %
3: Divorced/separated (N=691) 21.9 %
4: Widowed (N=215) 6.8 %
5: Single, never married (N=821) 26 %
99: Other (N=18) 0.6 %
None of the above but missing: (N=5) 0.2 %

FOIG: L8. How many years of school have you completed? (truncated to 30) [EDUC]



N= 3150
Mean(SD)=12.9(4.3)
Median(Q1,Q3)=12.0(11.0,16.0)
Range=0.0-30.0
None of the above but missing= 5

FOIG: L9. Which describes best your current work situation? [WORKSTAT]

1: Working for pay	(N=1711) 54.2 %
2: Unemployed/looking for work	(N=227) 7.2 %
3: Temporarily laid off, sick/ot	(N=69) 2.2 %
4: Disabled	(N=548) 17.4 %
5: Retired	(N=343) 10.9 %
6: Homemaker	(N=188) 6 %
7: Full time student	(N=9) 0.3 %
99: Other	(N=51) 1.6 %
None of the above but missing:	(N=9) 0.3 %

FOIG: L10. Are you working 35 hours more or less each week? [FULLTIME]

1: 35 hrs or more/wk	(N=1244) 39.4 %
2: Less than 35 hrs/wk	(N=1842) 58.4 %
None of the above but missing:	(N=69) 2.2 %

FOIG: L12. How many people are supported in your household? (truncated to 15) [NUMPEOP]



N= 3149
Mean(SD)=2.4(1.5)
Median(Q1,Q3)=2.0(1.0,3.0)
Range=1.0-11.0
None of the above but missing= 6

FOIG: L13a. Transportation [TRTRANS]

1: Yes	(N=537) 17 %
2: No	(N=2614) 82.9 %
None of the above but missing:	(N=4) 0.1 %

FOIG: L13b. Housing [TRHOUS]

1: Yes	(N=600) 19 %
2: No	(N=2551) 80.9 %
None of the above but missing:	(N=4) 0.1 %

FOIG: L13c. Health or medical care [TRHLTH]


1: Yes	(N=647) 20.5 %
2: No	(N=2502) 79.3 %
None of the above but missing:	(N=6) 0.2 %

FOIG: L13d. Food [TRFOOD]


1: Yes	(N=570) 18.1 %
2: No	(N=2581) 81.8 %
None of the above but missing:	(N=4) 0.1 %

FOIG: L14. Income [INCOMEH]


-8: <i>REFUSED</i>	(N=0) 0 %
-7: <i>DON'T KNOW</i>	(N=0) 0 %
1: <i>Less than \$5,000</i>	(N=342) 10.8 %
2: <i>\$5,000 - \$9,999</i>	(N=524) 16.6 %
3: <i>\$10,000 - \$19,999</i>	(N=461) 14.6 %
4: <i>\$20,000 - \$29,999</i>	(N=414) 13.1 %
5: <i>\$30,000 - \$39,999</i>	(N=281) 8.9 %
6: <i>\$40,000 - \$49,999</i>	(N=211) 6.7 %
7: <i>\$50,000 - \$59,999</i>	(N=156) 4.9 %
8: <i>\$60,000 - \$69,999</i>	(N=143) 4.5 %
9: <i>\$70,000 - \$79,999</i>	(N=107) 3.4 %
10: <i>\$80,000 - \$89,999</i>	(N=80) 2.5 %
11: <i>\$90,000 - \$99,999</i>	(N=53) 1.7 %
12: <i>\$100,000 or more</i>	(N=199) 6.3 %
<i>None of the above but missing:</i>	(N=184) 5.8 %

FOSC: C2. Arm circumference [ARMCIR]

N= 3140
 Mean(SD)=31.5(4.5)
 Median(Q1,Q3)=31.0(28.4,34.0)
 Range=13.5-63.2
 None of the above but missing= 15


FLAB: T1. CHOL_MGDL (mg/dL) (Max value 444) [CHOL_MGDL]

N= 2147
 Mean(SD)=198.0(41.1)
 Median(Q1,Q3)=194.0(169.0,223.0)
 Range=94.0-398.0
 None of the above but missing= 1008

FLAB: T1. TGGB_MGDL (mg/dL) (Max value 1827) [TGGB_MGDL]


N= 2147
 Mean(SD)=159.0(118.2)
 Median(Q1,Q3)=127.0(87.0,195.0)
 Range=26.0-1520.0
 None of the above but missing= 1008

FLAB: T1. HDLC_MGDL (mg/dL) (Max value 140) [HDLC_MGDL]




N= 2146
Mean(SD)=49.7(15.1)
Median(Q1,Q3)=47.2(39.0,58.0)
Range=12.0-118.0
None of the above but missing= 1009

FLAB: T1. APO_B_MGDL (mg/dL) (Max value 184) [APO_B_MGDL]



N= 993
Mean(SD)=90.3(25.4)
Median(Q1,Q3)=88.5(71.7,106.0)
Range=25.9-178.0
None of the above but missing= 2162

FLAB: T1. APO_A1_MGDL (mg/dL) (Max value 275) [APO_A1_MGDL]




N= 991
Mean(SD)=131.0(27.8)
Median(Q1,Q3)=127.0(112.0,145.0)
Range=71.3-260.0
None of the above but missing= 2164

FLAB: T1. CORTISOL (ug/dl)(Max value 34) [CORTISOL]



N= 990
Mean(SD)=12.4(5)
Median(Q1,Q3)=11.8(8.8,15.5)
Range=1.9-31.6
None of the above but missing= 2165

FLAB: T1. CRP (mg/l) (Max value 15) [CRP_MG_L]



N= 2050
Mean(SD)=2.3(2.3)
Median(Q1,Q3)=1.4(0.6,3.3)
Range=0.0-14.6
None of the above but missing= 1105

FLAB: T1. RESULTS (micro mol/Liter) [FRUC_UMOLL]



N= 2132
Mean(SD)=239.0(47)
Median(Q1,Q3)=230.0(215.0,247.0)
Range=149.0-788.0
None of the above but missing= 1023

FOIG: T1c. Age at Baseline Interview [AGE]



N= 3155
Mean(SD)=50.5(11.9)
Median(Q1,Q3)=49.6(40.8,59.0)
Range=27.0-80.6
None of the above but missing= 0

FOIG: T1c. From which hispanic region are you from? [HISPORIG]

1: Mexican	(N=10) 0.3 %
2: Puerto Rican	(N=312) 9.9 %
3: Cuban	(N=18) 0.6 %
4: Spanish	(N=7) 0.2 %
5: Central American	(N=177) 5.6 %
6: South American	(N=127) 4 %
7: Dominican Republic	(N=332) 10.5 %
8: Other	(N=12) 0.4 %
9: Two or more	(N=41) 1.3 %
None of the above but missing:	(N=2119) 67.2 %

FOIG: T1c. From which hispanic region are you from? [HISPORIG2]

1: *PR* (N=312) 9.9 %
2: *CA* (N=177) 5.6 %
3: *SA* (N=127) 4 %
4: *DR* (N=332) 10.5 %
5: *all others* (N=88) 2.8 %
None of the above but missing: (N=2119) 67.2 %

S0MD: T1. (INSU) INSULIN COALITION [SCOINSUL]

1: *Yes* (N=123) 3.9 %
2: *No* (N=3032) 96.1 %
None of the above but missing: (N=0) 0 %

S0MD: T1. (HCRI) HMG-COA REDUCTASE INHIBITORS (STATINS) [SSTATIN]

1: *Yes* (N=496) 15.7 %
2: *No* (N=2659) 84.3 %
None of the above but missing: (N=0) 0 %

S0MD: T1. (NIAD) NON-INSULIN ANTIDIABETIC COALITION [SCODIAB]

1: *Yes* (N=320) 10.1 %
2: *No* (N=2835) 89.9 %
None of the above but missing: (N=0) 0 %


S0MD: T1c. Any type of hypertensive [SANYAHT]

1: *Yes* (N=953) 30.2 %
2: *No* (N=2202) 69.8 %
None of the above but missing: (N=0) 0 %

S0MD: T1c. Any type of antidepressive [SANYADEP]


1: *Yes* (N=528) 16.7 %
2: *No* (N=2627) 83.3 %
None of the above but missing: (N=0) 0 %

FOPM: B2. Weight [WEIGHT]




N= 3146
Mean(SD)=82.7(20.2)
Median(Q1,Q3)=80.0(68.3,92.9)
Range=36.4-188.0
None of the above but missing= 9

FOPM: B3. Waist circumference [WAISTCIR]



N= 3142
Mean(SD)=95.2(15.8)
Median(Q1,Q3)=93.5(84.2,105.0)
Range=60.1-166.0
None of the above but missing= 13

FOPM: B4. Hip circumference [HIPCIR]



N= 3140
Mean(SD)=109.0(13.9)
Median(Q1,Q3)=106.0(99.5,115.0)
Range=70.0-180.0
None of the above but missing= 15

FOID: T1c. cleaned status of type 1 diabetes [DIAB1CLEAN]

1: Yes (N=9) 0.3 %
2: No (N=3146) 99.7 %
None of the above but missing: (N=0) 0 %

FOID: T1c. cleaned status of type 2 diabetes [DIAB2CLEAN]

1: Yes (N=423) 13.4 %
2: No (N=2732) 86.6 %
None of the above but missing: (N=0) 0 %

FOSC: T1c. 8 hour fasting status for lab results [BACH1_FAST]


1: Yes (N=204) 6.5 %
2: No (N=1194) 37.8 %
None of the above but missing: (N=1757) 55.7 %

Servings of vegetables [VEGSRV0]




N= 2161
Mean(SD)=1.4(1.2)
Median(Q1,Q3)=1.1(0.6,1.8)
Range=0.0-11.8
None of the above but missing= 994

Freq. fruits,fr.juices [FRUITSRV0]




N= 2161
Mean(*SD*)=1.1(0.8)
Median(*Q1*,*Q3*)=1.0(0.5,1.5)
Range=0.0-5.0
None of the above but missing= 994

Svs brd,cerl,rice,pasta [GRAINSRV0]



N= 2161
Mean(*SD*)=4.5(2.8)
Median(*Q1*,*Q3*)=4.1(2.6,5.7)
Range=0.0-21.7
None of the above but missing= 994

Svs mt,fish,poul,bns,eggs [MEATSRV0]



N= 2161
Mean(*SD*)=2.1(1.3)
Median(*Q1*,*Q3*)=1.8(1.2,2.6)
Range=0.1-10.7
None of the above but missing= 994

FFQ1: T1c. Sodium, adjusted for calorie intake [SODI_A0]



N= 2161
Mean(*SD*)=2090.0(565.9)
Median(*Q1*,*Q3*)=2040.0(1720.0,2410.0)
Range=403.0-4700.0
None of the above but missing= 994

FFQ1: T1c. Saturated fat, adjusted for calorie intake [SFAT_A0]



N= 2161
Mean(*SD*)=19.4(5.7)
Median(*Q1*,*Q3*)=19.1(15.6,22.9)
Range=3.1-53.6
None of the above but missing= 994

FFQ1: T1c. Fiber, adjusted for calorie intake [FIBE_A0]




N= 2161
Mean(*SD*)=11.8(5.3)
Median(*Q1*,*Q3*)=10.8(8.2,14.3)
Range=0.8-49.2
None of the above but missing= 994

T1c: Occupation grp combined BACH I [OCCUGRP]


1: Management, Professional, and Related Occupations	(<i>N</i> =1017) 32.2 %
2: Service Occupations	(<i>N</i> =815) 25.8 %
3: Sales and Office Occupations	(<i>N</i> =601) 19 %
4: Farming, Fishing, and Forestry Occupations	(<i>N</i> =4) 0.1 %
5: Construction, Extraction, Maintenance, and Repair Occupations	(<i>N</i> =267) 8.5 %
6: Production, Transportation, and Material Moving Occupations	(<i>N</i> =342) 10.8 %
7: Never worked	(<i>N</i> =100) 3.2 %
9: Missing	(<i>N</i> =0) 0 %
<i>None of the above but missing:</i>	(<i>N</i> =9) 0.3 %

FOLD: T1c. How much did you weigh at 25 years of age? [WT25KG]



N= 3092
Mean(*SD*)=65.1(16)
Median(*Q1*,*Q3*)=61.2(54.4,72.6)
Range=31.8-193.0
None of the above but missing= 63

FOID: T1c. What is the most you have ever weighed [MXWTKG]



N= 3078
Mean(SD)=88.1(22.9)
Median(Q1,Q3)=83.9(72.6,99.8)
Range=40.8-227.0
None of the above but missing= 77

FOIE: T1c.Has private Insurance [INSPR]

1: Yes (N=1531) 48.5 %
2: No (N=1621) 51.4 %
None of the above but missing: (N=3) 0.1 %


FOIE: T1c. Has public Insurance [INSPU]

1: Yes (N=1328) 42.1 %
2: No (N=1823) 57.8 %
None of the above but missing: (N=4) 0.1 %

FOID: T1c.Have you ever been told you had a stroke, tia or mild stroke? [STROKETIA]


1: Yes (N=77) 2.4 %
2: No (N=3077) 97.5 %
None of the above but missing: (N=1) 0 %

FOSC: C4c: averaged systolic blood pressure [SBP]



N= 3142
Mean(SD)=123.0(17.4)
Median(Q1,Q3)=121.0(111.0,132.0)
Range=75.0-240.0
None of the above but missing= 13

FOSC: C5c: averaged diastolic blood pressure [DBP]



N= 3142
Mean(SD)=76.0(11)
Median(Q1,Q3)=77.0(69.0,82.0)
Range=40.0-152.0
None of the above but missing= 13

FOIF: T1c.Have you had an alcoholic drink in the last 30 days? [ALCOH30DY]

1: Yes (N=1764) 55.9 %
2: No (N=1387) 44 %
None of the above but missing: (N=4) 0.1 %

FOIF: T1: Avg # beers/day [BDRINK]



N= 3149
Mean(SD)=0.3(1.2)
Median(Q1,Q3)=0.0(0.0,0.1)
Range=0.0-21.0
None of the above but missing= 6

FOIF: T1c.Avg # glasses of wine/day [WDRINK]




N= 3145
Mean(SD)=0.2(0.5)
Median(Q1,Q3)=0.0(0.0,0.1)
Range=0.0-7.5
None of the above but missing= 10

FOIF: T1c.Avg # hard alcohol drinks/day [LDRINK]



N= 3148
Mean(SD)=0.2(0.9)
Median(Q1,Q3)=0.0(0.0,0.1)
Range=0.0-25.0
None of the above but missing= 7

FOISC: T1c. Avg of two seated pulses (beats/30 sec) [AVGPULSE]



N= 3143
Mean(SD)=36.3(5.5)
Median(Q1,Q3)=36.0(32.5,40.0)
Range=16.5-78.0
None of the above but missing= 12

FOFA: A6. Language [LANG_ENSP_1]

1: *ENGLISH* (N=2350) 74.5 %
2: *SPANISH* (N=795) 25.2 %
None of the above but missing: (N=10) 0.3 %

FOFA: A7. Mode [MODE_1]

1: *IN-PERSON* (N=3102) 98.3 %
2: *TELEPHONE* (N=43) 1.4 %
None of the above but missing: (N=10) 0.3 %

FOFA: B1. In general, would you say your health is [SF01_1]

1: *Excellent* (N=327) 10.4 %
2: *Very good* (N=774) 24.5 %
3: *Good* (N=1136) 36 %
4: *Fair* (N=781) 24.8 %
5: *Poor* (N=127) 4 %
None of the above but missing: (N=10) 0.3 %

FOFA: B2a. Moderate activities [SF02_1]

1: *Yes, limited a lot* (N=386) 12.2 %
2: *Yes, limited a little* (N=742) 23.5 %
3: *No, not limited at all* (N=2016) 63.9 %
None of the above but missing: (N=11) 0.3 %

FOFA: B2b. Climbing several flights of stairs [SF03_1]

1: *Yes, limited a lot* (N=493) 15.6 %
2: *Yes, limited a little* (N=896) 28.4 %
3: *No, not limited at all* (N=1753) 55.6 %
None of the above but missing: (N=13) 0.4 %

FOFA: B3a. Accomplished less than you would like (physical) [SF04_1]

1: *All of the Time* (N=128) 4.1 %
2: *Most of the Time* (N=292) 9.3 %
3: *Some of the time* (N=625) 19.8 %
4: *A little of the Time* (N=483) 15.3 %
5: *None of the Time* (N=1617) 51.3 %
None of the above but missing: (N=10) 0.3 %

FOFA: B3b. Were limited in the kind of work or other activities [SF05_1]

1: *All of the Time* (N=141) 4.5 %
2: *Most of the Time* (N=256) 8.1 %
3: *Some of the time* (N=591) 18.7 %
4: *A little of the Time* (N=430) 13.6 %
5: *None of the Time* (N=1727) 54.7 %
None of the above but missing: (N=10) 0.3 %

FOFA: B4a. Accomplished less than you would like (emotional-) [SF06_1]

1: *All of the Time* (N=76) 2.4 %
2: *Most of the Time* (N=207) 6.6 %
3: *Some of the time* (N=551) 17.5 %
4: *A little of the Time* (N=544) 17.2 %
5: *None of the Time* (N=1766) 56 %
None of the above but missing: (N=11) 0.3 %

FOFA: B4b. Didn't do work or other activities as carefully as usual [SF07_1]

1: All of the Time	(N=66) 2.1 %
2: Most of the Time	(N=152) 4.8 %
3: Some of the time	(N=466) 14.8 %
4: A little of the Time	(N=464) 14.7 %
5: None of the Time	(N=1995) 63.2 %
None of the above but missing:	(N=12) 0.4 %

FOFA: B5. How much did pain interfere with your normal work [SF08_1]

1: Not at all	(N=1459) 46.2 %
2: Slightly	(N=755) 23.9 %
3: Moderately	(N=500) 15.8 %
4: Quite a bit	(N=326) 10.3 %
5: Extremely	(N=105) 3.3 %
None of the above but missing:	(N=10) 0.3 %

FOFA: B6a. Have you felt calm and peaceful [SF09_1]

1: All of the Time	(N=578) 18.3 %
2: Most of the Time	(N=1249) 39.6 %
3: Some of the time	(N=869) 27.5 %
4: A Little of the Time	(N=368) 11.7 %
5: None of the Time	(N=81) 2.6 %
None of the above but missing:	(N=10) 0.3 %

FOFA: B6b. Did you have a lot of energy [SF10_1]

1: All of the Time	(N=505) 16 %
2: Most of the Time	(N=1032) 32.7 %
3: Some of the time	(N=1046) 33.2 %
4: A Little of the Time	(N=426) 13.5 %
5: None of the Time	(N=136) 4.3 %
None of the above but missing:	(N=10) 0.3 %

FOFA: B6c. Have you felt downhearted and blue [SF11_1]

1: All of the Time	(N=82) 2.6 %
2: Most of the Time	(N=257) 8.1 %
3: Some of the time	(N=667) 21.1 %
4: A Little of the Time	(N=853) 27 %
5: None of the Time	(N=1286) 40.8 %
None of the above but missing:	(N=10) 0.3 %

FOFA: B7. How much time physical health affected social activities [SF12_1]

1: All of the Time	(N=131) 4.2 %
2: Most of the Time	(N=231) 7.3 %
3: Some of the time	(N=522) 16.5 %
4: A Little of the Time	(N=527) 16.7 %
5: None of the Time	(N=1733) 54.9 %
None of the above but missing:	(N=11) 0.3 %

FOFA: D1a. Seven days: Sitting activities [SITTING_1]

0: Never	(N=59) 1.9 %
1: Seldom (1-2 days)	(N=260) 8.2 %
2: Sometimes (3-4 days)	(N=643) 20.4 %
3: Often (5-7 days)	(N=2183) 69.2 %
None of the above but missing:	(N=10) 0.3 %

FOFA: D1ai. Seven days: Sitting activities: Hours [SITDUR_1]

0: *never* (N=59) 1.9 %
1: *Less than 1 hour* (N=244) 7.7 %
2: *1 but less than 2 hours* (N=603) 19.1 %
3: *2-4 hours* (N=1077) 34.1 %
4: *More than 4 hours* (N=1162) 36.8 %
None of the above but missing: (N=10) 0.3 %

FOFA: D1b. Seven days: Walk outside [WALK_1]

0: *Never* (N=440) 13.9 %
1: *Seldom (1-2 days)* (N=592) 18.8 %
2: *Sometimes (3-4 days)* (N=742) 23.5 %
3: *Often (5-7 days)* (N=1370) 43.4 %
None of the above but missing: (N=11) 0.3 %

FOFA: D1bi. Seven days: Walk outside: Hours [WALKDUR_1]

0: *never* (N=440) 13.9 %
1: *Less than 1 hour* (N=1000) 31.7 %
2: *1 but less than 2 hours* (N=982) 31.1 %
3: *2-4 hours* (N=479) 15.2 %
4: *More than 4 hours* (N=241) 7.6 %
None of the above but missing: (N=13) 0.4 %

FOFA: D1c. Seven days: Light sport [LTSPORT_1]

0: *Never* (N=2549) 80.8 %
1: *Seldom (1-2 days)* (N=336) 10.6 %
2: *Sometimes (3-4 days)* (N=169) 5.4 %
3: *Often (5-7 days)* (N=89) 2.8 %
None of the above but missing: (N=12) 0.4 %

FOFA: D1ci. Seven days: Light sport: Hours [LTSPDUR_1]

0: *never* (N=2549) 80.8 %
1: *Less than 1 hour* (N=209) 6.6 %
2: *1 but less than 2 hours* (N=222) 7 %
3: *2-4 hours* (N=135) 4.3 %
4: *More than 4 hours* (N=28) 0.9 %
None of the above but missing: (N=12) 0.4 %

FOFA: D1d. Seven days: Moderate sport [MDSPORT_1]

0: *Never* (N=2562) 81.2 %
1: *Seldom (1-2 days)* (N=357) 11.3 %
2: *Sometimes (3-4 days)* (N=158) 5 %
3: *Often (5-7 days)* (N=68) 2.2 %
None of the above but missing: (N=10) 0.3 %

FOFA: D1di. Seven days: Moderate sport: Hours [MDSPDUR_1]

0: *never* (N=2562) 81.2 %
1: *Less than 1 hour* (N=213) 6.8 %
2: *1 but less than 2 hours* (N=233) 7.4 %
3: *2-4 hours* (N=114) 3.6 %
4: *More than 4 hours* (N=22) 0.7 %
None of the above but missing: (N=11) 0.3 %

FOFA: D1e. Seven days: Strenuous sport [STSPORT_1]

0: *Never* (N=2540) 80.5 %
1: *Seldom (1-2 days)* (N=276) 8.7 %
2: *Sometimes (3-4 days)* (N=202) 6.4 %
3: *Often (5-7 days)* (N=127) 4 %
None of the above but missing: (N=10) 0.3 %

FOFA: D1ei. Seven days: Strenuous sport: Hours [STSPDUR_1]

0: *never* (N=2540) 80.5 %
1: *Less than 1 hour* (N=195) 6.2 %
2: *1 but less than 2 hours* (N=290) 9.2 %
3: *2-4 hours* (N=92) 2.9 %
4: *More than 4 hours* (N=26) 0.8 %
None of the above but missing: (N=12) 0.4 %

FOFA: D1f. Seven days: Any exercise [STRENGTH_1]

0: *Never* (N=2138) 67.8 %
1: *Seldom (1-2 days)* (N=424) 13.4 %
2: *Sometimes (3-4 days)* (N=343) 10.9 %
3: *Often (5-7 days)* (N=240) 7.6 %
None of the above but missing: (N=10) 0.3 %

FOFA: D1fi. Seven days: Any exercise: Hours [STRENDUR_1]

0: *never* (N=2138) 67.8 %
1: *Less than 1 hour* (N=570) 18.1 %
2: *1 but less than 2 hours* (N=351) 11.1 %
3: *2-4 hours* (N=68) 2.2 %
4: *More than 4 hours* (N=17) 0.5 %
None of the above but missing: (N=11) 0.3 %

FOFA: D2. Last seven days have you done any light housework [LTHSWORK_1]

1: *YES* (N=2966) 94 %
2: *NO* (N=179) 5.7 %
None of the above but missing: (N=10) 0.3 %

FOFA: D3. Last seven days have you done any heavy housework [HVHSWORK_1]

1: *YES* (N=2077) 65.8 %
2: *NO* (N=1068) 33.9 %
None of the above but missing: (N=10) 0.3 %

FOFA: D4a. Last seven days: Home repairs [HOMEREP_1]

1: *YES* (N=421) 13.3 %
2: *NO* (N=2723) 86.3 %
None of the above but missing: (N=11) 0.3 %

FOFA: D4b. Last seven days: Lawn work [LAWNWORK_1]

1: *YES* (N=658) 20.9 %
2: *NO* (N=2486) 78.8 %
None of the above but missing: (N=11) 0.3 %

FOFA: D4c. Last seven days: Outdoor gardening [GARDEN_1]

1: *YES* (N=487) 15.4 %
2: *NO* (N=2655) 84.2 %
None of the above but missing: (N=13) 0.4 %


FOFA: D4d. Last seven days: Caretaking [CARETAK_1]

1: YES (N=1466) 46.5 %
2: NO (N=1678) 53.2 %
None of the above but missing: (N=11) 0.3 %

FOFA: D5. Last seven days did you work for pay or volunteer [WORK7DY_1]

1: YES (N=1747) 55.4 %
2: NO (N=1398) 44.3 %
None of the above but missing: (N=10) 0.3 %

FOFA: D5a. Last seven days: Hours per week work for pay/volunteer [HRS7DY_1]



N= 3145
Mean(SD)=19.1(21)
Median(Q1,Q3)=9.0(0.0,40.0)
Range=0.0-96.0
None of the above but missing= 10

FOFA: D5b. Which describes amount of physical activity [PHYSWORK_1]

0: no physical activity (N=1398) 44.3 %
1: Mainly sitting with slight arm movement (N=310) 9.8 %
2: Sitting or standing with some walking (N=586) 18.6 %
3: Walking, with some handling of materials weighing <50lb (N=690) 21.9 %
4: Walking + heavy manual work often requiring handling of materials weighing >50lbs (N=160) 5.1 %
None of the above but missing: (N=11) 0.3 %

FOFB: E1a. Ever told you had: A heart attack [MI_1]

1: Yes (N=189) 6 %
2: No (N=2956) 93.7 %
None of the above but missing: (N=10) 0.3 %

FOFB: E1b. Ever told you had: Congestive heart failure [CHF_1]

1: Yes (N=98) 3.1 %
2: No (N=3045) 96.5 %
None of the above but missing: (N=12) 0.4 %

FOFB: E1c. Ever told you had: Surgery or angioplasty [SPVD_1]

1: Yes (N=88) 2.8 %
2: No (N=3056) 96.9 %
None of the above but missing: (N=11) 0.3 %

FOFB: T2. Do you have any difficulty moving your arm or leg as a result of a stroke?

[STROKEDIFF_1]

1: Yes (N=18) 0.6 %
2: No (N=3031) 96.1 %
None of the above but missing: (N=106) 3.4 %

FOFB: E1f. Ever told you had: Asthma [ASTHMA_1]

1: Yes (N=581) 18.4 %
2: No (N=2560) 81.1 %
None of the above but missing: (N=14) 0.4 %

FOFB: E1g. Ever told you had: Chronic lung disease [CLUNG_1]

1: Yes (N=235) 7.4 %
2: No (N=2907) 92.1 %
None of the above but missing: (N=13) 0.4 %

FOFB: E1l. Ever told you had: Kidney disease [KIDNEY_1]

1: Yes (N=165) 5.2 %
2: No (N=2977) 94.4 %
None of the above but missing: (N=13) 0.4 %

FOFB: E1l. Ever told you had: Arthritis [ARTHR_1]

1: Yes (N=1063) 33.7 %
2: No (N=2075) 65.8 %
None of the above but missing: (N=17) 0.5 %

FOFB: E1s. Ever told you had: Cancer [CANCER1_1]

1: Yes (N=283) 9 %
2: No (N=2856) 90.5 %
None of the above but missing: (N=16) 0.5 %

FOFB: E1w. Ever told you had: Elevated blood sugar [SUGAR_1]

1: Yes (N=593) 18.8 %
2: No (N=2552) 80.9 %
None of the above but missing: (N=10) 0.3 %

FOFB: E1x. Ever told you had: Allergies [ALLERGY_1]

1: Yes (N=880) 27.9 %
2: No (N=2259) 71.6 %
None of the above but missing: (N=16) 0.5 %

FOFB: E1y. Ever told you had: Coronary artery bypass [CABG_1]

1: Yes (N=82) 2.6 %
2: No (N=3059) 97 %
None of the above but missing: (N=14) 0.4 %

FOFB: E1z. Ever told you had: Angina pectoris [ANGINA_1]

1: Yes (N=276) 8.7 %
2: No (N=2871) 91 %
None of the above but missing: (N=8) 0.3 %

FOFB: E1aa. Ever told you had: Irregular heartbeat [ARRHYTH_1]

1: Yes (N=170) 5.4 %
2: No (N=2971) 94.2 %
None of the above but missing: (N=14) 0.4 %

FOFB: E1bb. Ever told you had: Carotid artery surgery [CAS_1]

1: Yes (N=26) 0.8 %
2: No (N=3119) 98.9 %
None of the above but missing: (N=10) 0.3 %

FOFB: E1cc. Ever told you had: Intermittent claudication [CLAUD_1]

1: Yes (N=78) 2.5 %
2: No (N=3061) 97 %
None of the above but missing: (N=16) 0.5 %

FOFB: E1dd. Ever told you had: Pulmonary embolus [PLUMEMB_1]

1: Yes (N=23) 0.7 %
2: No (N=3122) 99 %
None of the above but missing: (N=10) 0.3 %

FOFB: E1ee. Ever told you had: Aortic Aneurysm [ANEUR_1]

1: Yes (N=16) 0.5 %
2: No (N=3125) 99 %
None of the above but missing: (N=14) 0.4 %

FOFB: E1ff. Ever told you had: heart rhythm disturbance [HRD_1]

1: Yes (N=346) 11 %
2: No (N=2797) 88.7 %
None of the above but missing: (N=12) 0.4 %

FOFB: E1gg. Ever told you had: Deep Vein Thrombosis [DVT_1]

1: Yes (N=40) 1.3 %
2: No (N=3103) 98.4 %
None of the above but missing: (N=12) 0.4 %

FOFB: E1hh. Ever told you had: Raynauds Disease [RAYNAUDS_1]

1: Yes (N=72) 2.3 %
2: No (N=3066) 97.2 %
None of the above but missing: (N=17) 0.5 %

FOFB: E1ii1. Ever told you had: Peripheral Vascular Disease [PVD_1]

1: Yes (N=85) 2.7 %
2: No (N=3058) 96.9 %
None of the above but missing: (N=12) 0.4 %

FOFB: E1jj. Ever told you had: high Cholesterol [CHOLEST_1]

1: Yes (N=1448) 45.9 %
2: No (N=1699) 53.9 %
None of the above but missing: (N=8) 0.3 %

FOFB: E1kk. Ever told you had: High Blood Pressure [HBP_1]

1: Yes (N=1449) 45.9 %
2: No (N=1699) 53.9 %
None of the above but missing: (N=7) 0.2 %

FOFB: E1ll. Ever told you had: Osteoporosis [OSTEOP_1]

1: Yes (N=242) 7.7 %
2: No (N=2896) 91.8 %
None of the above but missing: (N=17) 0.5 %

FOFB: E1rr. Ever told you had: Gestational Diabetes [GDIAB_1]

1: Yes (N=116) 3.7 %
2: No (N=1851) 58.7 %
None of the above but missing: (N=1188) 37.7 %

FOFB: E7a. For regular care you go to: An outpatient clinic [OUTPAT_1]

1: Yes (N=1971) 62.5 %
2: No (N=1174) 37.2 %
None of the above but missing: (N=10) 0.3 %

FOFB: E7b. For regular care you go to: A Hospital emergency room [HOSPER_1]

1: Yes (N=169) 5.4 %
2: No (N=2976) 94.3 %
None of the above but missing: (N=10) 0.3 %

FOFB: E7c. For regular care you go to: A Hospital outpatient clinic [HOUTPAT_1]

1: Yes (N=988) 31.3 %
2: No (N=2157) 68.4 %
None of the above but missing: (N=10) 0.3 %

FOFB: E7e. For regular care you go to: A Free clinic [FREEHOS_1]

1: Yes (N=230) 7.3 %
2: No (N=2914) 92.4 %
None of the above but missing: (N=11) 0.3 %

FOFB: E9a. Reason for visit: An urgent problem [HCPURG_1]

1: Yes (N=1142) 36.2 %
2: No (N=2001) 63.4 %
None of the above but missing: (N=12) 0.4 %

FOFB: E9b. Reason for visit: A Routine visit for ongoing problem [HCPROUT_1]

1: Yes (N=1900) 60.2 %
2: No (N=1244) 39.4 %
None of the above but missing: (N=11) 0.3 %

FOFB: E9c. Reason for visit: A Flare-up of an ongoing problem [HCPFLARE_1]

1: Yes (N=751) 23.8 %
2: No (N=2394) 75.9 %
None of the above but missing: (N=10) 0.3 %

FOFB: E9d. Reason for visit: A Pre/Post surgery care [HCPSURG_1]

1: Yes (N=438) 13.9 %
2: No (N=2707) 85.8 %
None of the above but missing: (N=10) 0.3 %

FOFB: E9e. Reason for visit: Non illness care [HCPOTH_1]

1: Yes (N=2599) 82.4 %
2: No (N=546) 17.3 %
None of the above but missing: (N=10) 0.3 %

FOFB: E10. When did you last see your health care provider [LASTHCP_1]

1: 6 Months ago or less (N=2609) 82.7 %
2: More than 6 months ago, but less (N=354) 11.2 %
3: More than 1 year ago, but less (N=104) 3.3 %
4: More than 2 years ago, but less (N=54) 1.7 %
5: 5 years ago or more (N=19) 0.6 %
None of the above but missing: (N=15) 0.5 %

FOFB: E1k1i. Ever told you had: Insulin-dependent diabetes: Diet [DIAB2DIET_1]

1: Yes (N=394) 12.5 %
2: No (N=2708) 85.8 %
None of the above but missing: (N=53) 1.7 %

FOFB: E1k1iv. Ever told you had: Insulin-dependent diabetes: No Treatment [DIAB2NOTRT_1]

1: Yes (N=2555) 81 %
2: No (N=547) 17.3 %
None of the above but missing: (N=53) 1.7 %

FOFB: E1j1i. Ever told you had: Insulin-dependent diabetes: Diet [DIAB1DIET_1]

1: Yes (N=8) 0.3 %
2: No (N=3137) 99.4 %
None of the above but missing: (N=10) 0.3 %

FOFB: E7d. For regular care you go to: A Health Center [HEALTHCTR_1]

1: Yes (N=985) 31.2 %
2: No (N=1620) 51.3 %
None of the above but missing: (N=550) 17.4 %

FOFC: G2f. Have you ever been told you had: HIV [HIV_1]

-8: DK (N=0) 0 %
-7: REFUSED (N=0) 0 %
1: Yes (N=31) 1 %
2: No (N=3106) 98.4 %
None of the above but missing: (N=18) 0.6 %

FOFC: G5a. Have you ever had: A Hysterectomy [HYSTER_1]

-8: Don (N=0) 0 %
1: Yes (N=430) 13.6 %
2: No (N=1537) 48.7 %
None of the above but missing: (N=1188) 37.7 %

FOFC: G5b. Any Ovary Removed [OVARMD_1]

-8: Don't Know (N=0) 0 %
1: Yes (N=370) 11.7 %
2: No (N=1593) 50.5 %
None of the above but missing: (N=1192) 37.8 %

FOFC: G8. Did you have menstrual period in 12 months [MP12MO_1]

-8: DON'T KNOW (N=0) 0 %
-7: REFUSED (N=0) 0 %
1: Yes (N=728) 23.1 %
2: No (N=1239) 39.3 %
None of the above but missing: (N=1188) 37.7 %

FOFC: G8a3. Did they stop because of: medication/radiation/chemotherapy [STOPTX_1]

-8: DON'T KNOW (N=0) 0 %
-7: REFUSED (N=0) 0 %
1: Yes (N=44) 1.4 %
2: No (N=1907) 60.4 %
None of the above but missing: (N=1204) 38.2 %

FOFC: G8a1. Did they stop because of: menopause [STOPMENO_1]

-8: DON'T KNOW (N=0) 0 %
-7: REFUSED (N=0) 0 %
1: Yes (N=826) 26.2 %
2: No (N=1115) 35.3 %
None of the above but missing: (N=1214) 38.5 %

FOFC: G8a4. Did they stop because of: weight loss or another reason [STOPWTOT_1]

-8: DON'T KNOW (N=0) 0 %
-7: REFUSED (N=0) 0 %
1: Yes (N=326) 10.3 %
2: No (N=1629) 51.6 %
None of the above but missing: (N=1200) 38 %

FOFC: G9. Number of days between menstrual periods less predictable [MPLPRED_1]

1: Yes (N=300) 9.5 %
2: No (N=1665) 52.8 %
None of the above but missing: (N=1190) 37.7 %

FOFC: G10. Have you had menstrual period in last 3 months [MP3MO_1]

1: Yes (N=647) 20.5 %
2: No (N=1319) 41.8 %
None of the above but missing: (N=1189) 37.7 %

FOFC: H1. During the last week: I felt depressed [CESD1_1]

1: Yes (N=786) 24.9 %
2: No (N=2359) 74.8 %
None of the above but missing: (N=10) 0.3 %

FOFC: H2. During the last week: I felt everything I did was an effort [CESD2_1]

1: Yes (N=951) 30.1 %
2: No (N=2194) 69.5 %
None of the above but missing: (N=10) 0.3 %

FOFC: H3. During the last week: My sleep was restless [CESD3_1]

1: Yes (N=1292) 41 %
2: No (N=1850) 58.6 %
None of the above but missing: (N=13) 0.4 %

FOFC: H4. During the last week: I was happy [CESD4_1]

1: Yes (N=2475) 78.4 %
2: No (N=668) 21.2 %
None of the above but missing: (N=12) 0.4 %

FOFC: H5. During the last week: I felt lonely [CESD5_1]

1: Yes (N=794) 25.2 %
2: No (N=2350) 74.5 %
None of the above but missing: (N=11) 0.3 %

FOFC: H6. During the last week: I enjoyed life [CESD6_1]

1: Yes (N=2655) 84.2 %
2: No (N=488) 15.5 %
None of the above but missing: (N=12) 0.4 %

FOFC: H7. During the last week: I felt sad [CESD7_1]

1: Yes (N=988) 31.3 %
2: No (N=2157) 68.4 %
None of the above but missing: (N=10) 0.3 %

FOFC: H8. During the last week: I could not "get going" [CESD8_1]

1: Yes (N=587) 18.6 %
2: No (N=2557) 81 %
None of the above but missing: (N=11) 0.3 %

FOFC: H9a. In last 6 months: Anyone could have caused worry [WORRY_1]

1: Yes (N=1481) 46.9 %
2: No (N=1664) 52.7 %
None of the above but missing: (N=10) 0.3 %

FOFC: H9b1. Worry was caused by: A Spouse/Partner [WORSPE_1]

1: Yes (N=439) 13.9 %
2: No (N=2706) 85.8 %
None of the above but missing: (N=10) 0.3 %

FOFC: H9b2. Worry was caused by: A Parent [WORPARNT_1]

1: Yes (N=357) 11.3 %
2: No (N=2788) 88.4 %
None of the above but missing: (N=10) 0.3 %

FOFC: H9b3. Worry was caused by: A Child [WORCHILD_1]

1: Yes (N=794) 25.2 %
2: No (N=2350) 74.5 %
None of the above but missing: (N=11) 0.3 %

FOFC: H9b4. Worry was caused by: A Sibling [WORSIB_1]

1: Yes (N=430) 13.6 %
2: No (N=2715) 86.1 %
None of the above but missing: (N=10) 0.3 %

FOFC: H9b5. Worry was caused by: Another Relative/Friend [WOROTH_1]

1: Yes (N=487) 15.4 %
2: No (N=2658) 84.2 %
None of the above but missing: (N=10) 0.3 %

FOFC: H9b6. Worry was caused by: Someone at work [WORWORK_1]

1: Yes (N=165) 5.2 %
2: No (N=2980) 94.5 %
None of the above but missing: (N=10) 0.3 %

FOFC: H10. In last month: how often you felt unable to control things [STRESS1_1]

0: Never (N=1182) 37.5 %
1: Almost Never (N=703) 22.3 %
2: Sometimes (N=913) 28.9 %
3: Fairly Often (N=239) 7.6 %
4: Very Often (N=102) 3.2 %
None of the above but missing: (N=16) 0.5 %

FOFC: H11. In last month: How often you felt confident handling problems [STRESS2_1]

0: Never (N=123) 3.9 %
1: Almost Never (N=158) 5 %
2: Sometimes (N=626) 19.8 %
3: Fairly Often (N=900) 28.5 %
4: Very Often (N=1334) 42.3 %
None of the above but missing: (N=14) 0.4 %

FOFC: H12. In last month: How often you felt things going your way [STRESS3_1]

0: Never (N=137) 4.3 %
1: Almost Never (N=253) 8 %
2: Sometimes (N=1053) 33.4 %
3: Fairly Often (N=1042) 33 %
4: Very Often (N=655) 20.8 %
None of the above but missing: (N=15) 0.5 %

FOFC: H13. In last month: How often you felt difficulty piling up [STRESS4_1]

0: Never	(N=1354) 42.9 %
1: Almost Never	(N=737) 23.4 %
2: Sometimes	(N=690) 21.9 %
3: Fairly Often	(N=239) 7.6 %
4: Very Often	(N=121) 3.8 %
None of the above but missing:	(N=14) 0.4 %

FOFC: H15a. Past month: Did you have difficulty falling asleep [SLEEP1_1]

1: Almost Never/Never	(N=1546) 49 %
2: A Few Times	(N=429) 13.6 %
3: Sometimes	(N=582) 18.4 %
4: Most Times	(N=314) 10 %
5: Almost always or always	(N=273) 8.7 %
None of the above but missing:	(N=11) 0.3 %

FOFC: H15b. Past month: Morning after getting up can you fall asleep [SLEEP2_1]

1: Almost Never/Never	(N=1181) 37.4 %
2: A Few Times	(N=330) 10.5 %
3: Sometimes	(N=659) 20.9 %
4: Most Times	(N=436) 13.8 %
5: Almost always or always	(N=536) 17 %
None of the above but missing:	(N=13) 0.4 %

FOFC: H15c. Past month: Do you use sleeping pills [SLEEP3_1]

1: Almost Never/Never	(N=2593) 82.2 %
2: A Few Times	(N=94) 3 %
3: Sometimes	(N=156) 4.9 %
4: Most Times	(N=68) 2.2 %
5: Almost always or always	(N=232) 7.4 %
None of the above but missing:	(N=12) 0.4 %

FOFC: H15d. Past month: Are you tired during wake up time [SLEEP4_1]

1: Almost Never/Never	(N=1245) 39.5 %
2: A Few Times	(N=453) 14.4 %
3: Sometimes	(N=1002) 31.8 %
4: Most Times	(N=256) 8.1 %
5: Almost always or always	(N=185) 5.9 %
None of the above but missing:	(N=14) 0.4 %

FOFC: H15e. Past month: Are you tired after sleeping [SLEEP5_1]

1: Almost Never/Never	(N=1594) 50.5 %
2: A Few Times	(N=411) 13 %
3: Sometimes	(N=791) 25.1 %
4: Most Times	(N=208) 6.6 %
5: Almost always or always	(N=139) 4.4 %
None of the above but missing:	(N=12) 0.4 %

FOFC: H15f. Past month: Are you restless during night [SLEEP6_1]

1: Almost Never/Never	(N=1413) 44.8 %
2: A Few Times	(N=365) 11.6 %
3: Sometimes	(N=740) 23.5 %
4: Most Times	(N=323) 10.2 %
5: Almost always or always	(N=302) 9.6 %
None of the above but missing:	(N=12) 0.4 %

FOFC: H15l. Past month: Do you snore and your frequency of snoring [SLEEP7_1]

1: Almost Never/Never	(N=1354) 42.9 %
2: A Few Times	(N=439) 13.9 %
3: Sometimes	(N=545) 17.3 %
4: Most Times	(N=243) 7.7 %
5: Almost always or always	(N=550) 17.4 %
None of the above but missing:	(N=24) 0.8 %

FOFC: H15g. Past month: Do you get up during the night [SLEEP8_1]

1: Almost Never/Never	(N=848) 26.9 %
2: A Few Times	(N=496) 15.7 %
3: Sometimes	(N=732) 23.2 %
4: Most Times	(N=390) 12.4 %
5: Almost always or always	(N=676) 21.4 %
None of the above but missing:	(N=13) 0.4 %


FOFC: H15h. Past month: Do you suffer headaches in the morning [SLEEP9_1]

1: Almost Never/Never	(N=2481) 78.6 %
2: A Few Times	(N=212) 6.7 %
3: Sometimes	(N=326) 10.3 %
4: Most Times	(N=65) 2.1 %
5: Almost always or always	(N=60) 1.9 %
None of the above but missing:	(N=11) 0.3 %

FOFC: H15i. Past month: Do you feel exhausted for no reasons [SLEEP10_1]

1: Almost Never/Never	(N=1985) 62.9 %
2: A Few Times	(N=343) 10.9 %
3: Sometimes	(N=587) 18.6 %
4: Most Times	(N=130) 4.1 %
5: Almost always or always	(N=97) 3.1 %
None of the above but missing:	(N=13) 0.4 %

FOFC: H17a. How many hours of actual sleep you get at night [HRSLEEP_1]



N= 3135
Mean(SD)=6.4(1.6)
Median(Q1,Q3)=7.0(5.5,8.0)
Range=0.0-12.0
None of the above but missing= 20

FOFC: H18a. Symptoms : Decline in your feeling of general well being [AMS01_1]

1: None	(N=1466) 46.5 %
2: Mild	(N=851) 27 %
3: Moderate	(N=664) 21 %
4: Severe	(N=125) 4 %
5: Extremely Severe	(N=38) 1.2 %
None of the above but missing:	(N=11) 0.3 %

FOFC: H18b. Symptoms : Joint pain muscular ache [AMS02_1]

1: None	(N=1067) 33.8 %
2: Mild	(N=889) 28.2 %
3: Moderate	(N=798) 25.3 %
4: Severe	(N=290) 9.2 %
5: Extremely Severe	(N=101) 3.2 %
None of the above but missing:	(N=10) 0.3 %

FOFC: H18c. Symptoms : Excessive Sweating [AMS03_1]

1: None	(N=2152) 68.2 %
2: Mild	(N=475) 15.1 %
3: Moderate	(N=295) 9.4 %
4: Severe	(N=158) 5 %
5: Extremely Severe	(N=65) 2.1 %
None of the above but missing:	(N=10) 0.3 %

FOFC: H18d. Symptoms : Sleep Problems [AMS04_1]

1: None	(N=1471) 46.6 %
2: Mild	(N=585) 18.5 %
3: Moderate	(N=602) 19.1 %
4: Severe	(N=309) 9.8 %
5: Extremely Severe	(N=178) 5.6 %
None of the above but missing:	(N=10) 0.3 %

FOFC: H18e. Symptoms : Increased need for sleep [AMS05_1]

1: None	(N=1364) 43.2 %
2: Mild	(N=755) 23.9 %
3: Moderate	(N=642) 20.3 %
4: Severe	(N=294) 9.3 %
5: Extremely Severe	(N=89) 2.8 %
None of the above but missing:	(N=11) 0.3 %

FOFC: H18f. Symptoms : Irritability [AMS06_1]

1: None	(N=1465) 46.4 %
2: Mild	(N=910) 28.8 %
3: Moderate	(N=551) 17.5 %
4: Severe	(N=163) 5.2 %
5: Extremely Severe	(N=56) 1.8 %
None of the above but missing:	(N=10) 0.3 %

FOFC: H18g. Symptoms : Nervousness [AMS07_1]

1: None	(N=1683) 53.3 %
2: Mild	(N=745) 23.6 %
3: Moderate	(N=486) 15.4 %
4: Severe	(N=177) 5.6 %
5: Extremely Severe	(N=54) 1.7 %
None of the above but missing:	(N=10) 0.3 %

FOFC: H18h. Symptoms : Anxiety [AMS08_1]

1: None	(N=1673) 53 %
2: Mild	(N=719) 22.8 %
3: Moderate	(N=478) 15.2 %
4: Severe	(N=189) 6 %
5: Extremely Severe	(N=85) 2.7 %
None of the above but missing:	(N=11) 0.3 %

FOFC: H18i. Symptoms : Physical Exhaustion/ Lacking Vitality [AMS09_1]

1: None (N=1449) 45.9 %
2: Mild (N=790) 25 %
3: Moderate (N=622) 19.7 %
4: Severe (N=218) 6.9 %
5: Extremely Severe (N=64) 2 %
None of the above but missing: (N=12) 0.4 %

FOFC: H18j. Symptoms : Decrease in muscular strength [AMS10_1]

1: None (N=1522) 48.2 %
2: Mild (N=786) 24.9 %
3: Moderate (N=577) 18.3 %
4: Severe (N=205) 6.5 %
5: Extremely Severe (N=55) 1.7 %
None of the above but missing: (N=10) 0.3 %

FOFC: H18k. Symptoms : Depressive mood [AMS11_1]

1: None (N=1750) 55.5 %
2: Mild (N=671) 21.3 %
3: Moderate (N=448) 14.2 %
4: Severe (N=203) 6.4 %
5: Extremely Severe (N=73) 2.3 %
None of the above but missing: (N=10) 0.3 %

FOFC: H18l. Symptoms : Feeling that you have passed your peak [AMS12_1]

1: None (N=1515) 48 %
2: Mild (N=668) 21.2 %
3: Moderate (N=609) 19.3 %
4: Severe (N=235) 7.4 %
5: Extremely Severe (N=112) 3.5 %
None of the above but missing: (N=16) 0.5 %

FOFC: H18m. Symptoms : Feeling burn't out, having hit rock bottom [AMS13_1]

1: None (N=2059) 65.3 %
2: Mild (N=510) 16.2 %
3: Moderate (N=335) 10.6 %
4: Severe (N=161) 5.1 %
5: Extremely Severe (N=79) 2.5 %
None of the above but missing: (N=11) 0.3 %

FOFC: H18q. Symptoms : Decrease in beard growth [AMS14_1]

1: None (N=988) 31.3 %
2: Mild (N=99) 3.1 %
3: Moderate (N=55) 1.7 %
4: Severe (N=17) 0.5 %
5: Extremely Severe (N=17) 0.5 %
None of the above but missing: (N=1979) 62.7 %

FOFC: H18o. Symptoms : Decrease in ability to perform sexually [AMS15_1]

1: None (N=1640) 52 %
2: Mild (N=552) 17.5 %
3: Moderate (N=430) 13.6 %
4: Severe (N=222) 7 %
5: Extremely Severe (N=207) 6.6 %
None of the above but missing: (N=104) 3.3 %

FOFC: H18p. Symptoms : Decrease in number of morning erection [AMS16_1]

1: None (N=649) 20.6 %
2: Mild (N=194) 6.1 %
3: Moderate (N=189) 6 %
4: Severe (N=81) 2.6 %
5: Extremely Severe (N=49) 1.6 %
None of the above but missing: (N=1993) 63.2 %

FOFC: H18n. Symptoms : Decrease in sexual disire/libido [AMS17_1]

1: None (N=1497) 47.4 %
2: Mild (N=585) 18.5 %
3: Moderate (N=498) 15.8 %
4: Severe (N=265) 8.4 %
5: Extremely Severe (N=222) 7 %
None of the above but missing: (N=88) 2.8 %

FOFC: I1. Your entire life : Have you smoked at least 100 cigarettes [CIGS100_1]

1: Yes (N=1694) 53.7 %
2: No (N=1454) 46.1 %
None of the above but missing: (N=7) 0.2 %


FOFC: I2. Do you smoke cigarettes now [CIGSNOW_1]

1: Yes (N=650) 20.6 %
2: No (N=2501) 79.3 %
None of the above but missing: (N=4) 0.1 %

FOFC: I8. Have you ever had an alcoholic drink [EVRETOH_1]

1: Yes (N=2989) 94.7 %
2: No (N=164) 5.2 %
None of the above but missing: (N=2) 0.1 %

FOFC: I11. How many times you had 5 or more drinks within 24 hours [BNGE30DY_1]



N= 3144
Mean(SD)=0.6(2.6)
Median(Q1,Q3)=0.0(0.0,0.0)
Range=0.0-30.0
None of the above but missing= 11

FOFC: I12. How many drinks on average do you have [AVGNDRNK_1]




N= 1955
Mean(SD)=2.2(2.2)
Median(Q1,Q3)=2.0(1.0,3.0)
Range=0.0-20.0
None of the above but missing= 1200

FOFC: I14a. In last 7 days: How many glasses of water you had [H2O_1]



N= 3142
Mean(SD)=4.4(3.1)
Median(Q1,Q3)=4.0(2.0,6.0)
Range=0.0-44.0
None of the above but missing= 13

FOFC: I14b. In last 7 days: How many glasses of juice you had [JUICE_1]



N= 3144
Mean(SD)=1.1(1.4)
Median(Q1,Q3)=1.0(0.0,2.0)
Range=0.0-20.0
None of the above but missing= 11

FOFC: I14e. In last 7 days: How many glasses of decaffeinated soda [DSODA_1]



N= 3143
Mean(SD)=0.3(1)
Median(Q1,Q3)=0.0(0.0,0.0)
Range=0.0-15.0
None of the above but missing= 12

FOFC: I14d. In last 7 days: How many glasses of caffeinated soda [SODA_1]



N= 3143
Mean(SD)=0.7(1.6)
Median(Q1,Q3)=0.0(0.0,1.0)
Range=0.0-32.0
None of the above but missing= 12

FOFC: I14i. In last 7 days: How many glasses of decaffeinated coffee [DCOFFEE_1]



N= 3145
Mean(SD)=0.2(0.7)
Median(Q1,Q3)=0.0(0.0,0.0)
Range=0.0-14.0
None of the above but missing= 10

FOFC: I14h. In last 7 days: How many glasses of caffeinated coffee [COFFEE_1]



N= 3144
Mean(SD)=1.3(1.5)
Median(Q1,Q3)=1.0(0.0,2.0)
Range=0.0-18.0
None of the above but missing= 11

FOFC: I14f. In last 7 days: How many glasses of decaffeinated tea [DTEA_1]



N= 3143
Mean(SD)=0.4(0.8)
Median(Q1,Q3)=0.0(0.0,0.0)
Range=0.0-8.0
None of the above but missing= 12

FOFC: I14g. In last 7 days: How many glasses of caffeinated tea [TEA_1]



N= 3144
Mean(SD)=0.5(1)
Median(Q1,Q3)=0.0(0.0,1.0)
Range=0.0-12.0
None of the above but missing= 11

FOFC: I14c. In last 7 days: How many glasses of milk you had [MILK_1]



N= 3144
 Mean(SD)=0.8(1.2)
 Median(Q1,Q3)=0.0(0.0,1.0)
 Range=0.0-20.0
 None of the above but missing= 11

FOFC: I4k. In last 7 days: How many glasses of other decaffeinated drink [OTHERDBEV_1]



N= 3142
 Mean(SD)=0.2(0.7)
 Median(Q1,Q3)=0.0(0.0,0.0)
 Range=0.0-10.0
 None of the above but missing= 13

FOFC: I14j. In last 7 days: How many glasses of other caffeinated drink [OTHERBEV_1]

0	(N=3031) 96.1 %
1	(N=79) 2.5 %
2	(N=23) 0.7 %
3	(N=6) 0.2 %
4	(N=1) 0 %
5	(N=4) 0.1 %
7	(N=1) 0 %
None of the above but missing:	(N=10) 0.3 %

FOFC: H16a. Has your snoring bothered other people? [SNORE1_1]

1: Yes	(N=768) 24.3 %
2: No	(N=2055) 65.1 %
None of the above but missing:	(N=332) 10.5 %

FOFC: H17b. How long does it usually take you to fall asleep?(truncated 300) [MINSLEEP_1]



N= 2591
 Mean(SD)=37.4(45.2)
 Median(Q1,Q3)=20.0(10.0,60.0)
 Range=0.0-300.0
 None of the above but missing= 564

FOFC: H15k. Past month: fall asleep while driving [SLEEP12_1]

- 1: *Almost Never/Never* (N=2491) 79 %
- 2: *A Few Times* (N=80) 2.5 %
- 3: *Sometimes* (N=29) 0.9 %
- 4: *Most Times* (N=3) 0.1 %
- 5: *Almost always or always* (N=2) 0.1 %
- None of the above but missing:* (N=550) 17.4 %

FOFC: H14. How strongly agree or not with ' . . . treated unfairly' [UNFAIRLY_1]

- 1: *Stongly disagree* (N=1334) 42.3 %
- 2: *Moderately disagree* (N=413) 13.1 %
- 3: *Slightly disagree* (N=293) 9.3 %
- 4: *Slightly agree* (N=195) 6.2 %
- 5: *Moderately agree* (N=189) 6 %
- 6: *Strongly agree* (N=179) 5.7 %
- None of the above but missing:* (N=552) 17.5 %

FOFC: H15j. Past month: quit breathing during your sleep [SLEEP11_1]

- 1: *Almost Never/Never* (N=2365) 75 %
- 2: *A Few Times* (N=78) 2.5 %
- 3: *Sometimes* (N=72) 2.3 %
- 4: *Most Times* (N=34) 1.1 %
- 5: *Almost always or always* (N=56) 1.8 %
- None of the above but missing:* (N=550) 17.4 %

FOFC: T2c. Have you had an alcoholic drink in the past 30 days? [ALCOH30DY_1]

- 1: *Yes* (N=1603) 50.8 %
- 2: *No* (N=1544) 48.9 %
- None of the above but missing:* (N=8) 0.3 %

FOFC: I15. Time of day did you drink the most beverages? [TIMEBEV_1]

- 1: *Before noon* (N=957) 30.3 %
- 2: *Noon to 5 PM* (N=1124) 35.6 %
- 3: *After 5 PM* (N=478) 15.2 %
- None of the above but missing:* (N=596) 18.9 %


FOFC: H16b. Has your snoring been described as? [SNORE2_1]

- 0: *not loud at all* (N=2055) 65.1 %
- 1: *Slightly louder than breathing* (N=179) 5.7 %
- 2: *As loud as talking* (N=151) 4.8 %
- 3: *Louder than talking* (N=157) 5 %
- 4: *Very loud, can be heard in next room* (N=189) 6 %
- None of the above but missing:* (N=424) 13.4 %

FOFE: K1. What is your current marital status [MARITAL_1]

- 1: *Married* (N=1226) 38.9 %
- 2: *Living with a partner* (N=194) 6.1 %
- 3: *Divorced/separated* (N=704) 22.3 %
- 4: *Widowed* (N=261) 8.3 %
- 5: *Single, never married* (N=748) 23.7 %
- 99: *OTHER* (N=11) 0.3 %
- None of the above but missing:* (N=11) 0.3 %

FOFE: K3. How many years of school have you completed altogether [EDUC_1]



N= 3141
 Mean(SD)=13.0(4.2)
 Median(Q1,Q3)=13.0(11.0,16.0)
 Range=0.0-29.0
 None of the above but missing= 14

FOFE: K2. What is the highest grade/degree you have completed [DEGRESTAT_1]

1: Less than 8th grade	(N=305) 9.7 %
2: 8th grade	(N=96) 3 %
3: 9th through 11th grade	(N=335) 10.6 %
4: High school diploma/GED	(N=1043) 33.1 %
5: Technical training	(N=262) 8.3 %
6: Associate degree	(N=225) 7.1 %
7: Bachelors degree	(N=458) 14.5 %
8: Master degree	(N=336) 10.6 %
9: Doctorate degree (e.g. MD, Ph	(N=82) 2.6 %
None of the above but missing:	(N=13) 0.4 %

FOFE: K4. Your current work situation [WORKSTAT_1]

1: Working for pay	(N=1602) 50.8 %
2: Unemployed and looking for wo	(N=154) 4.9 %
3: Temporarily laid off; On sick	(N=42) 1.3 %
4: Disabled	(N=628) 19.9 %
5: Retired	(N=532) 16.9 %
6: Homemaker	(N=116) 3.7 %
7: Full-Time Student	(N=14) 0.4 %
99: Other (INCLUDING VOLUNTEER)	(N=55) 1.7 %
None of the above but missing:	(N=12) 0.4 %

FOFE: K5. Working more or less than 35 hours each week [FULLTIME_1]

1: 35 Hrs or more/wk	(N=1197) 37.9 %
2: Less than 35 hrs/wk	(N=1942) 61.6 %
None of the above but missing:	(N=16) 0.5 %

FOFE: K7. How many people are supported on your household's income (truncated to 15)

[NUMPEOP_1]



N= 3138
 Mean(SD)=2.3(1.5)
 Median(Q1,Q3)=2.0(1.0,3.0)
 Range=1.0-15.0
 None of the above but missing= 17

FOFE: K8a. Transportation [TRTRANS_1]

1: Yes (N=445) 14.1 %
 2: No (N=2698) 85.5 %
 None of the above but missing: (N=12) 0.4 %

FOFE: K8b. Housing [TRHOUS_1]

1: Yes (N=514) 16.3 %
 2: No (N=2629) 83.3 %
 None of the above but missing: (N=12) 0.4 %

FOFE: K8c. Health or medical care, medications [TRHLTH_1]

1: Yes (N=423) 13.4 %
 2: No (N=2719) 86.2 %
 None of the above but missing: (N=13) 0.4 %

FOFE: K8d. Food [TRFOOD_1]

1: Yes (N=471) 14.9 %
 2: No (N=2671) 84.7 %
 None of the above but missing: (N=13) 0.4 %

FOFE: K9. Income [INCOME_1]

-8: DON'T KNOW (N=0) 0 %
 -7: REFUSED (N=0) 0 %
 1: Less than \$5,000 (N=220) 7 %
 2: \$5,000-\$9,999 (N=458) 14.5 %
 3: \$10,000-\$19,999 (N=495) 15.7 %
 4: \$20,000-\$29,999 (N=380) 12 %
 5: \$30,000-\$39,999 (N=273) 8.7 %
 6: \$40,000-\$49,999 (N=245) 7.8 %
 7: \$50,000-\$59,999 (N=169) 5.4 %
 8: \$60,000-\$69,000 (N=140) 4.4 %
 9: \$70,000-\$79,999 (N=109) 3.5 %
 10: \$80,000-\$89,999 (N=90) 2.9 %
 11: \$90,000-\$99,999 (N=59) 1.9 %
 12: \$100,000-\$109,999 (N=67) 2.1 %
 13: \$110,000-\$119,999 (N=48) 1.5 %
 14: \$120,000 or more (N=193) 6.1 %
 None of the above but missing: (N=209) 6.6 %

FOFE: K10. Computer: access [COMP_1]

1: Yes, computer at home (N=1705) 54 %
 2: No computer at home, but acce (N=137) 4.3 %
 3: No computer at home and no ac (N=761) 24.1 %
 None of the above but missing: (N=552) 17.5 %

FOFE: K12d. Computer: where: family outside household [COMPFAM_1]

1: YES (N=228) 7.2 %
 2: NO (N=2375) 75.3 %
 None of the above but missing: (N=552) 17.5 %

FOFE: K12c. Computer: where: friends [COMPFRD_1]

1: YES (N=179) 5.7 %
 2: NO (N=2424) 76.8 %
 None of the above but missing: (N=552) 17.5 %

FOFE: K13. Computer: hours per week (non-work related) [COMPHRS_1]



N= 2603
Mean(SD)=4.3(7.7)
Median(Q1,Q3)=1.0(0.0,6.0)
Range=0.0-70.0
None of the above but missing= 552

FOFE: K12b. Computer: where: library [COMPLIB_1]

1: YES (N=223) 7.1 %
2: NO (N=2380) 75.4 %
None of the above but missing: (N=552) 17.5 %

FOFE: K10a. Computer: number of computers [COMPNUM_1]



N= 2602
Mean(SD)=1.0(1.1)
Median(Q1,Q3)=1.0(0.0,1.0)
Range=0.0-10.0
None of the above but missing= 553

FOFE: K12e. Computer: where: other [COMPOTH_1]

1: YES (N=172) 5.5 %
2: NO (N=2431) 77.1 %
None of the above but missing: (N=552) 17.5 %

FOFE: K12a. Computer: where: work [COMPWRK_1]

1: YES (N=761) 24.1 %
2: NO (N=1842) 58.4 %
None of the above but missing: (N=552) 17.5 %

FOFE: K11a. Computer: How connect to internet [INTCON_1]

0: No internet connection (N=1036) 32.8 %
1: Dial-up (N=99) 3.1 %
2: Fiber Optic (N=36) 1.1 %
3: DSL (N=639) 20.3 %
4: Cable (N=679) 21.5 %
5: Satellite Wireless (N=60) 1.9 %
6: Other (N=26) 0.8 %
None of the above but missing: (N=580) 18.4 %

FOFE: K11. Computer: internet connection [INTERNET_1]

1: YES (N=1566) 49.6 %
2: NO (N=1036) 32.8 %
None of the above but missing: (N=553) 17.5 %

FOFE: K14. Internet: search: health [INTSRCH_1]

1: YES (N=847) 26.8 %
2: NO (N=1756) 55.7 %
None of the above but missing: (N=552) 17.5 %

FOFE: K14bc. Internet: search: disease specific websites [INTSRCHDX_1]

1: YES (N=307) 9.7 %
2: NO (N=2294) 72.7 %
None of the above but missing: (N=554) 17.6 %

FOFE: K14ba. Internet: search: search engines [INTSRCHEN_1]

1: YES (N=773) 24.5 %
2: NO (N=1828) 57.9 %
None of the above but missing: (N=554) 17.6 %

FOFE: K14a. Internet: search: health: how often? [INTSRCHFQ_1]

0: Never (N=1756) 55.7 %
1: About once a week (N=176) 5.6 %
2: About once a month (N=240) 7.6 %
3: Several times a year (N=430) 13.6 %
None of the above but missing: (N=553) 17.5 %


FOFE: K14bb. Internet: search: general health portals (e.g. WebMd) [INTSRCHGH_1]

1: YES (N=473) 15 %
2: NO (N=2128) 67.4 %
None of the above but missing: (N=554) 17.6 %

FOFE: K14c. Internet: search: info for urological problem [INTURPRB1_1]


1: YES (N=84) 2.7 %
2: NO (N=2519) 79.8 %
None of the above but missing: (N=552) 17.5 %

FUPM: C1. Arm circumference [ARMCIR_1]



N= 3068
Mean(SD)=31.4(4.7)
Median(Q1,Q3)=30.9(28.2,34.0)
Range=18.2-53.1
None of the above but missing= 87

FUPM: B4. Body fat percent [BDYFATPER_1]




N= 2411
Mean(SD)=36.2(9.6)
Median(Q1,Q3)=37.0(29.5,44.0)
Range=5.0-62.0
None of the above but missing= 744

FUPM: B7a. Choose shirt collar size [COLRSIZE_1]




N = 637
Mean(*SD*) = 16.6(1.1)
Median(*Q1*, *Q3*) = 16.5(16.0, 17.0)
Range = 14.5-20.0
None of the above but missing = 2518

FUPM: C5. Diastolic blood pressure [DBP_1]



N = 3058
Mean(*SD*) = 81.4(11.6)
Median(*Q1*, *Q3*) = 81.0(73.0, 89.0)
Range = 48.0-141.0
None of the above but missing = 97

FUPM: C4. Systolic blood pressure [SBP_1]



N = 3058
Mean(*SD*) = 134.0(19.1)
Median(*Q1*, *Q3*) = 132.0(121.0, 144.0)
Range = 89.0-252.0
None of the above but missing = 97

FOFC: T2c. Avg # beer drinks/day [BDRINK_1]



N = 3145
Mean(*SD*) = 0.3(1)
Median(*Q1*, *Q3*) = 0.0(0.0, 0.1)
Range = 0.0-21.0
None of the above but missing = 10

FOFC: T2c. Avg # wine drinks/day [WDRINK_1]



N= 3146
Mean(SD)=0.2(0.5)
Median(Q1,Q3)=0.0(0.0,0.1)
Range=0.0-15.0
None of the above but missing= 9

FOFC: T2c. Avg # liquor drinks/day [LDRINK_1]




N= 3147
Mean(SD)=0.2(0.6)
Median(Q1,Q3)=0.0(0.0,0.1)
Range=0.0-10.0
None of the above but missing= 8

FOFB: T2c. Have you ever been told by a health provider that you have either a stroke or mild stroke? [STROKETIA_1]

1: Yes (N=143) 4.5 %
2: No (N=3002) 95.2 %
None of the above but missing: (N=10) 0.3 %

FUPM: T2c. Averaged Neck Measurement (cm) [NECK_1]



N= 2534
Mean(SD)=38.1(4.3)
Median(Q1,Q3)=38.0(35.0,41.0)
Range=23.8-57.0
None of the above but missing= 621


FOFB: T2c. Cleaned status of Type 1 diabetes [DIAB1CLEAN_1]

1: Yes (N=9) 0.3 %
2: No (N=3136) 99.4 %
None of the above but missing: (N=10) 0.3 %

FOFB: T2c. Cleaned status of Type 2 diabetes [DIAB2CLEAN_1]


1: Yes (N=599) 19 %
2: No (N=2545) 80.7 %
None of the above but missing: (N=11) 0.3 %

FUPM: B3. Weight [WEIGHT_1]




N= 3134
Mean(SD)=83.4(20.1)
Median(Q1,Q3)=80.5(68.8,94.2)
Range=38.9-183.0
None of the above but missing= 21

FUPM: B5. Waist circumference [WAISTCIR_1]




N= 3059
Mean(SD)=101.0(16.3)
Median(Q1,Q3)=99.5(89.0,110.0)
Range=61.1-191.0
None of the above but missing= 96

FUPM: B6. Hip circumference [HIPCIR_1]




N= 3058
Mean(SD)=110.0(14.1)
Median(Q1,Q3)=108.0(101.0,118.0)
Range=73.4-188.0
None of the above but missing= 97

FFQ2: Servings of vegetables [VEGSRV_1]




N= 2080
Mean(SD)=2.5(1.9)
Median(Q1,Q3)=2.0(1.1,3.2)
Range=0.0-14.1
None of the above but missing= 1075

FFQ2: Servings of fruit [FRUITSRV_1]




N= 2080
Mean(*SD*)=1.3(0.9)
Median(*Q1*,*Q3*)=1.1(0.6,1.9)
Range=0.0-5.6
None of the above but missing= 1075

FFQ2: Servings of grain [GRAINSRV_1]



N= 2080
Mean(*SD*)=4.1(2.2)
Median(*Q1*,*Q3*)=3.7(2.4,5.4)
Range=0.0-15.4
None of the above but missing= 1075

FFQ2: Servings of meat [MEATSRV_1]



N= 2080
Mean(*SD*)=2.1(1.4)
Median(*Q1*,*Q3*)=1.8(1.2,2.6)
Range=0.2-15.2
None of the above but missing= 1075

FFQ2: T2c. Sodium, adjusted for calorie intake [SODI_A_1]



N= 2080
Mean(*SD*)=2640.0(542.9)
Median(*Q1*,*Q3*)=2610.0(2270.0,3000.0)
Range=996.0-4910.0
None of the above but missing= 1075

FFQ2: T2c. Saturated fat, adjusted for calorie intake [SFAT_A_1]



N= 2080
Mean(SD)=19.5(5.3)
Median(Q1,Q3)=18.9(15.8,22.7)
Range=4.9-51.7
None of the above but missing= 1075

FFQ2: T2c. Fiber, adjusted for calorie intake [FIBE_A_1]



N= 2080
Mean(SD)=15.0(5.9)
Median(Q1,Q3)=14.1(10.8,18.0)
Range=1.3-50.9
None of the above but missing= 1075

T2c: Occupation grp combined BACH II [OCCUGRP_1]

1: Management, Professional, and Related Occupations	(N=1038) 32.9 %
2: Service Occupations	(N=825) 26.1 %
3: Sales and Office Occupations	(N=550) 17.4 %
4: Farming, Fishing, and Forestry Occupations	(N=10) 0.3 %
5: Construction, Extraction, Maintenance, and Repair Occupations	(N=265) 8.4 %
6: Production, Transportation, and Material Moving Occupations	(N=316) 10 %
7: Never worked	(N=123) 3.9 %
9: Missing	(N=0) 0 %
None of the above but missing:	(N=28) 0.9 %

FOFB: T2c.Has private Insurance [INSPR_1]

1: Yes	(N=1518) 48.1 %
2: No	(N=1627) 51.6 %
None of the above but missing:	(N=10) 0.3 %

FOFB: T2c. Has public Insurance [INSPU_1]

1: Yes	(N=1759) 55.8 %
2: No	(N=1385) 43.9 %
None of the above but missing:	(N=11) 0.3 %

FOFB: E1j1iv. Ever told you had: Insulin-dependent diabetes: No Treatment [DIAB1NOTRT_1]

1: Yes	(N=3136) 99.4 %
2: No	(N=9) 0.3 %
None of the above but missing:	(N=10) 0.3 %


FOFB: T2c. Has diabetes caused any problems with your eyes? [DIABEYE_1]

1: Yes	(N=165) 5.2 %
2: No	(N=2921) 92.6 %
None of the above but missing:	(N=69) 2.2 %

FOFB: T2c. Has diabetes cause any problems with your kidneys [DIABKDNY_1]

1: Yes (N=55) 1.7 %
2: No (N=3038) 96.3 %
None of the above but missing: (N=62) 2 %

FUPM: T2c. Avg of seated pulses (beats/30 sec) [AVGPULSE_1]




N= 3057
Mean(SD)=38.6(8.6)
Median(Q1,Q3)=37.5(33.0,42.0)
Range=19.0-95.0
None of the above but missing= 98

FOIA: T2c. In state [INSTATE_1]

1: Yes (N=3123) 99 %
2: No (N=22) 0.7 %
None of the above but missing: (N=10) 0.3 %

FOFA: T2c. Age at follow up [AGE_1]



N= 3145
Mean(SD)=55.3(11.9)
Median(Q1,Q3)=54.4(45.6,63.7)
Range=31.7-85.9
None of the above but missing= 10

S1MD: T2. (INSU) INSULIN COALITION [SCOINSUL_1]

1: Yes (N=192) 6.1 %
2: No (N=2953) 93.6 %
None of the above but missing: (N=10) 0.3 %

S1MD: T2. (HCRI) HMG-COA REDUCTASE INHIBITORS (STATINS) [SSTATIN_1]

1: Yes (N=811) 25.7 %
2: No (N=2334) 74 %
None of the above but missing: (N=10) 0.3 %

S1MD: T2. (NIAD) NON-INSULIN COALITION [SCODIAB_1]

1: Yes (N=437) 13.9 %
2: No (N=2708) 85.8 %
None of the above but missing: (N=10) 0.3 %

S1MD: T2c. Any type of hypertension [SANYAHT_1]

1: Yes (N=1314) 41.6 %
2: No (N=1831) 58 %
None of the above but missing: (N=10) 0.3 %

S1MD: T2c. Any type of antidepressant [SANYADEP_1]

1: Yes (N=600) 19 %
2: No (N=2545) 80.7 %
None of the above but missing: (N=10) 0.3 %

PINA: A6. LANGUAGE [LANG_ENSP_2]

1: ENGLISH (N=2329) 73.8 %
2: SPANISH (N=826) 26.2 %
None of the above but missing: (N=0) 0 %

PINA: B1. In general, would you say your health is: [SF01_2]

1: Excellent (N=304) 9.6 %
2: Very Good (N=680) 21.6 %
3: Good (N=1215) 38.5 %
4: Fair (N=829) 26.3 %
5: Poor (N=127) 4 %
None of the above but missing: (N=0) 0 %

PINA: C1a1i. Ever told you had: Insulin-dependent diabetes: No Treatment [DIAB1NOTRT_2]

-8: DK (N=0) 0 %
-7: RF (N=0) 0 %
1: YES (N=3146) 99.7 %
2: NO (N=9) 0.3 %
None of the above but missing: (N=0) 0 %

PINA: C1a1ii. Ever told you had: Insulin-dependent diabetes: Diet [DIAB1DIET_2]

-8: DK (N=0) 0 %
-7: RF (N=0) 0 %
1: YES (N=9) 0.3 %
2: NO (N=3146) 99.7 %
None of the above but missing: (N=0) 0 %

PINA: C1b1i. Ever told you had: Insulin-dependent diabetes: No Treatment [DIAB2NOTRT_2]

-8: DK (N=0) 0 %
-7: RF (N=0) 0 %
1: YES (N=2496) 79.1 %
2: NO (N=573) 18.2 %
None of the above but missing: (N=86) 2.7 %

PINA: C1b1ii. Ever told you had: Insulin-dependent diabetes: Diet [DIAB2DIET_2]

-8: DK (N=0) 0 %
-7: RF (N=0) 0 %
1: YES (N=426) 13.5 %
2: NO (N=2641) 83.7 %
None of the above but missing: (N=88) 2.8 %

PINA: C1*c. Ever told you had: Elevated blood sugar [SUGAR_2]

-8: DK (N=0) 0 %
-7: RF (N=0) 0 %
1: YES (N=761) 24.1 %
2: NO (N=2381) 75.5 %
None of the above but missing: (N=13) 0.4 %

PINA: C1d. Ever told you had: Gestational Diabetes [GDIAB_2]

-8: DK (N=0) 0 %
-7: RF (N=0) 0 %
1: YES (N=144) 4.6 %
2: NO (N=1818) 57.6 %
None of the above but missing: (N=1193) 37.8 %

PINA: C1e. Ever told you had: Kidney disease [KIDNEY_2]

-8: DK (N=0) 0 %
-7: RF (N=0) 0 %
1: YES (N=233) 7.4 %
2: NO (N=2911) 92.3 %
None of the above but missing: (N=11) 0.3 %

PINA: C1*f. Ever told you had: A heart attack [MI_2]

-8: DK (N=0) 0 %
-7: RF (N=0) 0 %
1: YES (N=241) 7.6 %
2: NO (N=2907) 92.1 %
None of the above but missing: (N=7) 0.2 %

PINA: C1*g. Ever told you had: Congestive heart failure [CHF_2]

-8: DK (N=0) 0 %
-7: RF (N=0) 0 %
1: YES (N=140) 4.4 %
2: NO (N=3005) 95.2 %
None of the above but missing: (N=10) 0.3 %

PINA: C1*h. Ever told you had: Surgery or angioplasty [SPVD_2]

-8: DK (N=0) 0 %
-7: RF (N=0) 0 %
1: YES (N=121) 3.8 %
2: NO (N=3027) 95.9 %
None of the above but missing: (N=7) 0.2 %

PINA: C1j1. Do you have difficulty moving an arm or leg as a result of the stroke? [STROKEDIFF_2]

-8: DK (N=0) 0 %
-7: RF (N=0) 0 %
1: YES (N=29) 0.9 %
2: NO (N=2989) 94.7 %
None of the above but missing: (N=137) 4.3 %

PINA: C1*k. Ever told you had: Angina pectoris [ANGINA_2]

-8: DK (N=0) 0 %
-7: RF (N=0) 0 %
1: YES (N=375) 11.9 %
2: NO (N=2772) 87.9 %
None of the above but missing: (N=8) 0.3 %

PINA: C1l. Ever told you had: Carotid artery surgery [CAS_2]

-8: DK (N=0) 0 %
-7: RF (N=0) 0 %
1: YES (N=35) 1.1 %
2: NO (N=3119) 98.9 %
None of the above but missing: (N=1) 0 %

PINA: C1*m. Ever told you had: heart rhythm disturbance [HRD_2]

-8: DK (N=0) 0 %
-7: RF (N=0) 0 %
1: YES (N=490) 15.5 %
2: NO (N=2643) 83.8 %
None of the above but missing: (N=22) 0.7 %

PINA: C1n. Ever told you had: Peripheral Vascular Disease [PVD_2]

-8: DK (N=0) 0 %
-7: RF (N=0) 0 %
1: YES (N=109) 3.5 %
2: NO (N=3014) 95.5 %
None of the above but missing: (N=32) 1 %

PINA: C1o. Ever told you had: High cholesterol [CHOLEST_2]

-8: DK (N=0) 0 %
-7: RF (N=0) 0 %
1: YES (N=1660) 52.6 %
2: NO (N=1484) 47 %
None of the above but missing: (N=11) 0.3 %

PINA: C1p. Ever told you had: High Blood Pressure [HBP_2]

-8: DK (N=0) 0 %
-7: RF (N=0) 0 %
1: YES (N=1660) 52.6 %
2: NO (N=1487) 47.1 %
None of the above but missing: (N=8) 0.3 %

PINA: C1q. Surgery of the stomach for weight loss purposes [WTLOSSSURG_2]

-8: DK (N=0) 0 %
-7: RF (N=0) 0 %
1: YES (N=43) 1.4 %
2: NO (N=3110) 98.6 %
None of the above but missing: (N=2) 0.1 %

PINA: C2a. Ever had a hysterectomy [HYSTER_2]

1: YES (N=483) 15.3 %
2: NO (N=1488) 47.2 %
None of the above but missing: (N=1184) 37.5 %

PINA: C2b. An ovary removed? [OVARMD_2]

1: YES (N=424) 13.4 %
2: NO (N=1546) 49 %
None of the above but missing: (N=1185) 37.6 %

PINA: C3. Did you have menstrual period in 12 months [MP12MO_2]

-8: DK (N=0) 0 %
-7: RF (N=0) 0 %
1: YES (N=560) 17.7 %
2: NO (N=1409) 44.7 %
None of the above but missing: (N=1186) 37.6 %

PINA: C3a1. Did they stop because of: medication/radiation/chemotherapy [STOPTX_2]

-8: DK (N=0) 0 %
-7: RF (N=0) 0 %
1: YES (N=32) 1 %
2: NO (N=1927) 61.1 %
None of the above but missing: (N=1196) 37.9 %

PINA: C3a3. Did they stop because of: menopause [STOPMENO_2]

-8: DK (N=0) 0 %
-7: RF (N=0) 0 %
1: YES (N=978) 31 %
2: NO (N=969) 30.7 %
None of the above but missing: (N=1208) 38.3 %

PINA: C3a4. Did they stop because of: weight loss or another reason [STOPWTOT_2]

-8: DK (N=0) 0 %
-7: RF (N=0) 0 %
1: YES (N=273) 8.7 %
2: NO (N=1682) 53.3 %
None of the above but missing: (N=1200) 38 %

PINA: C4. Days between one menstrual period and next month's period. [MPLPRED_2]

1: YES (N=230) 7.3 %
2: NO (N=1739) 55.1 %
None of the above but missing: (N=1186) 37.6 %

PINA: C5. Have you had a menstrual period in the past 3 months? [MP3MO_2]

1: YES (N=446) 14.1 %
2: NO (N=1524) 48.3 %
None of the above but missing: (N=1185) 37.6 %

PINA: D2a. Major reasons for your visit: Urgent [HCPURG_2]

1: YES (N=1052) 33.3 %
2: NO (N=2101) 66.6 %
None of the above but missing: (N=2) 0.1 %

PINA: D2b. Major reasons for your visit: Routine [HCPROUT_2]

1: YES (N=1939) 61.5 %
2: NO (N=1214) 38.5 %
None of the above but missing: (N=2) 0.1 %

PINA: D2c. Major reasons for your visit: Flare-up [HCPFLARE_2]

1: YES (N=652) 20.7 %
2: NO (N=2501) 79.3 %
None of the above but missing: (N=2) 0.1 %

PINA: D2d. Major reasons for your visit: Pre- or- Post surgery [HCPSURG_2]

1: YES (N=440) 13.9 %
2: NO (N=2713) 86 %
None of the above but missing: (N=2) 0.1 %

PINA: D2e. Major reasons for your visit: Non-illness [HCPOTH_2]

1: YES (N=2194) 69.5 %
2: NO (N=959) 30.4 %
None of the above but missing: (N=2) 0.1 %

PINA: D3. When: Last seen healthcare provider [LASTHCP_2]

- 1: 6 months ago or less (N=2594) 82.2 %
- 2: more than 6 months ago, but l (N=392) 12.4 %
- 3: more than 1 year ago, but les (N=101) 3.2 %
- 4: more than 2 years ago, but le (N=50) 1.6 %
- 5: 5 years ago or more (N=17) 0.5 %
- None of the above but missing: (N=1) 0 %

PINA: D4. Particular Doctor's Office you go for advice [PATICLR_DR_2]

- 1: Yes (N=2835) 89.9 %
- 2: No (N=67) 2.1 %
- 3: More than one place (N=253) 8 %
- None of the above but missing: (N=0) 0 %

PINA: D5. Main reason for no usual source of health care [MAIN_RES_NHC_2]

- 1: You seldom or never get sick (N=44) 1.4 %
- 2: You recently moved to the are (N=2) 0.1 %
- 3: You don't know where to go fo (N=0) 0 %
- 4: Your usual source of medical (N=0) 0 %
- 5: You can't find a provider who (N=0) 0 %
- 6: You like to go to different p (N=0) 0 %
- 7: You just changed insurance pl (N=1) 0 %
- 8: You don't use doctors/you tre (N=2) 0.1 %
- 9: The cost of medical care (N=5) 0.2 %
- 99: Another reason (N=13) 0.4 %
- None of the above but missing: (N=3088) 97.9 %

PINA: D6a. Usually go for health care: Outpatient [OUTPAT_2]

- 1: YES (N=1648) 52.2 %
- 2: NO (N=1503) 47.6 %
- None of the above but missing: (N=4) 0.1 %

PINA: D6b. Usually go for health care: Emergency room [HOSPER_2]

- 1: YES (N=324) 10.3 %
- 2: NO (N=2827) 89.6 %
- None of the above but missing: (N=4) 0.1 %

PINA: D6c. Usually go for health care: Hospital [HOUTPAT_2]

- 1: YES (N=1176) 37.3 %
- 2: NO (N=1972) 62.5 %
- None of the above but missing: (N=7) 0.2 %

PINA: D6d. Usually go for health care: Health center [HEALTHCTR_2]

- 1: YES (N=1487) 47.1 %
- 2: NO (N=1662) 52.7 %
- None of the above but missing: (N=6) 0.2 %

PINA: D6e. Usually go for health care: Free Clinic [FREEHOS_2]

- 1: YES (N=224) 7.1 %
- 2: NO (N=2926) 92.7 %
- None of the above but missing: (N=5) 0.2 %

PINA: D6f. Usually go for health care: Retail Clinic [HC_RETAIL_CL_2]

- 1: YES (N=42) 1.3 %
- 2: NO (N=3110) 98.6 %
- None of the above but missing: (N=3) 0.1 %

PINA: D7a. Get to your usual provider: Drive [PROVD_DRIVE_2]

1: YES (N=1475) 46.8 %
2: NO (N=1679) 53.2 %
None of the above but missing: (N=1) 0 %

PINA: D7b. Get to your usual provider: Someone drives [PROVD_SDRIVE_2]

1: YES (N=489) 15.5 %
2: NO (N=2666) 84.5 %
None of the above but missing: (N=0) 0 %

PINA: D7c. Get to your usual provider: Public transportation [PROVD_PTRSPT_2]

1: YES (N=1225) 38.8 %
2: NO (N=1930) 61.2 %
None of the above but missing: (N=0) 0 %

PINA: D7d. Get to your usual provider: Walk [PROVD_WALK_2]

1: YES (N=693) 22 %
2: NO (N=2461) 78 %
None of the above but missing: (N=1) 0 %

PINA: D9. How difficult is it for you to get to your usual provider? [PROV_DIFF_2]

1: Very difficult (N=58) 1.8 %
2: Somewhat difficult (N=239) 7.6 %
3: Not too difficult or (N=538) 17.1 %
4: Not at all difficult (N=2251) 71.3 %
None of the above but missing: (N=69) 2.2 %

PINA: D10. Number to rate usual provider [PROV_RATE_2]

0: Worst Doctor Possible (N=19) 0.6 %
10: Best Doctor Possible (N=1366) 43.3 %
1: (N=5) 0.2 %
2: (N=8) 0.3 %
3: (N=12) 0.4 %
4: (N=21) 0.7 %
5: (N=121) 3.8 %
6: (N=93) 2.9 %
7: (N=234) 7.4 %
8: (N=627) 19.9 %
9: (N=566) 17.9 %
None of the above but missing: (N=83) 2.6 %

PINA: D11*a. Explanations hard to understand: What was wrong with you? [PROV_WAT_WRG_2]

1: YES (N=110) 3.5 %
2: NO (N=2880) 91.3 %
3: DOES NOT APPLY (N=156) 4.9 %
None of the above but missing: (N=9) 0.3 %

PINA: D11*b. Explanations hard to understand: Treatment reason [PROV_RES_TRT_2]

1: YES (N=87) 2.8 %
2: NO (N=2880) 91.3 %
3: DOES NOT APPLY (N=184) 5.8 %
None of the above but missing: (N=4) 0.1 %

PINA: D11c. Explanations hard to understand: What a medicine was for [PROV_MED_FOR_2]

1: YES (N=104) 3.3 %
2: NO (N=2849) 90.3 %
3: DOES NOT APPLY (N=198) 6.3 %
None of the above but missing: (N=4) 0.1 %

PINA: D11d. Explanations hard to understand: How to take medicine [PROV_TAK_MED_2]

1: YES (N=71) 2.3 %
2: NO (N=2888) 91.5 %
3: DOES NOT APPLY (N=193) 6.1 %
None of the above but missing: (N=3) 0.1 %

PINA: D11*e. Explanations hard to understand: Test results [PROV_TST_RES_2]

1: YES (N=88) 2.8 %
2: NO (N=2919) 92.5 %
3: DOES NOT APPLY (N=146) 4.6 %
None of the above but missing: (N=2) 0.1 %

PINA: D11f. Explanation hard to understand: To do if condition get worse [PROV_WOS_CDN_2]

1: YES (N=87) 2.8 %
2: NO (N=2896) 91.8 %
3: DOES NOT APPLY (N=169) 5.4 %
None of the above but missing: (N=3) 0.1 %

PINA: D11*g. Explanations hard to understand: Something else [PROV_SOM_ELS_2]

1: YES (N=39) 1.2 %
2: NO (N=2989) 94.7 %
3: DOES NOT APPLY (N=124) 3.9 %
None of the above but missing: (N=3) 0.1 %

PINA: D13. Explanations hard to understand because of accent [PROV_ACCNT_2]

1: YES (N=89) 2.8 %
2: NO (N=2993) 94.9 %
None of the above but missing: (N=73) 2.3 %

PINA: D16. In the last 12 months: Needed Medical Care [NEED_CARE_2]

1: YES (N=1166) 37 %
2: NO (N=1981) 62.8 %
None of the above but missing: (N=8) 0.3 %

PINA: D17. In the last 12 months: Unable to get medical care [UNABL_CARE_2]

1: YES (N=47) 1.5 %
2: NO (N=1119) 35.5 %
None of the above but missing: (N=1989) 63 %

PINA: D18a. In the last 12 months: You couldn't afford care [CLDNT_AFORD_2]

1: YES (N=24) 0.8 %
2: NO (N=1142) 36.2 %
None of the above but missing: (N=1989) 63 %

PINA: D18b. In the last 12 months: Insurance company wouldn't approve [INS_WDNT_APV_2]

1: YES (N=19) 0.6 %
2: NO (N=1147) 36.4 %
None of the above but missing: (N=1989) 63 %

PINA: D18c. In the last 12 months: Dr. refused to accept insurance plan [DR_REFSD_2]

1: YES (N=2) 0.1 %
2: NO (N=1164) 36.9 %
None of the above but missing: (N=1989) 63 %

PINA: D18d. In the last 12 months: Problems getting to doctor's office [PRBLMS_TO_DR_2]

1: YES (N=9) 0.3 %
2: NO (N=1157) 36.7 %
None of the above but missing: (N=1989) 63 %

PINA: D18e. In the last 12 months: Different language [DIFF_LANG_2]

1: YES (N=1) 0 %
2: NO (N=1165) 36.9 %
None of the above but missing: (N=1989) 63 %

PINA: D18f. In the last 12 months: You couldn't get time off work [TM_OF_WK_2]

1: YES (N=2) 0.1 %
2: NO (N=1164) 36.9 %
None of the above but missing: (N=1989) 63 %

PINA: D18g. In the last 12 months: Didn't know where to go to get care [WH_TOGT_CARE_2]

1: YES (N=1) 0 %
2: NO (N=1165) 36.9 %
None of the above but missing: (N=1989) 63 %

PINA: D18h. In the last 12 months: You were refused services [REFSD_SERV_2]

1: YES (N=9) 0.3 %
2: NO (N=1157) 36.7 %
None of the above but missing: (N=1989) 63 %

PINA: D18i. In the last 12 months: You couldn't get child care [CHILDCARE_2]

1: YES (N=0) 0 %
2: NO (N=1166) 37 %
None of the above but missing: (N=1989) 63 %

PINA: D18j. In the last 12 months: You didn't have time or took too long [NO_TIME_2]

1: YES (N=4) 0.1 %
2: NO (N=1162) 36.8 %
None of the above but missing: (N=1989) 63 %

PINA: D18k. In the last 12 months: Another reason [OTH_RS_UNABL_2]

1: YES (N=15) 0.5 %
2: NO (N=1151) 36.5 %
None of the above but missing: (N=1989) 63 %

PINA: D19. Problem not getting medical care necessary [PRBLM_NOCARE_2]

1: A big problem (N=26) 0.8 %
2: A small problem, or (N=9) 0.3 %
3: Not a problem (N=11) 0.3 %
None of the above but missing: (N=3109) 98.5 %

PINA: D20*a. you had a suspicious mole/growth on your skin [SUSP_MOLE_2]

1: *EXTREMELY UNIMPORTANT* (N=44) 1.4 %
2: *UNINMORTANT* (N=111) 3.5 %
3: *NEITHER UN-IMPORTANT NOR IMPO* (N=104) 3.3 %
4: *IMPORTANT* (N=1534) 48.6 %
5: *EXTREMELY IMPORTANT* (N=1355) 42.9 %
None of the above but missing: (N=7) 0.2 %

PINA: D20*b. Sibling diagnosed had been diagnosed with diabetes [SIBLNG_DIAB_2]

1: *EXTREMELY UNIMPORTANT* (N=89) 2.8 %
2: *UNINMORTANT* (N=194) 6.1 %
3: *NEITHER UN-IMPORTANT NOR IMPO* (N=289) 9.2 %
4: *IMPORTANT* (N=1552) 49.2 %
5: *EXTREMELY IMPORTANT* (N=1010) 32 %
None of the above but missing: (N=21) 0.7 %

PINA: D20*c. you had chest pains [CHESTPAINS_2]

1: *EXTREMELY UNIMPORTANT* (N=11) 0.3 %
2: *UNINMORTANT* (N=37) 1.2 %
3: *NEITHER UN-IMPORTANT NOR IMPO* (N=60) 1.9 %
4: *IMPORTANT* (N=1082) 34.3 %
5: *EXTREMELY IMPORTANT* (N=1962) 62.2 %
None of the above but missing: (N=3) 0.1 %

PINA: D20d. get a flu shot [FLUSHOT_2]

1: *EXTREMELY UNIMPORTANT* (N=259) 8.2 %
2: *UNINMORTANT* (N=465) 14.7 %
3: *NEITHER UN-IMPORTANT NOR IMPO* (N=366) 11.6 %
4: *IMPORTANT* (N=1500) 47.5 %
5: *EXTREMELY IMPORTANT* (N=559) 17.7 %
None of the above but missing: (N=6) 0.2 %

PINA: D20e. get your blood pressure or cholesterol checked [BP_CHOL_2]

1: *EXTREMELY UNIMPORTANT* (N=33) 1 %
2: *UNINMORTANT* (N=118) 3.7 %
3: *NEITHER UN-IMPORTANT NOR IMPO* (N=287) 9.1 %
4: *IMPORTANT* (N=1857) 58.9 %
5: *EXTREMELY IMPORTANT* (N=856) 27.1 %
None of the above but missing: (N=4) 0.1 %

PINB: E1. Diabetes is more than normal sugar in your blood [DIAB_IS_2]

1: *TRUE* (N=2448) 77.6 %
2: *FALSE* (N=661) 21 %
None of the above but missing: (N=46) 1.5 %

PINB: E2. Do you consider diabetes to be: [CONSD_DIAB_2]

1: *Not a serious disease* (N=20) 0.6 %
2: *A moderately serious disease* (N=126) 4 %
3: *A serious disease* (N=969) 30.7 %
4: *A very serious disease* (N=1984) 62.9 %
5: *No Opinion* (N=50) 1.6 %
None of the above but missing: (N=6) 0.2 %

PINB: E3. Do you think your personal risk for diabetes is: [PERS_RISK_2]

- 1: I have Diabetes (N=564) 17.9 %
- 2: Almost no risk (N=717) 22.7 %
- 3: Slight risk (N=859) 27.2 %
- 4: Moderate risk (N=608) 19.3 %
- 5: High Risk (N=377) 11.9 %
- None of the above but missing: (N=30) 1 %

PINB: E4*a. Increased thirst? [INC_THST_2]

- 1: YES (N=462) 14.6 %
- 2: NO (N=2123) 67.3 %
- None of the above but missing: (N=570) 18.1 %

PINB: E4b. Increased need to urinate? [INC_URIN_2]

- 1: YES (N=592) 18.8 %
- 2: NO (N=1994) 63.2 %
- None of the above but missing: (N=569) 18 %

PINB: E4*c. Increased fatigue? [INC_FATG_2]

- 1: YES (N=550) 17.4 %
- 2: NO (N=2033) 64.4 %
- None of the above but missing: (N=572) 18.1 %

PINB: E4*d. Weight loss [WT_LOSS_2]

- 1: YES (N=181) 5.7 %
- 2: NO (N=2404) 76.2 %
- None of the above but missing: (N=570) 18.1 %

PINB: F1*a. Do you have difficulties falling asleep? [SLEEP1_2]

- 1: Almost never or never (N=1350) 42.8 %
- 2: A few times (N=346) 11 %
- 3: Sometimes (N=781) 24.8 %
- 4: Most times (N=391) 12.4 %
- 5: Almost always or always (N=282) 8.9 %
- None of the above but missing: (N=5) 0.2 %

PINB: F1*b. After getting up in the morning, can you fall asleep again? [SLEEP2_2]

- 1: Almost never or never (N=1037) 32.9 %
- 2: A few times (N=341) 10.8 %
- 3: Sometimes (N=885) 28.1 %
- 4: Most times (N=539) 17.1 %
- 5: Almost always or always (N=347) 11 %
- None of the above but missing: (N=6) 0.2 %

PINB: F1*c. Do you use sleeping pills? [SLEEP3_2]

- 1: Almost never or never (N=2395) 75.9 %
- 2: A few times (N=130) 4.1 %
- 3: Sometimes (N=234) 7.4 %
- 4: Most times (N=176) 5.6 %
- 5: Almost always or always (N=215) 6.8 %
- None of the above but missing: (N=5) 0.2 %

PINB: F1d. Are you tired during wake time? [SLEEP4_2]

1: Almost never or never	(N=1114) 35.3 %
2: A few times	(N=432) 13.7 %
3: Sometimes	(N=1157) 36.7 %
4: Most times	(N=303) 9.6 %
5: Almost always or always	(N=143) 4.5 %
None of the above but missing:	(N=6) 0.2 %

PINB: F1e. Are you tired after sleeping? [SLEEP5_2]

1: Almost never or never	(N=1488) 47.2 %
2: A few times	(N=424) 13.4 %
3: Sometimes	(N=821) 26 %
4: Most times	(N=283) 9 %
5: Almost always or always	(N=134) 4.2 %
None of the above but missing:	(N=5) 0.2 %

PINB: F1f. Are you restless during the night ? [SLEEP6_2]

1: Almost never or never	(N=1178) 37.3 %
2: A few times	(N=426) 13.5 %
3: Sometimes	(N=831) 26.3 %
4: Most times	(N=439) 13.9 %
5: Almost always or always	(N=263) 8.3 %
None of the above but missing:	(N=18) 0.6 %

PINB: F1g. Do you get up during the night? [SLEEP8_2]

1: Almost never or never	(N=635) 20.1 %
2: A few times	(N=662) 21 %
3: Sometimes	(N=1001) 31.7 %
4: Most times	(N=441) 14 %
5: Almost always or always	(N=411) 13 %
None of the above but missing:	(N=5) 0.2 %

PINB: F1*h. Do you suffer from headaches first thing in the morning? [SLEEP9_2]

1: Almost never or never	(N=2331) 73.9 %
2: A few times	(N=279) 8.8 %
3: Sometimes	(N=369) 11.7 %
4: Most times	(N=112) 3.5 %
5: Almost always or always	(N=59) 1.9 %
None of the above but missing:	(N=5) 0.2 %

PINB: F1*i. Do you feel exhausted for no obvious reasons? [SLEEP10_2]

1: Almost never or never	(N=1799) 57 %
2: A few times	(N=405) 12.8 %
3: Sometimes	(N=666) 21.1 %
4: Most times	(N=179) 5.7 %
5: Almost always or always	(N=101) 3.2 %
None of the above but missing:	(N=5) 0.2 %

PINB: F1j. Have you been told that you quit breathing during sleep? [SLEEP11_2]

1: Almost never or never	(N=2710) 85.9 %
2: A few times	(N=144) 4.6 %
3: Sometimes	(N=144) 4.6 %
4: Most times	(N=63) 2 %
5: Almost always or always	(N=70) 2.2 %
None of the above but missing:	(N=24) 0.8 %


PINB: F1k. Nodded off or fallen asleep while driving a vehicle? [SLEEP12_2]

1: Almost never or never	(N=2944) 93.3 %
2: A few times	(N=130) 4.1 %
3: Sometimes	(N=53) 1.7 %
4: Most times	(N=12) 0.4 %
5: Almost always or always	(N=6) 0.2 %
None of the above but missing:	(N=10) 0.3 %

PINB: F1*I. How frequently have you been told that you snore? [SLEEP7_2]

1: Almost never or never	(N=1053) 33.4 %
2: A few times	(N=543) 17.2 %
3: Sometimes	(N=717) 22.7 %
4: Most times	(N=360) 11.4 %
5: Almost always or always	(N=452) 14.3 %
None of the above but missing:	(N=30) 1 %

PINB: F2. Hours of actual sleep you get during the night [HRSSLEEP_2]



N= 3124
Mean(SD)=6.5(1.5)
Median(Q1,Q3)=7.0(6.0,8.0)
Range=0.0-13.0
None of the above but missing= 31

PINB: F2. How long does it usually take you to fall asleep at bedtime? (truncated to 300 minutes)
[MINSLEEP_2]



N= 3051
Mean(SD)=31.1(36.7)
Median(Q1,Q3)=20.0(10.0,30.0)
Range=1.0-300.0
None of the above but missing= 104

PINB: G1*a. Seven days: Sitting activities [SITTING_2]

0: Never	(N=96) 3 %
1: Seldom (1-2 days)	(N=666) 21.1 %
2: Sometimes (3-4 days)	(N=650) 20.6 %
3: Often (5-7 days)	(N=1737) 55.1 %
None of the above but missing:	(N=6) 0.2 %

PINB: G1ai. Seven days: Sitting activities: Hours [SITDUR_2]

0: *never* (N=96) 3 %
1: *Less than 1 hour* (N=184) 5.8 %
2: *1 but less than 2 hours* (N=896) 28.4 %
3: *2-4 hours* (N=984) 31.2 %
4: *More than 4 hours* (N=989) 31.3 %
None of the above but missing: (N=6) 0.2 %

PINB: G1*b. Seven days: Walk outside [WALK_2]

0: *Never* (N=610) 19.3 %
1: *Seldom (1-2 days)* (N=851) 27 %
2: *Sometimes (3-4 days)* (N=686) 21.7 %
3: *Often (5-7 days)* (N=1003) 31.8 %
None of the above but missing: (N=5) 0.2 %

PINB: G1bi. Seven days: Walk outside: Hours [WALKDUR_2]

0: *never* (N=610) 19.3 %
1: *Less than 1 hour* (N=835) 26.5 %
2: *1 but less than 2 hours* (N=969) 30.7 %
3: *2-4 hours* (N=500) 15.8 %
4: *More than 4 hours* (N=232) 7.4 %
None of the above but missing: (N=9) 0.3 %

PINB: G1*c. Seven days: Light sport [LTSPORT_2]

0: *Never* (N=2579) 81.7 %
1: *Seldom (1-2 days)* (N=329) 10.4 %
2: *Sometimes (3-4 days)* (N=163) 5.2 %
3: *Often (5-7 days)* (N=78) 2.5 %
None of the above but missing: (N=6) 0.2 %

PINB: G1ci. Seven days: Light sport: Hours [LTSPDUR_2]

0: *never* (N=2579) 81.7 %
1: *Less than 1 hour* (N=183) 5.8 %
2: *1 but less than 2 hours* (N=223) 7.1 %
3: *2-4 hours* (N=133) 4.2 %
4: *More than 4 hours* (N=31) 1 %
None of the above but missing: (N=6) 0.2 %

PINB: G1*d. Seven days: Moderate sport [MDSPORT_2]

0: *Never* (N=2595) 82.3 %
1: *Seldom (1-2 days)* (N=340) 10.8 %
2: *Sometimes (3-4 days)* (N=156) 4.9 %
3: *Often (5-7 days)* (N=58) 1.8 %
None of the above but missing: (N=6) 0.2 %

PINB: G1di. Seven days: Moderate sport: Hours [MDSPDUR_2]

0: *never* (N=2595) 82.3 %
1: *Less than 1 hour* (N=162) 5.1 %
2: *1 but less than 2 hours* (N=235) 7.4 %
3: *2-4 hours* (N=130) 4.1 %
4: *More than 4 hours* (N=27) 0.9 %
None of the above but missing: (N=6) 0.2 %

PINB: G1*e. Seven days: Strenuous sport [STSPORT_2]

0: *Never* (N=2607) 82.6 %
1: *Seldom (1-2 days)* (N=251) 8 %
2: *Sometimes (3-4 days)* (N=200) 6.3 %
3: *Often (5-7 days)* (N=91) 2.9 %
None of the above but missing: (N=6) 0.2 %

PINB: G1ei. Seven days: Strenuous sport: Hours [STSPDUR_2]

0: *never* (N=2607) 82.6 %
1: *Less than 1 hour* (N=158) 5 %
2: *1 but less than 2 hours* (N=251) 8 %
3: *2-4 hours* (N=118) 3.7 %
4: *More than 4 hours* (N=15) 0.5 %
None of the above but missing: (N=6) 0.2 %

PINB: G1*f. Seven days: Any exercise [STRENGTH_2]

0: *Never* (N=2204) 69.9 %
1: *Seldom (1-2 days)* (N=389) 12.3 %
2: *Sometimes (3-4 days)* (N=368) 11.7 %
3: *Often (5-7 days)* (N=189) 6 %
None of the above but missing: (N=5) 0.2 %

PINB: G1fi. Seven days: Any exercise: Hours [STRENDUR_2]

0: *never* (N=2204) 69.9 %
1: *Less than 1 hour* (N=475) 15.1 %
2: *1 but less than 2 hours* (N=313) 9.9 %
3: *2-4 hours* (N=130) 4.1 %
4: *More than 4 hours* (N=27) 0.9 %
None of the above but missing: (N=6) 0.2 %

PINB: G2. Last seven days have you done any light housework [LTHSWORK_2]

1: *YES* (N=2795) 88.6 %
2: *NO* (N=356) 11.3 %
None of the above but missing: (N=4) 0.1 %

PINB: G3. Last seven days have you done any heavy housework [HVHSWORK_2]

1: *YES* (N=2008) 63.6 %
2: *NO* (N=1143) 36.2 %
None of the above but missing: (N=4) 0.1 %

PINB: G4a. Last seven days: Home repairs [HOMEREP_2]

1: *YES* (N=534) 16.9 %
2: *NO* (N=2617) 82.9 %
None of the above but missing: (N=4) 0.1 %

PINB: G4*b. Last seven days: Lawn work [LAWNWORK_2]

1: *YES* (N=767) 24.3 %
2: *NO* (N=2384) 75.6 %
None of the above but missing: (N=4) 0.1 %

PINB: G4c. Last seven days: Outdoor gardening [GARDEN_2]

1: *YES* (N=529) 16.8 %
2: *NO* (N=2622) 83.1 %
None of the above but missing: (N=4) 0.1 %


PINB: G4*d. Last seven days: Caretaking [CARETAK_2]

1: YES (N=1097) 34.8 %
2: NO (N=2054) 65.1 %
None of the above but missing: (N=4) 0.1 %

PINB: G5. Last seven days did you work for pay or volunteer [WORK7DY_2]

1: YES (N=1504) 47.7 %
2: NO (N=1647) 52.2 %
None of the above but missing: (N=4) 0.1 %

PINB: G5a. Last seven days: Hours per week work for pay/volunteer [HRS7DY_2]



N= 3148
Mean(SD)=16.8(20.6)
Median(Q1,Q3)=0.0(0.0,40.0)
Range=0.0-122.0
None of the above but missing= 7

PINB: G5b. Which describes amount of physical activity [PHYSWORK_2]

0: no physical activity (N=1647) 52.2 %
1: Mainly sitting with slight arm movement (N=265) 8.4 %
2: Sitting or standing with some walking (N=615) 19.5 %
3: Walking, with some handling of materials weighing <50lb (N=493) 15.6 %
4: Walking + heavy manual work often requiring handling of materials weighing >50lbs (N=128) 4.1 %
None of the above but missing: (N=7) 0.2 %

PINB: G6. Did you work including work as a volunteer? [LSTYR_WORK_2]

1: YES (N=1649) 52.3 %
2: NO (N=1502) 47.6 %
None of the above but missing: (N=4) 0.1 %

PINB: G7*a. How Often: Same treatment or evaluation? [WK_HARD_2]

1: Almost everyday (N=161) 5.1 %
2: At least once a week (N=122) 3.9 %
3: A few times a month (N=153) 4.8 %
4: A few times a year (N=148) 4.7 %
5: Less than once a year (N=115) 3.6 %
6: Never (N=946) 30 %
None of the above but missing: (N=1510) 47.9 %

PINB: G7*b. How Often: Watched more closely than other workers? [WATCHED_2]

1: Almost everyday (N=101) 3.2 %
2: At least once a week (N=105) 3.3 %
3: A few times a month (N=111) 3.5 %
4: A few times a year (N=143) 4.5 %
5: Less than once a year (N=121) 3.8 %
6: Never (N=1065) 33.8 %
None of the above but missing: (N=1509) 47.8 %

PINB: G7c. How Often: Unfairly humiliated in front of others at work? [HUMILIATD_2]

1: Almost everyday (N=24) 0.8 %
2: At least once a week (N=44) 1.4 %
3: A few times a month (N=38) 1.2 %
4: A few times a year (N=73) 2.3 %
5: Less than once a year (N=106) 3.4 %
6: Never (N=1362) 43.2 %
None of the above but missing: (N=1508) 47.8 %

PINB: G7*d. How Often: Coworkers joke about racial/ethnic groups [RACE_JOKES_2]

1: Almost everyday (N=39) 1.2 %
2: At least once a week (N=49) 1.6 %
3: A few times a month (N=54) 1.7 %
4: A few times a year (N=121) 3.8 %
5: Less than once a year (N=93) 2.9 %
6: Never (N=1291) 40.9 %
None of the above but missing: (N=1508) 47.8 %

PINB: G7e. How Often: Coworkers make slurs or jokes about women? [WOM_JOKES_2]

1: Almost everyday (N=48) 1.5 %
2: At least once a week (N=62) 2 %
3: A few times a month (N=74) 2.3 %
4: A few times a year (N=117) 3.7 %
5: Less than once a year (N=134) 4.2 %
6: Never (N=1212) 38.4 %
None of the above but missing: (N=1508) 47.8 %

PINB: G7f. How Often: Co-workers make jokes about gays or lesbians? [GAY_JOKES_2]

1: Almost everyday (N=26) 0.8 %
2: At least once a week (N=39) 1.2 %
3: A few times a month (N=54) 1.7 %
4: A few times a year (N=118) 3.7 %
5: Less than once a year (N=111) 3.5 %
6: Never (N=1298) 41.1 %
None of the above but missing: (N=1509) 47.8 %

PINB: H1*a. Treated with less respect [RESPECT_2]

1: Almost everyday (N=154) 4.9 %
2: At least once a week (N=168) 5.3 %
3: A few times a month (N=210) 6.7 %
4: A few times a year (N=400) 12.7 %
5: Less than once a year (N=344) 10.9 %
6: Never (N=1868) 59.2 %
None of the above but missing: (N=11) 0.3 %

PINB: H1*b. Receive poorer service than other people [POORSERVICE_2]

1: Almost everyday (N=24) 0.8 %
2: At least once a week (N=71) 2.3 %
3: A few times a month (N=126) 4 %
4: A few times a year (N=339) 10.7 %
5: Less than once a year (N=436) 13.8 %
6: Never (N=2146) 68 %
None of the above but missing: (N=13) 0.4 %

PINB: H1c. Do people act as if they think you are not smart. [NOTSMART_2]

1: Almost everyday	(N=91) 2.9 %
2: At least once a week	(N=98) 3.1 %
3: A few times a month	(N=167) 5.3 %
4: A few times a year	(N=388) 12.3 %
5: Less than once a year	(N=332) 10.5 %
6: Never	(N=2062) 65.4 %
None of the above but missing:	(N=17) 0.5 %

PINB: H1d. Do people act as if they are afraid of you. [AFRAID_2]

1: Almost everyday	(N=68) 2.2 %
2: At least once a week	(N=70) 2.2 %
3: A few times a month	(N=136) 4.3 %
4: A few times a year	(N=286) 9.1 %
5: Less than once a year	(N=215) 6.8 %
6: Never	(N=2364) 74.9 %
None of the above but missing:	(N=16) 0.5 %

PINB: H1e. Are you threatened or harassed. [HARRASSED_2]

1: Almost everyday	(N=34) 1.1 %
2: At least once a week	(N=35) 1.1 %
3: A few times a month	(N=43) 1.4 %
4: A few times a year	(N=104) 3.3 %
5: Less than once a year	(N=175) 5.5 %
6: Never	(N=2755) 87.3 %
None of the above but missing:	(N=9) 0.3 %

PINB: H3*a. How often: Prepare for possible insults [INSULTS_2]

1: Almost everyday	(N=346) 11 %
2: At least once a week	(N=78) 2.5 %
3: A few times a month	(N=91) 2.9 %
4: A few times a year	(N=119) 3.8 %
5: Less than once a year	(N=118) 3.7 %
6: Never	(N=2391) 75.8 %
None of the above but missing:	(N=12) 0.4 %

PINB: H3*b. How often: be very careful about your appearance [APPEARANCE_2]

1: Almost everyday	(N=460) 14.6 %
2: At least once a week	(N=93) 2.9 %
3: A few times a month	(N=114) 3.6 %
4: A few times a year	(N=212) 6.7 %
5: Less than once a year	(N=165) 5.2 %
6: Never	(N=2098) 66.5 %
None of the above but missing:	(N=13) 0.4 %

PINB: H3c. How often: Watch carefully what you say [WTCH_WHTUSAY_2]

1: Almost everyday	(N=1178) 37.3 %
2: At least once a week	(N=213) 6.8 %
3: A few times a month	(N=265) 8.4 %
4: A few times a year	(N=286) 9.1 %
5: Less than once a year	(N=141) 4.5 %
6: Never	(N=1063) 33.7 %
None of the above but missing:	(N=9) 0.3 %

PINB: H3d. How often: Avoid certain social situations and places [AVOID_PLCS_2]

- 1: *Almost everyday* (N=652) 20.7 %
- 2: *At least once a week* (N=144) 4.6 %
- 3: *A few times a month* (N=263) 8.3 %
- 4: *A few times a year* (N=413) 13.1 %
- 5: *Less than once a year* (N=232) 7.4 %
- 6: *Never* (N=1440) 45.6 %
- None of the above but missing:* (N=11) 0.3 %

PINB: I1*a. Experienced the death of a spouse? [SP_DEATH_2]

- 1: *YES* (N=101) 3.2 %
- 2: *NO* (N=3050) 96.7 %
- None of the above but missing:* (N=4) 0.1 %

PINB: I1*b. Gone through a divorce? [DIVORCE_2]

- 1: *YES* (N=84) 2.7 %
- 2: *NO* (N=3066) 97.2 %
- None of the above but missing:* (N=5) 0.2 %

PINB: I1*c. Gone through a marital separation? [SEPARATION_2]

- 1: *YES* (N=148) 4.7 %
- 2: *NO* (N=3002) 95.2 %
- None of the above but missing:* (N=5) 0.2 %

PINB: I1d. Been detained in jail or in another institution? [JAIL_2]

- 1: *YES* (N=65) 2.1 %
- 2: *NO* (N=3086) 97.8 %
- None of the above but missing:* (N=4) 0.1 %

PINB: I1*e. Death of a close family member [FAM_DEATH_2]

- 1: *YES* (N=938) 29.7 %
- 2: *NO* (N=2213) 70.1 %
- None of the above but missing:* (N=4) 0.1 %

PINB: I1f. Had a major injury or illness? [ILLNESS_2]

- 1: *YES* (N=443) 14 %
- 2: *NO* (N=2708) 85.8 %
- None of the above but missing:* (N=4) 0.1 %

PINB: I1g. Gotten married? [MARRIED_2]

- 1: *YES* (N=57) 1.8 %
- 2: *NO* (N=3094) 98.1 %
- None of the above but missing:* (N=4) 0.1 %

PINB: I1*h. Been fired at work? [FIRED_2]

- 1: *YES* (N=59) 1.9 %
- 2: *NO* (N=3092) 98 %
- None of the above but missing:* (N=4) 0.1 %

PINB: I1i. Had a marital reconciliation? [RECONCLTN_2]

- 1: *YES* (N=37) 1.2 %
- 2: *NO* (N=3114) 98.7 %
- None of the above but missing:* (N=4) 0.1 %

PINB: I1j. Retired from work? [RETIRED_2]

1: YES (N=122) 3.9 %
2: NO (N=3029) 96 %
None of the above but missing: (N=4) 0.1 %

PINB: J1*a. I am responsible for my own successes. [RESPSUCS_2]

1: Strongly Disagree (N=1703) 54 %
2: Disagree (N=1292) 41 %
3: Neither Agree nor Disagree (N=0) 0 %
4: Agree (N=0) 0 %
5: Strongly Agree (N=0) 0 %
0 (N=62) 2 %
Not Applicable: (N=47) 1.5 %
Skipped: (N=35) 1.1 %
None of the above but missing: (N=16) 0.5 %

PINB: J1*b. I can do just about anything I really set my mind to. [ANYTHING_2]

1: Strongly Disagree (N=1837) 58.2 %
2: Disagree (N=912) 28.9 %
3: Neither Agree nor Disagree (N=0) 0 %
4: Agree (N=0) 0 %
5: Strongly Agree (N=0) 0 %
0 (N=231) 7.3 %
Not Applicable: (N=146) 4.6 %
Skipped: (N=14) 0.4 %
None of the above but missing: (N=15) 0.5 %

PINB: J1*c. My misfortunes are the result of mistakes I have made [MISFORTUNES_2]

1: Strongly Disagree (N=1739) 55.1 %
2: Disagree (N=510) 16.2 %
3: Neither Agree nor Disagree (N=0) 0 %
4: Agree (N=0) 0 %
5: Strongly Agree (N=0) 0 %
0 (N=473) 15 %
Not Applicable: (N=347) 11 %
Skipped: (N=60) 1.9 %
None of the above but missing: (N=26) 0.8 %

PINB: J1d. I am responsible for my failures. [FAILURES_2]

1: Strongly Disagree (N=1978) 62.7 %
2: Disagree (N=640) 20.3 %
3: Neither Agree nor Disagree (N=0) 0 %
4: Agree (N=0) 0 %
5: Strongly Agree (N=0) 0 %
0 (N=283) 9 %
Not Applicable: (N=198) 6.3 %
Skipped: (N=40) 1.3 %
None of the above but missing: (N=16) 0.5 %

PINB: J1e. The really good things that happen to me are mostly luck [GOODTHINGS_2]

1: Strongly Disagree	(N=250) 7.9 %
2: Disagree	(N=1137) 36 %
3: Neither Agree nor Disagree	(N=491) 15.6 %
4: Agree	(N=1012) 32.1 %
5: Strongly Agree	(N=253) 8 %
None of the above but missing:	(N=12) 0.4 %

PINB: J1*f. No sense in planning—if something good is going to happen [PLANNING_2]

1: Strongly Disagree	(N=312) 9.9 %
2: Disagree	(N=890) 28.2 %
3: Neither Agree nor Disagree	(N=307) 9.7 %
4: Agree	(N=1346) 42.7 %
5: Strongly Agree	(N=287) 9.1 %
None of the above but missing:	(N=13) 0.4 %

PINB: J1g. Most of my problems are due to bad breaks [BADBREAKS_2]

1: Strongly Disagree	(N=361) 11.4 %
2: Disagree	(N=1528) 48.4 %
3: Neither Agree nor Disagree	(N=386) 12.2 %
4: Agree	(N=733) 23.2 %
5: Strongly Agree	(N=126) 4 %
None of the above but missing:	(N=21) 0.7 %

PINB: J1*h. I have little control over the bad things that happen to me [CONTROL_2]

1: Strongly Disagree	(N=263) 8.3 %
2: Disagree	(N=1177) 37.3 %
3: Neither Agree nor Disagree	(N=494) 15.7 %
4: Agree	(N=1047) 33.2 %
5: Strongly Agree	(N=161) 5.1 %
None of the above but missing:	(N=13) 0.4 %

PINB: J1i. People are honest because they are afraid of being caught [HONEST_2]

1: Strongly Disagree	(N=180) 5.7 %
2: Disagree	(N=971) 30.8 %
3: Neither Agree nor Disagree	(N=459) 14.5 %
4: Agree	(N=1310) 41.5 %
5: Strongly Agree	(N=217) 6.9 %
None of the above but missing:	(N=18) 0.6 %

PINB: J1j. In order to get ahead people don't always do what's right [GETAHEAD_2]

1: Strongly Disagree	(N=57) 1.8 %
2: Disagree	(N=374) 11.9 %
3: Neither Agree nor Disagree	(N=310) 9.8 %
4: Agree	(N=2042) 64.7 %
5: Strongly Agree	(N=352) 11.2 %
None of the above but missing:	(N=20) 0.6 %

PINB: J1*k. To get ahead you have to take everything you can get [TAKEEVERYTHIN_2]

1: Strongly Disagree	(N=187) 5.9 %
2: Disagree	(N=1273) 40.3 %
3: Neither Agree nor Disagree	(N=486) 15.4 %
4: Agree	(N=983) 31.2 %
5: Strongly Agree	(N=207) 6.6 %
None of the above but missing:	(N=19) 0.6 %

PINB: J1l. For some people to succeed others must fail [MUSTFAIL_2]

1: Strongly Disagree	(N=259) 8.2 %
2: Disagree	(N=1485) 47.1 %
3: Neither Agree nor Disagree	(N=474) 15 %
4: Agree	(N=801) 25.4 %
5: Strongly Agree	(N=110) 3.5 %
None of the above but missing:	(N=26) 0.8 %

PINB: J1*m. I feel it is not safe to trust to anyone [TRUST_2]

1: Strongly Disagree	(N=419) 13.3 %
2: Disagree	(N=1451) 46 %
3: Neither Agree nor Disagree	(N=316) 10 %
4: Agree	(N=767) 24.3 %
5: Strongly Agree	(N=187) 5.9 %
None of the above but missing:	(N=15) 0.5 %

PINB: J1n. I feel suspicious [SUSPICIOUS_2]

1: Strongly Disagree	(N=437) 13.9 %
2: Disagree	(N=1754) 55.6 %
3: Neither Agree nor Disagree	(N=384) 12.2 %
4: Agree	(N=489) 15.5 %
5: Strongly Agree	(N=74) 2.3 %
None of the above but missing:	(N=17) 0.5 %

PINB: J1*o. I feel sure that everyone is against me. [AGAINSTME_2]

1: Strongly Disagree	(N=810) 25.7 %
2: Disagree	(N=1932) 61.2 %
3: Neither Agree nor Disagree	(N=204) 6.5 %
4: Agree	(N=153) 4.8 %
5: Strongly Agree	(N=45) 1.4 %
None of the above but missing:	(N=11) 0.3 %

PINB: J1p. I have someone I can turn to for support and understanding [SUPPORT_2]

1: Strongly Disagree	(N=34) 1.1 %
2: Disagree	(N=155) 4.9 %
3: Neither Agree nor Disagree	(N=193) 6.1 %
4: Agree	(N=1709) 54.2 %
5: Strongly Agree	(N=1051) 33.3 %
None of the above but missing:	(N=13) 0.4 %

PINB: J1q. I have someone I can really talk to [TALK_2]

1: Strongly Disagree	(N=29) 0.9 %
2: Disagree	(N=133) 4.2 %
3: Neither Agree nor Disagree	(N=198) 6.3 %
4: Agree	(N=1690) 53.6 %
5: Strongly Agree	(N=1094) 34.7 %
None of the above but missing:	(N=11) 0.3 %

PINB: J1r. Someone who will help me out [HELP_2]

1: Strongly Disagree	(N=44) 1.4 %
2: Disagree	(N=210) 6.7 %
3: Neither Agree nor Disagree	(N=228) 7.2 %
4: Agree	(N=1727) 54.7 %
5: Strongly Agree	(N=936) 29.7 %
None of the above but missing:	(N=10) 0.3 %

PINB: J1s. I have someone who would take care of me if I were sick [CARE_2]

1: Strongly Disagree	(N=41) 1.3 %
2: Disagree	(N=169) 5.4 %
3: Neither Agree nor Disagree	(N=267) 8.5 %
4: Agree	(N=1633) 51.8 %
5: Strongly Agree	(N=1031) 32.7 %
None of the above but missing:	(N=14) 0.4 %

PINB: K2. Have you ever had an alcoholic drink? [EVRETOH_2]

1: YES	(N=3009) 95.4 %
2: NO	(N=146) 4.6 %
None of the above but missing:	(N=0) 0 %

PINB: K3. Have you had an alcoholic drink in the last 30 days? [ALCOH30DY_2]

1: YES	(N=1466) 46.5 %
2: NO	(N=1683) 53.3 %
None of the above but missing:	(N=6) 0.2 %

PINB: K4. Last 30 days: 5 or more drinks [BNGE30DY_2]



N= 3146
Mean(SD)=0.7(2.7)
Median(Q1,Q3)=0.0(0.0,0.0)
Range=0.0-30.0
None of the above but missing= 9

PINB: K6. In the past 10 years, has your use of alcoholic beverages... [ALCOHUSE_2]

1: Increased	(N=168) 5.3 %
2: Decreased	(N=1223) 38.8 %
3: Not changed	(N=1249) 39.6 %
None of the above but missing:	(N=515) 16.3 %

PINB: L1. Language you first learned to speak [LANG_1ST_2]

1: English	(N=2008) 63.6 %
2: Spanish	(N=966) 30.6 %
3: Portuguese	(N=19) 0.6 %
4: French	(N=23) 0.7 %
5: Italian	(N=26) 0.8 %
6: Russian	(N=17) 0.5 %
7: German	(N=4) 0.1 %
99: Or something else	(N=87) 2.8 %
None of the above but missing:	(N=5) 0.2 %

PINB: L2a. How often do you speak English? [SPK_ENG_2]

1: Almost Never	(N=329) 10.4 %
2: Sometimes	(N=352) 11.2 %
3: Often	(N=182) 5.8 %
4: Almost Always	(N=280) 8.9 %
None of the above but missing:	(N=2012) 63.8 %

PINB: L2b. How often do you speak in English with your friends? [SPK_ENG_FRND_2]

1: *Almost Never* (N=469) 14.9 %
2: *Sometimes* (N=349) 11.1 %
3: *Often* (N=121) 3.8 %
4: *Almost Always* (N=204) 6.5 %
None of the above but missing: (N=2012) 63.8 %

PINB: L2c. How often do you think in English? [THK_ENG_2]

1: *Almost Never* (N=391) 12.4 %
2: *Sometimes* (N=334) 10.6 %
3: *Often* (N=178) 5.6 %
4: *Almost Always* (N=239) 7.6 %
None of the above but missing: (N=2013) 63.8 %

PINB: L2d. How often do you speak [FIRST LANGUAGE]? [SPK_1STLANG_2]

1: *Almost Never* (N=33) 1 %
2: *Sometimes* (N=105) 3.3 %
3: *Often* (N=126) 4 %
4: *Almost Always* (N=879) 27.9 %
None of the above but missing: (N=2012) 63.8 %

PINB: L2e. How often do you speak in [FIRST LANGUAGE] with your friends [SPK_FRND_1ST_2]

1: *Almost Never* (N=54) 1.7 %
2: *Sometimes* (N=102) 3.2 %
3: *Often* (N=124) 3.9 %
4: *Almost Always* (N=863) 27.4 %
None of the above but missing: (N=2012) 63.8 %

PINB: L2f. How often do you think in [FIRST LANGUAGE]? [THK_1ST_2]

1: *Almost Never* (N=61) 1.9 %
2: *Sometimes* (N=70) 2.2 %
3: *Often* (N=120) 3.8 %
4: *Almost Always* (N=892) 28.3 %
None of the above but missing: (N=2012) 63.8 %

PINB: L3a. How well do you speak English? [ENG_SPEAK_2]

1: *Very Poorly* (N=302) 9.6 %
2: *Poorly* (N=354) 11.2 %
3: *Well* (N=334) 10.6 %
4: *Very Well* (N=146) 4.6 %
None of the above but missing: (N=2019) 64 %

PINB: L3b. How well do you read in English? [ENG_READ_2]

1: *Very Poorly* (N=294) 9.3 %
2: *Poorly* (N=361) 11.4 %
3: *Well* (N=306) 9.7 %
4: *Very Well* (N=180) 5.7 %
None of the above but missing: (N=2014) 63.8 %

PINB: L3c. How well do you understand television programs in English? [ENG_TV_2]

1: *Very Poorly* (N=246) 7.8 %
2: *Poorly* (N=339) 10.7 %
3: *Well* (N=346) 11 %
4: *Very Well* (N=207) 6.6 %
None of the above but missing: (N=2017) 63.9 %

PINB: L3d. How well do you understand radio programs in English? [ENG_RADIO_2]

1: *Very Poorly* (N=272) 8.6 %
2: *Poorly* (N=358) 11.3 %
3: *Well* (N=306) 9.7 %
4: *Very Well* (N=189) 6 %
None of the above but missing: (N=2030) 64.3 %

PINB: L3e. How well do you write in English? [ENG_WRITE_2]

1: *Very Poorly* (N=319) 10.1 %
2: *Poorly* (N=423) 13.4 %
3: *Well* (N=260) 8.2 %
4: *Very Well* (N=136) 4.3 %
None of the above but missing: (N=2017) 63.9 %

PINB: L3f. How well do you understand music in English? [ENG_MUSIC_2]

1: *Very Poorly* (N=276) 8.7 %
2: *Poorly* (N=405) 12.8 %
3: *Well* (N=290) 9.2 %
4: *Very Well* (N=165) 5.2 %
None of the above but missing: (N=2019) 64 %

PINB: L3g. How well do you speak [FIRST LANGUAGE]? [WEL_1STLANG_2]

1: *Very Poorly* (N=18) 0.6 %
2: *Poorly* (N=19) 0.6 %
3: *Well* (N=252) 8 %
4: *Very Well* (N=853) 27 %
None of the above but missing: (N=2013) 63.8 %

PINB: L3h. How well do you read in [FIRST LANGUAGE]? [WEL_1STLG_RD_2]

1: *Very Poorly* (N=54) 1.7 %
2: *Poorly* (N=50) 1.6 %
3: *Well* (N=219) 6.9 %
4: *Very Well* (N=820) 26 %
None of the above but missing: (N=2012) 63.8 %

PINB: L3i. How well: Understand television programs in [FIRST LANGUAGE] [TV_1STLANG_2]

1: *Very Poorly* (N=18) 0.6 %
2: *Poorly* (N=34) 1.1 %
3: *Well* (N=208) 6.6 %
4: *Very Well* (N=877) 27.8 %
None of the above but missing: (N=2018) 64 %

PINB: L3j. How well: Understand radio programs in [FIRST LANGUAGE] [RAD_1STLANG_2]

1: *Very Poorly* (N=26) 0.8 %
2: *Poorly* (N=32) 1 %
3: *Well* (N=215) 6.8 %
4: *Very Well* (N=862) 27.3 %
None of the above but missing: (N=2020) 64 %

PINB: L3k. How well do you write in [FIRST LANGUAGE]? [WRTE_1STLANG_2]

1: *Very Poorly* (N=56) 1.8 %
2: *Poorly* (N=78) 2.5 %
3: *Well* (N=216) 6.8 %
4: *Very Well* (N=793) 25.1 %
None of the above but missing: (N=2012) 63.8 %

PINB: L3I. How well do you understand music in [FIRST LANGUAGE]?? [MUSC_1STLANG_2]

- 1: *Very Poorly* (N=15) 0.5 %
- 2: *Poorly* (N=34) 1.1 %
- 3: *Well* (N=211) 6.7 %
- 4: *Very Well* (N=882) 28 %
- None of the above but missing:* (N=2013) 63.8 %

PINB: L4a. How often do you watch television programs in English? [OFT_TV_ENG_2]

- 1: *Almost Never* (N=324) 10.3 %
- 2: *Sometimes* (N=366) 11.6 %
- 3: *Often* (N=183) 5.8 %
- 4: *Almost Always* (N=270) 8.6 %
- None of the above but missing:* (N=2012) 63.8 %

PINB: L4b. How often do you listen to radio programs in English? [OFT_RAD_ENG_2]

- 1: *Almost Never* (N=498) 15.8 %
- 2: *Sometimes* (N=322) 10.2 %
- 3: *Often* (N=127) 4 %
- 4: *Almost Always* (N=196) 6.2 %
- None of the above but missing:* (N=2012) 63.8 %

PINB: L4c. How often do you listen to music in English? [OFT_MUS_ENG_2]

- 1: *Almost Never* (N=416) 13.2 %
- 2: *Sometimes* (N=372) 11.8 %
- 3: *Often* (N=161) 5.1 %
- 4: *Almost Always* (N=194) 6.1 %
- None of the above but missing:* (N=2012) 63.8 %

PINB: L4d. How often do you watch tv programs in [FIRST LANGUAGE]. [OFT_TV_FLNG_2]

- 1: *Almost Never* (N=118) 3.7 %
- 2: *Sometimes* (N=142) 4.5 %
- 3: *Often* (N=140) 4.4 %
- 4: *Almost Always* (N=743) 23.5 %
- None of the above but missing:* (N=2012) 63.8 %

PINB: L4e. How often do you listen to radio programs in FIRST LANGUAGE? [OFT_RD_FLNG_2]

- 1: *Almost Never* (N=192) 6.1 %
- 2: *Sometimes* (N=181) 5.7 %
- 3: *Often* (N=151) 4.8 %
- 4: *Almost Always* (N=619) 19.6 %
- None of the above but missing:* (N=2012) 63.8 %

PINB: L4f. How often do you listen to music in FIRST LANGUAGE? [OFT_MUS_FLNG_2]

- 1: *Almost Never* (N=72) 2.3 %
- 2: *Sometimes* (N=176) 5.6 %
- 3: *Often* (N=188) 6 %
- 4: *Almost Always* (N=707) 22.4 %
- None of the above but missing:* (N=2012) 63.8 %

PINB: L5*a. A desktop computer? [DESKTOP_2]

- 1: *YES* (N=1582) 50.1 %
- 2: *NO* (N=1569) 49.7 %
- None of the above but missing:* (N=4) 0.1 %

PINB: L5*b. A laptop computer? [LAPTOP_2]

1: YES (N=1200) 38 %
2: NO (N=1951) 61.8 %
None of the above but missing: (N=4) 0.1 %

PINB: L5*c. A cell phone? [CELLPHONE_2]

1: YES (N=2623) 83.1 %
2: NO (N=528) 16.7 %
None of the above but missing: (N=4) 0.1 %

PINB: L5d. A Blackberry, iPhone or other similar device? [BLKBERRY_2]

1: YES (N=680) 21.6 %
2: NO (N=2471) 78.3 %
None of the above but missing: (N=4) 0.1 %

PINB: L5e. A PDA or other personal data device [PDA_2]

1: YES (N=164) 5.2 %
2: NO (N=2986) 94.6 %
None of the above but missing: (N=5) 0.2 %

PINB: L6. Do you have an internet connection on your home computer? [INTERNET_2]

1: YES (N=1811) 57.4 %
2: NO (N=1340) 42.5 %
None of the above but missing: (N=4) 0.1 %

PINB: L7*a. Send or receive email? [SND_RCV_EMAL_2]

1: YES (N=666) 21.1 %
2: NO (N=2485) 78.8 %
None of the above but missing: (N=4) 0.1 %

PINB: L7b. Send or receive text messages? [SND_RCV_TXT_2]

1: YES (N=1190) 37.7 %
2: NO (N=1961) 62.2 %
None of the above but missing: (N=4) 0.1 %

PINB: L7*c. Access the internet? [ACSS_INTRNET_2]

1: YES (N=629) 19.9 %
2: NO (N=2522) 79.9 %
None of the above but missing: (N=4) 0.1 %

PINB: L8. Do you have access to a computer somewhere other than home ? [COMPUTER_2]

1: YES (N=1403) 44.5 %
2: NO (N=1748) 55.4 %
None of the above but missing: (N=4) 0.1 %

PINB: L9a. Work [COMPWRK_2]

1: YES (N=905) 28.7 %
2: NO (N=2246) 71.2 %
None of the above but missing: (N=4) 0.1 %

PINB: L9b. Local Library [COMPLIB_2]

1: YES (N=463) 14.7 %
2: NO (N=2688) 85.2 %
None of the above but missing: (N=4) 0.1 %

PINB: L9c. Friends [COMPFRD_2]

1: YES (N=423) 13.4 %
2: NO (N=2728) 86.5 %
None of the above but missing: (N=4) 0.1 %

PINB: L9d. Family outside household [COMPFAM_2]

1: YES (N=584) 18.5 %
2: NO (N=2567) 81.4 %
None of the above but missing: (N=4) 0.1 %

PINB: L9e. Use computer: Other [COMPOTH_2]

1: YES (N=320) 10.1 %
2: NO (N=2829) 89.7 %
None of the above but missing: (N=6) 0.2 %


PINC: M1. What is your current marital status? [MARITAL_2]

1: Married (N=1192) 37.8 %
2: Living with a partner (N=215) 6.8 %
3: Divorced/separated (N=668) 21.2 %
4: Widowed (N=297) 9.4 %
5: Single, never married (N=763) 24.2 %
99: OTHER (N=13) 0.4 %
None of the above but missing: (N=7) 0.2 %

PINC: M2. What is the highest grade/degree you have completed? [DEGRESTAT_2]

1: LESS THAN 8TH GRADE (N=231) 7.3 %
2: 8TH GRADE (N=209) 6.6 %
3: 9TH THROUGH 11TH GRADE (N=328) 10.4 %
4: HIGH SCHOOL DIPLOMA/GED (N=993) 31.5 %
5: TECHNICAL TRAINING (N=276) 8.7 %
6: ASSOCIATES DEGREE (N=277) 8.8 %
7: BACHELORS DEGREE (N=402) 12.7 %
8: MASTERS DEGREE (N=337) 10.7 %
9: DOCTORATE DEGREE (E.G. MD, PH (N=92) 2.9 %
None of the above but missing: (N=10) 0.3 %

PINC: M3. How many years of school have you completed altogether? (truncated to 30) [EDUC_2]



N= 3135
Mean(SD)=13.1(4.3)
Median(Q1,Q3)=12.0(11.0,16.0)
Range=0.0-30.0
None of the above but missing= 20

PINC: M4. Current work situation [WORKSTAT_2]

1: Working for pay	(N=1481) 46.9 %
2: Unemployed and looking for wo	(N=167) 5.3 %
3: Temporarily laid off; On sick	(N=41) 1.3 %
4: Disabled	(N=641) 20.3 %
5: Retired	(N=650) 20.6 %
6: Homemaker	(N=115) 3.6 %
7: Full-Time Student	(N=8) 0.3 %
99: Other (INCLUDING VOLUNTEER)	(N=44) 1.4 %
None of the above but missing:	(N=8) 0.3 %

PINC: M5. How many jobs do you currently have? [NUM_JOBS_2]



N= 3144
Mean(SD)=0.6(0.7)
Median(Q1,Q3)=0.0(0.0,1.0)
Range=0.0-10.0
None of the above but missing= 11

PINC: M6. Are you currently working 35 hours or more each week? [FULLTIME_2]

1: 35 HRS OR MORE/WK	(N=1113) 35.3 %
2: LESS THAN 35 HRS/WK	(N=2029) 64.3 %
None of the above but missing:	(N=13) 0.4 %

PINC: M7. How many days per week do you work? [WK_DAYS_2]



N= 3138
Mean(SD)=2.4(2.6)
Median(Q1,Q3)=0.0(0.0,5.0)
Range=0.0-7.0
None of the above but missing= 17

PINC: M9. How much was your total income in the last 12 months [INCOME_2]

-8: DON'T KNOW	(N=0) 0 %
-7: REFUSED	(N=0) 0 %
1: LESS THAN \$5,000	(N=126) 4 %
2: \$5,000 - \$9,999	(N=347) 11 %
3: \$10,000 - \$19,999	(N=434) 13.8 %
4: \$20,000 - \$29,999	(N=307) 9.7 %
5: \$30,000 - \$39,999	(N=239) 7.6 %
6: \$40,000 - \$49,999	(N=174) 5.5 %
7: \$50,000 - \$59,999	(N=138) 4.4 %
8: \$60,000 - \$69,999	(N=113) 3.6 %
9: \$70,000 - \$79,999	(N=100) 3.2 %
10: \$80,000 - \$89,999	(N=60) 1.9 %
11: \$90,000 - \$99,999	(N=65) 2.1 %
12: \$100,000 - \$109,999	(N=59) 1.9 %
13: \$110,000 - \$119,999	(N=43) 1.4 %
14: \$120,000 - \$149,999	(N=96) 3 %
15: \$150,000 - \$199,999	(N=73) 2.3 %
16: \$200,000 - \$299,999	(N=25) 0.8 %
17: \$300,000 - \$499,999	(N=14) 0.4 %
18: \$500,000 - \$999,999	(N=5) 0.2 %
19: \$1,000,000 OR MORE	(N=1) 0 %
None of the above but missing:	(N=736) 23.3 %

PINC: N1*a. There is a lot of graffiti in my neighborhood [GRAFFITI_2]

1: Strongly Disagree	(N=594) 18.8 %
2: Disagree	(N=1798) 57 %
3: Neither Agree nor Disagree	(N=218) 6.9 %
4: Agree	(N=444) 14.1 %
5: Strongly Agree	(N=88) 2.8 %
None of the above but missing:	(N=13) 0.4 %

PINC: N1*b. Neighborhood: Noisy [NOISY_2]

1: Strongly Disagree	(N=358) 11.3 %
2: Disagree	(N=1512) 47.9 %
3: Neither Agree nor Disagree	(N=292) 9.3 %
4: Agree	(N=803) 25.5 %
5: Strongly Agree	(N=182) 5.8 %
None of the above but missing:	(N=8) 0.3 %

PINC: N1*c. Neighborhood: Vandalism [VANDALSM_2]

1: Strongly Disagree	(N=450) 14.3 %
2: Disagree	(N=1695) 53.7 %
3: Neither Agree nor Disagree	(N=350) 11.1 %
4: Agree	(N=560) 17.7 %
5: Strongly Agree	(N=86) 2.7 %
None of the above but missing:	(N=14) 0.4 %

PINC: N1d. Neighborhood: Abandoned buildings [ABANDONED_2]

1: *Strongly Disagree* (N=699) 22.2 %
2: *Disagree* (N=2028) 64.3 %
3: *Neither Agree nor Disagree* (N=150) 4.8 %
4: *Agree* (N=232) 7.4 %
5: *Strongly Agree* (N=32) 1 %
None of the above but missing: (N=14) 0.4 %

PINC: N1e. Neighborhood: Clean [CLEAN_2]

1: *Strongly Disagree* (N=72) 2.3 %
2: *Disagree* (N=451) 14.3 %
3: *Neither Agree nor Disagree* (N=381) 12.1 %
4: *Agree* (N=1857) 58.9 %
5: *Strongly Agree* (N=383) 12.1 %
None of the above but missing: (N=11) 0.3 %

PINC: N1*f. Neighborhood: Good care of houses [GOODCARE_2]

1: *Strongly Disagree* (N=37) 1.2 %
2: *Disagree* (N=337) 10.7 %
3: *Neither Agree nor Disagree* (N=380) 12 %
4: *Agree* (N=1949) 61.8 %
5: *Strongly Agree* (N=436) 13.8 %
None of the above but missing: (N=16) 0.5 %

PINC: N1g. Neighborhood: Hanging on streets [HANGING_2]

1: *Strongly Disagree* (N=432) 13.7 %
2: *Disagree* (N=1727) 54.7 %
3: *Neither Agree nor Disagree* (N=263) 8.3 %
4: *Agree* (N=600) 19 %
5: *Strongly Agree* (N=122) 3.9 %
None of the above but missing: (N=11) 0.3 %

PINC: N1*h. Neighborhood: Crime [CRIME_2]

1: *Strongly Disagree* (N=387) 12.3 %
2: *Disagree* (N=1600) 50.7 %
3: *Neither Agree nor Disagree* (N=440) 13.9 %
4: *Agree* (N=599) 19 %
5: *Strongly Agree* (N=115) 3.6 %
None of the above but missing: (N=14) 0.4 %

PINC: N1i. Neighborhood: Drugs [DRUGS_2]

1: *Strongly Disagree* (N=355) 11.3 %
2: *Disagree* (N=1320) 41.8 %
3: *Neither Agree nor Disagree* (N=533) 16.9 %
4: *Agree* (N=733) 23.2 %
5: *Strongly Agree* (N=169) 5.4 %
None of the above but missing: (N=45) 1.4 %

PINC: N1j. Neighborhood: Alcohol [ALCOHOL_2]

1: *Strongly Disagree* (N=307) 9.7 %
2: *Disagree* (N=1341) 42.5 %
3: *Neither Agree nor Disagree* (N=596) 18.9 %
4: *Agree* (N=731) 23.2 %
5: *Strongly Agree* (N=149) 4.7 %
None of the above but missing: (N=31) 1 %

PINC: N1*k. Neighborhood: Troubles [TROUBLE_2]

1: *Strongly Disagree* (N=844) 26.8 %
2: *Disagree* (N=1962) 62.2 %
3: *Neither Agree nor Disagree* (N=133) 4.2 %
4: *Agree* (N=167) 5.3 %
5: *Strongly Agree* (N=39) 1.2 %
None of the above but missing: (N=10) 0.3 %

PINC: N1l. Neighborhood: Safe [SAFE_2]

1: *Strongly Disagree* (N=71) 2.3 %
2: *Disagree* (N=398) 12.6 %
3: *Neither Agree nor Disagree* (N=395) 12.5 %
4: *Agree* (N=1780) 56.4 %
5: *Strongly Agree* (N=500) 15.8 %
None of the above but missing: (N=11) 0.3 %

PIND: O1. Do you own or rent your home? [HOME_2]

1: *Own* (N=1166) 37 %
2: *Rent* (N=1897) 60.1 %
99: *Other* (N=85) 2.7 %
None of the above but missing: (N=7) 0.2 %

PIND: O2. Which of the following best describes your home. [HM_DESCRIBE_2]

1: *Single Family House* (N=661) 21 %
2: *Multi-Family House or unit in* (N=991) 31.4 %
3: *Unit in an Apartment Building* (N=1184) 37.5 %
4: *Townhouse/Brownstone* (N=187) 5.9 %
99: *Other* (N=111) 3.5 %
None of the above but missing: (N=21) 0.7 %

PIND: O6. Places you have lived in the past 5 years. (truncated to 10) [PAST_5YRS_2]




N= 2628
Mean(SD)=1.4(0.7)
Median(Q1,Q3)=1.0(1.0,2.0)
Range=1.0-10.0
None of the above but missing= 527

PPMF: B2. Electrical Medical Devices [ELECTDEV_2]


1: *Yes* (N=127) 4 %
2: *No* (N=2998) 95 %
3: *Not Sure* (N=30) 1 %
None of the above but missing: (N=0) 0 %

PPMF: B3. Body fat percentage [BDYFATPER_2]



N= 2858
Mean(*SD*)=35.6(8.9)
Median(*Q1*,*Q3*)=36.0(30.0,42.0)
Range=6.0-62.0
None of the above but missing= 297

PPMF: B4. Weight (kg) [WEIGHT_2]



N= 3144
Mean(*SD*)=83.0(18.9)
Median(*Q1*,*Q3*)=80.5(70.0,92.2)
Range=39.9-182.0
None of the above but missing= 11

PPMF: B5a. Birth Weight (lbs), max=14 [BRTH_WT_LBS_2]




N= 723
Mean(*SD*)=7.2(1.5)
Median(*Q1*,*Q3*)=7.0(6.0,8.0)
Range=4.0-14.0
None of the above but missing= 2432

PPMF: B5b. Birth Weight (ounces) [BRTH_WT_OUNC_2]




N= 647
Mean(*SD*)=4.6(4.3)
Median(*Q1*,*Q3*)=5.0(0.0,8.0)
Range=0.0-15.0
None of the above but missing= 2508

PPMF: B6. Waist circumference [WAISTCIR_2]




N= 3120
Mean(SD)=97.5(16.1)
Median(Q1,Q3)=96.0(87.0,106.0)
Range=59.0-166.0
None of the above but missing= 35

PPMF: B7. Hip circumference (cm) [HIPCIR_2]




N= 3114
Mean(SD)=107.0(14.7)
Median(Q1,Q3)=105.0(98.5,115.0)
Range=62.0-176.0
None of the above but missing= 41

PPMF: C1. Arm circumference(cm) [ARMCIR_2]




N= 3147
Mean(SD)=31.2(4.8)
Median(Q1,Q3)=31.0(28.0,34.0)
Range=18.5-52.5
None of the above but missing= 8

PPMF: C3. Heart Rate(beats/60seconds) [HEARTRATE_2]




N= 3134
Mean(SD)=73.9(12.8)
Median(Q1,Q3)=73.0(65.0,83.0)
Range=41.0-179.0
None of the above but missing= 21

PPMF: C4. Systolic blood pressure [SBP_2]



N= 3135
Mean(*SD*)=132.0(18.4)
Median(*Q1*,*Q3*)=130.0(120.0,143.0)
Range=86.0-237.0
None of the above but missing= 20

PPMF: C5. Diastolic blood pressure [DBP_2]



N= 3135
Mean(*SD*)=80.6(11.4)
Median(*Q1*,*Q3*)=80.0(73.0,88.0)
Range=45.0-173.0
None of the above but missing= 20

PHLS: A2. Health Literacy Score [HLTH_LITRCY_2]



N= 2960
Mean(*SD*)=26.1(11.2)
Median(*Q1*,*Q3*)=32.0(18.0,35.0)
Range=0.0-36.0
None of the above but missing= 195

PINA: T3c. Age at Pre-Diabetes Interview [AGE_2]



N= 3155
Mean(*SD*)=57.8(11.9)
Median(*Q1*,*Q3*)=57.1(48.1,66.2)
Range=34.1-88.0
None of the above but missing= 0

PINB: T3c. Your entire life : Have you smoked at least 100 cigarettes? [CIGS100_2]

1: Yes (N=1769) 56.1 %
2: No (N=1386) 43.9 %
None of the above but missing: (N=0) 0 %

PINB: T3c. Do you smoke cigarettes now [CIGSNOW_2]

1: Yes (N=608) 19.3 %
2: No (N=2543) 80.6 %
None of the above but missing: (N=4) 0.1 %

PINA: T3c. Stroke, TIA or mild stroke [STROKETIA_2]

1: Yes (N=179) 5.7 %
2: No (N=2966) 94 %
None of the above but missing: (N=10) 0.3 %

PINA: T3c. D15. How long have you been uninsured (months)? [UNINSMOS_2]



N= 3104
Mean(SD)=0.5(6.7)
Median(Q1,Q3)=0.0(0.0,0.0)
Range=0.0-240.0
None of the above but missing= 51

PINA: T3c. Has private insurance [INSPR_2]

1: Yes (N=1521) 48.2 %
2: No (N=1632) 51.7 %
None of the above but missing: (N=2) 0.1 %

PINA: T3c. Has public insurance [INSPU_2]

1: Yes (N=1835) 58.2 %
2: No (N=1318) 41.8 %
None of the above but missing: (N=2) 0.1 %

PINA: T3c. Has family history of diabetes [DIABFHX_2]


1: Yes (N=1654) 52.4 %
2: No (N=1355) 42.9 %
None of the above but missing: (N=146) 4.6 %

PINA: T3c. How long does it take you to get to your usual provider (hour)? [HCPDISTHRS_2]



N= 3080
Mean(SD)=0.5(2.2)
Median(Q1,Q3)=0.2(0.2,0.5)
Range=0.0-60.0
None of the above but missing= 75

PIND: T3c. How long have you lived at your current address (year)? [YRSLIVADRS_2]



N= 3145
Mean(SD)=13.3(12.5)
Median(Q1,Q3)=10.0(4.0,19.0)
Range=0.0-80.0
None of the above but missing= 10

S2MD: T3. (INSU) INSULIN COALITION [SCOINSUL_2]

1: Yes (N=243) 7.7 %
2: No (N=2912) 92.3 %
None of the above but missing: (N=0) 0 %

S2MD: T3. (HCRI) HMG-COA REDUCTASE INHIBITORS (STATINS) [SSTATIN_2]

1: Yes (N=896) 28.4 %
2: No (N=2259) 71.6 %
None of the above but missing: (N=0) 0 %

S2MD: T3. (NIAD) NON-INSULIN ANTIDIABETIC COALITION [SCODIAB_2]

1: Yes (N=437) 13.9 %
2: No (N=2718) 86.1 %
None of the above but missing: (N=0) 0 %

S2MD: T3c. Any type of antihypertensive [SANYAHT_2]

1: Yes (N=1330) 42.2 %
2: No (N=1825) 57.8 %
None of the above but missing: (N=0) 0 %

PLAB: T3. ABSOLUTE BASOPHILS (cells/mm3) [ABSOLUTE_BASOPHILS_2]




N= 2372
Mean(SD)=28.1(14.6)
Median(Q1,Q3)=26.0(19.0,35.0)
Range=0.0-186.0
None of the above but missing= 783

PLAB: T3. ABSOLUTE EOSINOPHILS (cells/mm3) [ABSOLUTE_EOSINOPHILS_2]




N= 2372
Mean(SD)=184.0(194)
Median(Q1,Q3)=144.0(91.0,223.0)
Range=0.0-4080.0
None of the above but missing= 783

PLAB: T3. ABSOLUTE LYMPHOCYTES (cells/mm3) [ABSOLUTE_LYMPHOCYTES_2]



N= 2372
Mean(SD)=1930.0(664.1)
Median(Q1,Q3)=1840.0(1460.0,2290.0)
Range=185.0-6840.0
None of the above but missing= 783

PLAB: T3. ABSOLUTE MONOCYTES (cells/mm3) [ABSOLUTE_MONOCYTES_2]




N= 2372
Mean(SD)=410.0(149.7)
Median(Q1,Q3)=389.0(306.0,490.0)
Range=54.0-1280.0
None of the above but missing= 783

PLAB: T3. ABSOLUTE NEUTROPHILS (cells/mm3) [ABSOLUTE_NEUTROPHILS_2]




N= 2372
Mean(SD)=3600.0(1522.4)
Median(Q1,Q3)=3350.0(2540.0,4400.0)
Range=700.0-12800.0
None of the above but missing= 783

PLAB: T3. ABSOLUTE BASOPHILS (WBC%) [BASOPHILS_2]




N= 2372
Mean(*SD*)=0.5(0.2)
Median(*Q1*,*Q3*)=0.4(0.3,0.6)
Range=0.0-3.0
None of the above but missing= 783

PLAB: T3. CALCIUM (mg/dL) (Max value 11.1) [CALCIUM_2]




N= 2416
Mean(*SD*)=9.2(0.4)
Median(*Q1*,*Q3*)=9.2(9.0,9.5)
Range=7.6-11.1
None of the above but missing= 739

PLAB: T3. CARBON DIOXIDE (mEq/L) (Max value 37) [CARBON_DIOXIDE_2]




N= 2418
Mean(*SD*)=24.8(2.5)
Median(*Q1*,*Q3*)=25.0(23.0,26.0)
Range=12.0-37.0
None of the above but missing= 737

PLAB: T3. CHLORIDE (mEq/L) (Max value 114) [CHLORIDE_2]




N= 2418
Mean(*SD*)=104.0(2.7)
Median(*Q1*,*Q3*)=104.0(102.0,105.0)
Range=88.0-114.0
None of the above but missing= 737

PLAB: T3. CHOL/HDLRATIO (ratio of total cholesterol to hdl cholesterol) [CHOL_HDLRATIO_2]



N= 2417
Mean(SD)=3.8(1.3)
Median(Q1,Q3)=3.6(2.8,4.4)
Range=1.5-13.4
None of the above but missing= 738

PLAB: T3. CHOLESTEROL, TOTAL (mg/dL) (Max value 444) [CHOLESTEROL_TOTAL_2]



N= 2418
Mean(SD)=189.0(39.2)
Median(Q1,Q3)=187.0(163.0,213.0)
Range=82.0-444.0
None of the above but missing= 737

PLAB: T3. CREATININE (mg/dL) (Max Value 9.48) [CREATININE_2]




N= 2418
Mean(SD)=0.9(0.4)
Median(Q1,Q3)=0.8(0.7,1.0)
Range=0.4-9.5
None of the above but missing= 737

PLAB: T3. EOSINOPHILS (WBC %) [EOSINOPHILS_2]




N= 2372
Mean(SD)=3.0(2.5)
Median(Q1,Q3)=2.4(1.6,3.7)
Range=0.0-36.4
None of the above but missing= 783

PLAB: T3. HDL CHOLESTEROL (mg/dL) (Max value 140) [HDL_CHOLESTEROL_2]




N= 2418
Mean(*SD*)=54.1(17)
Median(*Q1*,*Q3*)=51.0(42.0,64.0)
Range=12.0-140.0
None of the above but missing= 737

PLAB: T3. HEMOCRIT (% of RBC to whole blood volume) [HEMATOCRIT_2]



N= 2391
Mean(*SD*)=40.7(4.2)
Median(*Q1*,*Q3*)=40.6(38.2,43.4)
Range=23.0-55.2
None of the above but missing= 764

PLAB: T3. HEMOGLOBIN (g/dl) [HEMOGLOBIN_2]




N= 2391
Mean(*SD*)=13.5(1.5)
Median(*Q1*,*Q3*)=13.5(12.6,14.5)
Range=7.3-19.2
None of the above but missing= 764

PLAB: T3. HEMOGLOBIN A1c (% GHB units) (Max value 14.4) [HEMOGLOBIN_A1C_2]




N= 2396
Mean(*SD*)=6.0(1.1)
Median(*Q1*,*Q3*)=5.7(5.4,6.1)
Range=3.6-14.4
None of the above but missing= 759

PLAB: T3. INSULIN (micro U/mL) (Max value 806) [INSULIN_2]




N= 1839
Mean(SD)=15.6(28.8)
Median(Q1,Q3)=9.0(5.0,16.5)
Range=2.0-806.0
None of the above but missing= 1316

PLAB: T3. LDL CHOLESTEROL (mg/dl) (Max value 259) [LDL_CHOLESTEROL_2]




N= 2368
Mean(SD)=108.0(33.8)
Median(Q1,Q3)=107.0(84.0,130.0)
Range=24.0-259.0
None of the above but missing= 787

PLAB: T3. LYMPHOCYTES (WBC %) [LYMPHOCYTES_2]




N= 2372
Mean(SD)=32.5(9.7)
Median(Q1,Q3)=31.7(25.8,38.2)
Range=2.2-71.6
None of the above but missing= 783

PLAB: T3. MCH (pg/cell) [MCH_2]




N= 2391
Mean(SD)=30.4(2.4)
Median(Q1,Q3)=30.7(29.2,31.9)
Range=18.6-39.0
None of the above but missing= 764

PLAB: T3. MCHC (g/dl) [MCHC_2]




N= 2391
Mean(SD)=33.1(0.8)
Median(Q1,Q3)=33.2(32.6,33.7)
Range=28.6-35.8
None of the above but missing= 764

PLAB: T3. MCV (fl) [MCV_2]




N= 2391
Mean(SD)=91.9(6.1)
Median(Q1,Q3)=92.1(88.7,95.6)
Range=64.4-116.0
None of the above but missing= 764

PLAB: T3. MONOCYTES (WBC %) [MONOCYTES_2]




N= 2372
Mean(SD)=6.9(2.2)
Median(Q1,Q3)=6.7(5.4,8.1)
Range=1.1-19.5
None of the above but missing= 783

PLAB: T3. MPV (fl) [MPV_2]




N= 2374
Mean(SD)=9.4(1.1)
Median(Q1,Q3)=9.3(8.6,10.0)
Range=6.5-15.0
None of the above but missing= 781

PLAB: T3. NEUTROPHILS (WBC %) [NEUTROPHILS_2]



N= 2372
Mean(*SD*)=57.2(10.6)
Median(*Q1*,*Q3*)=57.9(50.6,64.5)
Range=13.7-94.7
None of the above but missing= 783

PLAB: T3.POTASSIUM (mEq/L) (Max value 7.1) [POTASSIUM_2]




N= 2405
Mean(*SD*)=4.3(0.4)
Median(*Q1*,*Q3*)=4.3(4.0,4.5)
Range=2.3-7.1
None of the above but missing= 750

PLAB: T3. RDW (cell volume %) [RDW_2]



N= 2391
Mean(*SD*)=14.2(1.4)
Median(*Q1*,*Q3*)=13.9(13.3,14.7)
Range=11.1-30.1
None of the above but missing= 764

PLAB: T3.SODIUM (mEq/L) (Max value 148) [SODIUM_2]



N= 2418
Mean(*SD*)=139.0(2.3)
Median(*Q1*,*Q3*)=139.0(138.0,141.0)
Range=121.0-148.0
None of the above but missing= 737

PLAB: T3.TRIGLYCERIDES (mg/dL) (Max value 1827) [TRIGLYCERIDES_2]




N= 2418
Mean(SD)=135.0(97.9)
Median(Q1,Q3)=109.0(77.0,159.0)
Range=30.0-1830.0
None of the above but missing= 737

PLAB: T3.UREA NITROGEN (mg/dL) (Max value 106) [UREA_NITROGEN_BUN_2]



N= 2417
Mean(SD)=16.1(6.1)
Median(Q1,Q3)=15.0(12.0,19.0)
Range=3.0-106.0
None of the above but missing= 738

PLAB: T3.WHITE BLOOD CELL COUNT (cells/ul) [WHITE_BLOOD_CELL_COUNT_2]



N= 2391
Mean(SD)=6.2(1.9)
Median(Q1,Q3)=5.9(4.8,7.2)
Range=2.1-16.0
None of the above but missing= 764

PPCF: T3c: B1. Are you taking medications to thin your blood for SST1 tube blood draw

[SST1_BLOODTHR_2]

1: Yes (N=0) 0 %
2: No (N=2425) 76.9 %
None of the above but missing: (N=730) 23.1 %

PPCF: T3c: B4. Have you had anything alcoholic in the past 8 hours for SST1 tube blood draw

[SST1_DRNK8HRS_2]


1: Yes (N=35) 1.1 %
2: No (N=3117) 98.8 %
None of the above but missing: (N=3) 0.1 %

PPCF: T3c: B5. Have you had anything with caffeine in the past 8 hours for SST1 tube blood draw

[SST1_CAFF8HRS_2]

1: Yes (N=435) 13.8 %
2: No (N=2716) 86.1 %
None of the above but missing: (N=4) 0.1 %

PPCF: T3c: A4. Phlebotomist ID for SST1 tube blood draw [SST1_PHLEBID_2]



N= 2425
Mean(SD)=557.0(86.2)
Median(Q1,Q3)=527.0(524.0,532.0)
Range=389.0-703.0
None of the above but missing= 730

PPCF: T3c. Calculated 8h fasting status for SST1 tube [SST1_FAST_2]

1: Yes (N=2474) 78.4 %
2: No (N=627) 19.9 %
None of the above but missing: (N=54) 1.7 %

PPCF: T3c: B4. Have you had anything alcoholic in the past 8 hours for hemocue measurement [HEMOCUE_DRNK8HRS_2]

1: Yes (N=44) 1.4 %
2: No (N=3111) 98.6 %
None of the above but missing: (N=0) 0 %

PPCF: T3c: B5. Have you had anything with caffeine in the past 8 hours for hemocue measurement [HEMOCUE_CAFF8HRS_2]

1: Yes (N=523) 16.6 %
2: No (N=2631) 83.4 %
None of the above but missing: (N=1) 0 %

PPCF: D1. HemoCue 201 (mg/dL) [HEMOCUE_2]



N= 2765
Mean(SD)=118.0(43.6)
Median(Q1,Q3)=107.0(96.0,121.0)
Range=46.0-500.0
None of the above but missing= 390

PPCF: D1a. HemoCue measurement taken using venous or capillary blood [HEM_MSMT_2]

1: Venous (N=2411) 76.4 %
2: Capillary (N=354) 11.2 %
None of the above but missing: (N=390) 12.4 %

PPCF: T3c. Calculated 8h fasting status for hemocue [HEMOCUE_FAST_2]

1: Yes (N=2344) 74.3 %
2: No (N=739) 23.4 %
None of the above but missing: (N=72) 2.3 %


PINA: T3c.Cleaned status for Type 1 diabetes [DIAB1CLEAN_2]

1: Yes (N=9) 0.3 %
2: No (N=3146) 99.7 %
None of the above but missing: (N=0) 0 %

PINA: T3c. Cleaned status of Type 2 diabetes [DIAB2CLEAN_2]

1: Yes (N=681) 21.6 %
2: No (N=2468) 78.2 %
None of the above but missing: (N=6) 0.2 %

FOPM: T1c.Height, cm [HEIGHT]



N= 3155
Mean(SD)=165.0(9.5)
Median(Q1,Q3)=165.0(159.0,172.0)
Range=130.0-197.0
None of the above but missing= 0

AIMS: Percent African per Ancestry Markers [AIMSPERAFCN_2]



N= 2333
Mean(SD)=0.4(0.3)
Median(Q1,Q3)=0.3(0.1,0.7)
Range=0.0-1.0
None of the above but missing= 822

AIMS: Percent European per Ancestry Markers [AIMSPEREURO_2]



N= 2333
Mean(SD)=0.5(0.3)
Median(Q1,Q3)=0.5(0.2,0.8)
Range=0.0-1.0
None of the above but missing= 822

AIMS: Percent Native American per Ancestry Markers [AIMSPERNAMER_2]



N= 2333
Mean(SD)=0.1(0.2)
Median(Q1,Q3)=0.1(0.0,0.2)
Range=0.0-1.0
None of the above but missing= 822

T3c: Occupation grp combined BACH III [OCCUGRP_2]

1: Management, Professional, and Related Occupations	(N=1008) 31.9 %
2: Service Occupations	(N=785) 24.9 %
3: Sales and Office Occupations	(N=542) 17.2 %
4: Farming, Fishing, and Forestry Occupations	(N=5) 0.2 %
5: Construction, Extraction, Maintenance, and Repair Occupations	(N=255) 8.1 %
6: Production, Transportation, and Material Moving Occupations	(N=295) 9.4 %
7: Never worked	(N=237) 7.5 %
9: Missing	(N=0) 0 %
None of the above but missing:	(N=28) 0.9 %

FFQ3: Calories, kcal [DT_KCAL_2]




N= 2344
Mean(SD)=1620.0(1038.6)
Median(Q1,Q3)=1440.0(1010.0,1950.0)
Range=84.0-16000.0
None of the above but missing= 811

FFQ3: Dietary Sodium, mg [DT_SODI_2]



N= 2344
Mean(SD)=2690.0(1871.6)
Median(Q1,Q3)=2340.0(1630.0,3260.0)
Range=148.0-29300.0
None of the above but missing= 811

FFQ3: Saturated fat, g [DT_SFAT_2]



N= 2344
Mean(SD)=20.3(14.7)
Median(Q1,Q3)=17.0(11.5,25.3)
Range=0.6-211.0
None of the above but missing= 811

FFQ3: Dietary Fiber, g [DT_FIBE_2]




N= 2344
Mean(SD)=14.7(9.5)
Median(Q1,Q3)=12.9(8.5,18.6)
Range=0.2-121.0
None of the above but missing= 811

FFQ3: Servings of vegetables [VEGSRV_2]



N= 2344
Mean(SD)=2.4(2.1)
Median(Q1,Q3)=1.9(1.0,3.2)
Range=0.0-38.0
None of the above but missing= 811

FFQ3: Freq. fruits fruit juices [FRUITSRV_2]



N= 2344
Mean(SD)=1.2(1)
Median(Q1,Q3)=1.0(0.5,1.8)
Range=0.0-8.0
None of the above but missing= 811

FFQ3: Servings brd, cerl, rice, pasta [GRAINSRV_2]



N= 2344
Mean(SD)=4.1(3)
Median(Q1,Q3)=3.5(2.1,5.2)
Range=0.0-40.0
None of the above but missing= 811

FFQ3: Servings mt, fish, poul, beans, eggs [MEATSRV_2]



N= 2344
Mean(SD)=2.1(2.1)
Median(Q1,Q3)=1.6(1.0,2.6)
Range=0.0-36.2
None of the above but missing= 811

PINA: T3c. Has diabetes caused any problems with your eyes? [DIABEYE_2]

1: Yes (N=155) 4.9 %
2: No (N=2892) 91.7 %
None of the above but missing: (N=108) 3.4 %

PINA: T3c. Has diabetes caused any problems with your kidney [DIABKDNY_2]

1: Yes (N=64) 2 %
2: No (N=2989) 94.7 %
None of the above but missing: (N=102) 3.2 %

PINA: A4. DATA COLLECTOR ID: [INT_ID_2]



N= 3155
Mean(SD)=561.0(76.4)
Median(Q1,Q3)=527.0(524.0,532.0)
Range=153.0-703.0
None of the above but missing= 0

Degree status at BACH II [DEGCAT_1]

1. Less than High School (N=740) 23.5 %
2. High School or GED (N=1044) 33.1 %
3. Tech Training or Associates Degree (N=487) 15.4 %
4. Bachelors Degree (N=452) 14.3 %
5. Masters or Doctorate (N=413) 13.1 %
None of the above but missing: (N=19) 0.6 %


Degree status at BACH III [DEGCAT_2]

1. Less than High School (N=614) 19.5 %
2. High School or GED (N=945) 30 %
3. Tech Training or Associates Degree (N=663) 21 %
4. Bachelors Degree (N=453) 14.4 %
5. Masters or Doctorate (N=455) 14.4 %
None of the above but missing: (N=25) 0.8 %

Degree status at BACH I [DEGCAT]

1. *Less than High School* (N=740) 23.5 %
2. *High School or GED* (N=984) 31.2 %
3. *Tech Training or Associates Degree* (N=430) 13.6 %
4. *Bachelors Degree* (N=403) 12.8 %
5. *Masters or Doctorate* (N=350) 11.1 %
- None of the above but missing:* (N=248) 7.9 %

[WTR_2_NEW_TRIMMED]




N= 3155
Mean(SD)=69.5(85.5)
Median(Q1,Q3)=35.2(11.3,95.2)
Range=3.0-639.0
None of the above but missing= 0

repository master_id [ID]




N= 3155
Mean(SD)=2740.0(1604.4)
Median(Q1,Q3)=2730.0(1340.0,4130.0)
Range=1.0-5510.0
None of the above but missing= 0

repository stratum [STRATA]



N= 3155
Mean(SD)=5.1(3)
Median(Q1,Q3)=5.0(2.0,8.0)
Range=1.0-12.0
None of the above but missing= 0

repository psu [PSUNIT]



N= 3155
Mean(SD)=379.0(218.7)
Median(Q1,Q3)=393.0(188.0,570.0)
Range=1.0-741.0
None of the above but missing= 0

T3c: Income (3-level categorical) * Occupation * [INCOMECAT]

1: < \$20,000 (N=1327) 42.1 %
2: \$20,000 - \$49,999 (N=906) 28.7 %
\$50,000+ (N=738) 23.4 %
None of the above but missing: (N=184) 5.8 %

[INCOMECAT_2]

1: < \$20,000 (N=907) 28.7 %
2: \$20,000 - \$49,999 (N=720) 22.8 %
\$50,000+ (N=792) 25.1 %
None of the above but missing: (N=736) 23.3 %

T1c: Occupation recategorized [OCCGRPALT]

1: Management, Professional, Sales and Office Occupations (N=1618) 51.3 %
2: Service Occupations (N=815) 25.8 %
3: Manual labor, construction, maintenance, farming, production, transportation, etc (N=613) 19.4 %
4: Never worked (N=100) 3.2 %
None of the above but missing: (N=9) 0.3 %

T3c: Occupation recategorized [OCCGRPALT_2]

1: Management, Professional, Sales and Office Occupations (N=1550) 49.1 %
2: Service Occupations (N=785) 24.9 %
3: Manual labor, construction, maintenance, farming, production, transportation, etc (N=555) 17.6 %
4: Never worked (N=237) 7.5 %
None of the above but missing: (N=28) 0.9 %

T1c. Degree status at BACH I - collapsed [DEGREE]

1: Less than High School (N=740) 23.5 %
2: High School or GED (N=984) 31.2 %
3: Some college (N=430) 13.6 %
4: College or advanced degree (N=753) 23.9 %
None of the above but missing: (N=248) 7.9 %

T2c. Degree status at BACH I - collapsed [DEGREE_1]

1: Less than High School (N=740) 23.5 %
2: High School or GED (N=1044) 33.1 %
3: Some college (N=487) 15.4 %
4: College or advanced degree (N=865) 27.4 %
None of the above but missing: (N=19) 0.6 %

T3c. Degree status at BACH III - collapsed [DEGREE_2]

1: *Less than High School* (N=614) 19.5 %
 2: *High School or GED* (N=945) 30 %
 3: *Some college* (N=663) 21 %
 4: *College or advanced degree* (N=908) 28.8 %
 None of the above but missing: (N=25) 0.8 %

PINA: T3c. Type of insurance, 4 cat [INS_4CAT]


1: *Private only* (N=1353) 42.9 %
 2: *Private and public* (N=178) 5.6 %
 3: *Public only* (N=1150) 36.5 %
 4: *None* (N=471) 14.9 %
 None of the above but missing: (N=3) 0.1 %

[INSURANCE]

1 (N=2681) 85 %
 2 (N=471) 14.9 %
 None of the above but missing: (N=3) 0.1 %

PINA: T3c. Type of insurance, 4 cat [INS_4CAT_2]

1: *Private only* (N=1210) 38.4 %
 2: *Private and public* (N=311) 9.9 %
 3: *Public only* (N=1524) 48.3 %
 4: *None* (N=108) 3.4 %
 None of the above but missing: (N=2) 0.1 %

T1c. BMI [BMI]

N= 3146
 Mean(SD)=30.2(7)
 Median(Q1,Q3)=29.0(25.3,33.4)
 Range=15.3-68.5
 None of the above but missing= 9

T1c. BMI categories [BMICAT]

1: *0 le BMI < 25* (N=699) 22.2 %
 2: *25 le BMI < 30* (N=1088) 34.5 %
 3: *BMI ge 30* (N=1359) 43.1 %
 None of the above but missing: (N=9) 0.3 %

T1c. Obese (Y/N) [OBESE]

1 (N=1359) 43.1 %
 2 (N=1787) 56.6 %
 None of the above but missing: (N=9) 0.3 %

T3c. BMI [BMI_2]

N = 3144

Mean(SD)=30.3(6.6)

Median(Q1,Q3)=29.4(25.7,33.7)

Range=15.7-65.3

None of the above but missing= 11

T3c. BMI categories [BMICAT_2]

1: 0 ≤ BMI < 25 (N=634) 20.1 %

2: 25 ≤ BMI < 30 (N=1077) 34.1 %

3: BMI ≥ 30 (N=1433) 45.4 %

None of the above but missing: (N=11) 0.3 %

[OBESE_2]

1: Yes (N=1433) 45.4 %

2: No (N=1711) 54.2 %

None of the above but missing: (N=11) 0.3 %

Baseline age (categorical) [AGEGRP]

1: < 40 (N=724) 22.9 %

2: 40-49 (N=878) 27.8 %

3: 50-59 (N=819) 26 %

4: 60-69 (N=525) 16.6 %

5: 70+ (N=209) 6.6 %

None of the above but missing: (N=0) 0 %

T3c. BACH III age (categorical) [AGEGRP_2]

1 (N=521) 16.5 %

2 (N=865) 27.4 %

3 (N=891) 28.2 %

4 (N=585) 18.5 %

5 (N=293) 9.3 %

None of the above but missing: (N=0) 0 %

T1c. Coronary Artery Disease [CAD]

1: Yes (N=351) 11.1 %

2: No (N=2801) 88.8 %

None of the above but missing: (N=3) 0.1 %


T3c. Coronary Artery Disease [CAD_2]

1: Yes (N=673) 21.3 %

2: No (N=2449) 77.6 %

None of the above but missing: (N=33) 1 %

T3c. Acculturation, English Domain score [ENG_DOM]



N= 1143
Mean(SD)=2.2(0.9)
Median(Q1,Q3)=2.2(1.5,2.9)
Range=1.0-4.0
None of the above but missing= 2012

[ENG_HIGH]

1 (N=460) 14.6 %
 2 (N=683) 21.6 %
 None of the above but missing: (N=2012) 63.8 %

T1c. Acculturation, Spanish Domain score [SPAN_DOM]



N= 1143
Mean(SD)=3.5(0.6)
Median(Q1,Q3)=3.8(3.3,4.0)
Range=1.0-4.0
None of the above but missing= 2012

[SPAN_HIGH]

1 (N=1069) 33.9 %
 2 (N=74) 2.3 %
 None of the above but missing: (N=2012) 63.8 %


T3c. Bi-dimensional acculturation scale (BAS) acculturation categorical [ACCULT]

1: Low (N=681) 21.6 %
 2: High (N=2080) 65.9 %
 3: Bicultural (N=390) 12.4 %
 None of the above but missing: (N=4) 0.1 %

[FSTENSPOTH_2]

1 (N=2008) 63.6 %
 2 (N=966) 30.6 %
 3 (N=176) 5.6 %
 None of the above but missing: (N=5) 0.2 %

T3c. Time from baseline visit to BACH III visit [TMFMB1TO3]



N= 3155
Mean(SD)=7.3(0.6)
Median(Q1,Q3)=7.2(6.9,7.6)
Range=5.3-9.8
None of the above but missing= 0

Years in US with subjects born in US assigned to age [YRSINUS_2]



N= 3152
Mean(SD)=46.3(19.2)
Median(Q1,Q3)=47.5(30.7,61.0)
Range=6.5-88.0
None of the above but missing= 3

Years in US categorized with subjects born in US in highest category [USYEAR_CAT_2]

1:<5	(N=0) 0 %
2:5-10	(N=49) 1.6 %
3:10-15	(N=146) 4.6 %
4:15-20	(N=174) 5.5 %
5:>20	(N=2783) 88.2 %
None of the above but missing:	(N=3) 0.1 %

PHLS: T3c: A2. Health literacy score (Short Test of Functional Literacy in Adults) [STOFHLA_2]

1:Inadequate	(N=662) 21 %
2:Minimal	(N=307) 9.7 %
3:Adequate	(N=1991) 63.1 %
None of the above but missing:	(N=195) 6.2 %

PHLS: T3c: A2. Adequate Health Literacy? [ADQTHLTHLIT_2]

1: Yes	(N=307) 9.7 %
2: No	(N=662) 21 %
None of the above but missing:	(N=2186) 69.3 %

T1c. Work status categorized [WORKSTATCAT]

1	(N=1711) 54.2 %
2	(N=296) 9.4 %
3	(N=891) 28.2 %
4	(N=248) 7.9 %
None of the above but missing:	(N=9) 0.3 %

T3c. Work status categorized [WORKSTATCAT_2]

1 (N=1481) 46.9 %
2 (N=208) 6.6 %
3 (N=1291) 40.9 %
4 (N=167) 5.3 %
None of the above but missing: (N=8) 0.3 %

T1c. Times visited health care provider in the past year (categorized) [TIMEHCPCAT]

1: 0-1 times (N=548) 17.4 %
2: 2-6 times (N=1615) 51.2 %
3: 7-12 times (N=514) 16.3 %
4: 13+ times (N=471) 14.9 %
None of the above but missing: (N=7) 0.2 %

T3c. Times visited health care provider in the past year (categorized) [TIMEHCPCAT_2]

1: 0-1 times (N=470) 14.9 %
2: 2-6 times (N=1637) 51.9 %
3: 7-12 times (N=554) 17.6 %
4: 13+ times (N=465) 14.7 %
None of the above but missing: (N=29) 0.9 %

[TIMEHCP3CAT_2]

1: 0-1 times (N=470) 14.9 %
2: 2-6 times (N=1637) 51.9 %
3: 7+ times (N=1019) 32.3 %
None of the above but missing: (N=29) 0.9 %

AIMS: European ancestry proportion multiplied by 10 for modeling purposes [EUR]



N= 2333
Mean(SD)=5.1(3.4)
Median(Q1,Q3)=5.3(1.9,8.4)
Range=0.0-10.0
None of the above but missing= 822

AIMS: West African ancestry proportion multiplied by 10 for modeling purposes [AFRI]



N= 2333
Mean(SD)=3.7(3.4)
Median(Q1,Q3)=2.6(0.5,7.1)
Range=0.0-10.0
None of the above but missing= 822

AIMS: Native American ancestry proportion multiplied by 10 for modeling purposes [NAMER]



N= 2333
Mean(SD)=1.1(1.6)
Median(Q1,Q3)=0.6(0.0,1.6)
Range=0.0-10.0
None of the above but missing= 822

AIMS: Percentage European Ancestry [PEREUR]



N= 2333
Mean(SD)=51.4(34.5)
Median(Q1,Q3)=53.3(19.0,84.4)
Range=0.0-100.0
None of the above but missing= 822

AIMS: Percentage West African ancestry [PERAFRI]



N= 2333
Mean(SD)=37.4(34.4)
Median(Q1,Q3)=25.7(5.4,70.8)
Range=0.0-100.0
None of the above but missing= 822

AIMS: Percentage Native American ancestry [PERNAMER]



N= 2333
Mean(SD)=11.2(16)
Median(Q1,Q3)=6.4(0.0,15.7)
Range=0.0-100.0
None of the above but missing= 822

T3c. BACH III Type 2 Diabetes confirmed by medications [DIAB2MEDCONF_2]

1: Yes (N=609) 19.3 %
2: No (N=2546) 80.7 %
None of the above but missing: (N=0) 0 %

T3c. BACH II/III New cases of Type 2 Diabetes [IDIAB2_2]

0: No (N=2468) 78.2 %
1 (N=681) 21.6 %
None of the above but missing: (N=6) 0.2 %


T1c. Slone coded medications insulin or diabetes medications [DIABMEDS]

1: Yes (N=380) 12 %
2: No (N=2775) 88 %
None of the above but missing: (N=0) 0 %

T1c. Slone coded medications insulin or diabetes medications [DIABMEDS_2]

1: Yes (N=566) 17.9 %
2: No (N=2589) 82.1 %
None of the above but missing: (N=0) 0 %

T1c: PASE, overall score [PASE]




N= 3126
Mean(SD)=160.0(95.9)
Median(Q1,Q3)=146.0(86.0,223.0)
Range=0.0-726.0
None of the above but missing= 29

T1c: PASE, categories [ACTIVITY]

1 (N=1023) 32.4 %
2 (N=1561) 49.5 %
3 (N=542) 17.2 %
None of the above but missing: (N=29) 0.9 %

T2c: PASE, overall score [PASE_1]



N= 3155
Mean(SD)=153.0(94.3)
Median(Q1,Q3)=136.0(76.4,214.0)
Range=0.0-726.0
None of the above but missing= 0

T2c: PASE, categories [ACTIVITY_1]

1 (N=1126) 35.7 %
2 (N=1529) 48.5 %
3 (N=500) 15.8 %
None of the above but missing: (N=0) 0 %

T3c: PASE, overall score [PASE_2]



N= 3155
Mean(SD)=141.0(93.3)
Median(Q1,Q3)=124.0(65.6,200.0)
Range=0.0-869.0
None of the above but missing= 0

T3c: PASE, categories [ACTIVITY_2]

1: Low physical activity (N=1243) 39.4 %
2: Moderate physical activity (N=1495) 47.4 %
3: High physical activity (N=417) 13.2 %
None of the above but missing: (N=0) 0 %

T3c: BACH III Smoking status [SMOKER_2]

1: Never smoker (N=1386) 43.9 %
2: Former smoker (N=1157) 36.7 %
3: Never smoker (N=608) 19.3 %
None of the above but missing: (N=4) 0.1 %


T3c: Hours of sleep per night (categorized) [SLEEP CAT_2]

1: < 6 hours (short sleep) (N=704) 22.3 %
2: 6-9 hours (adequate sleep) (N=2396) 75.9 %
3: > 9 hours (long sleep) (N=51) 1.6 %
None of the above but missing: (N=4) 0.1 %

[RWTCH_WHTUSAY_2]


0 (N=1063) 33.7 %
1 (N=141) 4.5 %
2 (N=286) 9.1 %
3 (N=265) 8.4 %
4 (N=213) 6.8 %
5 (N=1178) 37.3 %
None of the above but missing: (N=9) 0.3 %

T3c: Discrimination (Higher values = greater discrimination) [DISCRIM_2]




N= 3150
Mean(SD)=9.6(8.6)
Median(Q1,Q3)=8.0(2.0,15.0)
Range=0.0-43.0
None of the above but missing= 5

T3c: Physical disorder (Higher values = greater disorder) [PHYSDISO_2]



N = 3147
Mean(*SD*) = 13.9(4.2)
Median(*Q1*, *Q3*) = 13.0(12.0, 16.0)
Range = 6.0-30.0
None of the above but missing = 8

T3c: Social disorder (Higher values = greater disorder) [SOCDISO_2]




N = 3147
Mean(*SD*) = 14.5(4.8)
Median(*Q1*, *Q3*) = 13.0(12.0, 18.0)
Range = 5.0-30.0
None of the above but missing = 8

T3c: Sense of Control (higher = greater internal sense of control) [SOC_2]



N = 3140
Mean(*SD*) = 0.6(0.5)
Median(*Q1*, *Q3*) = 0.6(0.2, 1.0)
Range = 0.0-2.0
Not Applicable: 5
None of the above but missing = 10

T3c: Normlessness (Higher values = greater normlessness) [NORM_2]




N = 3144
Mean(*SD*) = 3.1(0.7)
Median(*Q1*, *Q3*) = 3.0(2.5, 3.5)
Range = 1.0-5.0
None of the above but missing = 11

T3c: Mistrust [MISTRUST_2]



N= 3144
Mean(*SD*)=2.3(0.8)
Median(*Q1*,*Q3*)=2.0(2.0,2.7)
Range=1.0-5.0
None of the above but missing= 11

T3c: Social Isolation [SI_2]



N= 3145
Mean(*SD*)=1.9(0.7)
Median(*Q1*,*Q3*)=2.0(1.2,2.0)
Range=1.0-5.0
None of the above but missing= 10

T3c: HOMA model Insulin Resistance [HOMAIR_2]



N= 1249
Mean(*SD*)=3.2(4.9)
Median(*Q1*,*Q3*)=2.1(1.3,3.6)
Range=0.4-131.0
None of the above but missing= 1906

T3c: HOMA model beta cell function [HOMAB_2]



N= 153
Mean(SD)=4860.0(17699.5)
Median(Q1,Q3)=2130.0(834.0,4300.0)
Range=15.8-210000.0
Unknown 8
Refused: 3
-5: (value too high) 206
Illegible: 339
Version: 256
Skipped: 176
Not Applicable: 108
None of the above but missing= 1906

T3c: Menopausal status at T3 [MENOSTAT_2]

1: Pre/Peri-menopause (N=533) 16.9 %
2: Post-menopause (N=813) 25.8 %
3: Other (N=622) 19.7 %
None of the above but missing: (N=1187) 37.6 %

T3c: Self-report or measured high blood pressure at T3 [HTN_2]

1: Yes (N=2359) 74.8 %
2: No (N=796) 25.2 %
None of the above but missing: (N=0) 0 %