

The SAS System

The CONTENTS Procedure

Variables in Creation Order						
#	Variable	Type	Len	Format	Informat	Label
1	RANDID	Char	4	\$4.	\$4.	randid: Case ID
2	RICE4VS1AT_N	Num	8			RICE4VS1at_n: Past 3 mo: Pelvic pain scale 0-10
3	RICE4VS2AT_N	Num	8			RICE4VS2at_n: Past 3 mo- Most of the time pelvic pain scale 0-10
4	RICE4VS3AT_M	Num	8			RICE4VS3at_m: MONTH: First pelvic pain
5	RICE4VS3AT_Y	Num	8			RICE4VS3at_y: YEAR: First pelvic pain
6	RICE4VS3AAT_AGE	Num	8			RICE4VS3Aat_age: Age first pelvic pain
7	RICE4VS4	Num	8			RICE4VS4: Between first and now- how much time have you had sympt
8	RICE4VS5AT_M	Num	8			RICE4VS5at_m: MONTH: When first sought dx and treatmnt for sympt
9	RICE4VS5AT_Y	Num	8			RICE4VS5at_y: YEAR: When first sought dx and treatmnt for sympt
10	RICE4VS5AT_N	Num	8			RICE4VS5at_n: NEVER GONE TO DOCTOR FOR SYMPT
11	RICE4VS6AT_NUM	Num	8			RICE4VS6at_num: # Drs seen for bladr sympt dx-treatmnt
12	RICE4VS6A	Num	8			RICE4VS6A: Ever visit urologist
13	RICE4VS6B	Num	8			RICE4VS6B: Year most recent visit to urologist
14	RICE4VS7	Num	8			RICE4VS7: Ever specific dx from doctor re bladr sympt
15	RICE4VS9	Num	8			RICE4VS9: What kind of dr(s) made dx
16	RICE4VS10AT_M	Num	8			RICE4VS10at_m: MONTH: Received dx
17	RICE4VS10AT_Y	Num	8			RICE4VS10at_y: YEAR: Received dx
18	RICE4VS11	Num	8			RICE4VS11: Ever IC dx
19	RICE4VS12AT_M	Num	8			RICE4VS12at_m: MONTH: IC dx
20	RICE4VS12AT_Y	Num	8			RICE4VS12at_y: YEAR: IC dx
21	RICE4VS13	Num	8			RICE4VS13: What kind of dr(s) made IC dx
22	RICE4VS14	Num	8			RICE4VS14: Ever Painful Bladder Synd dx
23	RICE4VS15AT_M	Num	8			RICE4VS15at_m: MONTH: Painful Bladder Synd dx
24	RICE4VS15AT_Y	Num	8			RICE4VS15at_y: YEAR: Painful Bladder Synd dx
25	RICE4VS16	Num	8			RICE4VS16: What kind dr(s) made Painful Bladder Synd dx
26	RICE4VS17	Num	8			RICE4VS17: Dr ever examined bladr under anesth-performed hydro distension
27	RICE4VS18	Num	8			RICE4VS18: Ever Glomerulations dx (bleeding pts-petechial hemorrhage)
28	RICE4VS19	Num	8			RICE4VS19: Ever Hunners Ulcer dx
29	RICE4VS19A	Num	8			RICE4VS19A: Treatmnt w- stretched-dilated urethra
30	RICE4VS20	Num	8			RICE4VS20: Menstrual period in past 12 mo
31	RICE4VS21_NEW2AT_A	Num	8			RICE4VS21_new2at_a: Ever(A) Fibromyalgia dx
32	RICE4VS21_NEW2AT_B	Num	8			RICE4VS21_new2at_b: Ever(B) Chronic Fatigue Synd (CFS)-Epstein Barr Synd (EPS)
33	RICE4VS21_NEW2AT_C	Num	8			RICE4VS21_new2at_c: Ever(C) Irritable bowel synd (IBS)-Spastic colon- NOT Infl Bowel- Crohns

The SAS System

The CONTENTS Procedure

Variables in Creation Order						
#	Variable	Type	Len	Format	Informat	Label
34	RICE4VS21_NEW2AT_D	Num	8			RICE4VS21_new2at_d: Ever(D) Chronic Sinusitis
35	RICE4VS21_NEW2AT_E	Num	8			RICE4VS21_new2at_e: Ever(E) Chronic Migraine-not incl acute episodic migraine eg menstrual migraine
36	RICE4VS21_NEW2AT_F	Num	8			RICE4VS21_new2at_f: Ever(F) Heart disease or heart attacks
37	RICE4VS21_NEW2AT_G	Num	8			RICE4VS21_new2at_g: Ever(G) Chronic lung disease or emphysema
38	RICE4VS21_NEW2AT_H	Num	8			RICE4VS21_new2at_h: Ever(H) Diabetes
39	RICE4VS21_NEW2AT_I	Num	8			RICE4VS21_new2at_i: Ever(I) Cancer- other than skin cancer or bladcr cancer
40	RICE4VS21_NEW2AT_J	Num	8			RICE4VS21_new2at_j: Ever(J) Arthritis or rheumatism
41	RICE4VS21_NEW2AT_K	Num	8			RICE4VS21_new2at_k: Ever(K) Vulvodynia or vulvar vestibulitis
42	RICE4VS21_NEW2AT_L	Num	8			RICE4VS21_new2at_l: Ever(L) Overactive bladcr
43	RICE4VS21_NEW2AT_M	Num	8			RICE4VS21_new2at_m: Ever(M) Depression
44	RICE4VS21_NEW2AT_N	Num	8			RICE4VS21_new2at_n: Ever(N) Panic Attacks
45	RICE4VS21_NEW2AT_O	Num	8			RICE4VS21_new2at_o: Ever(O) Anxiety
46	RICE4VS22AAT_AGE	Num	8			RICE4VS22aat_age: Age first sympt Fibromyalgia
47	RICE4VS22AAT_AGE2	Num	8			RICE4VS22aat_age2: Formatted age range first sympt Fibromyalgia
48	RICE4VS22BAT_AGE	Num	8			RICE4VS22bat_age: Age first sympt Chronic Fatigue Synd (CFS)-Epstein Barr Synd (EPS)
49	RICE4VS22BAT_AGE2	Num	8			RICE4VS22bat_age2: Formatted age range first sympt Chronic Fatigue Synd (CFS)-Epstein Barr Synd (EPS)
50	RICE4VS22CAT_AGE	Num	8			RICE4VS22cat_age: Age first sympt Irritable bowel synd (IBS)-Spastic colon- NOT Infl Bowel- Crohns
51	RICE4VS22CAT_AGE2	Num	8			RICE4VS22cat_age2: Formatted age range first sympt Irritable bowel synd (IBS)-Spastic colon- NOT Infl Bowel-Crohns
52	RICE4VS22EAT_AGE	Num	8			RICE4VS22eat_age: Age first sympt Chronic Migraine
53	RICE4VS22EAT_AGE2	Num	8			RICE4VS22eat_age2: Formatted age range first sympt Chronic Migraine
54	RICE4VS22KAT_AGE	Num	8			RICE4VS22kat_age: Age first sympt Vulvodynia-vulvar vestibulitis
55	RICE4VS22KAT_AGE2	Num	8			RICE4VS22kat_age2: Formatted age range first sympt Vulvodynia-vulvar vestibulitis
56	RICE4VS22MAT_AGE	Num	8			RICE4VS22mat_age: Age first sympt Depression
57	RICE4VS22MAT_AGE2	Num	8			RICE4VS22mat_age2: Formatted age range first sympt Depression
58	RICE4VS22NAT_AGE	Num	8			RICE4VS22nat_age: Age first sympt Panic Attacks
59	RICE4VS22NAT_AGE2	Num	8			RICE4VS22nat_age2: Formatted age range first sympt Panic Attacks
60	SANDVIK21	Num	8			SANDVIK21: How often leak-sudden phys exertion-lift-cough-sneeze
61	SANDVIK21A	Num	8			SANDVIK21A: How much urine do you leak each time phys-lift-cough-sneeze
62	SANDVIK22	Num	8			SANDVIK22: How often strong-sudden urge to void results in leaking

The SAS System

The CONTENTS Procedure

Variables in Creation Order						
#	Variable	Type	Len	Format	Informat	Label
63	SANDVIK22A	Num	8			SANDVIK22A: How much urine do you leak each time strong-sudden urge
64	SANDVIK23	Num	8			SANDVIK23: Past 12 mo: Sought treatmnt for bladr sympt
65	SANDVIK24AT_N	Num	8			SANDVIK24at_n: Past 12 mo: # dr visits for bladr sympt
66	SANDVIK25AT_1	Num	8			SANDVIK25at_1: Past 12 mo: Gone to ER for bladr sympt
67	SANDVIK25AT_A	Num	8			SANDVIK25at_a: Past 12 mo: How often gone to ER for bladr sympt
68	SANDVIK26AT_1	Num	8			SANDVIK26at_1: Past 12 mo: Admitted to hosp for bladr sympt
69	SANDVIK26AT_A	Num	8			SANDVIK26at_a: Past 12 mo: How often admitted to hosp for bladr sympt
70	SANDVIK26AT_B	Num	8			SANDVIK26at_b: Past 12 mo: # nights admitted to hosp for bladr sympt
71	RICE4VS27	Num	8			RICE4VS27: Usual place (dr office-clinic) for treatmnt of bladr sympt-conditions
72	RICE4VS28	Num	8			RICE4VS28: What type doctor do you usually see at usual place
73	RICE4VS29	Num	8			RICE4VS29: Covered by Medicaid past 6 mo
74	RICE4VS30	Num	8			RICE4VS30: Currently covered by Medicare
75	RICE4VS31	Num	8			RICE4VS31: Currently priv hlth ins covers hosp-dr for bladr
76	RICE4VS32	Num	8			RICE4VS32: Past 6 mo: Covered by oth ins pgm (VA-county-oth)
77	RICE4VS33AT_AMT	Num	8			RICE4VS33at_amt: Past 12 mo: How much you paid drs-hosp related to bladr sympt (not incl Rx)
78	RICE5VS1	Num	8			RICE5VS1: Past 3 mo: Rx for anxiety (tranqs-sed eg Ativan-Valium-Xanax)
79	RICE5VS1A	Num	8			RICE5VS1A: Past 3 mo: Rx for depression (Zoloft-Paxil-Prozac)
80	RICE5VS2	Num	8			RICE5VS2: Past 3 mo: Rx for pelvic pain (codeine-Oxycodone-Demerol-methadone)
81	RICE5VS3	Num	8			RICE5VS3: Past 3 mo: Rx for incont-urgncy-Oxybutin-Tolterodine-Darifenacin-Solifenacin-Trospium
82	RICE5VS4AT_A	Num	8			RICE5VS4at_a: Past 3 mo: Taken Amitriptyline-Elavil
83	RICE5VS4AT_B	Num	8			RICE5VS4at_b: Past 3 mo: Taken Pentosanpolysulfate-Elmiron
84	RICE5VS4AT_C	Num	8			RICE5VS4at_c: Past 3 mo: Taken Hydroxyzine-Vistaril
85	RICE5VS4AT_D	Num	8			RICE5VS4at_d: Past 3 mo: Taken Dimethylsulfoxide-DMSO
86	RICE5VS5	Num	8			RICE5VS5: Past 3 mo: Ever had bladr instillations at home or dr office
87	RICE5VS5AAT_N	Num	8			RICE5VS5Aat_n: Past 3 mo: # instillations
88	RICE5VS5BAT_1	Num	8			RICE5VS5Bat_1: Past 3 mo: DMSO instilled in bladr
89	RICE5VS5BAT_2	Num	8			RICE5VS5Bat_2: Past 3 mo: LIDOCAINE instilled in bladr
90	RICE5VS5BAT_3	Num	8			RICE5VS5Bat_3: Past 3 mo: HEPARIN instilled in bladr
91	RICE5VS5BAT_4	Num	8			RICE5VS5Bat_4: Past 3 mo: OTHER MEDICINE instilled in bladr
92	RICE5VS5BAT_5	Num	8			RICE5VS5Bat_5: Past 3 mo: NO MEDICINE instilled in bladr
93	RICE5VS6	Num	8			RICE5VS6: Past 3 mo: Taken any antibiotics for bladr-UTI
94	RICE5VS7AT_D	Num	8			RICE5VS7at_d: Past 3 mo: # days took antibiotics for bladr-UTI

The SAS System

The CONTENTS Procedure

Variables in Creation Order						
#	Variable	Type	Len	Format	Informat	Label
95	RICE5VS8	Num	8			RICE5VS8: Public-private ins pays for Rx for blad ^r sympt
96	RICE5VS9AT_AMT	Num	8			RICE5VS9at_amt: Past 12 mo: TOTAL UNREIMBURSED COST OF RX
97	RICE5VS10	Num	8			RICE5VS10: Avoid certain food-drink which worsen blad ^r sympt
98	RICE5VS11	Num	8			RICE5VS11: How easy-difficult to avoid certain food-drink
99	RICE5VS12	Num	8			RICE5VS12: How easy-difficult to eat healthy while avoiding food-drink
100	RICE5VS13	Num	8			RICE5VS13: Why avoid certain food-drink
101	RICE5VS14NEWAT_1	Num	8			RICE5VS14newat_1: Dr told me to avoid certain food-drink
102	RICE5VS14NEWAT_2	Num	8			RICE5VS14newat_2: Oth patients told me to avoid certain food-drink
103	RICE5VS14NEWAT_3	Num	8			RICE5VS14newat_3: You noticed certain food-drink exacerbated sympt
104	RICE5VS14NEWAT_4	Num	8			RICE5VS14newat_4: You saw on tv that certain food-drink exacerbated sympt
105	RICE5VS14NEWAT_5	Num	8			RICE5VS14newat_5: You read on web-mag-news that certain food-drink exacerbated sympt
106	RICE5VS14NEWAT_6	Num	8			RICE5VS14newat_6: You heard in support grp that certain food-drink exacerbated sympt
107	RICE5VS14NEWAT_7	Num	8			RICE5VS14newat_7: SOME OTH REASON
108	RICE5VS14NEWAT_8	Num	8			RICE5VS14newat_8: NO OTH REASON
109	RICE5VS15AT_A	Num	8			RICE5VS15at_a: HERBAL-OTC MEDS: Oth treatmnt of blad ^r sympt
110	RICE5VS15AT_B	Num	8			RICE5VS15at_b: RELAXATION TECH: Oth treatmnt of blad ^r sympt
111	RICE5VS15AT_C	Num	8			RICE5VS15at_c: SUPPORT GRP-WEB: Oth treatmnt of blad ^r sympt
112	RICE5VS15AT_D	Num	8			RICE5VS15at_d: RELIGION-PRAYER: Oth treatmnt of blad ^r sympt
113	RICE6VS1	Num	8			RICE6VS1: Race-Ethnic group
114	RICE6VS2	Num	8			RICE6VS2: Latino-Hispanic
115	RICE6VS4AT_AGE	Num	8			RICE6VS4at_age: Age at last birthday (capped at 81)
116	RICE6VS5	Num	8			RICE6VS5: EDUC: highest year completed
117	RICE6VS6	Num	8			RICE6VS6: Employment in past mo
118	RICE6VS6A	Num	8			RICE6VS6A: Have blad ^r prob or pelvic pain kept you from working
119	RICE6VS8	Num	8			RICE6VS8:# hours usually work for pay per week
120	RICE6VS9	Num	8			RICE6VS9: Bladder prob or pelvic pain kept you from working full time
121	RICE6VS10AT_D1	Num	8			RICE6VS10at_d1:DAYS this month: Work missed due to blad ^r prob-pelvic pain
122	RICE6VS10AT_H1	Num	8			RICE6VS10at_h1:HOURS this month: Work missed due to blad ^r prob-pelvic pain
123	RICE6VS10AT_D2	Num	8			RICE6VS10at_d2:DAYS this month: Worked while bothered by pelvic symptoms
124	RICE6VS10AT_H2	Num	8			RICE6VS10at_h2:HOURS this month: Worked while bothered by pelvic symptoms
125	RICE6VS11C	Num	8			RICE6VS11C: current earnings (cleaned)

The SAS System

The CONTENTS Procedure

Variables in Creation Order						
#	Variable	Type	Len	Format	Informat	Label
126	RICE6VS12	Num	8			RICE6VS12: Were you working for pay when bladrsympt began
127	RICE6VS14AT_HRS	Num	8			RICE6VS14at_hrs: Hours worked for pay-week-when bladrsympt began
128	RICE6VS15C	Num	8			RICE6VS15C: earnings when symptoms started (cleaned)
129	RICE6VS16	Num	8			RICE6VS16: Total number in HH
130	RICE6VS17AT_N	Num	8			RICE6VS17at_n: Besides yourself- number in HH
131	TOTHHINC3C	Num	8			TOTHHINC3C: total household income (3 cats)
132	RICE6VS19	Num	8			RICE6VS19: Marital status
133	RICE6VS20AT_N	Num	8			RICE6VS20at_n: # children ever given birth to
134	RICE6VS21AT_N	Num	8			RICE6VS21at_n: # children given birth to since bladrsympt
135	RICE6VS22	Num	8			RICE6VS22: Do you receive SSI-not Soc Sec
136	RICE6VS22A	Num	8			RICE6VS22A: SSI due to bladrsympt condition-other reason
137	RICE6VS23	Num	8			RICE6VS23: Do you receive \$\$ from parents
138	RICE7VS1	Num	8			RICE7VS1: Your general health
139	RICE7VS2	Num	8			RICE7VS2: Health compared to year ago
140	RICE7VS3	Num	8			RICE7VS3: Vigorous activity is limited greatly-somewhat-not
141	RICE7VS4	Num	8			RICE7VS4: Moderate activity is limited greatly-somewhat-not
142	RICE7VS5	Num	8			RICE7VS5: Carrying groceries is limited greatly-somewhat-not
143	RICE7VS6	Num	8			RICE7VS6: Climbing several flights is limited greatly-somewhat-not
144	RICE7VS7	Num	8			RICE7VS7: Climbing one flight is limited greatly-somewhat-not
145	RICE7VS8	Num	8			RICE7VS8: Bending- kneeling is limited greatly-somewhat-not
146	RICE7VS9	Num	8			RICE7VS9: Walking more than a mile is limited greatly-somewhat-not
147	RICE7VS10	Num	8			RICE7VS10: Walking several blocks is limited greatly-somewhat-not
148	RICE7VS11	Num	8			RICE7VS11: Walking one block is limited greatly-somewhat-not
149	RICE7VS12	Num	8			RICE7VS12: Bathing- dressing is limited greatly-somewhat-not
150	RICE7VS13A	Num	8			RICE7VS13A: Prob at work past 4 wks due to phys prob: Cut down on wk-oth activities
151	RICE7VS13B	Num	8			RICE7VS13B: Prob at work past 4 wks due to phys prob: Accomplished less
152	RICE7VS13C	Num	8			RICE7VS13C: Prob at work past 4 wks due to phys prob: Limited in wk-activities
153	RICE7VS13D	Num	8			RICE7VS13D: Prob at work past 4 wks due to phys prob: Difficulty perf wk-oth activities
154	RICE7VS14A	Num	8			RICE7VS14A: Prob at work past 4 wks due to emot prob: Difficulty perf wk-oth activities
155	RICE7VS14B	Num	8			RICE7VS14B: Prob at work past 4 wks due to emot prob: Accomplished less
156	RICE7VS14C	Num	8			RICE7VS14C: Prob at work past 4 wks due to emot prob: Wasnt careful in wk-activities
157	RICE7VS15	Num	8			RICE7VS15: Prob w- friends-family past 4 wks due to phys-emot prob

The SAS System

The CONTENTS Procedure

Variables in Creation Order						
#	Variable	Type	Len	Format	Informat	Label
158	RICE7VS16	Num	8			RICE7VS16: How much pain in past 4 wks
159	RICE7VS17	Num	8			RICE7VS17: Pain interfered w- work- housewk in past 4 wks
160	RICE7VS18	Num	8			RICE7VS18: In past 4 wks were you full of pep
161	RICE7VS19	Num	8			RICE7VS19: In past 4 wks were you very nervous
162	RICE7VS20	Num	8			RICE7VS20: In past 4 wks were you down in dumps-nothing could cheer you
163	RICE7VS21	Num	8			RICE7VS21: In past 4 wks were you calm-peaceful
164	RICE7VS22	Num	8			RICE7VS22: In past 4 wks were you energetic
165	RICE7VS23	Num	8			RICE7VS23: In past 4 wks were you downhearted-blue
166	RICE7VS24	Num	8			RICE7VS24: In past 4 wks were you worn out
167	RICE7VS25	Num	8			RICE7VS25: In past 4 wks were you happy
168	RICE7VS26	Num	8			RICE7VS26: In past 4 wks were you tired
169	RICE7VS27	Num	8			RICE7VS27: In past 4 wks have phys-emot prob interfered w- social activity
170	RICE7VS28	Num	8			RICE7VS28: T-F: I get sick easier than others
171	RICE7VS29	Num	8			RICE7VS29: T-F: I am as healthy as anybody
172	RICE7VS30	Num	8			RICE7VS30: T-F: I expect my health to get worse
173	RICE7VS31	Num	8			RICE7VS31: T-F: My health is excellent
174	OLS1	Num	8			OLS1: In past mo: Felt sudden need to urinate
175	OLS2	Num	8			OLS2: In past mo: Felt need to urinate < 2hrs after urinating
176	OLS3	Num	8			OLS3: In past mo: Felt need to get up to urinate at night
177	OLS4	Num	8			OLS4: In past mo: Felt pain-burning in bladr
178	OLS5	Num	8			OLS5: In past mo: Felt discomfort-pressure in bladr
179	OLS6	Num	8			OLS6: In past mo: Freq urination during day a prob
180	OLS7	Num	8			OLS7: In past mo: Getting up at night to urinate a prob
181	OLS8	Num	8			OLS8: In past mo: Sudden need to urinate a prob
182	OLS9	Num	8			OLS9: In past mo: Pain-pressure-burning in bladr a prob
183	OLS10	Num	8			OLS10: You stay home due to bladr sympt
184	RICE9VS1AT_H	Num	8			RICE9VS1at_h: In past mo: Hours actual sleep-night
185	RICE9VS2AT_H	Num	8			RICE9VS2at_h: In past mo: Longest uninterrupted period (hrs) sleep
186	RICE9VS3A	Num	8			RICE9VS3A: In past mo: Trouble sleeping-had to use bathroom
187	RICE9VS3B	Num	8			RICE9VS3B: In past mo: Trouble sleeping-generally nervous
188	RICE9VS3C	Num	8			RICE9VS3C: In past mo: Trouble sleeping-dreamt about urinating
189	RICE9VS3C2	Num	8			RICE9VS3C2: In past mo: Trouble sleeping-urge to urinate
190	RICE9VS3D	Num	8			RICE9VS3D: In past mo: Trouble sleeping-pelvic-bladr pain
191	RICE9VS4	Num	8			RICE9VS4: In past mo: Rate overall sleep quality
192	RICE9VS5	Num	8			RICE9VS5: In past mo: Taken Rx- OTC meds to sleep
193	RICE9VS6	Num	8			RICE9VS6: In past mo: Trouble staying awake driving-eating-socializing

The SAS System

The CONTENTS Procedure

Variables in Creation Order						
#	Variable	Type	Len	Format	Informat	Label
194	SXIRAND1	Num	8			SXIRAND1: Okay to ask quex about sex
195	SXIRAND2	Num	8			SXIRAND2: Ever had sex w- a person- incl arousal w-out intercourse
196	SXIRAND3	Num	8			SXIRAND3: Have a current sexual partner
197	SXIRAND4AT_N	Num	8			SXIRAND4at_n: Past 12 mo: # times vaginal intercourse
198	NORC5	Num	8			NORC5: Past 12 mo: How often phys health interfered w- sex
199	NORC6	Num	8			NORC6: Past 12 mo: How often emot health interfered w- sex
200	NORC7	Num	8			NORC7: Past 12 mo: How often stress- pressure interfered w- sex
201	RAND12A	Num	8			RAND12A: Past 4 wks: Lack of sexual interest a prob
202	RAND12B	Num	8			RAND12B: Past 4 wks: Cant relax and enjoy sex a prob
203	RAND12C	Num	8			RAND12C: Past 4 wks: Difficulty becoming sexually aroused
204	RAND12D	Num	8			RAND12D: Past 4 wks: Difficulty having orgasm
205	RAND12E	Num	8			RAND12E: Past 4 wks: Bladder pain during sex
206	RAND12F	Num	8			RAND12F: Past 4 wks: Bladder pain after sex
207	RAND12G	Num	8			RAND12G: Past 4 wks: Fear sex would exacerbate bladrr prob
208	RAND12H	Num	8			RAND12H: Past 4 wks: Urge to urinate during sex
209	RAND12I	Num	8			RAND12I: Past 4 wks: Pain in genital area
210	RAND12J	Num	8			RAND12J: Past 4 wks: Lack sensation in genital area
211	RAND12K	Num	8			RAND12K: Past 4 wks: Dry- poor lubrication of vagina
212	NORC13	Num	8			NORC13: Past 12 mo: Sought help from dr-hlth pro for sexual prob
213	RAND14	Num	8			RAND14: Problem resolved
214	MENT1	Num	8			MENT1: Past 12 mo: Sought indiv-fam help from MH provider
215	MENT2AT_N	Num	8			MENT2at_n: Past 12 mo: #Visits to MH provider
216	MENT2A	Num	8			MENT2A: Past 12 mo: Sought help from GP for MH prob
217	MENT2BAT_N	Num	8			MENT2Bat_n: Past 12 mo: #Visits to GP for MH prob
218	MENT3A	Num	8			MENT3A: Past 2 wks: Little pleasure-interest in activities
219	MENT3B	Num	8			MENT3B: Past 2 wks: Feeling down- depressed- or hopeless
220	MENT3C	Num	8			MENT3C: Past 2 wks: Trouble falling asleep-sleeping-oversleeping
221	MENT3D	Num	8			MENT3D: Past 2 wks: Feeling tired- little energy
222	MENT3E	Num	8			MENT3E: Past 2 wks: Poor appetite-overeating
223	MENT3F	Num	8			MENT3F: Past 2 wks: Feeling bad about yourself
224	MENT3G	Num	8			MENT3G: Past 2 wks: Trouble concentrating on tv-reading
225	MENT3H	Num	8			MENT3H: Past 2 wks: Moving- speaking slowly-quickly--others noticed
226	PSY	Char	1			PSY: Interviewer: Is psychologist available?
227	MENT3I	Num	8			MENT3I: Past 2 wks: Suicidal thoughts
228	CURRENT	Num	8			CURRENT: Is this how you feel right now
229	PLAN	Num	8			PLAN: Suicidal plans

The SAS System

The CONTENTS Procedure

Variables in Creation Order						
#	Variable	Type	Len	Format	Informat	Label
230	PSTRES4	Num	8			PSTRES4: Past mo: Felt unable to control important things in life
231	PSTRES5	Num	8			PSTRES5: Past mo: Felt confident about ability to handle prob
232	PSTRES6	Num	8			PSTRES6: Past mo: Felt things going your way
233	PSTRES7	Num	8			PSTRES7: Past mo: Felt difficulties were insurmountable
234	PSTRES8	Num	8			PSTRES8: Past 3 mo: Felt faint- breathless- racing heart
235	PSTRES9	Num	8			PSTRES9: Past 3 mo: Anxiety attack
236	PSTRES10	Num	8			PSTRES10: Past 3 mo: Worried about everyday prob
237	PSTRES11	Num	8			PSTRES11: Past 3 mo: Nervous- anxious
238	PCBLAD1	Num	8			PCBLAD1: Believe you can do things to control daily bladr sympt
239	PCBLAD2	Num	8			PCBLAD2: Believe you can do things to control future bladr sympt
240	PCBLAD3	Num	8			PCBLAD3: Believe you can control feelings-emot re bladr sympt
241	BLADSI1AAT_N	Num	8			BLADSI1Aat_n: Neg effect (1-7) bladr sympt on: Employment
242	BLADSI1BAT_N	Num	8			BLADSI1Bat_n: Neg effect (1-7) bladr sympt on: Home resp
243	BLADSI1CAT_N	Num	8			BLADSI1Cat_n: Neg effect (1-7) bladr sympt on: Enough \$\$ to live
244	BLADSI1DAT_N	Num	8			BLADSI1Dat_n: Neg effect (1-7) bladr sympt on: Caring for kids-grandkids
245	BLADSI1EAT_N	Num	8			BLADSI1Eat_n: Neg effect (1-7) bladr sympt on: Social life
246	BLADSI1FAT_N	Num	8			BLADSI1Fat_n: Neg effect (1-7) bladr sympt on: Feelings self-worth
247	BLADSI1GAT_N	Num	8			BLADSI1Gat_n: Neg effect (1-7) bladr sympt on: Interest in life
248	BLADSI1HAT_N	Num	8			BLADSI1Hat_n: Neg effect (1-7) bladr sympt on: Energy
249	BLADSI1IAT_N	Num	8			BLADSI1Iat_n: Neg effect (1-7) bladr sympt on: Bathing-dressing-grooming
250	BLADSI1JAT_N	Num	8			BLADSI1Jat_n: Neg effect (1-7) bladr sympt on: School-banking-shopping
251	BLADSI1KAT_N	Num	8			BLADSI1Kat_n: Neg effect (1-7) bladr sympt on: Need to rely on others
252	BLADSI1LAT_N	Num	8			BLADSI1Lat_n: Neg effect (1-7) bladr sympt on: Moods
253	BLADSI1MAT_N	Num	8			BLADSI1Mat_n: Neg effect (1-7) bladr sympt on: Getting along w- people
254	BLADSI1NAT_N	Num	8			BLADSI1Nat_n: Neg effect (1-7) bladr sympt on: Feelings as a woman
255	BLADSI1OAT_N	Num	8			BLADSI1Oat_n: Neg effect (1-7) bladr sympt on: Marriage-relationship
256	SOC1	Num	8			SOC1: # can you rely on to distract you from worry-stress
257	SOC2	Num	8			SOC2: # can you rely on to help you relax

The SAS System

The CONTENTS Procedure

Variables in Creation Order						
#	Variable	Type	Len	Format	Informat	Label
258	SOC3	Num	8			SOC3: # accept you totally- incl worst and best
259	SOC4	Num	8			SOC4: # can you rely on to care about you-regardless
260	SOC5	Num	8			SOC5: # can you rely on to cheer you up
261	SOC6	Num	8			SOC6: # can you rely on to console you
262	SOC7	Num	8			SOC7: # can you rely on to support you when having bladr sympt
263	SOC8	Num	8			SOC8: # have you told about your bladr sympt
264	PGENCTRLAT_A	Num	8			PGENCTRLat_a: T-F: I have little control over things
265	PGENCTRLAT_B	Num	8			PGENCTRLat_b: T-F: No way to solve my prob
266	PGENCTRLAT_C	Num	8			PGENCTRLat_c: T-F: Little I can do to change important things in my life
267	PGENCTRLAT_D	Num	8			PGENCTRLat_d: T-F: Often feel helpless dealing with prob
268	PGENCTRLAT_E	Num	8			PGENCTRLat_e: T-F: Sometimes feel I am pushed around
269	PGENCTRLAT_F	Num	8			PGENCTRLat_f: T-F: What happens in future mostly depends on me
270	PGENCTRLAT_G	Num	8			PGENCTRLat_g:T-F: Can do almost anything I decide to
271	SAT1AT_N	Num	8			SAT1at_n: (0-10) Rate treatmnt for bladr sympt in past 6 mo
272	SAT2AT_N	Num	8			SAT2at_n: (0-10) Rate current Dr for treatmnt of bladr sympt
273	SAT3AT_N	Num	8			SAT3at_n: (0-10) Rate non-bladr med treatmnt in past 6 mo
274	SAT4AT_N	Num	8			SAT4at_n: (0-10) Rate current Dr for non-bladr med treatmnt
275	COPINGA	Num	8			COPINGA: Past 4 wks re bladr sympt: Grown as a person
276	COPINGB	Num	8			COPINGB: Past 4 wks re bladr sympt: Avoided people
277	COPINGC	Num	8			COPINGC: Past 4 wks re bladr sympt: Avoided thinking about bladr
278	COPINGD	Num	8			COPINGD: Past 4 wks re bladr sympt: Asked for advice-info
279	COPINGE	Num	8			COPINGE: Past 4 wks re bladr sympt: Criticized self
280	COPINGF	Num	8			COPINGF: Past 4 wks re bladr sympt: Avoided worrying about bladr

The SAS System

The CONTENTS Procedure

Variables in Creation Order						
#	Variable	Type	Len	Format	Informat	Label
281	COPINGG	Num	8			COPINGG: Past 4 wks re blad ^r sympt: Ignored blad ^r sympt
282	DATE	Num	8	MMDDYY10.		DATE: Formatted Baseline Interview Date MM-DD-YYYY (SAS)
283	NEW_HISENSE	Num	8			new_hisense: New criteria for High Sensitivity met/not met
284	NEW_HISPEC	Num	8			new_hispec: New criteria for High Specificity met/not met
285	SEX_BEHAV_IMPACT	Num	8			D:Sexual behavior scale (impact)
286	SEX_BEHAV_DYSFX	Num	8			D:Sexual behavior scale (dysfunction)
287	IC_SEX_DYSFX	Num	8			D:IC-specific sexual dysfunction symptom index
288	CTRL_BLAD_SCALE	Num	8			D:Control over bladder symptoms scale
289	BLAD_SYMPT_IMPACT	Num	8			D:Bladder symptom impact scale
290	SOCIAL_SUPPORT	Num	8			D:Social support scale
291	GEN_CNTRL	Num	8			D:General control scale
292	COPING_AAC	Num	8			D:Coping with bladder symptoms scale (active approach)
293	COPING_BWC	Num	8			D:Coping with bladder symptoms scale (blame withdrawal)
294	COPING_D	Num	8			D:Coping with bladder symptoms scale (distancing)
295	PHQ	Num	8			D:PHQ scale
296	PA	Num	8			D:Panic attack
297	GAD	Num	8			D:General anxiety disorder
298	OLS_SYMP	Num	8			D:OLS symptom index
299	OLS_PROB	Num	8			D:OLS problem index
300	PERCEIVED_IMPACT_BLAD_SYMPT_6	Num	8			Perceived impact bladder symptoms scale (6 items)
301	AGG_PHYSAG	Num	8			NEMC physical health T-score (age adjusted)
302	AGG_MENTAG	Num	8			NEMC mental health T-score (age adjusted)
303	PF_TAG	Num	8			NEMC physical functioning T-score (age adjusted)
304	RP_TAG	Num	8			NEMC role limitation physical T-score(age adjusted)
305	BP_TAG	Num	8			NEMC pain T-score (age adjusted)
306	GH_TAG	Num	8			NEMC general health T-score (age adjusted)
307	EM_TAG	Num	8			NEMC emotional well-being T-score (age adjusted)
308	RE_TAG	Num	8			NEMC role limitation emotional T-score (age adjusted)

The SAS System

The CONTENTS Procedure

Variables in Creation Order						
#	Variable	Type	Len	Format	Informat	Label
309	SF_TAG	Num	8			NEMC social functioning T-score (age adjusted)
310	EN_TAG	Num	8			NEMC energy/fatigue T-score (age adjusted)
311	BASE_WT	Num	8			base_wt: weight