

## **HCC Data** @ Listing

HCC location	Right Lobe Only
	CLeft Lobe Only
	Bilobar
Number of HCC Nodules in the liver	0 (None) 1 2 3 4 5 6+
Size of nodule 1 (cm)	
Size of nodule 2 (cm)	
Size of nodule 3 (cm)	
Size of nodule 4 (cm)	
Size of nodule 5 (cm)	
Vascular Invasion	○ No
	Yes, portal vein
	Yes, other vascular structures
	Main Portal Vein
Location of tumor invasion on the portal vein?	Right Portal Vein
	CLeft Portal Vein
	Right-sided Branches
	OLeft-sided Branches
Primary Tumor Classification	T0: Not Found
	T1: one nodule < 1.9cm
	T2: one nodule 2.0-5.0cm OR 2-3 nodules all < 3.0cm
	T3: one nodule >5.0cm OR 2-3 nodules at least one > 3.0 cm
	II I

	☐ T4a: 4 or more nodules, any size	
	T4b: T2, T3 or T4a plus gross intrahepatic portal or hepatic vein involvement	
	TX: Not assessed	
Evidence of HCC in regional lymph nodes	N0: no regional (porta hepatitis) nodes involved	
	N1: regional (porta hepatitis) nodes involved	
	NX: not assessed.	
Cancer spread beyond the liver	M0: no metastatic disease including extrahepatic portal or hepatic vein involvement	
	M1 metastatic disease including extrahepatic portal or hepatic vein involvement	
	OMX not assessed	
How many ablations had the patient received immediately prior to or at listing? (record 0 for none)		
Type of Ablation	Radiofrequency Ablation	
	Cryotherapy	
	Alcohol Ablation	
	Chemoembolization	
	Chemoinfusion	
	Surgical Resection	
		If yes to resection, Type of Surgical Resection
	1	anatomic
Chemotherapy and Radiation treatment prior to listing	OY, Systemic	
	Y, Regional/local N	
	Adriamycin	

Therapeutic Agent used	Cisplatin
	○5FU
	Combination Chemotherapy
	Radiotherapy
	Unknown
	Other
AFP result closest to listing (ng/ml)	
save	reset cancel print