

Data Set Name: *bodycomposition_12m.sas7bdat*

| Num | Variable | Type | Len | Label |
|-----|------------|------|-----|-------------------------------------|
| 1 | PREWT_KG | Num | 8 | BCQ2: Predialysis weight |
| 2 | WAIST | Num | 8 | Waist circumference collected |
| 3 | WAIST1_CM | Num | 8 | BCQ3_1: Waist circumference trial 1 |
| 4 | WAIST2_CM | Num | 8 | BCQ3_2: Waist circumference trial 2 |
| 5 | BIS | Num | 8 | BCQ4:BIS data collected |
| 6 | NO_BIS | Num | 8 | BCQ4a: Reason no BIS |
| 7 | OTH_NO_BIS | Char | 100 | BCQ4b: Other reason no BIS |
| 8 | BIS_SIDE | Num | 8 | BCQ5: Body side for BIS |
| 9 | HDBIS_DATE | Num | 8 | BCQ6: HD date before BIS run |
| 10 | USRDS_ID | Num | 8 | usrds_id |
| 11 | HEIGHT | Num | 8 | BCQ1: Standing height |

Data Set Name: *bodycomposition_24m.sas7bdat*

| Num | Variable | Type | Len | Label |
|------------|-----------------|-------------|------------|-------------------------------------|
| 1 | PREWT_KG | Num | 8 | BCQ2: Predialysis weight |
| 2 | WAIST | Num | 8 | Waist circumference collected |
| 3 | WAIST1_CM | Num | 8 | BCQ3_1: Waist circumference trial 1 |
| 4 | WAIST2_CM | Num | 8 | BCQ3_2: Waist circumference trial 2 |
| 5 | BIS | Num | 8 | BCQ4:BIS data collected |
| 6 | NO_BIS | Num | 8 | BCQ4a: Reason no BIS |
| 7 | OTH_NO_BIS | Char | 100 | BCQ4b: Other reason no BIS |
| 8 | BIS_SIDE | Num | 8 | BCQ5: Body side for BIS |
| 9 | HDBIS_DATE | Num | 8 | BCQ6: HD date before BIS run |
| 10 | USRDS_ID | Num | 8 | usrds_id |
| 11 | HEIGHT | Num | 8 | BCQ1: Standing height |

Data Set Name: *bodycomposition_base.sas7bdat*

| Num | Variable | Type | Len | Label |
|------------|-----------------|-------------|------------|-------------------------------------|
| 1 | PREWT_KG | Num | 8 | BCQ2: Predialysis weight |
| 2 | WAIST | Num | 8 | Waist circumference collected |
| 3 | WAIST1_CM | Num | 8 | BCQ3_1: Waist circumference trial 1 |
| 4 | WAIST2_CM | Num | 8 | BCQ3_2: Waist circumference trial 2 |
| 5 | BIS | Num | 8 | BCQ4:BIS data collected |
| 6 | NO_BIS | Num | 8 | BCQ4a: Reason no BIS |
| 7 | OTH_NO_BIS | Char | 100 | BCQ4b: Other reason no BIS |
| 8 | BIS_SIDE | Num | 8 | BCQ5: Body side for BIS |
| 9 | HDBIS_DATE | Num | 8 | BCQ6: HD date before BIS run |
| 10 | USRDS_ID | Num | 8 | usrds_id |
| 11 | HEIGHT | Num | 8 | BCQ1: Standing height |

Data Set Name: medicalrecord_12m.sas7bdat

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|------------------|------|-----|--------|----------|---|
| 1 | ACCESS | Num | 8 | | | MRHDQ5f: Vascular access in use |
| 2 | CALCIT | Num | 8 | | | MRHDQ9a: Calcitriol |
| 3 | CLINIC | Num | 8 | | | MRHDQ3: Current dialysis clinic |
| 4 | DARBEPO | Num | 8 | | | MRHDQ7: Taking darbepoietin |
| 5 | DARBEPO_CUM_DOSE | Num | 8 | | | MRHDQ7: Darbepoietin cumulative dose |
| 6 | DARBEPO_FREQ | Num | 8 | | | MRHDQ7: No. darbepoietin doses/month |
| 7 | DARBEPO_UNIT | Num | 8 | | | MRHDQ7: Darbepoietin dose unit |
| 8 | DOXERCAL | Num | 8 | | | MRHDQ9c: Doxercalciferol |
| 9 | ECHO | Num | 8 | | | MRLQ2: Had echo in the past 12 months |
| 10 | ECHO_DAY | Num | 8 | | | MRLQ2a: Echo most recent date: day |
| 11 | ECHO_MONTH | Num | 8 | | | MRLQ2a: Echo most recent date: mth |
| 12 | ECHO_YEAR | Num | 8 | | | MRLQ2a: Echo most recent date: yr |
| 13 | EF | Num | 8 | | | MRLQ3: Ejection fraction available |
| 14 | EF_DAY | Num | 8 | | | MRLQ3c: EF most recent date: day |
| 15 | EF_MONTH | Num | 8 | | | MRLQ3c: EF most recent date: mth |
| 16 | EF_NUM | Num | 8 | | | MRLQ3b1: EF most recent |
| 17 | EF_RANGE | Char | 50 | | | MRLQ3b2: EF range most recent |
| 18 | EF_SOURCE | Num | 8 | | | MRLQ3a: EF source most recent |
| 19 | EF_YEAR | Num | 8 | | | MRLQ3c: EF most recent date: yr |
| 20 | EPO_CUM_DOSE | Num | 8 | | | MRHDQ6: EPO cumulative dose |
| 21 | EPO_FREQ | Num | 8 | | | MRHDQ6: No of EPO doses/month |
| 22 | HDTIME | Num | 8 | | | MRHDQ4: Time of day HD treatment starts |
| 23 | HOSP_MR | Num | 8 | | | MRQ16: Hospitalized in past 12 mos |
| 24 | HOSP_MR_DATE1 | Char | 7 | \$7. | \$7. | MRQ16: First hospital stay date |
| 25 | HOSP_MR_DATE2 | Char | 7 | \$7. | \$7. | MRQ16: Second hospital stay date |
| 26 | HOSP_MR_DATE3 | Char | 7 | \$7. | \$7. | MRQ16: Third hospital stay date |
| 27 | HOSP_MR_DATE4 | Char | 50 | \$50. | \$50. | MRQ16: Fourth hospital stay date |
| 28 | HOSP_MR_DATE5 | Char | 50 | \$50. | \$50. | MRQ16: Fifth hospital stay date |
| 29 | HOSP_MR_DATE6 | Char | 50 | \$50. | \$50. | MRQ16: Sixth hospital stay date |
| 30 | HOSP_MR_DATE7 | Char | 50 | \$50. | \$50. | MRQ16: Seventh hospital stay date |
| 31 | HOSP_MR_DATE8 | Char | 50 | \$50. | \$50. | MRQ16: Eighth hospital stay date |
| 32 | HOSP_MR_DATE9 | Char | 50 | \$50. | \$50. | MRQ16: Ninth hospital stay date |
| 33 | HOSP_MR_DATE10 | Char | 50 | \$50. | \$50. | MRQ16: Tenth hospital stay date |
| 34 | HOSP_MR_DATE11 | Char | 50 | \$50. | \$50. | MRQ16: Eleventh hospital stay date |
| 35 | HOSP_MR_DATE12 | Char | 50 | \$50. | \$50. | MRQ16: Twelfth hospital stay date |
| 36 | HOSP_MR_DATE13 | Char | 50 | \$50. | \$50. | MRQ16: Thirteenth hospital stay date |

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|------------------|------|-----|--------|----------|---|
| 37 | HOSP_MR_DATE14 | Char | 50 | \$50. | \$50. | MRQ16: Fourteenth hospital stay date |
| 38 | HOSP_MR_DATE15 | Char | 50 | \$50. | \$50. | MRQ16: Fifteenth hospital stay date |
| 39 | HOSP_MR_DATE16 | Char | 50 | \$50. | \$50. | MRQ16: Sixteenth hospital stay date |
| 40 | HOSP_MR_DATE17 | Char | 50 | \$50. | \$50. | MRQ16: Seventeenth hospital stay date |
| 41 | HOSP_MR_DATE18 | Char | 50 | \$50. | \$50. | MRQ16: Eighteenth hospital stay date |
| 42 | HOSP_MR_NIGHTS1 | Num | 8 | 19. | 19. | MRQ16: First hospital stay nights |
| 43 | HOSP_MR_NIGHTS2 | Num | 8 | 19. | 19. | MRQ16: Second hospital stay nights |
| 44 | HOSP_MR_NIGHTS3 | Num | 8 | 19. | 19. | MRQ16: Third hospital stay nights |
| 45 | HOSP_MR_NIGHTS4 | Num | 8 | 19. | 19. | MRQ16: Fourth hospital stay nights |
| 46 | HOSP_MR_NIGHTS5 | Num | 8 | 19. | 19. | MRQ16: Fifth hospital stay nights |
| 47 | HOSP_MR_NIGHTS6 | Num | 8 | 19. | 19. | MRQ16: Sixth hospital stay nights |
| 48 | HOSP_MR_NIGHTS7 | Num | 8 | 19. | 19. | MRQ16: Seventh hospital stay nights |
| 49 | HOSP_MR_NIGHTS8 | Num | 8 | 19. | 19. | MRQ16: Eighth hospital stay nights |
| 50 | HOSP_MR_NIGHTS9 | Num | 8 | 19. | 19. | MRQ16: Ninth hospital stay nights |
| 51 | HOSP_MR_NIGHTS10 | Num | 8 | 19. | 19. | MRQ16: Tenth hospital stay nights |
| 52 | HOSP_MR_NIGHTS11 | Num | 8 | 19. | 19. | MRQ16: Eleventh hospital stay nights |
| 53 | HOSP_MR_NIGHTS12 | Num | 8 | 19. | 19. | MRQ16: Twelfth hospital stay nights |
| 54 | HOSP_MR_NIGHTS13 | Num | 8 | 19. | 19. | MRQ16: Thirteenth hospital stay nights |
| 55 | HOSP_MR_NIGHTS14 | Num | 8 | 19. | 19. | MRQ16: Fourteenth hospital stay nights |
| 56 | HOSP_MR_NIGHTS15 | Num | 8 | 19. | 19. | MRQ16: Fifteenth hospital stay nights |
| 57 | HOSP_MR_NIGHTS16 | Num | 8 | 19. | 19. | MRQ16: Sixteenth hospital stay nights |
| 58 | HOSP_MR_NIGHTS17 | Num | 8 | 19. | 19. | MRQ16: Seventeenth hospital stay nights |
| 59 | HOSP_MR_NIGHTS18 | Num | 8 | 19. | 19. | MRQ16: Eighteenth hospital stay nights |
| 60 | HOSP_MR_REASON1 | Char | 250 | \$250. | \$250. | MRQ16: First hospital stay reason |
| 61 | HOSP_MR_REASON2 | Char | 250 | \$250. | \$250. | MRQ16: Second hospital stay reason |
| 62 | HOSP_MR_REASON3 | Char | 250 | \$250. | \$250. | MRQ16: Third hospital stay reason |
| 63 | HOSP_MR_REASON4 | Char | 250 | \$250. | \$250. | MRQ16: Fourth hospital stay reason |
| 64 | HOSP_MR_REASON5 | Char | 250 | \$250. | \$250. | MRQ16: Fifth hospital stay reason |
| 65 | HOSP_MR_REASON6 | Char | 250 | \$250. | \$250. | MRQ16: Sixth hospital stay reason |
| 66 | HOSP_MR_REASON7 | Char | 250 | \$250. | \$250. | MRQ16: Seventh hospital stay reason |
| 67 | HOSP_MR_REASON8 | Char | 250 | \$250. | \$250. | MRQ16: Eighth hospital stay reason |
| 68 | HOSP_MR_REASON9 | Char | 250 | \$250. | \$250. | MRQ16: Ninth hospital stay reason |
| 69 | HOSP_MR_REASON10 | Char | 250 | \$250. | \$250. | MRQ16: Tenth hospital stay reason |
| 70 | HOSP_MR_REASON11 | Char | 250 | \$250. | \$250. | MRQ16: Eleventh hospital stay reason |
| 71 | HOSP_MR_REASON12 | Char | 250 | \$250. | \$250. | MRQ16: Twelfth hospital stay reason |
| 72 | HOSP_MR_REASON13 | Char | 250 | \$250. | \$250. | MRQ16: Thirteenth hospital stay reason |
| 73 | HOSP_MR_REASON14 | Char | 250 | \$250. | \$250. | MRQ16: Fourteenth hospital stay reason |
| 74 | HOSP_MR_REASON15 | Char | 250 | \$250. | \$250. | MRQ16: Fifteenth hospital stay reason |
| 75 | HOSP_MR_REASON16 | Char | 250 | \$250. | \$250. | MRQ16: Sixteenth hospital stay reason |

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|------------------|------|-----|--------|----------|--|
| 76 | HOSP_MR_REASON17 | Char | 250 | \$250. | \$250. | MRQ16: Seventeenth hospital stay reason |
| 77 | HOSP_MR_REASON18 | Char | 250 | \$250. | \$250. | MRQ16: Eighteenth hospital stay reason |
| 78 | IV_IRON | Num | 8 | | | MRHDQ8: IV iron |
| 79 | IV_IRON_CUM_DOSE | Num | 8 | | | MRHDQ8: Iron cumulative dose |
| 80 | IV_IRON_FREQ | Num | 8 | | | MRHDQ8: No. iron doses/month |
| 81 | LVH_ECHO | Num | 8 | | | MRLQ4b: LFH by echo |
| 82 | LVH_EKG | Num | 8 | | | MRLQ4a: LFH by EKG |
| 83 | OTHVITD | Num | 8 | | | MRHDQ9d: Other Vit D |
| 84 | PARICAL | Num | 8 | | | MRHDQ9b: Paricalcitol |
| 85 | PREWT_1 | Num | 8 | | | MRHDQ2a: Weight predial |
| 86 | PREWT_2 | Num | 8 | | | MRHDQ2a: Weight predial 2nd |
| 87 | PREWT_3 | Num | 8 | | | MRHDQ2a: Weight predial 3rd |
| 88 | PSTWT_1 | Num | 8 | | | MRHDQ2b: Weight pstdial |
| 89 | PSTWT_2 | Num | 8 | | | MRHDQ2b: Weight pstdial 2nd |
| 90 | PSTWT_3 | Num | 8 | | | MRHDQ2b: Weight pstdial 3rd |
| 91 | PT_REUSES | Num | 8 | | | MRHDQ5d: Patient usually reuses dialyzer |
| 92 | SPKTV | Num | 8 | | | MRLQ11: spKt/V |
| 93 | UNDNUR | Num | 8 | | | MRHDQ1: Undernourished |
| 94 | ACCMATUR | Num | 8 | 11. | 11. | MRHDQ5g: Maturing AVG/AVF |
| 95 | BFR | Num | 8 | 11. | 11. | MRHDQ5c: HD blood flow rate |
| 96 | CHOL_HDL | Num | 8 | 11. | 11. | MRLQ13b: HDL cholesterol |
| 97 | CHOL_LDL | Num | 8 | 11. | 11. | MRLQ13c: LDL cholesterol |
| 98 | CHOLEST | Num | 8 | 11. | 11. | MRLQ13a: Total cholesterol |
| 99 | DIALREUS | Num | 8 | | | MRHDQ5e: Dialyzer reuse policy |
| 100 | EPO | Num | 8 | 11. | 11. | MRHDQ6: Taking EPO |
| 101 | EPO_UNIT | Num | 8 | 11. | 11. | MRHDQ6: EPO dose unit |
| 102 | HEMATO | Num | 8 | 20.1 | 20.1 | MRLQ8a: Hematocrit |
| 103 | HEMO_HRS | Num | 8 | 20.2 | 20.2 | MRHDQ5a: Prescribed hours/HD treatment |
| 104 | HEMOGLOB | Num | 8 | 20.1 | 20.1 | MRLQ8b: Hemoglobin |
| 105 | PHOSPH | Num | 8 | 20.1 | 20.1 | MRLQ6: Serum phosphorus predial |
| 106 | PRE_DBP | Num | 8 | 11. | 11. | MRHDQ2a: DBP predial |
| 107 | PRE_DBP2 | Num | 8 | 11. | 11. | MRHDQ2a: DBP predial 2nd |
| 108 | PRE_DBP3 | Num | 8 | 11. | 11. | MRHDQ2a: DBP predial 3rd |
| 109 | PRE_SBP | Num | 8 | 11. | 11. | MRHDQ2a: SBP predial |
| 110 | PRE_SBP2 | Num | 8 | 11. | 11. | MRHDQ2a: SBP predial 2nd |
| 111 | PRE_SBP3 | Num | 8 | 11. | 11. | MRHDQ2a: SBP predial 3rd |
| 112 | PREBUN | Num | 8 | 19. | 19. | MRLQ10a: BUN predial |
| 113 | PST_DBP | Num | 8 | 11. | 11. | MRHDQ2b: DBP pstdial |
| 114 | PST_DBP2 | Num | 8 | 11. | 11. | MRHDQ2b: DBP pstdial 2nd |

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|-----------|------|-----|--------|----------|---|
| 115 | PST_DBP3 | Num | 8 | 11. | 11. | MRHDQ2b: DBP pstdial 3rd |
| 116 | PST_SBP | Num | 8 | 11. | 11. | MRHDQ2b: SBP pstdial |
| 117 | PST_SBP2 | Num | 8 | 11. | 11. | MRHDQ2b: SBP pstdial 2nd |
| 118 | PST_SBP3 | Num | 8 | 11. | 11. | MRHDQ2b: SBP pstdial 3rd |
| 119 | PSTBUN | Num | 8 | 19. | 19. | MRLQ10b: BUN pstdial |
| 120 | SER_25OHD | Num | 8 | 20.1 | 20.1 | MRLQ15: Serum 25(OH)D |
| 121 | SER_ALB | Num | 8 | 20.1 | 20.1 | MRLQ12: Serum albumin |
| 122 | SER_BIC | Num | 8 | 20.1 | 20.1 | MRLQ7: Serum bicarbonate predial |
| 123 | SER_CAL | Num | 8 | 20.1 | 20.1 | MRLQ5: Serum calcium predial |
| 124 | SER_PTH | Num | 8 | 11. | 11. | MRLQ14: Serum intact PTH |
| 125 | SERCRET | Num | 8 | 20.2 | 20.2 | MRLQ9: Serum creatinine |
| 126 | SESSIONS | Num | 8 | 11. | 11. | MRHDQ5b: No of HD sessions/week |
| 127 | SKIPDIAL | Num | 8 | 11. | 11. | MRHDQ5h: HD treatments skipped past 30 days |
| 128 | TRIGLY | Num | 8 | 11. | 11. | MRLQ13d: Triglycerides |
| 129 | XRAY | Num | 8 | 11. | 11. | MRLQ1: Cardiomegaly by x-ray |
| 130 | USRDS_ID | Num | 8 | | | usrds_id |

Data Set Name: medicalrecord_24m.sas7bdat

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|------------------|------|-----|--------|----------|---|
| 1 | ACCESS | Num | 8 | | | MRHDQ5f: Vascular access in use |
| 2 | CALCIT | Num | 8 | | | MRHDQ9a: Calcitriol |
| 3 | CLINIC | Num | 8 | | | MRHDQ3: Current dialysis clinic |
| 4 | DARBEPO | Num | 8 | | | MRHDQ7: Taking darbepoietin |
| 5 | DARBEPO_CUM_DOSE | Num | 8 | | | MRHDQ7: Darbepoietin cumulative dose |
| 6 | DARBEPO_FREQ | Num | 8 | | | MRHDQ7: No. darbepoietin doses/month |
| 7 | DARBEPO_UNIT | Num | 8 | | | MRHDQ7: Darbepoietin dose unit |
| 8 | DOXERCAL | Num | 8 | | | MRHDQ9c: Doxercalciferol |
| 9 | ECHO | Num | 8 | | | MRLQ2: Had echo in the past 12 months |
| 10 | ECHO_DAY | Num | 8 | | | MRLQ2a: Echo most recent date: day |
| 11 | ECHO_MONTH | Num | 8 | | | MRLQ2a: Echo most recent date: mth |
| 12 | ECHO_YEAR | Num | 8 | | | MRLQ2a: Echo most recent date: yr |
| 13 | EF | Num | 8 | | | MRLQ3: Ejection fraction available |
| 14 | EF_DAY | Num | 8 | | | MRLQ3c: EF most recent date: day |
| 15 | EF_MONTH | Num | 8 | | | MRLQ3c: EF most recent date: mth |
| 16 | EF_NUM | Num | 8 | | | MRLQ3b1: EF most recent |
| 17 | EF_RANGE | Char | 50 | | | MRLQ3b2: EF range most recent |
| 18 | EF_SOURCE | Num | 8 | | | MRLQ3a: EF source most recent |
| 19 | EF_YEAR | Num | 8 | | | MRLQ3c: EF most recent date: yr |
| 20 | EPO_CUM_DOSE | Num | 8 | | | MRHDQ6: EPO cumulative dose |
| 21 | EPO_FREQ | Num | 8 | | | MRHDQ6: No of EPO doses/month |
| 22 | HDTIME | Num | 8 | | | MRHDQ4: Time of day HD treatment starts |
| 23 | HOSP_MR | Num | 8 | | | MRQ16: Hospitalized in past 12 mos |
| 24 | HOSP_MR_DATE1 | Char | 7 | \$7. | \$7. | MRQ16: First hospital stay date |
| 25 | HOSP_MR_DATE2 | Char | 7 | \$7. | \$7. | MRQ16: Second hospital stay date |
| 26 | HOSP_MR_DATE3 | Char | 7 | \$7. | \$7. | MRQ16: Third hospital stay date |
| 27 | HOSP_MR_DATE4 | Char | 50 | \$50. | \$50. | MRQ16: Fourth hospital stay date |
| 28 | HOSP_MR_DATE5 | Char | 50 | \$50. | \$50. | MRQ16: Fifth hospital stay date |
| 29 | HOSP_MR_DATE6 | Char | 50 | \$50. | \$50. | MRQ16: Sixth hospital stay date |
| 30 | HOSP_MR_DATE7 | Char | 50 | \$50. | \$50. | MRQ16: Seventh hospital stay date |
| 31 | HOSP_MR_DATE8 | Char | 50 | \$50. | \$50. | MRQ16: Eighth hospital stay date |
| 32 | HOSP_MR_DATE9 | Char | 50 | \$50. | \$50. | MRQ16: Ninth hospital stay date |
| 33 | HOSP_MR_DATE10 | Char | 50 | \$50. | \$50. | MRQ16: Tenth hospital stay date |
| 34 | HOSP_MR_DATE11 | Char | 50 | \$50. | \$50. | MRQ16: Eleventh hospital stay date |
| 35 | HOSP_MR_DATE12 | Char | 50 | \$50. | \$50. | MRQ16: Twelfth hospital stay date |
| 36 | HOSP_MR_DATE13 | Char | 50 | \$50. | \$50. | MRQ16: Thirteenth hospital stay date |

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|------------------|------|-----|--------|----------|---|
| 37 | HOSP_MR_DATE14 | Char | 50 | \$50. | \$50. | MRQ16: Fourteenth hospital stay date |
| 38 | HOSP_MR_DATE15 | Char | 50 | \$50. | \$50. | MRQ16: Fifteenth hospital stay date |
| 39 | HOSP_MR_DATE16 | Char | 50 | \$50. | \$50. | MRQ16: Sixteenth hospital stay date |
| 40 | HOSP_MR_DATE17 | Char | 50 | \$50. | \$50. | MRQ16: Seventeenth hospital stay date |
| 41 | HOSP_MR_DATE18 | Char | 50 | \$50. | \$50. | MRQ16: Eighteenth hospital stay date |
| 42 | HOSP_MR_NIGHTS1 | Num | 8 | 19. | 19. | MRQ16: First hospital stay nights |
| 43 | HOSP_MR_NIGHTS2 | Num | 8 | 19. | 19. | MRQ16: Second hospital stay nights |
| 44 | HOSP_MR_NIGHTS3 | Num | 8 | 19. | 19. | MRQ16: Third hospital stay nights |
| 45 | HOSP_MR_NIGHTS4 | Num | 8 | 19. | 19. | MRQ16: Fourth hospital stay nights |
| 46 | HOSP_MR_NIGHTS5 | Num | 8 | 19. | 19. | MRQ16: Fifth hospital stay nights |
| 47 | HOSP_MR_NIGHTS6 | Num | 8 | 19. | 19. | MRQ16: Sixth hospital stay nights |
| 48 | HOSP_MR_NIGHTS7 | Num | 8 | 19. | 19. | MRQ16: Seventh hospital stay nights |
| 49 | HOSP_MR_NIGHTS8 | Num | 8 | 19. | 19. | MRQ16: Eighth hospital stay nights |
| 50 | HOSP_MR_NIGHTS9 | Num | 8 | 19. | 19. | MRQ16: Ninth hospital stay nights |
| 51 | HOSP_MR_NIGHTS10 | Num | 8 | 19. | 19. | MRQ16: Tenth hospital stay nights |
| 52 | HOSP_MR_NIGHTS11 | Num | 8 | 19. | 19. | MRQ16: Eleventh hospital stay nights |
| 53 | HOSP_MR_NIGHTS12 | Num | 8 | 19. | 19. | MRQ16: Twelfth hospital stay nights |
| 54 | HOSP_MR_NIGHTS13 | Num | 8 | 19. | 19. | MRQ16: Thirteenth hospital stay nights |
| 55 | HOSP_MR_NIGHTS14 | Num | 8 | 19. | 19. | MRQ16: Fourteenth hospital stay nights |
| 56 | HOSP_MR_NIGHTS15 | Num | 8 | 19. | 19. | MRQ16: Fifteenth hospital stay nights |
| 57 | HOSP_MR_NIGHTS16 | Num | 8 | 19. | 19. | MRQ16: Sixteenth hospital stay nights |
| 58 | HOSP_MR_NIGHTS17 | Num | 8 | 19. | 19. | MRQ16: Seventeenth hospital stay nights |
| 59 | HOSP_MR_NIGHTS18 | Num | 8 | 19. | 19. | MRQ16: Eighteenth hospital stay nights |
| 60 | HOSP_MR_REASON1 | Char | 250 | \$250. | \$250. | MRQ16: First hospital stay reason |
| 61 | HOSP_MR_REASON2 | Char | 250 | \$250. | \$250. | MRQ16: Second hospital stay reason |
| 62 | HOSP_MR_REASON3 | Char | 250 | \$250. | \$250. | MRQ16: Third hospital stay reason |
| 63 | HOSP_MR_REASON4 | Char | 250 | \$250. | \$250. | MRQ16: Fourth hospital stay reason |
| 64 | HOSP_MR_REASON5 | Char | 250 | \$250. | \$250. | MRQ16: Fifth hospital stay reason |
| 65 | HOSP_MR_REASON6 | Char | 250 | \$250. | \$250. | MRQ16: Sixth hospital stay reason |
| 66 | HOSP_MR_REASON7 | Char | 250 | \$250. | \$250. | MRQ16: Seventh hospital stay reason |
| 67 | HOSP_MR_REASON8 | Char | 250 | \$250. | \$250. | MRQ16: Eighth hospital stay reason |
| 68 | HOSP_MR_REASON9 | Char | 250 | \$250. | \$250. | MRQ16: Ninth hospital stay reason |
| 69 | HOSP_MR_REASON10 | Char | 250 | \$250. | \$250. | MRQ16: Tenth hospital stay reason |
| 70 | HOSP_MR_REASON11 | Char | 250 | \$250. | \$250. | MRQ16: Eleventh hospital stay reason |
| 71 | HOSP_MR_REASON12 | Char | 250 | \$250. | \$250. | MRQ16: Twelfth hospital stay reason |
| 72 | HOSP_MR_REASON13 | Char | 250 | \$250. | \$250. | MRQ16: Thirteenth hospital stay reason |
| 73 | HOSP_MR_REASON14 | Char | 250 | \$250. | \$250. | MRQ16: Fourteenth hospital stay reason |
| 74 | HOSP_MR_REASON15 | Char | 250 | \$250. | \$250. | MRQ16: Fifteenth hospital stay reason |
| 75 | HOSP_MR_REASON16 | Char | 250 | \$250. | \$250. | MRQ16: Sixteenth hospital stay reason |

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|------------------|------|-----|--------|----------|--|
| 76 | HOSP_MR_REASON17 | Char | 250 | \$250. | \$250. | MRQ16: Seventeenth hospital stay reason |
| 77 | HOSP_MR_REASON18 | Char | 250 | \$250. | \$250. | MRQ16: Eighteenth hospital stay reason |
| 78 | IV_IRON | Num | 8 | | | MRHDQ8: IV iron |
| 79 | IV_IRON_CUM_DOSE | Num | 8 | | | MRHDQ8: Iron cumulative dose |
| 80 | IV_IRON_FREQ | Num | 8 | | | MRHDQ8: No. iron doses/month |
| 81 | LVH_ECHO | Num | 8 | | | MRLQ4b: LFH by echo |
| 82 | LVH_EKG | Num | 8 | | | MRLQ4a: LFH by EKG |
| 83 | OTHVITD | Num | 8 | | | MRHDQ9d: Other Vit D |
| 84 | PARICAL | Num | 8 | | | MRHDQ9b: Paricalcitol |
| 85 | PREWT_1 | Num | 8 | | | MRHDQ2a: Weight predial |
| 86 | PREWT_2 | Num | 8 | | | MRHDQ2a: Weight predial 2nd |
| 87 | PREWT_3 | Num | 8 | | | MRHDQ2a: Weight predial 3rd |
| 88 | PSTWT_1 | Num | 8 | | | MRHDQ2b: Weight pstdial |
| 89 | PSTWT_2 | Num | 8 | | | MRHDQ2b: Weight pstdial 2nd |
| 90 | PSTWT_3 | Num | 8 | | | MRHDQ2b: Weight pstdial 3rd |
| 91 | PT_REUSES | Num | 8 | | | MRHDQ5d: Patient usually reuses dialyzer |
| 92 | SPKTV | Num | 8 | | | MRLQ11: spKt/V |
| 93 | UNDNUR | Num | 8 | | | MRHDQ1: Undernourished |
| 94 | ACCMATUR | Num | 8 | 11. | 11. | MRHDQ5g: Maturing AVG/AVF |
| 95 | BFR | Num | 8 | 11. | 11. | MRHDQ5c: HD blood flow rate |
| 96 | CHOL_HDL | Num | 8 | 11. | 11. | MRLQ13b: HDL cholesterol |
| 97 | CHOL_LDL | Num | 8 | 11. | 11. | MRLQ13c: LDL cholesterol |
| 98 | CHOLEST | Num | 8 | 11. | 11. | MRLQ13a: Total cholesterol |
| 99 | DIALREUS | Num | 8 | | | MRHDQ5e: Dialyzer reuse policy |
| 100 | EPO | Num | 8 | 11. | 11. | MRHDQ6: Taking EPO |
| 101 | EPO_UNIT | Num | 8 | 11. | 11. | MRHDQ6: EPO dose unit |
| 102 | HEMATO | Num | 8 | 20.1 | 20.1 | MRLQ8a: Hematocrit |
| 103 | HEMO_HRS | Num | 8 | 20.2 | 20.2 | MRHDQ5a: Prescribed hours/HD treatment |
| 104 | HEMOGLOB | Num | 8 | 20.1 | 20.1 | MRLQ8b: Hemoglobin |
| 105 | PHOSPH | Num | 8 | 20.1 | 20.1 | MRLQ6: Serum phosphorus predial |
| 106 | PRE_DBP | Num | 8 | 11. | 11. | MRHDQ2a: DBP predial |
| 107 | PRE_DBP2 | Num | 8 | 11. | 11. | MRHDQ2a: DBP predial 2nd |
| 108 | PRE_DBP3 | Num | 8 | 11. | 11. | MRHDQ2a: DBP predial 3rd |
| 109 | PRE_SBP | Num | 8 | 11. | 11. | MRHDQ2a: SBP predial |
| 110 | PRE_SBP2 | Num | 8 | 11. | 11. | MRHDQ2a: SBP predial 2nd |
| 111 | PRE_SBP3 | Num | 8 | 11. | 11. | MRHDQ2a: SBP predial 3rd |
| 112 | PREBUN | Num | 8 | 19. | 19. | MRLQ10a: BUN predial |
| 113 | PST_DBP | Num | 8 | 11. | 11. | MRHDQ2b: DBP pstdial |
| 114 | PST_DBP2 | Num | 8 | 11. | 11. | MRHDQ2b: DBP pstdial 2nd |

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|-----------|------|-----|--------|----------|---|
| 115 | PST_DBP3 | Num | 8 | 11. | 11. | MRHDQ2b: DBP pstdial 3rd |
| 116 | PST_SBP | Num | 8 | 11. | 11. | MRHDQ2b: SBP pstdial |
| 117 | PST_SBP2 | Num | 8 | 11. | 11. | MRHDQ2b: SBP pstdial 2nd |
| 118 | PST_SBP3 | Num | 8 | 11. | 11. | MRHDQ2b: SBP pstdial 3rd |
| 119 | PSTBUN | Num | 8 | 19. | 19. | MRLQ10b: BUN pstdial |
| 120 | SER_25OHD | Num | 8 | 20.1 | 20.1 | MRLQ15: Serum 25(OH)D |
| 121 | SER_ALB | Num | 8 | 20.1 | 20.1 | MRLQ12: Serum albumin |
| 122 | SER_BIC | Num | 8 | 20.1 | 20.1 | MRLQ7: Serum bicarbonate predial |
| 123 | SER_CAL | Num | 8 | 20.1 | 20.1 | MRLQ5: Serum calcium predial |
| 124 | SER_PTH | Num | 8 | 11. | 11. | MRLQ14: Serum intact PTH |
| 125 | SERCRET | Num | 8 | 20.2 | 20.2 | MRLQ9: Serum creatinine |
| 126 | SESSIONS | Num | 8 | 11. | 11. | MRHDQ5b: No of HD sessions/week |
| 127 | SKIPDIAL | Num | 8 | 11. | 11. | MRHDQ5h: HD treatments skipped past 30 days |
| 128 | TRIGLY | Num | 8 | 11. | 11. | MRLQ13d: Triglycerides |
| 129 | XRAY | Num | 8 | 11. | 11. | MRLQ1: Cardiomegaly by x-ray |
| 130 | USRDS_ID | Num | 8 | | | usrds_id |

Data Set Name: medicalrecord_base.sas7bdat

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|------------------|------|-----|--------|----------|---|
| 1 | ACCESS | Num | 8 | | | MRHDQ5f: Vascular access in use |
| 2 | CALCIT | Num | 8 | | | MRHDQ9a: Calcitriol |
| 3 | CLINIC | Num | 8 | | | MRHDQ3: Current dialysis clinic |
| 4 | DARBEPO | Num | 8 | | | MRHDQ7: Taking darbepoietin |
| 5 | DARBEPO_CUM_DOSE | Num | 8 | | | MRHDQ7: Darbepoietin cumulative dose |
| 6 | DARBEPO_FREQ | Num | 8 | | | MRHDQ7: No. darbepoietin doses/month |
| 7 | DARBEPO_UNIT | Num | 8 | | | MRHDQ7: Darbepoietin dose unit |
| 8 | DOXERCAL | Num | 8 | | | MRHDQ9c: Doxercalciferol |
| 9 | ECHO | Num | 8 | | | MRLQ2: Had echo in the past 12 months |
| 10 | ECHO_DAY | Num | 8 | | | MRLQ2a: Echo most recent date: day |
| 11 | ECHO_MONTH | Num | 8 | | | MRLQ2a: Echo most recent date: mth |
| 12 | ECHO_YEAR | Num | 8 | | | MRLQ2a: Echo most recent date: yr |
| 13 | EF | Num | 8 | | | MRLQ3: Ejection fraction available |
| 14 | EF_DAY | Num | 8 | | | MRLQ3c: EF most recent date: day |
| 15 | EF_MONTH | Num | 8 | | | MRLQ3c: EF most recent date: mth |
| 16 | EF_NUM | Num | 8 | | | MRLQ3b1: EF most recent |
| 17 | EF_RANGE | Char | 50 | | | MRLQ3b2: EF range most recent |
| 18 | EF_SOURCE | Num | 8 | | | MRLQ3a: EF source most recent |
| 19 | EF_YEAR | Num | 8 | | | MRLQ3c: EF most recent date: yr |
| 20 | EPO_CUM_DOSE | Num | 8 | | | MRHDQ6: EPO cumulative dose |
| 21 | EPO_FREQ | Num | 8 | | | MRHDQ6: No of EPO doses/month |
| 22 | HDTIME | Num | 8 | | | MRHDQ4: Time of day HD treatment starts |
| 23 | HOSP_MR | Num | 8 | | | MRQ16: Hospitalized in past 12 mos |
| 24 | HOSP_MR_DATE1 | Char | 7 | \$7. | \$7. | MRQ16: First hospital stay date |
| 25 | HOSP_MR_DATE2 | Char | 7 | \$7. | \$7. | MRQ16: Second hospital stay date |
| 26 | HOSP_MR_DATE3 | Char | 7 | \$7. | \$7. | MRQ16: Third hospital stay date |
| 27 | HOSP_MR_DATE4 | Char | 50 | \$50. | \$50. | MRQ16: Fourth hospital stay date |
| 28 | HOSP_MR_DATE5 | Char | 50 | \$50. | \$50. | MRQ16: Fifth hospital stay date |
| 29 | HOSP_MR_DATE6 | Char | 50 | \$50. | \$50. | MRQ16: Sixth hospital stay date |
| 30 | HOSP_MR_DATE7 | Char | 50 | \$50. | \$50. | MRQ16: Seventh hospital stay date |
| 31 | HOSP_MR_DATE8 | Char | 50 | \$50. | \$50. | MRQ16: Eighth hospital stay date |
| 32 | HOSP_MR_DATE9 | Char | 50 | \$50. | \$50. | MRQ16: Ninth hospital stay date |
| 33 | HOSP_MR_DATE10 | Char | 50 | \$50. | \$50. | MRQ16: Tenth hospital stay date |
| 34 | HOSP_MR_DATE11 | Char | 50 | \$50. | \$50. | MRQ16: Eleventh hospital stay date |
| 35 | HOSP_MR_DATE12 | Char | 50 | \$50. | \$50. | MRQ16: Twelfth hospital stay date |
| 36 | HOSP_MR_DATE13 | Char | 50 | \$50. | \$50. | MRQ16: Thirteenth hospital stay date |

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|------------------|------|-----|--------|----------|---|
| 37 | HOSP_MR_DATE14 | Char | 50 | \$50. | \$50. | MRQ16: Fourteenth hospital stay date |
| 38 | HOSP_MR_DATE15 | Char | 50 | \$50. | \$50. | MRQ16: Fifteenth hospital stay date |
| 39 | HOSP_MR_DATE16 | Char | 50 | \$50. | \$50. | MRQ16: Sixteenth hospital stay date |
| 40 | HOSP_MR_DATE17 | Char | 50 | \$50. | \$50. | MRQ16: Seventeenth hospital stay date |
| 41 | HOSP_MR_DATE18 | Char | 50 | \$50. | \$50. | MRQ16: Eighteenth hospital stay date |
| 42 | HOSP_MR_NIGHTS1 | Num | 8 | 19. | 19. | MRQ16: First hospital stay nights |
| 43 | HOSP_MR_NIGHTS2 | Num | 8 | 19. | 19. | MRQ16: Second hospital stay nights |
| 44 | HOSP_MR_NIGHTS3 | Num | 8 | 19. | 19. | MRQ16: Third hospital stay nights |
| 45 | HOSP_MR_NIGHTS4 | Num | 8 | 19. | 19. | MRQ16: Fourth hospital stay nights |
| 46 | HOSP_MR_NIGHTS5 | Num | 8 | 19. | 19. | MRQ16: Fifth hospital stay nights |
| 47 | HOSP_MR_NIGHTS6 | Num | 8 | 19. | 19. | MRQ16: Sixth hospital stay nights |
| 48 | HOSP_MR_NIGHTS7 | Num | 8 | 19. | 19. | MRQ16: Seventh hospital stay nights |
| 49 | HOSP_MR_NIGHTS8 | Num | 8 | 19. | 19. | MRQ16: Eighth hospital stay nights |
| 50 | HOSP_MR_NIGHTS9 | Num | 8 | 19. | 19. | MRQ16: Ninth hospital stay nights |
| 51 | HOSP_MR_NIGHTS10 | Num | 8 | 19. | 19. | MRQ16: Tenth hospital stay nights |
| 52 | HOSP_MR_NIGHTS11 | Num | 8 | 19. | 19. | MRQ16: Eleventh hospital stay nights |
| 53 | HOSP_MR_NIGHTS12 | Num | 8 | 19. | 19. | MRQ16: Twelfth hospital stay nights |
| 54 | HOSP_MR_NIGHTS13 | Num | 8 | 19. | 19. | MRQ16: Thirteenth hospital stay nights |
| 55 | HOSP_MR_NIGHTS14 | Num | 8 | 19. | 19. | MRQ16: Fourteenth hospital stay nights |
| 56 | HOSP_MR_NIGHTS15 | Num | 8 | 19. | 19. | MRQ16: Fifteenth hospital stay nights |
| 57 | HOSP_MR_NIGHTS16 | Num | 8 | 19. | 19. | MRQ16: Sixteenth hospital stay nights |
| 58 | HOSP_MR_NIGHTS17 | Num | 8 | 19. | 19. | MRQ16: Seventeenth hospital stay nights |
| 59 | HOSP_MR_NIGHTS18 | Num | 8 | 19. | 19. | MRQ16: Eighteenth hospital stay nights |
| 60 | HOSP_MR_REASON1 | Char | 250 | \$250. | \$250. | MRQ16: First hospital stay reason |
| 61 | HOSP_MR_REASON2 | Char | 250 | \$250. | \$250. | MRQ16: Second hospital stay reason |
| 62 | HOSP_MR_REASON3 | Char | 250 | \$250. | \$250. | MRQ16: Third hospital stay reason |
| 63 | HOSP_MR_REASON4 | Char | 250 | \$250. | \$250. | MRQ16: Fourth hospital stay reason |
| 64 | HOSP_MR_REASON5 | Char | 250 | \$250. | \$250. | MRQ16: Fifth hospital stay reason |
| 65 | HOSP_MR_REASON6 | Char | 250 | \$250. | \$250. | MRQ16: Sixth hospital stay reason |
| 66 | HOSP_MR_REASON7 | Char | 250 | \$250. | \$250. | MRQ16: Seventh hospital stay reason |
| 67 | HOSP_MR_REASON8 | Char | 250 | \$250. | \$250. | MRQ16: Eighth hospital stay reason |
| 68 | HOSP_MR_REASON9 | Char | 250 | \$250. | \$250. | MRQ16: Ninth hospital stay reason |
| 69 | HOSP_MR_REASON10 | Char | 250 | \$250. | \$250. | MRQ16: Tenth hospital stay reason |
| 70 | HOSP_MR_REASON11 | Char | 250 | \$250. | \$250. | MRQ16: Eleventh hospital stay reason |
| 71 | HOSP_MR_REASON12 | Char | 250 | \$250. | \$250. | MRQ16: Twelfth hospital stay reason |
| 72 | HOSP_MR_REASON13 | Char | 250 | \$250. | \$250. | MRQ16: Thirteenth hospital stay reason |
| 73 | HOSP_MR_REASON14 | Char | 250 | \$250. | \$250. | MRQ16: Fourteenth hospital stay reason |
| 74 | HOSP_MR_REASON15 | Char | 250 | \$250. | \$250. | MRQ16: Fifteenth hospital stay reason |
| 75 | HOSP_MR_REASON16 | Char | 250 | \$250. | \$250. | MRQ16: Sixteenth hospital stay reason |

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|------------------|------|-----|--------|----------|--|
| 76 | HOSP_MR_REASON17 | Char | 250 | \$250. | \$250. | MRQ16: Seventeenth hospital stay reason |
| 77 | HOSP_MR_REASON18 | Char | 250 | \$250. | \$250. | MRQ16: Eighteenth hospital stay reason |
| 78 | IV_IRON | Num | 8 | | | MRHDQ8: IV iron |
| 79 | IV_IRON_CUM_DOSE | Num | 8 | | | MRHDQ8: Iron cumulative dose |
| 80 | IV_IRON_FREQ | Num | 8 | | | MRHDQ8: No. iron doses/month |
| 81 | LVH_ECHO | Num | 8 | | | MRLQ4b: LFH by echo |
| 82 | LVH_EKG | Num | 8 | | | MRLQ4a: LFH by EKG |
| 83 | OTHVITD | Num | 8 | | | MRHDQ9d: Other Vit D |
| 84 | PARICAL | Num | 8 | | | MRHDQ9b: Paricalcitol |
| 85 | PREWT_1 | Num | 8 | | | MRHDQ2a: Weight predial |
| 86 | PREWT_2 | Num | 8 | | | MRHDQ2a: Weight predial 2nd |
| 87 | PREWT_3 | Num | 8 | | | MRHDQ2a: Weight predial 3rd |
| 88 | PSTWT_1 | Num | 8 | | | MRHDQ2b: Weight pstdial |
| 89 | PSTWT_2 | Num | 8 | | | MRHDQ2b: Weight pstdial 2nd |
| 90 | PSTWT_3 | Num | 8 | | | MRHDQ2b: Weight pstdial 3rd |
| 91 | PT_REUSES | Num | 8 | | | MRHDQ5d: Patient usually reuses dialyzer |
| 92 | SPKTV | Num | 8 | | | MRLQ11: spKt/V |
| 93 | UNDNUR | Num | 8 | | | MRHDQ1: Undernourished |
| 94 | ACCMATUR | Num | 8 | 11. | 11. | MRHDQ5g: Maturing AVG/AVF |
| 95 | BFR | Num | 8 | 11. | 11. | MRHDQ5c: HD blood flow rate |
| 96 | CHOL_HDL | Num | 8 | 11. | 11. | MRLQ13b: HDL cholesterol |
| 97 | CHOL_LDL | Num | 8 | 11. | 11. | MRLQ13c: LDL cholesterol |
| 98 | CHOLEST | Num | 8 | 11. | 11. | MRLQ13a: Total cholesterol |
| 99 | DIALREUS | Num | 8 | | | MRHDQ5e: Dialyzer reuse policy |
| 100 | EPO | Num | 8 | 11. | 11. | MRHDQ6: Taking EPO |
| 101 | EPO_UNIT | Num | 8 | 11. | 11. | MRHDQ6: EPO dose unit |
| 102 | HEMATO | Num | 8 | 20.1 | 20.1 | MRLQ8a: Hematocrit |
| 103 | HEMO_HRS | Num | 8 | 20.2 | 20.2 | MRHDQ5a: Prescribed hours/HD treatment |
| 104 | HEMOGLOB | Num | 8 | 20.1 | 20.1 | MRLQ8b: Hemoglobin |
| 105 | PHOSPH | Num | 8 | 20.1 | 20.1 | MRLQ6: Serum phosphorus predial |
| 106 | PRE_DBP | Num | 8 | 11. | 11. | MRHDQ2a: DBP predial |
| 107 | PRE_DBP2 | Num | 8 | 11. | 11. | MRHDQ2a: DBP predial 2nd |
| 108 | PRE_DBP3 | Num | 8 | 11. | 11. | MRHDQ2a: DBP predial 3rd |
| 109 | PRE_SBP | Num | 8 | 11. | 11. | MRHDQ2a: SBP predial |
| 110 | PRE_SBP2 | Num | 8 | 11. | 11. | MRHDQ2a: SBP predial 2nd |
| 111 | PRE_SBP3 | Num | 8 | 11. | 11. | MRHDQ2a: SBP predial 3rd |
| 112 | PREBUN | Num | 8 | 19. | 19. | MRLQ10a: BUN predial |
| 113 | PST_DBP | Num | 8 | 11. | 11. | MRHDQ2b: DBP pstdial |
| 114 | PST_DBP2 | Num | 8 | 11. | 11. | MRHDQ2b: DBP pstdial 2nd |

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|-----------|------|-----|--------|----------|---|
| 115 | PST_DBP3 | Num | 8 | 11. | 11. | MRHDQ2b: DBP pstdial 3rd |
| 116 | PST_SBP | Num | 8 | 11. | 11. | MRHDQ2b: SBP pstdial |
| 117 | PST_SBP2 | Num | 8 | 11. | 11. | MRHDQ2b: SBP pstdial 2nd |
| 118 | PST_SBP3 | Num | 8 | 11. | 11. | MRHDQ2b: SBP pstdial 3rd |
| 119 | PSTBUN | Num | 8 | 19. | 19. | MRLQ10b: BUN pstdial |
| 120 | SER_25OHD | Num | 8 | 20.1 | 20.1 | MRLQ15: Serum 25(OH)D |
| 121 | SER_ALB | Num | 8 | 20.1 | 20.1 | MRLQ12: Serum albumin |
| 122 | SER_BIC | Num | 8 | 20.1 | 20.1 | MRLQ7: Serum bicarbonate predial |
| 123 | SER_CAL | Num | 8 | 20.1 | 20.1 | MRLQ5: Serum calcium predial |
| 124 | SER_PTH | Num | 8 | 11. | 11. | MRLQ14: Serum intact PTH |
| 125 | SERCRET | Num | 8 | 20.2 | 20.2 | MRLQ9: Serum creatinine |
| 126 | SESSIONS | Num | 8 | 11. | 11. | MRHDQ5b: No of HD sessions/week |
| 127 | SKIPDIAL | Num | 8 | 11. | 11. | MRHDQ5h: HD treatments skipped past 30 days |
| 128 | TRIGLY | Num | 8 | 11. | 11. | MRLQ13d: Triglycerides |
| 129 | XRAY | Num | 8 | 11. | 11. | MRLQ1: Cardiomegaly by x-ray |
| 130 | USRDS_ID | Num | 8 | | | usrds_id |

Data Set Name: medication_12m.sas7bdat

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|-----------|------|-----|--------|----------|-----------|
| 1 | usrds_id | Num | 8 | | | usrds_id |
| 2 | MedName | Char | 250 | \$250. | \$250. | MedName |
| 3 | DrugClass | Char | 250 | \$250. | \$250. | DrugClass |

Data Set Name: medication_24m.sas7bdat

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|-----------|------|-----|--------|----------|-----------|
| 1 | usrds_id | Num | 8 | | | usrds_id |
| 2 | MedName | Char | 250 | \$250. | \$250. | MedName |
| 3 | DrugClass | Char | 250 | \$250. | \$250. | DrugClass |

Data Set Name: medication_base.sas7bdat

| Num | Variable | Type | Len | Format | Informat | Label |
|------------|-----------------|-------------|------------|---------------|-----------------|--------------|
| 1 | usrds_id | Num | 8 | | | usrds_id |
| 2 | MedName | Char | 250 | \$250. | \$250. | MedName |
| 3 | DrugClass | Char | 250 | \$250. | \$250. | DrugClass |

Data Set Name: *physicalmeasures_12m.sas7bdat*

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|-------------------|------|-----|--------|----------|--|
| 1 | CHRSTAND | Num | 8 | | | PhysQ22_1: Single chair stand |
| 2 | DEVTYP | Num | 8 | | | PhysQ12a: Assist device type |
| 3 | DEVICE | Num | 8 | 11. | 11. | PhysQ12: Assist device used |
| 4 | HAND1 | Num | 8 | 11. | 11. | PhysQ4: First hand tested |
| 5 | HAND2 | Num | 8 | 11. | 11. | PhysQ8: Second hand tested |
| 6 | LIMB | Num | 8 | | | PhysQ14: Missing limb |
| 7 | MLARM | Num | 8 | | | PhysQ14a: Missing left arm |
| 8 | MLLEG | Num | 8 | | | PhysQ14c: Missing left leg |
| 9 | MRARM | Num | 8 | | | PhysQ14b: Missing right arm |
| 10 | MRLEG | Num | 8 | | | PhysQ14d: Missing right leg |
| 11 | NO_CHRSTAND | Num | 8 | | | PhysQ22_1: Reason no single chr stand |
| 12 | NO_REPSTAND | Num | 8 | | | PhysQ22_2: Reason no repeated chr stand |
| 13 | NO_SAFESTAND1 | Num | 8 | | | PhysQ22_1: Reason chr stand unsafe |
| 14 | NO_SAFESTAND2 | Num | 8 | | | PhysQ22_2: Reason repeated chr stand unsafe |
| 15 | NO_SBS_TANDEM | Num | 8 | | | PhysQ19a: Reason no SBS stand |
| 16 | NO_S_TANDEM | Num | 8 | | | PhysQ20: Reason no semi-tandem stand |
| 17 | NO_TANDEM | Num | 8 | | | PhysQ21: Reason no tandem stand |
| 18 | ORTHOS | Num | 8 | | | PhysQ13: Orthosis used |
| 19 | OTH_NO_CHRSTAND | Char | 50 | | | PhysQ22_1: Other reason no chr stand |
| 20 | OTH_NO_REPSTAND | Char | 50 | | | PhysQ22_2: Other reason no rep chr stand |
| 21 | OTH_NO_SAFESTAND1 | Char | 50 | | | PhysQ22_1: Other reason chr stand unsafe |
| 22 | OTH_NO_SAFESTAND2 | Char | 50 | | | PhysQ22_2: Other reason rep chr stand unsafe |
| 23 | OTH_NO_SBS_TANDEM | Char | 150 | | | PhysQ19: Other reason no SBS stand |
| 24 | OTH_NO_S_TANDEM | Char | 50 | | | PhysQ20: Other reason no semi-tandem |
| 25 | OTH_NO_TANDEM | Char | 50 | | | PhysQ21: Other reason no tandem |
| 26 | PAINHD | Num | 8 | | | PhysQ1: Wrist pain |
| 27 | PLARM | Num | 8 | | | PhysQ15a: Artificial left arm |
| 28 | PLLEG | Num | 8 | | | PhysQ15c: Artificial left leg |
| 29 | PRARM | Num | 8 | | | PhysQ15b: Artificial right arm |
| 30 | PRLEG | Num | 8 | | | PhysQ15d: Artificial right leg |
| 31 | PROTHE | Num | 8 | | | PhysQ15: Prosthesis used |
| 32 | REPSTAND_SEC | Num | 8 | | | PhysQ22_2: Repeated chr stand time in secs |
| 33 | SBS_TANDEM | Num | 8 | | | PhysQ19: Side by side stand |
| 34 | SBS_TANDEM_SEC | Num | 8 | | | PhysQ19: Seconds SBS stand held |
| 35 | SURGHD | Num | 8 | | | PhysQ2: Hand-arm surg last 13 wks |
| 36 | S_TANDEM | Num | 8 | | | PhysQ20: Semi tandem stand |

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|-----------------------|------|-----|--------|----------|---|
| 37 | S_TANDEM_SEC | Num | 8 | | | PhysQ20: Seconds semi-tandem stand |
| 38 | SAFESTAND1 | Num | 8 | 11. | 11. | PhysQ22_1: Single chr stand safe |
| 39 | SAFESTAND2 | Num | 8 | 11. | 11. | PhysQ22_2: Repeated chr stand safe |
| 40 | TANDEM | Num | 8 | | | PhysQ21: Tandem stand |
| 41 | TANDEM_SEC | Num | 8 | | | PhysQ21: Seconds tandem stand |
| 42 | TIME1 | Num | 8 | | | PhysQ17: Trial 1 walk time secs |
| 43 | TIME2 | Num | 8 | | | PhysQ18: Trial 2 walk time secs |
| 44 | TRY1_1 | Num | 8 | | | PhysQ5: Trial 1 grip kg first hand |
| 45 | TRY1_2 | Num | 8 | | | PhysQ6: Trial 2 grip kg first hand |
| 46 | TRY1_3 | Num | 8 | | | PhysQ7: Trial 3 grip kg first hand |
| 47 | TRY2_1 | Num | 8 | | | PhysQ9: Trial 1 grip kg second hand |
| 48 | TRY2_2 | Num | 8 | | | PhysQ10: Trial 2 grip kg second hand |
| 49 | TRY2_3 | Num | 8 | | | PhysQ11: Trial 3 grip kg second hand |
| 50 | USEDEV | Num | 8 | | | PhysQ16a: Used device for walk test |
| 51 | WLKDON | Num | 8 | | | PhysQ16: Able walk 15 ft |
| 52 | GRIP | Num | 8 | 11. | 11. | PhysQ3: Grip tested |
| 53 | PHYSICAL_DATE | Num | 8 | | | Date physical measures collected |
| 54 | PHYSICAL_NOTCOLLECTED | Char | 100 | | | PhysQ: Reason Physical measures not collected |
| 55 | usrds_id | Num | 8 | | | usrds_id |

Data Set Name: *physicalmeasures_24m.sas7bdat*

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|-------------------|------|-----|--------|----------|--|
| 1 | CHRSTAND | Num | 8 | | | PhysQ22_1: Single chair stand |
| 2 | DEVTYP | Num | 8 | | | PhysQ12a: Assist device type |
| 3 | DEVICE | Num | 8 | 11. | 11. | PhysQ12: Assist device used |
| 4 | HAND1 | Num | 8 | 11. | 11. | PhysQ4: First hand tested |
| 5 | HAND2 | Num | 8 | 11. | 11. | PhysQ8: Second hand tested |
| 6 | LIMB | Num | 8 | | | PhysQ14: Missing limb |
| 7 | MLARM | Num | 8 | | | PhysQ14a: Missing left arm |
| 8 | MLLEG | Num | 8 | | | PhysQ14c: Missing left leg |
| 9 | MRARM | Num | 8 | | | PhysQ14b: Missing right arm |
| 10 | MRLEG | Num | 8 | | | PhysQ14d: Missing right leg |
| 11 | NO_CHRSTAND | Num | 8 | | | PhysQ22_1: Reason no single chr stand |
| 12 | NO_REPSTAND | Num | 8 | | | PhysQ22_2: Reason no repeated chr stand |
| 13 | NO_SAFESTAND1 | Num | 8 | | | PhysQ22_1: Reason chr stand unsafe |
| 14 | NO_SAFESTAND2 | Num | 8 | | | PhysQ22_2: Reason repeated chr stand unsafe |
| 15 | NO_SBS_TANDEM | Num | 8 | | | PhysQ19a: Reason no SBS stand |
| 16 | NO_S_TANDEM | Num | 8 | | | PhysQ20: Reason no semi-tandem stand |
| 17 | NO_TANDEM | Num | 8 | | | PhysQ21: Reason no tandem stand |
| 18 | ORTHOS | Num | 8 | | | PhysQ13: Orthosis used |
| 19 | OTH_NO_CHRSTAND | Char | 50 | | | PhysQ22_1: Other reason no chr stand |
| 20 | OTH_NO_REPSTAND | Char | 50 | | | PhysQ22_2: Other reason no rep chr stand |
| 21 | OTH_NO_SAFESTAND1 | Char | 50 | | | PhysQ22_1: Other reason chr stand unsafe |
| 22 | OTH_NO_SAFESTAND2 | Char | 50 | | | PhysQ22_2: Other reason rep chr stand unsafe |
| 23 | OTH_NO_SBS_TANDEM | Char | 150 | | | PhysQ19: Other reason no SBS stand |
| 24 | OTH_NO_S_TANDEM | Char | 50 | | | PhysQ20: Other reason no semi-tandem |
| 25 | OTH_NO_TANDEM | Char | 50 | | | PhysQ21: Other reason no tandem |
| 26 | PAINHD | Num | 8 | | | PhysQ1: Wrist pain |
| 27 | PLARM | Num | 8 | | | PhysQ15a: Artificial left arm |
| 28 | PLLEG | Num | 8 | | | PhysQ15c: Artificial left leg |
| 29 | PRARM | Num | 8 | | | PhysQ15b: Artificial right arm |
| 30 | PRLEG | Num | 8 | | | PhysQ15d: Artificial right leg |
| 31 | PROTHE | Num | 8 | | | PhysQ15: Prosthesis used |
| 32 | REPSTAND_SEC | Num | 8 | | | PhysQ22_2: Repeated chr stand time in secs |
| 33 | SBS_TANDEM | Num | 8 | | | PhysQ19: Side by side stand |
| 34 | SBS_TANDEM_SEC | Num | 8 | | | PhysQ19: Seconds SBS stand held |
| 35 | SURGHD | Num | 8 | | | PhysQ2: Hand-arm surg last 13 wks |
| 36 | S_TANDEM | Num | 8 | | | PhysQ20: Semi tandem stand |

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|-----------------------|------|-----|--------|----------|---|
| 37 | S_TANDEM_SEC | Num | 8 | | | PhysQ20: Seconds semi-tandem stand |
| 38 | SAFESTAND1 | Num | 8 | 11. | 11. | PhysQ22_1: Single chr stand safe |
| 39 | SAFESTAND2 | Num | 8 | 11. | 11. | PhysQ22_2: Repeated chr stand safe |
| 40 | TANDEM | Num | 8 | | | PhysQ21: Tandem stand |
| 41 | TANDEM_SEC | Num | 8 | | | PhysQ21: Seconds tandem stand |
| 42 | TIME1 | Num | 8 | | | PhysQ17: Trial 1 walk time secs |
| 43 | TIME2 | Num | 8 | | | PhysQ18: Trial 2 walk time secs |
| 44 | TRY1_1 | Num | 8 | | | PhysQ5: Trial 1 grip kg first hand |
| 45 | TRY1_2 | Num | 8 | | | PhysQ6: Trial 2 grip kg first hand |
| 46 | TRY1_3 | Num | 8 | | | PhysQ7: Trial 3 grip kg first hand |
| 47 | TRY2_1 | Num | 8 | | | PhysQ9: Trial 1 grip kg second hand |
| 48 | TRY2_2 | Num | 8 | | | PhysQ10: Trial 2 grip kg second hand |
| 49 | TRY2_3 | Num | 8 | | | PhysQ11: Trial 3 grip kg second hand |
| 50 | USEDEV | Num | 8 | | | PhysQ16a: Used device for walk test |
| 51 | WLKDON | Num | 8 | | | PhysQ16: Able walk 15 ft |
| 52 | GRIP | Num | 8 | 11. | 11. | PhysQ3: Grip tested |
| 53 | PHYSICAL_DATE | Num | 8 | | | Date physical measures collected |
| 54 | PHYSICAL_NOTCOLLECTED | Char | 100 | | | PhysQ: Reason Physical measures not collected |
| 55 | usrds_id | Num | 8 | | | usrds_id |

Data Set Name: physicalmeasures_base.sas7bdat

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|-------------------|------|-----|--------|----------|--|
| 1 | CHRSTAND | Num | 8 | | | PhysQ22_1: Single chair stand |
| 2 | DEVTYP | Num | 8 | | | PhysQ12a: Assist device type |
| 3 | DEVICE | Num | 8 | 11. | 11. | PhysQ12: Assist device used |
| 4 | HAND1 | Num | 8 | 11. | 11. | PhysQ4: First hand tested |
| 5 | HAND2 | Num | 8 | 11. | 11. | PhysQ8: Second hand tested |
| 6 | LIMB | Num | 8 | | | PhysQ14: Missing limb |
| 7 | MLARM | Num | 8 | | | PhysQ14a: Missing left arm |
| 8 | MLLEG | Num | 8 | | | PhysQ14c: Missing left leg |
| 9 | MRARM | Num | 8 | | | PhysQ14b: Missing right arm |
| 10 | MRLEG | Num | 8 | | | PhysQ14d: Missing right leg |
| 11 | NO_CHRSTAND | Num | 8 | | | PhysQ22_1: Reason no single chr stand |
| 12 | NO_REPSTAND | Num | 8 | | | PhysQ22_2: Reason no repeated chr stand |
| 13 | NO_SAFESTAND1 | Num | 8 | | | PhysQ22_1: Reason chr stand unsafe |
| 14 | NO_SAFESTAND2 | Num | 8 | | | PhysQ22_2: Reason repeated chr stand unsafe |
| 15 | NO_SBS_TANDEM | Num | 8 | | | PhysQ19a: Reason no SBS stand |
| 16 | NO_S_TANDEM | Num | 8 | | | PhysQ20: Reason no semi-tandem stand |
| 17 | NO_TANDEM | Num | 8 | | | PhysQ21: Reason no tandem stand |
| 18 | ORTHOS | Num | 8 | | | PhysQ13: Orthosis used |
| 19 | OTH_NO_CHRSTAND | Char | 50 | | | PhysQ22_1: Other reason no chr stand |
| 20 | OTH_NO_REPSTAND | Char | 50 | | | PhysQ22_2: Other reason no rep chr stand |
| 21 | OTH_NO_SAFESTAND1 | Char | 50 | | | PhysQ22_1: Other reason chr stand unsafe |
| 22 | OTH_NO_SAFESTAND2 | Char | 50 | | | PhysQ22_2: Other reason rep chr stand unsafe |
| 23 | OTH_NO_SBS_TANDEM | Char | 150 | | | PhysQ19: Other reason no SBS stand |
| 24 | OTH_NO_S_TANDEM | Char | 50 | | | PhysQ20: Other reason no semi-tandem |
| 25 | OTH_NO_TANDEM | Char | 50 | | | PhysQ21: Other reason no tandem |
| 26 | PAINHD | Num | 8 | | | PhysQ1: Wrist pain |
| 27 | PLARM | Num | 8 | | | PhysQ15a: Artificial left arm |
| 28 | PLLEG | Num | 8 | | | PhysQ15c: Artificial left leg |
| 29 | PRARM | Num | 8 | | | PhysQ15b: Artificial right arm |
| 30 | PRLEG | Num | 8 | | | PhysQ15d: Artificial right leg |
| 31 | PROTHE | Num | 8 | | | PhysQ15: Prosthesis used |
| 32 | REPSTAND_SEC | Num | 8 | | | PhysQ22_2: Repeated chr stand time in secs |
| 33 | SBS_TANDEM | Num | 8 | | | PhysQ19: Side by side stand |
| 34 | SBS_TANDEM_SEC | Num | 8 | | | PhysQ19: Seconds SBS stand held |
| 35 | SURGHD | Num | 8 | | | PhysQ2: Hand-arm surg last 13 wks |
| 36 | S_TANDEM | Num | 8 | | | PhysQ20: Semi tandem stand |

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|-----------------------|------|-----|--------|----------|---|
| 37 | S_TANDEM_SEC | Num | 8 | | | PhysQ20: Seconds semi-tandem stand |
| 38 | SAFESTAND1 | Num | 8 | 11. | 11. | PhysQ22_1: Single chr stand safe |
| 39 | SAFESTAND2 | Num | 8 | 11. | 11. | PhysQ22_2: Repeated chr stand safe |
| 40 | TANDEM | Num | 8 | | | PhysQ21: Tandem stand |
| 41 | TANDEM_SEC | Num | 8 | | | PhysQ21: Seconds tandem stand |
| 42 | TIME1 | Num | 8 | | | PhysQ17: Trial 1 walk time secs |
| 43 | TIME2 | Num | 8 | | | PhysQ18: Trial 2 walk time secs |
| 44 | TRY1_1 | Num | 8 | | | PhysQ5: Trial 1 grip kg first hand |
| 45 | TRY1_2 | Num | 8 | | | PhysQ6: Trial 2 grip kg first hand |
| 46 | TRY1_3 | Num | 8 | | | PhysQ7: Trial 3 grip kg first hand |
| 47 | TRY2_1 | Num | 8 | | | PhysQ9: Trial 1 grip kg second hand |
| 48 | TRY2_2 | Num | 8 | | | PhysQ10: Trial 2 grip kg second hand |
| 49 | TRY2_3 | Num | 8 | | | PhysQ11: Trial 3 grip kg second hand |
| 50 | USEDEV | Num | 8 | | | PhysQ16a: Used device for walk test |
| 51 | WLKDON | Num | 8 | | | PhysQ16: Able walk 15 ft |
| 52 | GRIP | Num | 8 | 11. | 11. | PhysQ3: Grip tested |
| 53 | PHYSICAL_DATE | Num | 8 | | | Date physical measures collected |
| 54 | PHYSICAL_NOTCOLLECTED | Char | 100 | | | PhysQ: Reason Physical measures not collected |
| 55 | usrds_id | Num | 8 | | | usrds_id |

Data Set Name: spanishform_12m.sas7bdat

| Num | Variable | Type | Len | Label |
|-----|----------|------|-----|----------------------|
| 1 | USRDS_ID | Num | 8 | usrds_id |
| 2 | SPANO | Num | 8 | Interview in Spanish |

Data Set Name: spanishform_24m.sas7bdat

| Num | Variable | Type | Len | Label |
|-----|----------|------|-----|----------------------|
| 1 | USRDS_ID | Num | 8 | usrds_id |
| 2 | SPANO | Num | 8 | Interview in Spanish |

Data Set Name: spanishform_base.sas7bdat

| Num | Variable | Type | Len | Label |
|-----|----------|------|-----|----------------------|
| 1 | USRDS_ID | Num | 8 | usrds_id |
| 2 | SPANO | Num | 8 | Interview in Spanish |

Data Set Name: *bodycomposition_12m.sas7bdat*

| Num | Variable | Type | Len | Label |
|------------|-----------------|-------------|------------|-------------------------------------|
| 1 | PREWT_KG | Num | 8 | BCQ2: Predialysis weight |
| 2 | WAIST | Num | 8 | Waist circumference collected |
| 3 | WAIST1_CM | Num | 8 | BCQ3_1: Waist circumference trial 1 |
| 4 | WAIST2_CM | Num | 8 | BCQ3_2: Waist circumference trial 2 |
| 5 | BIS | Num | 8 | BCQ4:BIS data collected |
| 6 | NO_BIS | Num | 8 | BCQ4a: Reason no BIS |
| 7 | OTH_NO_BIS | Char | 100 | BCQ4b: Other reason no BIS |
| 8 | BIS_SIDE | Num | 8 | BCQ5: Body side for BIS |
| 9 | HDBIS_DATE | Num | 8 | BCQ6: HD date before BIS run |
| 10 | USRDS_ID | Num | 8 | usrds_id |
| 11 | HEIGHT | Num | 8 | BCQ1: Standing height |

Data Set Name: *bodycomposition_24m.sas7bdat*

| Num | Variable | Type | Len | Label |
|------------|-----------------|-------------|------------|-------------------------------------|
| 1 | PREWT_KG | Num | 8 | BCQ2: Predialysis weight |
| 2 | WAIST | Num | 8 | Waist circumference collected |
| 3 | WAIST1_CM | Num | 8 | BCQ3_1: Waist circumference trial 1 |
| 4 | WAIST2_CM | Num | 8 | BCQ3_2: Waist circumference trial 2 |
| 5 | BIS | Num | 8 | BCQ4:BIS data collected |
| 6 | NO_BIS | Num | 8 | BCQ4a: Reason no BIS |
| 7 | OTH_NO_BIS | Char | 100 | BCQ4b: Other reason no BIS |
| 8 | BIS_SIDE | Num | 8 | BCQ5: Body side for BIS |
| 9 | HDBIS_DATE | Num | 8 | BCQ6: HD date before BIS run |
| 10 | USRDS_ID | Num | 8 | usrds_id |
| 11 | HEIGHT | Num | 8 | BCQ1: Standing height |

Data Set Name: *bodycomposition_base.sas7bdat*

| Num | Variable | Type | Len | Label |
|------------|-----------------|-------------|------------|-------------------------------------|
| 1 | PREWT_KG | Num | 8 | BCQ2: Predialysis weight |
| 2 | WAIST | Num | 8 | Waist circumference collected |
| 3 | WAIST1_CM | Num | 8 | BCQ3_1: Waist circumference trial 1 |
| 4 | WAIST2_CM | Num | 8 | BCQ3_2: Waist circumference trial 2 |
| 5 | BIS | Num | 8 | BCQ4:BIS data collected |
| 6 | NO_BIS | Num | 8 | BCQ4a: Reason no BIS |
| 7 | OTH_NO_BIS | Char | 100 | BCQ4b: Other reason no BIS |
| 8 | BIS_SIDE | Num | 8 | BCQ5: Body side for BIS |
| 9 | HDBIS_DATE | Num | 8 | BCQ6: HD date before BIS run |
| 10 | USRDS_ID | Num | 8 | usrds_id |
| 11 | HEIGHT | Num | 8 | BCQ1: Standing height |

Data Set Name: masterfile.sas7bdat

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|-----------------|------|-----|-----------|----------|---|
| 1 | AGE | Num | 8 | | | Age at date entered into A-A Study |
| 2 | BEGDATE | Num | 8 | | | SAFPT: ESRD initiation date |
| 3 | EDUCAT | Num | 8 | | | DemQ3: Highest education level completed |
| 4 | ENROLLMENT_DATE | Num | 8 | | | Date entered into A-A Study |
| 5 | ETHNIC | Num | 8 | | | DemQ2: Ethnicity (Hispanic or not) |
| 6 | KTEVER | Num | 8 | | | DemQ6: Patient said had transplant before |
| 7 | OTHEUCAT | Char | 50 | | | DemQ3a: Type of other education |
| 8 | PDEVER | Num | 8 | | | DemQ5: Patient said used PD before |
| 9 | RACE_ALL | Num | 8 | | | Race created based on information from demo form and ME2728 |
| 10 | SEX | Char | 1 | \$SEXFMT. | | MEQ7: Patient gender |
| 11 | SMOKED | Num | 8 | | | DemQ4: Smoked 100 cigarettes in life |
| 12 | USRDS_ID | Num | 8 | BEST22. | BEST22. | usrds_id |
| 13 | ABNORMAL_ANG | Num | 8 | | | MHxQ1g: Abnormal angiography |
| 14 | ABS_PULS | Num | 8 | | | MHxQ4b: Absent foot pulses |
| 15 | AFIB | Num | 8 | | | MHxQ2c: Dysrhythmia, AF |
| 16 | AIDS | Num | 8 | | | MHxQ9g: AIDS |
| 17 | AMP | Num | 8 | | | MHxQ7: Amputation |
| 18 | ANGINA | Num | 8 | | | MHxQ1b: Angina |
| 19 | ARTHRITIS | Num | 8 | | | MHxQ9c: Chronic arthritis |
| 20 | CABG | Num | 8 | 11. | 11. | MHxQ1d: CABG |
| 21 | CATARACT | Num | 8 | | | MHxQ9d3: Cataracts |
| 22 | CEREBROV | Num | 8 | | | MHxQ3a: CVA, stroke |
| 23 | CHD_CAD | Num | 8 | | | MHxQ1a: CHD/CAD |
| 24 | CLAUDIC | Num | 8 | | | MHxQ4c: Claudication |
| 25 | CONG_H | Num | 8 | | | MHxQ2a: Congestive heart failure |
| 26 | DX_DIAB | Num | 8 | | | MHxQ5: Diabetes |
| 27 | GIBLEED | Num | 8 | | | MHxQ9b: Recurrent GI bleed |
| 28 | HIV | Num | 8 | | | MHxQ9f: HIV |
| 29 | LUNGDIS | Num | 8 | | | MHxQ6: History of lung disease/COPD |
| 30 | MACDEGEN | Num | 8 | | | MHxQ9d1: Macular degeneration |
| 31 | NEOPLASM | Num | 8 | 11. | 11. | MHxQ8: Neoplasm(s) |
| 32 | NEO2_YEAR | Num | 8 | | | MHxQ8b_1: Site 2 diagnosis year |
| 33 | NEO_TYP2 | Num | 8 | | | MHxQ8b: Primary neoplasm site 2 |
| 34 | NEO_TYPE | Num | 8 | | | MHxQ8a: Primary neoplasm site 1 |
| 35 | NEO_YEAR | Num | 8 | | | MHxQ8a_1: Site 1 diagnosis year |
| 36 | OA | Num | 8 | | | MHxQ9c1: Osteoarthritis |

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|-------------------|------|-----|--------|----------|--|
| 37 | OTH_COLVD | Num | 8 | | | MHxQ9c3: Other collagen vascular disease |
| 38 | OTH_COND | Char | 150 | | | MHxQ9h: Narrative |
| 39 | PEPULCER | Num | 8 | | | MHxQ9a: Peptic ulcer disease |
| 40 | PERIODIS | Num | 8 | | | MHxQ9e: Periodontal disease |
| 41 | PVD | Num | 8 | | | MHxQ4a: Peripheral vascular disease |
| 42 | RA | Num | 8 | | | MHxQ9c2: Rheumatoid arthritis |
| 43 | RETINOP | Num | 8 | | | MHxQ9d2: Retinopathy |
| 44 | STENTING | Num | 8 | | | MHxQ1f: Coronary artery stenting |
| 45 | ANGIOGRA | Num | 8 | 11. | 11. | MHxQ1g: Coronary angiography |
| 46 | ANGIOPLA | Num | 8 | 11. | 11. | MHxQ1e: Coronary angioplasty (PTCA) |
| 47 | BLIND | Num | 8 | 11. | 11. | MHxQ9d4: Blindness |
| 48 | CARDARR | Num | 8 | 11. | 11. | MHxQ1h: Cardiac arrest |
| 49 | MI | Num | 8 | 11. | 11. | MHxQ1c: Myocardial infarction |
| 50 | PERICARD | Num | 8 | 11. | 11. | MHxQ2b: Pericarditis |
| 51 | TIA | Num | 8 | 11. | 11. | MHxQ3b: Transient ischemic attacks |
| 52 | END_DISP | Num | 8 | | | Study termination reason |
| 53 | END_DATE | Num | 8 | | | Date associated with patient study termination |
| 54 | FOLLOWUP_DATE_12M | Num | 8 | | | 12-month follow-up date |
| 55 | FOLLOWUP_DATE_24M | Num | 8 | | | 24-month follow-up date |

Data Set Name: medicalrecord_12m.sas7bdat

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|------------------|------|-----|--------|----------|---|
| 1 | ACCESS | Num | 8 | | | MRHDQ5f: Vascular access in use |
| 2 | CALCIT | Num | 8 | | | MRHDQ9a: Calcitriol |
| 3 | CLINIC | Num | 8 | | | MRHDQ3: Current dialysis clinic |
| 4 | DARBEPO | Num | 8 | | | MRHDQ7: Taking darbepoietin |
| 5 | DARBEPO_CUM_DOSE | Num | 8 | | | MRHDQ7: Darbepoietin cumulative dose |
| 6 | DARBEPO_FREQ | Num | 8 | | | MRHDQ7: No. darbepoietin doses/month |
| 7 | DARBEPO_UNIT | Num | 8 | | | MRHDQ7: Darbepoietin dose unit |
| 8 | DOXERCAL | Num | 8 | | | MRHDQ9c: Doxercalciferol |
| 9 | ECHO | Num | 8 | | | MRLQ2: Had echo in the past 12 months |
| 10 | ECHO_DAY | Num | 8 | | | MRLQ2a: Echo most recent date: day |
| 11 | ECHO_MONTH | Num | 8 | | | MRLQ2a: Echo most recent date: mth |
| 12 | ECHO_YEAR | Num | 8 | | | MRLQ2a: Echo most recent date: yr |
| 13 | EF | Num | 8 | | | MRLQ3: Ejection fraction available |
| 14 | EF_DAY | Num | 8 | | | MRLQ3c: EF most recent date: day |
| 15 | EF_MONTH | Num | 8 | | | MRLQ3c: EF most recent date: mth |
| 16 | EF_NUM | Num | 8 | | | MRLQ3b1: EF most recent |
| 17 | EF_RANGE | Char | 50 | | | MRLQ3b2: EF range most recent |
| 18 | EF_SOURCE | Num | 8 | | | MRLQ3a: EF source most recent |
| 19 | EF_YEAR | Num | 8 | | | MRLQ3c: EF most recent date: yr |
| 20 | EPO_CUM_DOSE | Num | 8 | | | MRHDQ6: EPO cumulative dose |
| 21 | EPO_FREQ | Num | 8 | | | MRHDQ6: No of EPO doses/month |
| 22 | HDTIME | Num | 8 | | | MRHDQ4: Time of day HD treatment starts |
| 23 | HOSP_MR | Num | 8 | | | MRQ16: Hospitalized in past 12 mos |
| 24 | HOSP_MR_DATE1 | Char | 7 | \$7. | \$7. | MRQ16: First hospital stay date |
| 25 | HOSP_MR_DATE2 | Char | 7 | \$7. | \$7. | MRQ16: Second hospital stay date |
| 26 | HOSP_MR_DATE3 | Char | 7 | \$7. | \$7. | MRQ16: Third hospital stay date |
| 27 | HOSP_MR_DATE4 | Char | 50 | \$50. | \$50. | MRQ16: Fourth hospital stay date |
| 28 | HOSP_MR_DATE5 | Char | 50 | \$50. | \$50. | MRQ16: Fifth hospital stay date |
| 29 | HOSP_MR_DATE6 | Char | 50 | \$50. | \$50. | MRQ16: Sixth hospital stay date |
| 30 | HOSP_MR_DATE7 | Char | 50 | \$50. | \$50. | MRQ16: Seventh hospital stay date |
| 31 | HOSP_MR_DATE8 | Char | 50 | \$50. | \$50. | MRQ16: Eighth hospital stay date |
| 32 | HOSP_MR_DATE9 | Char | 50 | \$50. | \$50. | MRQ16: Ninth hospital stay date |
| 33 | HOSP_MR_DATE10 | Char | 50 | \$50. | \$50. | MRQ16: Tenth hospital stay date |
| 34 | HOSP_MR_DATE11 | Char | 50 | \$50. | \$50. | MRQ16: Eleventh hospital stay date |
| 35 | HOSP_MR_DATE12 | Char | 50 | \$50. | \$50. | MRQ16: Twelfth hospital stay date |
| 36 | HOSP_MR_DATE13 | Char | 50 | \$50. | \$50. | MRQ16: Thirteenth hospital stay date |

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|------------------|------|-----|--------|----------|---|
| 37 | HOSP_MR_DATE14 | Char | 50 | \$50. | \$50. | MRQ16: Fourteenth hospital stay date |
| 38 | HOSP_MR_DATE15 | Char | 50 | \$50. | \$50. | MRQ16: Fifteenth hospital stay date |
| 39 | HOSP_MR_DATE16 | Char | 50 | \$50. | \$50. | MRQ16: Sixteenth hospital stay date |
| 40 | HOSP_MR_DATE17 | Char | 50 | \$50. | \$50. | MRQ16: Seventeenth hospital stay date |
| 41 | HOSP_MR_DATE18 | Char | 50 | \$50. | \$50. | MRQ16: Eighteenth hospital stay date |
| 42 | HOSP_MR_NIGHTS1 | Num | 8 | 19. | 19. | MRQ16: First hospital stay nights |
| 43 | HOSP_MR_NIGHTS2 | Num | 8 | 19. | 19. | MRQ16: Second hospital stay nights |
| 44 | HOSP_MR_NIGHTS3 | Num | 8 | 19. | 19. | MRQ16: Third hospital stay nights |
| 45 | HOSP_MR_NIGHTS4 | Num | 8 | 19. | 19. | MRQ16: Fourth hospital stay nights |
| 46 | HOSP_MR_NIGHTS5 | Num | 8 | 19. | 19. | MRQ16: Fifth hospital stay nights |
| 47 | HOSP_MR_NIGHTS6 | Num | 8 | 19. | 19. | MRQ16: Sixth hospital stay nights |
| 48 | HOSP_MR_NIGHTS7 | Num | 8 | 19. | 19. | MRQ16: Seventh hospital stay nights |
| 49 | HOSP_MR_NIGHTS8 | Num | 8 | 19. | 19. | MRQ16: Eighth hospital stay nights |
| 50 | HOSP_MR_NIGHTS9 | Num | 8 | 19. | 19. | MRQ16: Ninth hospital stay nights |
| 51 | HOSP_MR_NIGHTS10 | Num | 8 | 19. | 19. | MRQ16: Tenth hospital stay nights |
| 52 | HOSP_MR_NIGHTS11 | Num | 8 | 19. | 19. | MRQ16: Eleventh hospital stay nights |
| 53 | HOSP_MR_NIGHTS12 | Num | 8 | 19. | 19. | MRQ16: Twelfth hospital stay nights |
| 54 | HOSP_MR_NIGHTS13 | Num | 8 | 19. | 19. | MRQ16: Thirteenth hospital stay nights |
| 55 | HOSP_MR_NIGHTS14 | Num | 8 | 19. | 19. | MRQ16: Fourteenth hospital stay nights |
| 56 | HOSP_MR_NIGHTS15 | Num | 8 | 19. | 19. | MRQ16: Fifteenth hospital stay nights |
| 57 | HOSP_MR_NIGHTS16 | Num | 8 | 19. | 19. | MRQ16: Sixteenth hospital stay nights |
| 58 | HOSP_MR_NIGHTS17 | Num | 8 | 19. | 19. | MRQ16: Seventeenth hospital stay nights |
| 59 | HOSP_MR_NIGHTS18 | Num | 8 | 19. | 19. | MRQ16: Eighteenth hospital stay nights |
| 60 | HOSP_MR_REASON1 | Char | 250 | \$250. | \$250. | MRQ16: First hospital stay reason |
| 61 | HOSP_MR_REASON2 | Char | 250 | \$250. | \$250. | MRQ16: Second hospital stay reason |
| 62 | HOSP_MR_REASON3 | Char | 250 | \$250. | \$250. | MRQ16: Third hospital stay reason |
| 63 | HOSP_MR_REASON4 | Char | 250 | \$250. | \$250. | MRQ16: Fourth hospital stay reason |
| 64 | HOSP_MR_REASON5 | Char | 250 | \$250. | \$250. | MRQ16: Fifth hospital stay reason |
| 65 | HOSP_MR_REASON6 | Char | 250 | \$250. | \$250. | MRQ16: Sixth hospital stay reason |
| 66 | HOSP_MR_REASON7 | Char | 250 | \$250. | \$250. | MRQ16: Seventh hospital stay reason |
| 67 | HOSP_MR_REASON8 | Char | 250 | \$250. | \$250. | MRQ16: Eighth hospital stay reason |
| 68 | HOSP_MR_REASON9 | Char | 250 | \$250. | \$250. | MRQ16: Ninth hospital stay reason |
| 69 | HOSP_MR_REASON10 | Char | 250 | \$250. | \$250. | MRQ16: Tenth hospital stay reason |
| 70 | HOSP_MR_REASON11 | Char | 250 | \$250. | \$250. | MRQ16: Eleventh hospital stay reason |
| 71 | HOSP_MR_REASON12 | Char | 250 | \$250. | \$250. | MRQ16: Twelfth hospital stay reason |
| 72 | HOSP_MR_REASON13 | Char | 250 | \$250. | \$250. | MRQ16: Thirteenth hospital stay reason |
| 73 | HOSP_MR_REASON14 | Char | 250 | \$250. | \$250. | MRQ16: Fourteenth hospital stay reason |
| 74 | HOSP_MR_REASON15 | Char | 250 | \$250. | \$250. | MRQ16: Fifteenth hospital stay reason |
| 75 | HOSP_MR_REASON16 | Char | 250 | \$250. | \$250. | MRQ16: Sixteenth hospital stay reason |

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|------------------|------|-----|--------|----------|--|
| 76 | HOSP_MR_REASON17 | Char | 250 | \$250. | \$250. | MRQ16: Seventeenth hospital stay reason |
| 77 | HOSP_MR_REASON18 | Char | 250 | \$250. | \$250. | MRQ16: Eighteenth hospital stay reason |
| 78 | IV_IRON | Num | 8 | | | MRHDQ8: IV iron |
| 79 | IV_IRON_CUM_DOSE | Num | 8 | | | MRHDQ8: Iron cumulative dose |
| 80 | IV_IRON_FREQ | Num | 8 | | | MRHDQ8: No. iron doses/month |
| 81 | LVH_ECHO | Num | 8 | | | MRLQ4b: LFH by echo |
| 82 | LVH_EKG | Num | 8 | | | MRLQ4a: LFH by EKG |
| 83 | OTHVITD | Num | 8 | | | MRHDQ9d: Other Vit D |
| 84 | PARICAL | Num | 8 | | | MRHDQ9b: Paricalcitol |
| 85 | PREWT_1 | Num | 8 | | | MRHDQ2a: Weight predial |
| 86 | PREWT_2 | Num | 8 | | | MRHDQ2a: Weight predial 2nd |
| 87 | PREWT_3 | Num | 8 | | | MRHDQ2a: Weight predial 3rd |
| 88 | PSTWT_1 | Num | 8 | | | MRHDQ2b: Weight pstdial |
| 89 | PSTWT_2 | Num | 8 | | | MRHDQ2b: Weight pstdial 2nd |
| 90 | PSTWT_3 | Num | 8 | | | MRHDQ2b: Weight pstdial 3rd |
| 91 | PT_REUSES | Num | 8 | | | MRHDQ5d: Patient usually reuses dialyzer |
| 92 | SPKTV | Num | 8 | | | MRLQ11: spKt/V |
| 93 | UNDNUR | Num | 8 | | | MRHDQ1: Undernourished |
| 94 | ACCMATUR | Num | 8 | 11. | 11. | MRHDQ5g: Maturing AVG/AVF |
| 95 | BFR | Num | 8 | 11. | 11. | MRHDQ5c: HD blood flow rate |
| 96 | CHOL_HDL | Num | 8 | 11. | 11. | MRLQ13b: HDL cholesterol |
| 97 | CHOL_LDL | Num | 8 | 11. | 11. | MRLQ13c: LDL cholesterol |
| 98 | CHOLEST | Num | 8 | 11. | 11. | MRLQ13a: Total cholesterol |
| 99 | DIALREUS | Num | 8 | | | MRHDQ5e: Dialyzer reuse policy |
| 100 | EPO | Num | 8 | 11. | 11. | MRHDQ6: Taking EPO |
| 101 | EPO_UNIT | Num | 8 | 11. | 11. | MRHDQ6: EPO dose unit |
| 102 | HEMATO | Num | 8 | 20.1 | 20.1 | MRLQ8a: Hematocrit |
| 103 | HEMO_HRS | Num | 8 | 20.2 | 20.2 | MRHDQ5a: Prescribed hours/HD treatment |
| 104 | HEMOGLOB | Num | 8 | 20.1 | 20.1 | MRLQ8b: Hemoglobin |
| 105 | PHOSPH | Num | 8 | 20.1 | 20.1 | MRLQ6: Serum phosphorus predial |
| 106 | PRE_DBP | Num | 8 | 11. | 11. | MRHDQ2a: DBP predial |
| 107 | PRE_DBP2 | Num | 8 | 11. | 11. | MRHDQ2a: DBP predial 2nd |
| 108 | PRE_DBP3 | Num | 8 | 11. | 11. | MRHDQ2a: DBP predial 3rd |
| 109 | PRE_SBP | Num | 8 | 11. | 11. | MRHDQ2a: SBP predial |
| 110 | PRE_SBP2 | Num | 8 | 11. | 11. | MRHDQ2a: SBP predial 2nd |
| 111 | PRE_SBP3 | Num | 8 | 11. | 11. | MRHDQ2a: SBP predial 3rd |
| 112 | PREBUN | Num | 8 | 19. | 19. | MRLQ10a: BUN predial |
| 113 | PST_DBP | Num | 8 | 11. | 11. | MRHDQ2b: DBP pstdial |
| 114 | PST_DBP2 | Num | 8 | 11. | 11. | MRHDQ2b: DBP pstdial 2nd |

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|-----------|------|-----|--------|----------|---|
| 115 | PST_DBP3 | Num | 8 | 11. | 11. | MRHDQ2b: DBP pstdial 3rd |
| 116 | PST_SBP | Num | 8 | 11. | 11. | MRHDQ2b: SBP pstdial |
| 117 | PST_SBP2 | Num | 8 | 11. | 11. | MRHDQ2b: SBP pstdial 2nd |
| 118 | PST_SBP3 | Num | 8 | 11. | 11. | MRHDQ2b: SBP pstdial 3rd |
| 119 | PSTBUN | Num | 8 | 19. | 19. | MRLQ10b: BUN pstdial |
| 120 | SER_25OHD | Num | 8 | 20.1 | 20.1 | MRLQ15: Serum 25(OH)D |
| 121 | SER_ALB | Num | 8 | 20.1 | 20.1 | MRLQ12: Serum albumin |
| 122 | SER_BIC | Num | 8 | 20.1 | 20.1 | MRLQ7: Serum bicarbonate predial |
| 123 | SER_CAL | Num | 8 | 20.1 | 20.1 | MRLQ5: Serum calcium predial |
| 124 | SER_PTH | Num | 8 | 11. | 11. | MRLQ14: Serum intact PTH |
| 125 | SERCRET | Num | 8 | 20.2 | 20.2 | MRLQ9: Serum creatinine |
| 126 | SESSIONS | Num | 8 | 11. | 11. | MRHDQ5b: No of HD sessions/week |
| 127 | SKIPDIAL | Num | 8 | 11. | 11. | MRHDQ5h: HD treatments skipped past 30 days |
| 128 | TRIGLY | Num | 8 | 11. | 11. | MRLQ13d: Triglycerides |
| 129 | XRAY | Num | 8 | 11. | 11. | MRLQ1: Cardiomegaly by x-ray |
| 130 | USRDS_ID | Num | 8 | | | usrds_id |

Data Set Name: medicalrecord_24m.sas7bdat

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|------------------|------|-----|--------|----------|---|
| 1 | ACCESS | Num | 8 | | | MRHDQ5f: Vascular access in use |
| 2 | CALCIT | Num | 8 | | | MRHDQ9a: Calcitriol |
| 3 | CLINIC | Num | 8 | | | MRHDQ3: Current dialysis clinic |
| 4 | DARBEPO | Num | 8 | | | MRHDQ7: Taking darbepoietin |
| 5 | DARBEPO_CUM_DOSE | Num | 8 | | | MRHDQ7: Darbepoietin cumulative dose |
| 6 | DARBEPO_FREQ | Num | 8 | | | MRHDQ7: No. darbepoietin doses/month |
| 7 | DARBEPO_UNIT | Num | 8 | | | MRHDQ7: Darbepoietin dose unit |
| 8 | DOXERCAL | Num | 8 | | | MRHDQ9c: Doxercalciferol |
| 9 | ECHO | Num | 8 | | | MRLQ2: Had echo in the past 12 months |
| 10 | ECHO_DAY | Num | 8 | | | MRLQ2a: Echo most recent date: day |
| 11 | ECHO_MONTH | Num | 8 | | | MRLQ2a: Echo most recent date: mth |
| 12 | ECHO_YEAR | Num | 8 | | | MRLQ2a: Echo most recent date: yr |
| 13 | EF | Num | 8 | | | MRLQ3: Ejection fraction available |
| 14 | EF_DAY | Num | 8 | | | MRLQ3c: EF most recent date: day |
| 15 | EF_MONTH | Num | 8 | | | MRLQ3c: EF most recent date: mth |
| 16 | EF_NUM | Num | 8 | | | MRLQ3b1: EF most recent |
| 17 | EF_RANGE | Char | 50 | | | MRLQ3b2: EF range most recent |
| 18 | EF_SOURCE | Num | 8 | | | MRLQ3a: EF source most recent |
| 19 | EF_YEAR | Num | 8 | | | MRLQ3c: EF most recent date: yr |
| 20 | EPO_CUM_DOSE | Num | 8 | | | MRHDQ6: EPO cumulative dose |
| 21 | EPO_FREQ | Num | 8 | | | MRHDQ6: No of EPO doses/month |
| 22 | HDTIME | Num | 8 | | | MRHDQ4: Time of day HD treatment starts |
| 23 | HOSP_MR | Num | 8 | | | MRQ16: Hospitalized in past 12 mos |
| 24 | HOSP_MR_DATE1 | Char | 7 | \$7. | \$7. | MRQ16: First hospital stay date |
| 25 | HOSP_MR_DATE2 | Char | 7 | \$7. | \$7. | MRQ16: Second hospital stay date |
| 26 | HOSP_MR_DATE3 | Char | 7 | \$7. | \$7. | MRQ16: Third hospital stay date |
| 27 | HOSP_MR_DATE4 | Char | 50 | \$50. | \$50. | MRQ16: Fourth hospital stay date |
| 28 | HOSP_MR_DATE5 | Char | 50 | \$50. | \$50. | MRQ16: Fifth hospital stay date |
| 29 | HOSP_MR_DATE6 | Char | 50 | \$50. | \$50. | MRQ16: Sixth hospital stay date |
| 30 | HOSP_MR_DATE7 | Char | 50 | \$50. | \$50. | MRQ16: Seventh hospital stay date |
| 31 | HOSP_MR_DATE8 | Char | 50 | \$50. | \$50. | MRQ16: Eighth hospital stay date |
| 32 | HOSP_MR_DATE9 | Char | 50 | \$50. | \$50. | MRQ16: Ninth hospital stay date |
| 33 | HOSP_MR_DATE10 | Char | 50 | \$50. | \$50. | MRQ16: Tenth hospital stay date |
| 34 | HOSP_MR_DATE11 | Char | 50 | \$50. | \$50. | MRQ16: Eleventh hospital stay date |
| 35 | HOSP_MR_DATE12 | Char | 50 | \$50. | \$50. | MRQ16: Twelfth hospital stay date |
| 36 | HOSP_MR_DATE13 | Char | 50 | \$50. | \$50. | MRQ16: Thirteenth hospital stay date |

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|------------------|------|-----|--------|----------|---|
| 37 | HOSP_MR_DATE14 | Char | 50 | \$50. | \$50. | MRQ16: Fourteenth hospital stay date |
| 38 | HOSP_MR_DATE15 | Char | 50 | \$50. | \$50. | MRQ16: Fifteenth hospital stay date |
| 39 | HOSP_MR_DATE16 | Char | 50 | \$50. | \$50. | MRQ16: Sixteenth hospital stay date |
| 40 | HOSP_MR_DATE17 | Char | 50 | \$50. | \$50. | MRQ16: Seventeenth hospital stay date |
| 41 | HOSP_MR_DATE18 | Char | 50 | \$50. | \$50. | MRQ16: Eighteenth hospital stay date |
| 42 | HOSP_MR_NIGHTS1 | Num | 8 | 19. | 19. | MRQ16: First hospital stay nights |
| 43 | HOSP_MR_NIGHTS2 | Num | 8 | 19. | 19. | MRQ16: Second hospital stay nights |
| 44 | HOSP_MR_NIGHTS3 | Num | 8 | 19. | 19. | MRQ16: Third hospital stay nights |
| 45 | HOSP_MR_NIGHTS4 | Num | 8 | 19. | 19. | MRQ16: Fourth hospital stay nights |
| 46 | HOSP_MR_NIGHTS5 | Num | 8 | 19. | 19. | MRQ16: Fifth hospital stay nights |
| 47 | HOSP_MR_NIGHTS6 | Num | 8 | 19. | 19. | MRQ16: Sixth hospital stay nights |
| 48 | HOSP_MR_NIGHTS7 | Num | 8 | 19. | 19. | MRQ16: Seventh hospital stay nights |
| 49 | HOSP_MR_NIGHTS8 | Num | 8 | 19. | 19. | MRQ16: Eighth hospital stay nights |
| 50 | HOSP_MR_NIGHTS9 | Num | 8 | 19. | 19. | MRQ16: Ninth hospital stay nights |
| 51 | HOSP_MR_NIGHTS10 | Num | 8 | 19. | 19. | MRQ16: Tenth hospital stay nights |
| 52 | HOSP_MR_NIGHTS11 | Num | 8 | 19. | 19. | MRQ16: Eleventh hospital stay nights |
| 53 | HOSP_MR_NIGHTS12 | Num | 8 | 19. | 19. | MRQ16: Twelfth hospital stay nights |
| 54 | HOSP_MR_NIGHTS13 | Num | 8 | 19. | 19. | MRQ16: Thirteenth hospital stay nights |
| 55 | HOSP_MR_NIGHTS14 | Num | 8 | 19. | 19. | MRQ16: Fourteenth hospital stay nights |
| 56 | HOSP_MR_NIGHTS15 | Num | 8 | 19. | 19. | MRQ16: Fifteenth hospital stay nights |
| 57 | HOSP_MR_NIGHTS16 | Num | 8 | 19. | 19. | MRQ16: Sixteenth hospital stay nights |
| 58 | HOSP_MR_NIGHTS17 | Num | 8 | 19. | 19. | MRQ16: Seventeenth hospital stay nights |
| 59 | HOSP_MR_NIGHTS18 | Num | 8 | 19. | 19. | MRQ16: Eighteenth hospital stay nights |
| 60 | HOSP_MR_REASON1 | Char | 250 | \$250. | \$250. | MRQ16: First hospital stay reason |
| 61 | HOSP_MR_REASON2 | Char | 250 | \$250. | \$250. | MRQ16: Second hospital stay reason |
| 62 | HOSP_MR_REASON3 | Char | 250 | \$250. | \$250. | MRQ16: Third hospital stay reason |
| 63 | HOSP_MR_REASON4 | Char | 250 | \$250. | \$250. | MRQ16: Fourth hospital stay reason |
| 64 | HOSP_MR_REASON5 | Char | 250 | \$250. | \$250. | MRQ16: Fifth hospital stay reason |
| 65 | HOSP_MR_REASON6 | Char | 250 | \$250. | \$250. | MRQ16: Sixth hospital stay reason |
| 66 | HOSP_MR_REASON7 | Char | 250 | \$250. | \$250. | MRQ16: Seventh hospital stay reason |
| 67 | HOSP_MR_REASON8 | Char | 250 | \$250. | \$250. | MRQ16: Eighth hospital stay reason |
| 68 | HOSP_MR_REASON9 | Char | 250 | \$250. | \$250. | MRQ16: Ninth hospital stay reason |
| 69 | HOSP_MR_REASON10 | Char | 250 | \$250. | \$250. | MRQ16: Tenth hospital stay reason |
| 70 | HOSP_MR_REASON11 | Char | 250 | \$250. | \$250. | MRQ16: Eleventh hospital stay reason |
| 71 | HOSP_MR_REASON12 | Char | 250 | \$250. | \$250. | MRQ16: Twelfth hospital stay reason |
| 72 | HOSP_MR_REASON13 | Char | 250 | \$250. | \$250. | MRQ16: Thirteenth hospital stay reason |
| 73 | HOSP_MR_REASON14 | Char | 250 | \$250. | \$250. | MRQ16: Fourteenth hospital stay reason |
| 74 | HOSP_MR_REASON15 | Char | 250 | \$250. | \$250. | MRQ16: Fifteenth hospital stay reason |
| 75 | HOSP_MR_REASON16 | Char | 250 | \$250. | \$250. | MRQ16: Sixteenth hospital stay reason |

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|------------------|------|-----|--------|----------|--|
| 76 | HOSP_MR_REASON17 | Char | 250 | \$250. | \$250. | MRQ16: Seventeenth hospital stay reason |
| 77 | HOSP_MR_REASON18 | Char | 250 | \$250. | \$250. | MRQ16: Eighteenth hospital stay reason |
| 78 | IV_IRON | Num | 8 | | | MRHDQ8: IV iron |
| 79 | IV_IRON_CUM_DOSE | Num | 8 | | | MRHDQ8: Iron cumulative dose |
| 80 | IV_IRON_FREQ | Num | 8 | | | MRHDQ8: No. iron doses/month |
| 81 | LVH_ECHO | Num | 8 | | | MRLQ4b: LFH by echo |
| 82 | LVH_EKG | Num | 8 | | | MRLQ4a: LFH by EKG |
| 83 | OTHVITD | Num | 8 | | | MRHDQ9d: Other Vit D |
| 84 | PARICAL | Num | 8 | | | MRHDQ9b: Paricalcitol |
| 85 | PREWT_1 | Num | 8 | | | MRHDQ2a: Weight predial |
| 86 | PREWT_2 | Num | 8 | | | MRHDQ2a: Weight predial 2nd |
| 87 | PREWT_3 | Num | 8 | | | MRHDQ2a: Weight predial 3rd |
| 88 | PSTWT_1 | Num | 8 | | | MRHDQ2b: Weight pstdial |
| 89 | PSTWT_2 | Num | 8 | | | MRHDQ2b: Weight pstdial 2nd |
| 90 | PSTWT_3 | Num | 8 | | | MRHDQ2b: Weight pstdial 3rd |
| 91 | PT_REUSES | Num | 8 | | | MRHDQ5d: Patient usually reuses dialyzer |
| 92 | SPKTV | Num | 8 | | | MRLQ11: spKt/V |
| 93 | UNDNUR | Num | 8 | | | MRHDQ1: Undernourished |
| 94 | ACCMATUR | Num | 8 | 11. | 11. | MRHDQ5g: Maturing AVG/AVF |
| 95 | BFR | Num | 8 | 11. | 11. | MRHDQ5c: HD blood flow rate |
| 96 | CHOL_HDL | Num | 8 | 11. | 11. | MRLQ13b: HDL cholesterol |
| 97 | CHOL_LDL | Num | 8 | 11. | 11. | MRLQ13c: LDL cholesterol |
| 98 | CHOLEST | Num | 8 | 11. | 11. | MRLQ13a: Total cholesterol |
| 99 | DIALREUS | Num | 8 | | | MRHDQ5e: Dialyzer reuse policy |
| 100 | EPO | Num | 8 | 11. | 11. | MRHDQ6: Taking EPO |
| 101 | EPO_UNIT | Num | 8 | 11. | 11. | MRHDQ6: EPO dose unit |
| 102 | HEMATO | Num | 8 | 20.1 | 20.1 | MRLQ8a: Hematocrit |
| 103 | HEMO_HRS | Num | 8 | 20.2 | 20.2 | MRHDQ5a: Prescribed hours/HD treatment |
| 104 | HEMOGLOB | Num | 8 | 20.1 | 20.1 | MRLQ8b: Hemoglobin |
| 105 | PHOSPH | Num | 8 | 20.1 | 20.1 | MRLQ6: Serum phosphorus predial |
| 106 | PRE_DBP | Num | 8 | 11. | 11. | MRHDQ2a: DBP predial |
| 107 | PRE_DBP2 | Num | 8 | 11. | 11. | MRHDQ2a: DBP predial 2nd |
| 108 | PRE_DBP3 | Num | 8 | 11. | 11. | MRHDQ2a: DBP predial 3rd |
| 109 | PRE_SBP | Num | 8 | 11. | 11. | MRHDQ2a: SBP predial |
| 110 | PRE_SBP2 | Num | 8 | 11. | 11. | MRHDQ2a: SBP predial 2nd |
| 111 | PRE_SBP3 | Num | 8 | 11. | 11. | MRHDQ2a: SBP predial 3rd |
| 112 | PREBUN | Num | 8 | 19. | 19. | MRLQ10a: BUN predial |
| 113 | PST_DBP | Num | 8 | 11. | 11. | MRHDQ2b: DBP pstdial |
| 114 | PST_DBP2 | Num | 8 | 11. | 11. | MRHDQ2b: DBP pstdial 2nd |

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|-----------|------|-----|--------|----------|---|
| 115 | PST_DBP3 | Num | 8 | 11. | 11. | MRHDQ2b: DBP pstdial 3rd |
| 116 | PST_SBP | Num | 8 | 11. | 11. | MRHDQ2b: SBP pstdial |
| 117 | PST_SBP2 | Num | 8 | 11. | 11. | MRHDQ2b: SBP pstdial 2nd |
| 118 | PST_SBP3 | Num | 8 | 11. | 11. | MRHDQ2b: SBP pstdial 3rd |
| 119 | PSTBUN | Num | 8 | 19. | 19. | MRLQ10b: BUN pstdial |
| 120 | SER_25OHD | Num | 8 | 20.1 | 20.1 | MRLQ15: Serum 25(OH)D |
| 121 | SER_ALB | Num | 8 | 20.1 | 20.1 | MRLQ12: Serum albumin |
| 122 | SER_BIC | Num | 8 | 20.1 | 20.1 | MRLQ7: Serum bicarbonate predial |
| 123 | SER_CAL | Num | 8 | 20.1 | 20.1 | MRLQ5: Serum calcium predial |
| 124 | SER_PTH | Num | 8 | 11. | 11. | MRLQ14: Serum intact PTH |
| 125 | SERCRET | Num | 8 | 20.2 | 20.2 | MRLQ9: Serum creatinine |
| 126 | SESSIONS | Num | 8 | 11. | 11. | MRHDQ5b: No of HD sessions/week |
| 127 | SKIPDIAL | Num | 8 | 11. | 11. | MRHDQ5h: HD treatments skipped past 30 days |
| 128 | TRIGLY | Num | 8 | 11. | 11. | MRLQ13d: Triglycerides |
| 129 | XRAY | Num | 8 | 11. | 11. | MRLQ1: Cardiomegaly by x-ray |
| 130 | USRDS_ID | Num | 8 | | | usrds_id |

Data Set Name: medicalrecord_base.sas7bdat

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|------------------|------|-----|--------|----------|---|
| 1 | ACCESS | Num | 8 | | | MRHDQ5f: Vascular access in use |
| 2 | CALCIT | Num | 8 | | | MRHDQ9a: Calcitriol |
| 3 | CLINIC | Num | 8 | | | MRHDQ3: Current dialysis clinic |
| 4 | DARBEPO | Num | 8 | | | MRHDQ7: Taking darbepoietin |
| 5 | DARBEPO_CUM_DOSE | Num | 8 | | | MRHDQ7: Darbepoietin cumulative dose |
| 6 | DARBEPO_FREQ | Num | 8 | | | MRHDQ7: No. darbepoietin doses/month |
| 7 | DARBEPO_UNIT | Num | 8 | | | MRHDQ7: Darbepoietin dose unit |
| 8 | DOXERCAL | Num | 8 | | | MRHDQ9c: Doxercalciferol |
| 9 | ECHO | Num | 8 | | | MRLQ2: Had echo in the past 12 months |
| 10 | ECHO_DAY | Num | 8 | | | MRLQ2a: Echo most recent date: day |
| 11 | ECHO_MONTH | Num | 8 | | | MRLQ2a: Echo most recent date: mth |
| 12 | ECHO_YEAR | Num | 8 | | | MRLQ2a: Echo most recent date: yr |
| 13 | EF | Num | 8 | | | MRLQ3: Ejection fraction available |
| 14 | EF_DAY | Num | 8 | | | MRLQ3c: EF most recent date: day |
| 15 | EF_MONTH | Num | 8 | | | MRLQ3c: EF most recent date: mth |
| 16 | EF_NUM | Num | 8 | | | MRLQ3b1: EF most recent |
| 17 | EF_RANGE | Char | 50 | | | MRLQ3b2: EF range most recent |
| 18 | EF_SOURCE | Num | 8 | | | MRLQ3a: EF source most recent |
| 19 | EF_YEAR | Num | 8 | | | MRLQ3c: EF most recent date: yr |
| 20 | EPO_CUM_DOSE | Num | 8 | | | MRHDQ6: EPO cumulative dose |
| 21 | EPO_FREQ | Num | 8 | | | MRHDQ6: No of EPO doses/month |
| 22 | HDTIME | Num | 8 | | | MRHDQ4: Time of day HD treatment starts |
| 23 | HOSP_MR | Num | 8 | | | MRQ16: Hospitalized in past 12 mos |
| 24 | HOSP_MR_DATE1 | Char | 7 | \$7. | \$7. | MRQ16: First hospital stay date |
| 25 | HOSP_MR_DATE2 | Char | 7 | \$7. | \$7. | MRQ16: Second hospital stay date |
| 26 | HOSP_MR_DATE3 | Char | 7 | \$7. | \$7. | MRQ16: Third hospital stay date |
| 27 | HOSP_MR_DATE4 | Char | 50 | \$50. | \$50. | MRQ16: Fourth hospital stay date |
| 28 | HOSP_MR_DATE5 | Char | 50 | \$50. | \$50. | MRQ16: Fifth hospital stay date |
| 29 | HOSP_MR_DATE6 | Char | 50 | \$50. | \$50. | MRQ16: Sixth hospital stay date |
| 30 | HOSP_MR_DATE7 | Char | 50 | \$50. | \$50. | MRQ16: Seventh hospital stay date |
| 31 | HOSP_MR_DATE8 | Char | 50 | \$50. | \$50. | MRQ16: Eighth hospital stay date |
| 32 | HOSP_MR_DATE9 | Char | 50 | \$50. | \$50. | MRQ16: Ninth hospital stay date |
| 33 | HOSP_MR_DATE10 | Char | 50 | \$50. | \$50. | MRQ16: Tenth hospital stay date |
| 34 | HOSP_MR_DATE11 | Char | 50 | \$50. | \$50. | MRQ16: Eleventh hospital stay date |
| 35 | HOSP_MR_DATE12 | Char | 50 | \$50. | \$50. | MRQ16: Twelfth hospital stay date |
| 36 | HOSP_MR_DATE13 | Char | 50 | \$50. | \$50. | MRQ16: Thirteenth hospital stay date |

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|------------------|------|-----|--------|----------|---|
| 37 | HOSP_MR_DATE14 | Char | 50 | \$50. | \$50. | MRQ16: Fourteenth hospital stay date |
| 38 | HOSP_MR_DATE15 | Char | 50 | \$50. | \$50. | MRQ16: Fifteenth hospital stay date |
| 39 | HOSP_MR_DATE16 | Char | 50 | \$50. | \$50. | MRQ16: Sixteenth hospital stay date |
| 40 | HOSP_MR_DATE17 | Char | 50 | \$50. | \$50. | MRQ16: Seventeenth hospital stay date |
| 41 | HOSP_MR_DATE18 | Char | 50 | \$50. | \$50. | MRQ16: Eighteenth hospital stay date |
| 42 | HOSP_MR_NIGHTS1 | Num | 8 | 19. | 19. | MRQ16: First hospital stay nights |
| 43 | HOSP_MR_NIGHTS2 | Num | 8 | 19. | 19. | MRQ16: Second hospital stay nights |
| 44 | HOSP_MR_NIGHTS3 | Num | 8 | 19. | 19. | MRQ16: Third hospital stay nights |
| 45 | HOSP_MR_NIGHTS4 | Num | 8 | 19. | 19. | MRQ16: Fourth hospital stay nights |
| 46 | HOSP_MR_NIGHTS5 | Num | 8 | 19. | 19. | MRQ16: Fifth hospital stay nights |
| 47 | HOSP_MR_NIGHTS6 | Num | 8 | 19. | 19. | MRQ16: Sixth hospital stay nights |
| 48 | HOSP_MR_NIGHTS7 | Num | 8 | 19. | 19. | MRQ16: Seventh hospital stay nights |
| 49 | HOSP_MR_NIGHTS8 | Num | 8 | 19. | 19. | MRQ16: Eighth hospital stay nights |
| 50 | HOSP_MR_NIGHTS9 | Num | 8 | 19. | 19. | MRQ16: Ninth hospital stay nights |
| 51 | HOSP_MR_NIGHTS10 | Num | 8 | 19. | 19. | MRQ16: Tenth hospital stay nights |
| 52 | HOSP_MR_NIGHTS11 | Num | 8 | 19. | 19. | MRQ16: Eleventh hospital stay nights |
| 53 | HOSP_MR_NIGHTS12 | Num | 8 | 19. | 19. | MRQ16: Twelfth hospital stay nights |
| 54 | HOSP_MR_NIGHTS13 | Num | 8 | 19. | 19. | MRQ16: Thirteenth hospital stay nights |
| 55 | HOSP_MR_NIGHTS14 | Num | 8 | 19. | 19. | MRQ16: Fourteenth hospital stay nights |
| 56 | HOSP_MR_NIGHTS15 | Num | 8 | 19. | 19. | MRQ16: Fifteenth hospital stay nights |
| 57 | HOSP_MR_NIGHTS16 | Num | 8 | 19. | 19. | MRQ16: Sixteenth hospital stay nights |
| 58 | HOSP_MR_NIGHTS17 | Num | 8 | 19. | 19. | MRQ16: Seventeenth hospital stay nights |
| 59 | HOSP_MR_NIGHTS18 | Num | 8 | 19. | 19. | MRQ16: Eighteenth hospital stay nights |
| 60 | HOSP_MR_REASON1 | Char | 250 | \$250. | \$250. | MRQ16: First hospital stay reason |
| 61 | HOSP_MR_REASON2 | Char | 250 | \$250. | \$250. | MRQ16: Second hospital stay reason |
| 62 | HOSP_MR_REASON3 | Char | 250 | \$250. | \$250. | MRQ16: Third hospital stay reason |
| 63 | HOSP_MR_REASON4 | Char | 250 | \$250. | \$250. | MRQ16: Fourth hospital stay reason |
| 64 | HOSP_MR_REASON5 | Char | 250 | \$250. | \$250. | MRQ16: Fifth hospital stay reason |
| 65 | HOSP_MR_REASON6 | Char | 250 | \$250. | \$250. | MRQ16: Sixth hospital stay reason |
| 66 | HOSP_MR_REASON7 | Char | 250 | \$250. | \$250. | MRQ16: Seventh hospital stay reason |
| 67 | HOSP_MR_REASON8 | Char | 250 | \$250. | \$250. | MRQ16: Eighth hospital stay reason |
| 68 | HOSP_MR_REASON9 | Char | 250 | \$250. | \$250. | MRQ16: Ninth hospital stay reason |
| 69 | HOSP_MR_REASON10 | Char | 250 | \$250. | \$250. | MRQ16: Tenth hospital stay reason |
| 70 | HOSP_MR_REASON11 | Char | 250 | \$250. | \$250. | MRQ16: Eleventh hospital stay reason |
| 71 | HOSP_MR_REASON12 | Char | 250 | \$250. | \$250. | MRQ16: Twelfth hospital stay reason |
| 72 | HOSP_MR_REASON13 | Char | 250 | \$250. | \$250. | MRQ16: Thirteenth hospital stay reason |
| 73 | HOSP_MR_REASON14 | Char | 250 | \$250. | \$250. | MRQ16: Fourteenth hospital stay reason |
| 74 | HOSP_MR_REASON15 | Char | 250 | \$250. | \$250. | MRQ16: Fifteenth hospital stay reason |
| 75 | HOSP_MR_REASON16 | Char | 250 | \$250. | \$250. | MRQ16: Sixteenth hospital stay reason |

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|------------------|------|-----|--------|----------|--|
| 76 | HOSP_MR_REASON17 | Char | 250 | \$250. | \$250. | MRQ16: Seventeenth hospital stay reason |
| 77 | HOSP_MR_REASON18 | Char | 250 | \$250. | \$250. | MRQ16: Eighteenth hospital stay reason |
| 78 | IV_IRON | Num | 8 | | | MRHDQ8: IV iron |
| 79 | IV_IRON_CUM_DOSE | Num | 8 | | | MRHDQ8: Iron cumulative dose |
| 80 | IV_IRON_FREQ | Num | 8 | | | MRHDQ8: No. iron doses/month |
| 81 | LVH_ECHO | Num | 8 | | | MRLQ4b: LFH by echo |
| 82 | LVH_EKG | Num | 8 | | | MRLQ4a: LFH by EKG |
| 83 | OTHVITD | Num | 8 | | | MRHDQ9d: Other Vit D |
| 84 | PARICAL | Num | 8 | | | MRHDQ9b: Paricalcitol |
| 85 | PREWT_1 | Num | 8 | | | MRHDQ2a: Weight predial |
| 86 | PREWT_2 | Num | 8 | | | MRHDQ2a: Weight predial 2nd |
| 87 | PREWT_3 | Num | 8 | | | MRHDQ2a: Weight predial 3rd |
| 88 | PSTWT_1 | Num | 8 | | | MRHDQ2b: Weight pstdial |
| 89 | PSTWT_2 | Num | 8 | | | MRHDQ2b: Weight pstdial 2nd |
| 90 | PSTWT_3 | Num | 8 | | | MRHDQ2b: Weight pstdial 3rd |
| 91 | PT_REUSES | Num | 8 | | | MRHDQ5d: Patient usually reuses dialyzer |
| 92 | SPKTV | Num | 8 | | | MRLQ11: spKt/V |
| 93 | UNDNUR | Num | 8 | | | MRHDQ1: Undernourished |
| 94 | ACCMATUR | Num | 8 | 11. | 11. | MRHDQ5g: Maturing AVG/AVF |
| 95 | BFR | Num | 8 | 11. | 11. | MRHDQ5c: HD blood flow rate |
| 96 | CHOL_HDL | Num | 8 | 11. | 11. | MRLQ13b: HDL cholesterol |
| 97 | CHOL_LDL | Num | 8 | 11. | 11. | MRLQ13c: LDL cholesterol |
| 98 | CHOLEST | Num | 8 | 11. | 11. | MRLQ13a: Total cholesterol |
| 99 | DIALREUS | Num | 8 | | | MRHDQ5e: Dialyzer reuse policy |
| 100 | EPO | Num | 8 | 11. | 11. | MRHDQ6: Taking EPO |
| 101 | EPO_UNIT | Num | 8 | 11. | 11. | MRHDQ6: EPO dose unit |
| 102 | HEMATO | Num | 8 | 20.1 | 20.1 | MRLQ8a: Hematocrit |
| 103 | HEMO_HRS | Num | 8 | 20.2 | 20.2 | MRHDQ5a: Prescribed hours/HD treatment |
| 104 | HEMOGLOB | Num | 8 | 20.1 | 20.1 | MRLQ8b: Hemoglobin |
| 105 | PHOSPH | Num | 8 | 20.1 | 20.1 | MRLQ6: Serum phosphorus predial |
| 106 | PRE_DBP | Num | 8 | 11. | 11. | MRHDQ2a: DBP predial |
| 107 | PRE_DBP2 | Num | 8 | 11. | 11. | MRHDQ2a: DBP predial 2nd |
| 108 | PRE_DBP3 | Num | 8 | 11. | 11. | MRHDQ2a: DBP predial 3rd |
| 109 | PRE_SBP | Num | 8 | 11. | 11. | MRHDQ2a: SBP predial |
| 110 | PRE_SBP2 | Num | 8 | 11. | 11. | MRHDQ2a: SBP predial 2nd |
| 111 | PRE_SBP3 | Num | 8 | 11. | 11. | MRHDQ2a: SBP predial 3rd |
| 112 | PREBUN | Num | 8 | 19. | 19. | MRLQ10a: BUN predial |
| 113 | PST_DBP | Num | 8 | 11. | 11. | MRHDQ2b: DBP pstdial |
| 114 | PST_DBP2 | Num | 8 | 11. | 11. | MRHDQ2b: DBP pstdial 2nd |

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|-----------|------|-----|--------|----------|---|
| 115 | PST_DBP3 | Num | 8 | 11. | 11. | MRHDQ2b: DBP pstdial 3rd |
| 116 | PST_SBP | Num | 8 | 11. | 11. | MRHDQ2b: SBP pstdial |
| 117 | PST_SBP2 | Num | 8 | 11. | 11. | MRHDQ2b: SBP pstdial 2nd |
| 118 | PST_SBP3 | Num | 8 | 11. | 11. | MRHDQ2b: SBP pstdial 3rd |
| 119 | PSTBUN | Num | 8 | 19. | 19. | MRLQ10b: BUN pstdial |
| 120 | SER_25OHD | Num | 8 | 20.1 | 20.1 | MRLQ15: Serum 25(OH)D |
| 121 | SER_ALB | Num | 8 | 20.1 | 20.1 | MRLQ12: Serum albumin |
| 122 | SER_BIC | Num | 8 | 20.1 | 20.1 | MRLQ7: Serum bicarbonate predial |
| 123 | SER_CAL | Num | 8 | 20.1 | 20.1 | MRLQ5: Serum calcium predial |
| 124 | SER_PTH | Num | 8 | 11. | 11. | MRLQ14: Serum intact PTH |
| 125 | SERCRET | Num | 8 | 20.2 | 20.2 | MRLQ9: Serum creatinine |
| 126 | SESSIONS | Num | 8 | 11. | 11. | MRHDQ5b: No of HD sessions/week |
| 127 | SKIPDIAL | Num | 8 | 11. | 11. | MRHDQ5h: HD treatments skipped past 30 days |
| 128 | TRIGLY | Num | 8 | 11. | 11. | MRLQ13d: Triglycerides |
| 129 | XRAY | Num | 8 | 11. | 11. | MRLQ1: Cardiomegaly by x-ray |
| 130 | USRDS_ID | Num | 8 | | | usrds_id |

Data Set Name: medication_12m.sas7bdat

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|-----------|------|-----|--------|----------|-----------|
| 1 | usrds_id | Num | 8 | | | usrds_id |
| 2 | MedName | Char | 250 | \$250. | \$250. | MedName |
| 3 | DrugClass | Char | 250 | \$250. | \$250. | DrugClass |

Data Set Name: medication_24m.sas7bdat

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|-----------|------|-----|--------|----------|-----------|
| 1 | usrds_id | Num | 8 | | | usrds_id |
| 2 | MedName | Char | 250 | \$250. | \$250. | MedName |
| 3 | DrugClass | Char | 250 | \$250. | \$250. | DrugClass |

Data Set Name: medication_base.sas7bdat

| Num | Variable | Type | Len | Format | Informat | Label |
|------------|-----------------|-------------|------------|---------------|-----------------|--------------|
| 1 | usrds_id | Num | 8 | | | usrds_id |
| 2 | MedName | Char | 250 | \$250. | \$250. | MedName |
| 3 | DrugClass | Char | 250 | \$250. | \$250. | DrugClass |

Data Set Name: patientquestionnaire_12m.sas7bdat

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|--------------|------|-----|--------|----------|---|
| 1 | AERO | Num | 8 | | | PtQ12k: Did aerobics |
| 2 | AERO_FR | Num | 8 | | | PtQ12k: Times aerobics in last 2 wks |
| 3 | AERO_HR | Num | 8 | | | PtQ12k: Av hrs aerobics |
| 4 | AERO_MIN | Num | 8 | | | PtQ12k: Av min aerobics |
| 5 | AERO_MO | Num | 8 | | | PtQ12k: Mos/yr aerobics |
| 6 | AFRAID | Num | 8 | | | PtQ22j: Fear getting hurt |
| 7 | ALONE | Num | 8 | 11. | 11. | PtQ3: Living alone |
| 8 | BATHELIM | Num | 8 | | | PtQ11_1: Need help to bathe |
| 9 | BATHE_REASON | Char | 50 | | | PtQ11_1: Reason need help to bathe |
| 10 | BEND | Num | 8 | | | PtQ19_6: Limited bending |
| 11 | BIKE_HR | Num | 8 | | | PtQ12h: Av hrs per biking |
| 12 | BOWL_HR | Num | 8 | | | PtQ12l: Av hrs bowled |
| 13 | CESD_1 | Num | 8 | 11. | 11. | PtQ21_1: Bothered |
| 14 | CESD_2 | Num | 8 | 11. | 11. | PtQ21_2: Poor appetite |
| 15 | CESD_3 | Num | 8 | 11. | 11. | PtQ21_3: Blues |
| 16 | CESD_4 | Num | 8 | 11. | 11. | PtQ21_4: As good as others |
| 17 | CESD_5 | Num | 8 | 11. | 11. | PtQ21_5: Trouble keeping mind on things |
| 18 | CESD_6 | Num | 8 | 11. | 11. | PtQ21_6: Felt depressed |
| 19 | CESD_7 | Num | 8 | 11. | 11. | PtQ21_7: Everything an effort |
| 20 | CESD_8 | Num | 8 | 11. | 11. | PtQ21_8: Hopeful |
| 21 | CESD_9 | Num | 8 | 11. | 11. | PtQ21_9: Life a failure |
| 22 | CESD_10 | Num | 8 | 11. | 11. | PtQ21_10: Fearful |
| 23 | CESD_11 | Num | 8 | 11. | 11. | PtQ21_11: Sleep restless |
| 24 | CESD_12 | Num | 8 | 11. | 11. | PtQ21_12: Happy |
| 25 | CESD_13 | Num | 8 | 11. | 11. | PtQ21_13: Talked less |
| 26 | CESD_14 | Num | 8 | 11. | 11. | PtQ21_14: Lonely |
| 27 | CESD_15 | Num | 8 | 11. | 11. | PtQ21_15: People unfriendly |
| 28 | CESD_16 | Num | 8 | 11. | 11. | PtQ21_16: Enjoyed life |
| 29 | CESD_17 | Num | 8 | 11. | 11. | PtQ21_17: Crying spells |
| 30 | CESD_18 | Num | 8 | 11. | 11. | PtQ21_18: Sad |
| 31 | CESD_19 | Num | 8 | 11. | 11. | PtQ21_19: Felt disliked |
| 32 | CESD_20 | Num | 8 | 11. | 11. | PtQ21_20: Could not get going |
| 33 | CHAIRLIM | Num | 8 | | | PtQ11_3: Need help in/out of chair |
| 34 | CHAIR_REASON | Char | 50 | | | PtQ11_3: Reason need help in/out of chair |
| 35 | CHOR | Num | 8 | | | PtQ12b: Did moderate chores |
| 36 | CHOR_FR | Num | 8 | | | PtQ12b: Times chores last 2 wks |

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|----------------|------|-----|--------|----------|---|
| 37 | CHOR_HR | Num | 8 | | | PtQ12b: Av hrs per chore session |
| 38 | CHOR_MIN | Num | 8 | | | PtQ12b: Av min per chore session |
| 39 | CHOR_MO | Num | 8 | | | PtQ12b: Mos/yr chores |
| 40 | CLIMBMLT | Num | 8 | | | PtQ19_4: Limited climbing several flts stairs |
| 41 | CR | Num | 8 | | | PtQ7c: Cardiac rehab in past 12 mos |
| 42 | CARE | Num | 8 | 11. | 11. | PtQ4: Living in care facility |
| 43 | DANC | Num | 8 | | | PtQ12j: Danced |
| 44 | DANC_FR | Num | 8 | | | PtQ12j: Times danced in last 2 wks |
| 45 | DANC_HR | Num | 8 | | | PtQ12j: Av hrs when danced |
| 46 | DANC_MIN | Num | 8 | | | PtQ12j: Av min when danced |
| 47 | DANC_MO | Num | 8 | | | PtQ12j: Mos/yr dancing |
| 48 | DOCTORNO | Num | 8 | | | PtQ22l: Doctor against it |
| 49 | DRESSLIM | Num | 8 | | | PtQ11_2: Need help to dress |
| 50 | DRESS_REASON | Char | 50 | | | PtQ11_2: Reason need help to dress |
| 51 | DTENNIS | Num | 8 | | | PtQ12q: Doubles tennis |
| 52 | DTENNIS_FR | Num | 8 | | | PtQ12q: Times doubles in last 2 wks |
| 53 | DTENNIS_HR | Num | 8 | | | PtQ12q: Av hrs doubles |
| 54 | DTENNIS_MIN | Num | 8 | | | PtQ12q: Av min doubles |
| 55 | DTENNIS_MO | Num | 8 | | | PtQ12q: Mos/yr doubles |
| 56 | ENERGY | Num | 8 | 11. | 11. | PtQ20_2: Lot of energy |
| 57 | EXCY | Num | 8 | | | PtQ12i: Cycled |
| 58 | EXCY_FR | Num | 8 | | | PtQ12i: Times cycled in last 2 wks |
| 59 | EXCY_HR | Num | 8 | | | PtQ12i: Av hrs per cycling |
| 60 | EXCY_MIN | Num | 8 | | | PtQ12i: Av min per cycling |
| 61 | EXCY_MO | Num | 8 | | | PtQ12i: Mos/yr cycling |
| 62 | EXER_HR | Num | 8 | | | PtQ12o: Av hrs calisthenics |
| 63 | FALL_N | Num | 8 | | | PtQ8: Number falls past yr |
| 64 | FAMILYNO | Num | 8 | | | PtQ22k: Family against it |
| 65 | FRACTURE_TYPE | Char | 150 | | | PtQ9: Type of fracture |
| 66 | FREQRLS | Num | 8 | | | PtQ17c: Frequency of crawly feelings |
| 67 | GARDN | Num | 8 | | | PtQ12e: Gardened |
| 68 | GARDN_FR | Num | 8 | | | PtQ12e: Times gardened in last 2 wks |
| 69 | GARDN_HR | Num | 8 | | | PtQ12e: Av hrs per gardening |
| 70 | GARDN_MIN | Num | 8 | | | PtQ12e: Av min per gardening |
| 71 | GARDN_MO | Num | 8 | | | PtQ12e: Mos/yr gardening |
| 72 | GOLF_HR | Num | 8 | | | PtQ12m: Av hrs golfed |
| 73 | HIKE_HR | Num | 8 | | | PtQ12f: Av hrs per hike |
| 74 | HOSP_PAT | Num | 8 | | | PtQ10: Hospitalized in past 12 mos |
| 75 | HOSP_PAT_DATE1 | Char | 7 | \$7. | \$7. | PtQ10: First hospital stay date |

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|-------------------|------|-----|--------|----------|-------------------------------------|
| 76 | HOSP_PAT_DATE2 | Char | 7 | \$7. | \$7. | PtQ10: Second hospital stay date |
| 77 | HOSP_PAT_DATE3 | Char | 7 | \$7. | \$7. | PtQ10: Third hospital stay date |
| 78 | HOSP_PAT_DATE4 | Char | 50 | \$50. | \$50. | PtQ10: Fourth hospital stay date |
| 79 | HOSP_PAT_DATE5 | Char | 50 | \$50. | \$50. | PtQ10: Fifth hospital stay date |
| 80 | HOSP_PAT_DATE6 | Char | 50 | \$50. | \$50. | PtQ10: Sixth hospital stay date |
| 81 | HOSP_PAT_DATE7 | Char | 50 | \$50. | \$50. | PtQ10: Seventh hospital stay date |
| 82 | HOSP_PAT_DATE8 | Char | 50 | \$50. | \$50. | PtQ10: Eighth hospital stay date |
| 83 | HOSP_PAT_DATE9 | Char | 50 | \$50. | \$50. | PtQ10: Ninth hospital stay date |
| 84 | HOSP_PAT_DATE10 | Char | 50 | \$50. | \$50. | PtQ10: Tenth hospital stay date |
| 85 | HOSP_PAT_NIGHTS1 | Num | 8 | 19. | 19. | PtQ10: First hospital stay nights |
| 86 | HOSP_PAT_NIGHTS2 | Num | 8 | 19. | 19. | PtQ10: Second hospital stay nights |
| 87 | HOSP_PAT_NIGHTS3 | Num | 8 | 19. | 19. | PtQ10: Third hospital stay nights |
| 88 | HOSP_PAT_NIGHTS4 | Num | 8 | 19. | 19. | PtQ10: Fourth hospital stay nights |
| 89 | HOSP_PAT_NIGHTS5 | Num | 8 | 19. | 19. | PtQ10: Fifth hospital stay nights |
| 90 | HOSP_PAT_NIGHTS6 | Num | 8 | 19. | 19. | PtQ10: Sixth hospital stay nights |
| 91 | HOSP_PAT_NIGHTS7 | Num | 8 | 19. | 19. | PtQ10: Seventh hospital stay nights |
| 92 | HOSP_PAT_NIGHTS8 | Num | 8 | 19. | 19. | PtQ10: Eighth hospital stay nights |
| 93 | HOSP_PAT_NIGHTS9 | Num | 8 | 19. | 19. | PtQ10: Ninth hospital stay nights |
| 94 | HOSP_PAT_NIGHTS10 | Num | 8 | 19. | 19. | PtQ10: Tenth hospital stay nights |
| 95 | HOSP_PAT_REASON1 | Char | 250 | \$250. | \$250. | PtQ10: First hospital stay reason |
| 96 | HOSP_PAT_REASON2 | Char | 250 | \$250. | \$250. | PtQ10: Second hospital stay reason |
| 97 | HOSP_PAT_REASON3 | Char | 250 | \$250. | \$250. | PtQ10: Third hospital stay reason |
| 98 | HOSP_PAT_REASON4 | Char | 250 | \$250. | \$250. | PtQ10: Fourth hospital stay reason |
| 99 | HOSP_PAT_REASON5 | Char | 250 | \$250. | \$250. | PtQ10: Fifth hospital stay reason |
| 100 | HOSP_PAT_REASON6 | Char | 250 | \$250. | \$250. | PtQ10: Sixth hospital stay reason |
| 101 | HOSP_PAT_REASON7 | Char | 250 | \$250. | \$250. | PtQ10: Seventh hospital stay reason |
| 102 | HOSP_PAT_REASON8 | Char | 250 | \$250. | \$250. | PtQ10: Eighth hospital stay reason |
| 103 | HOSP_PAT_REASON9 | Char | 250 | \$250. | \$250. | PtQ10: Ninth hospital stay reason |
| 104 | HOSP_PAT_REASON10 | Char | 250 | \$250. | \$250. | PtQ10: Tenth hospital stay reason |
| 105 | HIKE | Num | 8 | 11. | 11. | PtQ12f: Hiked |
| 106 | HIKE_FR | Num | 8 | 11. | 11. | PtQ12f: Times hiked in last 2 wks |
| 107 | HIKE_MIN | Num | 8 | 11. | 11. | PtQ12f: Av min per hike |
| 108 | HIKE_MO | Num | 8 | 11. | 11. | PtQ12f: Mos/yr hiking |
| 109 | JOG_HR | Num | 8 | | | PtQ12g: Av hrs per jog |
| 110 | LOST10LB | Num | 8 | | | PtQ1: Lost > 10 lb past 12 mos |
| 111 | MOVING_HR | Num | 8 | 20.1 | 20.1 | PtQ6a: Hours active non-dial day |
| 112 | MOVING_MIN | Num | 8 | 11. | 11. | PtQ6a: Minutes active non-dial day |
| 113 | MOW_HR | Num | 8 | | | PtQ12c: Av hrs per mowing session |
| 114 | NOINFO | Num | 8 | | | PtQ22g: Do not know what to do |

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|-------------|------|-----|--------|----------|---|
| 115 | NOMOTIV | Num | 8 | | | PtQ22e: Not motivated |
| 116 | NOPLACE | Num | 8 | | | PtQ22f: No place or equipment |
| 117 | NOTGOOD | Num | 8 | | | PtQ22h: Do not think good for me |
| 118 | NOTIME | Num | 8 | | | PtQ22d: Do not have time |
| 119 | OT | Num | 8 | | | PtQ7b: OT in past 12 mos |
| 120 | OT_REASON | Char | 150 | | | PtQ7b: OT reason |
| 121 | PEP | Num | 8 | | | PtQ20_1: Full of life |
| 122 | PT | Num | 8 | | | PtQ7a: PT in past 12 mos |
| 123 | PT_REASON | Char | 150 | | | PtQ7a: PT reason |
| 124 | RAKE_HR | Num | 8 | | | PtQ12d: Av hrs per raking session |
| 125 | RBALL | Num | 8 | | | PtQ12r: Racquetball |
| 126 | RBALL_FR | Num | 8 | | | PtQ12r: Times rball in last 2 wks |
| 127 | RBALL_HR | Num | 8 | | | PtQ12r: Av hrs rball |
| 128 | RBALL_MIN | Num | 8 | | | PtQ12r: Av min rball |
| 129 | RBALL_MO | Num | 8 | | | PtQ12r: Mos/yr rball |
| 130 | SAD | Num | 8 | | | PtQ22c: Felt sad |
| 131 | SEVERERLS | Num | 8 | | | PtQ17d: Severity crawly feelings last month |
| 132 | STENNIS | Num | 8 | | | PtQ12p: Singles tennis |
| 133 | STENNIS_FR | Num | 8 | | | PtQ12p: Times singles in last 2 wks |
| 134 | STENNIS_HR | Num | 8 | | | PtQ12p: Av hrs singles |
| 135 | STENNIS_MIN | Num | 8 | | | PtQ12p: Av min singles |
| 136 | STENNIS_MO | Num | 8 | | | PtQ12p: Mos/yr singles |
| 137 | SWIM | Num | 8 | 11. | 11. | PtQ12n: Swam |
| 138 | SWIM_HR | Num | 8 | | | PtQ12n: Av hrs swam |
| 139 | SWIM_FR | Num | 8 | 11. | 11. | PtQ12n: Times swam in last 2 wks |
| 140 | SWIM_MIN | Num | 8 | 11. | 11. | PtQ12n: Av min swam |
| 141 | SWIM_MO | Num | 8 | 11. | 11. | PtQ12n: Mos/yr swam |
| 142 | SLEEP | Num | 8 | 20.1 | 20.1 | PtQ13: Usual hrs nocturnal sleep |
| 143 | SMOKE | Num | 8 | 11. | 11. | PtQ2: Current cigarette consumption |
| 144 | TIRED | Num | 8 | 11. | 11. | PtQ20_4: Feel tired |
| 145 | TOOPAIN | Num | 8 | | | PtQ22i: Too much pain |
| 146 | TOOSICK | Num | 8 | | | PtQ22 a: Felt too sick |
| 147 | TOOTIRED | Num | 8 | | | PtQ22b: Felt too tired |
| 148 | WAKEUP | Num | 8 | | | PtQ15: Trouble waking up |
| 149 | WALKBLK | Num | 8 | | | PtQ19_9: Limited walking 100 yds |
| 150 | WALKLIM | Num | 8 | | | PtQ11_4: Need help to walk inside |
| 151 | WALKSEV | Num | 8 | | | PtQ19_8: Limited walking > 100 yds |
| 152 | WALK_HR | Num | 8 | | | PtQ12a: Av hrs per walk |
| 153 | WALK_REASON | Char | 50 | | | PtQ11_4: Reason need help walking inside |

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|----------|------|-----|--------|----------|--|
| 154 | WORNOUT | Num | 8 | 11. | 11. | PtQ20_3: Worn out |
| 155 | WRKNOW | Num | 8 | | | PtQ5a: Able to work |
| 156 | BATHING | Num | 8 | 11. | 11. | PtQ19_10: Limited bathing self |
| 157 | BIKE | Num | 8 | 11. | 11. | PtQ12h: Biked |
| 158 | BIKE_FR | Num | 8 | 11. | 11. | PtQ12h: Times biked in last 2 wks |
| 159 | BIKE_MIN | Num | 8 | 11. | 11. | PtQ12h: Av min per biking |
| 160 | BIKE_MO | Num | 8 | 11. | 11. | PtQ12h: Mos/yr biking |
| 161 | BOWL | Num | 8 | 11. | 11. | PtQ12l: Bowled |
| 162 | BOWL_FR | Num | 8 | 11. | 11. | PtQ12l: Times bowled in last 2 wks |
| 163 | BOWL_MIN | Num | 8 | 11. | 11. | PtQ12l: Av min bowled |
| 164 | BOWL_MO | Num | 8 | 11. | 11. | PtQ12l: Mos/yr bowled |
| 165 | CLIMBONE | Num | 8 | 11. | 11. | PtQ19_5: Limited climbing 1 flt stairs |
| 166 | CONFUSE | Num | 8 | 11. | 11. | PtQ18_3: Became confused past 4 wks |
| 167 | DIFFCON | Num | 8 | 11. | 11. | PtQ18_2: Difficulty concentrating past 4 wks |
| 168 | EMPLST | Num | 8 | 11. | 11. | PtQ5b: Now working |
| 169 | EXER | Num | 8 | 11. | 11. | PtQ12o: Calisthenics |
| 170 | EXER_FR | Num | 8 | 11. | 11. | PtQ12o: Times calisthenics in last 2 wks |
| 171 | EXER_MIN | Num | 8 | 11. | 11. | PtQ12o: Av min calisthenics |
| 172 | EXER_MO | Num | 8 | 11. | 11. | PtQ12o: Mos/yr calisthenics |
| 173 | FALL | Num | 8 | 11. | 11. | PtQ8: Fall in past 12 mos |
| 174 | FALSLEEP | Num | 8 | 11. | 11. | PtQ14: Trouble falling asleep |
| 175 | FRACTURE | Num | 8 | 11. | 11. | PtQ9: Fracture in past 12 mos |
| 176 | GOLF | Num | 8 | 11. | 11. | PtQ12m: Golfed |
| 177 | GOLF_FR | Num | 8 | 11. | 11. | PtQ12m: Times golfed in last 2 wks |
| 178 | GOLF_MIN | Num | 8 | 11. | 11. | PtQ12m: Av min golfed |
| 179 | GOLF_MO | Num | 8 | 11. | 11. | PtQ12m: Mos/yr golfed |
| 180 | JOG | Num | 8 | 11. | 11. | PtQ12g: Jogged |
| 181 | JOG_FR | Num | 8 | 11. | 11. | PtQ12g: Times jogged in last 2 wks |
| 182 | JOG_MIN | Num | 8 | 11. | 11. | PtQ12g: Av min per jog |
| 183 | JOG_MO | Num | 8 | 11. | 11. | PtQ12g: Mos/yr jogging |
| 184 | LIFT | Num | 8 | 11. | 11. | PtQ19_3: Limited in lifting |
| 185 | MODACT | Num | 8 | 11. | 11. | PtQ19_2: Limited in moderate activities |
| 186 | MOVE | Num | 8 | 11. | 11. | PtQ17a: Crawly feelings better when move |
| 187 | MOVING | Num | 8 | 11. | 11. | PtQ6: Activity non-dial day |
| 188 | MOW | Num | 8 | 11. | 11. | PtQ12c: Mowed lawn |
| 189 | MOW_FR | Num | 8 | 11. | 11. | PtQ12c: Times mowed last 2 wks |
| 190 | MOW_MIN | Num | 8 | 11. | 11. | PtQ12c: Av min per mowing session |
| 191 | MOW_MO | Num | 8 | 11. | 11. | PtQ12c: Mos/yr mowing |
| 192 | RAKE | Num | 8 | 11. | 11. | PtQ12d: Raked lawn |

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|-------------------|------|-----|--------|----------|--|
| 193 | RAKE_FR | Num | 8 | 11. | 11. | PtQ12d: Times raked last 2 wks |
| 194 | RAKE_MIN | Num | 8 | 11. | 11. | PtQ12d: Av min per raking session |
| 195 | RAKE_MO | Num | 8 | 11. | 11. | PtQ12d: Mos/yr raking |
| 196 | RCTSLOW | Num | 8 | 11. | 11. | PtQ18_1: React slowly past 4 wks |
| 197 | RESLEGS | Num | 8 | 11. | 11. | PtQ17: Creepy crawly feelings in legs |
| 198 | RETSLEEP | Num | 8 | 11. | 11. | PtQ16: Trouble waking too early |
| 199 | VIGACT | Num | 8 | 11. | 11. | PtQ19_1: Limited in vigorous activities |
| 200 | WALK | Num | 8 | 11. | 11. | PtQ12a: Walked for exercise |
| 201 | WALK_FR | Num | 8 | 11. | 11. | PtQ12a: Times walked last 2 wks |
| 202 | WALK_MIN | Num | 8 | 11. | 11. | PtQ12a: Av min per walk |
| 203 | WALK_MO | Num | 8 | 11. | 11. | PtQ12a: Mos/yr walked |
| 204 | WALKMLT | Num | 8 | 11. | 11. | PtQ19_7: Limited walking > 1 mile |
| 205 | WORSEPM | Num | 8 | 11. | 11. | PtQ17b: Crawly feelings worse at night |
| 206 | PTQX_NOTCOLLECTED | Char | 50 | | | PtQ: Reason PtQx not collected |
| 207 | USRDS_ID | Num | 8 | | | usrds_id |
| 208 | COGFUN | Num | 8 | | | KDQOL-36 cognitive function score from PtQ18 |
| 209 | VT | Num | 8 | | | KDQOL-36 vitality score from PtQ20 |
| 210 | PF | Num | 8 | | | KDQOL-36 physical function score from PtQ19 |
| 211 | CESD_SCORE | Num | 8 | | | CES-D score from PtQ21 |
| 212 | PTQX_DATE | Num | 8 | | | Date patient questionnaire collected |

Data Set Name: patientquestionnaire_24m.sas7bdat

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|--------------|------|-----|--------|----------|---|
| 1 | AERO | Num | 8 | | | PtQ12k: Did aerobics |
| 2 | AERO_FR | Num | 8 | | | PtQ12k: Times aerobics in last 2 wks |
| 3 | AERO_HR | Num | 8 | | | PtQ12k: Av hrs aerobics |
| 4 | AERO_MIN | Num | 8 | | | PtQ12k: Av min aerobics |
| 5 | AERO_MO | Num | 8 | | | PtQ12k: Mos/yr aerobics |
| 6 | AFRAID | Num | 8 | | | PtQ22j: Fear getting hurt |
| 7 | ALONE | Num | 8 | 11. | 11. | PtQ3: Living alone |
| 8 | BATHELIM | Num | 8 | | | PtQ11_1: Need help to bathe |
| 9 | BATHE_REASON | Char | 50 | | | PtQ11_1: Reason need help to bathe |
| 10 | BEND | Num | 8 | | | PtQ19_6: Limited bending |
| 11 | BIKE_HR | Num | 8 | | | PtQ12h: Av hrs per biking |
| 12 | BOWL_HR | Num | 8 | | | PtQ12l: Av hrs bowled |
| 13 | CESD_1 | Num | 8 | 11. | 11. | PtQ21_1: Bothered |
| 14 | CESD_2 | Num | 8 | 11. | 11. | PtQ21_2: Poor appetite |
| 15 | CESD_3 | Num | 8 | 11. | 11. | PtQ21_3: Blues |
| 16 | CESD_4 | Num | 8 | 11. | 11. | PtQ21_4: As good as others |
| 17 | CESD_5 | Num | 8 | 11. | 11. | PtQ21_5: Trouble keeping mind on things |
| 18 | CESD_6 | Num | 8 | 11. | 11. | PtQ21_6: Felt depressed |
| 19 | CESD_7 | Num | 8 | 11. | 11. | PtQ21_7: Everything an effort |
| 20 | CESD_8 | Num | 8 | 11. | 11. | PtQ21_8: Hopeful |
| 21 | CESD_9 | Num | 8 | 11. | 11. | PtQ21_9: Life a failure |
| 22 | CESD_10 | Num | 8 | 11. | 11. | PtQ21_10: Fearful |
| 23 | CESD_11 | Num | 8 | 11. | 11. | PtQ21_11: Sleep restless |
| 24 | CESD_12 | Num | 8 | 11. | 11. | PtQ21_12: Happy |
| 25 | CESD_13 | Num | 8 | 11. | 11. | PtQ21_13: Talked less |
| 26 | CESD_14 | Num | 8 | 11. | 11. | PtQ21_14: Lonely |
| 27 | CESD_15 | Num | 8 | 11. | 11. | PtQ21_15: People unfriendly |
| 28 | CESD_16 | Num | 8 | 11. | 11. | PtQ21_16: Enjoyed life |
| 29 | CESD_17 | Num | 8 | 11. | 11. | PtQ21_17: Crying spells |
| 30 | CESD_18 | Num | 8 | 11. | 11. | PtQ21_18: Sad |
| 31 | CESD_19 | Num | 8 | 11. | 11. | PtQ21_19: Felt disliked |
| 32 | CESD_20 | Num | 8 | 11. | 11. | PtQ21_20: Could not get going |
| 33 | CHAIRLIM | Num | 8 | | | PtQ11_3: Need help in/out of chair |
| 34 | CHAIR_REASON | Char | 50 | | | PtQ11_3: Reason need help in/out of chair |
| 35 | CHOR | Num | 8 | | | PtQ12b: Did moderate chores |
| 36 | CHOR_FR | Num | 8 | | | PtQ12b: Times chores last 2 wks |

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|----------------|------|-----|--------|----------|---|
| 37 | CHOR_HR | Num | 8 | | | PtQ12b: Av hrs per chore session |
| 38 | CHOR_MIN | Num | 8 | | | PtQ12b: Av min per chore session |
| 39 | CHOR_MO | Num | 8 | | | PtQ12b: Mos/yr chores |
| 40 | CLIMBMLT | Num | 8 | | | PtQ19_4: Limited climbing several flts stairs |
| 41 | CR | Num | 8 | | | PtQ7c: Cardiac rehab in past 12 mos |
| 42 | CARE | Num | 8 | 11. | 11. | PtQ4: Living in care facility |
| 43 | DANC | Num | 8 | | | PtQ12j: Danced |
| 44 | DANC_FR | Num | 8 | | | PtQ12j: Times danced in last 2 wks |
| 45 | DANC_HR | Num | 8 | | | PtQ12j: Av hrs when danced |
| 46 | DANC_MIN | Num | 8 | | | PtQ12j: Av min when danced |
| 47 | DANC_MO | Num | 8 | | | PtQ12j: Mos/yr dancing |
| 48 | DOCTORNO | Num | 8 | | | PtQ22l: Doctor against it |
| 49 | DRESSLIM | Num | 8 | | | PtQ11_2: Need help to dress |
| 50 | DRESS_REASON | Char | 50 | | | PtQ11_2: Reason need help to dress |
| 51 | DTENNIS | Num | 8 | | | PtQ12q: Doubles tennis |
| 52 | DTENNIS_FR | Num | 8 | | | PtQ12q: Times doubles in last 2 wks |
| 53 | DTENNIS_HR | Num | 8 | | | PtQ12q: Av hrs doubles |
| 54 | DTENNIS_MIN | Num | 8 | | | PtQ12q: Av min doubles |
| 55 | DTENNIS_MO | Num | 8 | | | PtQ12q: Mos/yr doubles |
| 56 | ENERGY | Num | 8 | 11. | 11. | PtQ20_2: Lot of energy |
| 57 | EXCY | Num | 8 | | | PtQ12i: Cycled |
| 58 | EXCY_FR | Num | 8 | | | PtQ12i: Times cycled in last 2 wks |
| 59 | EXCY_HR | Num | 8 | | | PtQ12i: Av hrs per cycling |
| 60 | EXCY_MIN | Num | 8 | | | PtQ12i: Av min per cycling |
| 61 | EXCY_MO | Num | 8 | | | PtQ12i: Mos/yr cycling |
| 62 | EXER_HR | Num | 8 | | | PtQ12o: Av hrs calisthenics |
| 63 | FALL_N | Num | 8 | | | PtQ8: Number falls past yr |
| 64 | FAMILYNO | Num | 8 | | | PtQ22k: Family against it |
| 65 | FRACTURE_TYPE | Char | 150 | | | PtQ9: Type of fracture |
| 66 | FREQRLS | Num | 8 | | | PtQ17c: Frequency of crawly feelings |
| 67 | GARDN | Num | 8 | | | PtQ12e: Gardened |
| 68 | GARDN_FR | Num | 8 | | | PtQ12e: Times gardened in last 2 wks |
| 69 | GARDN_HR | Num | 8 | | | PtQ12e: Av hrs per gardening |
| 70 | GARDN_MIN | Num | 8 | | | PtQ12e: Av min per gardening |
| 71 | GARDN_MO | Num | 8 | | | PtQ12e: Mos/yr gardening |
| 72 | GOLF_HR | Num | 8 | | | PtQ12m: Av hrs golfed |
| 73 | HIKE_HR | Num | 8 | | | PtQ12f: Av hrs per hike |
| 74 | HOSP_PAT | Num | 8 | | | PtQ10: Hospitalized in past 12 mos |
| 75 | HOSP_PAT_DATE1 | Char | 7 | \$7. | \$7. | PtQ10: First hospital stay date |

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|-------------------|------|-----|--------|----------|-------------------------------------|
| 76 | HOSP_PAT_DATE2 | Char | 7 | \$7. | \$7. | PtQ10: Second hospital stay date |
| 77 | HOSP_PAT_DATE3 | Char | 7 | \$7. | \$7. | PtQ10: Third hospital stay date |
| 78 | HOSP_PAT_DATE4 | Char | 50 | \$50. | \$50. | PtQ10: Fourth hospital stay date |
| 79 | HOSP_PAT_DATE5 | Char | 50 | \$50. | \$50. | PtQ10: Fifth hospital stay date |
| 80 | HOSP_PAT_DATE6 | Char | 50 | \$50. | \$50. | PtQ10: Sixth hospital stay date |
| 81 | HOSP_PAT_DATE7 | Char | 50 | \$50. | \$50. | PtQ10: Seventh hospital stay date |
| 82 | HOSP_PAT_DATE8 | Char | 50 | \$50. | \$50. | PtQ10: Eighth hospital stay date |
| 83 | HOSP_PAT_DATE9 | Char | 50 | \$50. | \$50. | PtQ10: Ninth hospital stay date |
| 84 | HOSP_PAT_DATE10 | Char | 50 | \$50. | \$50. | PtQ10: Tenth hospital stay date |
| 85 | HOSP_PAT_NIGHTS1 | Num | 8 | 19. | 19. | PtQ10: First hospital stay nights |
| 86 | HOSP_PAT_NIGHTS2 | Num | 8 | 19. | 19. | PtQ10: Second hospital stay nights |
| 87 | HOSP_PAT_NIGHTS3 | Num | 8 | 19. | 19. | PtQ10: Third hospital stay nights |
| 88 | HOSP_PAT_NIGHTS4 | Num | 8 | 19. | 19. | PtQ10: Fourth hospital stay nights |
| 89 | HOSP_PAT_NIGHTS5 | Num | 8 | 19. | 19. | PtQ10: Fifth hospital stay nights |
| 90 | HOSP_PAT_NIGHTS6 | Num | 8 | 19. | 19. | PtQ10: Sixth hospital stay nights |
| 91 | HOSP_PAT_NIGHTS7 | Num | 8 | 19. | 19. | PtQ10: Seventh hospital stay nights |
| 92 | HOSP_PAT_NIGHTS8 | Num | 8 | 19. | 19. | PtQ10: Eighth hospital stay nights |
| 93 | HOSP_PAT_NIGHTS9 | Num | 8 | 19. | 19. | PtQ10: Ninth hospital stay nights |
| 94 | HOSP_PAT_NIGHTS10 | Num | 8 | 19. | 19. | PtQ10: Tenth hospital stay nights |
| 95 | HOSP_PAT_REASON1 | Char | 250 | \$250. | \$250. | PtQ10: First hospital stay reason |
| 96 | HOSP_PAT_REASON2 | Char | 250 | \$250. | \$250. | PtQ10: Second hospital stay reason |
| 97 | HOSP_PAT_REASON3 | Char | 250 | \$250. | \$250. | PtQ10: Third hospital stay reason |
| 98 | HOSP_PAT_REASON4 | Char | 250 | \$250. | \$250. | PtQ10: Fourth hospital stay reason |
| 99 | HOSP_PAT_REASON5 | Char | 250 | \$250. | \$250. | PtQ10: Fifth hospital stay reason |
| 100 | HOSP_PAT_REASON6 | Char | 250 | \$250. | \$250. | PtQ10: Sixth hospital stay reason |
| 101 | HOSP_PAT_REASON7 | Char | 250 | \$250. | \$250. | PtQ10: Seventh hospital stay reason |
| 102 | HOSP_PAT_REASON8 | Char | 250 | \$250. | \$250. | PtQ10: Eighth hospital stay reason |
| 103 | HOSP_PAT_REASON9 | Char | 250 | \$250. | \$250. | PtQ10: Ninth hospital stay reason |
| 104 | HOSP_PAT_REASON10 | Char | 250 | \$250. | \$250. | PtQ10: Tenth hospital stay reason |
| 105 | HIKE | Num | 8 | 11. | 11. | PtQ12f: Hiked |
| 106 | HIKE_FR | Num | 8 | 11. | 11. | PtQ12f: Times hiked in last 2 wks |
| 107 | HIKE_MIN | Num | 8 | 11. | 11. | PtQ12f: Av min per hike |
| 108 | HIKE_MO | Num | 8 | 11. | 11. | PtQ12f: Mos/yr hiking |
| 109 | JOG_HR | Num | 8 | | | PtQ12g: Av hrs per jog |
| 110 | LOST10LB | Num | 8 | | | PtQ1: Lost > 10 lb past 12 mos |
| 111 | MOVING_HR | Num | 8 | 20.1 | 20.1 | PtQ6a: Hours active non-dial day |
| 112 | MOVING_MIN | Num | 8 | 11. | 11. | PtQ6a: Minutes active non-dial day |
| 113 | MOW_HR | Num | 8 | | | PtQ12c: Av hrs per mowing session |
| 114 | NOINFO | Num | 8 | | | PtQ22g: Do not know what to do |

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|-------------|------|-----|--------|----------|---|
| 115 | NOMOTIV | Num | 8 | | | PtQ22e: Not motivated |
| 116 | NOPLACE | Num | 8 | | | PtQ22f: No place or equipment |
| 117 | NOTGOOD | Num | 8 | | | PtQ22h: Do not think good for me |
| 118 | NOTIME | Num | 8 | | | PtQ22d: Do not have time |
| 119 | OT | Num | 8 | | | PtQ7b: OT in past 12 mos |
| 120 | OT_REASON | Char | 150 | | | PtQ7b: OT reason |
| 121 | PEP | Num | 8 | | | PtQ20_1: Full of life |
| 122 | PT | Num | 8 | | | PtQ7a: PT in past 12 mos |
| 123 | PT_REASON | Char | 150 | | | PtQ7a: PT reason |
| 124 | RAKE_HR | Num | 8 | | | PtQ12d: Av hrs per raking session |
| 125 | RBALL | Num | 8 | | | PtQ12r: Racquetball |
| 126 | RBALL_FR | Num | 8 | | | PtQ12r: Times rball in last 2 wks |
| 127 | RBALL_HR | Num | 8 | | | PtQ12r: Av hrs rball |
| 128 | RBALL_MIN | Num | 8 | | | PtQ12r: Av min rball |
| 129 | RBALL_MO | Num | 8 | | | PtQ12r: Mos/yr rball |
| 130 | SAD | Num | 8 | | | PtQ22c: Felt sad |
| 131 | SEVERERLS | Num | 8 | | | PtQ17d: Severity crawly feelings last month |
| 132 | STENNIS | Num | 8 | | | PtQ12p: Singles tennis |
| 133 | STENNIS_FR | Num | 8 | | | PtQ12p: Times singles in last 2 wks |
| 134 | STENNIS_HR | Num | 8 | | | PtQ12p: Av hrs singles |
| 135 | STENNIS_MIN | Num | 8 | | | PtQ12p: Av min singles |
| 136 | STENNIS_MO | Num | 8 | | | PtQ12p: Mos/yr singles |
| 137 | SWIM | Num | 8 | 11. | 11. | PtQ12n: Swam |
| 138 | SWIM_HR | Num | 8 | | | PtQ12n: Av hrs swam |
| 139 | SWIM_FR | Num | 8 | 11. | 11. | PtQ12n: Times swam in last 2 wks |
| 140 | SWIM_MIN | Num | 8 | 11. | 11. | PtQ12n: Av min swam |
| 141 | SWIM_MO | Num | 8 | 11. | 11. | PtQ12n: Mos/yr swam |
| 142 | SLEEP | Num | 8 | 20.1 | 20.1 | PtQ13: Usual hrs nocturnal sleep |
| 143 | SMOKE | Num | 8 | 11. | 11. | PtQ2: Current cigarette consumption |
| 144 | TIRED | Num | 8 | 11. | 11. | PtQ20_4: Feel tired |
| 145 | TOOPAIN | Num | 8 | | | PtQ22i: Too much pain |
| 146 | TOOSICK | Num | 8 | | | PtQ22 a: Felt too sick |
| 147 | TOOTIRED | Num | 8 | | | PtQ22b: Felt too tired |
| 148 | WAKEUP | Num | 8 | | | PtQ15: Trouble waking up |
| 149 | WALKBLK | Num | 8 | | | PtQ19_9: Limited walking 100 yds |
| 150 | WALKLIM | Num | 8 | | | PtQ11_4: Need help to walk inside |
| 151 | WALKSEV | Num | 8 | | | PtQ19_8: Limited walking > 100 yds |
| 152 | WALK_HR | Num | 8 | | | PtQ12a: Av hrs per walk |
| 153 | WALK_REASON | Char | 50 | | | PtQ11_4: Reason need help walking inside |

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|----------|------|-----|--------|----------|--|
| 154 | WORNOUT | Num | 8 | 11. | 11. | PtQ20_3: Worn out |
| 155 | WRKNOW | Num | 8 | | | PtQ5a: Able to work |
| 156 | BATHING | Num | 8 | 11. | 11. | PtQ19_10: Limited bathing self |
| 157 | BIKE | Num | 8 | 11. | 11. | PtQ12h: Biked |
| 158 | BIKE_FR | Num | 8 | 11. | 11. | PtQ12h: Times biked in last 2 wks |
| 159 | BIKE_MIN | Num | 8 | 11. | 11. | PtQ12h: Av min per biking |
| 160 | BIKE_MO | Num | 8 | 11. | 11. | PtQ12h: Mos/yr biking |
| 161 | BOWL | Num | 8 | 11. | 11. | PtQ12l: Bowled |
| 162 | BOWL_FR | Num | 8 | 11. | 11. | PtQ12l: Times bowled in last 2 wks |
| 163 | BOWL_MIN | Num | 8 | 11. | 11. | PtQ12l: Av min bowled |
| 164 | BOWL_MO | Num | 8 | 11. | 11. | PtQ12l: Mos/yr bowled |
| 165 | CLIMBONE | Num | 8 | 11. | 11. | PtQ19_5: Limited climbing 1 flt stairs |
| 166 | CONFUSE | Num | 8 | 11. | 11. | PtQ18_3: Became confused past 4 wks |
| 167 | DIFFCON | Num | 8 | 11. | 11. | PtQ18_2: Difficulty concentrating past 4 wks |
| 168 | EMPLST | Num | 8 | 11. | 11. | PtQ5b: Now working |
| 169 | EXER | Num | 8 | 11. | 11. | PtQ12o: Calisthenics |
| 170 | EXER_FR | Num | 8 | 11. | 11. | PtQ12o: Times calisthenics in last 2 wks |
| 171 | EXER_MIN | Num | 8 | 11. | 11. | PtQ12o: Av min calisthenics |
| 172 | EXER_MO | Num | 8 | 11. | 11. | PtQ12o: Mos/yr calisthenics |
| 173 | FALL | Num | 8 | 11. | 11. | PtQ8: Fall in past 12 mos |
| 174 | FALSLEEP | Num | 8 | 11. | 11. | PtQ14: Trouble falling asleep |
| 175 | FRACTURE | Num | 8 | 11. | 11. | PtQ9: Fracture in past 12 mos |
| 176 | GOLF | Num | 8 | 11. | 11. | PtQ12m: Golfed |
| 177 | GOLF_FR | Num | 8 | 11. | 11. | PtQ12m: Times golfed in last 2 wks |
| 178 | GOLF_MIN | Num | 8 | 11. | 11. | PtQ12m: Av min golfed |
| 179 | GOLF_MO | Num | 8 | 11. | 11. | PtQ12m: Mos/yr golfed |
| 180 | JOG | Num | 8 | 11. | 11. | PtQ12g: Jogged |
| 181 | JOG_FR | Num | 8 | 11. | 11. | PtQ12g: Times jogged in last 2 wks |
| 182 | JOG_MIN | Num | 8 | 11. | 11. | PtQ12g: Av min per jog |
| 183 | JOG_MO | Num | 8 | 11. | 11. | PtQ12g: Mos/yr jogging |
| 184 | LIFT | Num | 8 | 11. | 11. | PtQ19_3: Limited in lifting |
| 185 | MODACT | Num | 8 | 11. | 11. | PtQ19_2: Limited in moderate activities |
| 186 | MOVE | Num | 8 | 11. | 11. | PtQ17a: Crawly feelings better when move |
| 187 | MOVING | Num | 8 | 11. | 11. | PtQ6: Activity non-dial day |
| 188 | MOW | Num | 8 | 11. | 11. | PtQ12c: Mowed lawn |
| 189 | MOW_FR | Num | 8 | 11. | 11. | PtQ12c: Times mowed last 2 wks |
| 190 | MOW_MIN | Num | 8 | 11. | 11. | PtQ12c: Av min per mowing session |
| 191 | MOW_MO | Num | 8 | 11. | 11. | PtQ12c: Mos/yr mowing |
| 192 | RAKE | Num | 8 | 11. | 11. | PtQ12d: Raked lawn |

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|-------------------|------|-----|--------|----------|--|
| 193 | RAKE_FR | Num | 8 | 11. | 11. | PtQ12d: Times raked last 2 wks |
| 194 | RAKE_MIN | Num | 8 | 11. | 11. | PtQ12d: Av min per raking session |
| 195 | RAKE_MO | Num | 8 | 11. | 11. | PtQ12d: Mos/yr raking |
| 196 | RCTSLOW | Num | 8 | 11. | 11. | PtQ18_1: React slowly past 4 wks |
| 197 | RESLEGS | Num | 8 | 11. | 11. | PtQ17: Creepy crawly feelings in legs |
| 198 | RETSLEEP | Num | 8 | 11. | 11. | PtQ16: Trouble waking too early |
| 199 | VIGACT | Num | 8 | 11. | 11. | PtQ19_1: Limited in vigorous activities |
| 200 | WALK | Num | 8 | 11. | 11. | PtQ12a: Walked for exercise |
| 201 | WALK_FR | Num | 8 | 11. | 11. | PtQ12a: Times walked last 2 wks |
| 202 | WALK_MIN | Num | 8 | 11. | 11. | PtQ12a: Av min per walk |
| 203 | WALK_MO | Num | 8 | 11. | 11. | PtQ12a: Mos/yr walked |
| 204 | WALKMLT | Num | 8 | 11. | 11. | PtQ19_7: Limited walking > 1 mile |
| 205 | WORSEPM | Num | 8 | 11. | 11. | PtQ17b: Crawly feelings worse at night |
| 206 | PTQX_NOTCOLLECTED | Char | 50 | | | PtQ: Reason PtQx not collected |
| 207 | USRDS_ID | Num | 8 | | | usrds_id |
| 208 | COGFUN | Num | 8 | | | KDQOL-36 cognitive function score from PtQ18 |
| 209 | VT | Num | 8 | | | KDQOL-36 vitality score from PtQ20 |
| 210 | PF | Num | 8 | | | KDQOL-36 physical function score from PtQ19 |
| 211 | CESD_SCORE | Num | 8 | | | CES-D score from PtQ21 |
| 212 | PTQX_DATE | Num | 8 | | | Date patient questionnaire collected |

Data Set Name: patientquestionnaire_base.sas7bdat

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|--------------|------|-----|--------|----------|---|
| 1 | AERO | Num | 8 | | | PtQ12k: Did aerobics |
| 2 | AERO_FR | Num | 8 | | | PtQ12k: Times aerobics in last 2 wks |
| 3 | AERO_HR | Num | 8 | | | PtQ12k: Av hrs aerobics |
| 4 | AERO_MIN | Num | 8 | | | PtQ12k: Av min aerobics |
| 5 | AERO_MO | Num | 8 | | | PtQ12k: Mos/yr aerobics |
| 6 | AFRAID | Num | 8 | | | PtQ22j: Fear getting hurt |
| 7 | ALONE | Num | 8 | 11. | 11. | PtQ3: Living alone |
| 8 | BATHELIM | Num | 8 | | | PtQ11_1: Need help to bathe |
| 9 | BATHE_REASON | Char | 50 | | | PtQ11_1: Reason need help to bathe |
| 10 | BEND | Num | 8 | | | PtQ19_6: Limited bending |
| 11 | BIKE_HR | Num | 8 | | | PtQ12h: Av hrs per biking |
| 12 | BOWL_HR | Num | 8 | | | PtQ12l: Av hrs bowled |
| 13 | CESD_1 | Num | 8 | 11. | 11. | PtQ21_1: Bothered |
| 14 | CESD_2 | Num | 8 | 11. | 11. | PtQ21_2: Poor appetite |
| 15 | CESD_3 | Num | 8 | 11. | 11. | PtQ21_3: Blues |
| 16 | CESD_4 | Num | 8 | 11. | 11. | PtQ21_4: As good as others |
| 17 | CESD_5 | Num | 8 | 11. | 11. | PtQ21_5: Trouble keeping mind on things |
| 18 | CESD_6 | Num | 8 | 11. | 11. | PtQ21_6: Felt depressed |
| 19 | CESD_7 | Num | 8 | 11. | 11. | PtQ21_7: Everything an effort |
| 20 | CESD_8 | Num | 8 | 11. | 11. | PtQ21_8: Hopeful |
| 21 | CESD_9 | Num | 8 | 11. | 11. | PtQ21_9: Life a failure |
| 22 | CESD_10 | Num | 8 | 11. | 11. | PtQ21_10: Fearful |
| 23 | CESD_11 | Num | 8 | 11. | 11. | PtQ21_11: Sleep restless |
| 24 | CESD_12 | Num | 8 | 11. | 11. | PtQ21_12: Happy |
| 25 | CESD_13 | Num | 8 | 11. | 11. | PtQ21_13: Talked less |
| 26 | CESD_14 | Num | 8 | 11. | 11. | PtQ21_14: Lonely |
| 27 | CESD_15 | Num | 8 | 11. | 11. | PtQ21_15: People unfriendly |
| 28 | CESD_16 | Num | 8 | 11. | 11. | PtQ21_16: Enjoyed life |
| 29 | CESD_17 | Num | 8 | 11. | 11. | PtQ21_17: Crying spells |
| 30 | CESD_18 | Num | 8 | 11. | 11. | PtQ21_18: Sad |
| 31 | CESD_19 | Num | 8 | 11. | 11. | PtQ21_19: Felt disliked |
| 32 | CESD_20 | Num | 8 | 11. | 11. | PtQ21_20: Could not get going |
| 33 | CHAIRLIM | Num | 8 | | | PtQ11_3: Need help in/out of chair |
| 34 | CHAIR_REASON | Char | 50 | | | PtQ11_3: Reason need help in/out of chair |
| 35 | CHOR | Num | 8 | | | PtQ12b: Did moderate chores |
| 36 | CHOR_FR | Num | 8 | | | PtQ12b: Times chores last 2 wks |

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|----------------|------|-----|--------|----------|---|
| 37 | CHOR_HR | Num | 8 | | | PtQ12b: Av hrs per chore session |
| 38 | CHOR_MIN | Num | 8 | | | PtQ12b: Av min per chore session |
| 39 | CHOR_MO | Num | 8 | | | PtQ12b: Mos/yr chores |
| 40 | CLIMBMLT | Num | 8 | | | PtQ19_4: Limited climbing several flts stairs |
| 41 | CR | Num | 8 | | | PtQ7c: Cardiac rehab in past 12 mos |
| 42 | CARE | Num | 8 | 11. | 11. | PtQ4: Living in care facility |
| 43 | DANC | Num | 8 | | | PtQ12j: Danced |
| 44 | DANC_FR | Num | 8 | | | PtQ12j: Times danced in last 2 wks |
| 45 | DANC_HR | Num | 8 | | | PtQ12j: Av hrs when danced |
| 46 | DANC_MIN | Num | 8 | | | PtQ12j: Av min when danced |
| 47 | DANC_MO | Num | 8 | | | PtQ12j: Mos/yr dancing |
| 48 | DOCTORNO | Num | 8 | | | PtQ22l: Doctor against it |
| 49 | DRESSLIM | Num | 8 | | | PtQ11_2: Need help to dress |
| 50 | DRESS_REASON | Char | 50 | | | PtQ11_2: Reason need help to dress |
| 51 | DTENNIS | Num | 8 | | | PtQ12q: Doubles tennis |
| 52 | DTENNIS_FR | Num | 8 | | | PtQ12q: Times doubles in last 2 wks |
| 53 | DTENNIS_HR | Num | 8 | | | PtQ12q: Av hrs doubles |
| 54 | DTENNIS_MIN | Num | 8 | | | PtQ12q: Av min doubles |
| 55 | DTENNIS_MO | Num | 8 | | | PtQ12q: Mos/yr doubles |
| 56 | ENERGY | Num | 8 | 11. | 11. | PtQ20_2: Lot of energy |
| 57 | EXCY | Num | 8 | | | PtQ12i: Cycled |
| 58 | EXCY_FR | Num | 8 | | | PtQ12i: Times cycled in last 2 wks |
| 59 | EXCY_HR | Num | 8 | | | PtQ12i: Av hrs per cycling |
| 60 | EXCY_MIN | Num | 8 | | | PtQ12i: Av min per cycling |
| 61 | EXCY_MO | Num | 8 | | | PtQ12i: Mos/yr cycling |
| 62 | EXER_HR | Num | 8 | | | PtQ12o: Av hrs calisthenics |
| 63 | FALL_N | Num | 8 | | | PtQ8: Number falls past yr |
| 64 | FAMILYNO | Num | 8 | | | PtQ22k: Family against it |
| 65 | FRACTURE_TYPE | Char | 150 | | | PtQ9: Type of fracture |
| 66 | FREQRLS | Num | 8 | | | PtQ17c: Frequency of crawly feelings |
| 67 | GARDN | Num | 8 | | | PtQ12e: Gardened |
| 68 | GARDN_FR | Num | 8 | | | PtQ12e: Times gardened in last 2 wks |
| 69 | GARDN_HR | Num | 8 | | | PtQ12e: Av hrs per gardening |
| 70 | GARDN_MIN | Num | 8 | | | PtQ12e: Av min per gardening |
| 71 | GARDN_MO | Num | 8 | | | PtQ12e: Mos/yr gardening |
| 72 | GOLF_HR | Num | 8 | | | PtQ12m: Av hrs golfed |
| 73 | HIKE_HR | Num | 8 | | | PtQ12f: Av hrs per hike |
| 74 | HOSP_PAT | Num | 8 | | | PtQ10: Hospitalized in past 12 mos |
| 75 | HOSP_PAT_DATE1 | Char | 7 | \$7. | \$7. | PtQ10: First hospital stay date |

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|-------------------|------|-----|--------|----------|-------------------------------------|
| 76 | HOSP_PAT_DATE2 | Char | 7 | \$7. | \$7. | PtQ10: Second hospital stay date |
| 77 | HOSP_PAT_DATE3 | Char | 7 | \$7. | \$7. | PtQ10: Third hospital stay date |
| 78 | HOSP_PAT_DATE4 | Char | 50 | \$50. | \$50. | PtQ10: Fourth hospital stay date |
| 79 | HOSP_PAT_DATE5 | Char | 50 | \$50. | \$50. | PtQ10: Fifth hospital stay date |
| 80 | HOSP_PAT_DATE6 | Char | 50 | \$50. | \$50. | PtQ10: Sixth hospital stay date |
| 81 | HOSP_PAT_DATE7 | Char | 50 | \$50. | \$50. | PtQ10: Seventh hospital stay date |
| 82 | HOSP_PAT_DATE8 | Char | 50 | \$50. | \$50. | PtQ10: Eighth hospital stay date |
| 83 | HOSP_PAT_DATE9 | Char | 50 | \$50. | \$50. | PtQ10: Ninth hospital stay date |
| 84 | HOSP_PAT_DATE10 | Char | 50 | \$50. | \$50. | PtQ10: Tenth hospital stay date |
| 85 | HOSP_PAT_NIGHTS1 | Num | 8 | 19. | 19. | PtQ10: First hospital stay nights |
| 86 | HOSP_PAT_NIGHTS2 | Num | 8 | 19. | 19. | PtQ10: Second hospital stay nights |
| 87 | HOSP_PAT_NIGHTS3 | Num | 8 | 19. | 19. | PtQ10: Third hospital stay nights |
| 88 | HOSP_PAT_NIGHTS4 | Num | 8 | 19. | 19. | PtQ10: Fourth hospital stay nights |
| 89 | HOSP_PAT_NIGHTS5 | Num | 8 | 19. | 19. | PtQ10: Fifth hospital stay nights |
| 90 | HOSP_PAT_NIGHTS6 | Num | 8 | 19. | 19. | PtQ10: Sixth hospital stay nights |
| 91 | HOSP_PAT_NIGHTS7 | Num | 8 | 19. | 19. | PtQ10: Seventh hospital stay nights |
| 92 | HOSP_PAT_NIGHTS8 | Num | 8 | 19. | 19. | PtQ10: Eighth hospital stay nights |
| 93 | HOSP_PAT_NIGHTS9 | Num | 8 | 19. | 19. | PtQ10: Ninth hospital stay nights |
| 94 | HOSP_PAT_NIGHTS10 | Num | 8 | 19. | 19. | PtQ10: Tenth hospital stay nights |
| 95 | HOSP_PAT_REASON1 | Char | 250 | \$250. | \$250. | PtQ10: First hospital stay reason |
| 96 | HOSP_PAT_REASON2 | Char | 250 | \$250. | \$250. | PtQ10: Second hospital stay reason |
| 97 | HOSP_PAT_REASON3 | Char | 250 | \$250. | \$250. | PtQ10: Third hospital stay reason |
| 98 | HOSP_PAT_REASON4 | Char | 250 | \$250. | \$250. | PtQ10: Fourth hospital stay reason |
| 99 | HOSP_PAT_REASON5 | Char | 250 | \$250. | \$250. | PtQ10: Fifth hospital stay reason |
| 100 | HOSP_PAT_REASON6 | Char | 250 | \$250. | \$250. | PtQ10: Sixth hospital stay reason |
| 101 | HOSP_PAT_REASON7 | Char | 250 | \$250. | \$250. | PtQ10: Seventh hospital stay reason |
| 102 | HOSP_PAT_REASON8 | Char | 250 | \$250. | \$250. | PtQ10: Eighth hospital stay reason |
| 103 | HOSP_PAT_REASON9 | Char | 250 | \$250. | \$250. | PtQ10: Ninth hospital stay reason |
| 104 | HOSP_PAT_REASON10 | Char | 250 | \$250. | \$250. | PtQ10: Tenth hospital stay reason |
| 105 | HIKE | Num | 8 | 11. | 11. | PtQ12f: Hiked |
| 106 | HIKE_FR | Num | 8 | 11. | 11. | PtQ12f: Times hiked in last 2 wks |
| 107 | HIKE_MIN | Num | 8 | 11. | 11. | PtQ12f: Av min per hike |
| 108 | HIKE_MO | Num | 8 | 11. | 11. | PtQ12f: Mos/yr hiking |
| 109 | JOG_HR | Num | 8 | | | PtQ12g: Av hrs per jog |
| 110 | LOST10LB | Num | 8 | | | PtQ1: Lost > 10 lb past 12 mos |
| 111 | MOVING_HR | Num | 8 | 20.1 | 20.1 | PtQ6a: Hours active non-dial day |
| 112 | MOVING_MIN | Num | 8 | 11. | 11. | PtQ6a: Minutes active non-dial day |
| 113 | MOW_HR | Num | 8 | | | PtQ12c: Av hrs per mowing session |
| 114 | NOINFO | Num | 8 | | | PtQ22g: Do not know what to do |

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|-------------|------|-----|--------|----------|---|
| 115 | NOMOTIV | Num | 8 | | | PtQ22e: Not motivated |
| 116 | NOPLACE | Num | 8 | | | PtQ22f: No place or equipment |
| 117 | NOTGOOD | Num | 8 | | | PtQ22h: Do not think good for me |
| 118 | NOTIME | Num | 8 | | | PtQ22d: Do not have time |
| 119 | OT | Num | 8 | | | PtQ7b: OT in past 12 mos |
| 120 | OT_REASON | Char | 150 | | | PtQ7b: OT reason |
| 121 | PEP | Num | 8 | | | PtQ20_1: Full of life |
| 122 | PT | Num | 8 | | | PtQ7a: PT in past 12 mos |
| 123 | PT_REASON | Char | 150 | | | PtQ7a: PT reason |
| 124 | RAKE_HR | Num | 8 | | | PtQ12d: Av hrs per raking session |
| 125 | RBALL | Num | 8 | | | PtQ12r: Racquetball |
| 126 | RBALL_FR | Num | 8 | | | PtQ12r: Times rball in last 2 wks |
| 127 | RBALL_HR | Num | 8 | | | PtQ12r: Av hrs rball |
| 128 | RBALL_MIN | Num | 8 | | | PtQ12r: Av min rball |
| 129 | RBALL_MO | Num | 8 | | | PtQ12r: Mos/yr rball |
| 130 | SAD | Num | 8 | | | PtQ22c: Felt sad |
| 131 | SEVERERLS | Num | 8 | | | PtQ17d: Severity crawly feelings last month |
| 132 | STENNIS | Num | 8 | | | PtQ12p: Singles tennis |
| 133 | STENNIS_FR | Num | 8 | | | PtQ12p: Times singles in last 2 wks |
| 134 | STENNIS_HR | Num | 8 | | | PtQ12p: Av hrs singles |
| 135 | STENNIS_MIN | Num | 8 | | | PtQ12p: Av min singles |
| 136 | STENNIS_MO | Num | 8 | | | PtQ12p: Mos/yr singles |
| 137 | SWIM | Num | 8 | 11. | 11. | PtQ12n: Swam |
| 138 | SWIM_HR | Num | 8 | | | PtQ12n: Av hrs swam |
| 139 | SWIM_FR | Num | 8 | 11. | 11. | PtQ12n: Times swam in last 2 wks |
| 140 | SWIM_MIN | Num | 8 | 11. | 11. | PtQ12n: Av min swam |
| 141 | SWIM_MO | Num | 8 | 11. | 11. | PtQ12n: Mos/yr swam |
| 142 | SLEEP | Num | 8 | 20.1 | 20.1 | PtQ13: Usual hrs nocturnal sleep |
| 143 | SMOKE | Num | 8 | 11. | 11. | PtQ2: Current cigarette consumption |
| 144 | TIRED | Num | 8 | 11. | 11. | PtQ20_4: Feel tired |
| 145 | TOOPAIN | Num | 8 | | | PtQ22i: Too much pain |
| 146 | TOOSICK | Num | 8 | | | PtQ22 a: Felt too sick |
| 147 | TOOTIRED | Num | 8 | | | PtQ22b: Felt too tired |
| 148 | WAKEUP | Num | 8 | | | PtQ15: Trouble waking up |
| 149 | WALKBLK | Num | 8 | | | PtQ19_9: Limited walking 100 yds |
| 150 | WALKLIM | Num | 8 | | | PtQ11_4: Need help to walk inside |
| 151 | WALKSEV | Num | 8 | | | PtQ19_8: Limited walking > 100 yds |
| 152 | WALK_HR | Num | 8 | | | PtQ12a: Av hrs per walk |
| 153 | WALK_REASON | Char | 50 | | | PtQ11_4: Reason need help walking inside |

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|----------|------|-----|--------|----------|--|
| 154 | WORNOUT | Num | 8 | 11. | 11. | PtQ20_3: Worn out |
| 155 | WRKNOW | Num | 8 | | | PtQ5a: Able to work |
| 156 | BATHING | Num | 8 | 11. | 11. | PtQ19_10: Limited bathing self |
| 157 | BIKE | Num | 8 | 11. | 11. | PtQ12h: Biked |
| 158 | BIKE_FR | Num | 8 | 11. | 11. | PtQ12h: Times biked in last 2 wks |
| 159 | BIKE_MIN | Num | 8 | 11. | 11. | PtQ12h: Av min per biking |
| 160 | BIKE_MO | Num | 8 | 11. | 11. | PtQ12h: Mos/yr biking |
| 161 | BOWL | Num | 8 | 11. | 11. | PtQ12l: Bowled |
| 162 | BOWL_FR | Num | 8 | 11. | 11. | PtQ12l: Times bowled in last 2 wks |
| 163 | BOWL_MIN | Num | 8 | 11. | 11. | PtQ12l: Av min bowled |
| 164 | BOWL_MO | Num | 8 | 11. | 11. | PtQ12l: Mos/yr bowled |
| 165 | CLIMBONE | Num | 8 | 11. | 11. | PtQ19_5: Limited climbing 1 flt stairs |
| 166 | CONFUSE | Num | 8 | 11. | 11. | PtQ18_3: Became confused past 4 wks |
| 167 | DIFFCON | Num | 8 | 11. | 11. | PtQ18_2: Difficulty concentrating past 4 wks |
| 168 | EMPLST | Num | 8 | 11. | 11. | PtQ5b: Now working |
| 169 | EXER | Num | 8 | 11. | 11. | PtQ12o: Calisthenics |
| 170 | EXER_FR | Num | 8 | 11. | 11. | PtQ12o: Times calisthenics in last 2 wks |
| 171 | EXER_MIN | Num | 8 | 11. | 11. | PtQ12o: Av min calisthenics |
| 172 | EXER_MO | Num | 8 | 11. | 11. | PtQ12o: Mos/yr calisthenics |
| 173 | FALL | Num | 8 | 11. | 11. | PtQ8: Fall in past 12 mos |
| 174 | FALSLEEP | Num | 8 | 11. | 11. | PtQ14: Trouble falling asleep |
| 175 | FRACTURE | Num | 8 | 11. | 11. | PtQ9: Fracture in past 12 mos |
| 176 | GOLF | Num | 8 | 11. | 11. | PtQ12m: Golfed |
| 177 | GOLF_FR | Num | 8 | 11. | 11. | PtQ12m: Times golfed in last 2 wks |
| 178 | GOLF_MIN | Num | 8 | 11. | 11. | PtQ12m: Av min golfed |
| 179 | GOLF_MO | Num | 8 | 11. | 11. | PtQ12m: Mos/yr golfed |
| 180 | JOG | Num | 8 | 11. | 11. | PtQ12g: Jogged |
| 181 | JOG_FR | Num | 8 | 11. | 11. | PtQ12g: Times jogged in last 2 wks |
| 182 | JOG_MIN | Num | 8 | 11. | 11. | PtQ12g: Av min per jog |
| 183 | JOG_MO | Num | 8 | 11. | 11. | PtQ12g: Mos/yr jogging |
| 184 | LIFT | Num | 8 | 11. | 11. | PtQ19_3: Limited in lifting |
| 185 | MODACT | Num | 8 | 11. | 11. | PtQ19_2: Limited in moderate activities |
| 186 | MOVE | Num | 8 | 11. | 11. | PtQ17a: Crawly feelings better when move |
| 187 | MOVING | Num | 8 | 11. | 11. | PtQ6: Activity non-dial day |
| 188 | MOW | Num | 8 | 11. | 11. | PtQ12c: Mowed lawn |
| 189 | MOW_FR | Num | 8 | 11. | 11. | PtQ12c: Times mowed last 2 wks |
| 190 | MOW_MIN | Num | 8 | 11. | 11. | PtQ12c: Av min per mowing session |
| 191 | MOW_MO | Num | 8 | 11. | 11. | PtQ12c: Mos/yr mowing |
| 192 | RAKE | Num | 8 | 11. | 11. | PtQ12d: Raked lawn |

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|-------------------|------|-----|--------|----------|--|
| 193 | RAKE_FR | Num | 8 | 11. | 11. | PtQ12d: Times raked last 2 wks |
| 194 | RAKE_MIN | Num | 8 | 11. | 11. | PtQ12d: Av min per raking session |
| 195 | RAKE_MO | Num | 8 | 11. | 11. | PtQ12d: Mos/yr raking |
| 196 | RCTSLOW | Num | 8 | 11. | 11. | PtQ18_1: React slowly past 4 wks |
| 197 | RESLEGS | Num | 8 | 11. | 11. | PtQ17: Creepy crawly feelings in legs |
| 198 | RETSLEEP | Num | 8 | 11. | 11. | PtQ16: Trouble waking too early |
| 199 | VIGACT | Num | 8 | 11. | 11. | PtQ19_1: Limited in vigorous activities |
| 200 | WALK | Num | 8 | 11. | 11. | PtQ12a: Walked for exercise |
| 201 | WALK_FR | Num | 8 | 11. | 11. | PtQ12a: Times walked last 2 wks |
| 202 | WALK_MIN | Num | 8 | 11. | 11. | PtQ12a: Av min per walk |
| 203 | WALK_MO | Num | 8 | 11. | 11. | PtQ12a: Mos/yr walked |
| 204 | WALKMLT | Num | 8 | 11. | 11. | PtQ19_7: Limited walking > 1 mile |
| 205 | WORSEPM | Num | 8 | 11. | 11. | PtQ17b: Crawly feelings worse at night |
| 206 | PTQX_NOTCOLLECTED | Char | 50 | | | PtQ: Reason PtQx not collected |
| 207 | USRDS_ID | Num | 8 | | | usrds_id |
| 208 | COGFUN | Num | 8 | | | KDQOL-36 cognitive function score from PtQ18 |
| 209 | VT | Num | 8 | | | KDQOL-36 vitality score from PtQ20 |
| 210 | PF | Num | 8 | | | KDQOL-36 physical function score from PtQ19 |
| 211 | CESD_SCORE | Num | 8 | | | CES-D score from PtQ21 |
| 212 | PTQX_DATE | Num | 8 | | | Date patient questionnaire collected |

Data Set Name: physicalmeasures_12m.sas7bdat

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|-------------------|------|-----|--------|----------|--|
| 1 | CHRSTAND | Num | 8 | | | PhysQ22_1: Single chair stand |
| 2 | DEVTYP | Num | 8 | | | PhysQ12a: Assist device type |
| 3 | DEVICE | Num | 8 | 11. | 11. | PhysQ12: Assist device used |
| 4 | HAND1 | Num | 8 | 11. | 11. | PhysQ4: First hand tested |
| 5 | HAND2 | Num | 8 | 11. | 11. | PhysQ8: Second hand tested |
| 6 | LIMB | Num | 8 | | | PhysQ14: Missing limb |
| 7 | MLARM | Num | 8 | | | PhysQ14a: Missing left arm |
| 8 | MLLEG | Num | 8 | | | PhysQ14c: Missing left leg |
| 9 | MRARM | Num | 8 | | | PhysQ14b: Missing right arm |
| 10 | MRLEG | Num | 8 | | | PhysQ14d: Missing right leg |
| 11 | NO_CHRSTAND | Num | 8 | | | PhysQ22_1: Reason no single chr stand |
| 12 | NO_REPSTAND | Num | 8 | | | PhysQ22_2: Reason no repeated chr stand |
| 13 | NO_SAFESTAND1 | Num | 8 | | | PhysQ22_1: Reason chr stand unsafe |
| 14 | NO_SAFESTAND2 | Num | 8 | | | PhysQ22_2: Reason repeated chr stand unsafe |
| 15 | NO_SBS_TANDEM | Num | 8 | | | PhysQ19a: Reason no SBS stand |
| 16 | NO_S_TANDEM | Num | 8 | | | PhysQ20: Reason no semi-tandem stand |
| 17 | NO_TANDEM | Num | 8 | | | PhysQ21: Reason no tandem stand |
| 18 | ORTHOS | Num | 8 | | | PhysQ13: Orthosis used |
| 19 | OTH_NO_CHRSTAND | Char | 50 | | | PhysQ22_1: Other reason no chr stand |
| 20 | OTH_NO_REPSTAND | Char | 50 | | | PhysQ22_2: Other reason no rep chr stand |
| 21 | OTH_NO_SAFESTAND1 | Char | 50 | | | PhysQ22_1: Other reason chr stand unsafe |
| 22 | OTH_NO_SAFESTAND2 | Char | 50 | | | PhysQ22_2: Other reason rep chr stand unsafe |
| 23 | OTH_NO_SBS_TANDEM | Char | 150 | | | PhysQ19: Other reason no SBS stand |
| 24 | OTH_NO_S_TANDEM | Char | 50 | | | PhysQ20: Other reason no semi-tandem |
| 25 | OTH_NO_TANDEM | Char | 50 | | | PhysQ21: Other reason no tandem |
| 26 | PAINHD | Num | 8 | | | PhysQ1: Wrist pain |
| 27 | PLARM | Num | 8 | | | PhysQ15a: Artificial left arm |
| 28 | PLLEG | Num | 8 | | | PhysQ15c: Artificial left leg |
| 29 | PRARM | Num | 8 | | | PhysQ15b: Artificial right arm |
| 30 | PRLEG | Num | 8 | | | PhysQ15d: Artificial right leg |
| 31 | PROTHE | Num | 8 | | | PhysQ15: Prosthesis used |
| 32 | REPSTAND_SEC | Num | 8 | | | PhysQ22_2: Repeated chr stand time in secs |
| 33 | SBS_TANDEM | Num | 8 | | | PhysQ19: Side by side stand |
| 34 | SBS_TANDEM_SEC | Num | 8 | | | PhysQ19: Seconds SBS stand held |
| 35 | SURGHD | Num | 8 | | | PhysQ2: Hand-arm surg last 13 wks |
| 36 | S_TANDEM | Num | 8 | | | PhysQ20: Semi tandem stand |

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|-----------------------|------|-----|--------|----------|---|
| 37 | S_TANDEM_SEC | Num | 8 | | | PhysQ20: Seconds semi-tandem stand |
| 38 | SAFESTAND1 | Num | 8 | 11. | 11. | PhysQ22_1: Single chr stand safe |
| 39 | SAFESTAND2 | Num | 8 | 11. | 11. | PhysQ22_2: Repeated chr stand safe |
| 40 | TANDEM | Num | 8 | | | PhysQ21: Tandem stand |
| 41 | TANDEM_SEC | Num | 8 | | | PhysQ21: Seconds tandem stand |
| 42 | TIME1 | Num | 8 | | | PhysQ17: Trial 1 walk time secs |
| 43 | TIME2 | Num | 8 | | | PhysQ18: Trial 2 walk time secs |
| 44 | TRY1_1 | Num | 8 | | | PhysQ5: Trial 1 grip kg first hand |
| 45 | TRY1_2 | Num | 8 | | | PhysQ6: Trial 2 grip kg first hand |
| 46 | TRY1_3 | Num | 8 | | | PhysQ7: Trial 3 grip kg first hand |
| 47 | TRY2_1 | Num | 8 | | | PhysQ9: Trial 1 grip kg second hand |
| 48 | TRY2_2 | Num | 8 | | | PhysQ10: Trial 2 grip kg second hand |
| 49 | TRY2_3 | Num | 8 | | | PhysQ11: Trial 3 grip kg second hand |
| 50 | USEDEV | Num | 8 | | | PhysQ16a: Used device for walk test |
| 51 | WLKDON | Num | 8 | | | PhysQ16: Able walk 15 ft |
| 52 | GRIP | Num | 8 | 11. | 11. | PhysQ3: Grip tested |
| 53 | PHYSICAL_DATE | Num | 8 | | | Date physical measures collected |
| 54 | PHYSICAL_NOTCOLLECTED | Char | 100 | | | PhysQ: Reason Physical measures not collected |
| 55 | USRDS_ID | Num | 8 | | | usrds_id |

Data Set Name: physicalmeasures_24m.sas7bdat

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|-------------------|------|-----|--------|----------|--|
| 1 | CHRSTAND | Num | 8 | | | PhysQ22_1: Single chair stand |
| 2 | DEVTYP | Num | 8 | | | PhysQ12a: Assist device type |
| 3 | DEVICE | Num | 8 | 11. | 11. | PhysQ12: Assist device used |
| 4 | HAND1 | Num | 8 | 11. | 11. | PhysQ4: First hand tested |
| 5 | HAND2 | Num | 8 | 11. | 11. | PhysQ8: Second hand tested |
| 6 | LIMB | Num | 8 | | | PhysQ14: Missing limb |
| 7 | MLARM | Num | 8 | | | PhysQ14a: Missing left arm |
| 8 | MLLEG | Num | 8 | | | PhysQ14c: Missing left leg |
| 9 | MRARM | Num | 8 | | | PhysQ14b: Missing right arm |
| 10 | MRLEG | Num | 8 | | | PhysQ14d: Missing right leg |
| 11 | NO_CHRSTAND | Num | 8 | | | PhysQ22_1: Reason no single chr stand |
| 12 | NO_REPSTAND | Num | 8 | | | PhysQ22_2: Reason no repeated chr stand |
| 13 | NO_SAFESTAND1 | Num | 8 | | | PhysQ22_1: Reason chr stand unsafe |
| 14 | NO_SAFESTAND2 | Num | 8 | | | PhysQ22_2: Reason repeated chr stand unsafe |
| 15 | NO_SBS_TANDEM | Num | 8 | | | PhysQ19a: Reason no SBS stand |
| 16 | NO_S_TANDEM | Num | 8 | | | PhysQ20: Reason no semi-tandem stand |
| 17 | NO_TANDEM | Num | 8 | | | PhysQ21: Reason no tandem stand |
| 18 | ORTHOS | Num | 8 | | | PhysQ13: Orthosis used |
| 19 | OTH_NO_CHRSTAND | Char | 50 | | | PhysQ22_1: Other reason no chr stand |
| 20 | OTH_NO_REPSTAND | Char | 50 | | | PhysQ22_2: Other reason no rep chr stand |
| 21 | OTH_NO_SAFESTAND1 | Char | 50 | | | PhysQ22_1: Other reason chr stand unsafe |
| 22 | OTH_NO_SAFESTAND2 | Char | 50 | | | PhysQ22_2: Other reason rep chr stand unsafe |
| 23 | OTH_NO_SBS_TANDEM | Char | 150 | | | PhysQ19: Other reason no SBS stand |
| 24 | OTH_NO_S_TANDEM | Char | 50 | | | PhysQ20: Other reason no semi-tandem |
| 25 | OTH_NO_TANDEM | Char | 50 | | | PhysQ21: Other reason no tandem |
| 26 | PAINHD | Num | 8 | | | PhysQ1: Wrist pain |
| 27 | PLARM | Num | 8 | | | PhysQ15a: Artificial left arm |
| 28 | PLLEG | Num | 8 | | | PhysQ15c: Artificial left leg |
| 29 | PRARM | Num | 8 | | | PhysQ15b: Artificial right arm |
| 30 | PRLEG | Num | 8 | | | PhysQ15d: Artificial right leg |
| 31 | PROTHE | Num | 8 | | | PhysQ15: Prosthesis used |
| 32 | REPSTAND_SEC | Num | 8 | | | PhysQ22_2: Repeated chr stand time in secs |
| 33 | SBS_TANDEM | Num | 8 | | | PhysQ19: Side by side stand |
| 34 | SBS_TANDEM_SEC | Num | 8 | | | PhysQ19: Seconds SBS stand held |
| 35 | SURGHD | Num | 8 | | | PhysQ2: Hand-arm surg last 13 wks |
| 36 | S_TANDEM | Num | 8 | | | PhysQ20: Semi tandem stand |

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|-----------------------|------|-----|--------|----------|---|
| 37 | S_TANDEM_SEC | Num | 8 | | | PhysQ20: Seconds semi-tandem stand |
| 38 | SAFESTAND1 | Num | 8 | 11. | 11. | PhysQ22_1: Single chr stand safe |
| 39 | SAFESTAND2 | Num | 8 | 11. | 11. | PhysQ22_2: Repeated chr stand safe |
| 40 | TANDEM | Num | 8 | | | PhysQ21: Tandem stand |
| 41 | TANDEM_SEC | Num | 8 | | | PhysQ21: Seconds tandem stand |
| 42 | TIME1 | Num | 8 | | | PhysQ17: Trial 1 walk time secs |
| 43 | TIME2 | Num | 8 | | | PhysQ18: Trial 2 walk time secs |
| 44 | TRY1_1 | Num | 8 | | | PhysQ5: Trial 1 grip kg first hand |
| 45 | TRY1_2 | Num | 8 | | | PhysQ6: Trial 2 grip kg first hand |
| 46 | TRY1_3 | Num | 8 | | | PhysQ7: Trial 3 grip kg first hand |
| 47 | TRY2_1 | Num | 8 | | | PhysQ9: Trial 1 grip kg second hand |
| 48 | TRY2_2 | Num | 8 | | | PhysQ10: Trial 2 grip kg second hand |
| 49 | TRY2_3 | Num | 8 | | | PhysQ11: Trial 3 grip kg second hand |
| 50 | USEDEV | Num | 8 | | | PhysQ16a: Used device for walk test |
| 51 | WLKDON | Num | 8 | | | PhysQ16: Able walk 15 ft |
| 52 | GRIP | Num | 8 | 11. | 11. | PhysQ3: Grip tested |
| 53 | PHYSICAL_DATE | Num | 8 | | | Date physical measures collected |
| 54 | PHYSICAL_NOTCOLLECTED | Char | 100 | | | PhysQ: Reason Physical measures not collected |
| 55 | USRDS_ID | Num | 8 | | | usrds_id |

Data Set Name: physicalmeasures_base.sas7bdat

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|-------------------|------|-----|--------|----------|--|
| 1 | CHRSTAND | Num | 8 | | | PhysQ22_1: Single chair stand |
| 2 | DEVTYP | Num | 8 | | | PhysQ12a: Assist device type |
| 3 | DEVICE | Num | 8 | 11. | 11. | PhysQ12: Assist device used |
| 4 | HAND1 | Num | 8 | 11. | 11. | PhysQ4: First hand tested |
| 5 | HAND2 | Num | 8 | 11. | 11. | PhysQ8: Second hand tested |
| 6 | LIMB | Num | 8 | | | PhysQ14: Missing limb |
| 7 | MLARM | Num | 8 | | | PhysQ14a: Missing left arm |
| 8 | MLLEG | Num | 8 | | | PhysQ14c: Missing left leg |
| 9 | MRARM | Num | 8 | | | PhysQ14b: Missing right arm |
| 10 | MRLEG | Num | 8 | | | PhysQ14d: Missing right leg |
| 11 | NO_CHRSTAND | Num | 8 | | | PhysQ22_1: Reason no single chr stand |
| 12 | NO_REPSTAND | Num | 8 | | | PhysQ22_2: Reason no repeated chr stand |
| 13 | NO_SAFESTAND1 | Num | 8 | | | PhysQ22_1: Reason chr stand unsafe |
| 14 | NO_SAFESTAND2 | Num | 8 | | | PhysQ22_2: Reason repeated chr stand unsafe |
| 15 | NO_SBS_TANDEM | Num | 8 | | | PhysQ19a: Reason no SBS stand |
| 16 | NO_S_TANDEM | Num | 8 | | | PhysQ20: Reason no semi-tandem stand |
| 17 | NO_TANDEM | Num | 8 | | | PhysQ21: Reason no tandem stand |
| 18 | ORTHOS | Num | 8 | | | PhysQ13: Orthosis used |
| 19 | OTH_NO_CHRSTAND | Char | 50 | | | PhysQ22_1: Other reason no chr stand |
| 20 | OTH_NO_REPSTAND | Char | 50 | | | PhysQ22_2: Other reason no rep chr stand |
| 21 | OTH_NO_SAFESTAND1 | Char | 50 | | | PhysQ22_1: Other reason chr stand unsafe |
| 22 | OTH_NO_SAFESTAND2 | Char | 50 | | | PhysQ22_2: Other reason rep chr stand unsafe |
| 23 | OTH_NO_SBS_TANDEM | Char | 150 | | | PhysQ19: Other reason no SBS stand |
| 24 | OTH_NO_S_TANDEM | Char | 50 | | | PhysQ20: Other reason no semi-tandem |
| 25 | OTH_NO_TANDEM | Char | 50 | | | PhysQ21: Other reason no tandem |
| 26 | PAINHD | Num | 8 | | | PhysQ1: Wrist pain |
| 27 | PLARM | Num | 8 | | | PhysQ15a: Artificial left arm |
| 28 | PLLEG | Num | 8 | | | PhysQ15c: Artificial left leg |
| 29 | PRARM | Num | 8 | | | PhysQ15b: Artificial right arm |
| 30 | PRLEG | Num | 8 | | | PhysQ15d: Artificial right leg |
| 31 | PROTHE | Num | 8 | | | PhysQ15: Prosthesis used |
| 32 | REPSTAND_SEC | Num | 8 | | | PhysQ22_2: Repeated chr stand time in secs |
| 33 | SBS_TANDEM | Num | 8 | | | PhysQ19: Side by side stand |
| 34 | SBS_TANDEM_SEC | Num | 8 | | | PhysQ19: Seconds SBS stand held |
| 35 | SURGHD | Num | 8 | | | PhysQ2: Hand-arm surg last 13 wks |
| 36 | S_TANDEM | Num | 8 | | | PhysQ20: Semi tandem stand |

| Num | Variable | Type | Len | Format | Informat | Label |
|-----|-----------------------|------|-----|--------|----------|---|
| 37 | S_TANDEM_SEC | Num | 8 | | | PhysQ20: Seconds semi-tandem stand |
| 38 | SAFESTAND1 | Num | 8 | 11. | 11. | PhysQ22_1: Single chr stand safe |
| 39 | SAFESTAND2 | Num | 8 | 11. | 11. | PhysQ22_2: Repeated chr stand safe |
| 40 | TANDEM | Num | 8 | | | PhysQ21: Tandem stand |
| 41 | TANDEM_SEC | Num | 8 | | | PhysQ21: Seconds tandem stand |
| 42 | TIME1 | Num | 8 | | | PhysQ17: Trial 1 walk time secs |
| 43 | TIME2 | Num | 8 | | | PhysQ18: Trial 2 walk time secs |
| 44 | TRY1_1 | Num | 8 | | | PhysQ5: Trial 1 grip kg first hand |
| 45 | TRY1_2 | Num | 8 | | | PhysQ6: Trial 2 grip kg first hand |
| 46 | TRY1_3 | Num | 8 | | | PhysQ7: Trial 3 grip kg first hand |
| 47 | TRY2_1 | Num | 8 | | | PhysQ9: Trial 1 grip kg second hand |
| 48 | TRY2_2 | Num | 8 | | | PhysQ10: Trial 2 grip kg second hand |
| 49 | TRY2_3 | Num | 8 | | | PhysQ11: Trial 3 grip kg second hand |
| 50 | USEDEV | Num | 8 | | | PhysQ16a: Used device for walk test |
| 51 | WLKDON | Num | 8 | | | PhysQ16: Able walk 15 ft |
| 52 | GRIP | Num | 8 | 11. | 11. | PhysQ3: Grip tested |
| 53 | PHYSICAL_DATE | Num | 8 | | | Date physical measures collected |
| 54 | PHYSICAL_NOTCOLLECTED | Char | 100 | | | PhysQ: Reason Physical measures not collected |
| 55 | USRDS_ID | Num | 8 | | | usrds_id |

Data Set Name: spanishform_12m.sas7bdat

| Num | Variable | Type | Len | Label |
|-----|----------|------|-----|----------------------|
| 1 | USRDS_ID | Num | 8 | usrds_id |
| 2 | SPANO | Num | 8 | Interview in Spanish |

Data Set Name: spanishform_24m.sas7bdat

| Num | Variable | Type | Len | Label |
|-----|----------|------|-----|----------------------|
| 1 | USRDS_ID | Num | 8 | usrds_id |
| 2 | SPANO | Num | 8 | Interview in Spanish |

Data Set Name: spanishform_base.sas7bdat

| Num | Variable | Type | Len | Label |
|-----|----------|------|-----|----------------------|
| 1 | USRDS_ID | Num | 8 | usrds_id |
| 2 | SPANO | Num | 8 | Interview in Spanish |