

NUTRITIONAL ASSESSMENT AND STEROID USE (F15)

Chronic Kidney Disease in Children (CKiD)

SECTION A: GENERAL INFORMATION

A1. PARTICIPANT ID: AFFIX ID LABEL OR ENTER NUMBER IF ID LABEL IS NOT AVAILABLE

|_| - |_|_| - |_|_|_|

A2. CKiD VISIT #: _____

A3. FORM VERSION: 0 6 / 0 1 / 0 8 a

A4. DATE OF VISIT: _____ / _____ / _____
M M D D Y Y Y Y

A5. INTERVIEWER'S INITIALS: _____

A6. Is this study visit an irregular (accelerated) visit?
Yes..... 1
No..... 2

SECTION B: NUTRITIONAL ASSESSMENT

The following set of questions asks about your child's appetite and use of a nasogastric tube or gastrostomy tube. A nasogastric tube (NG tube) is a tube that is passed through the nose and down through the nasopharynx and esophagus into the stomach. A gastrostomy tube (GT) or button are tubes that directly enter the stomach.

B1. During the past week, how would you rate (*name of child*) appetite? Please circle one choice.

- Very Good..... 1
- Good..... 2
- Fair..... 3
- Poor..... 4
- Very Poor..... 5

B2. Does (*name of child*) use a gastrostomy tube/button or Nasogastric tube (NG tube) for nutritional purposes?

- Yes..... 1
- No..... 2 **(Skip to B3)**
- Don't Know..... -8 **(Skip to B3)**

a. In the past year, how many months has the gastrostomy tube/button or NG tube been used?

____ months

Don't Know..... -8

NUTRITIONAL ASSESSMENT AND STEROID USE (F15)

B3. In a 24 hour time period, does (*name of child*) take any nutritional supplement either by mouth, bottle or feeding tube to increase the caloric intake (*Excludes vitamins and minerals, See MEDS Form*)?

- Yes..... 1
 No..... 2 **(Skip to C1)**
 Don't Know..... -8 **(Skip to C1)**

Please use the following table to record the type and amount of any nutritional supplement or formula (to increase calories, protein or other nutrient intake) the child usually takes in a 24 hour period of time. This should include supplement or formula taken by mouth, bottle or feeding tube.

START F15s1

	a) Name of Formula or Supplement (Ex: Similac PM 60/40, Enfamil LIPIL, Suplena, PediaSure, Nepro, Ensure)	Amount of Formula (For pre-made liquid, use ounces; if made from powder, use teaspoons, tablespoons or cups)		d) Additional ingredients/amounts* (Ex: 2 teaspoons Polycose, 1 Tablespoon MCT oil, 2 scoops Beneprotein) *If there are no additional ingredients/amount, record "N/A"
		b) Amount	c) Unit	
B4.		— —	Tsp.....1 Tbsp.....2 Oz.....3 cup4	
B5.		— —	Tsp.....1 Tbsp.....2 Oz.....3 cup4	

END F15s1

SECTION C: STEROID USE

The following questions are about your child's use of steroids.

C1. Is (*name of child*) currently taking steroids (i.e, prednisone, decadron)?

- Yes 1 **(Skip to C3)**
 No 2

C2. Has (*name of child*) ever taken steroids?

- Yes..... 1
 No..... 2 **(END)**
 Don't Know..... -8 **(END)**

C3. What was the age of (*name of child*) when he/she first began taking steroids?

- — 1 = years
 2 = months
 -8 = don't know

NUTRITIONAL ASSESSMENT AND STEROID USE (F15)

- C4. a. Did (*name of child*) take steroids to treat kidney disease?
- Yes..... 1
 No..... 2
 Don't Know..... -8
- b. Did (*name of child*) take steroids within the past 24 months?
- Yes..... 1
 No..... 2 **(Skip to C4d)**
 Don't Know..... -8 **(Skip to C5)**
- c. Did (*name of child*) take steroids within the past 12 months?
- Yes..... 1
 No..... 2
 Don't Know..... -8 **(Skip to C5)**
- d. Did (*name of child*) take steroids every day or every other day for more than 2 months?
- Yes..... 1
 No..... 2
 Don't Know..... -8 **(Skip to C5)**
- i. Were the steroids taken every day or every other day for more than 6 months?
- Yes..... 1
 No..... 2
 Don't Know..... -8
- C5. Did (*name of child*) ever have any side effects from taking steroids?
- Yes..... 1
 No..... 2 **(END)**
 Don't Know..... -8 **(END)**
- a. Please indicate whether (*name of child*) experienced any of the following side effects from taking steroids.
(Please circle "Yes", "No" or "Don't Know" for EACH of the following.)
- | | Yes | No | Don't Know |
|----------------------------------|-----|----|------------|
| 1. Weight gain..... | 1 | 2 | -8 |
| 2. Change in mood..... | 1 | 2 | -8 |
| 3. Hyperactivity..... | 1 | 2 | -8 |
| 4. Acne..... | 1 | 2 | -8 |
| 5. Increased blood pressure..... | 1 | 2 | -8 |
| 6. Elevated blood sugar..... | 1 | 2 | -8 |