

SPECIMEN COLLECTION FORM for Visit 1b (L02)

SECTION B: Visit 1B BLOOD DRAW

For Initial Blood Draw with Syringe, Vacutainer OR Butterfly Method:
Select the Type of Consent Obtained (options 1 through 4) That Pertain to the CKiD Participant:

1 **If participant consented to both BIOLOGICAL and GENETIC samples:**

Collect 15.3 mL if participant is < 30 kg **OR** 19.3 mL if participant is ≥ 30 kg.

If < 30 kg, immediately transfer or draw:

- 7.8 mL into three 2.6mL ACD tubes for Rutgers Genetic Repository (ACD Tubes must be COMPLETELY FILLED TO THE TOP)
- 4.5 mL into Tiger-Top SST for CBL and NIDDK Biosample Repository
- 3 mL into PST for NIDDK Biosample Repository

If ≥ 30 kg, immediately transfer or draw:

- 7.8 mL into three 2.6mL ACD tubes for Rutgers Genetic Repository (ACD Tubes must be COMPLETELY FILLED TO THE TOP)
- 6.5 mL into Tiger-Top SST for CBL and NIDDK Biosample Repository
- 5 mL into two (2) PSTs for NIDDK Biosample Repository

2 **If participant consented to BIOLOGICAL samples ONLY:**

Collect 7.5 mL if participant is < 30 kg **OR** 11.5 mL if participant is ≥ 30 kg.

If < 30 kg, immediately transfer or draw:

- 4.5 mL into Tiger-Top SST for CBL and NIDDK Biosample Repository
- 3 mL into PST for NIDDK Biosample Repository

If ≥ 30 kg, immediately transfer or draw:

- 6.5 mL into Tiger-Top SST for CBL and NIDDK Biosample Repository
- 5 mL into two (2) PSTs for NIDDK Biosample Repository

3 **If participant consented to GENETIC samples ONLY:**

Collect 9.3 mL from all participants (regardless of weight)

Immediately transfer or draw:

- 7.8 mL into three 2.6mL ACD tubes for Rutgers Genetic Repository (ACD Tubes must be COMPLETELY FILLED TO THE TOP)
- 1.5 mL into Tiger-Top SST for CBL


4 **If participant did NOT consent to BIOLOGICAL and GENETIC samples:**

Collect 1.5 mL from all participants (regardless of weight) and immediately transfer or draw 1.5 mL into Tiger-Top SST for CBL

SPECIMEN COLLECTION FORM for Visit 1b (L02)

SECTION B: Visit 1B BLOOD DRAW PROCESSING

PROCESSING BLOOD FOR CBL, NIDDK BR AND RUTGER SAMPLES



SPECIMEN COLLECTION FORM for Visit 1b (L02)

SECTION B: Visit 1B BLOOD DRAW AND PROCESSING

B1. ACTUAL TIME OF BLOOD DRAW ____ ____ : ____ ____ 1 = AM 2 = PM

Reasons Code List *	1 = Not required	3 = Participant Refused	5 = Inadvertently Destroyed
	2 = Difficult Blood Draw	4 = Red Blood Cell Contamination	6 = Oversight

Sample Type (Required Volume in Top Color Tube Type):	(a) Sample Obtained:	(b) If No, specify reason *SEE CODE LIST ABOVE
	Yes No	
B2. Serum for iPTH & wrCRP (1.5 mL of blood in Tiger Top SST)	1 2 (skip to B3→)	____

B3. Did the participant consent to have whole blood stored at Rutgers, the Genetic Repository?

Yes..... 1
 No..... 2 (Skip to B5)

Sample Type (Required Volume in Top Color Tube Type):	(a) Sample Obtained:	(b) If No, specify reason *SEE CODE LIST ABOVE	(c) Additional Requirements:
	Yes No		
B4. Whole Blood for Rutgers Cell & DNA Repository (7.8 mL of blood in 3 pediatric (2.6 mL) Yellow Top ACD tubes)	1 2 (skip to c→)	____ (skip to B5)	i. Date of Blood Draw: ____ ____ / ____ ____ / ____ ____ M M D D Y Y Y Y ii. Time of Collection: ____ ____ : ____ ____ 1 = am 2 = pm iii. Blood Drawn By : ____ ____ (initials) iv. Gender of participant : Male.....1 Female.....2 v. Age of participant : ____ ____ years

COPY THIS PAGE AND SHIPMENT TRACKING FORM (ST04) AND SEND TO RUTGERS WITH RUTGERS SPECIMEN.

SPECIMEN COLLECTION FORM for Visit 1b (L02)

B5. Did the participant consent to have biological samples (i.e., serum, plasma, urine, nail clippings and hair samples) stored at NIDDK Biosample Repository?

Yes..... 1

No..... 2 (END)

Reasons Code List*	1 = Not required	3 = Participant Refused	5 = Inadvertently Destroyed
	2 = Difficult Blood Draw	4 = Red Blood Cell Contamination	6 = Oversight

Sample Type (Required Volume in Top Color Tube Type):	(a) Sample Obtained:	(b) If No, specify reason *SEE CODE LIST ABOVE	(c) Additional Requirements:																												
	<table style="width: 100%; border: none;"> <tr> <td style="text-align: center; width: 50%;"><u>Yes</u></td> <td style="text-align: center; width: 50%;"><u>No</u></td> </tr> </table>	<u>Yes</u>	<u>No</u>																												
<u>Yes</u>	<u>No</u>																														
B6. Serum for NIDDK Biosample Repository (**3.0 mL or **5.0 mL of blood in Tiger Top SST)	<table style="width: 100%; border: none;"> <tr> <td style="text-align: center; width: 50%;">1</td> <td style="text-align: center; width: 50%;">2</td> </tr> <tr> <td colspan="2" style="text-align: center;">(skip to c→)</td> </tr> </table>	1	2	(skip to c→)		<table style="width: 100%; border: none;"> <tr> <td style="text-align: center; width: 50%;">— —</td> <td style="text-align: center; width: 50%;">— —</td> </tr> <tr> <td colspan="2" style="text-align: center;">(skip to B7)</td> </tr> </table>	— —	— —	(skip to B7)		Date Frozen: <table style="width: 100%; border: none;"> <tr> <td style="text-align: center;">—</td> <td style="text-align: center;">—</td> <td style="text-align: center;">/</td> <td style="text-align: center;">—</td> <td style="text-align: center;">—</td> <td style="text-align: center;">/</td> <td style="text-align: center;">—</td> <td style="text-align: center;">—</td> <td style="text-align: center;">—</td> <td style="text-align: center;">—</td> </tr> <tr> <td style="text-align: center;">M</td> <td style="text-align: center;">M</td> <td></td> <td style="text-align: center;">D</td> <td style="text-align: center;">D</td> <td></td> <td style="text-align: center;">Y</td> <td style="text-align: center;">Y</td> <td style="text-align: center;">Y</td> <td style="text-align: center;">Y</td> </tr> </table>	—	—	/	—	—	/	—	—	—	—	M	M		D	D		Y	Y	Y	Y
1	2																														
(skip to c→)																															
— —	— —																														
(skip to B7)																															
—	—	/	—	—	/	—	—	—	—																						
M	M		D	D		Y	Y	Y	Y																						
B7. Plasma for NIDDK Biosample Repository (**3.0 mL of blood (1) Green Top or **5.0 mL (2) Green Top PSTs)	<table style="width: 100%; border: none;"> <tr> <td style="text-align: center; width: 50%;">1</td> <td style="text-align: center; width: 50%;">2</td> </tr> <tr> <td colspan="2" style="text-align: center;">(skip to c→)</td> </tr> </table>	1	2	(skip to c→)		<table style="width: 100%; border: none;"> <tr> <td style="text-align: center; width: 50%;">— —</td> <td style="text-align: center; width: 50%;">— —</td> </tr> <tr> <td colspan="2" style="text-align: center;">(skip to C1)</td> </tr> </table>	— —	— —	(skip to C1)		Date Frozen: <table style="width: 100%; border: none;"> <tr> <td style="text-align: center;">—</td> <td style="text-align: center;">—</td> <td style="text-align: center;">/</td> <td style="text-align: center;">—</td> <td style="text-align: center;">—</td> <td style="text-align: center;">/</td> <td style="text-align: center;">—</td> <td style="text-align: center;">—</td> <td style="text-align: center;">—</td> <td style="text-align: center;">—</td> </tr> <tr> <td style="text-align: center;">M</td> <td style="text-align: center;">M</td> <td></td> <td style="text-align: center;">D</td> <td style="text-align: center;">D</td> <td></td> <td style="text-align: center;">Y</td> <td style="text-align: center;">Y</td> <td style="text-align: center;">Y</td> <td style="text-align: center;">Y</td> </tr> </table>	—	—	/	—	—	/	—	—	—	—	M	M		D	D		Y	Y	Y	Y
1	2																														
(skip to c→)																															
— —	— —																														
(skip to C1)																															
—	—	/	—	—	/	—	—	—	—																						
M	M		D	D		Y	Y	Y	Y																						

** Collect 3.0 mL of whole blood for children < 30 kg and 5.0 mL for children ≥ 30 kg

SPECIMEN COLLECTION FORM for Visit 1b (L02)

SECTION C: Visit 1B URINE COLLECTION AND PROCESSING

Collect FRESH urine into an initial urine collection cup or hat (provided by the site).

Pour 15-60 mL (preferably 60 mL) of FRESH urine into blue top urine collection cup with 4 protease inhibitor tablets. Do not fill the urine past the 60 mL mark on the collection cup. One protease inhibitor tablet should be used for 10-15 mL of urine (see Table A). For example if 30 mL of urine is collected, ONLY 2 PI tablets are needed. (Like all unused supplies), **unused protease inhibitor tablets should be returned to the CBL.**

<u>Urine Volume</u>	<u># of Protease Inhibitor Tablets</u>
10 – 15 mL	1
16 – 30 mL	2
31 – 45 mL	3
46 – 60 mL	4

Invert the urine cup gently 5 – 10 times.

The PROTEASE INHIBITOR TABLET(S) MUST BE **COMPLETELY** DISSOLVED in the urine.

Once the protease inhibitor tablets are completely dissolved, pour urine into six (6) 10 mL urine centrifuge tubes. (**For each tube:** remove clear top cap, pour urine into tube and SNAP cap back onto tube.) Place no more than 10 mL in each tube.

– OR –

Sites may also substitute with tubes normally used to centrifuge urine at site.

Centrifuge urine tube(s) at MAX SPEED (between 1100-1300g) for 10 mins (swinghead units) – **OR** – 15 mins (fixed angle units).

Decant (pour off) the supernates (liquid reaction) into seven (7) 10 mL urine cryovials. Pour no more than 9 mL of urine into each 10 mL cryovial to allow for expansion.

Check that all information is correct on the urine transport tube, promptly freeze and store sample(s) at -70°C or lower. Batch up to 36 samples. When shipper is needed, complete “NIDDK Shipper Request Form” on CKiD website: <http://www.statepi.ihsp.edu/ckid/admin/>. Then, follow packaging instructions.

When pickup has been scheduled, complete “Online Shipping Form” on CKiD website to notify Heather Higgins and Alicia Wentz that sample(s) have been shipped to NIDDK BR.

Reasons Code List : 1 = Not required 2 = Difficult Urine Collection 3 = Participant Refused 4 = Collection Contamination 5 = Inadvertently Destroyed 6 = Oversight

Sample Type (Required Volume in Top Color Tube Type):	(a) Sample Obtained: <u>Yes</u> <u>No</u>	(b) If No, specify reason *SEE CODE LIST ABOVE	(c) Additional Requirements:
C1. Urine for NIDDK Biosample Repository (15.0 - 60.0 mL of urine in specimen container and transferred into collection cup with protease inhibitors)	1 2 (skip to c→)	_____ (skip to D1)	i. Was supernate decanted into urine transport cryovials? Yes.....1 No.....2 ii. Date Frozen: ____ / ____ / ____ <div style="text-align: center; font-size: small;">M M D D Y Y Y Y</div>

SPECIMEN COLLECTION FORM for Visit 1b (L02)

SECTION D: NAIL CLIPPING COLLECTION

- Collection of fingernails is preferred. **DO NOT** collect fingernail clippings if the participant has acrylic nails. If the participant cannot provide fingernail clippings, the Study Coordinator may clip the participant's toenails instead. **FINGERNAILS AND TOENAILS SHOULD NOT BE COLLECTED IN THE SAME CRYOVIAL** (collect one or the other).
- **STAINLESS STEEL NAIL CLIPPERS MUST BE USED TO COLLECT NAIL CLIPPINGS.** Use small (pediatric size) stainless steel nail clippers (see Figure A) for younger children and large stainless steel nail clippers (see Figure B) for older children. Both sizes are included in the CKiD starter package.
- Clean the blades of the nail clippers with **Simple Green D** prior to use (provided in 1st V1b ambient kit sent from the CBL).
- Whenever possible, the Study Coordinator should clip all (10) fingernails, removing approximately 1 millimeter from each nail (See Figure C). **Be prepared to collect flyaway nails.**
- (To use nail clippers, see Figures A – D). Refer to CKiD MOP Section 12 for further details.
- Carefully place the nail clippings into the cryovial (see Figure D). After using the nail clipper, soak the clipper in **Simple Green D**.



Figure C

Figure A




Figure B



Provide 10 nail clippings that are at least 1 mm tall

Figure D



SPECIMEN COLLECTION FORM for Visit 1b (L02)

D1. Does the participant have acrylic nails?

- Yes..... 1 (**Skip to D3**)
- No..... 2

D2. Were 10 fingernail clippings collected?

- Yes..... 1 (**Skip to E1**)
- No..... 2

a. How many fingernail clippings were collected?

___ ___

b. Specify reason "10" fingernail clippings were not collected.

- Nails not long enough..... 1 (**Skip to D3**)
- Participant Refused..... -7 (**Skip to D3**)
- Other..... 2

i. Specify: _____

D3. Were 10 toenail clippings collected?

- Yes..... 1 (**Skip to E1**)
- No..... 2

a. How many toenail clippings were collected?

___ ___

b. Specify reason "10" toenail clippings were not collected: (e.g., Nail fungus or discoloration causing pain or discomfort)

- Nail fungus or discoloration..... 1 (**Skip to E1**)
- Nails not long enough..... 2 (**Skip to E1**)
- Participant Refused..... -7 (**Skip to E1**)
- Other..... 3

i. Specify: _____

SPECIMEN COLLECTION FORM for Visit 1b (L02)

SECTION E: HAIR SAMPLE COLLECTION

- STAINLESS STEEL SCISSORS MUST BE USED TO COLLECT HAIR SAMPLE. The scissors are included in the CKiD starter package.
- DO NOT collect hair sample if the participant has colored, straightened or chemically altered hair
- Clean blades of stainless steel scissors with **Simple Green D** prior to use.
- Use powder-free gloves.
- Refer to CKiD MOP Section 12 for further details.
 - Lift up the top layer of hair from the **occipital** region of the scalp (see Figure A). Isolate a small thatch of hair (at least 20 fibers) from this region (see Figure B).
 - **Place the label with the participant's KID ID # tightly around all 20 strands of hair located at the distal end (furthest from the scalp)** (see Figure C).
 - Cut the hair sample off the participant's head **as close to the scalp as possible** (see Figure D).
 - Place cut thatch of hair inside aluminum foil (4 X 4) and fold the top of the foil to completely enclose the hair sample.
 - Place the aluminum foil inside a Ziplock bag (4 X 4) with the gel desiccant pellets in it and seal.
 - Store sample at room temperature in a dark place prior to shipment.
 - After using the scissors, soak in **Simple Green D**.



Figure A



Occipital Region of Scalp

Figure B



Figure C



Place the KID ID label tightly around all 20 strands.

Figure D



Cut the hair sample off the participant's head as close to the scalp as possible.

SPECIMEN COLLECTION FORM for Visit 1b (L02)

E1. Does the participant have permed, dyed, colored, straightened or chemically altered hair?

Yes..... 1 **(END)**

No..... 2

E2. Was the Study Coordinator able to cut at least 20 fibers of hair from the **occipital** region?

Yes..... 1 **(END)**

No..... 2

a. Specify reason "20" hair fibers were not collected:

Hair not long enough..... 1 **(END)**

Participant Refused..... -7 **(END)**

Other..... 2

i. Specify: _____
