Participant ID:

	Follow-up Visit #:			
	Interviewer's Initials:			
	Form Version:	<u>0</u> <u>6</u> /	0 1 / 1 1	
	INDICATE PERSON COMPLETING THE FORM	Parent or oth	g adult	
Secti	on A: Vital Status			
A1.	Date of Status Determination:		$\frac{1}{M} \frac{1}{M} \frac{1}{D} \frac{1}{D} \frac{1}{Y} \frac{1}{Y} \frac{1}{Y} \frac{1}{Y}$	
A2.	Who reported the vital status of the Participant	1 2 3 4 5	?	
A3.	What is the vital status of the par Alive Deceased* Unknown Contacted but refused interv	1 2 3	(Skip to Section B) (Skip to Question A4) (Skip to Question A5)	
A4.	Date of Participant's Death	N	$\frac{1}{M} \frac{1}{M} \frac{1}{D} \frac{1}{D} \frac{1}{Y} \frac{1}{Y} \frac{1}{Y} \frac{1}{Y}$	
	i. Cause of Death (Please use of	ode from list pr	provided): (END FORM HERE)
A5.	If vital status is unknown, what m	ethods of conta	ntact were used to locate or reach the participant?	
	(Please circle "Yes", "No" or " Yes		for EACH of the following methods below) Don't Know	
	Home Number 1 Work Number 1 Family Contact 1 Social Contact 1 Other Method 1	` -	-8 -8 -8 -8 -8 (Skip to A5i)	
	Specify other method used:			
	i. Date of first attempt to contact	t participant:	/	

	Post CKiD Study P	hone/In-Pers	son Follow Up Int	erview Form (PFU01)	
	ii. Number of times attempted	d to contact pa	rticipant:	_	
	iii. Date of last attempt to cor	ntact participan	t:	//	
	*Note: If patient death is kno	own, <u>do not</u> c	ontact family.		
Section	on B: Renal Replacement The	erapy			
Trans	splantation:				
B1.	Has (name of child) ever had	a kidney trans	plant?		
	Yes No		1 2 (Skip to B2)		
B1a.	If yes, was it living related, liv	ing unrelated,	or deceased donor?)	
	(Please circle "Yes", "No" o		w" for EACH of the on't Know	e following)	
	Living Related Donor Living Unrelated Donor Deceased Donor	1 2	-8 -8 -8		
B1b.	Date of Transplant:	///	<u> </u>	(Skip to B5)	
B2.	In the past year, have you dis or health care provider? Yes No Don't Know		1	your/your child's nephrologis	t
B3.	Which donor option(s) has/ha (Please circle "Yes", "No"	or "Don't Kno	w" for EACH of th	e following)	
	Living Donor	1 2	-8		
	Deceased Donor	1 2	-8		
B4.	Has (name of child) been listed Yes No a. Date Listed:		d donor transplanta 1 2 (Skip to B5)	tion?	
		M / Y Y	Y Y		

Participant ID: __ - ___ - ____

Participant ID:	nt ID:
-----------------	--------

		Post CKID Study Phone/In-Pe	erso	n Follow Up Interview Form (PFUU1)
Dialy	sis:			
B5.	Has	s (name of child) ever been on dialysis		
		Yes	1	(21.1.1.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.
		No Don't Know	2 -8	(Skip to B6) (Skip to B6)
	a.	Was the child on dialysis at birth		
		Yes	1	
		No	2	
		Don't Know	-8	
	b.	What type of dialysis did (name of c	hild)	use most recently:
		Hemodialysis	1	
		Peritoneal Dialysis	2	
		Don't Know	-8	
	C.	Date Most Recent Dialysis was Initia	ated:	/
		,		M M D D Y Y Y Y
	d.	Is (name of child) currently on dialys	is?	
		Yes		(Skip to C1)
		No	2	, ,
		Don't Know	-8	
B6.		ne past year, have you discussed dialy provider?	/sis \	with your/your child's nephrologist or health
		Yes	1	
		No	2	(Skip to C1)
		Don't Know	-8	(Skip to C1)
B7.	Whi	ich modality is preferred?		
		Hemodialysis	1	
		Peritoneal Dialysis	2	
		No Preference	3	
Secti	ion C:	General History		
C1.		at is the current zip code of (name of code of the time)?	child)	's primary household (i.e., the home in which
		 Don't Know	-8	
C2.	Doe	es (name of child) attend school outsid	le of	the home?
		Yes	1	
		No	2	(Skip to C4)
C3.		ing the past school year, approximate ool because of not feeling well? Days	ly ho	w many days has (name of child) missed from

-8

Don't Know.....

Participant ID:

C4.	What is the current employment status of (<i>name of child</i>)? Working full-time (35 hours or more per week)	1			
	Working part-time (less than 35 hours per week)	2			
	Unemployed but seeking work	3	9	Skip to D1	
	Unemployed not seeking work	4		Skip to D1	
	Student	5		Skip to D1	
	Retired	6		Skip to D1	
	Disability	7		Skip to D1	
	Not Applicable	-1		Skip to D1	
	Don't Know	-8		Skip to D1	
	i. Is (name of child) self-employed?			-	
	Yes	1			
	No	2			
	Don't Know	-8			
C5.	During the past year, approximately how many days has (because of not feeling well? Days	name	of c	<i>hild</i>) missed fro	om work
	Don't Know8				
Secti	on D: Medical History				
D1.	In the past year, has (<i>name of child</i>) had a urologic proced or her kidney problems?	lure,	inclu	ding surgery to	treat his
	Yes 1				
	No 2				
	Don't Know8				
	next set of questions asks about diseases, other than kid currently have or that your child has had in the past yea	-	dise	ase, that your	child
	e past year, has a doctor or any other healthcare professiona of the following diseases?	l told	you	that (<i>name of c</i>	child) has
(Plea	se circle "Yes", "No" or "Don't Know" for EACH of the fo	ollow	ing.)	
		<u>Y</u>	<u>es</u>	<u>No</u>	Don't Know
D2.	GENERAL / METABOLIC DISEASE				
	a. Diabetes Mellitus (Sugar Diabetes, High Blood Sugar)		1	2	-8
D3.	CARDIOVASCULAR DISEASE		1	2	-8
	a. Hypertension (High blood pressure)		1	2 (Skip to b)	-8 (Skip to b)
	If hypertensive, what is the status?			, , ,	
	, portonor,				
	Continued problem 1				
	•				
			I	∠ (3 kip to b)	-o (3kip to b)

Participant ID:	-	-
-----------------	---	---

(Please circle "Yes", "No" or "Don't Know" for EACH of the following.)

			<u>Yes</u>	<u>No</u>	Don't Know
	b.	Heart Failure (Congestive heart failure)	1	2	-8
	C.	Stroke	1	2	-8
	d.	Left Ventricular Hypertrophy (LVH)	1	2	-8
D4.	GENI	TOURINARY DISEASE			
	a.	Urinary Tract Infections	1	2	-8
	b.	Passage of kidney stones	1	2	-8
D5.	NEUR	OLOGICAL			
	a.	Seizures/Convulsions	1	2	-8

Section E: Overall Health and Nutrition

E1. In the past year, how would you rate (name of child) health compared to other people his/her age? Please circle one choice.

Very Good	1
Good	2
Fair	3
Poor	4
Very Poor	5

E2. During the past week, how would you rate (*name of child*) appetite? Please circle one choice.

Very Good	1
Good	2
Fair	3
Poor	4
Very Poor	5

a. During the past week, did *(name of child)* have an acute illness (i.e., cold, flu or tonsillitis) that altered *(name of child)* normal appetite?

Yes	1	
No	2	(Skip to F1)
Don't Know	-8	(Skip to F1)

b. During the past week, on how many days was the child ill?

days	
Don't Know	-8

Section F: Health Care Utilization

F1. In the past year, where has (name of child) gone to receive medical care?

(Please circle "Yes" "No" or "Don't Know" for EACH of the following places.)
Did (name of child) go to...

		Yes	No	Don't Know
a.	A clinic or health care center	1	2	-8
b.	A private doctor's office	1	2	-8
C.	Hospital Outpatient Department	1	2	-8
d.	The emergency room in a hospital	1	2 (Skip to e)	-8 (Skip to e)

	Post CKiD Study Phone/In-F	erson	Follow	Up Interview F	orm (PFU01)
	How many times has (name of or year?	child) re			•
	e. Some other place		1		-8 (Skip to F2)
	If yes, specify:				
F2.	In the past year, how many times did (no visits and routine care? Do not include times when (name of ch		•	·	
	times Don't Know	-8			
F3.	In the past year, how many times did (no was sick or needed immediate care?	ame of o	child) see	e a health care p	rovider when he/she
	Do not include times when (name of cheeping times Don't Know	nild) was -8	hospita	lized overnight o	r ER visits.
F4.	In the past year, when (name of child) we (more than half of the time) see the same his/her medical appointments? Yes	ne health			
F5.	In the past year, has (name of child) beed was born)? Do not include overnight stated Yes	ys in the 1 2 (-8 (e emerge Skip to Skip to	F6)	
F6.	In the past year, has (name of child) rec psychiatrist, psychiatric nurse, counselo Yes				O ,
F7.	In the past year, has (name of child) reco	eived ca 1 2	re from	a dentist or denta	al hygienist?

Participant ID: __ - ___ - __

Partici	pant	ID:	-	-	
	puiit	· • ·			

Section G: Symptom List

Symptom	Number of DAYS in past month (Enter 0 if none.)	Mild Symptoms did not interfere with usual activities	Severity Moderate Symptoms interfered somewhat with usual activities	Severe Symptoms were so bothersome that usual activities could not be performed
1. Nausea or upset stomach?		1	2	3
2. Vomiting?		1	2	3
3. Constipation		1	2	3
4. Numbness and tingling in hands and feet?		1	2	3
5. Blurred vision?		1	2	3
6. Loss of appetite?		1	2	3
7. Increased appetite?		1	2	3
8. Weight increase?		1	2	3
9. Swelling (excess fluid)?		1	2	3
10. Tiring easily, weakness?		1	2	3
11. Falling asleep during the day?		1	2	3

Participant ID: _		
-------------------	--	--

Section H: Medications

Please provide the following information for each medication (*name of child*) is taking (Include both prescription and Over the Counter medicines and nutritional supplements that are taken regularly):

Drug Code	Medication Name	Drug Form	Dose	UNITS	Frequency	# of times missed in 30 days	# of time missed in 7 days	Reason meds were missed in the past 7 days
н1		1 = Pill/Tablet/Patch/Powder 2 = Drop 3 = Inhaler/Spray 4 = Nebulizer 5 = Liquid (syrup/gel/cream/lotion/injections) 6 = Rectal Formulation			1 = q4 (every 4 hrs) 3 = q8 / tid (every 8 hrs or 3 times/day) 4 = q12 / bid (every 4 / qday) 5 = q24 / qday (every day or once/day) 6 = qod (every other day) 10 = triweek (3 times/wk) 14 = biweek (2 times/wk) 7 = qweek (every wk) 11 = q2week (every 2 wks) 12 = q3week (every 3 wks) 13 = qmonth (every mon) 9 = PRN (as needed) 8 = Other:			1 =Meds cause side effects 2 = hard to remember to give meds 3 = hard to get to pharmacy to pick up meds 4 = hard to open 5 = hard to get refill on time 6 = hard to remember to give on weekends 7 = hard to pay for meds 8 = Meds taste bad 9 = painful to take meds
H2		1 = Pill/Tablet/Patch/Powder 2 = Drop 3 = Inhaler/Spray 4 = Nebulizer 5 = Liquid (syrup/gel/cream/lotion/injections) 6 = Rectal Formulation	·		1 = q4 (every 4 hrs) 3 = q8 / tid (every 8 hrs or 3 times/day) 4 = q12 / bid (every 12hrs or twice/day) 5 = q24 / qday (every day or once/day) 6 = qod (every other day) 10 = triweek (3 times/wk) 14 = biweek (2 times/wk) 7 = qweek (every wk) 11 = q2week (every 2 wks) 12 = q3week (every 3 wks) 13 = qmonth (every mon) 9 = PRN (as needed) 8 = Other:			1 =Meds cause side effects 2 = hard to remember to give meds 3 = hard to get to pharmacy to pick up meds 4 = hard to open 5 = hard to get refill on time 6 = hard to remember to give on weekends 7 = hard to pay for meds 8 = Meds taste bad 9 = painful to take meds
H3		1 = Pill/Tablet/Patch/Powder 2 = Drop 3 = Inhaler/Spray 4 = Nebulizer 5 = Liquid (syrup/gel/cream/lotion/injections) 6 = Rectal Formulation			1 = q4 (every 4 hrs) 3 = q8 / tid (every 8 hrs or 3 times/day) 4 = q12 / bid (every 12hrs or twice/day) 5 = q24 / qday (every day or once/day) 6 = qod (every other day) 10 = triweek (3 times/wk) 14 = biweek (2 times/wk) 7 = qweek (every wk) 11 = q2week (every 2 wks) 12 = q3week (every 3 wks) 13 = qmonth (every mon) 9 = PRN (as needed) 8 = Other:			1 =Meds cause side effects 2 = hard to remember to give meds 3 = hard to get to pharmacy to pick up meds 4 = hard to open 5 = hard to get refill on time 6 = hard to remember to give on weekends 7 = hard to pay for meds 8 = Meds taste bad 9 = painful to take meds

Par	tic	qi	an	ıt	ID	:	-	-	

Drug Code	Medication Name	Drug Form	Dose	UNITS	Frequency	# of times missed in 30 days	# of time missed in 7 days	Reason meds were missed in the past 7 days
H4		1 = Pill/Tablet/Patch/Powder 2 = Drop 3 = Inhaler/Spray 4 = Nebulizer 5 = Liquid (syrupgel/cream/lotion/injections) 6 = Rectal Formulation	•		1 = q4 (every 4 hrs) 3 = q8 / tid (every 8 hrs or 3 times/day) 4 = q12 / bid (every 12hrs or twice/day) 5 = q24 / qday (every day or once/day) 6 = q0d (every other day) 10 = triweek (3 times/wk) 14 = biweek (2 times/wk) 17 = qweek (every wk) 11 = q2week (every 2 wks) 12 = q3week (every 2 wks) 13 = qmonth (every mon) 9 = PRN (as needed) 8 = Other:			1 =Meds cause side effects 2 = hard to remember to give meds 3 = hard to get to pharmacy to pick up meds 4 = hard to open 5 = hard to get refill on time 6 = hard to remember to give on weekends 7 = hard to pay for meds 8 = Meds taste bad 9 = painful to take meds
H5		1 = Pill/Tablet/Patch/Powder 2 = Drop 3 = Inhaler/Spray 4 = Nebulizer 5 = Liquid (syrup/gel/cream/lotion/injections) 6 = Rectal Formulation			1 = q4 (every 4 hrs) 3 = q8 / tid (every 8 hrs or 3 times/day) 4 = q12 / bid (every 8 hrs or 3 times/day) 5 = q24 / qday (every day or once/day) 6 = qod (every other day) 10 = triweek (3 times/wk) 14 = biweek (2 times/wk) 7 = qweek (every wk) 11 = q2week (every 2 wks) 12 = q3week (every 3 wks) 13 = qmonth (every mon) 9 = PRN (as needed) 8 = Other:			1 =Meds cause side effects 2 = hard to remember to give meds 3 = hard to get to pharmacy to pick up meds 4 = hard to open 5 = hard to get refill on time 6 = hard to remember to give on weekends 7 = hard to pay for meds 8 = Meds taste bad 9 = painful to take meds
H6		1 = Pill/Tablet/Patch/Powder 2 = Drop 3 = Inhaler/Spray 4 = Nebulizer 5 = Liquid (syrup/gel/cream/lotion/injections) 6 = Rectal Formulation			1 = q4 (every 4 hrs) 3 = q8 / tid (every 8 hrs or 3 times/day) 4 = q12 / bid (every 8 hrs or 3 times/day) 5 = q24 / qday (every day or once/day) 6 = qod (every other day) 10 = triweek (3 times/wk) 14 = bitweek (2 times/wk) 7 = qweek (every wk) 11 = q2week (every 2 wks) 12 = q3week (every 3 wks) 13 = qmonth (every mon) 9 = PRN (as needed) 8 = Other:			1 =Meds cause side effects 2 = hard to remember to give meds 3 = hard to get to pharmacy to pick up meds 4 = hard to open 5 = hard to get refill on time 6 = hard to remember to give on weekends 7 = hard to pay for meds 8 = Meds taste bad 9 = painful to take meds
H7		1 = Pill/Tablet/Patch/Powder 2 = Drop 3 = Inhaler/Spray 4 = Nebulizer 5 = Liquid (syrup/gel/cream/lotion/injections) 6 = Rectal Formulation			1 = q4 (every 4 hrs) 3 = q8 / tid (every 8 hrs or 3 times/day) 4 = q12 / bid (every 12hrs or twice/day) 5 = q24 / qday (every day or once/day) 6 = qod (every other day) 10 = triweek (3 times/wk) 14 = biweek (2 times/wk) 17 = qweek (every wk) 11 = q2week (every 2 wks) 12 = q3week (every 3 wks) 13 = qmonth (every mon) 9 = PRN (as needed) 8 = Other:			1 =Meds cause side effects 2 = hard to remember to give meds 3 = hard to get to pharmacy to pick up meds 4 = hard to open 5 = hard to get refill on time 6 = hard to remember to give on weekends 7 = hard to pay for meds 8 = Meds taste bad 9 = painful to take meds

Partici _i	pant	ID:	-	-	

Drug Code	Medication Name	Drug Form	Dose	UNITS	Frequency	# of times missed in 30 days	# of time missed in 7 days	Reason meds were missed in the past 7 days
Н8		1 = Pill/Tablet/Patch/Powder 2 = Drop 3 = Inhaler/Spray 4 = Nebulizer 5 = Liquid (syrup/gel/cream/lotion/injections) 6 = Rectal Formulation			1 = q4 (every 4 hrs) 3 = q8 / tid (every 8 hrs or 3 times/day) 4 = q12 / bid (every 1 hrs or vice/day) 5 = q24 / qday (every day or once/day) 6 = qod (every other day) 10 = triweek (3 times/wk) 14 = biweek (2 times/wk) 7 = qweek (every wk) 11 = q2week (every 2 wks) 12 = q3week (every 3 wks) 13 = qmonth (every mon) 9 = PRN (as needed) 8 = Other:			1 =Meds cause side effects 2 = hard to remember to give meds 3 = hard to get to pharmacy to pick up meds 4 = hard to open 5 = hard to get refill on time 6 = hard to remember to give on weekends 7 = hard to pay for meds 8 = Meds taste bad 9 = painful to take meds
H9		1 = Pill/Tablet/Patch/Powder 2 = Drop 3 = Inhaler/Spray 4 = Nebulizer 5 = Liquid (syrup/gel/cream/lotion/injections) 6 = Rectal Formulation			1 = q4 (every 4 hrs) 3 = q8 / tid (every 8 hrs or 3 times/day) 4 = q12 / bid (every 12hrs or twice/day) 5 = q24 / qday (every day or once/day) 6 = qod (every other day) 10 = triweek (3 times/wk) 14 = biweek (2 times/wk) 7 = qweek (every wk) 11 = q2week (every y wk) 12 = q3week (every 3 wks) 13 = qmonth (every mon) 9 = PRN (a sneeded) 8 = Other:			1 =Meds cause side effects 2 = hard to remember to give meds 3 = hard to get to pharmacy to pick up meds 4 = hard to open 5 = hard to get refill on time 6 = hard to remember to give on weekends 7 = hard to pay for meds 8 = Meds taste bad 9 = painful to take meds
H10		1 = Pill/Tablet/Patch/Powder 2 = Drop 3 = Inhaler/Spray 4 = Nebulizer 5 = Liquid (syrup/gel/cream/lotion/injections) 6 = Rectal Formulation	·_		1 = q4 (every 4 hrs) 3 = q8 / tid (every 5 hrs or 3 times/day) 4 = q12 / bid (every 15hrs or twice/day) 5 = q24 / qday (every day or once/day) 6 = qod (every other day) 10 = triweek (3 times/wk) 14 = biweek (2 times/wk) 7 = qweek (every wk) 11 = q2week (every 2 wks) 12 = q3week (every 3 wks) 13 = qmonth (every mon) 9 = PRN (as needed) 8 = Other:			1 =Meds cause side effects 2 = hard to remember to give meds 3 = hard to get to pharmacy to pick up meds 4 = hard to open 5 = hard to get refill on time 6 = hard to remember to give on weekends 7 = hard to pay for meds 8 = Meds taste bad 9 = painful to take meds
H11		1 = Pill/Tablet/Patch/Powder 2 = Drop 3 = Inhaler/Spray 4 = Nebulizer 5 = Liquid (syrupgel/cream/lotion/injections) 6 = Rectal Formulation			1 = q4 (every 4 hrs) 3 = q8 / tid (every 5 hrs or 3 times/day) 4 = q12 / bid (every 12 hrs or 4 times/day) 5 = q24 / qday (every day or once/day) 6 = q0d (every other day) 10 = triweek (3 times/wk) 14 = biweek (2 times/wk) 17 = qweek (every wk) 11 = q2week (every 2 wks) 12 = q3week (every 3 wks) 13 = qmonth (every mon) 9 = PRN (as needed) 8 = Other:			1 =Meds cause side effects 2 = hard to remember to give meds 3 = hard to get to pharmacy to pick up meds 4 = hard to open 5 = hard to get refill on time 6 = hard to remember to give on weekends 7 = hard to pay for meds 8 = Meds taste bad 9 = painful to take meds