




Screenshots for Documentation of Esophagogastroduodenoscopy (EGD) Procedures in CORI v4

Table of Contents

HISTORY	4
<i>Surgical History</i>	6
<i>Medical History</i>	7
PHYSICAL EXAMINATION	9
LIVER DISEASE	10
INDICATIONS	14
PREPROCEDURE	23
SEDATION	26
PROCEDURE	30
EGD FINDINGS	35
<i>Achalasia</i>	36
<i>Anatomical deformity</i>	37
<i>Arteriovenous malformation (AVM)</i>	37
<i>Barrett's esophagus</i>	38
<i>Blood clot</i>	38
<i>Dilation</i>	39
<i>Duodenal diverticulum</i>	40
<i>Esophageal ulcer</i>	41
<i>Food impaction</i>	42
<i>Foreign body</i>	43
<i>Hiatal Hernia</i>	43
<i>Image Taken</i>	44
<i>Larngal exam</i>	44
<i>Mallory-Weiss tear</i>	48
<i>Mucosal abnormality / Esophagus</i>	48
<i>Mucosal abnormality / Stomach – Duodenum</i>	50
<i>Polyp</i>	51
<i>Normal</i>	52
<i>Prior endotherapy</i>	52
<i>Prior surgery</i>	53
<i>Sprue (Celiac disease)</i>	54
<i>Stricture / Stenosis</i>	54

<i>Tube Placement</i>	55
<i>Tumor</i>	57
<i>Ulcer</i>	58
<i>Varices</i>	59
<i>Other finding</i>	59
SMALL BOWEL FINDINGS	60
<i>Anatomical deformity</i>	61
<i>Arteriovenous malformation (AVM)</i>	61
<i>Carcinoid tumor</i>	61
<i>Diverticulosis</i>	62
<i>Fluid / Debris</i>	62
<i>Foreign body / Retained food</i>	63
<i>Image taken</i>	63
<i>Lymphangiectasia</i>	63
<i>Mucosal abnormality</i>	64
<i>Nematodes</i>	64
<i>Normal</i>	64
<i>Polyp</i>	65
<i>Prior surgery</i>	65
<i>Sprue (Celiac disease)</i>	66
<i>Stricture / Stenosis</i>	66
<i>Tumor</i>	67
<i>Ulcer</i>	67
<i>Xanthoma</i>	68
<i>Other finding</i>	68
THERAPIES	69
<i>Hemostatic therapies</i>	69
Hemostatic Argon Plasma Coagulation (APC).....	70
Hemostatic Banding.....	70
Hemostatic Bipolar Coagulation (BiCap).....	71
Hemostatic Clip(s).....	71
Hemostatic Heater Probe	72
Hemostatic Injection.....	72
Hemostatic Laser	73
Other hemostatic therapy(s)	73
<i>Non-hemostatic therapies</i>	74
Non-hemostatic Argon Plasma Coagulation	74
Non-hemostatic Banding	74
Non-hemostatic Clip(s)	75
Non-hemostatic Dilatation.....	75
Non-hemostatic Endoscopic Mucosal Resection (EMR)	76
Non-hemostatic Heater Probe.....	76
Non-hemostatic Injection	77
Non-hemostatic Laser.....	77

Non-hemostatic Stent.....	78
Other non-hemostatic therapy(s).....	78
EVENTS	79
ASSESSMENT / PLAN.....	83
LETTERS.....	86

Above each screenshot or set of screenshots is the name of the table in the v4 National Endoscopic Database where the data collected on that screen is found. Some screenshots show the content of subscreens that are also documented in the same table. Controls which have subscreens are evidenced by the orange arrows: 

HISTORY

Table: History

EGD
Pathology Images Print Fax Orders GIQuIC

First name	Middle name	Last name	MRN	Birth date	Procedure date
Fake		Patient	00000000	1/1/1901	Jan 01, 2000 12:00 PM

History

Physical exam

Liver Disease

Indications

Preprocedure

Sedation

Procedure

EGD Findings

Sm. Bowel Findings

Events

Assessment/Plan

Letters/Instructions

Import from Colonoscopy

Save

Sign

Print Preview

Close

Medications

Within the last 7 days, has the patient taken anti-inflammatory, anti-coagulant or anti-platelet medications? Yes No

Which medications	Stopped prior to exam?	# of days prior
<input type="checkbox"/> ASA	<input type="radio"/> Yes <input type="radio"/> No	<input type="text"/>
<input type="checkbox"/> NSAID	<input type="radio"/> Yes <input type="radio"/> No	<input type="text"/>
<input type="checkbox"/> COX-2	<input type="radio"/> Yes <input type="radio"/> No	<input type="text"/>
<input type="checkbox"/> Heparin	<input type="radio"/> Yes <input type="radio"/> No	<input type="text"/>
<input type="checkbox"/> LMWH	<input type="radio"/> Yes <input type="radio"/> No	<input type="text"/>
<input type="checkbox"/> Coumadin	<input type="radio"/> Yes <input type="radio"/> No	<input type="text"/>
<input type="checkbox"/> Plavix	<input type="radio"/> Yes <input type="radio"/> No	<input type="text"/>
<input type="checkbox"/> Other	<input type="radio"/> Yes <input type="radio"/> No	<input type="text"/>

Other antiinflammatory/anticoagulant/antiplatelet meds

Anticoagulation plan

Other medications

Patient habits

Smoking history

Amount *

Number of years

Smokes every day Yes No

Current alcohol consumption (wine, beer, liquor)

No prior surgeries

Surgical history ▶

No history of major medical illness

Medical history ▶

Recent labs/studies Yes No

Allergies Yes No

History comments

Please do not use this field if you can document the information using other fields on the screen

Patient habits

Smoking history

Amount *

Number of years

Smokes every day Yes No

Current alcohol consumption (wine, beer, liquor)

Patient habits

Smoking history

Amount *

Number of years

Smokes every day

Current alcohol consumption (wine, beer, liquor)

Patient habits

Smoking history

Amount

Number of years

Smokes every day Yes No

Current alcohol consumption (wine, beer, liquor)

No prior surgeries

Surgical history

- Abstains
- Occasional (average less than daily)
- Moderate (1-2 drinks per day)
- Heavy (>2 drinks per day)

Surgical History

Table: HxSurgHx

Patient History > Surgical History

Biliary/Pancreatic	GI, Upper	Genitourinary
<input type="checkbox"/> Biliary bypass <input type="checkbox"/> Cholecystectomy <input type="checkbox"/> Cyst removal <input type="checkbox"/> Liver surgery <input type="checkbox"/> Pancreatic resection <input type="checkbox"/> Pancreatic surgery <input type="checkbox"/> Sphincteroplasty <input type="checkbox"/> Whipple procedure	<input type="checkbox"/> Anti-reflux surgery <input type="checkbox"/> Billroth I <input type="checkbox"/> Billroth II <input type="checkbox"/> Esophageal myotomy (Heller) <input type="checkbox"/> Esophagectomy <input type="radio"/> partial <input type="radio"/> total <input type="checkbox"/> Gastrectomy <input type="radio"/> partial <input type="radio"/> total Gastric bypass <input type="checkbox"/> Banded gastroplasty <input type="checkbox"/> Roux-en-Y gastric bypass (RYGB) <input type="checkbox"/> Sleeve gastrectomy <input type="checkbox"/> Gastrojejunostomy <input type="checkbox"/> Gastrostomy tube <input type="checkbox"/> Jejunostomy tube <input type="checkbox"/> Pyloroplasty	<input type="checkbox"/> Cesarean Section <input type="checkbox"/> Total abdominal hysterectomy <input type="checkbox"/> Tubal ligation <input type="checkbox"/> Vaginal hysterectomy <input type="checkbox"/> Partial hysterectomy <input type="checkbox"/> TURP
Cardiovascular		Pulmonary
<input type="checkbox"/> Coronary artery bypass <input type="checkbox"/> Valve replacement		<input type="checkbox"/> Lobectomy
GI, Lower		Organ Transplant
<input type="checkbox"/> Colostomy <input type="checkbox"/> Left hemicolectomy <input type="checkbox"/> Right hemicolectomy <input type="checkbox"/> Segmental colectomy <input type="checkbox"/> Total colectomy with <input type="radio"/> ileostomy <input type="radio"/> ileo-anal pouch <input type="radio"/> Koch pouch <input type="checkbox"/> Hemorrhoidectomy <input type="checkbox"/> Terminal ileum resection <input type="checkbox"/> Appendectomy		<input type="checkbox"/> Heart <input type="checkbox"/> Liver <input type="checkbox"/> Lung <input type="checkbox"/> Kidney <input type="checkbox"/> Pancreas <input type="checkbox"/> Small Bowel <input type="checkbox"/> Bone marrow
		Other
		<input type="checkbox"/> Other surgical history ▶ <input type="checkbox"/> Tonsillectomy

Other: Other surgical history

SurgHxOther

Other surgical history

|

Medical History

Table: HxMedHx

Patient history > Medical history

Cardiovascular	Gastrointestinal	Infection
<input type="checkbox"/> Angina <input type="checkbox"/> Congestive heart failure (CHF) <input type="checkbox"/> Coronary artery disease (CAD) <input type="checkbox"/> Dysrhythmia <input type="checkbox"/> Deep vein thrombosis/PE <input type="checkbox"/> Hypertension (HTN) <input type="checkbox"/> Implanted defibrillator <input type="checkbox"/> Murmur <input type="checkbox"/> Myocardial Infarction (MI) <input type="checkbox"/> Pacemaker <input type="checkbox"/> Peripheral vascular disease (PVD) <input type="checkbox"/> Rheumatic fever <input type="checkbox"/> Valvular heart disease	<input type="checkbox"/> Adenomatous polyps <input type="checkbox"/> Barrett's esophagus <div style="border: 1px solid black; padding: 2px;"> Cancer <input type="checkbox"/> Anal Cancer <input type="checkbox"/> Colorectal Cancer <input type="checkbox"/> Esophageal Cancer <input type="checkbox"/> Gastric Cancer <input type="checkbox"/> Small bowel Cancer </div> <input type="checkbox"/> Crohn's disease <input type="checkbox"/> Diverticulitis <input type="checkbox"/> Dysphagia <input type="checkbox"/> Esophagitis <input type="checkbox"/> Eosinophilic esophagitis <input type="checkbox"/> Food impaction <input type="checkbox"/> Gastritis <input type="checkbox"/> Gastroesophageal reflux disease (GERD) <input type="checkbox"/> H. pylori <input type="checkbox"/> Inflammatory bowel disease (IBD) <input type="checkbox"/> Irritable bowel syndrome (IBS) <input type="checkbox"/> Pancreatitis <input type="radio"/> acute <input type="radio"/> chronic <input type="checkbox"/> Small bowel obstruction <input type="checkbox"/> Sphincter of Oddi dysfunction <input type="checkbox"/> Ulcerative colitis <input type="checkbox"/> Ulcers	<input type="checkbox"/> Human immunodeficiency virus (HIV) <input type="checkbox"/> Methicillin resistant Staph. aureus (MRSA) <input type="checkbox"/> Sepsis <input type="checkbox"/> Vancomycin resistant Staph. aureus (VRSA)
Endocrine	Genitourinary	Neurological/Musculoskeletal
<input type="checkbox"/> Diabetes <input type="checkbox"/> Hyperlipidemia <input type="checkbox"/> Osteoporosis <input type="checkbox"/> Steroid use <input type="checkbox"/> Thyroid abnormality <input type="checkbox"/> Weight change > 10 lbs (recent)	<input type="checkbox"/> Benign prostatic hypertrophy <input type="checkbox"/> Nephrolithiasis <input type="checkbox"/> Prostate cancer	<input type="checkbox"/> Arthritis <input type="checkbox"/> Back problems <input type="checkbox"/> Dementia <input type="checkbox"/> Depression <input type="checkbox"/> Lupus/SLE <input type="checkbox"/> Migraines <input type="checkbox"/> Neuromuscular disease <input type="checkbox"/> Stroke <input type="checkbox"/> Seizure <input type="checkbox"/> Syncope <input type="checkbox"/> Transient ischemic attack
Gynecological	Liver/Biliary	Pulmonary
<input type="checkbox"/> Ovarian cancer Age at diagnosis: <input type="text"/> <input type="checkbox"/> Endometrial cancer Age at diagnosis: <input type="text"/> <input type="checkbox"/> Breast cancer Age at diagnosis: <input type="text"/> <input type="checkbox"/> Pregnancy	<input type="checkbox"/> Cirrhosis <input type="checkbox"/> Portal hypertension Viral hepatitis <input type="checkbox"/> Hepatitis B <input type="checkbox"/> Hepatitis C <input type="checkbox"/> Other hepatitis <input type="checkbox"/> Cholelithiasis <input type="checkbox"/> Cholecystitis	<input type="checkbox"/> Asthma <input type="checkbox"/> Chronic obstructive lung disease <input type="checkbox"/> Dyspnea <input type="checkbox"/> Orthopnea <input type="checkbox"/> Pneumonia <input type="checkbox"/> Sleep apnea <input type="checkbox"/> Tuberculosis <input type="checkbox"/> Upper respiratory infection (recent)
Hematological	Other	Renal
<input type="checkbox"/> Anemia <input type="checkbox"/> Thrombocytopenia <input checked="" type="checkbox"/> Hematological cancer <input type="checkbox"/> Chemotherapy <input type="checkbox"/> Hemophilia <input type="checkbox"/> Radiation therapy <input type="checkbox"/> Sicke cell disease/trait	<input type="checkbox"/> Obesity <input checked="" type="checkbox"/> Other medical history	<input type="checkbox"/> Continuous abdominal peritoneal dialysis (CAPD) <input type="checkbox"/> Hemodialysis <input type="checkbox"/> Renal failure <input type="checkbox"/> Urinary tract infection (recent)

Hematological: Hematological cancer


Table: HemeCaType

Hematological cancer

Please indicate type of hematological cancer

Other: Other medical history

Table: MedHxOther



The image shows a screenshot of a software window titled "Other medical history". The window has a light blue title bar and a white main area. At the bottom of the window, there are two buttons: "Save" and "Cancel". The main area is currently empty, suggesting a form for entering medical history text.

PHYSICAL EXAMINATION

Table: PE

EGD
Pathology Images Print Fax Orders GIQuIC

First name: Fake
Middle name:
Last name: Patient
MRN: 00000000
Birth date: 1/1/1901
Procedure date: Jan 01, 2000 12:00 PM

History

Physical exam

Liver Disease

Indications

Preprocedure

Sedation

Procedure

EGD Findings

Sm. Bowel Findings

Events

Assessment/Plan

Letters/Instructions

Import from Colonoscopy

Save

Sign

Print Preview

Close

Physical exam performed: |

Measurements

Height/length: in Units: English Metric

Weight: lbs

BMI #:

BMI class (adults):

Physical exam(s)

Entire PE WNL

Abdominal Exam	<input type="radio"/> Normal	<input type="radio"/> Abnormal	<input type="radio"/> Not performed
Airway Exam	<input type="radio"/> Normal	<input type="radio"/> Abnormal	<input type="radio"/> Not performed
Cardio-pulmonary Exam	<input type="radio"/> Normal	<input type="radio"/> Abnormal	<input type="radio"/> Not performed
Extremity Exam	<input type="radio"/> Normal	<input type="radio"/> Abnormal	<input type="radio"/> Not performed
HEENT Exam	<input type="radio"/> Normal	<input type="radio"/> Abnormal	<input type="radio"/> Not performed
Mental status Exam	<input type="radio"/> Normal	<input type="radio"/> Abnormal	<input type="radio"/> Not performed
Neurological Exam	<input type="radio"/> Normal	<input type="radio"/> Abnormal	<input type="radio"/> Not performed
Rectal Exam	<input type="radio"/> Normal	<input type="radio"/> Abnormal	<input type="radio"/> Not performed

Systolic BP: mm. Hg

Diastolic BP: mm. Hg

Pulse: beats / min.

Physical exam comments
Please do not use this field if you can document the information using other fields on the screen

LIVER DISEASE

Table: Liver

EGD
Pathology Images Print Fax Orders GIQuIC

First name: Fake
Middle name:
Last name: Patient
MRN: 00000000
Birth date: 1/1/1901
Procedure date: Jan 01, 2000 12:00 PM

- History
- Physical exam
- Liver Disease
- Indications
- Preprocedure
- Sedation
- Procedure
- EGD Findings
- Sm. Bowel Findings
- Events
- Assessment/Plan
- Letters/Instructions

History of varices

Known history of varices
 No known history of varices
 Unknown history of varices

Prior variceal bleed

Has there been a prior bleed?

Status of the eradication

Prior variceal bleed comments

Specify the type of varices

Esophageal
 Duodenal
 Gastric
 Other type

Prior surveillance? History of prior surveillance
 No known prior surveillance
 Unknown if prior surveillance

Prior surveillance exam date

Evidence of liver disease

Abnormal laboratory values
 Portal hypertension
 Histologic cirrhosis
 Portal vein thrombosis
 Other evidence

What is the etiology of the liver disease?

Alcohol
 Autoimmune hepatitis
 Biliary atresia
 Cryptogenic
 Cystic fibrosis
 Hepatitis B
 Hepatitis C
 Non-alcoholic steato-hepatitis (NASH)
 Primary biliary cirrhosis (PBC)
 Primary sclerosing cholangitis (PSC)
 Other etiology

Childs-Pugh classification

Encephalopathy

Ascites

Serum bilirubin

Serum albumin

Prothrombin time (INR)

Final classification

Prior variceal bleed

Has there been a prior bleed?

Status of the eradication

Prior variceal bleed comments

Prior variceal bleed

Has there been a prior bleed?

Status of the eradication

Prior variceal bleed comments

Childs-Pugh classification

Encephalopathy

Ascites

- None
- Mild
- Severe

Serum bilirubin

Serum albumin

Prothrombin time (INR)

Final classification

Childs-Pugh classification

Encephalopathy

Ascites

Serum bilirubin

- None
- Moderate or easily treated
- Severe or intractable

Serum albumin

Prothrombin time (INR)

Final classification

Childs-Pugh classification

Encephalopathy

Ascites

Serum bilirubin

Serum albumin

- < 2.0 mg/dL
- 2.0-3.0 mg/dL
- > 3.0 mg/dL

Prothrombin time (INR)

Final classification

Childs-Pugh classification

Encephalopathy

Ascites

Serum bilirubin

Serum albumin

Prothrombin time (INR)

- > 3.5 g/dL
- 2.8-3.5 g/dL
- < 2.8 g/dL

Final classification

Childs-Pugh classification

Encephalopathy

Ascites

Serum bilirubin

Serum albumin

Prothrombin time (INR)

Final classification

- < 1.7
- 1.7 - 2.3
- > 2.3

Specify the type of varices: Other type

Table: LiverVaricesOther

Other type of varices

Save Cancel

Evidence of liver disease: Other evidence of liver disease


Table: LiverEvidenceOther

Other evidence of liver disease

Save Cancel

Etiology of liver disease: Alcohol


Table: LiverDrinkStatus



The screenshot shows a dialog box titled "Alcohol detail". It contains two radio button options: "Current drinker" and "Former drinker". The "Current drinker" option is selected, and its label is highlighted with a blue background. Below the radio buttons is a text area labeled "Comments" with a vertical scrollbar. At the bottom of the dialog are two buttons: "Save" and "Cancel".

Etiology of liver disease: Other etiology of liver disease

Table: LiverEtiologyOther



The screenshot shows a dialog box titled "Other etiology of liver disease". It features a large text area with a vertical scrollbar. At the bottom of the dialog are two buttons: "Save" and "Cancel".

INDICATIONS

Table: EgdInd

The screenshot shows the 'EGD' software window with the 'Indications' tab active. The patient information at the top includes: First name: Fake, Middle name: (blank), Last name: Patient, MRN: 00000000, Birth date: 1/1/1901, Procedure date: Jan 01, 2000 12:00 PM. The 'Indications' section is expanded, showing the following options:

- Evaluation of symptoms:**
 - Abdominal pain
 - Nausea/vomiting
 - Reflux symptoms
 - Dyspepsia symptoms
 - Dysphagia
 - GI symptoms in an immunocompromised host
 - Diarrhea
 - Weight loss
 - Other symptoms
- Management of GI blood loss:**
 - Evaluation of active/recent bleeding
 - Anemia
 - Low ferritin without anemia
 - Varices
 - Positive fecal occult blood test (FOBT)
 - Suspected UGI bleed without active bleeding
 - Other GI blood loss management
- Evaluation of suspected diagnosis:**
 - Abnormal x-ray or imaging study
 - Eosinophilic esophagitis
 - Graft v host disease
 - Infection
 - Malabsorption/Celiac sprue
 - Screening for varices in patient with known cirrhosis
 - Other suspected diagnosis
- Suspected malignancy or pre-malignancy:**
 - Barrett's esophagus
 - Familial adenomatous polyposis
 - Gastric polyps
 - Gastric ulcer
 - Partial gastrectomy
 - Personal history of cancer
 - Other suspected malignancy or pre-malignancy
- Therapeutic intervention:**
 - Ablation
 - Banding
 - Endoscopic therapy for GERD
 - Esophageal dilation
 - Food impaction removal
 - Foreign body removal
 - Injection
 - PEG tube
 - PEJ tube
 - Stent
 - Other therapeutic intervention
- Indications comments:** (Empty text area)
- Primary Indication:** (Dropdown menu)

Evaluation of symptoms: Abdominal pain

Table: EgdAbdPain

The 'Abdominal pain detail' dialog box shows the following configuration:

- Abdominal pain is associated with:**
 - bloating
 - dyspepsia
 - duration > 2 months
- Other abdominal pain details:** (Empty text area)
- Buttons:** Save, Cancel

Evaluation of symptoms: Reflux symptoms

Table: EgdIndRefluxSx

Reflux symptoms detail

Please select the reflux symptoms which apply

- Chest pain
- ENT/pulmonary symptoms ▶
- Heartburn (mid-epigastric pain radiating to the chest) ▶
- Regurgitation

Comments

Save Cancel

ENT / Pulmonary symptoms

Table: EgdIndENTPulm

ENT / Pulmonary symptoms detail

Please specify the ENT/pulmonary symptoms

- Asthma
- Cough
- Hoarseness
- Other ENT / pulmonary symptom

Save Cancel

Heartburn (mid-epigastric pain radiating to the chest)

Table: EgdIndHeartburnLocation

Heartburn detail

Duration

Frequency

Save Cancel

Duration

unknown duration
 < 1 year
 1-5 years
 6-10 years
 >10 years

Frequency

unknown frequency
 daily
 < 3 days weekly
 3-6 days weekly

Evaluation of symptoms: Dyspepsia symptoms
 Table: EgdIndDyspepsia

Dyspepsia symptoms detail

Please check all that apply

Bloating

Pain

Other dyspepsia symptoms

Save Cancel

Evaluation of symptoms: GI symptoms in an immunocompromised host
 Table: EgdIndImmunocomp

GI symptoms in immuno-compromised host detail

Please check all that apply

Diarrhea

Pain

Other symptom

Save Cancel

Evaluation of symptoms: Diarrhea

Table: EgdIndDiarrhea

Diarrhea details

acute

chronic (>= 3 months)

Frequent stools

of stools / 24 hours

of stools during sleep

Liquid stools

Incontinence

Comments

Save Cancel

Evaluation of symptoms: Other symptoms

Table: EgdIndSxOther

Other symptoms

Save Cancel

Evaluation of suspected diagnosis: Abnormal x-ray or imaging study

Table: EgdIndAbnlXray

Abnormal x-ray/imaging study detail

Please describe the abnormal image

Save Cancel

Evaluation of suspected diagnosis: Infection

Table: EgdIndInfection

Infection detail

Please select all that apply

- Candida
- CMV
- Giardia
- Helicobacter pylori
- HSV
- Whipple's disease
- Other infection

Save Cancel

Evaluation of suspected diagnosis: Other suspected diagnosis

Table: EgdIndDxOther

Other suspected diagnosis

Save Cancel

Therapeutic intervention: Ablation

Table: EgdIndAblation

Ablation detail

Please indicate the type of ablation:

- Arteriovenous malformation (AVM)
- Barrett's esophagus
- Endoscopic mucosal resection
- Tumor
- Watermelon stomach
- Other ablation

Save Cancel

Therapeutic intervention: Endoscopic therapy for GERD

Table: EgdIndGERDTx

Endoscopic therapy for GERD detail

Please specify the GERD therapy

- Stretta procedure
- Enteryx procedure
- Endoscopic fundoplication
- Other endoscopic therapy for GERD

Save Cancel

Therapeutic intervention: Injection

Table: EgdIndInjection

Injection detail

Please specify the type of injection

- Botox for achalasia
- Botox for pyloric stenosis
- Botox for other finding
- Other injection

Save Cancel

Therapeutic intervention: PEG tube

Table: EgdIndPEG

PEG tube detail

Please select all that apply

- Placement
- Replacement
- Removal
- Other

Save Cancel

Therapeutic intervention: PEJ tube

Table: EgdIndPEJ

PEJ tube detail


Please select all that apply

- Placement
- Replacement
- Removal
- Other

Save Cancel

Therapeutic intervention: Stent

Table: EgdIndStent




The 'Stent detail' dialog box contains the following elements:

- Title: Stent detail
- Instruction: Please select all that apply
- Options:
 - Placement
 - Replacement
 - Removal
 - Other
- Text input field (empty)
- Buttons: Save, Cancel

Therapeutic intervention: Other therapeutic intervention

Table: EgdIndTxOther




The 'Other therapeutic intervention' dialog box contains the following elements:

- Title: Other therapeutic intervention
- Text input field (empty)
- Buttons: Save, Cancel

Management of GI blood loss: Evaluation of active / recent bleeding

Table: EgdIndActiveBleed




The 'Evaluation of active/recent bleeding detail' dialog box contains the following elements:

- Title: Evaluation of active/recent bleeding detail
- Instruction: Please specify the type of bleeding (check all that apply)
- Options:
 - Hematemesis
 - <= 24 hours ago or currently bleeding
 - > 24 hours ago
 - Hematochezia
 - <= 24 hours ago or currently bleeding
 - > 24 hours ago
 - Melena
 - <= 24 hours ago or currently bleeding
 - > 24 hours ago
 - Positive NG tube aspirate
 - <= 24 hours ago or currently bleeding
 - > 24 hours ago
 - Other active/recent GI bleeding
- Text input field (empty)
- Buttons: Save, Cancel

Management of GI blood loss: Anemia

Table: EgdIndAnemia



Anemia detail

Type of anemia


- Iron deficiency / low ferritin anemia
- Pernicious anemia
- Other type

Specify other type of anemia

Save Cancel

Management of GI blood loss: Varices

Table: EgdIndVarices



Varices detail


Please specify the management of varices

- Banding of known varices
- Evaluation of suspected varices
- Sclerotherapy of known varices
- Other management of varices

Save Cancel

Management of GI blood loss: Positive fecal occult blood test (FOBT)

Table: EgdIndFOBT



Positive FOBT detail


Fecal occult blood test method

- Digital rectal exam
- Home screening

Clear Save Cancel

Management of GI blood loss: Other GI blood loss management

Table: EgdIndBloodLossOther



Other GI blood loss management

Save Cancel

Suspected malignancy or pre-malignancy: Barrett's esophagus

Table: EgdIndBarretts

The screenshot shows a software window titled "Barrett's esophagus detail". It contains the following fields and controls:

- A section titled "This exam was performed for" with two radio buttons: "Screening for Barrett's" (which is selected) and "Surveillance of known Barrett's".
- A "Last exam done (year)" field with a dropdown arrow.
- A "Dysplasia present on last exam?" field with a dropdown arrow.
- A "Comments" section with a large text area and a vertical scrollbar.
- At the bottom, there are three buttons: "Clear", "Save", and "Cancel".

Suspected malignancy or pre-malignancy: Other suspected malignancy or pre-malignancy

Table: EgdIndMalignancyOther

The screenshot shows a software window titled "Other suspected malignancy". It contains the following fields and controls:

- A large text area with a vertical scrollbar for entering details.
- At the bottom, there are two buttons: "Save" and "Cancel".

PREPROCEDURE

Table: EgdPreProc

Procedure personnel grid: EgdPreProc_Procedure_personnel_grid

Antibiotics grid: EgdPreProc_Antibiotics_grid

The screenshot shows the 'EGD' software window with the 'Preprocedure' tab selected in the left-hand navigation menu. The main form area is divided into several sections:

- Patient Information:** Fields for First name (Fake), Middle name (Patient), Last name (Patient), MRN (00000000), Birth date (1/1/1901), and Procedure date (Jan 01, 2000 12:00 PM).
- Procedure consent:** A section with radio buttons for 'Was a consent obtained?' (Yes/No), a dropdown for 'Person consenting', and another dropdown for 'Consent obtained by'.
- Patient Admission Status:** Radio buttons for 'Outpatient', 'Inpatient', and 'ED', along with a dropdown for 'Endoscopy performed in'.
- Procedure personnel:** A table with columns for 'Role' and 'Name'. The first row shows 'Endoscopist (Atten...)' and 'Corey Cori, MD'. There is an 'Add staff' button above the table.
- Preprocedure antibiotics:** A table with columns for 'Medication', 'Dose', and 'Route'. There is an 'Add med' button above the table.
- Indication for preprocedure antibiotics:** A list of checkboxes for various medical conditions such as 'Cardiac transplant with valvulopathy', 'Cirrhosis and GI bleeding', etc.
- Preprocedure comments:** A text area with a warning: 'Please do not use this field if you can document the information using other fields on the screen'.

At the bottom left, there are buttons for 'Save', 'Sign', 'Print Preview', and 'Close'. At the bottom right, there are buttons for 'Use Defaults' and 'Save as Default'.

Menu containing only site-specific data: Performed by

Menu containing only site-specific data: Responsible endoscopist

This close-up shows the 'Procedure consent' section. The 'Was a consent obtained?' question has 'Yes' selected. The 'Person consenting' dropdown menu is open, showing 'Patient' as the selected option. The 'Consent obtained by' dropdown menu is also open, showing 'Family Member' as the selected option, with 'Patient' and 'Guardian' as other visible options.

Procedure consent

Was a consent obtained? Yes No

Person consenting

Consent obtained by

- Physician
- Endoscopist
- PA
- GI assistant
- Staff nurse

Did the patient consent to be contacted for research purposes?

Patient Admission Status

Outpatient
 Inpatient
 ED

Endoscopy performed in

- Hospital endoscopy suite
- Ambulatory surgery center
- Office
- Radiology suite

Did the patient consent to be contacted for research purposes?

Patient Admission Status

Outpatient
 Inpatient
 ED

Endoscopy performed in

- Endoscopy suite
- Hospital ward
- ICU
- NICU
- OR
- PICU
- Radiology suite
- Short stay unit

Did the patient consent to be contacted for research purposes?

Procedure personnel

Role	Name
Endoscopist - Attending physician	Corey Cori, MD

Did the patient consent to be contacted for research purposes?

- Consented
- Did not consent
- Not asked for consent

Implantable defibrillator device? Yes No

Procedure personnel

Role	Name
Endoscopist - Attending physician	Corey Cori, MD

- Bronchoscopist - Attending physician
- Bronchoscopist - Fellow
- Endoscopist - Attending physician
- Endoscopist - Fellow
- Nurse
- Nurse anesthetist
- Nurse assistant
- Nurse practitioner

Perform:

Corey Cori, MD

Performed by

Responsible endoscopist

Corey Cori, MD

Level of supervision

- Attending present for the entire procedure
- Attending present for part of the procedure
- Attending available to assist

Antibiotics

Medication	Dose	Route
amoxicillin	<input type="text"/>	<input type="text"/>

- amoxicillin
- ampicillin
- cefazolin
- cephalexin
- ciprofloxacin
- clindamycin
- gentamicin
- levofloxacin
- metronidazole
- moxifloxacin
- ofloxacin
- streptomycin
- trimethoprim/sulfamethoxazole
- vancomycin

Indications: Cardiac History of endocarditis

Antibiotics			Add med
Medication	Dose	Route	
amoxicillin	250 mg		
	500 mg		
	750 mg		
	1000 mg		
	1500 mg		
	2000 mg		

Other antibiotic medication

(Dose menu customized to Medication selection)

Antibiotics			Add med
Medication	Dose	Route	
amoxicillin			
		Aerosol	
		IM	
		IV	
		PO	
		PR	
		SC	
		SL	
		Topical	

Other antibiotic medication

SEDATION

Table: EgdSedation

Sedation medications grid: EgdSedation_Sedation_medications_grid

Pre-sedation assessment

ASA classification

Urgency Emergency
 Urgent
 Elective

Assessed by

Monitoring

Blood pressure
 ECG
 Pulse oximetry
 Capnography
 Other monitoring

Supplemental oxygen

Oxygen flow (liters)

Delivery method

Intubation / Ventilation

Patient intubated
 Ventilation used

Method of ventilation

(Dropdown menu options: Anesthesiologist, Assistant, Bronchoscopist (Attending physician), Bronchoscopist (Fellow), Bronchoscopist (Nurse Practitioner), Bronchoscopist (Physician assistant), ENT staff, ICU staff, Nurse, Nurse anesthetist, Nurse assistant, Nurse practitioner, Oncology staff, Pathology staff, Physician assistant, Primary care physician, Radiology staff, Research staff, Resident, Student, Surgeon, Technician)

Supplemental oxygen at baseline

Oxygen flow (liters)

Delivery method

Patient intubated

(Dropdown menu options: Blow by, Endotracheal tube, Face mask, Nasal prongs)

Sedation / Anesthesia

Level of sedation

Managed by

Supervised by

Sedation medications

Medication	Dose	Route

Sedation medications		Add med	
Medication	Dose	Route	
atropine	<ul style="list-style-type: none"> 0.5 mg 1 mg 1.5 mg 2 mg 		

(Dose menu customized to Medication selection)

Sedation medications		Add med	
Medication	Dose	Route	
atropine		<ul style="list-style-type: none"> Aerosol IM IV PO PR SC SL Topical 	
<input type="checkbox"/> Residual sedation from prior procedure present			
<input type="checkbox"/> Other sedation medication			

PROCEDURE

Table: EgdProc

Instruments grid: EgdProc_Instruments_grid

The screenshot shows the EGD software interface. On the left is a navigation menu with options: History, Physical exam, Liver Disease, Indications, Preprocedure, Sedation, Procedure (highlighted), EGD Findings, Sm. Bowel Findings, Events, Assessment/Plan, and Letters/Instructions. Below the menu are buttons for 'Import from Colonoscopy', 'Save', 'Sign', 'Print Preview', and 'Close'. The main area is divided into several sections:

- Pathology Images Print Fax Orders GIQuIC**: Fields for First name (Fake), Middle name, Last name (Patient), MRN (00000000), Birth date (1/1/1901), and Procedure date (Jan 01, 2000 12:00 PM). Includes 'Use Defaults' and 'Save as Default' buttons.
- Procedure performed**: A list of checkboxes for Esophagoscopy, Upper GI Endoscopy (EGD), Enteroscopy (not including ileum), Enteroscopy (including ileum), Dilation of esophagus (unguided), and Other procedure.
- Was the procedure completed?**: Radio buttons for Yes and No.
- Reason(s) procedure was incomplete**: Checkboxes for Inability to intubate, Patient unstable, Obstruction, Retained food, Patient discomfort, Stricture, and Other reason.
- Depth of insertion**: Intended and Actually reached dropdown menus, and an estimated distance from pylorus (cm) input field.
- Instruments**: A table with columns for Instrument and Serial Number, and an 'Add instrument' button.
- Insufflation gas**: Radio buttons for Air and CO2.
- Water immersion utilized?**: Radio buttons for Yes and No.
- Was fluoroscopy used?**: Radio buttons for Yes and No.
- Were images taken?**: Radio buttons for Yes and No.
- Was gastric retroflexion performed?**: Radio buttons for Yes and No.
- Were biopsy(s) taken?**: Radio buttons for Yes and No.
- Patient tolerance** and **Patient position**: Dropdown menus.
- Estimated blood loss (ml)**: Input field.
- Vocal cords viewed**: Checkbox.
- Procedure duration**: Scope insertion to scope removal and Enteroscopy time, each with min/sec dropdowns and a clock icon.
- Patient recovery location**: After procedure patient sent and After recovery patient sent dropdowns.
- Procedure comments**: A text area with a note: 'Please do not use this field if you can document the information using other fields on the screen'.

Menus customized by site: Instrument, Serial Number in Instruments grid

This close-up shows the 'Depth of insertion' section. The 'Intended' dropdown menu is open, displaying a list of options: Esophagus, Stomach, Duodenum, Jejunum, Ileum, and Anastomosis site. The 'Actually reached' dropdown is also open, showing the same list. Below the dropdowns is the 'estimated distance from pylorus (cm)' input field and the 'Add instrument' button.

This close-up shows the 'Instruments' grid. The 'Instrument' dropdown menu is open, displaying a list of options: Pharynx, Esophagus, Stomach, Duodenum, Jejunum, Ileum, and Anastomosis site. The 'Serial Number' column is visible to the right of the dropdown.

Insufflation gas	<input type="radio"/> Air	<input type="radio"/> CO2
Water immersion utilized?	<input type="radio"/> Yes	<input type="radio"/> No
Was fluoroscopy used?	<input type="radio"/> Yes	<input type="radio"/> No
Were images taken?	<input type="radio"/> Yes	<input type="radio"/> No
Was gastric retroflexion performed?	<input type="radio"/> Yes	<input type="radio"/> No
Were biopsy(s) taken?	<input checked="" type="radio"/> Yes	<input type="radio"/> No
Patient tolerance	[Dropdown menu]	
Patient position	excellent	
Estimated blood loss (ml)	good	
Vocal cords viewed	fair	
	poor	
	[Dropdown menu]	

Insufflation gas	<input type="radio"/> Air	<input type="radio"/> CO2
Water immersion utilized?	<input type="radio"/> Yes	<input type="radio"/> No
Was fluoroscopy used?	<input type="radio"/> Yes	<input type="radio"/> No
Were images taken?	<input type="radio"/> Yes	<input type="radio"/> No
Was gastric retroflexion performed?	<input type="radio"/> Yes	<input type="radio"/> No
Were biopsy(s) taken?	<input checked="" type="radio"/> Yes	<input type="radio"/> No
Patient tolerance	[Dropdown menu]	
Patient position	[Dropdown menu]	
Estimated blood loss (ml)	From side to side	
Vocal cords viewed	Left side	
	Left side to back	
	Prone	
Procedure duration	Right side	
Scope insertion to scope removal	Right side to back	
	Supine	
Enteroscopy time	High Fowler's position (80-90°)	
	Fowler's position (45-60°)	
Patient recovery location	Semi-Fowler's position (30-45°)	
	Low Fowler's position (15-30°)	
After procedure patient sent	[Dropdown menu]	

Patient recovery location	[Dropdown menu]	
After procedure patient sent	[Dropdown menu]	
After recovery patient sent	home	
	to ICU	
	to NICU	
	to PICU	
	to hospital	
	remain in endoscopy suite	
	to recovery	
	remain in bronchoscopy suite	
Procedure comments	[Text area]	
Please do not use this field if you can use the other fields on the screen	[Text area]	

(After procedure patient sent menu: customizable by site)

Patient recovery location	[Dropdown menu]	
After procedure patient sent	[Dropdown menu]	
After recovery patient sent	[Dropdown menu]	
	in to hospital	
	back to hospital	
	home	
Procedure comments	[Text area]	
Please do not use this field if you can use the other fields on the screen	[Text area]	

(After recovery patient sent menu: customizable by site)

Procedure performed: Esophagoscopy

Table: EgdEsophagoscopyCPT

Esophagoscopy with...

- Biopsy
- Control of bleeding
- Directed submucosal injection(s)
- Injection sclerosis of esophageal varices
- Band ligation of esophageal varices
- Removal of foreign body
- Removal of tumor(s), polyp(s), or other lesion(s) by hot biopsy forceps or bicap
- Removal of tumor(s), polyp(s), or other lesion(s) by snare technique
- Ablation of tumor(s), polyp(s), or other lesion(s) not amenable to removal
- Stent insertion
- Dilation over guide wire
- Esophagoscopy with dilation using balloon <30mm
- Esophagoscopy with dilation using balloon >=30mm
- Esophagoscopy with endoscopic mucosal resection
- Esophagoscopy with retrograde dilation

Save Cancel

Procedure performed: Upper GI Endoscopy

Table: EgdUpperGIEndoCPT

EGD with...

- Biopsy(s)
- Directed submucosal injection(s)
- Control of bleeding
- Injection sclerosis of esophageal and/or gastric varices
- Band ligation of esophageal and/or gastric varices
- Removal of foreign body
- Removal of tumor(s), polyp(s), or other lesion(s) by hot biopsy forceps or bicap
- Removal of tumor(s), polyp(s), or other lesion(s) by snare technique
- Ablation of tumor(s), polyp(s), or other lesion(s) not amenable to removal
- Directed placement of PEG tube
- Intraluminal tube or catheter placement
- Stent placement
- Dilation of gastric outlet obstruction
- Dilation of esophagus over guide wire
- Drainage of pseudocyst
- Delivery of thermal energy to the muscle of lower esophageal sphincter and/or gastric cardia, for treatment of GERD
- EGD with dilation using balloon <30mm
- EGD with dilation using balloon >=30mm
- EGD with endoscopic mucosal resection

Save Cancel

Procedure performed: Enteroscopy (not including ileum)

Table: EgdEnteroNotInclIleumCPT

A dialog box titled "Enteroscopy not including ileum with...". It contains a list of nine checkboxes, all of which are unchecked. The items are: Biopsy(s), Control of bleeding, Removal of foreign body, Removal of tumor(s), polyp(s), or other lesion(s) by snare technique, Removal of tumor(s), polyp(s) or other lesion(s) by hot biopsy forceps or bicap, Ablation of tumor(s), polyp(s), or other lesion(s) not amenable to removal, Stent placement, PEJ tube placement, and Conversion of PEG to PEJ tube. At the bottom right, there are "Save" and "Cancel" buttons.

Procedure performed: Enteroscopy (including ileum)

Table: EgdEnteroInclIleumCPT

A dialog box titled "Enteroscopy including ileum with...". It contains a list of three checkboxes, all of which are unchecked. The items are: Biopsy(s), Control of bleeding, and Stent placement. At the bottom right, there are "Save" and "Cancel" buttons.

Procedure performed: Other procedure

Table: EgdProcOther

A dialog box titled "Other procedure performed". It features a large, empty text area for input. At the bottom right, there are "Save" and "Cancel" buttons.

Reason(s) procedure was incomplete

Table: EgdProcIncompleteOther

A dialog box titled "Other reason for incomplete procedure". It features a large, empty text area for input. At the bottom right, there are "Save" and "Cancel" buttons.

Clock Times

Table: EgdClockTimes

Clock times

Scope insertion	<input type="text"/>
Pylorus reached	--:--:-- AM
Pylorus passed on withdrawal	--:--:-- AM
Scope removal	--:--:-- AM

EGD FINDINGS

Table: EgdFind

Location menu used in EGD Finding details

Location: Cardia

Description: Mid Esophagus

- Proximal Esophagus
- Mid Esophagus
- Distal Esophagus
- Gastroesophageal Junction
- Cardia
- Fundus
- Body
- Antrum
- Pyloric Sphincter
- Duodenal Bulb
- Duodenal 2nd Portion
- Duodenum
- Jejunum
- Ileum

Image

Achalasia

Table: EgdAchalasia

Achalasia

Description: Suspected Established

Therapeutic procedure(s)

Hemostatic

Non - hemostatic

Image (s) taken

Diagnostics

Biopsy taken Brushing taken

Total # of biopsies taken: []

Sent to pathology: Yes No

Enter pathology ID: [] [Add]

Current pathology IDs: []

Diagnosis: []

Comments: []

Save Cancel

Anatomical deformity

Table: EGDAnatDeform

Anatomical Deformity	
Location Proximal Esophagus	<input type="checkbox"/> Image(s) taken
Description	Diagnosis
	Comments
Save Cancel	

Arteriovenous malformation (AVM)

Table: EgdAVM

Arteriovenous Malformations (AVM)	
Starting Location Proximal Esophagus	<input type="checkbox"/> Image(s) taken
Ending Location Proximal Esophagus	
Total # of AVMs Maximum size (mm)	Diagnosis
Rate of bleed <input type="radio"/> Oozing <input type="radio"/> Spurting <input type="radio"/> Inactive <input type="radio"/> Uncertain	Comments
Therapeutic procedure(s) <input type="checkbox"/> Hemostatic <input type="checkbox"/> Non - hemostatic	Save Cancel

Barrett's esophagus

Table: EgdBarretts

Barrett's Esophagus	
Description <ul style="list-style-type: none"><input checked="" type="radio"/> Established by prior biopsy, seen on this exam<input type="radio"/> Established by prior biopsy, not seen on this exam<input type="radio"/> Suspected	Diagnostics <ul style="list-style-type: none"><input type="checkbox"/> Biopsy taken<input type="checkbox"/> Brushing takenBiopsy Forceps type <input type="radio"/> Regular <input type="radio"/> JumboTotal # of biopsies taken: <input type="text"/>Sent to pathology <input type="radio"/> Yes <input type="radio"/> NoEnter pathology ID: <input type="text"/> <input type="button" value="Add"/>Current pathology IDs: <input type="text"/>
Margins (cm) from mouth <ul style="list-style-type: none">Proximal: <input type="text"/>Distal: <input type="text"/>Z Line (Squamocolumnar junction): <input type="text"/>LES (Lower Esophageal Sphincter): <input type="text"/>Length of Barrett's (cm): <input type="text"/>	<input type="checkbox"/> Image(s) taken
Associated findings <ul style="list-style-type: none"><input type="checkbox"/> Inflammation<input type="checkbox"/> Nodules ▶<input type="checkbox"/> Esophageal ulcer ▶	Diagnosis: <input type="text"/>
Therapeutic procedure(s) <ul style="list-style-type: none"><input type="checkbox"/> Hemostatic ▶ <input type="text"/><input type="checkbox"/> Non - hemostatic ▶ <input type="text"/>	Comments: <input type="text"/>
<input type="button" value="Save"/> <input type="button" value="Cancel"/>	

Nodules subscreen: See Nodule/polyp finding

Esophageal ulcer subscreen: See Esophageal ulcer finding

Blood clot

Table: EgdBloodClot

Blood Clot	
Location: <input type="text" value="Proximal Esophagus"/>	
<input type="checkbox"/> Cannot be removed	
<input type="checkbox"/> Image(s) taken	
Diagnosis: <input type="text"/>	
Comments: <input type="text"/>	
<input type="button" value="Save"/> <input type="button" value="Cancel"/>	

Dilation

Table: TxNonHemDilation

Non-hemostatic Dilation	
Dilator type <input type="text"/>	Resistance <input type="text"/>
<input type="checkbox"/> Performed under fluoroscopy	Heme on extraction <input type="text"/>
<input type="checkbox"/> Performed with wire	Patient Tolerance <input type="text"/>
Dilator size used #1 <input type="text"/> #2 <input type="text"/> #3 <input type="text"/> #4 <input type="text"/>	Procedural outcome <input type="text"/>
Units of size <input type="radio"/> Fr <input type="radio"/> mm	Comments <input type="text"/>
Length of time (secs) <input type="text"/>	
Pressure (PSI) <input type="text"/>	
<input type="button" value="Save"/> <input type="button" value="Cancel"/>	

(Dilator type menu customized by site)

Resistance	<input type="text"/>
Heme on extraction	<input type="text"/>
Patient Tolerance	<input type="text"/>

Resistance	<input type="text"/>
Heme on extraction	<input type="text"/>
Patient Tolerance	<input type="text"/>

Resistance	<input type="text"/>
Heme on extraction	<input type="text"/>
Patient Tolerance	<input type="text"/>
Procedural outcome	<input type="text"/>

Duodenal diverticulum

Table: EgdDuodenalDiverticulum

Duodenal Diverticulum	
Location Proximal Esophagus	Diagnostics
Description	<input type="checkbox"/> Biopsy taken Total # of biopsies taken: <input type="text"/>
Relationship to ampulla: <input type="text"/>	Sent to pathology: <input type="radio"/> Yes <input type="radio"/> No
Number of diverticulæ: <input type="text"/>	Enter pathology ID: <input type="text"/> <input type="button" value="Add"/>
Size	Current pathology IDs: <input type="text"/>
Max (mm): <input type="text"/> Min (mm): <input type="text"/>	<input type="checkbox"/> Image(s) taken
Therapeutic procedure(s)	Diagnosis: <input type="text"/>
<input type="checkbox"/> Hemostatic <input type="button" value="▶"/>	Comments: <input type="text"/>
<input type="checkbox"/> Non-hemostatic <input type="button" value="▶"/>	
	<input type="button" value="Save"/> <input type="button" value="Cancel"/>

Description	
Relationship to ampulla: <input type="text"/>	<input type="button" value="▼"/>
Number of diverticulæ: <input type="text"/>	External Internal Rim
Size	
Max (mm): <input type="text"/> Min (mm): <input type="text"/>	

Esophageal ulcer

Table: EgdEsoUlcer

Esophageal ulcer

Location: Proximal Esophagus

Description

Single
Multiple

Largest

< 5 10+
5-9

Characteristics

Etiology

Caustic Suspected Established
GERD Suspected Established
Pill-related Suspected Established
Other

Infectious

CMV Suspected Established
HSV Suspected Established
Candida Suspected Established

Ulcer stigmata

Active/Recent bleed
Visible vessel
Adherent dot
Dark spot
Non-bleeding, Clean
Healed / Scarred

Interventions for adherent clot

Injected
Washed with water
Snared

Ulcer stigmata after intervention

Active/Recent bleed
Visible vessel
Adherent dot
Dark spot
Non-bleeding, Clean
Healed / Scarred

Therapeutic procedure(s)

Hemostatic
Non - hemostatic

Rate of bleed

Oozing
Spurting
Inactive
Uncertain

Rate of bleed after intervention

Oozing
Spurting
Inactive
Uncertain

Diagnostics

Biopsy taken
Brushing taken
Total # of biopsies taken
Sent to pathology Yes No
Enter pathology ID
Current pathology IDs
Image(s) taken

Diagnosis

Comments

Save Cancel

Description

Single
Multiple

Largest

< 5 10+
5-9

Characteristics

Radiating folds
Heaped up margin
Deep
Superficial
Edematous

Etiology

Caustic Suspected Established
GERD Suspected Established

Etiology: Other

Table: EgdEtiologyOther

Other etiology of esophageal ulcer

Save Cancel

Food impaction

Table: EgdFoodImpaction

Food impaction

Location: Proximal Esophagus

Description

Image (s) taken

Diagnosis

Comments

Save Cancel

Foreign body

Table: EgdForeignBody

Foreign Body / Retained Food	
Location	<input type="text" value="Proximal Esophagus"/>
<input type="checkbox"/> Foreign body	
<input type="checkbox"/> Retained food	
Retrieved ?	<input type="radio"/> Yes <input type="radio"/> No
<input type="checkbox"/> Image (s) taken	
Diagnosis	<input type="text"/>
Comments	<input type="text"/>
<input type="button" value="Save"/> <input type="button" value="Cancel"/>	

Hiatal Hernia

Table: EgdHiatalHernia

Hiatal Hernia	
Description	<input checked="" type="radio"/> Regular, type 1 <input type="radio"/> Paraesophageal
<input type="checkbox"/> Image (s) taken	
Landmarks from mouth (cm)	
Diaphragm	<input type="text"/>
Z-line/GEJ	<input type="text"/>
Length	<input type="text"/>
Cameron Erosions	<input type="radio"/> Yes <input type="radio"/> No
Diagnostics	
Sent to pathology	<input type="radio"/> Yes <input type="radio"/> No
Enter pathology ID	<input type="text"/> <input type="button" value="Add"/>
Current pathology IDs	<input type="text"/>
Diagnosis	<input type="text"/>
Comments	<input type="text"/>
<input type="button" value="Save"/> <input type="button" value="Cancel"/>	

Image Taken

Table: EgdImageTaken

Image taken

Location: Proximal Esophagus

Image(s) taken

Comments

Save Cancel

Larngal exam

Table: EgdLaryngealExam

Laryngeal Exam

Subglottic edema

Ventricular obliteration

Erythema/hyperemia

Vocal fold edema

Diffuse laryngeal edema

Posterior commissure hypertrophy

Granuloma/granulation tissue

Thick endolaryngeal mucus

Reflux finding score: 0 (score > 7 confirms laryngopharyngeal reflux involvement)

Other laryngeal pathology

Image(s) taken

Diagnosis

Normal laryngeal exam

Comments

Save Cancel

Subglottic edema

Ventricular obliteration

Erythema/hyperemia

Vocal fold edema

Diffuse laryngeal edema

Posterior commissure hypertrophy

Granuloma/granulation tissue

Thick endolaryngeal mucus

Reflux finding score
 (score > 7 confirms laryngopharyngeal reflux involvement)

Subglottic edema

Ventricular obliteration

Erythema/hyperemia

Vocal fold edema

Diffuse laryngeal edema

Posterior commissure hypertrophy

Granuloma/granulation tissue

Thick endolaryngeal mucus

Reflux finding score
 (score > 7 confirms laryngopharyngeal reflux involvement)

Subglottic edema

Ventricular obliteration

Erythema/hyperemia

Vocal fold edema

Diffuse laryngeal edema

Posterior commissure hypertrophy

Granuloma/granulation tissue

Thick endolaryngeal mucus

Reflux finding score
 (score > 7 confirms laryngopharyngeal reflux involvement)

Subglottic edema

Ventricular obliteration

Erythema/hyperemia

Vocal fold edema

Diffuse laryngeal edema

Posterior commissure hypertrophy

Granuloma/granulation tissue

Thick endolaryngeal mucus

Reflux finding score

(score > 7 confirms laryngopharyngeal reflux involvement)

Subglottic edema

Ventricular obliteration

Erythema/hyperemia

Vocal fold edema

Diffuse laryngeal edema

Posterior commissure hypertrophy

Granuloma/granulation tissue

Thick endolaryngeal mucus

Reflux finding score

(score > 7 confirms laryngopharyngeal reflux involvement)

Subglottic edema

Ventricular obliteration

Erythema/hyperemia

Vocal fold edema

Diffuse laryngeal edema

Posterior commissure hypertrophy

Granuloma/granulation tissue

Thick endolaryngeal mucus

Reflux finding score

(score > 7 confirms laryngopharyngeal reflux involvement)

Subglottic edema	<input type="text"/>
Ventricular obliteration	<input type="text"/>
Erythema/hyperemia	<input type="text"/>
Vocal fold edema	<input type="text"/>
Diffuse laryngeal edema	<input type="text"/>
Posterior commissure hypertrophy	<input type="text"/>
Granuloma/granulation tissue	<input type="text"/>
Thick endolaryngeal mucus	<input type="text" value="absent"/> <input type="text" value="present"/>

Reflux finding score
 (score > 7 confirms laryngopharyngeal reflux involvement)

Subglottic edema	<input type="text"/>
Ventricular obliteration	<input type="text"/>
Erythema/hyperemia	<input type="text"/>
Vocal fold edema	<input type="text"/>
Diffuse laryngeal edema	<input type="text"/>
Posterior commissure hypertrophy	<input type="text"/>
Granuloma/granulation tissue	<input type="text"/>
Thick endolaryngeal mucus	<input type="text" value="absent"/> <input type="text" value="present"/>

Reflux finding score
 (score > 7 confirms laryngopharyngeal reflux involvement)

Mallory-Weiss tear

Table: EgdMallory

Mallory-Weiss Tear	
Starting Location: <input type="text" value="Proximal Esophagus"/>	<input type="checkbox"/> Image(s) taken
Ending Location: <input type="text" value="Proximal Esophagus"/>	
Rate of bleed <input type="radio"/> Oozing <input type="radio"/> Spurting <input type="radio"/> Inactive <input type="radio"/> Uncertain	Diagnosis: <input type="text"/>
Therapeutic procedure(s) <input type="checkbox"/> Hemostatic <input type="text"/> <input type="checkbox"/> Non - hemostatic <input type="text"/>	Comments: <input type="text"/>
Save Cancel	

Mucosal abnormality / Esophagus

Table: EgdEsoMucosalAbnl

Mucosal abnormality / Esophagus	
Starting Location: <input type="text" value="Proximal Esophagus"/>	<input type="checkbox"/> Biopsy taken <input type="checkbox"/> Brushing taken
Ending Location: <input type="text" value="Proximal Esophagus"/>	Total # of biopsies taken: <input type="text"/>
Length of inflammation (cm): <input type="text"/>	Sent to pathology: <input type="radio"/> Yes <input type="radio"/> No
Etiology <input type="checkbox"/> Reflux disease <input type="checkbox"/> Caustic <input type="checkbox"/> Infection <input type="checkbox"/> Radiation <input type="checkbox"/> Pill - Related <input type="checkbox"/> Other	Enter pathology ID: <input type="text"/> Add
Description <input type="checkbox"/> Erosions <input type="checkbox"/> Mosaic / Scaly <input type="checkbox"/> Erythema <input type="checkbox"/> Mottled <input type="checkbox"/> Friable <input type="checkbox"/> Ulcers <input type="checkbox"/> Granular <input type="checkbox"/> Nodularity <input type="checkbox"/> Edema <input type="checkbox"/> Red Spots <input type="checkbox"/> Hemorrhage (oozing) <input type="checkbox"/> Subepithelial hemorrhage	<input type="checkbox"/> Image(s) taken
Rate of bleed <input type="radio"/> Oozing <input type="radio"/> Spurting <input type="radio"/> Inactive <input type="radio"/> Uncertain	Diagnosis: <input type="text"/>
Therapeutic procedure(s) <input type="checkbox"/> Hemostatic <input type="text"/> <input type="checkbox"/> Non - hemostatic <input type="text"/>	Comments: <input type="text"/>
Save Cancel	

Etiology: Reflux disease


Table: EgdLAClass

LA Classification

<input type="radio"/> Grade A	One or more mucosal breaks no longer than 5 mm, none of which extends between the tops of the mucosal folds	Examples
<input type="radio"/> Grade B	One or more mucosal breaks more than 5 mm long, none of which extends between the tops of two mucosal folds	
<input type="radio"/> Grade C	Mucosal breaks that extend between the tops of two or more mucosal folds, but which involve less than 75% of the esophageal	
<input type="radio"/> Grade D	Mucosal breaks which involve at least 75% of the esophageal circumference	

Clear Save Cancel

Examples



Etiology: Infection

Table: EgdInfection

Infection detail

<input checked="" type="checkbox"/> Candida	<input type="radio"/> Suspected	<input type="radio"/> Established
<input type="checkbox"/> CMV	<input type="radio"/> Suspected	<input type="radio"/> Established
<input type="checkbox"/> HSV	<input type="radio"/> Suspected	<input type="radio"/> Established
<input type="checkbox"/> Other		

Save Cancel

Etiology: Other

Table: EgdOtherEtiology

Other etiology of esophageal inflammation / mucosal abnormality

Save Cancel

Mucosal abnormality / Stomach - Duodenum

Table: EGDStoDuoMucosalAbnl

Mucosal abnormality / Stomach - Duodenum

Starting Location:

Ending Location:

Length of inflammation (cm):

Folds:

Description

Erosions Mosaic / Scaly
 Erythema Mottled
 Friable Ulcers
 Granular Nodularity
 Edema Red Spots
 Hemorrhage (oozing) Subepithelial hemorrhage
 Portal Hypertensive Gastropathy

Rate of bleed

Oozing
 Spurting
 Inactive
 Uncertain

Therapeutic procedure(s)

Hemostatic ▶
 Non - hemostatic ▶

Diagnostics

Biopsy taken Brushing taken

Total # of biopsies taken:

RUT results pending
 RUT results complete

RUT results:

Sent to pathology: Yes No

Enter pathology ID:

Current pathology IDs:

Image(s) taken

Diagnosis:

Comments:

Length of inflammation (cm):

Folds:

Description

Erosions Mosaic / Scaly

Diagnostics

Biopsy taken Brushing taken

Total # of biopsies taken:

RUT results pending
 RUT results complete

RUT results:

Sent to pathology: Yes No

Polyp

Table: EgdPolyp

Nodule / Polyp finding

Location: Mid Esophagus

Description

Mucosal
 Submucosal

Single Nodule
 Multiple Polyp

Size (mm):

Attachment: Flat
 Pedunculated
 Sessile

Therapeutic procedure(s)

Hemostatic

Non - hemostatic

Image(s) taken

Diagnostics

Biopsy without cautery
 Biopsy with cautery
 Snare with cautery
 Snare with cautery/saline
 Snare without cautery

Total # of biopsies taken: 1

Nodule or Polyp removed?

Tissue retrieved? Yes No

Sent to pathology Yes No

Enter pathology ID: Add

Current pathology IDs:

Diagnosis:

Comments:

Save Cancel

Diagnostics

Biopsy without cautery
 Biopsy with cautery
 Snare with cautery
 Snare with cautery/saline
 Snare without cautery

Total # of biopsies taken: 1

Nodule or Polyp removed?

Tissue retrieved? Yes No

Dropdown menu options:
totally removed
partially removed
removed piecemeal
not removed (biopsy only)

Normal

Table: EgdNormal

The 'Normal' form contains the following fields and controls:

- Starting location: Mid Esophagus (dropdown)
- Ending location: Mid Esophagus (dropdown)
- Image(s) taken:
- Diagnostics section:
 - Biopsy taken: Total # of biopsies taken: [dropdown]
 - RUT results pending:
 - RUT results complete:
 - RUT results: [dropdown]
 - Sent to pathology: Yes No
 - Enter pathology ID: [text] Add
 - Current pathology IDs: [text area]
- Comments: [text area]
- Buttons: Save, Cancel

This close-up shows the 'Diagnostics' section with the following details:

- Biopsy taken: Total # of biopsies taken: [dropdown]
- RUT results pending:
- RUT results complete:
- RUT results: [dropdown menu showing 'negative']
- Sent to pathology: positive

Prior endotherapy

Table: EgdPriorEndo

The 'Prior endotherapy' form contains the following fields and controls:

- Starting Location: Mid Esophagus (dropdown)
- Ending Location: Mid Esophagus (dropdown)
- Image(s) taken:
- Prior therapies performed section:
 - Stretta procedure:
 - Enterix procedure:
 - Endoscopic fundoplication:
 - Other:
- Diagnostics section:
 - Biopsy taken: Total # of biopsies taken: [dropdown]
 - Sent to pathology: Yes No
 - Enter pathology ID: [text] Add
 - Current pathology IDs: [text area]
- Diagnosis: [text]
- Comments: [text area]
- Buttons: Save, Cancel

Prior therapies performed: Other

Table: EgdPriorEndoOther

The 'Other prior endotherapy' form is a simple dialog box with the following elements:

- Title: Other prior endotherapy
- Comments: [text area]
- Buttons: Save, Cancel

Prior surgery

Table: EgdPriorSurg

Prior surgery

Starting Location: Proximal Esophagus

Ending Location: Proximal Esophagus

Prior Biopsies ?

Image(s) taken

Diagnosis

Comments

Save Cancel

Prior surgery

- Anti-reflux surgery
- Billroth I
- Billroth II
- Esophagectomy
- Gastrectomy

Gastric bypass

- Banded gastroplasty
- Roux-en-Y gastric bypass (RYGB)
- Sleeve Gastrectomy

- Gastrojejunostomy
- Gastrostomy tube
- Jejunostomy tube
- Pyloroplasty
- Other

Prior Biopsies ?

Image(s) taken

No prior biopsies taken

Prior biopsies taken

Unknown if prior biopsies taken

Prior surgery: Other

Table: EgdPriorSurgOther (no data)

Other prior surgery

Save Cancel

Sprue (Celiac disease)

Table: EgdSprue

Sprue (Celiac disease)	
Starting Location: Proximal Esophagus	Diagnostics <input type="checkbox"/> Biopsy taken Total # of biopsies taken: <input type="text"/> Sent to pathology: <input type="radio"/> Yes <input type="radio"/> No Enter pathology ID: <input type="text"/> <input type="button" value="Add"/> Current pathology IDs: <input type="text"/>
Ending Location: Proximal Esophagus	
Description <input type="radio"/> Suspected <input type="radio"/> Established by prior biopsy	Diagnosis: <input type="text"/> Comments: <input type="text"/>
Mucosal appearance <input type="checkbox"/> Scalloped folds <input type="checkbox"/> Flat (missing folds)	
<input type="checkbox"/> Image(s) taken	
<input type="button" value="Save"/> <input type="button" value="Cancel"/>	

Stricture / Stenosis

Table: EgdStricture

Stricture / Stenosis	
Starting Location: Proximal Esophagus	Diagnostics <input type="checkbox"/> Biopsy taken Total # of biopsies taken: <input type="text"/> Sent to pathology: <input type="radio"/> Yes <input type="radio"/> No Enter pathology ID: <input type="text"/> <input type="button" value="Add"/> Current pathology IDs: <input type="text"/>
Ending Location: Proximal Esophagus	
Distance from mouth (cm): <input type="text"/>	Diagnosis: <input type="text"/> Comments: <input type="text"/>
Severity: <input type="text"/>	
Etiology <input type="checkbox"/> Reflux disease <input type="checkbox"/> Schatzki's ring (lower esophageal ring) <input type="checkbox"/> Malignancy <input type="checkbox"/> Web <input type="checkbox"/> Extrinsic compression <input type="checkbox"/> Benign inflammation (pill, infection, scar) <input type="checkbox"/> Anastomosis site <input type="checkbox"/> Eosinophilic esophagitis <input type="checkbox"/> Other <input type="button" value="▶"/>	
Therapeutic procedure(s) <input type="checkbox"/> Hemostatic <input type="button" value="▶"/> <input type="checkbox"/> Non-hemostatic <input type="button" value="▶"/>	<input type="checkbox"/> Image(s) taken
<input type="button" value="Save"/> <input type="button" value="Cancel"/>	

Severity	<input type="text"/>
Etiology	<input type="checkbox"/> Reflux disease <input type="checkbox"/> Schatzki's ring (lower esophageal ring)

Etiology: Other

Table: EgdOtherEtiology

Other etiology

Tube Placement

Table: EgdTubePlacement

Tube Placement

<p>Location</p> <p><input checked="" type="radio"/> PEG <input type="radio"/> PEJ</p> <p><input type="radio"/> PEG/J</p> <p>Indication for tube placement</p> <p><input type="checkbox"/> anastomotic stricture</p> <p><input type="checkbox"/> benign esophageal ring</p> <p><input type="checkbox"/> dysphagia without stricture</p> <p><input type="checkbox"/> ENT cancer</p> <p><input type="checkbox"/> esophageal cancer</p> <p><input type="checkbox"/> esophageal stricture</p> <p><input type="checkbox"/> gastric decompression</p> <p><input type="checkbox"/> general debilitation</p> <p><input type="checkbox"/> motility disorder</p> <p><input type="checkbox"/> neurological deficits</p> <p><input type="checkbox"/> radiation esophagitis</p> <p><input type="checkbox"/> web</p> <p><input type="checkbox"/> other</p>	<p>Site prepped with <input type="text"/></p> <p>Patient position <input type="radio"/> supine <input type="radio"/> other</p> <p><input type="checkbox"/> Sterile drapes placed</p> <p>Local anesthesia <input type="text"/> Volume (cc) <input type="text"/></p> <p>Tube type <input type="text"/></p> <p>Brand <input type="text"/></p> <p>Size (Fr) <input type="text"/></p> <p>Site ID by</p> <p><input type="radio"/> finger indentation</p> <p><input type="radio"/> transillumination</p> <p><input type="radio"/> finger indentation and transillumination</p> <p>Incision size (cm) <input type="text"/></p>	<p><input type="checkbox"/> Tube irrigated after placement</p> <p>Patient tolerance <input type="text"/></p> <p>Procedure outcome <input type="text"/></p> <p>Comments</p> <div style="border: 1px solid gray; height: 100px; width: 100%;"></div>
---	--	--

Site prepped with

Patient position

other

Local anesthesia Volume (cc)

1% lidocaine

Tube type

Brand

Size (Fr)

Site ID by

Tube type

Brand

Size (Fr)

Site ID by

finger indent

transilluminat

finger indentation and transillumination

Bard
Compat
Corpak
Microvasive
Ponsky non-balloon
Ponsky Pull-Bard
Wilson Cook

Tube type

Brand

Size (Fr)

Site ID by

finger indent

transilluminat

finger indent

Incision size (cm)

12
14
16
18
20
22
24
28

Tube irrigated after placement

Patient tolerance

Procedure outcome

Comments

excellent
good
fair
poor

Tube irrigated after placement

Patient tolerance

Procedure outcome

Comments

Technically successful
Technically unsuccessful

Tumor

Table: EgdTumor

The screenshot shows a software window titled "Tumor" with several sections:

- Starting Location:** Proximal Esophagus
- Ending Location:** Proximal Esophagus
- Description:** Radio buttons for "Suspected malignant", "Established malignant by prior biopsy", "Suspected benign", and "Established benign by prior biopsy".
- Length (cm):** A text input field.
- Characteristics:** Checkboxes for "Circumferential", "Fungating", "Mucosal", and "Submucosal".
- Obstruction:** A dropdown menu.
- Therapeutic procedure(s):** Checkboxes for "Hemostatic" and "Non - hemostatic", each with a corresponding text area.
- Diagnostics:** Checkboxes for "Biopsy taken", "Brushing taken", "RUT results pending", and "RUT results complete". Includes a "Total # of biopsies taken" spinner, "RUT results" dropdown, "Sent to pathology" radio buttons, "Enter pathology ID" field with "Add" button, and "Current pathology IDs" list.
- Image(s) taken:** A checkbox.
- Diagnosis:** A text input field.
- Comments:** A text area.
- Buttons:** "Save" and "Cancel" at the bottom.

Obstruction

- Partial, not obstructive
- Partial, obstructive, but able to pass endoscope
- Complete

RUT results

- negative
- positive

Sent to pathology

Enter pathology ID

Ulcer

Table: EgdUlcer

Location <input type="text" value="Proximal Esophagus"/>		Diagnostics <input type="checkbox"/> Biopsy taken <input type="checkbox"/> Brushing taken Total # of biopsies taken: <input type="text"/>	
Size <input type="text"/> (mm) x <input type="text"/> (mm)		<input type="checkbox"/> RUT results pending <input type="checkbox"/> RUT results complete RUT results: <input type="text"/>	
Characteristics <input type="text"/>		Sent to pathology: <input type="radio"/> Yes <input type="radio"/> No Enter pathology ID: <input type="text"/> <input type="button" value="Add"/> Current pathology IDs: <input type="text"/>	
Ulcer stigmata <input type="checkbox"/> Active/Recent bleed <input type="checkbox"/> Visible vessel <input type="checkbox"/> Adherent dot <input type="checkbox"/> Dark spot <input type="checkbox"/> Non-bleeding, Clean <input type="checkbox"/> Healed / Scarred	Rate of bleed <input type="radio"/> Oozing <input type="radio"/> Spurting <input type="radio"/> Inactive <input type="radio"/> Uncertain	<input type="checkbox"/> Image(s) taken	
Interventions for adherent clot <input type="checkbox"/> Injected <input type="checkbox"/> Washed with water <input type="checkbox"/> Snared	Ulcer stigmata after intervention <input type="checkbox"/> Active/Recent bleed <input type="checkbox"/> Visible vessel <input type="checkbox"/> Adherent dot <input type="checkbox"/> Dark spot <input type="checkbox"/> Non-bleeding, Clean <input type="checkbox"/> Healed / Scarred	Rate of bleed after intervention <input type="radio"/> Oozing <input type="radio"/> Spurting <input type="radio"/> Inactive <input type="radio"/> Uncertain	
Therapeutic procedure(s) <input type="checkbox"/> Hemostatic <input type="button" value="▶"/> <input type="checkbox"/> Non - hemostatic <input type="button" value="▶"/>		Diagnosis: <input type="text"/> Comments: <input type="text"/>	
<input type="button" value="Save"/> <input type="button" value="Cancel"/>			

Size <input type="text"/> (mm) x <input type="text"/> (mm)
Characteristics <input type="text"/>
Ulcer stigmata <input type="checkbox"/> Active/Recent bleed <input type="checkbox"/> Visible vessel <input type="checkbox"/> Adherent dot
<input type="radio"/> Inactive
RUT results <input type="text"/>
Sent to pathology <input type="text"/>
Enter pathology ID <input type="text"/>

Varices

Table: EgdVarices

The screenshot shows the 'Varices' form with the following fields and options:

- Starting Location: Proximal Esophagus
- Ending Location: Proximal Esophagus
- Number of varices: [dropdown]
- Distance (cm) from incisors: Proximal [input] Distal [input]
- Size: small: completely flatten on insufflation, medium: do not flatten, but protrude minimally into lumen, large: do not flatten and protrude prominently into lumen
- Stigmata of recent hemorrhage (cherry red spots, red wale marking or hematocystic spot): present, absent
- Esophagitis: present, absent
- Rate of bleed: Oozing, Spurting, Inactive, Uncertain
- Therapeutic procedure(s): Hemostatic, Non - hemostatic, Image(s) taken
- Diagnosis: [input]
- Comments: [text area]
- Buttons: Save, Cancel

Other finding

Table: EgdFindOther

The screenshot shows the 'Other finding' form with the following fields and options:

- Starting Location: Proximal Esophagus
- Ending Location: Proximal Esophagus
- Image(s) taken:
- Diagnostics: Biopsy taken, Total # of biopsies taken: [input], RUT results pending, RUT results complete, RUT results: [dropdown]
- Sent to pathology: Yes, No
- Enter pathology ID: [input] Add
- Current pathology IDs: [input]
- Therapeutic procedure(s): Hemostatic, Non - hemostatic
- Diagnosis: [input]
- Description / Comments: [text area]
- Buttons: Save, Cancel

A close-up of the 'RUT results' dropdown menu showing the following options:

- negative
- positive

SMALL BOWEL FINDINGS

Table: EGDSBFind

The screenshot shows the 'EGD' software interface. At the top, there are menu options: Pathology, Images, Print, Fax, Orders, and GIQuIC. Below these are fields for patient information: First name (Fake), Middle name, Last name (Patient), MRN (00000000), Birth date (1/1/1901), and Procedure date (Jan 01, 2000 12:00 PM). The main window is titled 'Small bowel Findings' and contains a central diagram of the small intestine. To the left is a sidebar with buttons for History, Physical exam, Liver Disease, Indications, Preprocedure, Sedation, Procedure, EGD Findings, Sm. Bowel Findings (highlighted), Events, Assessment/Plan, and Letters/Instructions. Below the sidebar are buttons for Import from Colonoscopy, Save, Sign, Print Preview, and Close. At the bottom of the main window, there is a 'Normal findings' section with a checkbox for 'Entire small bowel' and a 'Findings Instructions' box with the following text: 'Add a Finding: left click the diagram, or left click and drag to shade a region', 'Delete a Finding: right click on the finding label', 'View/Edit Details: double click on the finding label', and 'Move a Label: left click and drag the finding label'.

The 'Finding Menu' dialog box is a list of potential findings for the small bowel. The list includes: Anatomical deformity, Arteriovenous malformation (AVM), Carcinoid tumor, Diverticulosis, Fluid / debris, Foreign body / Retained food, Image taken, Lymphangiectasia, Mucosal abnormality, Nematodes, Normal, Polyps, Prior surgery, Sprue (Celiac disease), Stricture / Stenosis, Tumor, Ulcer, Xanthoma, and Other finding. At the bottom of the dialog box are 'OK' and 'Cancel' buttons.

Anatomical deformity

Table: EgdSBAnatDeform

Anatomical Deformity	
Location: Pylorus	<input type="checkbox"/> Image(s) taken
Estimated distance from pylorus (cm)	
Description	Diagnosis
	Comments
Save Cancel	

Arteriovenous malformation (AVM)

Table: EgdSBAVM

Arteriovenous Malformation (AVM)	
Starting location: Duodenum	<input type="checkbox"/> Image(s) taken
Ending location: Duodenum	
Estimated distance from pylorus (cm)	
Estimated # of AVMs	Diagnosis
Maximum size (mm)	Comments
Rate of bleed	
Therapeutic procedure(s)	
Save Cancel	

Carcinoid tumor

Table: EgdSBCarcinoidTumor

Carcinoid tumor	
Starting location: Duodenum	<input type="checkbox"/> Image(s) taken
Ending location: Duodenum	
Estimated distance from pylorus (cm)	
Suspected Established	Diagnosis
Number of carcinoid tumors	Comments
Therapeutic procedure(s)	
Save Cancel	

Diverticulosis

Table: EgdSBDiverticula

Diverticulosis	
Starting location Duodenum	<input type="checkbox"/> Image(s) taken
Ending location Duodenum	
Estimated distance from pylorus (cm)	
<input type="checkbox"/> Meckels <input type="checkbox"/> Small bowel	Diagnosis
Estimated # of diverticula	Comments
Rate of bleed <input type="radio"/> Oozing <input type="radio"/> Spurting <input type="radio"/> Inactive <input type="radio"/> Uncertain	
Therapeutic procedure(s) <input type="checkbox"/> Hemostatic	
<input type="checkbox"/> Non-hemostatic	
	Save Cancel

Fluid / Debris

Table: EgdSBFluid

Fluid / Debris	
Location Duodenum	<input type="checkbox"/> Image(s) taken
Estimated distance from pylorus (cm)	
Degree of visual impairment	
Description	
	Save Cancel

Degree of visual impairment	
none minimal moderate significant	

Foreign body / Retained food

EgdSBFB

Foreign body / Retained food

Location: Pylorus

Estimated distance from pylorus (cm):

Foreign body Retained food

Description:

Image(s) taken

Diagnosis:

Comments:

Save Cancel

Image taken

Table: EgdSBImageTaken

Image taken

Location: Duodenum

Image(s) taken

Comments:

Save Cancel

Lymphangiectasia

Table: EgdSBLymphangiectasia

Lymphangiectasia

Location: Pylorus

Estimated distance from pylorus (cm):

Estimated # of lymphangiectasia:

1

2-5

6-20

>20

Image(s) taken

Diagnosis:

Comments:

Save Cancel

Mucosal abnormality

Table: EgdSBMucosalAbnl

Mucosal abnormality	
Starting location: Pylorus Ending location: Pylorus Estimated distance from pylorus (cm):	<input type="checkbox"/> Image(s) taken
Description Length of inflammation (cm): <input type="checkbox"/> Red spots <input type="checkbox"/> White spots <input type="checkbox"/> Edema <input type="checkbox"/> Blunted villi <input type="checkbox"/> Erythema <input type="checkbox"/> Petechiae <input type="checkbox"/> White stippling <input type="checkbox"/> Erosions <input type="checkbox"/> Absent villi Rate of bleed: <input type="radio"/> Oozing <input type="radio"/> Spurting <input type="radio"/> Inactive <input type="radio"/> Uncertain	Diagnostics <input type="checkbox"/> Biopsy taken Total # of biopsies taken: Sent to pathology: <input type="radio"/> Yes <input type="radio"/> No Enter pathology ID: Add Current pathology IDs:
Therapeutic procedure(s) <input type="checkbox"/> Hemostatic <input type="checkbox"/> Non-hemostatic	Diagnosis: Comments:
Save Cancel	

Nematodes

Table: EgdSBNematodes

Nematodes	
Location: Pylorus Estimated distance from pylorus (cm):	<input type="checkbox"/> Image(s) taken
Type of nematode:	Diagnosis:
Diagnostics <input type="checkbox"/> Biopsy taken Total # of biopsies taken: Sent to pathology: <input type="radio"/> Yes <input type="radio"/> No Enter pathology ID: Add Current pathology IDs:	Comments:
Save Cancel	

Normal

Table: EgdSBNormal

Normal	
Starting location: Pylorus Ending location: Pylorus Estimated distance from pylorus (cm):	<input type="checkbox"/> Image(s) taken
Diagnostics <input type="checkbox"/> Biopsy taken Total # of biopsies taken: Sent to pathology: <input type="radio"/> Yes <input type="radio"/> No Enter pathology ID: Add Current pathology IDs:	Comments:
Save Cancel	

Polyp

Table: EgdSBPolyp

Polyp	
Starting location: Pylorus	Diagnostics
Ending location: Pylorus	
Estimated distance from pylorus (cm)	
Description	<input type="checkbox"/> Biopsy without cautery
Number of polyps	<input type="checkbox"/> Biopsy with cautery
<input type="radio"/> 1	<input type="checkbox"/> Snare without cautery
<input type="radio"/> 2-5	<input type="checkbox"/> Snare with cautery
<input type="radio"/> 6-20	<input type="checkbox"/> Snare with cautery/saline
<input type="radio"/> >20	Polyp removed? <input type="radio"/> Yes <input type="radio"/> No (biopsy only)
Attachment	Number removed
<input type="radio"/> flat	Tissue retrieved? <input type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> pedunculated	Number retrieved
<input type="radio"/> sessile	Sent to pathology <input type="radio"/> Yes <input type="radio"/> No
<input type="checkbox"/> All polyps diminutive (<= 5mm)	Enter pathology ID
Size range (mm) to to	Add
<input type="checkbox"/> Image(s) taken	Current pathology IDs
Therapeutic procedure(s)	Diagnosis
<input type="checkbox"/> Hemostatic	Comments
<input type="checkbox"/> Non-hemostatic	

Prior surgery

Table: EgdSBPriorSurg

Prior surgery	
Location: Pylorus	<input type="checkbox"/> Image(s) taken
Estimated distance from pylorus (cm)	Diagnosis
Prior surgery	Comments
<input type="checkbox"/> Billroth I	
<input type="checkbox"/> Billroth II	
<input type="checkbox"/> Gastrojejunostomy	
<input type="checkbox"/> Jejunostomy tube	
<input type="checkbox"/> Terminal ileum Resection	
<input type="checkbox"/> Total colectomy with	
<input type="radio"/> Ileostomy	
<input type="radio"/> Ileo-anal pouch	
<input type="radio"/> Koch pouch	
<input type="checkbox"/> Other prior surgery	

Sprue (Celiac disease)

Table: EgdSBSprue

Sprue (Celiac disease)

Starting location: Pylorus
 Ending location: Pylorus
 Estimated distance from pylorus (cm):

Image(s) taken

Description

Suspected
 Established by prior biopsy

Mucosal appearance

Scalloped folds
 Flat (missing folds)

Diagnostics

Biopsy taken Total # of biopsies taken:

Sent to pathology: Yes No

Enter pathology ID:

Current pathology IDs:

Diagnosis:

Comments:

Stricture / Stenosis

Table: EgdSBStricture

Stricture / Stenosis

Location: Pylorus
 Estimated distance from pylorus (cm):

Image(s) taken

Description

Estimated lumen diameter (mm):

Obstruction:

Etiology

Anastomosis site
 Benign inflammation
 Crohn's disease
 Extrinsic compression
 Malignancy
 NSAID diaphragm
 Web
 Other

Therapeutic procedure(s)

Hemostatic
 Non-hemostatic

Diagnostics

Biopsy taken Total # of biopsies taken:

Sent to pathology: Yes No

Enter pathology ID:

Current pathology IDs:

Diagnosis:

Comments:

Description

Estimated lumen diameter (mm):

Obstruction:

Etiology

NSAID diaphragm
 capsule passes through
 capsule temporarily delayed
 capsule retained

Tumor

Table: EgdSBTumor

Tumor

Location: Pylorus

Estimated distance from pylorus (cm):

Description

Suspected malignant
 Established malignant by prior biopsy
 Suspected benign
 Established benign by prior biopsy

Dimensions: (mm) X (mm)

Circumferential Mucosal
 Fungating Submucosal

Obstruction:

Therapeutic procedure(s)

Hemostatic
 Non -hemostatic

Diagnostics

Biopsy taken Total # of biopsies taken:

Sent to pathology: Yes No

Enter pathology ID: [Add]

Current pathology IDs:

Image(s) taken:

Diagnosis:

Comments:

Save Cancel

Description

Suspected malignant
 Established malignant by prior biopsy
 Suspected benign
 Established benign by prior biopsy

Dimensions: (mm) X (mm)

Circumferential Mucosal
 Fungating Submucosal

Obstruction:

- capsule passes through
- capsule temporarily delayed
- capsule retained

Ulcer

Table: EgdSBUlcer

Ulcer

Location: Pylorus

Estimated distance from pylorus (cm):

Estimated # of ulcers: 1, 2-5, 6-20, >20

Estimated size (mm): 1-5, 6-10, > 10

Characteristics

Radiating folds
 Heaped up margin
 Deep
 Superficial
 Edematous

Ulcer stigmata

Active/Recent bleed Rate of bleed: Oozing
 Visible vessel Spurting
 Adherent clot Inactive
 Dark spot Uncertain
 Non-bleeding, Clean
 Healed / Scarred

Therapeutic procedure(s)

Hemostatic
 Non -hemostatic

Diagnostics

Biopsy taken Total # of biopsies taken:

Sent to pathology: Yes No

Enter pathology ID: [Add]

Current pathology IDs:

Image(s) taken:

Diagnosis:

Comments:

Save Cancel

Xanthoma

Table: EgdSBXanthoma

Xanthoma

Starting location: Pylorus
Ending location: Pylorus
Estimated distance from pylorus (cm):

Estimated number of xanthomas:

1
 2-5
 6-20
 >20

Image(s) taken

Diagnosis:

Comments:

Save Cancel

Other finding

Table: EgdSBOtherFind

Other Finding

Starting location: Pylorus
Ending location: Pylorus
Estimated distance from pylorus (cm):

Image(s) taken

Therapeutic procedure(s):

Hemostatic
 Non-hemostatic

Diagnostics:

Biopsy taken Total # of biopsies taken:

Sent to pathology: Yes No

Enter pathology ID: Add

Current pathology IDs:

Diagnosis:

Description / Comments:

Save Cancel

THERAPIES

For all therapies:

Bleeding outcome	
Procedural outcome	bleeding continues bleeding precipitated hemostasis achieved

Procedural outcome	technically successful technically not successful
Comments	

Hemostatic therapies

Table: TheraLauncherHemo

Therapies	
Hemostatic	
<input type="checkbox"/>	APC ▶
<input type="checkbox"/>	Banding ▶
<input type="checkbox"/>	Bipolar coagulation ▶
<input type="checkbox"/>	Clip ▶
<input type="checkbox"/>	Heater probe ▶
<input type="checkbox"/>	Injection ▶
<input type="checkbox"/>	Laser ▶
<input type="checkbox"/>	Other therapy ▶
Save Cancel	

Hemostatic Argon Plasma Coagulation (APC)

Table: TxHemAPC

The screenshot shows a software window titled "Hemostatic Argon Plasma Coagulation (APC)". It contains several input fields: "Watts" and "Litres / min of Ar" are numeric spinners; "Bleeding outcome" and "Procedural outcome" are dropdown menus; and "Comments" is a text area. At the bottom are "Save" and "Cancel" buttons.

Hemostatic Banding

Table: TxHemBanding

The screenshot shows a software window titled "Hemostatic Banding". It contains several input fields: "Banding device" is a dropdown menu; "Total bands fired" and "Bands placed" are numeric spinners; "Bleeding outcome" and "Procedural outcome" are dropdown menus; and "Comments" is a text area. At the bottom are "Save" and "Cancel" buttons.

(Banding device menu customized by site)

Hemostatic Bipolar Coagulation (BiCap)

Table: TxHemBiCap

The screenshot shows a software window titled "Hemostatic Bipolar Coagulation (BiCap)". It contains several input fields: a dropdown menu for "BiCap device", a spinner for "Watts", a spinner for "Total Seconds", and a checkbox for "Irrigation fluid used". Below these are two more dropdown menus for "Bleeding outcome" and "Procedural outcome". A large text area for "Comments" is positioned below the dropdowns. At the bottom of the window are "Save" and "Cancel" buttons.

(BiCap device menu customized by site)

Hemostatic Clip(s)

Table: TxHemClip

The screenshot shows a software window titled "Hemostatic Clip(s)". It contains several input fields: two spinners for "Total clips fired" and "Clips placed", two dropdown menus for "Bleeding outcome" and "Procedural outcome", and a large text area for "Comments". At the bottom of the window are "Save" and "Cancel" buttons.

Hemostatic Heater Probe

Table: TxHemProbe

The screenshot shows a software window titled "Hemostatic Heater Probe". It contains the following fields from top to bottom: a dropdown menu for "Instrument", a spinner control for "Watts", a dropdown menu for "Bleeding outcome", a dropdown menu for "Procedural outcome", and a text area for "Comments". At the bottom of the window are "Save" and "Cancel" buttons.

(Instrument menu customized by site)

Hemostatic Injection

Table: TxHemInjection

The screenshot shows a software window titled "Hemostatic Injection". It contains the following fields from top to bottom: a dropdown menu for "Injectant", a text field for "Combined with", a spinner control for "Number of injections", a text field for "Total volume injected (cc)", a dropdown menu for "Bleeding outcome", a dropdown menu for "Procedural outcome", and a text area for "Comments". At the bottom of the window are "Save" and "Cancel" buttons.

(Injectant menu customized by site)

Hemostatic Laser

Table: TxHemLaser

The screenshot shows a form titled "Hemostatic Laser". It contains the following fields from top to bottom: "Type of laser" (a dropdown menu), "Watts" (a spinner box), "Joules" (a spinner box), "Total seconds" (a spinner box), "Bleeding outcome" (a dropdown menu), "Procedural outcome" (a dropdown menu), and "Comments" (a large text area). At the bottom of the form are two buttons: "Save" and "Cancel".

(Type of laser menu customized by site)

Other hemostatic therapy(s)

Table: TxHemOther

The screenshot shows a form titled "Other hemostatic therapy(s)". It contains the following fields from top to bottom: "Description" (a large text area), "Bleeding outcome" (a dropdown menu), "Procedural outcome" (a dropdown menu), and "Comments" (a large text area). At the bottom of the form are two buttons: "Save" and "Cancel".

Non-hemostatic therapies

Table: TheraLauncherNonHemo

The screenshot shows a dialog box titled "Therapies". Inside, there is a section labeled "Non-hemostatic" containing a list of therapy options, each with a checkbox and a right-pointing arrow. The "APC" option is currently selected and highlighted in blue. The other options are: Banding, Clip, Dilation, EMR, Heater probe, Injection, Laser, Stent, and Other therapy. At the bottom of the dialog box are two buttons: "Save" and "Cancel".

Non-hemostatic Argon Plasma Coagulation

Table: TxNonHemAPC

The screenshot shows a dialog box titled "Non-hemostatic Argon Plasma Coagulation (APC)". It contains two numeric input fields with up/down arrows: "Watts" and "Litres / min of Ar". Below these is a dropdown menu for "Procedural outcome". At the bottom is a text area for "Comments". At the very bottom are "Save" and "Cancel" buttons.

Non-hemostatic Banding

Table: TxNonHemBanding

The screenshot shows a dialog box titled "Non-hemostatic Banding". It features a dropdown menu for "Banding device" with "Two Shooter" selected. Below are two numeric input fields with up/down arrows: "Total bands fired" and "Bands placed". There is also a dropdown menu for "Procedural outcome" and a text area for "Comments". At the bottom are "Save" and "Cancel" buttons.

(Banding device menu customized by site)

Non-hemostatic Clip(s)

Table: TxNonHemClip

Non-hemostatic Dilatation

Table: TxNonHemDilation

(Dilator type menu customized by site)

Non-hemostatic Endoscopic Mucosal Resection (EMR)

Table: TxNonHemEMR

The screenshot shows a software window titled "Non-hemostatic Endoscopic Mucosal Resection (EMR)". It contains the following fields and controls:

- Instrument:** A dropdown menu.
- Complete resection:** A checkbox.
- Sample retrieved:** A checkbox.
- Procedural outcome:** A dropdown menu.
- Comments:** A large text area with a vertical scrollbar.
- Buttons:** "Save" and "Cancel" buttons at the bottom.

(EMR instrument customized by site)

Non-hemostatic Heater Probe

Table: TxNonHemProbe

The screenshot shows a software window titled "Non-hemostatic Heater Probe". It contains the following fields and controls:

- Instrument:** A dropdown menu.
- Watts:** A numeric spinner control.
- Procedural outcome:** A dropdown menu.
- Comments:** A large text area with a vertical scrollbar.
- Buttons:** "Save" and "Cancel" buttons at the bottom.

(Heater probe Instrument customized by site)

Non-hemostatic Injection

Table: TxNonHemInjection

Non-hemostatic Injection

Injectant |

Combined with

Number of injections

Total volume injected (cc)

Procedural outcome

Comments

Save Cancel

(Injectant menu customized by site)

Non-hemostatic Laser

Table: TxNonHemLaser

Non-hemostatic Laser

Type of laser

Watts

Joules

Total seconds

Procedural outcome

Comments

Save Cancel

(Type of laser menu customized by site)

Non-hemostatic Stent

Table: TxNonHemStent

The screenshot shows a software window titled "Non-hemostatic Stent". It contains several input fields and checkboxes. On the left side, there is a "Number of stents used" spinner, a "Stent type" dropdown menu, and input fields for "Length (cm)", "Covered (cm)", "Diameter" (with radio buttons for "Fr" and "mm"), "Flange (mm)", and "Guidewire" (a dropdown menu). On the right side, there are three checkboxes: "Proximal clips placed", "Distal clips placed", "Performed under fluoroscopic guidance", and "Injected with contrast". Below these is a "Procedural outcome" dropdown menu and a "Comments" text area. At the bottom right, there are "Save" and "Cancel" buttons.

(Stent type menu customized by site)

This image is a close-up of the "Stent type" dropdown menu from the form above. The menu is open, showing two options: "Jag" and "Savary". The other input fields (Length, Covered, Diameter, Flange, Guidewire) are visible in the background but not the focus.

Other non-hemostatic therapy(s)

Table: TxNonHemOther

The screenshot shows a software window titled "Other non-hemostatic therapy(s)". It contains a "Description" text area, a "Procedural outcome" dropdown menu, and a "Comments" text area. At the bottom, there are "Save" and "Cancel" buttons.

EVENTS

Table: Intervention

Intervention medication grid: Intervention_Intervention_medication_grid

(Dose menu customized to Medication selection)

Intervention medication			Add med
Medication	Dose	Route	
atropine			
			<ul style="list-style-type: none"> Aerosol IM IV PO PR SC SL Topical
<input type="checkbox"/> Other intervention medication			

Cardiac events: Other cardiac event

Table: EventCardiacOther

Other cardiac events

Pulmonary events: Hypoxia – prolonged (>15 sec)

Table: EventHypoxia

Prolonged hypoxia comments

Pulmonary events: Other pulmonary event

Table: EventPulmOther

Other pulmonary events


Gastrointestinal events: Bleeding

Table: EventBleeding

Bleeding comments

Gastrointestinal events: Other GI event


Table: EventGIOther



A screenshot of a dialog box titled "Other GI events". It features a large, empty text area for input. At the bottom right, there are two buttons: "Save" and "Cancel".

Other events: Other event


Table: EventOther



A screenshot of a dialog box titled "Other unplanned events". It features a large, empty text area for input. At the bottom right, there are two buttons: "Save" and "Cancel".

If yes, specify the intervention(s): Oxygen administered

Table: EventsO2Admin




A screenshot of a dialog box titled "Supplemental oxygen detail". It contains the following fields:

- "Oxygen flow (liters)" with a numeric input field and up/down arrows.
- "Delivery method" with a dropdown menu.
- "Comments" with a large text area.

At the bottom right, there are two buttons: "Save" and "Cancel".

If yes, specify the interventions: Other interventions


Table: EventIntervenOther



A screenshot of a dialog box titled "Other interventions required". It features a large, empty text area for input. At the bottom right, there are two buttons: "Save" and "Cancel".

Intervention medications: Other intervention medication

Table: IntervenMedOther



The image shows a screenshot of a software window titled "Other intervention medication". The window has a standard Windows-style title bar with a close button on the right. The main area of the window is empty, suggesting a table or list that is currently blank. At the bottom of the window, there are two buttons: "Save" and "Cancel".

ASSESSMENT / PLAN

Table: TreatmentPlan

New medications grid: TreatmentPlan_New_medications_grid

Scheduling and Referring grid: TreatmentPlan_Scheduling_and_Referring_grid (redacted)

(Medication menu customized to Medication Type selection)

New medications						
Medication Type	Medication	Dose	Route	Sig	Disp	Comments
5-ASA	mesalamine	1500 mg				
<input type="checkbox"/> Other new medications						

(Dose menu customized to Medication selection)

New medications						
Medication Type	Medication	Dose	Route	Sig	Disp	Comments
5-ASA	mesalamine		Aerosol			
<input type="checkbox"/> Other new medications						

New medications						
Medication Type	Medication	Dose	Route	Sig	Disp	Comments
5-ASA	mesalamine			AC		
<input type="checkbox"/> Other new medications						

Scheduling and Referring				
Activity Type	Activity	When	Date	Comments
Admit to hospital				
<input type="checkbox"/> Other plan				

Scheduling and Referring				
Activity Type	Activity	When	Date	Comments
Followup	Call office			
<input type="checkbox"/> Other plan				

(Activity menu customized to Activity Type selection)

Scheduling and Referring				
Activity Type	Activity	When	Date	Comments
Followup		Around		
<input type="checkbox"/> Other plan				

Medication plan: Discontinue current medications


Table: DiscontinueCurMeds

Discontinue current medication(s)

List current medication(s) to discontinue

Medication plan: Continue current medications


Table: ContinueMeds



The screenshot shows a dialog box titled "Continue current medication(s)". At the top, there is a checked checkbox labeled "Continue all current medications". Below this, the text "List current medication(s) to continue" is followed by an empty list box with a vertical scrollbar. At the bottom of the dialog, there are two buttons: "Save" and "Cancel".

New medications: Other new medications


Table: OtherNewMeds



The screenshot shows a dialog box titled "Other new medications". It features a large empty list box with a vertical scrollbar. At the bottom of the dialog, there are two buttons: "Save" and "Cancel".

Scheduling and Referring: Other plan

Table: PlanOther



The screenshot shows a dialog box titled "Other plan". It contains a large empty list box with a vertical scrollbar. At the bottom of the dialog, there are two buttons: "Save" and "Cancel".

LETTERS

Table: Letters

EGD
Pathology Images Print Fax Orders GIQuIC

First name: Fake
Middle name:
Last name: Patient
MRN: 00000000
Birth date: 1/1/1901
Procedure date: Jan 01, 2000 12:00 PM

History

Physical exam

Liver Disease

Indications

Preprocedure

Sedation

Procedure

EGD Findings

Sm. Bowel Findings

Events

Assessment/Plan

Letters/Instructions

Use Defaults

Select Providers to receive copies of the report

Search by last name: [Providers](#)

Gissel, Theodore Whoville Clinic
 Nimble, Jack
 Provider, A Generic Clinic
 Provider, Default Oregon Health and Science University
 Provider, First
 Provider, Second Second Tier Medical
 Slughom, Prof Hogwarts
 Test, Tom Northwest Test Center of Lower hoboken New Jersey
 Turtle, Mertle Turtle Pond Digestive Care

Add ->

<- Remove

Referring provider

Other providers to be copied

Print these providers at bottom of procedure report

Finding-specific instructions

Upper GI

<input type="checkbox"/> Achalasia	<input type="checkbox"/> Food impaction	<input type="checkbox"/> Nodule / Polyp	<input type="checkbox"/> Tumor
<input type="checkbox"/> Arteriovenous malformations (AVM)	<input type="checkbox"/> Foreign body	<input type="checkbox"/> Normal	<input type="checkbox"/> Ulcer
<input type="checkbox"/> Barrett's esophagus	<input type="checkbox"/> Hiatal hernia	<input type="checkbox"/> Prior endotherapy	<input type="checkbox"/> Varices
<input type="checkbox"/> Blood clot	<input type="checkbox"/> Mallory-Weiss tear	<input type="checkbox"/> Prior surgery	
<input type="checkbox"/> Duodenal diverticulum	<input type="checkbox"/> Mucosal abnormality - Esophagus	<input type="checkbox"/> Sprue (Celiac disease)	
<input type="checkbox"/> Esophageal ulcer	<input type="checkbox"/> Mucosal abnormality - Stomach / Duodenum	<input type="checkbox"/> Stricture / Stenosis	

Instructions given in:

Standardized instructions given

Sedation High-fiber diet

Post-exam instructions given

NPO:

Liquids only:

Resume prior diet:

No alcohol:

ASA / NSAIDS:

Restart medications:

Other specific post-exam instructions

Import from Colonoscopy

Save

Sign

Print Preview

Close

Save as Default