




Screenshots for Documentation of Pediatric Esophagogastroduodenoscopy (EGD) Procedures in CORI v4

Table of Contents

HISTORY	4
<i>Surgical History</i>	6
<i>Medical History</i>	7
PHYSICAL EXAMINATION	9
LIVER DISEASE	10
INDICATIONS	16
PREPROCEDURE	25
SEDATION	27
PROCEDURE	31
EGD FINDINGS	36
<i>Achalasia</i>	37
<i>Anatomical deformity</i>	37
<i>Arteriovenous malformations (AVM)</i>	38
<i>Barrett's Esophagus</i>	38
<i>Blood clot</i>	39
<i>Dilation</i>	39
<i>Duodenal diverticulum</i>	40
<i>Esophageal ulcer</i>	41
<i>Food impaction</i>	42
<i>Foreign body / Retained food</i>	42
<i>Hiatal hernia</i>	43
<i>Image taken</i>	43
<i>Laryngeal exam</i>	44
<i>Mallory- Weiss tear</i>	45
<i>Mucosal abnormality / Esophagus</i>	46
<i>Mucosal abnormality / Stomach – Duodenum</i>	48
<i>Nodule / Polyp</i>	49
<i>Normal</i>	50
<i>Prior endotherapy</i>	50
<i>Prior surgery</i>	51
<i>Sprue (Celiac disease)</i>	52
<i>Stricture / Stenosis</i>	52
<i>Tube Placement</i>	53
CORI v4 Endoscopic Reporting Software / National Endoscopic Database	1

<i>Tumor</i>	55
<i>Ulcer</i>	56
<i>Varices</i>	57
<i>Other finding</i>	58
SMALL BOWEL FINDINGS	59
<i>Anatomical deformity</i>	60
<i>Arteriovenous malformation (AVM)</i>	60
<i>Carcinoid tumor</i>	60
<i>Diverticulosis</i>	61
<i>Fluid / Debris</i>	61
<i>Foreign body / Retained food</i>	62
<i>Image taken</i>	62
<i>Lymphangiectasia</i>	62
<i>Mucosal abnormality</i>	63
<i>Nematodes</i>	63
<i>Normal</i>	64
<i>Polyp</i>	64
<i>Prior surgery</i>	65
<i>Sprue (Celiac disease)</i>	65
<i>Stricture / Stenosis</i>	66
<i>Tumor</i>	66
<i>Ulcer</i>	67
<i>Xanthoma</i>	68
<i>Other finding</i>	68
THERAPIES	69
<i>Hemostatic therapies</i>	69
Hemostatic Argon Plasma Coagulation (APC).....	70
Hemostatic banding.....	70
Hemostatic Bipolar Coagulation (BiCap).....	71
Hemostatic Clip(s).....	71
Hemostatic Heater Probe	72
Hemostatic Injection.....	72
Hemostatic Laser	73
Other Hemostatic Therapy(s)	73
<i>Non-Hemostatic Therapies</i>	74
Non-hemostatic Argon Plasma Coagulation (APC)	74
Non-Hemostatic Banding.....	74
Non-Hemostatic Clip(s).....	75
Non-Hemostatic Dilatation	75
Non-Hemostatic Endoscopic Mucosal Resection (EMR).....	76
Non-Hemostatic Heater Probe	76
Non-Hemostatic Injection.....	77
Non-Hemostatic Laser	77
Non-Hemostatic Stent	78

Other Non-Hemostatic Therapy(s)	78
EVENTS	79
ASSESSMENT / PLAN.....	83
LETTERS / INSTRUCTIONS	86

Above each screenshot or set of screenshots is the name of the table in the v4 National Endoscopic Database where the data collected on that screen is found. Some screenshots show the content of subscreens that are also documented in the same table. Controls which have subscreens are evidenced by the orange arrows: 

HISTORY

Table: PEDS_History

EGD pediatrics

Pathology Images Print Fax Orders LIQUID

First name: Aga_pt96 Middle name: Last name: ALEXANDER MRN: 81750211 Birth date: 4/30/1952 Procedure date: Nov 10, 2014 02:34 PM

Is the patient on any medications? Yes No

NSAIDs
 corticosteroids
 anti-TNF
 laxative
 PPI
 other

No prior surgeries
 Surgical history

No history of major medical illness
 Medical history

Family history
 inflammatory bowel disease pancreatitis
 celiac disease GERD
 gallstones autoimmune disease
 other

Has the patient had an organ transplant? Yes No

Recent labs/studies Yes No
Hemoglobin: ESR:
Albumin: CRP:

Other recent labs/studies

Allergies Yes No

Patient habits
Smoking history: Amount: Number of years: Smokes every day Yes No
Current alcohol consumption (wine, beer, liquor):

History comments
Please do not use this field if you can document the information using other fields on the screen

Save Sign Print Preview Close

Patient habits

Smoking history: Amount: Number of years: Smokes every day Yes No
Current alcohol consumption (wine, beer, liquor):

Patient habits

Smoking history: Current smoker
Amount: Number of years: Smokes every day: Current alcohol consumption (wine, beer, liquor):

Patient habits

Smoking history

Amount

Number of years

Smokes every day Yes No

Current alcohol consumption (wine, beer, liquor)

No prior surgeries

Surgical history

Abstains
Occasional (average less than daily)
Moderate (1-2 drinks per day)
Heavy (>2 drinks per day)

Recent labs/studies Yes No

Hemoglobin

Albumin

Other recent

ESR

CRP

high
normal
low

Recent labs/studies Yes No

Hemoglobin

Albumin

Other recent

ESR

CRP

high
normal
low

Recent labs/studies Yes No

Hemoglobin

Albumin

Other recent labs/studies

ESR

CRP

high
normal
low

Recent labs/studies Yes No

Hemoglobin

Albumin

Other recent labs/studies

ESR

CRP

high
normal
low

Surgical History

PEDS_HxSurgHx

Patient History > Surgical History

Biliary/Pancreatic	GI, Upper	Genitourinary
<input type="checkbox"/> Biliary bypass <input type="checkbox"/> Cholecystectomy <input type="checkbox"/> Cyst removal <input type="checkbox"/> Liver surgery <input type="checkbox"/> Pancreatic resection <input type="checkbox"/> Pancreatic surgery <input type="checkbox"/> Sphincteroplasty <input type="checkbox"/> Whipple procedure	<input type="checkbox"/> Anti-reflux surgery <input type="checkbox"/> Billroth I <input type="checkbox"/> Billroth II <input type="checkbox"/> Esophageal myotomy (Heller) <input type="checkbox"/> Esophagectomy <input type="radio"/> partial <input type="radio"/> total <input type="checkbox"/> Gastrectomy <input type="radio"/> partial <input type="radio"/> total Gastric bypass <input type="checkbox"/> Banded gastroplasty <input type="checkbox"/> Roux-en-Y gastric bypass (RYGB) <input type="checkbox"/> Sleeve gastrectomy <input type="checkbox"/> Gastrojejunostomy <input type="checkbox"/> Gastrostomy tube <input type="checkbox"/> Jejunostomy tube <input type="checkbox"/> Pyloroplasty	<input type="checkbox"/> Cesarean Section <input type="checkbox"/> Total abdominal hysterectomy <input type="checkbox"/> Tubal ligation <input type="checkbox"/> Vaginal hysterectomy <input type="checkbox"/> Partial hysterectomy <input type="checkbox"/> TURP
Cardiovascular		Pulmonary
<input type="checkbox"/> Coronary artery bypass <input type="checkbox"/> Valve replacement		<input type="checkbox"/> Lobectomy
GI, Lower		Organ Transplant
<input type="checkbox"/> Colostomy <input type="checkbox"/> Left hemicolectomy <input type="checkbox"/> Right hemicolectomy <input type="checkbox"/> Segmental colectomy <input type="checkbox"/> Total colectomy with <input type="radio"/> ileostomy <input type="radio"/> ileo-anal pouch <input type="radio"/> Koch pouch <input type="checkbox"/> Hemorrhoidectomy <input type="checkbox"/> Terminal ileum resection <input type="checkbox"/> Appendectomy		<input type="checkbox"/> Heart <input type="checkbox"/> Liver <input type="checkbox"/> Lung <input type="checkbox"/> Kidney <input type="checkbox"/> Pancreas <input type="checkbox"/> Small Bowel <input type="checkbox"/> Bone marrow
		Other
		<input type="checkbox"/> Other surgical history ▶ <input type="checkbox"/> Tonsillectomy

Save Cancel

Other: Other surgical history

SurgHxOther

Other surgical history

|

Save Cancel

Medical History

PEDS_HxMedHx

Patient history > Medical history

Cardiovascular	Gastrointestinal	Infection
<input type="checkbox"/> Angina <input type="checkbox"/> Congestive heart failure (CHF) <input type="checkbox"/> Coronary artery disease (CAD) <input type="checkbox"/> Dysrhythmia <input type="checkbox"/> Deep vein thrombosis/PE <input type="checkbox"/> Hypertension (HTN) <input type="checkbox"/> Implanted defibrillator <input type="checkbox"/> Murmur <input type="checkbox"/> Myocardial Infarction (MI) <input type="checkbox"/> Pacemaker <input type="checkbox"/> Peripheral vascular disease (PVD) <input type="checkbox"/> Rheumatic fever <input type="checkbox"/> Valvular heart disease	<input type="checkbox"/> Adenomatous polyps <input type="checkbox"/> Barrett's esophagus Cancer <input type="checkbox"/> Anal Cancer <input type="checkbox"/> Colorectal Cancer <input type="checkbox"/> Esophageal Cancer <input type="checkbox"/> Gastric Cancer <input type="checkbox"/> Small bowel Cancer <input type="checkbox"/> Crohn's disease <input type="checkbox"/> Diverticulitis <input type="checkbox"/> Dysphagia <input type="checkbox"/> Esophagitis <input type="checkbox"/> Eosinophilic esophagitis <input type="checkbox"/> Food impaction <input type="checkbox"/> Gastritis <input type="checkbox"/> Gastroesophageal reflux disease (GERD) <input type="checkbox"/> H. pylori <input type="checkbox"/> Inflammatory bowel disease (IBD) <input type="checkbox"/> Irritable bowel syndrome (IBS) <input type="checkbox"/> Pancreatitis <input type="radio"/> acute <input type="radio"/> chronic <input type="checkbox"/> Small bowel obstruction <input type="checkbox"/> Sphincter of Oddi dysfunction <input type="checkbox"/> Ulcerative colitis <input type="checkbox"/> Ulcers	<input type="checkbox"/> Human immunodeficiency virus (HIV) <input type="checkbox"/> Methicillin resistant Staph. aureus (MRSA) <input type="checkbox"/> Sepsis <input type="checkbox"/> Vancomycin resistant Staph. aureus (VRSA)
Endocrine	Genitourinary	Neurological/Musculoskeletal
<input type="checkbox"/> Diabetes <input type="checkbox"/> Hyperlipidemia <input type="checkbox"/> Osteoporosis <input type="checkbox"/> Steroid use <input type="checkbox"/> Thyroid abnormality <input type="checkbox"/> Weight change > 10 lbs (recent)	<input type="checkbox"/> Benign prostatic hypertrophy <input type="checkbox"/> Nephrolithiasis <input type="checkbox"/> Prostate cancer	<input type="checkbox"/> Arthritis <input type="checkbox"/> Back problems <input type="checkbox"/> Dementia <input type="checkbox"/> Depression <input type="checkbox"/> Lupus/SLE <input type="checkbox"/> Migraines <input type="checkbox"/> Neuromuscular disease <input type="checkbox"/> Stroke <input type="checkbox"/> Seizure <input type="checkbox"/> Syncope <input type="checkbox"/> Transient ischemic attack
Gynecological	Liver/Biliary	Pulmonary
<input type="checkbox"/> Ovarian cancer Age at diagnosis: <input type="text"/> <input type="checkbox"/> Endometrial cancer Age at diagnosis: <input type="text"/> <input type="checkbox"/> Breast cancer Age at diagnosis: <input type="text"/> <input type="checkbox"/> Pregnancy	<input type="checkbox"/> Cirrhosis <input type="checkbox"/> Portal hypertension Viral hepatitis <input type="checkbox"/> Hepatitis B <input type="checkbox"/> Hepatitis C <input type="checkbox"/> Other hepatitis <input type="checkbox"/> Cholelithiasis <input type="checkbox"/> Cholecystitis	<input type="checkbox"/> Asthma <input type="checkbox"/> Chronic obstructive lung disease <input type="checkbox"/> Dyspnea <input type="checkbox"/> Orthopnea <input type="checkbox"/> Pneumonia <input type="checkbox"/> Sleep apnea <input type="checkbox"/> Tuberculosis <input type="checkbox"/> Upper respiratory infection (recent)
Hematological	Renal	Other
<input type="checkbox"/> Anemia <input type="checkbox"/> Thrombocytopenia <input type="checkbox"/> Hematological cancer <input type="checkbox"/> Chemotherapy <input type="checkbox"/> Hemophilia <input type="checkbox"/> Radiation therapy <input type="checkbox"/> Sicke cell disease/trait	<input type="checkbox"/> Continuous abdominal peritoneal dialysis (CAPD) <input type="checkbox"/> Hemodialysis <input type="checkbox"/> Renal failure <input type="checkbox"/> Urinary tract infection (recent)	<input type="checkbox"/> Obesity <input type="checkbox"/> Other medical history


Hematological: Hematological cancer

HemeCaType

Hematological cancer

Please indicate type of hematological cancer

Other: Other medical history
MedHxOther (redacted)



PHYSICAL EXAMINATION

Table: PEDS_PE

EGD pediatrics
Pathology Images Print Fax Orders Billing

First name: Aga_pt96
Middle name:
Last name: ALEXANDER
MRN: 81750211
Birth date: 4/30/1952
Procedure date: Nov 10, 2014 02:34 PM

History

Physical exam

Liver Disease

Indications

Preprocedure

Sedation

Procedure

EGD Findings

Sm. Bowel Findings

Events

Assessment/Plan

Letters/Instructions

Save

Sign

Print Preview

Close

Physical exam performed:

Measurements

Height/length: in Units: English Metric

Weight: lbs

BMI:

BMI Percentile:

BMI Category:

Physical exam(s)

Entire PE WNL

Abdominal Exam	<input type="radio"/> Normal	<input type="radio"/> Abnormal	<input type="radio"/> Not performed
Airway Exam	<input type="radio"/> Normal	<input type="radio"/> Abnormal	<input type="radio"/> Not performed
Cardio-pulmonary Exam	<input type="radio"/> Normal	<input type="radio"/> Abnormal	<input type="radio"/> Not performed
Extremity Exam	<input type="radio"/> Normal	<input type="radio"/> Abnormal	<input type="radio"/> Not performed
HEENT Exam	<input type="radio"/> Normal	<input type="radio"/> Abnormal	<input type="radio"/> Not performed
Mental status Exam	<input type="radio"/> Normal	<input type="radio"/> Abnormal	<input type="radio"/> Not performed
Neurological Exam	<input type="radio"/> Normal	<input type="radio"/> Abnormal	<input type="radio"/> Not performed
Rectal Exam	<input type="radio"/> Normal	<input type="radio"/> Abnormal	<input type="radio"/> Not performed

Systolic BP: mm. Hg

Diastolic BP: mm. Hg

Pulse: beats / min.

Physical exam comments
Please do not use this field if you can document the information using other fields on the screen

LIVER DISEASE

Table: PEDS_Liver

EGD pediatrics
Pathology Images Print Fax Orders L1QLJUL

First name: Aga_pt96
Middle name:
Last name: ALEXANDER
MRN: 81750211
Birth date: 4/30/1952
Procedure date: Nov 10, 2014 02:34 PM

History

Physical exam

Liver Disease

Indications

Preprocedure

Sedation

Procedure

EGD Findings

Sm. Bowel Findings

Events

Assessment/Plan

Letters/Instructions

History of varices

Known history of varices
 No known history of varices
 Unknown history of varices

Prior variceal bleed

Has there been a prior bleed?

Status of the eradication

Prior variceal bleed comments

Specify the type of varices

Esophageal
 Duodenal
 Gastric
 Other type

Prior surveillance?

History of prior surveillance
 No known prior surveillance
 Unknown if prior surveillance

Prior surveillance exam date

Evidence of liver disease

Abnormal laboratory values
 Portal hypertension
 Histologic cirrhosis
 Portal vein thrombosis
 Other evidence

What is the etiology of the liver disease?

Alcohol
 Autoimmune hepatitis
 Biliary atresia
 Cryptogenic
 Cystic fibrosis
 Hepatitis B
 Hepatitis C
 Non-alcoholic fatty liver disease (NAFLD)
 Primary biliary cirrhosis (PBC)
 Primary sclerosing cholangitis (PSC)
 Drug-induced liver disease
 Metabolic liver disease
 TPN-induced liver disease
 Glycogen storage disease
 Alagille syndrome
 Alpha-1 antitrypsin deficiency
 Wilson's disease
 Progressive familial intrahepatic cholestasis (PFIC)
 Neonatal cholestasis
 Other etiology

Dates of previous EGDs

Dates of previous liver biopsies

Childs-Pugh
 MELD Score (12 years and older)
 PELD Score (< 12 years old)

Prior variceal bleed

Has there been a prior bleed?

Status of the eradication

Prior variceal bleed comments

Prior variceal bleed

Has there been a prior bleed?

Status of the eradication


Prior variceal bleed comments

CORI v4 Endoscopic Reporting Software / National Endoscopic Database

10

Specify the type of varices: Other type


Table: LiverVaricesOther



A dialog box titled "Other type of varices" with a large empty text area and "Save" and "Cancel" buttons at the bottom.

Evidence of liver disease: Other evidence of liver disease


Table: LiverEvidenceOther



A dialog box titled "Other evidence of liver disease" with a large empty text area and "Save" and "Cancel" buttons at the bottom.

Etiology of liver disease: Alcohol

Table: LiverDrinkStatus



A dialog box titled "Alcohol detail" with two radio button options: "Current drinker" (selected) and "Former drinker". Below the options is a "Comments" text area and "Save" and "Cancel" buttons at the bottom.

Etiology of liver disease: Non-alcoholic fatty liver disease

Table: DegreeOfNAFLD

Degree of NAFLD

steatosis

steato-hepatitis

cirrhosis

other

Save Cancel

Etiology of liver disease: Drug-induced liver disease

Table: LiverDrugInduced (no data)

Drug-induced liver disease

Save Cancel

Etiology of liver disease: Metabolic liver disease

Table: LiverMetabolic

Metabolic liver disease

Save Cancel

Etiology of liver disease: Neonatal cholestatis

Table: LiverCholestasis

The dialog box titled "Etiology of neonatal cholestasis" contains two checkboxes: "TPN-associated" (checked) and "other" (unchecked). Below the checkboxes is a large empty text area. At the bottom are "Save" and "Cancel" buttons.

Etiology of liver disease: Other etiology of liver disease

Table: LiverEtiologyOther

The dialog box titled "Other etiology of liver disease" contains a large empty text area. At the bottom are "Save" and "Cancel" buttons.

Childs-Pugh

Table: PEDS_LiverChildsPugh

The dialog box titled "Childs-Pugh" has a section titled "Childs-Pugh classification" with the following fields: "Encephalopathy", "Ascites", "Serum bilirubin", "Serum albumin", and "Prothrombin time (INR)", each with a dropdown arrow. The "Final classification" field is highlighted in yellow. At the bottom are "Save" and "Cancel" buttons.

Childs-Pugh classification

Encephalopathy

Ascites

Serum bilirubin

Serum albumin

Prothrombin time (INR)

Final classification

Childs-Pugh classification

Encephalopathy

Ascites

Serum bilirubin

Serum albumin

Prothrombin time (INR)

Final classification

Childs-Pugh classification

Encephalopathy

Ascites

Serum bilirubin

Serum albumin

Prothrombin time (INR)

Final classification

Childs-Pugh classification

Encephalopathy

Ascites

Serum bilirubin

Serum albumin

Prothrombin time (INR)

Final classification

Childs-Pugh classification

Encephalopathy

Ascites

Serum bilirubin

Serum albumin

Prothrombin time (INR)

Final classification

- < 1.7
- 1.7 - 2.3
- > 2.3

MELD Score (12 years and older)

Table: MELDScore

MELD Score

Serum creatinine (mg/dL)

Bilirubin (mg/dL)

INR

Has the patient had dialysis twice in the last week? Yes No

Score

Save Cancel

PELD Score (<12 years old)

Table: PeldScore (no data)

PELD Score

Albumin (g/dl)

Bilirubin (mg/dL)

INR

Growth failure (< -2 Standard deviation) Yes No

Age at listing < 1 year old >= 1 year old

Score

Save Cancel

INDICATIONS

Table: PEDS_EgdInd

EGD pediatrics

Pathology Images Print Fax Orders LABS/LU/L

First name: Aga_pt96 Middle name: Last name: ALEXANDER MRN: 81750211 Birth date: 4/30/1952 Procedure date: Nov 10, 2014 02:34 PM

Indications

History
Physical exam
Liver Disease
Preprocedure
Sedation
Procedure
EGD Findings
Sm. Bowel Findings
Events
Assessment/Plan
Letters/Instructions

Save
Sign
Print Preview
Close

Evaluation of symptoms

- Abdominal pain ▶
- Chest pain
- Diarrhea ▶
- Dysphagia
- Early satiety
- Failure to thrive
- Feeding refusal
- Irritability
- Nausea
- Reflux symptoms ▶
- Vomiting
- Weight loss
- Other symptoms ▶

Evaluation of recent bleeding

- Anemia ▶
- Evaluation of active/recent bleeding ▶
- Low ferritin without anemia
- Positive fecal occult blood test (FOBT) ▶
- Suspected UGI bleed without active bleeding
- Varices ▶
- Other GI blood loss ▶

Evaluation of suspected or established diagnosis

- Abnormal x-ray or imaging study ▶
- Graft v host disease
- Infection ▶
- Liver disease ▶
- Malabsorption
- Screening for varices in patient with known cirrhosis
- Celiac disease / abnormal celiac serology suspected established
- Eosinophilic esophagitis suspected established
- Eosinophilic gastroenteritis suspected established
- Inflammatory bowel disease suspected established
- Other suspected diagnosis ▶

Therapeutic intervention

- Ablation ▶
- Banding
- Endoscopic therapy for GERD ▶
- Esophageal dilation
- Food impaction removal
- Foreign body removal
- Injection ▶
- PEG tube ▶
- PEJ tube ▶
- Stent ▶
- Other therapeutic intervention ▶

Evaluation of recent bleeding

- Anemia ▶
- Evaluation of active/recent bleeding ▶
- Low ferritin without anemia
- Positive fecal occult blood test (FOBT) ▶
- Suspected UGI bleed without active bleeding
- Varices ▶
- Other GI blood loss ▶

Suspected malignancy or pre-malignancy

- Barrett's esophagus ▶
- Familial adenomatous polyposis
- Gastric polyps
- Gastric ulcer
- Partial gastrectomy
- Personal history of cancer
- Other suspected malignancy or pre-malignancy ▶

Indications comments

Primary Indication

Evaluation of symptoms: Abdominal pain

Table: EgdAbdPain

Abdominal pain detail

Abdominal pain is associated with

- bloating
- dyspepsia
- duration > 2 months

Other abdominal pain details

Save Cancel

Evaluation of symptoms: Diarrhea

Table: PEDS_EgdIndDiarrhea

Diarrhea details

acute

chronic (>= 3 months)

Frequent stools

of stools / 24 hours

of stools during sleep

Liquid stools

Incontinence

Comments

Save Cancel

Evaluation of symptoms: Reflux symptoms

Table: PEDS_EgdIndRefluxSx

Reflux symptoms detail

Please select the reflux symptoms which apply

Chest pain

ENT/pulmonary symptoms ▶

Heartburn (mid-epigastric pain radiating to the chest) ▶

Regurgitation

Comments

Save Cancel

ENT / Pulmonary symptoms

Table: EgdIndENTPulm

ENT / Pulmonary symptoms detail

Please specify the ENT/pulmonary symptoms

- Asthma
- Cough
- Hoarseness
- Other ENT / pulmonary symptom

Save Cancel

Heartburn (mid-epigastric pain radiating to the chest)

Table: EgdIndHeartburnLocation

Heartburn detail

Duration

Frequency

Save Cancel

Duration


- unknown duration
- < 1 year
- 1-5 years
- 6-10 years
- >10 years

Frequency

- unknown frequency
- daily
- < 3 days weekly
- 3-6 days weekly

Evaluation of symptoms: Other symptoms


Table: PEDS_EgdIndSxOther



A screenshot of a software dialog box titled "Other symptoms". It features a large, empty text area with a vertical scrollbar on the right side. At the bottom of the dialog, there are two buttons: "Save" and "Cancel".

Evaluation of suspected or established diagnosis: Abnormal x-ray or imaging study


Table: PEDS_EgdIndAbnlXray



A screenshot of a software dialog box titled "Abnormal x-ray/imaging study detail". It contains a text prompt "Please describe the abnormal image" above a large, empty text area with a vertical scrollbar. At the bottom, there are "Save" and "Cancel" buttons.

Evaluation of suspected or established diagnosis: Infection

Table: PEDS_EgdIndInfection



A screenshot of a software dialog box titled "Infection detail". It includes a blue instruction "Please select all that apply" followed by a list of checkboxes: "Candida", "CMV", "Giardia", "Helicobacter pylori", "HSV", "Whipple's disease", and "Other infection". The "Candida" checkbox is currently checked. Below the list is an empty text area with a vertical scrollbar. At the bottom, there are "Save" and "Cancel" buttons.

Evaluation of suspected or established diagnosis: Liver disease

Table: LiverDiseaseDetail

Liver disease detail

history of transplant

elevated AST or ALT

PTLD

varices

Other liver disease

Save Cancel

Evaluation of suspected or established diagnosis: Other suspected diagnosis

Table: PEDS_EgdIndDxOther

Other suspected diagnosis

Save Cancel

Therapeutic intervention: Ablation

Table: PEDS_EgdIndAblation

Ablation detail

Please indicate the type of ablation:

Arteriovenous malformation (AVM)

Barrett's esophagus

Endoscopic mucosal resection

Tumor

Watermelon stomach

Other ablation

Save Cancel

Therapeutic intervention: Endoscopic therapy for GERD

Table: PEDS_EgdIndGERDTx (no data)

The dialog box is titled "Endoscopic therapy for GERD detail". It contains the instruction "Please specify the GERD therapy". There are four radio button options: "Stretta procedure" (which is selected), "Enteryx procedure", "Endoscopic fundoplication", and "Other endoscopic therapy for GERD". Below the options is a text input field with a scroll bar. At the bottom are "Save" and "Cancel" buttons.

Therapeutic intervention: Injection

Table: PEDS_EgdIndInjection

The dialog box is titled "Injection detail". It contains the instruction "Please specify the type of injection". There are four radio button options: "Botox for achalasia" (which is selected), "Botox for pyloric stenosis", "Botox for other finding", and "Other injection". Below the options is a text input field with a scroll bar. At the bottom are "Save" and "Cancel" buttons.

Therapeutic intervention: PEG tube

Table: PEDS_EgdIndPEG

The dialog box is titled "PEG tube detail". It contains the instruction "Please select all that apply". There are four radio button options: "Placement" (which is selected), "Replacement", "Removal", and "Other". Below the options is a text input field with a scroll bar. At the bottom are "Save" and "Cancel" buttons.

Therapeutic intervention: PEJ tube

Table: PEDS_EgdIndPEJ

PEJ tube detail

Please select all that apply

- Placement
- Replacement
- Removal
- Other

Save Cancel

Therapeutic intervention: Stent

Table: PEDS_EgdIndStent

Stent detail

Please select all that apply

- Placement
- Replacement
- Removal
- Other

Save Cancel

Therapeutic intervention: Other therapeutic intervention

Table: PEDS_EgdIndTxOther

Other therapeutic intervention

Save Cancel

Evaluation of recent bleeding: Anemia

Table: PEDS_EgdIndAnemia

Anemia detail

Type of anemia

- Iron deficiency / low ferritin anemia
- Pernicious anemia
- Other type

Specify other type of anemia

Save Cancel

Evaluation of recent bleeding: Evaluation of active/recent bleeding

Table: PEDS_EgdIndActiveBleed

The dialog box is titled "Evaluation of active/recent bleeding detail". It contains a blue instruction: "Please specify the type of bleeding (check all that apply)". There are five main categories, each with a checkbox and two radio button options for timing:

- Hematemesis
 - <= 24 hours ago or currently bleeding
 - > 24 hours ago
- Hematochezia
 - <= 24 hours ago or currently bleeding
 - > 24 hours ago
- Melena
 - <= 24 hours ago or currently bleeding
 - > 24 hours ago
- Positive NG tube aspirate
 - <= 24 hours ago or currently bleeding
 - > 24 hours ago
- Other active/recent GI bleeding
 - [Empty text box]

Buttons: Save, Cancel

Evaluation of recent bleeding: Positive fecal occult blood test (FOBT)

Table: PEDS_EgdIndFOBT

The dialog box is titled "Positive FOBT detail". It contains a blue instruction: "Fecal occult blood test method". There are two radio button options:

- Digital rectal exam
- Home screening

Buttons: Clear, Save, Cancel

Evaluation of recent bleeding: Varices

Table: PEDS_EgdIndVarices

The dialog box is titled "Varices detail". It contains a blue instruction: "Please specify the management of varices". There are four checkbox options:

- Banding of known varices
- Evaluation of suspected varices
- Sclerotherapy of known varices
- Other management of varices
 - [Empty text box]

Buttons: Save, Cancel

Evaluation of recent bleeding: Other GI blood loss

Table: PEDS_EgdIndBloodLossOther

A dialog box titled "Other GI blood loss management" with a large empty text area and "Save" and "Cancel" buttons at the bottom.

Suspected malignancy or pre-malignancy: Barrett's esophagus

Table: PEDS_EgdIndBarretts

A dialog box titled "Barrett's esophagus detail" containing the following fields:

- "This exam was performed for" with two radio buttons: "Screening for Barrett's" (selected) and "Surveillance of known Barrett's".
- "Last exam done (year)" with a dropdown menu.
- "Dysplasia present on last exam?" with a dropdown menu.
- "Comments" with a large text area.

Buttons for "Clear", "Save", and "Cancel" are at the bottom.

Suspected malignancy or pre-malignancy: Other suspected malignancy or pre-malignancy

Table: PEDS_EgdIndMalignancyOther

A dialog box titled "Other suspected malignancy" with a large empty text area and "Save" and "Cancel" buttons at the bottom.

PREPROCEDURE

Table: PEDS_EgdPreProc

Procedure personnel grid: PEDS_EgdPreProc_Procedure_personnel_grid

Antibiotics grid: PEDS_EgdPreProc_Antibiotics_grid

The screenshot shows the 'EGD pediatrics' software window. The 'Preprocedure' tab is active. Patient information includes: First name: Aga_pt96, Middle name: (blank), Last name: ALEXANDER, MRN: 81750211, Birth date: 4/30/1952, Procedure date: Nov 10, 2014 02:34 PM. The 'Procedure consent' section has 'Was a consent obtained?' set to 'Yes'. 'Person consenting' and 'Consent obtained by' are dropdown menus. 'Time-out performed' is set to 'Yes'. 'Patient Admission Status' has 'Outpatient' selected. 'Endoscopy performed in' is a dropdown menu. 'Did the patient consent to be contacted for research purposes?' is a dropdown menu. The 'Procedure personnel' table has one entry: Role: Endoscopist (Atten...), Name: Corey Cori, MD. 'Performed by' and 'Responsible endoscopist' are both set to Corey Cori, MD. 'Level of supervision' is a dropdown menu. The 'Preprocedure antibiotics' section has an 'Antibiotics' table with columns for Medication, Dose, and Route. There are also checkboxes for 'Other preprocedure antibiotic' and 'Indication for preprocedure antibiotics' (Cardiac transplant with valvulopathy, Cirrhosis and GI bleeding, Drainage of pseudocyst planned, EUS-FNA of cystic lesion planned, Congenital heart disease (CHD), Unrepaired cyanotic CHD, Recently repaired CHD with prosthetic material or device, Repaired CHD with residual defects near prosthetic material or device, History of endocarditis, PEG placement, Prosthetic cardiac valve). 'Preprocedure comments' has a text area with a warning: 'Please do not use this field if you can document the information using other fields on the screen'. A left sidebar contains navigation buttons: History, Physical exam, Liver Disease, Indications, Preprocedure (selected), Sedation, Procedure, EGD Findings, Sm. Bowel Findings, Events, Assessment/Plan, Letters/Instructions. Bottom buttons include Save, Sign, Print Preview, and Close.

Menu containing only site-specific data: Performed by

Menu containing only site-specific data: Responsible endoscopist

Procedure consent

Was a consent obtained? Yes No

Person consenting [dropdown]

Consent obtained by [dropdown]
 Patient
 Family Member
 Guardian

Procedure consent

Was a consent obtained? Yes No

Person consenting [dropdown]

Consent obtained by [dropdown]
 Physician
 Endoscopist
 PA
 GI assistant
 Staff nurse

Did the patient consent to be contacted for research purposes?

Patient Admission Status

Outpatient
 Inpatient
 ED

Endoscopy performed in

Did the patient consent to be contacted for research purposes?

Implantable defibrillator device? Yes No

Patient Admission Status

Outpatient
 Inpatient
 ED

Endoscopy performed in

Procedure personnel

Role	Name
Endoscopist - Attending physician	Corey Cori, MD

Did the patient consent to be contacted for research purposes?

Implantable defibrillator device? Yes No

Procedure personnel

[Add staff](#)

Role	Name
Endoscopist - Attending physician	Corey Cori, MD
Bronchoscopist - Attending physician	
Bronchoscopist - Fellow	
Endoscopist - Attending physician	
Endoscopist - Fellow	
Nurse	
Nurse anesthetist	
Nurse assistant	
Nurse practitioner	

Perform: Corey Cori, MD

Performed by

Responsible endoscopist

Corey Cori, MD

Level of supervision

Antibiotics

[Add med](#)

Medication	Dose	Route
amoxicillin		
azithromycin		
ampicillin		
cefazolin		
cephalexin		
ciprofloxacin		
clindamycin		
gentamicin		
levofloxacin		
metronidazole		
moxifloxacin		
ofloxacin		
streptomycin		
trimethoprim/sulfamethoxazole		
vancomycin		

Other antibiotic medication
 History of endocarditis

Antibiotics

[Add med](#)

Medication	Dose	Route
amoxicillin	250 mg	
	500 mg	
	750 mg	
	1000 mg	
	1500 mg	
	2000 mg	

Other antibiotic medication

(Dose menu customized to Medication selection)

Antibiotics

[Add med](#)

Medication	Dose	Route
amoxicillin		Aerosol
		IM
		IV
		PO
		PR
		SC
		SL
		Topical

Other antibiotic medication

SEDATION

Table: PEDS_EgdSedation

Sedation medications grid: PEDS_EgdSedation_Sedation_medications_grid

The screenshot shows the 'EGD pediatrics' software window. At the top, there are tabs for 'Pathology', 'Images', 'Print', 'Fax', 'Orders', and 'LJUL'. Below these are fields for patient information: First name (Aga_pt96), Middle name, Last name (ALEXANDER), MRN (81750211), Birth date (4/30/1952), and Procedure date (Nov 10, 2014 02:34 PM). A 'Use Defaults' button is present.

The main interface is divided into several sections:

- Pre-sedation assessment:** Includes 'ASA classification' (dropdown), 'Urgency' (radio buttons for Emergency, Urgent, Elective), 'Assessed by' (dropdown), and a checkbox for 'Reassessment performed'.
- Monitoring:** Includes checkboxes for Blood pressure, ECG, Pulse oximetry, Capnography, and Other monitoring. Below these are fields for 'Supplemental oxygen at baseline', 'Oxygen flow (liters)', and 'Delivery method'. A checkbox for 'Patient intubated' is also present.
- Sedation / Anesthesia:** Includes 'Level of sedation' (dropdown), 'Managed by' (dropdown), and 'Supervised by' (dropdown). Below this is a 'Sedation medications' table with columns for Medication, Dose, and Route, and an 'Add med' button. There are also checkboxes for 'Residual sedation from prior procedure present', 'Other sedation medication', and 'No sedation medications given'.
- Sedation / Anesthesia comments:** A text area with a warning: 'Please do not use this field if you can document the information using other fields on the screen'.

On the left side, there is a vertical menu with buttons for: History, Physical exam, Liver Disease, Indications, Preprocedure, **Sedation** (highlighted), Procedure, EGD Findings, Sm. Bowel Findings, Events, Assessment/Plan, and Letters/Instructions. At the bottom left are buttons for Save, Sign, Print Preview, and Close. At the bottom right is a 'Save as Default' button.

This close-up shows the 'Pre-sedation assessment' section. The 'ASA classification' dropdown menu is open, displaying options I, II, III, IV, and V. The 'Urgency' section has radio buttons for 'Emergency', 'Urgent', and 'Elective'. The 'Assessed by' dropdown menu is also visible.

Pre-sedation assessment

ASA classification ▼

Urgency Emergency
 Urgent
 Elective

Assessed by ▼

Anesthesiologist
 Assistant
 Endoscopist (Attending physician)
 Endoscopist (Fellow)
 Endoscopist (Nurse Practitioner)
 Endoscopist (Physician assistant)
 ENT staff
 ICU staff
 Nurse
 Nurse anesthetist
 Nurse assistant
 Nurse practitioner
 Oncology staff
 Pathology staff
 Physician assistant
 Primary care physician
 Radiology staff
 Research staff
 Resident
 Student
 Surgeon
 Technician

Monitoring

Blood pressure

ECG

Pulse oximetry

Capnography

Other monitoring

Supplemental oxygen at baseline

Oxygen flow (liters)

Delivery method

Patient intubated

Monitoring

Blood pressure

ECG

Pulse oximetry

Capnography

Other monitoring

Supplemental oxygen at baseline

Oxygen flow (liters)

Delivery method ▼

Blow by
 Endotracheal tube
 Face mask
 Nasal prongs

Patient intubated

Sedation / Anesthesia

Level of sedation ▼

Managed by

Supervised by

No sedation
 Anxiolytic sedation
 Moderate (conscious sedation)
 Deep sedation
 General anesthesia

Sedation medications Add med

Sedation medications		Add med	
Medication	Dose	Route	
atropine	0.5 mg 1 mg 1.5 mg 2 mg		

(Dose menu customized to Medication selection)

Sedation medications		Add med	
Medication	Dose	Route	
atropine		Aerosol IM IV PO PR SC SL Topical	

Residual sedation from prior procedure present
 Other sedation medication

PROCEDURE

Table: PEDS_EgdProc
 Instruments grid: PEDS_EgdProc_Instruments_grid

The screenshot shows the 'EGD pediatrics' software window. At the top, there are menu options: Pathology, Images, Print, Fax, Orders, and LIQUID. Below the menu is a patient information header with fields for First name (Aga_pt96), Middle name, Last name (ALEXANDER), MRN (81750211), Birth date (4/30/1952), and Procedure date (Nov 10, 2014 02:34 PM). There are 'Use Defaults' and 'Save as Default' buttons.

The main area is divided into several sections:

- Procedure performed:** A list of checkboxes for Esophagoscopy, Upper GI Endoscopy (EGD), Enteroscopy (not including ileum), Enteroscopy (including ileum), Dilatation of esophagus (unguided), and Other procedure.
- Was the procedure completed?** Radio buttons for Yes and No.
- Reason(s) procedure was incomplete:** Checkboxes for Inability to intubate, Patient unstable, Obstruction, Retained food, Patient discomfort, Stricture, and Other reason.
- Depth of insertion:** Two dropdown menus for 'Intended' and 'Actually reached', and a text field for 'estimated distance from pylorus (cm)'. A dropdown menu is shown below with options: Esophagus, Stomach, Duodenum, Jejunum, Ileum, and Anastomosis site.
- Instruments:** A table with columns 'Instrument' and 'Serial Number'. An 'Add instrument' button is above the table.
- Other sections:** 'Was gastric retroflexion performed?', 'Were images taken?', 'Were biopsy(s) taken?', 'Was fluoroscopy used?', 'Patient position', 'Vocal cords viewed', 'Patient tolerance', 'Estimated blood loss (ml)', 'Scope insertion to scope removal' (min/sec), 'Enteroscopy time' (min/sec), 'Condition on discharge', 'Patient recovery location' (After procedure patient sent, After recovery patient sent), and 'Procedure comments' (a text area with a note: 'Please do not use this field if you can document the information using other fields on the screen').

At the bottom left, there are buttons for Save, Sign, Print Preview, and Close.

This close-up shows the 'Depth of insertion' section. The 'Intended' dropdown menu is open, displaying a list of anatomical locations: Esophagus, Stomach, Duodenum, Jejunum, Ileum, and Anastomosis site. The 'Actually reached' dropdown menu is also visible but not open. Below the dropdowns is a text field for 'estimated distance from pylorus (cm)' and an 'Add instrument' button.

This close-up shows the 'Depth of insertion' section. The 'Actually reached' dropdown menu is open, displaying a list of anatomical locations: Pharynx, Esophagus, Stomach, Duodenum, Jejunum, Ileum, and Anastomosis site. The 'Intended' dropdown menu is also visible but not open. Below the dropdowns is a text field for 'estimated distance from pylorus (cm)' and an 'Add instrument' button.

Patient position	From side to side Left side
Patient tolerance	Left side to back Prone
Estimated blood loss (ml)	Right side Right side to back
Scope insertion to scope	Supine High Fowler's position (80-90°) Fowler's position (45-60°) Semi-Fowler's position (30-45°) Low Fowler's position (15-30°)

Patient tolerance	excellent
Estimated blood loss (ml)	good fair
Scope insertion to scope	poor

Condition on discharge	good
Patient recovery location	stable
After procedure patient sent	other

Patient recovery location	After procedure patient sent	home to ICU to NICU to PICU to hospital remain in endoscopy suite to recovery remain in bronchoscopy suite
Procedure comments	Please do not use this field if you use the other fields on the screen	

(After procedure patient sent menu: customizable by site)

Patient recovery location	After procedure patient sent	After recovery patient sent
Procedure comments	Please do not use this field if you use the other fields on the screen	

(After recovery patient sent menu: customizable by site)

Procedure performed: Esophagoscopy

Table: PEDS_EgdEsophagoscopyCPT

Esophagoscopy with...

- Biopsy
- Control of bleeding
- Directed submucosal injection(s)
- Injection sclerosis of esophageal varices
- Band ligation of esophageal varices
- Removal of foreign body
- Removal of tumor(s), polyp(s), or other lesion(s) by hot biopsy forceps or bicap
- Removal of tumor(s), polyp(s), or other lesion(s) by snare technique
- Ablation of tumor(s), polyp(s), or other lesion(s) not amenable to removal
- Stent insertion
- Dilation over guide wire
- Esophagoscopy with dilation using balloon <30mm
- Esophagoscopy with dilation using balloon >=30mm
- Esophagoscopy with endoscopic mucosal resection
- Esophagoscopy with retrograde dilation

Save Cancel

Procedure performed: Upper GI Endoscopy (EGD)

Table: PEDS_EgdUpperGIEndoCPT

EGD with...

- Biopsy(s)
- Directed submucosal injection(s)
- Control of bleeding
- Injection sclerosis of esophageal and/or gastric varices
- Band ligation of esophageal and/or gastric varices
- Removal of foreign body
- Removal of tumor(s), polyp(s), or other lesion(s) by hot biopsy forceps or bicap
- Removal of tumor(s), polyp(s), or other lesion(s) by snare technique
- Ablation of tumor(s), polyp(s), or other lesion(s) not amenable to removal
- Directed placement of PEG tube
- Intraluminal tube or catheter placement
- Stent placement
- Dilation of gastric outlet obstruction
- Dilation of esophagus over guide wire
- Drainage of pseudocyst
- Delivery of thermal energy to the muscle of lower esophageal sphincter and/or gastric cardia, for treatment of GERD
- EGD with dilation using balloon <30mm
- EGD with dilation using balloon >=30mm
- EGD with endoscopic mucosal resection

Save Cancel

Procedure performed: Enteroscopy (not including ileum)

Table: PEDS_EgdEnteroNotInclIleumCPT

A dialog box titled "Enteroscopy not including ileum with...". It contains a list of nine checkboxes, all of which are unchecked. The items are: Biopsy(s), Control of bleeding, Removal of foreign body, Removal of tumor(s), polyp(s), or other lesion(s) by snare technique, Removal of tumor(s), polyp(s) or other lesion(s) by hot biopsy forceps or bicap, Ablation of tumor(s), polyp(s), or other lesion(s) not amenable to removal, Stent placement, PEJ tube placement, and Conversion of PEG to PEJ tube. At the bottom right, there are "Save" and "Cancel" buttons.

Procedure performed: Enteroscopy including ileum

Table: PEDS_EgdEnteroInclIleumCPT

A dialog box titled "Enteroscopy including ileum with...". It contains a list of three checkboxes, all of which are unchecked. The items are: Biopsy(s), Control of bleeding, and Stent placement. At the bottom right, there are "Save" and "Cancel" buttons.

Procedure performed: Other

Table: PEDS_EgdProcOther

A dialog box titled "Other procedure performed". It features a large, empty text area with a vertical scrollbar on the right side. At the bottom right, there are "Save" and "Cancel" buttons.

Reason(s) procedure was incomplete

Table: PEDS_EgdProcIncompleteOther

A dialog box titled "Other reason for incomplete procedure". It features a large, empty text area with a vertical scrollbar on the right side. At the bottom right, there are "Save" and "Cancel" buttons.

Clock Times

Table: PEDS_EgdClockTimes

Clock times

Scope insertion	<input type="text"/>
Pylorus reached	--:--:-- AM
Pylorus passed on withdrawal	--:--:-- AM
Scope removal	--:--:-- AM

EGD FINDINGS

Table: PEDS_EGDFind

Achalasia

Table: PEDS_EgdAchalasia

Achalasia	
Description <input type="radio"/> Suspected <input checked="" type="radio"/> Established	Diagnostics <input type="checkbox"/> Biopsy taken <input type="checkbox"/> Brushing taken Total # of biopsies taken <input type="text"/> Sent to pathology <input type="radio"/> Yes <input type="radio"/> No Enter pathology ID <input type="text"/> <input type="button" value="Add"/> Current pathology IDs <input type="text"/>
Therapeutic procedure(s) <input type="checkbox"/> Hemostatic <input type="button" value="▶"/> <input type="checkbox"/> Non - hemostatic <input type="button" value="▶"/>	Diagnosis <input type="text"/>
<input type="checkbox"/> Image (s) taken	Comments <input type="text"/>
<input type="button" value="Save"/> <input type="button" value="Cancel"/>	

Anatomical deformity

Table: Table: PEDS_EgdAnatDeform

Anatomical Deformity	
Location <input type="text" value="Proximal Esophagus"/>	<input type="checkbox"/> Image(s) taken
Description <input type="text"/>	Diagnosis <input type="text"/>
	Comments <input type="text"/>
<input type="button" value="Save"/> <input type="button" value="Cancel"/>	

Arteriovenous malformations (AVM)

Table: PEDS_EgdAVM

Arteriovenous Malformations (AVM)	
Starting Location: Proximal Esophagus	<input type="checkbox"/> Image(s) taken
Ending Location: Proximal Esophagus	
Total # of AVMs: [] Maximum size (mm): []	
Rate of bleed: <input type="radio"/> Oozing <input type="radio"/> Spurting <input type="radio"/> Inactive <input type="radio"/> Uncertain	Diagnosis: []
Therapeutic procedure(s) <input type="checkbox"/> Hemostatic [] [] <input type="checkbox"/> Non - hemostatic [] []	Comments: []
	Save Cancel

Barrett's Esophagus

Table: PEDS_EgdBarretts

Barrett's Esophagus	
Description <input checked="" type="radio"/> Established by prior biopsy, seen on this exam <input type="radio"/> Established by prior biopsy, not seen on this exam <input type="radio"/> Suspected	Diagnostics <input type="checkbox"/> Biopsy taken <input type="checkbox"/> Brushing taken Biopsy Forceps type: <input type="radio"/> Regular <input type="radio"/> Jumbo Total # of biopsies taken: [] Sent to pathology: <input type="radio"/> Yes <input type="radio"/> No Enter pathology ID: [] Add Current pathology IDs: []
Margins (cm) from mouth Proximal: [] Distal: [] Z Line (Squamocolumnar junction): [] LES (Lower Esophageal Sphincter): [] Length of Barrett's (cm): []	<input type="checkbox"/> Image(s) taken
Associated findings <input type="checkbox"/> Inflammation <input type="checkbox"/> Nodules [] <input type="checkbox"/> Esophageal ulcer []	Diagnosis: []
Therapeutic procedure(s) <input type="checkbox"/> Hemostatic [] [] <input type="checkbox"/> Non - hemostatic [] []	Comments: []
	Save Cancel

Nodules subscreen: See Nodule/polyp finding

Esophageal ulcer subscreen: See Esophageal ulcer finding

Blood clot

Table: PEDS_EgdBlood Clot

Blood Clot

Location: Proximal Esophagus

Cannot be removed

Image(s) taken

Diagnosis: _____

Comments: _____

Save Cancel

Dilation

Table: TxNonHemDilation

Non-hemostatic Dilation

Dilator type: _____

Performed under fluoroscopy

Performed with wire

Dilator size used: #1 _____ #2 _____ #3 _____ #4 _____

Units of size: Fr mm

Length of time (secs): _____

Pressure (PSI): _____

Resistance: _____

Heme on extraction: _____

Patient Tolerance: _____

Procedural outcome: _____

Comments: _____

Save Cancel

(Dilator type menu customized by site)

Resistance: _____

Heme on extraction: _____

Patient Tolerance: _____

Minimal

Moderate

None

Significant

Resistance: _____

Heme on extraction: _____

Patient Tolerance: _____

Minimal

Moderate

None

Significant

Resistance	<input type="text"/>
Heme on extraction	<input type="text"/>
Patient Tolerance	<input type="text"/>
Procedural outcome	<input type="text"/> <ul style="list-style-type: none"> Excellent Good Fair Poor

Duodenal diverticulum

Table: PEDS_EgdDuodenalDiverticulum

Location

Description

Relationship to ampulla

Number of diverticulæ

Size

Max (mm) Min (mm)

Therapeutic procedure(s)

Hemostatic

Non - hemostatic

Diagnostics

Biopsy taken Total # of biopsies taken

Sent to pathology Yes No

Enter pathology ID

Current pathology IDs

Image(s) taken

Diagnosis

Comments

Description

Relationship to ampulla

Number of diverticulæ

Size

Max (mm) Min (mm)

Esophageal ulcer

Table: PEDS_EgdEsoUlcer

Esophageal ulcer			
Location Proximal Esophagus	Ulcer stigmata <input type="checkbox"/> Active/Recent bleed <input type="checkbox"/> Visible vessel <input type="checkbox"/> Adherent clot <input type="checkbox"/> Dark spot <input type="checkbox"/> Non-bleeding, Clean <input type="checkbox"/> Healed / Scarred	Rate of bleed <input type="radio"/> Oozing <input type="radio"/> Spurting <input type="radio"/> Inactive <input type="radio"/> Uncertain	Diagnostics <input type="checkbox"/> Biopsy taken <input type="checkbox"/> Brushing taken Total # of biopsies taken: <input type="text"/> Sent to pathology <input type="radio"/> Yes <input type="radio"/> No Enter pathology ID: <input type="text"/> <input type="button" value="Add"/> Current pathology IDs: <input type="text"/>
Description <input type="radio"/> Single <input type="radio"/> Multiple Largest <input type="radio"/> < 5 <input type="radio"/> 10+ <input type="radio"/> 5-9 Characteristics <input type="text"/>	Interventions for adherent clot <input type="checkbox"/> Injected <input type="checkbox"/> Washed with water <input type="checkbox"/> Snared	Ulcer stigmata after intervention <input type="checkbox"/> Active/Recent bleed <input type="checkbox"/> Visible vessel <input type="checkbox"/> Adherent clot <input type="checkbox"/> Dark spot <input type="checkbox"/> Non-bleeding, Clean <input type="checkbox"/> Healed / Scarred	<input type="checkbox"/> Image(s) taken
Etiology <input type="checkbox"/> Caustic <input type="radio"/> Suspected <input type="radio"/> Established <input type="checkbox"/> GERD <input type="radio"/> Suspected <input type="radio"/> Established <input type="checkbox"/> Pill-related <input type="radio"/> Suspected <input type="radio"/> Established <input type="checkbox"/> Other ▶	Therapeutic procedure(s) <input type="checkbox"/> Hemostatic ▶ <input type="checkbox"/> Non - hemostatic ▶	Rate of bleed after intervention <input type="radio"/> Oozing <input type="radio"/> Spurting <input type="radio"/> Inactive <input type="radio"/> Uncertain	Diagnosis <input type="text"/> Comments <input type="text"/>
<input type="button" value="Save"/> <input type="button" value="Cancel"/>			

Etiology: Other

Table: EgdEtiologyOther

Other etiology of esophageal ulcer
<input type="text"/>
<input type="button" value="Save"/> <input type="button" value="Cancel"/>

Food impaction

Table: PEDS_EgdFoodImpaction

Food impaction

Location:

Image (s) taken

Description:

Diagnosis:

Comments:

Diagnostics

Biopsy taken Total # of biopsies taken:

proximal esophagus

mid-esophagus

distal esophagus

Sent to pathology: Yes No

Enter pathology ID:

Current pathology IDs:

Foreign body / Retained food

Table: PEDS_EgdForeignBody

Foreign Body / Retained Food

Location:

Foreign body

Retained food

Retrieved? Yes No

Image (s) taken

Diagnosis:

Comments:

Hiatal hernia

Table: PEDS_EgdHiatalHernia

Hiatal Hernia	
<p>Description</p> <p><input type="radio"/> Regular, type 1 <input type="radio"/> Paraesophageal</p>	<p><input type="checkbox"/> Image (s) taken</p>
<p>Landmarks from mouth (cm)</p> <p>Diaphragm <input type="text"/></p> <p>Z-line/GEJ <input type="text"/></p> <p>Length <input type="text"/></p> <p>Cameron Erosions <input type="radio"/> Yes <input type="radio"/> No</p>	<p>Diagnosis <input type="text"/></p>
<p>Diagnostics</p> <p>Sent to pathology <input type="radio"/> Yes <input type="radio"/> No</p> <p>Enter pathology ID <input type="text"/> <input type="button" value="Add"/></p> <p>Current pathology IDs <input type="text"/></p>	<p>Comments <input type="text"/></p>
<p><input type="button" value="Save"/> <input type="button" value="Cancel"/></p>	

Image taken

Table: PEDS_EgdImageTaken

Image taken	
<p>Location <input type="text" value="Proximal Esophagus"/></p>	
<p><input checked="" type="checkbox"/> Image(s) taken</p>	
<p>Comments <input type="text"/></p>	
<p><input type="button" value="Save"/> <input type="button" value="Cancel"/></p>	

Laryngeal exam

Table: PEDS_EgdLaryngealExam

Laryngeal Exam

Subglottic edema

Ventricular obliteration

Erythema/hyperemia

Vocal fold edema

Diffuse laryngeal edema

Posterior commissure hypertrophy

Granuloma/granulation tissue

Thick endolaryngeal mucus

Reflux finding score
 (score > 7 confirms laryngopharyngeal reflux involvement)

Other laryngeal pathology

Image(s) taken

Diagnosis
 Normal laryngeal exam

Comments

Save Cancel

Subglottic edema

Ventricular obliteration

absent
present

Ventricular obliteration

Erythema/hyperemia

none
partial
complete

Erythema/hyperemia

Vocal fold edema

none
arytenoids only
diffuse

Vocal fold edema

Diffuse laryngeal edema

Posterior commissure hypertrophy

none
mild
moderate
severe
polypoid

Diffuse laryngeal edema

Posterior commissure hypertrophy

Granuloma/granulation tissue

none
mild
moderate
severe
obstructing

Posterior commissure hypertrophy	<input type="text"/> <ul style="list-style-type: none"> none mild moderate severe obstructing
Granuloma/granulation tissue	<input type="text"/> <ul style="list-style-type: none"> absent present
Thick endolaryngeal mucus	<input type="text"/> <ul style="list-style-type: none"> absent present
Thick endolaryngeal mucus	<input type="text"/> <ul style="list-style-type: none"> absent present
Reflux finding score	<input type="text"/> <ul style="list-style-type: none"> absent present

Mallory- Weiss tear

Table: PEDS_EgdMallory

Mallory-Weiss Tear

Starting Location: <input type="text" value="Proximal Esophagus"/>	<input type="checkbox"/> Image(s) taken
Ending Location: <input type="text" value="Proximal Esophagus"/>	Diagnosis: <input type="text"/>
Rate of bleed: <input type="radio"/> Oozing <input type="radio"/> Spurting <input type="radio"/> Inactive <input type="radio"/> Uncertain	Comments: <div style="border: 1px solid #ccc; height: 100px; width: 100%;"></div>
Therapeutic procedure(s): <input type="checkbox"/> Hemostatic ▶ <div style="border: 1px solid #ccc; height: 20px; width: 100%;"></div> <input type="checkbox"/> Non - hemostatic ▶ <div style="border: 1px solid #ccc; height: 20px; width: 100%;"></div>	

Mucosal abnormality / Esophagus

Table: PEDS_EgdEsoMucosalAbnl

Mucosal abnormality / Esophagus

Starting Location: Ending Location:

Length of inflammation (cm):

Etiology

Reflux disease ▶ Caustic
 Infection ▶ Radiation
 Pill - Related Other ▶

Description

Erosions Mosaic / Scaly
 Erythema Mottled
 Friable Ulcers
 Granular Nodularity
 Edema Red Spots
 Hemorrhage (oozing) Subepithelial hemorrhage

Rate of bleed

Oozing
 Spurting
 Inactive
 Uncertain

Therapeutic procedure(s)

Hemostatic ▶
 Non - hemostatic ▶

Diagnostics

Biopsy taken Brushing taken
 Total # of biopsies taken:

proximal esophagus
 mid-esophagus
 distal esophagus

Sent to pathology: Yes No
 Enter pathology ID: Add
 Current pathology IDs:

Image(s) taken

Diagnosis:

Comments:

Save Cancel

Etiology: Reflux disease


Table: EgdLAClass

LA Classification

Grade A One or more mucosal breaks no longer than 5 mm, none of which extends between the tops of the mucosal folds
 Grade B One or more mucosal breaks more than 5 mm long, none of which extends between the tops of two mucosal folds
 Grade C Mucosal breaks that extend between the tops of two or more mucosal folds, but which involve less than 75% of the esophageal circumference
 Grade D Mucosal breaks which involve at least 75% of the esophageal circumference

Clear Save Cancel

Examples



Etiology: Infection

Table: EgdInfection

Infection detail

<input checked="" type="checkbox"/> Candida	<input type="radio"/> Suspected	<input type="radio"/> Established
<input type="checkbox"/> CMV	<input type="radio"/> Suspected	<input type="radio"/> Established
<input type="checkbox"/> HSV	<input type="radio"/> Suspected	<input type="radio"/> Established
<input type="checkbox"/> Other		

Save Cancel

Etiology: Other

Table: EgdOtherEtiology

Other etiology of esophageal inflammation / mucosal abnormality

Save Cancel

Mucosal abnormality / Stomach - Duodenum

Table: PEDS_EgdStoDuoMucosalAbnl

Mucosal abnormality / Stomach - Duodenum

Starting Location:

Ending Location:

Length of inflammation (cm):

Folds:

Description

Erosions Mosaic / Scaly

Erythema Mottled

Friable Ulcers

Granular Nodularity

Edema Red Spots

Hemorrhage (oozing) Subepithelial hemorrhage

Portal Hypertensive Gastropathy

Rate of bleed

Oozing

Spurting

Inactive

Uncertain

Therapeutic procedure(s)

Hemostatic ▶

Non - hemostatic ▶

Diagnostics

Biopsy taken Brushing taken

Total # of biopsies taken:

RUT results pending

RUT results complete

RUT results:

Sent to pathology: Yes No

Enter pathology ID:

Current pathology IDs:

Image(s) taken

Diagnosis:

Comments:

Length of inflammation (cm):

Folds:

Description

Erosions Mosaic / Scaly

Diagnostics

Biopsy taken Brushing taken

Total # of biopsies taken:

RUT results pending

RUT results complete

RUT results:

Sent to pathology: Yes No

Nodule / Polyp

Table: PEDS_EgdPolyp

Nodule / Polyp finding

Location: Mid Esophagus

Description

Mucosal
 Submucosal

Single Nodule
 Multiple Polyp

Size (mm):

Attachment: Flat
 Pedunculated
 Sessile

Therapeutic procedure(s)

Hemostatic
 Non - hemostatic

Image(s) taken

Diagnostics

Biopsy without cautery
 Biopsy with cautery
 Snare with cautery
 Snare with cautery/saline
 Snare without cautery

Total # of biopsies taken: 1

Nodule or Polyp removed?

Tissue retrieved? Yes No

Sent to pathology Yes No
Enter pathology ID: Add
Current pathology IDs:

Diagnosis:

Comments:

Save Cancel

Diagnostics

Biopsy without cautery
 Biopsy with cautery
 Snare with cautery
 Snare with cautery/saline
 Snare without cautery

Total # of biopsies taken: 1

Nodule or Polyp removed?

Tissue retrieved? Yes No

Dropdown menu options:
totally removed
partially removed
removed piecemeal
not removed (biopsy only)

Normal

Table: PEDS_EgdNormal

Normal

Starting location: Body
Ending location: Body

Image(s) taken

Diagnostics

Biopsy taken Total # of biopsies taken: []

proximal esophagus []
 mid-esophagus []
 distal esophagus []

RUT results pending
 RUT results complete
RUT results: []

Sent to pathology: Yes No
Enter pathology ID: []
Current pathology IDs: []

Comments: []

Diagnostics

Biopsy taken Total # of biopsies taken: []

RUT results pending
 RUT results complete
RUT results: []
Sent to pathology: negative positive

Prior endotherapy

Table: PEDS_EgdPriorEndo

Prior endotherapy

Starting Location: Mid Esophagus
Ending Location: Mid Esophagus

Image(s) taken

Prior therapies performed

Stretta procedure
 Enteryx procedure
 Endoscopic fundoplication
 Other ▶

Diagnostics

Biopsy taken Total # of biopsies taken: []

Sent to pathology: Yes No
Enter pathology ID: []
Current pathology IDs: []


Diagnosis: []

Comments: []

Prior therapies performed: Other

Table: EgdPriorEndoOther

Other prior endotherapy



A dialog box titled "Other prior endotherapy" with a large empty text area and "Save" and "Cancel" buttons at the bottom.

Prior surgery

Table: PEDS_EgdPriorSurg

Prior surgery

Starting Location: Proximal Esophagus

Ending Location: Proximal Esophagus

Prior Biopsies ?

Image(s) taken

Diagnosis

Comments

Anti-reflux surgery

Billroth I

Billroth II

Esophagectomy

Gastrectomy

Gastric bypass

Banded gastroplasty

Roux-en-Y gastric bypass (RYGB)

Sleeve Gastrectomy

Gastrojejunostomy


Gastrostomy tube

Jejunostomy tube

Pyloroplasty

Other

Save Cancel



A complex dialog box titled "Prior surgery" with multiple sections for location, biopsies, diagnosis, comments, and a list of surgical procedures with checkboxes.


Prior Biopsies ?

Image(s) taken

No prior biopsies taken

Prior biopsies taken

Unknown if prior biopsies taken




A close-up of the "Prior Biopsies ?" dropdown menu showing three options: "No prior biopsies taken", "Prior biopsies taken", and "Unknown if prior biopsies taken".

Prior surgery: Other

Table: EgdPriorSurgOther (no data)

Other prior surgery



A dialog box titled "Other prior surgery" with a large empty text area and "Save" and "Cancel" buttons at the bottom.

Sprue (Celiac disease)

Table: PEDS_EgdSprue

Sprue (Celiac disease)	
Starting Location: Proximal Esophagus	Diagnostics <input type="checkbox"/> Biopsy taken Total # of biopsies taken Sent to pathology <input type="radio"/> Yes <input type="radio"/> No Enter pathology ID <input type="text"/> Add Current pathology IDs <input type="text"/>
Ending Location: Proximal Esophagus	
Description <input type="radio"/> Suspected <input type="radio"/> Established by prior biopsy	Diagnosis: <input type="text"/> Comments: <input type="text"/>
Mucosal appearance <input type="checkbox"/> Scalloped folds <input type="checkbox"/> Flat (missing folds)	
<input type="checkbox"/> Image(s) taken	
<input type="button" value="Save"/> <input type="button" value="Cancel"/>	

Stricture / Stenosis

Table: PEDS_EgdStricture

Stricture / Stenosis	
Starting Location: Body	Diagnostics <input type="checkbox"/> Biopsy taken Total # of biopsies taken <input type="checkbox"/> proximal esophagus <input type="checkbox"/> mid-esophagus <input type="checkbox"/> distal esophagus Sent to pathology <input checked="" type="radio"/> Yes <input type="radio"/> No Enter pathology ID <input type="text"/> Add Current pathology IDs <input type="text"/>
Ending Location: Body	
Distance from mouth (cm): <input type="text"/>	<input type="checkbox"/> Image(s) taken
Severity: <input type="text"/>	
Etiology <input type="checkbox"/> Reflux disease <input type="checkbox"/> Schatzki's ring (lower esophageal ring) <input type="checkbox"/> Malignancy <input type="checkbox"/> Web <input type="checkbox"/> Extrinsic compression <input type="checkbox"/> Benign inflammation (pill, infection, scar) <input type="checkbox"/> Anastomosis site <input type="checkbox"/> Eosinophilic esophagitis <input type="checkbox"/> Other ▶	Diagnosis: <input type="text"/> Comments: <input type="text"/>
Therapeutic procedure(s) <input type="checkbox"/> Hemostatic ▶ <input type="checkbox"/> Non - hemostatic ▶	
<input type="button" value="Save"/> <input type="button" value="Cancel"/>	

Severity

Etiology partial, not obstructive
 Partial, obstructive, but able to pass endoscope
 complete

Etiology: Other

Table: EgdOtherEtiology

Other etiology

Save Cancel

Tube Placement

Table: PEDS_EgdTubePlacement

Tube Placement

Location

PEG PEJ

PEG/J

Indication for tube placement

- anastomotic stricture
- benign esophageal ring
- dysphagia without stricture
- ENT cancer
- esophageal cancer
- esophageal stricture
- gastric decompression
- general debilitation
- motility disorder
- neurological deficits
- radiation esophagitis
- web
- other

Site prepped with

Patient position supine
 other

Sterile drapes placed

Local anesthesia Volume (cc)

Tube type

Brand

Size (Fr)

Site ID by

finger indentation
 transillumination
 finger indentation and transillumination

Incision size (cm)

Tube irrigated after placement

Patient tolerance

Procedure outcome

Comments

Save Cancel

Site prepped with betadine
chlorhexidine

Patient position other

Local anesthesia 1% lidocaine

Volume (cc)

Tube type

Brand Button

Size (Fr) NG
PEG/J
Pull EPEG
Push PEG
Stayput

Site ID by

Tube type

Brand

Size (Fr)

Site ID by

finger indent

transilluminat

finger indentation and transillumination

Bard
Compat
Corpak
Microvasive
Ponsky non-balloon
Ponsky Pull-Bard
Wilson Cook

Tube type

Brand

Size (Fr)

Site ID by

finger indent

transilluminat

finger indent

Incision size (cm)

12
14
16
18
20
22
24
28

Tube irrigated after placement

Patient tolerance

Procedure outcome

Comments

excellent
good
fair
poor

Tube irrigated after placement

Patient tolerance

Procedure outcome

Comments

Technically successful
Technically unsuccessful

Tumor

Table: PEDS_EgdTumor

Tumor

Starting Location: Proximal Esophagus
Ending Location: Proximal Esophagus

Description

Suspected malignant
 Established malignant by prior biopsy
 Suspected benign
 Established benign by prior biopsy

Length (cm):

Circumferential Mucosal
 Fungating Submucosal

Obstruction:

Therapeutic procedure(s)

Hemostatic ▶
 Non - hemostatic ▶

Diagnostics

Biopsy taken Brushing taken
Total # of biopsies taken:
 RUT results pending
 RUT results complete
RUT results:
Sent to pathology: Yes No
Enter pathology ID:
Current pathology IDs:

Image(s) taken

Diagnosis:

Comments:

Obstruction

Partial, not obstructive
Partial, obstructive, but able to pass endoscope
Complete

RUT results:

negative
positive

Sent to pathology: Yes No
Enter pathology ID:

Ulcer

Table: PEDS_EgdUlcer

Location:

Size: (mm) x (mm)

Characteristics:

Ulcer stigmata

Active/Recent bleed
 Visible vessel
 Adherent clot
 Dark spot
 Non-bleeding, Clean
 Healed / Scarred

Rate of bleed

 Oozing
 Spurting
 Inactive
 Uncertain

Interventions for adherent clot

 Injected
 Washed with water
 Snared

Diagnostics

 Biopsy taken Brushing taken

Total # of biopsies taken:

 RUT results pending
 RUT results complete

RUT results:

Sent to pathology: Yes No
 Enter pathology ID:

Current pathology IDs:

Ulcer stigmata after intervention

Active/Recent bleed
 Visible vessel
 Adherent clot
 Dark spot
 Non-bleeding, Clean
 Healed / Scarred

Rate of bleed after intervention

 Oozing
 Spurting
 Inactive
 Uncertain

Image(s) taken

Therapeutic procedure(s)

 Hemostatic
 Non - hemostatic

Diagnosis:

Comments:

Size: (mm) x (mm)

Characteristics:

Ulcer stigmata

 Active/Recent bleed
 Visible vessel
 Adherent clot
 Inactive

RUT results:

Sent to pathology:

Enter pathology ID:

Varices

Table: PEDS_EgdVarices

Varices

Starting Location: Ending Location:

Number of varices: Distance (cm) from incisors: Proximal Distal

Grade of varices ▶

Esophageal Gastro-esophageal Isolated gastric

Stigmata of recent hemorrhage (cherry red spots, red wale marking or hematocystic spot)

present absent

Esophagitis present absent

Rate of bleed Oozing Spurting Inactive Uncertain

Therapeutic procedure(s)

Hemostatic ▶

Non - hemostatic ▶

Image(s) taken

Diagnosis

Comments

Save Cancel

Grade of varices

Table: PEDS_GradeOfVarices

Grade of varices

Esophageal

- I - dilated veins (< 5mm) still at the level of the surrounding tissue
- II - dilated, straight veins (> 5 mm) protruding into the esophageal lumen but not obstructing it
- III - large, tense and winding veins already obstructing the esophageal lumen considerably
- IV - near complete obstruction of the esophageal lumen with impending danger of hemorrhage (cherry red spots)


Gastro-esophageal

GOV-1 GOV-2


Isolated gastric

IGV-1 IGV-2

Gastro-esophageal varices (GOV)



Isolated gastric varices (IGV)



Save Cancel

Other finding

Table: PEDS_EgdFindOther

Other finding

Starting Location: Proximal Esophagus

Ending Location: Proximal Esophagus

Image(s) taken

Diagnostics

Biopsy taken Total # of biopsies taken: [dropdown]

RUT results pending

RUT results complete

RUT results: [dropdown]

Sent to pathology: Yes No

Enter pathology ID: [text] [Add]

Current pathology IDs: [text]

Therapeutic procedure(s)

Hemostatic ▶ [text]

Non - hemostatic ▶ [text]

Diagnosis: [text]

Description / Comments: [text area]

[Save] [Cancel]

RUT results: [dropdown]

Sent to pathology: [dropdown]

Enter pathology ID: [text]

SMALL BOWEL FINDINGS

Table: PEDS_EgdSBFind

EGD pediatrics


Pathology Images Print Fax Orders LIQUID

First name Middle name Last name MRN Birth date Procedure date

Aga_pt96 ALEXANDER 81750211 4/30/1952 Nov 10, 2014 02:34 PM

Small bowel Findings

Import Images



Save Sign Print Preview Close

Normal findings

Entire small bowel

Findings Instructions

Add a Finding: left click the diagram, or left click and drag to shade a region
Delete a Finding: right click on the finding label
View/Edit Details: double click on the finding label
Move a Label: left click and drag the finding label

Finding Menu

Finding

- Anatomical deformity
- Arteriovenous malformation (AVM)
- Carcinoid tumor
- Diverticulosis
- Fluid / debris
- Foreign body / Retained food
- Image taken
- Lymphangiectasia
- Mucosal abnormality
- Nematodes
- Normal
- Polyps
- Prior surgery
- Sprue (Celiac disease)
- Stricture / Stenosis
- Tumor
- Ulcer
- Xanthoma
- Other finding

OK Cancel

Anatomical deformity

Table: PEDS_EgdSBAnatDeform

Anatomical Deformity

Location: Pylorus Image(s) taken

Estimated distance from pylorus (cm)

Description

Diagnosis

Comments

Save Cancel

Arteriovenous malformation (AVM)

Table: PEDS_EgdSBAVM

Arteriovenous Malformation (AVM)

Starting location: Duodenum Image(s) taken

Ending location: Duodenum

Estimated distance from pylorus (cm)

Estimated # of AVMs 1
 2-5
 6-20
 >20

Maximum size (mm)

Rate of bleed Oozing
 Spurting
 Inactive
 Uncertain

Therapeutic procedure(s)

Hemostatic

Non - hemostatic

Diagnosis

Comments

Save Cancel

Carcinoid tumor

Table: PEDS_EgdSBCarcinoidTumor

Carcinoid tumor

Starting location: Duodenum Image(s) taken

Ending location: Duodenum

Estimated distance from pylorus (cm)

Suspected Established

Number of carcinoid tumors 1
 2-5
 6-20
 >20

Therapeutic procedure(s)

Hemostatic

Non - hemostatic

Diagnosis

Comments

Save Cancel

Diverticulosis

Table: PEDS_EgdSBDiverticula

Diverticulosis

Starting location: Duodenum
Ending location: Duodenum
Estimated distance from pylorus (cm):

Meckels Small bowel

Estimated # of diverticula:

Rate of bleed:
 Oozing
 Spurting
 Inactive
 Uncertain

Therapeutic procedure(s):
 Hemostatic
 Non-hemostatic

Image(s) taken

Diagnosis:

Comments:

Save Cancel

Fluid / Debris

Table: PEDS_EgdSBFluid

Fluid / Debris

Location: Duodenum
Estimated distance from pylorus (cm):

Degree of visual impairment:

Description:

Image(s) taken

Save Cancel

Degree of visual impairment:

- none
- minimal
- moderate
- significant

Foreign body / Retained food

Table: PEDS_EgdSBFB

Foreign body / Retained food	
Location: Pylorus	Diagnosis:
Estimated distance from pylorus (cm):	Comments:
<input type="checkbox"/> Foreign body <input type="checkbox"/> Retained food	
Description:	
<input type="checkbox"/> Image(s) taken	
Save Cancel	

Image taken

Table: PEDS_EgdSBImageTaken

Image taken	
Location: Duodenum	
<input checked="" type="checkbox"/> Image(s) taken	
Comments:	
Save Cancel	

Lymphangiectasia

Table: PEDS_EgdSBLymphangiectasia

Lymphangiectasia	
Location: Pylorus	Diagnosis:
Estimated distance from pylorus (cm):	Comments:
Estimated # of lymphangiectasia:	
<input type="radio"/> 1 <input type="radio"/> 2-5 <input type="radio"/> 6-20 <input type="radio"/> >20	
<input type="checkbox"/> Image(s) taken	
Save Cancel	

Mucosal abnormality

Table: PEDS_EgdSBMucosalAbnl

Mucosal abnormality	
Starting location: Pylorus	<input type="checkbox"/> Image(s) taken
Ending location: Pylorus	
Estimated distance from pylorus (cm)	
Description	Diagnostics
Length of inflammation (cm)	<input type="checkbox"/> Biopsy taken Total # of biopsies taken
<input type="checkbox"/> Red spots	Sent to pathology <input type="radio"/> Yes <input type="radio"/> No
<input type="checkbox"/> White spots	Enter pathology ID <input type="text"/> <input type="button" value="Add"/>
<input type="checkbox"/> Edema	Current pathology IDs
<input type="checkbox"/> Blunted villi	<input type="text"/>
<input type="checkbox"/> Erythema	
<input type="checkbox"/> Petechiae	
<input type="checkbox"/> White stippling	
<input type="checkbox"/> Erosions	
<input type="checkbox"/> Absent villi	
Rate of bleed <input type="radio"/> Oozing	Diagnosis <input type="text"/>
<input type="radio"/> Spurting	Comments
<input type="radio"/> Inactive	<input type="text"/>
<input type="radio"/> Uncertain	
Therapeutic procedure(s)	
<input type="checkbox"/> Hemostatic <input type="button" value="▶"/>	
<input type="checkbox"/> Non - hemostatic <input type="button" value="▶"/>	
	<input type="button" value="Save"/> <input type="button" value="Cancel"/>

Nematodes

Table: PEDS_EgdSBNematodes

Nematodes	
Location: Pylorus	<input type="checkbox"/> Image(s) taken
Estimated distance from pylorus (cm)	
Type of nematode	Diagnosis <input type="text"/>
<input type="text"/>	Comments
Diagnostics	<input type="text"/>
<input type="checkbox"/> Biopsy taken Total # of biopsies taken	
Sent to pathology <input type="radio"/> Yes <input type="radio"/> No	
Enter pathology ID <input type="text"/> <input type="button" value="Add"/>	
Current pathology IDs	
<input type="text"/>	<input type="button" value="Save"/> <input type="button" value="Cancel"/>

Normal

Table: PEDS_EgdSBNormal

Normal	
Starting location: Pylorus	<input type="checkbox"/> Image(s) taken
Ending location: Pylorus	
Estimated distance from pylorus (cm):	
Diagnostics	
<input type="checkbox"/> Biopsy taken Total # of biopsies taken: <input type="text"/>	Comments
Sent to pathology: <input type="radio"/> Yes <input type="radio"/> No	
Enter pathology ID: <input type="text"/> <input type="button" value="Add"/>	
Current pathology IDs: <input type="text"/>	
<input type="button" value="Save"/> <input type="button" value="Cancel"/>	

Polyp

Table: PEDS_EgdSBPolyp

Polyp	
Starting location: Pylorus	Diagnostics
Ending location: Pylorus	<input type="checkbox"/> Biopsy without cautery
Estimated distance from pylorus (cm):	<input type="checkbox"/> Biopsy with cautery
	<input type="checkbox"/> Snare without cautery
	<input type="checkbox"/> Snare with cautery
	<input type="checkbox"/> Snare with cautery/saline
Description	Polyp removed? <input type="radio"/> Yes <input type="radio"/> No (biopsy only)
Number of polyps: <input type="radio"/> 1	Number removed: <input type="text"/>
<input type="radio"/> 2-5	Tissue retrieved? <input type="radio"/> Yes <input type="radio"/> No
<input type="radio"/> 6-20	Number retrieved: <input type="text"/>
<input type="radio"/> >20	Sent to pathology: <input type="radio"/> Yes <input type="radio"/> No
Attachment: <input type="radio"/> flat	Enter pathology ID: <input type="text"/> <input type="button" value="Add"/>
<input type="radio"/> pedunculated	Current pathology IDs: <input type="text"/>
<input type="radio"/> sessile	
<input type="checkbox"/> All polyps diminutive (<= 5mm)	Diagnosis: <input type="text"/>
Size range (mm): <input type="text"/> to <input type="text"/>	Comments
<input type="checkbox"/> Image(s) taken	
Therapeutic procedure(s)	
<input type="checkbox"/> Hemostatic <input type="button" value="▶"/>	
<input type="checkbox"/> Non - hemostatic <input type="button" value="▶"/>	
	<input type="button" value="Save"/> <input type="button" value="Cancel"/>

Prior surgery

Table: PEDS_EgdSBPriorSurg

Prior surgery	
Location <input type="text" value="Pylorus"/>	<input type="checkbox"/> Image(s) taken
Estimated distance from pylorus (cm) <input type="text"/>	
Prior surgery	Diagnosis <input type="text"/>
<input type="checkbox"/> Billroth I <input type="checkbox"/> Billroth II <input type="checkbox"/> Gastrojejunostomy <input type="checkbox"/> Jejunostomy tube <input type="checkbox"/> Terminal ileum Resection <input type="checkbox"/> Total colectomy with <input type="radio"/> Ileostomy <input type="radio"/> ileo-anal pouch <input type="radio"/> Koch pouch <input type="checkbox"/> Other prior surgery <input type="text"/>	Comments <input type="text"/>
<input type="button" value="Save"/> <input type="button" value="Cancel"/>	

Sprue (Celiac disease)

Table: PEDS_EgdSBSprue

Sprue (Celiac disease)	
Starting location <input type="text" value="Pylorus"/>	<input type="checkbox"/> Image(s) taken
Ending location <input type="text" value="Pylorus"/>	
Estimated distance from pylorus (cm) <input type="text"/>	
Description	Diagnosis <input type="text"/>
<input type="radio"/> Suspected <input type="radio"/> Established by prior biopsy	Comments <input type="text"/>
Mucosal appearance <input type="checkbox"/> Scalloped folds <input type="checkbox"/> Flat (missing folds)	
Diagnostics	
<input type="checkbox"/> Biopsy taken Total # of biopsies taken <input type="text"/>	
Sent to pathology <input type="radio"/> Yes <input type="radio"/> No	
Enter pathology ID <input type="text"/> <input type="button" value="Add"/>	
Current pathology IDs <input type="text"/>	
<input type="button" value="Save"/> <input type="button" value="Cancel"/>	

Stricture / Stenosis

Table: PEDS_EgdSBStricture

Stricture / Stenosis

Location: Pylorus

Estimated distance from pylorus (cm):

Description

Estimated lumen diameter (mm):

Obstruction:

Etiology

- Anastomosis site
- Benign inflammation
- Crohn's disease
- Extrinsic compression
- Malignancy
- NSAID diaphragm
- Web
- Other

Therapeutic procedure(s)

Hemostatic

Non - hemostatic

Diagnostics

Biopsy taken Total # of biopsies taken:

Sent to pathology: Yes No

Enter pathology ID: Add

Current pathology IDs:

Diagnosis:

Comments:

Save Cancel

Description

Estimated lumen diameter (mm):

Obstruction:

Etiology

- NSAID

capsule passes through

capsule temporarily delayed

capsule retained

Tumor

Table: PEDS_EgdSBTumor

Tumor

Location: Pylorus

Estimated distance from pylorus (cm):

Description

- Suspected malignant
- Established malignant by prior biopsy
- Suspected benign
- Established benign by prior biopsy

Dimensions (mm) X (mm):

- Circumferential
- Fungating
- Mucosal
- Submucosal

Obstruction:

Therapeutic procedure(s)

Hemostatic

Non - hemostatic

Diagnostics

Biopsy taken Total # of biopsies taken:

Sent to pathology: Yes No

Enter pathology ID: Add

Current pathology IDs:

Image(s) taken

Diagnosis:

Comments:

Save Cancel

Description

Suspected malignant
 Established malignant by prior biopsy
 Suspected benign
 Established benign by prior biopsy

Dimensions (mm) X (mm)

Circumferential Mucosal
 Fungating Submucosal

Obstruction

- capsule passes through
- capsule temporarily delayed
- capsule retained

Ulcer

Table: PEDS_EgdSBUlcer

Ulcer

Location:

Estimated distance from pylorus (cm):

Estimated # of ulcers: 1
 2-5
 6-20
 >20

Estimated size (mm): 1-5
 6-10
 > 10

Characteristics: Radiating folds
 Heaped up margin
 Deep
 Superficial
 Edematous

Ulcer stigmata

<input type="checkbox"/> Active/Recent bleed	<input type="radio"/> Rate of bleed
<input type="checkbox"/> Visible vessel	<input type="radio"/> Oozing
<input type="checkbox"/> Adherent dot	<input type="radio"/> Spurting
<input type="checkbox"/> Dark spot	<input type="radio"/> Inactive
<input type="checkbox"/> Non-bleeding, Clean	<input type="radio"/> Uncertain
<input type="checkbox"/> Healed / Scarred	

Therapeutic procedure(s)

Hemostatic

Non - hemostatic

Diagnostics

Biopsy taken Total # of biopsies taken:

Sent to pathology: Yes No

Enter pathology ID:

Current pathology IDs:

Image(s) taken

Diagnosis:

Comments:

Xanthoma

Table: PEDS_EgdSBXanthoma

Xanthoma	
Starting location <input type="text" value="Pylorus"/>	<input type="checkbox"/> Image(s) taken
Ending location <input type="text" value="Pylorus"/>	
Estimated distance from pylorus (cm) <input type="text"/>	
Estimated number of xanthomas	Diagnosis <input type="text"/>
<input type="radio"/> 1	Comments <input type="text"/>
<input type="radio"/> 2-5	
<input type="radio"/> 6-20	
<input type="radio"/> >20	
	<input type="button" value="Save"/> <input type="button" value="Cancel"/>

Other finding

Table: PEDS_EgdSBOtherFind

Other Finding	
Starting location <input type="text" value="Pylorus"/>	<input type="checkbox"/> Image(s) taken
Ending location <input type="text" value="Pylorus"/>	
Estimated distance from pylorus (cm) <input type="text"/>	
Therapeutic procedure(s)	Diagnosis <input type="text"/>
<input type="checkbox"/> Hemostatic <input type="button" value="▶"/>	Description / Comments <input type="text"/>
<input type="checkbox"/> Non - hemostatic <input type="button" value="▶"/>	
Diagnostics	<input type="button" value="Save"/> <input type="button" value="Cancel"/>
<input type="checkbox"/> Biopsy taken Total # of biopsies taken <input type="text"/>	
Sent to pathology <input type="radio"/> Yes <input type="radio"/> No	
Enter pathology ID <input type="text"/> <input type="button" value="Add"/>	
Current pathology IDs <input type="text"/>	

THERAPIES

For all therapies:

A screenshot of a software interface showing a dropdown menu. The label 'Bleeding outcome' is above the dropdown, and 'Procedural outcome' is to the left of the dropdown. The dropdown is open, showing three options: 'bleeding continues', 'bleeding precipitated', and 'hemostasis achieved'.

A screenshot of a software interface showing a dropdown menu. The label 'Procedural outcome' is above the dropdown. The dropdown is open, showing two options: 'technically successful' and 'technically not successful'.

Hemostatic therapies

Table: PEDS_TheraLauncherHemo

A screenshot of a dialog box titled 'Therapies'. It contains a section labeled 'Hemostatic' with a list of checkboxes and arrows. The 'APC' checkbox is selected and highlighted in blue. The other checkboxes are 'Banding', 'Bipolar coagulation', 'Clip', 'Heater probe', 'Injection', 'Laser', and 'Other therapy'. At the bottom of the dialog are 'Save' and 'Cancel' buttons.

Hemostatic Argon Plasma Coagulation (APC)

Table: TxHemAPC

The screenshot shows a software window titled "Hemostatic Argon Plasma Coagulation (APC)". It contains several input fields: "Watts" and "Litres / min of Ar" are numeric spinners; "Bleeding outcome" and "Procedural outcome" are dropdown menus; and "Comments" is a text area. At the bottom are "Save" and "Cancel" buttons.

Hemostatic banding

Table: PEDS_TxHemBanding

The screenshot shows a software window titled "Hemostatic Banding". It contains several input fields: "Banding device" is a dropdown menu; "Total bands fired" and "Bands placed" are numeric spinners; "Bleeding outcome" is a dropdown menu with a tooltip that says "Must be from 0 to 99"; "Procedural outcome" is a dropdown menu; and "Comments" is a text area. At the bottom are "Save" and "Cancel" buttons.

(Banding device menu customized by site)

Hemostatic Bipolar Coagulation (BiCap)

Table: TxHemBiCap

The screenshot shows a software window titled "Hemostatic Bipolar Coagulation (BiCap)". It contains several input fields: a dropdown menu for "BiCap device", a spinner for "Watts", a spinner for "Total Seconds", and a checkbox for "Irrigation fluid used". Below these are two more dropdown menus for "Bleeding outcome" and "Procedural outcome". A large text area for "Comments" is positioned below the dropdowns. At the bottom of the window are "Save" and "Cancel" buttons.

(BiCap device menu customized by site)

Hemostatic Clip(s)

Table: TxHemClip

The screenshot shows a software window titled "Hemostatic Clip(s)". It contains several input fields: two spinners for "Total clips fired" and "Clips placed", a dropdown menu for "Bleeding outcome", and a dropdown menu for "Procedural outcome". A large text area for "Comments" is positioned below the dropdowns. At the bottom of the window are "Save" and "Cancel" buttons.

Hemostatic Heater Probe

Table: TxHemProbe

The screenshot shows a form titled "Hemostatic Heater Probe". It contains the following fields from top to bottom: "Instrument" (a dropdown menu), "Watts" (a spinner control), "Bleeding outcome" (a dropdown menu), "Procedural outcome" (a dropdown menu), and "Comments" (a text area with a vertical scrollbar). At the bottom of the form are two buttons: "Save" and "Cancel".

(Heater probe instrument menu customized by site)

Hemostatic Injection

Table: TxHemInjection

The screenshot shows a form titled "Hemostatic Injection". It contains the following fields from top to bottom: "Injectant" (a dropdown menu), "Combined with" (a text input field), "Number of injections" (a spinner control), "Total volume injected (cc)" (a text input field), "Bleeding outcome" (a dropdown menu), "Procedural outcome" (a dropdown menu), and "Comments" (a text area with a vertical scrollbar). At the bottom of the form are two buttons: "Save" and "Cancel".

(Injectant menu customized by site)

Hemostatic Laser

Table: TxHemLaser

The screenshot shows a form titled "Hemostatic Laser". It contains the following fields:

- Type of laser: A dropdown menu.
- Watts: A spinner box.
- Joules: A spinner box.
- Total seconds: A spinner box.
- Bleeding outcome: A dropdown menu.
- Procedural outcome: A dropdown menu.
- Comments: A large text area.
- Save and Cancel buttons: Located at the bottom of the form.

(Type of laser menu customized by site)

Other Hemostatic Therapy(s)

Table: TxHemOther

The screenshot shows a form titled "Other hemostatic therapy(s)". It contains the following fields:

- Description: A large text area.
- Bleeding outcome: A dropdown menu.
- Procedural outcome: A dropdown menu.
- Comments: A large text area.
- Save and Cancel buttons: Located at the bottom of the form.

Non-Hemostatic Therapies

Table: PEDS_TheraLauncherNonHemo

The 'Therapies' dialog box contains a section titled 'Non-hemostatic' with a list of therapy options, each with a checkbox and a right-pointing arrow:

- APC
- Banding
- Clip
- Dilation
- EMR
- Heater probe
- Injection
- Laser
- Stent
- Other therapy

At the bottom of the dialog are 'Save' and 'Cancel' buttons.

Non-hemostatic Argon Plasma Coagulation (APC)

Table: TxNonHemAPC

The 'Non-hemostatic Argon Plasma Coagulation (APC)' dialog box includes the following fields:

- Watts:
- Litres / min of Ar:
- Procedural outcome:
- Comments:

'Save' and 'Cancel' buttons are located at the bottom.

Non-Hemostatic Banding

Table: PEDS_TxNonHemBanding /TxNonHemBanding

The 'Non-hemostatic Banding' dialog box includes the following fields:

- Banding device:
- Total bands fired:
- Bands placed:
- Procedural outcome:
- Comments:

'Save' and 'Cancel' buttons are located at the bottom.

(Banding device menu customized by site)

Non-Hemostatic Clip(s)

Table: TxNonHemClip

Non-Hemostatic Dilation

Table: TxNonHemDilation

(Dilator type menu customized by site)

Non-Hemostatic Endoscopic Mucosal Resection (EMR)

Table: TxNonHemEMR

Non-hemostatic Endoscopic Mucosal Resection (EMR)

Instrument

Complete resection

Sample retrieved

Procedural outcome

Comments

Save Cancel

Non-Hemostatic Heater Probe

Table: TxNonHemProbe

Non-hemostatic Heater Probe

Instrument

Watts

Procedural outcome

Comments

Save Cancel

(Heater probe instrument menu customized by site)

Non-Hemostatic Injection

Table: TxNonHemInjection

The screenshot shows a software window titled "Non-hemostatic Injection". It contains several input fields: a dropdown menu for "Injectant", a text field for "Combined with", a spinner for "Number of injections", and a text field for "Total volume injected (cc)". Below these is a dropdown for "Procedural outcome" and a large text area for "Comments". At the bottom are "Save" and "Cancel" buttons.

(Injectant menu customized by site)

Non-Hemostatic Laser

Table: TxNonHemLaser

The screenshot shows a software window titled "Non-hemostatic Laser". It contains several input fields: a dropdown menu for "Type of laser", spinner controls for "Watts", "Joules", and "Total seconds", a dropdown for "Procedural outcome", and a large text area for "Comments". At the bottom are "Save" and "Cancel" buttons.

(Type of laser menu customized by site)

Non-Hemostatic Stent

Table: TxNonHemStent

Non-hemostatic Stent	
Number of stents used <input type="text"/>	<input type="checkbox"/> Proximal clips placed <input type="checkbox"/> Distal clips placed
Stent type <input type="text"/>	<input type="checkbox"/> Performed under fluoroscopic guidance
Length (cm) <input type="text"/>	<input type="checkbox"/> Injected with contrast
Covered (cm) <input type="text"/>	Procedural outcome <input type="text"/>
Diameter <input type="text"/> <input type="radio"/> Fr <input type="radio"/> mm	Comments <input type="text"/>
Flange (mm) <input type="text"/>	
Guidewire <input type="text"/>	
<input type="button" value="Save"/> <input type="button" value="Cancel"/>	

(Stent type menu customized by site)

Stent type <input type="text"/>
Length (cm) <input type="text"/>
Covered (cm) <input type="text"/>
Diameter <input type="text"/> <input type="radio"/> Fr <input type="radio"/> mm
Flange (mm) <input type="text"/>
Guidewire <input type="text"/>
<input type="text" value="Jag"/>
<input type="text" value="Savary"/>

Other Non-Hemostatic Therapy(s)

Table: TxNonHemOther

Other non-hemostatic therapy(s)	
Description <input type="text"/>	
Procedural outcome <input type="text"/>	
Comments <input type="text"/>	
<input type="button" value="Save"/> <input type="button" value="Cancel"/>	

EVENTS

Table: Intervention

Intervention medication grid: Intervention_Intervention_medication_grid

EGD pediatrics

Pathology Images Print Fax Orders LIQUID

First name: Aga_pt96 Middle name: Last name: ALEXANDER MRN: 81750211 Birth date: 4/30/1952 Procedure date: Nov 10, 2014 02:34 PM

Were there any unplanned events? Yes No

Cardiac events <input type="checkbox"/> Arrhythmia <input type="checkbox"/> Bradycardia <input type="checkbox"/> Chest pain <input type="checkbox"/> Hypertension <input type="checkbox"/> Hypotension <input type="checkbox"/> Tachycardia <input type="checkbox"/> Vasovagal reaction <input type="checkbox"/> Other cardiac event	Pulmonary events <input type="checkbox"/> Elevated pCO2 <input type="checkbox"/> Hypoxia – prolonged (> 15 sec) <input type="radio"/> O2 sat < 95% <input type="radio"/> O2 sat < 90% <input type="checkbox"/> Hypoxia – transient (<= 15 sec) <input type="checkbox"/> Respiratory distress <input type="checkbox"/> Wheezing <input type="checkbox"/> Other pulmonary event	Gastrointestinal events <input type="checkbox"/> Abdominal pain <input type="checkbox"/> Bleeding <input type="radio"/> >10 cc <input type="radio"/> <=10 cc <input type="checkbox"/> Nausea/vomiting <input type="checkbox"/> Perforation <input type="checkbox"/> Other GI event	Other events <input type="checkbox"/> Death <input type="checkbox"/> Deep vein thrombosis <input type="checkbox"/> Drug reaction <input type="checkbox"/> Paradoxical reaction <input type="checkbox"/> Prolonged sedation <input type="checkbox"/> Rash/hives <input type="checkbox"/> Seizure <input type="checkbox"/> Phlebitis <input type="checkbox"/> Other event
---	--	--	---

Interventions required? Yes No

If yes, specify the intervention(s)

<input type="checkbox"/> Cautery required <input type="checkbox"/> Code 99/CPR <input type="checkbox"/> IV fluids administered <input type="checkbox"/> Oxygen administered <input type="checkbox"/> Patient admitted to hospital <input type="checkbox"/> Patient admitted to ED <input type="checkbox"/> Procedure stopped prematurely <input type="checkbox"/> Sedation reversed	<input type="checkbox"/> Surgery required <input type="checkbox"/> Transfusion required <input type="checkbox"/> Other intervention
--	---

Intervention medication **Add med**

Medication	Dose	Route
<input type="checkbox"/> Other intervention medication		

Were the interventions successful? Yes No

Select all that apply

<input type="checkbox"/> Hemostasis achieved <input type="checkbox"/> O2 desaturation reversed <input type="checkbox"/> Spontaneous resolution of event <input type="checkbox"/> Vital signs stabilized	Unplanned events/interventions comments Please do not use this field if you can document the information using other fields on the screen
--	---

Save Sign Print Preview Close

Intervention medication **Add med**

Medication	Dose	Route
atropine		
diphenhydramine		
epinephrine		
epinephrine 1:1,000		
epinephrine 1:10,000		
flumazenil		
glucagon		
glycopyrrolate		
hydrocortisone		
hydroxyzine		
lidocaine		
meperidine		
naloxone		
promethazine		
<input type="checkbox"/> Other intervention medication		

Unplanned events/interventions comments: Please do not use this field if you can document the information using other fields on the screen

Intervention medication **Add med**

Medication	Dose	Route
atropine	1 mg	
	2 mg	
	3 mg	
	4 mg	
	5 mg	
	6 mg	
	7 mg	
	8 mg	
	9 mg	
	10 mg	
<input type="checkbox"/> Other intervention medication		

(Dose menu customized to Medication selection)

Intervention medication			Add med
Medication	Dose	Route	
atropine			
			<ul style="list-style-type: none"> Aerosol IM IV PO PR SC SL Topical
<input type="checkbox"/> Other intervention medication			

Cardiac events: Other cardiac event

Table: EventCardiacOther

Other cardiac events

Pulmonary events: Hypoxia – prolonged (>15 sec)

Table: EventHypoxia

Prolonged hypoxia comments

Pulmonary events: Other pulmonary event

Table: EventPulmOther

Other pulmonary events


Gastrointestinal events: Bleeding

Table: EventBleeding

Bleeding comments

Gastrointestinal events: Other GI event


Table: EventGIOther



A screenshot of a dialog box titled "Other GI events". It features a large, empty text area for input. At the bottom of the dialog, there are two buttons: "Save" and "Cancel".

Other events: Other event


Table: EventOther



A screenshot of a dialog box titled "Other unplanned events". It features a large, empty text area for input. At the bottom of the dialog, there are two buttons: "Save" and "Cancel".

If yes, specify the intervention(s): Oxygen administered


Table: EventsO2Admin



A screenshot of a dialog box titled "Supplemental oxygen detail". It contains several input fields: "Oxygen flow (liters)" with a numeric spinner, "Delivery method" with a dropdown menu, and "Comments" with a text area. At the bottom, there are "Save" and "Cancel" buttons.

If yes, specify the interventions: Other interventions


Table: EventIntervenOther



A screenshot of a dialog box titled "Other interventions required". It features a large, empty text area for input. At the bottom of the dialog, there are two buttons: "Save" and "Cancel".

Intervention medications: Other intervention medication

Table: IntervenMedOther



The image shows a standard Windows-style dialog box. The title bar at the top reads "Other intervention medication". The main area of the dialog is a large, empty rectangular field, likely intended for text input or a list. At the bottom of the dialog, there are two buttons: "Save" on the left and "Cancel" on the right. The dialog box has a light blue border and a standard Windows window appearance.

ASSESSMENT / PLAN

Table: PEDS_TreatmentPlan

New Medications grid: PEDS_TreatmentPlan_New_mediations_grid

Scheduling and Referring grid: PEDS_TreatmentPlan_Scheduling_and_Referring_grid (redacted)

The screenshot shows the 'EGD pediatrics' software window. The 'Assessment/Plan' tab is selected in the sidebar. The patient information at the top includes: First name: Aga_pt96, Middle name: [redacted], Last name: ALEXANDER, MRN: 81750211, Birth date: 4/30/1952, Procedure date: Nov 10, 2014 02:34 PM. The 'Medication plan' section contains several checkboxes: Start new medications, Discontinue current medications, Continue current medications, Await pathology, Medications per referring provide, and No medications required. The 'New medications' section has a table with columns: Medication Type, Medication, Dose, Route, Sig, Disp, and Comments. The 'Scheduling and Referring' section has a table with columns: Activity Type, Activity, When, Date, and Comments.

This close-up shows the 'New medications' grid with the 'Medication Type' dropdown menu open. The menu lists various categories including 5-ASA, Anti-constipation, Anti-diarthral, Antibiotics, Antiemetic, Antispasmodics, Bile Acids, Fiber supplements, H2 Blocker, Hemorrhoidal Agent, Hormone therapy, HP Med, Immunosuppressants, Non-Steroidals, Other GI Medications, PPI, Protonix, Psychotropics, Steroids, and Varies Meds. The '5-ASA' option is currently selected.

This close-up shows the 'New medications' grid with the 'Medication' dropdown menu open. The menu lists several options: mesalamine, mesalamine enema, mesalamine suppository, olsalazine, and sulfasalazine. The 'mesalamine' option is currently selected.

(Medication menu customized to Medication Type selection)

New medications						
Medication Type	Medication	Dose	Route	Sig	Disp	Comments
5-ASA	mesalamine	1500 mg				
<input type="checkbox"/> Other new medications						

(Dose menu customized to Medication selection)

New medications						
Medication Type	Medication	Dose	Route	Sig	Disp	Comments
5-ASA	mesalamine		Aerosol			
<input type="checkbox"/> Other new medications						

New medications						
Medication Type	Medication	Dose	Route	Sig	Disp	Comments
5-ASA	mesalamine			AC		
<input type="checkbox"/> Other new medications						

Scheduling and Referring				
Activity Type	Activity	When	Date	Comments
Admit to hospital				
<input type="checkbox"/> Other plan				

Scheduling and Referring				
Activity Type	Activity	When	Date	Comments
Followup	Call office			
<input type="checkbox"/> Other plan				

(Activity menu customized to Activity Type selection)

Scheduling and Referring				
Activity Type	Activity	When	Date	Comments
Followup		Around		
<input type="checkbox"/> Other plan				

Medication plan: Discontinue current medications

Table: DiscontinueCurMeds

Discontinue current medication(s)

List current medication(s) to discontinue

Medication plan: Continue current medications

Table: ContinueMeds

The dialog box titled "Continue current medication(s)" features a checked checkbox labeled "Continue all current medications". Below this is a text area with the label "List current medication(s) to continue" and a vertical scrollbar. At the bottom, there are "Save" and "Cancel" buttons.

New medications: Other new medications

Table: OtherNewMeds

The dialog box titled "Other new medications" contains a large empty text area with a vertical scrollbar. At the bottom, there are "Save" and "Cancel" buttons.

Scheduling and Referring: Other plan

Table: PlanOther

The dialog box titled "Other plan" features a large empty text area with a vertical scrollbar. At the bottom, there are "Save" and "Cancel" buttons.

LETTERS / INSTRUCTIONS

Table: Letters

EGD pediatrics
Pathology Images Print Fax Orders L1LJLJL

First name: Aga_pt96
Middle name:
Last name: ALEXANDER
MRN: 81750211
Birth date: 4/30/1952
Procedure date: Nov 10, 2014 02:34 PM

Use Defaults

Select Providers to receive copies of the report

Search by last name:

[Providers](#)

Gissel, Theodore Whoville Clinic
 Nimble, Jack
 Provider, A Generic Clinic
 Provider, Default Oregon Health and Science University
 Provider, First
 Provider, Second Second Tier Medical
 Slughom, Prof Hogwarts
 Test, Tom Northwest Test Center of Lower hoboken New Jersey
 Turtle, Mertle Turtle Pond Digestive Care

Add ->
<- Remove

Referring provider

Other providers to be copied

Print these providers at bottom of procedure report

Finding-specific instructions

Upper GI

<input type="checkbox"/> Achalasia	<input type="checkbox"/> Food impaction	<input type="checkbox"/> Nodule / Polyp	<input type="checkbox"/> Tumor
<input type="checkbox"/> Arteriovenous malformations (AVM)	<input type="checkbox"/> Foreign body	<input type="checkbox"/> Normal	<input type="checkbox"/> Ulcer
<input type="checkbox"/> Barrett's esophagus	<input type="checkbox"/> Hiatal hernia	<input type="checkbox"/> Prior endotherapy	<input type="checkbox"/> Varices
<input type="checkbox"/> Blood clot	<input type="checkbox"/> Mallory-Weiss tear	<input type="checkbox"/> Prior surgery	
<input type="checkbox"/> Duodenal diverticulum	<input type="checkbox"/> Mucosal abnormality - Esophagus	<input type="checkbox"/> Sprue (Celiac disease)	
<input type="checkbox"/> Esophageal ulcer	<input type="checkbox"/> Mucosal abnormality - Stomach / Duodenum	<input type="checkbox"/> Stricture / Stenosis	

Instructions given in:

Standardized instructions given

Sedation High-fiber diet

Post-exam instructions given

NPO:

Liquids only:

Resume prior diet:

No alcohol:

ASA / NSAIDS:

Restart medications:

Other specific post-exam instructions

Save as Default

Save

Sign

Print Preview

Close