




Screenshots for Documentation of Pediatric Flexible Sigmoidoscopy Procedures in CORI v4

Table of Contents

HISTORY	3
<i>Surgical History</i>	5
<i>Medical History</i>	6
PHYSICAL EXAMINATION	8
LIVER DISEASE	9
INDICATIONS	15
PREPROCEDURE	26
SEDATION	29
PROCEDURE	33
FINDINGS	37
<i>Anatomical deformity</i>	38
<i>Arteriovenous malformation (AVM)</i>	39
<i>Diverticulosis</i>	39
<i>Fissure / Fistula</i>	40
<i>Hemorrhoids</i>	40
<i>Image taken</i>	41
<i>Melanosis</i>	41
<i>Mucosal abnormality / Colitis / IBD</i>	42
<i>Normal</i>	42
<i>Polyp cluster</i>	43
<i>Polyp</i>	44
<i>Prior surgery</i>	45
<i>Solitary rectal ulcer</i>	45
<i>Stricture / Stenosis</i>	46
<i>Submucosal lesion</i>	46
<i>Tumor / Cancer</i>	47
<i>Other finding</i>	48
THERAPIES	49
<i>Hemostatic therapies</i>	49
Hemostatic Argon Plasma Coagulation (APC)	50
Hemostatic Banding	50
Hemostatic Bipolar Coagulation (BiCap)	51

Hemostatic Clip(s).....	51
Hemostatic Heater Probe	52
Hemostatic Injection.....	52
Hemostatic Laser	53
Other hemostatic therapy(s)	53
<i>Non-hemostatic therapies</i>	54
Non-hemostatic Argon Plasma Coagulation	54
Non-hemostatic Banding	54
Non-hemostatic Clip(s)	55
Non-hemostatic Dilation.....	55
Non-hemostatic Endoscopic Mucosal Resection (EMR)	55
Non-hemostatic Heater Probe.....	56
Non-hemostatic Injection	56
Non-hemostatic Stent.....	56
Non-hemostatic Laser.....	57
Other non-hemostatic therapy(s)	57
EVENTS	58
ASSESSMENT / PLAN.....	62
LETTERS / INSTRUCTIONS	65

Above each screenshot or set of screenshots is the name of the table in the v4 National Endoscopic Database where the data collected on that screen is found. Some screenshots show the content of subscreens that are also documented in the same table. Controls which have subscreens are evidenced by the orange arrows: 

HISTORY

Table: PEDS_History

Flexible Sigmoidoscopy Pediatrics

Pathology Images Print Fax Orders GIQuIC

First name: Aga_pt96 Middle name: Last name: ALEXANDER MRN: 81750211 Birth date: 4/30/1952 Procedure date: May 18, 2015 12:52 PM

Is the patient on any medications? Yes No

NSAIDs corticosteroids anti-TNF laxative PPI other

No prior surgeries Surgical history

No history of major medical illness Medical history

Family history

inflammatory bowel disease pancreatitis celiac disease GERD gallstones autoimmune disease other

Has the patient had an organ transplant? Yes No

Recent labs/studies Yes No

Hemoglobin: ESR: Albumin: CRP:

Other recent labs/studies

Allergies Yes No

Patient habits

Smoking history: Amount: Number of years: Smokes every day: Yes No

Current alcohol consumption (wine, beer, liquor):

History comments
Please do not use this field if you can document the information using other fields on the screen

Save Sign Print Preview Close

Patient habits

Smoking history:

Amount:

Number of years:

Smokes every day: Yes No

Current alcohol consumption (wine, beer, liquor):

Patient habits

Smoking history: Current smoker

Amount:

Number of years:

Smokes every day:

Current alcohol consumption (wine, beer, liquor):

Patient habits

Smoking history

Amount

Number of years

Smokes every day Yes No

Current alcohol consumption (wine, beer, liquor)

No prior surgeries

Surgical history

Abstains
Occasional (average less than daily)
Moderate (1-2 drinks per day)
Heavy (>2 drinks per day)

Recent labs/studies Yes No

Hemoglobin

Albumin

Other recent

ESR

CRP

Recent labs/studies Yes No

Hemoglobin

Albumin

Other recent

ESR

CRP

Recent labs/studies Yes No

Hemoglobin

Albumin

Other recent labs/studies

ESR

CRP

Recent labs/studies Yes No

Hemoglobin

Albumin

Other recent labs/studies

ESR

CRP

Surgical History

Table: PEDS_HxSurgHx

Patient History > Surgical History

Biliary/Pancreatic	GI, Upper	Genitourinary
<input type="checkbox"/> Biliary bypass <input type="checkbox"/> Cholecystectomy <input type="checkbox"/> Cyst removal <input type="checkbox"/> Kasai procedure <input type="checkbox"/> Liver surgery <input type="checkbox"/> Pancreatic resection <input type="checkbox"/> Pancreatic surgery <input type="checkbox"/> Sphincteroplasty	<input type="checkbox"/> Anti-reflux surgery <input type="checkbox"/> Billroth I <input type="checkbox"/> Billroth II <input type="checkbox"/> Duodenostomy <input type="checkbox"/> Esophageal myotomy (Heller) <input type="checkbox"/> Esophagectomy <input type="radio"/> partial <input type="radio"/> total <input type="checkbox"/> Gastrectomy <input type="radio"/> partial <input type="radio"/> total Gastric bypass <input type="checkbox"/> Banded gastroplasty <input type="checkbox"/> Roux-en-Y gastric bypass (RYGB) <input type="checkbox"/> Sleeve gastrectomy <input type="checkbox"/> Gastrojejunostomy <input type="checkbox"/> Gastrostomy tube <input type="checkbox"/> Jejunostomy tube <input type="checkbox"/> Ladd's Procedure <input type="checkbox"/> Pyloroplasty <input type="checkbox"/> TE Fistula	<input type="checkbox"/> Total abdominal hysterectomy <input type="checkbox"/> Tubal ligation <input type="checkbox"/> Vaginal hysterectomy <input type="checkbox"/> Partial hysterectomy <input type="checkbox"/> TURP Organ Transplant <input type="checkbox"/> Bone marrow <input type="checkbox"/> Heart <input type="checkbox"/> Kidney <input type="checkbox"/> Liver <input type="checkbox"/> Lung <input type="checkbox"/> Pancreas <input type="checkbox"/> Small Bowel Pulmonary <input type="checkbox"/> Lobectomy Other <input type="checkbox"/> Other surgical history ▶ <input type="checkbox"/> Tonsillectomy

Other: Other surgical history

Table: SurgHxOther

Other surgical history

Medical History

Table: PEDS_HxMedHx

Patient history > Medical history


Cardiovascular	Gastrointestinal	Infection
<input checked="" type="checkbox"/> Congestive heart failure (CHF) <input type="checkbox"/> Dysrhythmia <input type="checkbox"/> Deep vein thrombosis/PE <input type="checkbox"/> Hypertension (HTN) <input type="checkbox"/> Murmur <input type="checkbox"/> Peripheral vascular disease (PVD) <input type="checkbox"/> Rheumatic fever <input type="checkbox"/> Valvular heart disease	<input type="checkbox"/> Barrett's esophagus <input type="checkbox"/> Celiac disease <input type="checkbox"/> Chronic abdominal pain <input type="checkbox"/> Constipation <input type="checkbox"/> Crohn's disease <input type="checkbox"/> Diverticulitis <input type="checkbox"/> Dysphagia <input type="checkbox"/> Eosinophilic colitis <input type="checkbox"/> Eosinophilic esophagitis <input type="checkbox"/> Esophagitis <input type="checkbox"/> Failure to thrive <input type="checkbox"/> Food impaction <input type="checkbox"/> Gastric emptying syndrome <input type="checkbox"/> Gastritis <input checked="" type="checkbox"/> Gastroesophageal reflux disease (GERD) <input type="checkbox"/> GI Cancer <input type="checkbox"/> H. pylori <input type="checkbox"/> Indeterminate colitis <input type="checkbox"/> Inflammatory bowel disease (IBD) <input type="checkbox"/> Irritable bowel syndrome (IBS) <input type="checkbox"/> Obesity <input type="checkbox"/> Pancreatitis <input type="radio"/> chronic <input type="radio"/> acute <input type="checkbox"/> Polyps, adenomatous <input type="checkbox"/> Polyps, juvenile <input type="checkbox"/> Small bowel obstruction <input type="checkbox"/> Sphincter of Oddi dysfunction <input type="checkbox"/> Ulcerative colitis <input type="checkbox"/> Ulcers	<input type="checkbox"/> Human immunodeficiency virus (HIV) <input type="checkbox"/> Methicillin resistant Staph. aureus (MRSA) <input type="checkbox"/> Sepsis <input type="checkbox"/> Vancomycin resistant Staph. aureus (VRSA)
Endocrine		Neuro/Musculoskeletal/Psychiatric
<input type="checkbox"/> Diabetes <input type="checkbox"/> Hyperlipidemia <input type="checkbox"/> Steroid use <input type="checkbox"/> Thyroid abnormality <input type="checkbox"/> Weight change > 10 lbs (recent)		<input type="checkbox"/> ADHD <input type="checkbox"/> Anxiety disorder <input type="checkbox"/> Arthritis <input type="checkbox"/> Autism <input type="checkbox"/> Back problems <input type="checkbox"/> Cerebral palsy <input type="checkbox"/> Depression <input type="checkbox"/> JRA <input type="checkbox"/> Neuromuscular disease <input type="checkbox"/> Seizure <input type="checkbox"/> Stroke / TIA <input type="checkbox"/> SLE <input type="checkbox"/> Syncope
Gynecological		Pulmonary
<input type="checkbox"/> Pregnancy		<input type="checkbox"/> Asthma <input type="checkbox"/> Bronchopulmonary dysplasia (BPD) <input type="checkbox"/> Cystic fibrosis <input type="checkbox"/> Dyspnea <input type="checkbox"/> Orthopnea <input type="checkbox"/> Pneumonia <input type="checkbox"/> Sleep apnea <input type="checkbox"/> Tuberculosis <input type="checkbox"/> Upper respiratory infection (recent)
Hematological		Renal
<input type="checkbox"/> Anemia <input type="checkbox"/> Chemotherapy <input checked="" type="checkbox"/> Hematological cancer ▶ <input type="checkbox"/> Hemophilia <input type="checkbox"/> Radiation therapy <input type="checkbox"/> Sickle cell disease/trait <input type="checkbox"/> Thrombocytopenia		<input type="checkbox"/> Continuous abdominal peritoneal dialysis (CAPD) <input type="checkbox"/> Hemodialysis <input type="checkbox"/> Renal failure <input type="checkbox"/> Urinary tract infection (recent)
Genitourinary	Liver/Biliary	Other
<input type="checkbox"/> Benign prostatic hypertrophy <input type="checkbox"/> Nephrolithiasis	<input type="checkbox"/> Cholelithiasis <input type="checkbox"/> Cholecystitis <input type="checkbox"/> Cirrhosis <input type="checkbox"/> Other hepatitis <input type="checkbox"/> Portal hypertension <input type="checkbox"/> Viral hepatitis <input type="checkbox"/> Hepatitis B <input type="checkbox"/> Hepatitis C	<input type="checkbox"/> Other medical history ▶

Hematological: Hematological cancer
 HemeCaType

Hematological cancer

Please indicate type of hematological cancer

Other: Other medical history
MedHxOther (redacted)



PHYSICAL EXAMINATION

Table: PEDS_PE

Flexible Sigmoidoscopy Pediatrics
Pathology Images Print Fax Orders L3L3UL

First name: Aga_pt96
Middle name:
Last name: ALEXANDER
MRN: 81750211
Birth date: 4/30/1952
Procedure date: Nov 10, 2014 02:53 PM

History

Physical exam

Liver Disease

Indications

Preprocedure

Sedation

Procedure

Findings

Events

Assessment/Plan

Letters/Instructions

Save

Sign

Print Preview

Close

Physical exam performed |

Measurements

Height/length in Units

English

Metric

Weight lbs

BMI

BMI Percentile

BMI Category

Physical exam(s)

Entire PE WNL

Abdominal Exam	<input type="radio"/> Normal	<input type="radio"/> Abnormal	<input type="radio"/> Not performed
Airway Exam	<input type="radio"/> Normal	<input type="radio"/> Abnormal	<input type="radio"/> Not performed
Cardio-pulmonary Exam	<input type="radio"/> Normal	<input type="radio"/> Abnormal	<input type="radio"/> Not performed
Extremity Exam	<input type="radio"/> Normal	<input type="radio"/> Abnormal	<input type="radio"/> Not performed
HEENT Exam	<input type="radio"/> Normal	<input type="radio"/> Abnormal	<input type="radio"/> Not performed
Mental status Exam	<input type="radio"/> Normal	<input type="radio"/> Abnormal	<input type="radio"/> Not performed
Neurological Exam	<input type="radio"/> Normal	<input type="radio"/> Abnormal	<input type="radio"/> Not performed
Rectal Exam	<input type="radio"/> Normal	<input type="radio"/> Abnormal	<input type="radio"/> Not performed

Systolic BP mm. Hg

Diastolic BP mm. Hg

Pulse beats / min.

Physical exam comments
 Please do not use this field if you can document the information using other fields on the screen

LIVER DISEASE

Table: PEDS_Liver

Flexible Sigmoidoscopy Pediatrics
Pathology Images Print Fax Orders GIGUIC

First name: Aga_pt96
Middle name:
Last name: ALEXANDER
MRN: 81750211
Birth date: 4/30/1952
Procedure date: Nov 10, 2014 02:53 PM

- History
- Physical exam
- Liver Disease
- Indications
- Preprocedure
- Sedation
- Procedure
- Findings
- Events
- Assessment/Plan
- Letters/Instructions

History of varices

Known history of varices
 No known history of varices
 Unknown history of varices

Prior variceal bleed

Has there been a prior bleed?

Status of the eradication

Prior variceal bleed comments

Specify the type of varices

Esophageal
 Duodenal
 Gastric
 Other type

Prior surveillance?

History of prior surveillance
 No known prior surveillance
 Unknown if prior surveillance

Prior surveillance exam date

Evidence of liver disease

Abnormal laboratory values
 Portal hypertension
 Histologic cirrhosis
 Portal vein thrombosis
 Other evidence

What is the etiology of the liver disease?

Alcohol
 Autoimmune hepatitis
 Biliary atresia
 Cryptogenic
 Cystic fibrosis
 Hepatitis B
 Hepatitis C
 Non-alcoholic fatty liver disease (NAFLD)
 Primary biliary cirrhosis (PBC)
 Primary sclerosing cholangitis (PSC)
 Drug-induced liver disease
 Metabolic liver disease
 TPN-induced liver disease
 Glycogen storage disease
 Alagille syndrome
 Alpha-1 antitrypsin deficiency
 Wilson's disease
 Progressive familial intrahepatic cholestasis (PFIC)
 Neonatal cholestasis
 Other etiology

Dates of previous EGDs

Dates of previous liver biopsies

Childs-Pugh
 MELD Score (12 years and older)
 PELD Score (< 12 years old)

Prior variceal bleed

Has there been a prior bleed?

Status of the eradication

Prior variceal bleed comments

Prior variceal bleed

Has there been a prior bleed?

Status of the eradication


Prior variceal bleed comments

CORI v4 Endoscopic Reporting Software / National Endoscopic Database

9

Specify the type of varices: Other type


Table: LiverVaricesOther



A dialog box titled "Other type of varices" with a large empty text area and "Save" and "Cancel" buttons at the bottom.

Evidence of liver disease: Other evidence of liver disease


Table: LiverEvidenceOther



A dialog box titled "Other evidence of liver disease" with a large empty text area and "Save" and "Cancel" buttons at the bottom.

Etiology of liver disease: Alcohol

Table: LiverDrinkStatus



A dialog box titled "Alcohol detail" with two radio button options: "Current drinker" (selected) and "Former drinker". Below the options is a "Comments" text area and "Save" and "Cancel" buttons at the bottom.

Etiology of liver disease: Non-alcoholic fatty liver disease

Table: DegreeOfNAFLD

Degree of NAFLD

steatosis

steato-hepatitis

cirrhosis

other

Save Cancel

Etiology of liver disease: Drug-induced liver disease

Table: LiverDrugInduced (no data)

Drug-induced liver disease

Save Cancel

Etiology of liver disease: Metabolic liver disease

Table: LiverMetabolic

Metabolic liver disease

Save Cancel

Etiology of liver disease: Neonatal cholestatis

Table: LiverCholestasis

The dialog box titled "Etiology of neonatal cholestatis" contains two checkboxes: "TPN-associated" (checked) and "other" (unchecked). Below the checkboxes is a large empty text area. At the bottom are "Save" and "Cancel" buttons.

Etiology of liver disease: Other etiology of liver disease

Table: LiverEtiologyOther

The dialog box titled "Other etiology of liver disease" contains a large empty text area. At the bottom are "Save" and "Cancel" buttons.

Childs-Pugh

Table: PEDS_LiverChildsPugh

The dialog box titled "Childs-Pugh" has a section titled "Childs-Pugh classification" with the following fields: "Encephalopathy", "Ascites", "Serum bilirubin", "Serum albumin", and "Prothrombin time (INR)", each with a dropdown arrow. The "Final classification" field is highlighted in yellow. At the bottom are "Save" and "Cancel" buttons.

Childs-Pugh classification

Encephalopathy

Ascites

Serum bilirubin

Serum albumin

Prothrombin time (INR)

Final classification

Childs-Pugh classification

Encephalopathy

Ascites

Serum bilirubin

Serum albumin

Prothrombin time (INR)

Final classification

Childs-Pugh classification

Encephalopathy

Ascites

Serum bilirubin

Serum albumin

Prothrombin time (INR)

Final classification

Childs-Pugh classification

Encephalopathy

Ascites

Serum bilirubin

Serum albumin

Prothrombin time (INR)

Final classification

Childs-Pugh classification

Encephalopathy

Ascites

Serum bilirubin

Serum albumin

Prothrombin time (INR)

Final classification

- < 1.7
- 1.7 - 2.3
- > 2.3

MELD Score (12 years and older)

Table: MELDScore

MELD Score

Serum creatinine (mg/dL)

Bilirubin (mg/dL)

INR

Has the patient had dialysis twice in the last week? Yes No

Score

Save Cancel

PELD Score (<12 years old)

Table: PeldScore (no data)

PELD Score

Albumin (g/dl)

Bilirubin (mg/dL)

INR

Growth failure (< -2 Standard deviation) Yes No

Age at listing < 1 year old >= 1 year old

Score

Save Cancel

INDICATIONS

Table: PEDS_FlxInd

The screenshot shows the 'Flexible Sigmoidoscopy Pediatrics' software interface. The patient information at the top includes: First name: Aga_pt96, Middle name: (blank), Last name: ALEXANDER, MRN: 81750211, Birth date: 4/30/1952, and Procedure date: Nov 10, 2014 02:53 PM. The 'Indications' section is active, showing several categories of symptoms and conditions:

- Evaluation of symptoms:**
 - Abdominal pain
 - Change in bowel habits
 - Constipation
 - Diarrhea
 - GI Sx in immunocompromised host
 - Weight loss
 - Other symptoms
- Evaluation of GI blood loss:**
 - Anemia
 - Low ferritin without anemia
 - Positive fecal occult blood test (FOBT)
 - Hematochezia
 - Melena (unknown source)
 - Other GI blood loss
- Evaluation of non-malignant diagnosis:**

Condition	Suspected	Established
<input type="checkbox"/> C. difficile colitis	<input type="radio"/>	<input type="radio"/>
<input type="checkbox"/> Crohn's disease	<input type="radio"/>	<input type="radio"/>
<input type="checkbox"/> Eosinophilic colitis	<input type="radio"/>	<input type="radio"/>
<input type="checkbox"/> Graft v host disease	<input type="radio"/>	<input type="radio"/>
<input type="checkbox"/> Infectious colitis	<input type="radio"/>	<input type="radio"/>
<input type="checkbox"/> Ischemic colitis	<input type="radio"/>	<input type="radio"/>
<input type="checkbox"/> Radiation colitis	<input type="radio"/>	<input type="radio"/>
<input type="checkbox"/> Ulcerative colitis	<input type="radio"/>	<input type="radio"/>
<input type="checkbox"/> Other non-malignant diagnosis	<input type="checkbox"/>	
- Therapeutic intervention:**
 - Ablation of AVMs
 - Decompression
 - Dilatation of stricture
 - Hemorrhoidal banding
 - Polypectomy of known polyp(s)
 - Stent
 - Other therapeutic intervention
- Suspected malignancy or pre-malignancy:**
 - Abnormal x-ray or imaging study
- Screening (no prior pathology):**
 - Average risk
 - Family history of colorectal cancer
 - Family history of adenomatous polyps
- Cancer Surveillance in known prior disease:**
 - Adenomatous polyp(s)
 - Other polyps (unknown pathology)
 - Colorectal cancer
 - Crohn's disease
 - Ulcerative colitis
- Suspected or known familial syndrome:**
 - Familial adenomatous polyposis
 - Hereditary nonpolyposis colorectal cancer
 - Other suspected malignancy or pre-malignancy
- Indications comments:** (Empty text area)

At the bottom, there is a 'Primary Indication' dropdown menu and buttons for 'Save', 'Sign', 'Print Preview', and 'Close'.

Evaluation of symptoms: Abdominal pain

Table: FlxIndAbdPain


The 'Abdominal pain detail' dialog box shows the following options:

- Abdominal pain is associated with:**
 - bloating
 - dyspepsia
 - duration > 2 months
- Other abdominal pain details:** (Empty text area)

Buttons for 'Save' and 'Cancel' are at the bottom.

Evaluation of symptoms: Constipation

Table: FlxIndConstipation



Constipation details

of Stools per Week

Infrequent stools

Small caliber stools


Difficult evacuation / straining

Comments

Save Cancel

Evaluation of symptoms: Diarrhea

Table: FlxIndDiarrhea



Diarrhea details

acute

chronic (>= 3 months)

Frequent stools

of stools / 24 hours

of stools during sleep

Liquid stools


Incontinence

Comments

Clear Save Cancel

Evaluation of symptoms: Other symptoms


Table: FlxIndSxOther



A screenshot of a dialog box titled "Other symptoms". It features a large, empty text area with a vertical scrollbar on the right side. At the bottom of the dialog, there are two buttons: "Save" and "Cancel".

Evaluation of non-malignant diagnosis: Other non-malignant diagnosis


Table: FlxIndDxOther



A screenshot of a dialog box titled "Other non-malignant diagnosis being evaluated". It features a large, empty text area with a vertical scrollbar on the right side. At the bottom of the dialog, there are two buttons: "Save" and "Cancel".

Therapeutic intervention: Stent

Table: FlxIndStent



A screenshot of a dialog box titled "Stent detail". It contains a blue instruction "Please select all that apply" followed by three checkboxes: "Placement", "Replacement", and "Removal". The "Placement" checkbox is currently selected. Below the checkboxes is a "Comments" label and a large, empty text area with a vertical scrollbar. At the bottom of the dialog, there are two buttons: "Save" and "Cancel".

Therapeutic intervention: Other therapeutic intervention

Table: FlxIndIntervenOther

A dialog box titled "Other therapeutic intervention" with a large empty text area and "Save" and "Cancel" buttons at the bottom.

Evaluation of GI blood loss: Anemia

Table: FlxIndAnemia

A dialog box titled "Anemia detail" with a section "Type of anemia" containing three checkboxes: "Iron deficiency/low ferritin anemia" (checked), "Pernicious anemia", and "Other type". Below is a text field labeled "Specify other type of anemia" and "Save" and "Cancel" buttons.


Evaluation of GI blood loss: Positive fecal occult blood test (FOBT)

Table: FlxIndFOBT

A dialog box titled "Positive FOBT detail" with two sections: "FOBT method" with radio buttons for "Digital rectal exam" (checked) and "Home screening"; and "FOBT test" with radio buttons for "guac (gFOBT)" and "FIT". "Clear", "Save", and "Cancel" buttons are at the bottom.

Evaluation of GI blood loss: Hematochezia

Table: FlxIndHematochezia




The screenshot shows a dialog box titled "Hematochezia detail". It contains the following fields and options:

- Frequency:** A group of radio buttons with the following options: <input checked="" type="radio"/> <1/week, <input type="radio"/> 1-3x/week, <input type="radio"/> >4-6x/week, and <input type="radio"/> daily.
- Duration (weeks):** A text input field.
- Type of bleeding:** A group of radio buttons with the following options: <input type="radio"/> Outlet (defined as bright red blood with normal stools), <input type="radio"/> Suspected colonic (blood mixed with stool), and <input type="radio"/> Frank hemorrhage (blood / clots with or without stool).
- Buttons:** "Clear", "Save", and "Cancel" buttons at the bottom.

Evaluation of GI blood loss: Other GI blood loss

Table: FlxIndBloodLossOther




The screenshot shows a dialog box titled "Other GI blood loss". It contains the following fields and options:

- Text Area:** A large empty text area for notes.
- Buttons:** "Save" and "Cancel" buttons at the bottom.

Suspected malignancy or pre-malignancy: Abnormal x-ray or imaging study

Table: FlxIndAbnlXray



The screenshot shows a dialog box titled "Abnormal x-ray/imaging detail". It contains the following fields and options:

- Study type:** A group of checkboxes with the following options: <input checked="" type="checkbox"/> Computed tomography (CT), <input type="checkbox"/> CT/MR Colonography, and <input type="checkbox"/> Barium Enema (BE).
- Findings:** A group of checkboxes with the following options: <input type="checkbox"/> mass, <input type="checkbox"/> polyp, <input type="checkbox"/> stricture, <input type="checkbox"/> suspected colon pathology, and <input type="checkbox"/> wall thickening.
- Buttons:** "Save" and "Cancel" buttons at the bottom.

Screening (no prior pathology): Family history of colorectal cancer

Table: FlxIndFamHxCRC

Family history grid: FlxIndFamHxCRC_Family_history_grid

Positive family history of colorectal cancer

Family history Add relative

Relation	Age at onset
----------	--------------

Other

Save Cancel

Family history Add relative

Relation	Age at onset
▶ Parent	

- Parent
- Grandparent
- Sibling
- Child

Screening (no prior pathology): Family history of adenomatous polyps

Table: FlxIndFamHxPolyp

Family history grid: FlxIndFamHxPolyp_Family_history_grid

Positive family history of adenomatous polyps

Family history Add relative

Relation	Age at onset
----------	--------------

Other

Save Cancel

Family history Add relative

Relation	Age at onset
▶ Parent	

- Parent
- Grandparent
- Sibling
- Child

Surveillance of known prior disease: Adenomatous polyps

Table: FlxIndAdenoPolyp

Adenomatous Polyp(s) Detail

Known or suspected FAP? Yes No

Year of index exam (first detection of an adenoma) Estimated

of adenomas found on index exam

Most advanced lesion

Pathology

Location

Is this the initial surveillance exam? Yes No

Most recent exam	Estimated	Pathology of most advanced lesion
<input type="text"/>	<input type="checkbox"/>	<input type="text"/>

Prior exams

<input type="text"/>	<input type="checkbox"/>	<input type="text"/>
<input type="text"/>	<input type="checkbox"/>	<input type="text"/>
<input type="text"/>	<input type="checkbox"/>	<input type="text"/>
<input type="text"/>	<input type="checkbox"/>	<input type="text"/>

Clear Save Cancel

Known or suspected FAP? Yes No

Year of index exam (first detection of an adenoma) Estimated

of adenomas found on index exam

Most advanced lesion

Pathology

Location

Is this the initial surveillance exam? Yes No

Most recent exam	Estimated	Pathology of most advanced lesion
<input type="text"/>	<input type="checkbox"/>	<input type="text"/>

Prior exams

<input type="text"/>	<input type="checkbox"/>	<input type="text"/>
<input type="text"/>	<input type="checkbox"/>	<input type="text"/>
<input type="text"/>	<input type="checkbox"/>	<input type="text"/>
<input type="text"/>	<input type="checkbox"/>	<input type="text"/>

Clear Cancel

Known or suspected FAP? Yes No

Year of index exam (first detection of an adenoma) Estimated

of adenomas found on index exam

Most advanced lesion

Pathology

Location

1-2
3-4
5-9
>9
Unknown

Surveillance of known prior disease: Other polyps (unknown pathology)

Table: FlxIndOtherPolyp

Polyp Detail

Year of index exam (first detection of a polyp) Estimated

of polyps found on index exam

Clear Save Cancel

Surveillance of known prior disease: Colorectal cancer

Table: FlxIndCRC

Colorectal Cancer Detail

Known or suspected HNPCC? Yes No

Year of index exam (first detection of an adenoma) Estimated

Most advanced lesion

Pathology

Location

Cancer stage

T Score

N Score

M Score

Is this the initial surveillance exam? Yes No

Most recent exam	Estimated	Pathology of most advanced lesion
<input type="text"/>	<input type="checkbox"/>	<input type="text"/>
<input type="text"/>	<input type="checkbox"/>	<input type="text"/>
<input type="text"/>	<input type="checkbox"/>	<input type="text"/>
<input type="text"/>	<input type="checkbox"/>	<input type="text"/>

Prior exams

<input type="text"/>	<input type="checkbox"/>	<input type="text"/>
<input type="text"/>	<input type="checkbox"/>	<input type="text"/>
<input type="text"/>	<input type="checkbox"/>	<input type="text"/>
<input type="text"/>	<input type="checkbox"/>	<input type="text"/>

Clear Save Cancel

Known or suspected HNPCC? Yes No

Year of index exam (first detection of an adenoma) Estimated

Most advanced lesion

Pathology

Location

Cancer stage

T Score

N Score

M Score

Is this the initial surveillance exam? Yes No

Most recent exam

Estimated

Pathology

Most advanced lesion

Prior exams

Most advanced lesion

Pathology

Location

Cancer stage

cancer/well-differentiated
 cancer/moderately-differentiated
 cancer/poorly-differentiated
 cancer/unknown differentiation

Most advanced lesion

Pathology

Location

Cancer stage

Anus
 Rectum
 Sigmoid colon
 Descending colon
 Splenic flexure
 Transverse colon
 Hepatic flexure
 Ascending colon
 Terminal ileum
 Cecum
 Ileum
 proximal and distal colon

Is this the initial surveillance exam? Yes No

Most recent exam Estimated

Most advanced lesion

Cancer stage

T Score

N Score

M Score

Is this the initial surveillance exam? Yes No

T0: No tumor identified
 T1: Lamina propria/submucosa
 T2: Muscularis propria
 T3: Serosa/advantitia
 T4: Surrounding organs
 TX: Tumor cannot be assessed

Cancer stage

T Score

N Score

M Score

Is this the initial surveillance exam? Yes No

N0:No nodes
 N1:Regional
 NX:Nodes cannot be assessed

Cancer stage

T Score

N Score

M Score

Is this the initial surveillance exam?

M0:No distant metastasis
M1:Distant metastasis identified
MX:No definite metastasis seen

Year	Last name	MRN	Birth date
2015	ALEXANDER	81750211	4/30/1952

Detail

Known or suspected HNPCC? Yes No

Exam (first detection of an adenoma) Estimated

Location

T Score

N Score

M Score

Is this the initial surveillance exam? Yes No

Estimated Pathology of most advanced lesion

Most recent exam	Estimated	Pathology of most advanced lesion
<input type="text"/>	<input type="checkbox"/>	<input type="text"/>
Prior exams		
<input type="text"/>	<input type="checkbox"/>	
<input type="text"/>	<input type="checkbox"/>	
<input type="text"/>	<input type="checkbox"/>	
<input type="text"/>	<input type="checkbox"/>	

Clear

cancer
carcinoma in situ
high grade dysplasia
villous adenoma
tubulovillous adenoma
tubular adenoma < 1 cm
tubular adenoma >= 1 cm
serrated adenoma
hyperplastic polyp
inflammatory polyp
lymphoid aggregate
normal mucosa
no polyp found
unknown

Other suspected malignancy or pre-malignancy

Table: FixIndMalignancyOther

Other suspected malignancy or pre-malignancy

Save Cancel

PREPROCEDURE

Table: PEDS_FlxPreProc

Procedure personnel grid: PEDS_FlxPreProc_Procedure_personnel_grid

Antibiotics grid: PEDS_FlxPreProc_Antibiotics_grid

The screenshot shows the 'Flexible Sigmoidoscopy Pediatrics' software interface. It includes a sidebar with navigation buttons like 'History', 'Physical exam', 'Liver Disease', 'Indications', 'Preprocedure', 'Sedation', 'Procedure', 'Findings', 'Events', 'Assessment/Plan', and 'Letters/Instructions'. The main area contains several sections:

- Header:** Patient information including First name (Aga_pt96), Middle name, Last name (ALEXANDER), MRN (81750211), Birth date (4/30/1952), and Procedure date (Nov 10, 2014 02:53 PM).
- Procedure consent:** Radio buttons for 'Was a consent obtained?' (Yes/No), dropdowns for 'Person consenting' and 'Consent obtained by', and radio buttons for 'Time-out performed' (Yes/No).
- Patient Admission Status:** Radio buttons for 'Outpatient', 'Inpatient', and 'ED', and a dropdown for 'Endoscopy performed in'.
- Procedure personnel:** A table with columns for 'Role' and 'Name', showing 'Endoscopist (Atten...)' and 'Corey Cori, MD'. Below are dropdowns for 'Procedure performed by', 'Responsible endoscopist', and 'Level of supervision'.
- GI preparation:** Dropdowns for 'Prep used', 'Prep dose', and a spinner for 'Over # hours'.
- Preprocedure antibiotics:** A table with columns for 'Medication', 'Dose', and 'Route', and a list of checkboxes for various medical conditions.
- Preprocedure comments:** A text area with a warning: 'Please do not use this field if you can document the information using other fields on the screen'.

Menu containing only site-specific data: Procedure performed by

Menu containing only site-specific data: Responsible endoscopist

This close-up shows the 'Procedure consent' section. The 'Was a consent obtained?' radio buttons are set to 'Yes'. The 'Consent obtained by' dropdown menu is open, showing the following options: Patient, Family Member, and Guardian.

Procedure consent

Was a consent obtained? Yes No

Person consenting

Consent obtained by

- Physician
- Endoscopist
- PA
- GI assistant
- Staff nurse

Did the patient consent to be contacted for research purposes?

Patient Admission Status

Outpatient
 Inpatient
 ED

Bronchoscopy performed in

- Hospital bronchoscopy suite
- Ambulatory surgery center
- Office
- OR
- Radiology suite

Did the patient consent to be contacted for research purposes?

Patient performance status (ECOG/WHO/Zubrod)

Patient Admission Status

Outpatient
 Inpatient
 ED

Endoscopy performed in

- Endoscopy suite
- Hospital ward
- ICU
- NICU
- OR
- PICU
- Radiology suite
- Short stay unit

Did the patient consent to be contacted for research purposes?

Procedure personnel

Role	Name
Endoscopist - Attending physician	Corey Cori, MD

Did the patient consent to be contacted for research purposes?

- Consented
- Did not consent
- Not asked for consent

Patient performance status (ECOG/WHO/Zubrod)

Procedure personnel Add staff

Role	Name
Endoscopist - Attending physician	Corey Cori, MD

- Bronchoscopist - Attending physician
- Bronchoscopist - Fellow
- Endoscopist - Attending physician
- Endoscopist - Fellow
- Nurse
- Nurse anesthetist
- Nurse assistant
- Nurse practitioner

Perform by

Procedure personnel Add staff

Role	Name
Endoscopist - Attending physician	Corey Cori, MD
Endoscopist - Fellow	Ima Fellow Not MD

Procedure performed by

Responsible endoscopist

Level of supervision

- Attending present for the entire procedure
- Attending present for part of the procedure
- Attending available to assist

Role	B prep kit
	Fleets enema
Endose	Fleets prep kit
	Golytely
	Halflytely
	None
Procedure perf	Phospho soda
Corey Cori, MD	Visicol
Responsible en	Mag citrate
Corey Cori, MD	Miralax
	Nulytely
Level of supervi	MoviPrep
	Gatorade & MiraLAX
	OsmoPrep
GI preparation	SUPREP
Prep used	<input type="text"/>
Prep dose	<input type="text"/>
Over # hours	<input type="text"/>

(Prep used menu: customizable by site)

Antibiotics		Add med	
Medication	Dose	Route	
amoxicillin			
amoxicillin			
ampicillin			
cefazolin			
cephalexin			
ciprofloxacin			
clindamycin			
gentamicin			
levofloxacin			
metronidazole			
moxifloxacin			
ofloxacin			
streptomycin			
trimethoprim/sulfamethoxazole			
vancomycin			

Antibiotics		Add med	
Medication	Dose	Route	
amoxicillin			
	250 mg		
	500 mg		
	750 mg		
	1000 mg		
	1500 mg		
	2000 mg		

(Dose menu customized to Medication selection)

Antibiotics		Add med	
Medication	Dose	Route	
amoxicillin			
		Aerosol	
		IM	
		IV	
		PO	
		PR	
		SC	
		SL	
		Topical	

SEDATION

Table: PEDS_FlxSedation

Sedation medications menu: PEDS_FlxSedation_Sedation_medications_grid

Flexible Sigmoidoscopy Pediatrics

Pathology Images Print Fax Orders GUJUL

First name: Aga_pt96 Middle name: Last name: ALEXANDER MRN: 81750211 Birth date: 4/30/1952 Procedure date: Nov 10, 2014 02:53 PM

Use Defaults

Pre-sedation assessment

ASA classification: [dropdown]

Urgency: Emergency Urgent Elective

Assessed by: [dropdown]

Reassessment performed

Monitoring

Blood pressure

ECG

Pulse oximetry

Capnography

Other monitoring

Supplemental oxygen at baseline

Oxygen flow (liters): [dropdown]

Delivery method: [dropdown]

Patient intubated

Sedation / Anesthesia

Level of sedation: [dropdown]

Managed by: [dropdown]

Supervised by: [dropdown]

Sedation medications Add med

Medication	Dose	Route

Residual sedation from prior procedure present

Other sedation medication

No sedation medications given

Sedation / Anesthesia comments

Please do not use this field if you can document the information using other fields on the screen

Save as Default

Save Sign Print Preview Close

Pre-sedation assessment

ASA classification: [dropdown menu open with options I, II, III, IV, V]

Urgency: [radio buttons]

Assessed by: [dropdown]

Reassessment performed

Pick a classification to see definition

Pre-sedation assessment

ASA classification ▼

Urgency Emergency
 Urgent
 Elective

Assessed by ▼

Anesthesiologist
 Assistant
 Endoscopist (Attending physician)
 Endoscopist (Fellow)
 Endoscopist (Nurse Practitioner)
 Endoscopist (Physician assistant)
 ENT staff
 ICU staff
 Nurse
 Nurse anesthetist
 Nurse assistant
 Nurse practitioner
 Oncology staff
 Pathology staff
 Physician assistant
 Primary care physician
 Radiology staff
 Research staff
 Resident
 Student
 Surgeon
 Technician

Monitoring

Blood pressure

ECG

Pulse oximetry

Capnography

Other monitoring

Supplemental oxygen at

Oxygen flow (liters)

Delivery method

Patient intubated

Monitoring

Blood pressure

ECG

Pulse oximetry

Capnography

Other monitoring

Supplemental oxygen at baseline

Oxygen flow (liters)

Delivery method ▼

Blow by
 Endotracheal tube
 Face mask
 Nasal prongs

Patient intubated

Sedation / Anesthesia

Level of sedation

Managed by

Supervised by

Sedation medications

Medication	Dose	Route

Residual sedation from prior procedure present

Other sedation medication

No sedation medications given

Sedation / Anesthesia

Level of sedation

Managed by

Supervised by

Sedation medications

Medication	Dose	Route

Residual sedation from prior procedure present

Other sedation medication

No sedation medications given

Sedation / Anesthesia
Please do not use this field for sedation using other fields on the screen

Sedation / Anesthesia

Level of sedation

Managed by

Supervised by

Sedation medications

Medication	Dose	Route

Residual sedation from prior procedure present

Other sedation medication

No sedation medications given

Sedation medications		Add med	
Medication	Dose	Route	
atropine			
<ul style="list-style-type: none"> atropine benzocaine spray Cetacaine diazepam diphenhydramine droperidol <input type="checkbox"/> Residual sedation from prior procedure present fentanyl flumazenil <input type="checkbox"/> Other sedation medication glucagon glycopyrolate ketamine lidocaine meperidine <input type="checkbox"/> None methohexital sodium 0.2% methohexital sodium 1% methohexital sodium 5% midazolam morphine nalbuphine naloxone ondansetron promethazine propofol Tetracaine thiopental sodium 			
Please document the information			

Sedation medications		Add med	
Medication	Dose	Route	
atropine	<ul style="list-style-type: none"> 0.5 mg 1 mg 1.5 mg 2 mg 		

(Dose menu customized to Medication selection)

Sedation medications		Add med	
Medication	Dose	Route	
atropine		<ul style="list-style-type: none"> Aerosol IM IV PO PR SC SL Topical 	
<input type="checkbox"/> Residual sedation from prior procedure present <input type="checkbox"/> Other sedation medication			

PROCEDURE

Table: PEDS_FlxProc

Instruments grid: PEDS_FlxProc_Instruments_grid

Menus customized by site: Instrument, Serial Number in Instruments grid

Depth of insertion

Intended	Actually reached
estimated distance from ileocecal junction	Anastomosis site Anus Rectum Sigmoid colon Descending colon Splenic flexure Transverse colon Hepatic flexure Ascending colon Cecum Terminal ileum Ileum

Instruments

Instrument

Were images taken? Yes No

Was fluoroscopy used? Yes No

Abdominal compression? Yes No

Retroflexion performed? Yes No

Were biopsy(s) taken? Yes No

Patient position

Patient tolerance

Estimated blood loss (ml)

Procedure duration

Scope insertion to scope

Were images taken? Yes No

Was fluoroscopy used? Yes No

Abdominal compression? Yes No

Retroflexion performed? Yes No

Were biopsy(s) taken? Yes No

Patient position

Patient tolerance

Estimated blood loss (ml)

Procedure duration

Condition on discharge

Patient recovery location

After procedure patient sent

Patient recovery location

After procedure patient sent

After recovery patient sent

Procedure comments

Please do not use this field if you are using the other fields on the screen

(After procedure patient sent menu: customizable by site)

Patient recovery location

After procedure patient sent

After recovery patient sent

Procedure comments

Please do not use this field if you choose home fields on the screen

in to hospital
back to hospital
home

(After recovery patient sent menu: customizable by site)

Flexible Sigmoidoscopy

Table: PEDS_FlxProcSigmoidoscopy

Flexible Sigmoidoscopy with...

Biopsy(s)

Removal of foreign body

Removal of tumor(s), polyp(s), or other lesion(s) by hot biopsy forceps or bicap

Control of bleeding

Directed submucosal injection(s)

Decompression of volvulus

Removal of tumor(s), polyp(s), or other lesion(s) by snare

Ablation of tumor(s), polyp(s), or other lesion(s) not amenable to removal

Dilation by balloon, 1 or more strictures

Stent placement

Save Cancel

Procedure performed: Other procedure performed

Table: PEDS_FlxProcOther

Other procedure performed

Description

Save Cancel

Reason(s) procedure was incomplete: Other reason

Table: PEDS_FlxProclncompleteOther

A dialog box titled "Other reason for incomplete procedure" with a large text area for input and "Save" and "Cancel" buttons at the bottom.

Procedure duration

Table: PEDS_FlxClockTimes

A dialog box titled "Clock Times" with two dropdown menus: "Scope insertion" and "Scope removal" (set to "--:--:-- AM"), and "Save" and "Cancel" buttons at the bottom.


FINDINGS

Table: PEDS_FlxFind

The screenshot shows the 'Flexible Sigmoidoscopy Pediatrics' software window. At the top, there are menu options: Pathology, Images, Print, Fax, Orders, and QLQL. Below this is a patient information header with fields for First name (Aga_pt96), Middle name, Last name (ALEXANDER), MRN (81750211), Birth date (4/30/1952), and Procedure date (Nov 10, 2014 02:53 PM). The main area is titled 'FLX Findings' and contains an 'Import Images' button and a large diagram of the colon. To the left of the diagram is a 'Normal findings' section with an unchecked checkbox for 'Entire colon'. At the bottom right of the main area is a 'Findings Instructions' box with the following text: 'Add a Finding: left click the diagram, or left click and drag to shade a region', 'Delete a Finding: right click on the finding label', 'View/Edit Details: double click on the finding label', and 'Move a Label: left click and drag the finding label'. On the left side of the window is a vertical navigation menu with buttons for History, Physical exam, Liver Disease, Indications, Preprocedure, Sedation, Procedure, Findings (highlighted), Events, Assessment/Plan, and Letters/Instructions. At the bottom left are buttons for Save, Sign, Print Preview, and Close.

The 'Finding Menu' dialog box is shown, containing a list of finding options. The 'Finding' title is at the top. The list includes: Anatomical deformity, Arteriovenous malformation (AVM), Diverticulosis, Fissure / Fistula, Hemorrhoids, Image taken, Melanosis, Mucosal abnormality / Colitis / IBD, Normal, Polyp cluster, Polyp, Prior surgery, Solitary rectal ulcer, Stricture / Stenosis, Submucosal lesion, Tumor / Cancer, and Other finding. At the bottom of the dialog are 'OK' and 'Cancel' buttons.

Location menu used in colon findings subscreens (unless otherwise documented below):




Anatomical deformity

Table: PEDS_FlxAnatDeform

The screenshot shows a form titled "Anatomical Deformity". It has a "Location" dropdown menu with "Transverse colon" selected. To the right of the dropdown is a checkbox labeled "Image(s) taken". Below the dropdown is a large text area for "Description". To the right of the description area is a "Diagnosis" text field. Below the diagnosis field is a "Comments" text area. At the bottom right of the form are "Save" and "Cancel" buttons.

Location:



Arteriovenous malformation (AVM)

Table: PEDS_FlxAVM

Arteriovenous Malformation (AVM)	
Starting location: <input type="text" value="Splenic flexure"/>	Rate of bleed <input type="radio"/> Oozing <input type="radio"/> Spurting <input type="radio"/> Inactive <input type="radio"/> Uncertain
Ending location: <input type="text" value="Splenic flexure"/>	
Total # of AVMs: <input type="text"/> Maximum size (mm): <input type="text"/>	<input type="checkbox"/> Image(s) taken
Therapeutic procedure(s) <input type="checkbox"/> Hemostatic <input type="text"/> <input type="checkbox"/> Non - hemostatic <input type="text"/>	Diagnosis: <input type="text"/>
	Comments: <input type="text"/>
<input type="button" value="Save"/> <input type="button" value="Cancel"/>	

Diverticulosis

Table: PEDS_FlxDivertic

Diverticulosis	
Starting location: <input type="text" value="Splenic flexure"/>	Rate of bleed <input type="radio"/> Oozing <input type="radio"/> Spurting <input type="radio"/> Inactive <input type="radio"/> Uncertain
Ending location: <input type="text" value="Splenic flexure"/>	
Degree: <input type="radio"/> mild <input type="radio"/> moderate <input type="radio"/> severe <input type="checkbox"/> Diverticulitis suspected	<input type="checkbox"/> Image(s) taken
Therapeutic procedure(s) <input type="checkbox"/> Hemostatic <input type="text"/> <input type="checkbox"/> Non - hemostatic <input type="text"/>	Diagnosis: <input type="text"/>
	Comments: <input type="text"/>
<input type="button" value="Save"/> <input type="button" value="Cancel"/>	

Fissure / Fistula

Table: PEDS_FlxFissureFistula

Fissure / Fistula

Location:

Image(s) taken

Description

Fissure Maximum size (mm)

Fistula

Rate of bleed

Oozing
 Spurting
 Inactive
 Uncertain

Therapeutic procedure(s)

Hemostatic

Non - hemostatic

Diagnostics

Biopsy taken Total # of biopsies taken

Sent to pathology Yes No

Enter pathology ID

Current pathology IDs

Diagnosis

Comments

Hemorrhoids

Table: PEDS_FlxHemorrhoid

Hemorrhoids

Type:

Classification:

Size:

Thrombosis present

Therapeutic procedure(s)

Hemostatic

Non - hemostatic

Infrared coagulation

hemorrhoids treated

location

of pulses

duration of pulses sec

Rate of bleed

Oozing
 Spurting
 Inactive
 Uncertain

Image(s) taken

Diagnosis

Comments

Type:

Classification:

Size:

Thrombosis present

Type:

Classification:

Size:

Grade I: Non-prolapsed
 Grade II: Spontaneously reduced
 Grade III: Reducible, manually / endoscopically
 Grade IV: Permanent prolapse

Type	<input type="text"/>
Classification	<input type="text"/>
Size	<input type="text"/> Small Medium Large

Image taken

Table: PEDS_FlxImageTaken

Image taken

Location:

Image(s) taken

Comments

Melanosis

Table: PEDS_FlxMelanosis

Melanosis

Starting location: <input type="text"/> Ending location: <input type="text"/>	<input type="checkbox"/> Image(s) taken
Diagnostics <input type="checkbox"/> Biopsy taken Total # of biopsies taken: <input type="text"/>	Diagnosis: <input type="text"/>
Sent to pathology: <input type="radio"/> Yes <input type="radio"/> No Enter pathology ID: <input type="text"/> <input type="button" value="Add"/> Current pathology IDs: <input type="text"/>	Comments: <div style="border: 1px solid gray; height: 60px; width: 100%;"></div>

Mucosal abnormality / Colitis / IBD

Table: PEDS_FlxMucosalAbnl

Mucosal Abnormality / Colitis / IBD

Starting location:

Ending location:

Etiology

Crohn's disease Suspected
 Infectious colitis Established
 Ischemic colitis
 Microscopic colitis
 Pseudomembranous colitis
 Radiation colitis
 Ulcerative colitis
 Uncertain etiology
 Other

Extent

Estimated length of colitis (cm):

Pancolitis

Rate of bleed: Oozing
 Spurting
 Inactive
 Uncertain

Activity

Description

Erosions present
 Fistula
 Friability
 Loss of haustral folds
 Loss of vascularity
 Pseudopolyps
 Stenosis
 Ulcer

Therapeutic procedure(s)

Hemostatic
 Non - hemostatic

Image(s) taken

Diagnostics

Biopsy taken Total # of biopsies taken:

Sent to pathology: Yes No

Enter pathology ID:

Current pathology IDs:

Diagnosis:

Comments:

Activity:

Description:

Erosions present

Fistula

Friability

Normal

Table: PEDS_FlxNormal

Normal

Starting location:

Ending location:

Image(s) taken

Diagnostics

Biopsy taken Total # of biopsies taken:

Sent to pathology: Yes No

Enter pathology ID:

Current pathology IDs:

Comments:

Polyp cluster

Table: PEDS_FlxPolypCluster

Polyp cluster: multiple diminutive polyps in one section of the colon

Starting location <input type="text"/>	Diagnostics <input type="checkbox"/> Biopsy without cautery <input type="checkbox"/> Biopsy with cautery <input type="checkbox"/> Snare without cautery <input type="checkbox"/> Snare with cautery <input type="checkbox"/> Snare with cautery/saline Polyp removed? <input type="radio"/> Yes <input type="radio"/> No (biopsy only) Number removed <input type="text"/>
Ending location <input type="text"/>	Tissue retrieved? <input type="radio"/> Yes <input type="radio"/> No Number retrieved <input type="text"/> Sent to pathology <input type="radio"/> Yes <input type="radio"/> No Enter pathology ID <input type="text"/> <input type="button" value="Add"/> Current pathology IDs <input type="text"/>
Description Estimated number of polyps <input type="text"/> Size range (mm) <input type="text"/> to <input type="text"/> Color <input type="radio"/> red <input type="radio"/> pale	<input type="checkbox"/> Placement of tattoo Diagnosis <input type="text"/>
Therapeutic procedure(s) <input type="checkbox"/> Hemostatic <input type="button" value="▶"/> <input type="checkbox"/> Non - hemostatic <input type="button" value="▶"/>	Comments <input type="text"/>
<input type="checkbox"/> Image(s) taken	

Polyp

Table: PEDS_FlxPolyp

Polyp

Location

Distance from anal verge (cm)

Description

Diminutive polyp (<= 5mm)

Size (mm)

Type

pedunculated

sessile

flat with depressed area

flat without depressed area

Therapeutic procedure(s)

Hemostatic

Non - hemostatic

Image(s) taken

Diagnostics

Biopsy without cauterly

Biopsy with cauterly

Snare without cauterly

Snare with cauterly

Snare with cauterly/saline

Polyp removed?

Tissue retrieved? Yes No

Sent to pathology Yes No

Enter pathology ID Add

Current pathology IDs

Placement of tattoo

Diagnosis

Comments

Save Cancel

Diagnostics

Biopsy without cauterly

Biopsy with cauterly

Snare without cauterly

Snare with cauterly

Snare with cauterly/saline

Polyp removed?

Tissue retrieved?

Sent to pathology

Enter pathology ID Add

Prior surgery

Table: PEDS_FlxPriorSurg

Prior surgery	
Starting location <input type="text"/>	Diagnostics
Ending location <input type="text"/>	<input type="checkbox"/> Biopsy taken Total # of biopsies taken <input type="text"/>
Prior surgery	Sent to pathology <input type="radio"/> Yes <input type="radio"/> No
<input type="checkbox"/> Colostomy	Enter pathology ID <input type="text"/> <input type="button" value="Add"/>
<input type="checkbox"/> Left hemicolectomy	Current pathology IDs <input type="text"/>
<input type="checkbox"/> Right hemicolectomy	Diagnosis <input type="text"/>
<input type="checkbox"/> Segmental colectomy	Comments <input type="text"/>
<input type="checkbox"/> Terminal Ileum Resection	
<input type="checkbox"/> Total colectomy	
<input type="radio"/> Ileostomy	
<input type="radio"/> Ileo-anal pouch	
<input type="radio"/> Koch pouch	
<input type="checkbox"/> Other prior surgery <input type="text"/>	
<input type="checkbox"/> Image(s) taken	
	<input type="button" value="Save"/> <input type="button" value="Cancel"/>

Solitary rectal ulcer

Table: PEDS_FlxRectalUlcer

Solitary rectal ulcer	
Description	Diagnostics
Distance from anal verge (cm) <input type="text"/>	<input type="checkbox"/> Biopsy taken Total # of biopsies taken <input type="text"/>
Maximum size (mm) <input type="text"/>	Sent to pathology <input type="radio"/> Yes <input type="radio"/> No
Therapeutic procedure(s)	Enter pathology ID <input type="text"/> <input type="button" value="Add"/>
<input type="checkbox"/> Hemostatic <input type="text"/>	Current pathology IDs <input type="text"/>
<input type="checkbox"/> Non - hemostatic <input type="text"/>	Diagnosis <input type="text"/>
<input type="checkbox"/> Image(s) taken	Comments <input type="text"/>
	<input type="button" value="Save"/> <input type="button" value="Cancel"/>

Stricture / Stenosis

Table: PEDS_FlxStricture

Stricture / Stenosis	
Starting location <input type="text"/>	Therapeutic procedure(s) <input type="checkbox"/> Hemostatic <input type="checkbox"/> Non - hemostatic
Ending location <input type="text"/>	
Distance from anus (cm) <input type="text"/>	Diagnostics <input type="checkbox"/> Biopsy taken Total # of biopsies taken <input type="text"/> Sent to pathology <input type="radio"/> Yes <input type="radio"/> No Enter pathology ID <input type="text"/> <input type="button" value="Add"/> Current pathology IDs <input type="text"/>
Severity <input type="text"/>	
Suspected etiology <input type="checkbox"/> Crohn's disease <input type="checkbox"/> Diverticulitis <input type="checkbox"/> Extrinsic compression <input type="checkbox"/> Indeterminant colitis <input type="checkbox"/> Ischemic colitis <input type="checkbox"/> Malignancy <input type="checkbox"/> Post surgical <input type="checkbox"/> Radiation colitis <input type="checkbox"/> Other <input type="text"/>	
<input type="checkbox"/> Image(s) taken	Diagnosis <input type="text"/>
Comments <input type="text"/>	
<input type="button" value="Save"/> <input type="button" value="Cancel"/>	

Severity <input type="text"/>	Partial, not obstructive
Suspected etiology <input type="checkbox"/>	Partial, obstructive, but able to pass endoscope
	Complete
<input type="checkbox"/> Crohn's disease	

Submucosal lesion

Table: PEDS_FlxSubmucosalLesion

Submucosal Lesion	
Starting location <input type="text"/>	<input type="checkbox"/> Image(s) taken
Type <input type="radio"/> GIST <input type="radio"/> Lipoma <input type="radio"/> Other <input type="text"/>	Therapeutic procedure(s) <input type="checkbox"/> Hemostatic <input type="checkbox"/> Non - hemostatic
Estimated size (mm) <input type="text"/>	
Diagnostics <input type="checkbox"/> Biopsy taken Total # of biopsies taken <input type="text"/> Sent to pathology <input type="radio"/> Yes <input type="radio"/> No Enter pathology ID <input type="text"/> <input type="button" value="Add"/> Current pathology IDs <input type="text"/>	
Diagnosis <input type="text"/>	
Comments <input type="text"/>	
<input type="button" value="Save"/> <input type="button" value="Cancel"/>	

Tumor / Cancer

Table: PEDS_FlxTumor

Tumor / Cancer
Home
Log Out

Starting location

Ending location

Distance from anal verge (cm)

Description

Suspected malignant
 Established malignant by prior biopsy
 Suspected benign
 Established benign by prior biopsy

Length (cm)

Circumferential
 Fungating
 Mucosal
 Submucosal

Obstruction

Therapeutic procedure(s)

Hemostatic ▶
 Non - hemostatic ▶

Diagnostics

Biopsy taken Total # of biopsies taken

Sent to pathology Yes No

Enter pathology ID

Current pathology IDs

Placement of tattoo

Image(s) taken

Diagnosis

Comments

Description

Suspected malignant
 Established malignant by prior biopsy
 Suspected benign
 Established benign by prior biopsy

Length (cm)

Circumferential
 Fungating
 Mucosal
 Submucosal

Obstruction

Therapeutic procedure(s)


Other finding

Table: PEDS_FlxFindOther


Other finding	
Starting location <input type="text"/>	<input type="checkbox"/> Image(s) taken
Ending location <input type="text"/>	
Diagnostics	
<input type="checkbox"/> Biopsy taken Total # of biopsies taken <input type="text"/>	
Sent to pathology <input type="radio"/> Yes <input type="radio"/> No	Diagnosis <input type="text"/>
Enter pathology ID <input type="text"/> <input type="button" value="Add"/>	Description / Comments <input type="text"/>
Current pathology IDs <input type="text"/>	
Therapeutic procedure(s)	
<input type="checkbox"/> Hemostatic <input type="button" value="▶"/>	
<input type="checkbox"/> Non - hemostatic <input type="button" value="▶"/>	
	<input type="button" value="Save"/> <input type="button" value="Cancel"/>

THERAPIES

For all therapies:




A screenshot of a software interface showing two dropdown menus. The first menu is labeled 'Bleeding outcome' and is open, displaying three options: 'bleeding continues', 'bleeding precipitated', and 'hemostasis achieved'. The second menu is labeled 'Procedural outcome' and is also open, displaying two options: 'technically successful' and 'technically not successful'.



A screenshot of a software interface showing a dropdown menu labeled 'Procedural outcome' which is open, displaying two options: 'technically successful' and 'technically not successful'. Below the menu, the text 'Comments' is partially visible.

Hemostatic therapies

Table: PEDS_TheraLauncherHemo



A screenshot of a dialog box titled 'Therapies'. Inside the dialog, there is a section labeled 'Hemostatic' containing a list of therapy options, each with an unchecked checkbox and a right-pointing arrow: 'APC', 'Banding', 'Bipolar coagulation', 'Clip', 'Heater probe', 'Injection', 'Laser', and 'Other therapy'. The 'APC' option is highlighted with a blue background. At the bottom of the dialog, there are two buttons: 'Save' and 'Cancel'.

Hemostatic Argon Plasma Coagulation (APC)

Table: TxHemAPC

Hemostatic Argon Plasma Coagulation (APC)	
Watts	<input type="text"/>
Litres / min of Ar	<input type="text"/>
Bleeding outcome	<input type="text"/>
Procedural outcome	<input type="text"/>
Comments	<input type="text"/>
<input type="button" value="Save"/> <input type="button" value="Cancel"/>	

Hemostatic Banding

Table: PEDS_TxHemBanding

Hemostatic Banding	
Banding device	<input type="text"/>
Total bands fired	<input type="text"/>
Bands placed	<input type="text"/>
Bleeding outcome	<input type="text"/>
Procedural outcome	<input type="text"/>
Comments	<input type="text"/>
<input type="button" value="Save"/> <input type="button" value="Cancel"/>	

Hemostatic Bipolar Coagulation (BiCap)

Table: TxHemBiCap

Hemostatic Bipolar Coagulation (BiCap)	
BiCap device	<input type="text"/>
Watts	<input type="text"/>
Total Seconds	<input type="text"/>
<input type="checkbox"/> Irrigation fluid used	
Bleeding outcome	<input type="text"/>
Procedural outcome	<input type="text"/>
Comments	<input type="text"/>
<input type="button" value="Save"/> <input type="button" value="Cancel"/>	

Hemostatic Clip(s)

Table: TxHemClip

Hemostatic Clip(s)	
Total clips fired	<input type="text"/>
Clips placed	<input type="text"/>
Bleeding outcome	<input type="text"/>
Procedural outcome	<input type="text"/>
Comments	<input type="text"/>
<input type="button" value="Save"/> <input type="button" value="Cancel"/>	

Hemostatic Heater Probe

Table: TxHemProbe

Hemostatic Heater Probe	
Instrument	<input type="text"/>
Watts	<input type="text"/>
Bleeding outcome	<input type="text"/>
Procedural outcome	<input type="text"/>
Comments	<input type="text"/>
<input type="button" value="Save"/> <input type="button" value="Cancel"/>	

Hemostatic Injection

Table: TxHemInjection

Hemostatic Injection	
Injectant	<input type="text"/>
Combined with	<input type="text"/>
Number of injections	<input type="text"/>
Total volume injected (cc)	<input type="text"/>
Bleeding outcome	<input type="text"/>
Procedural outcome	<input type="text"/>
Comments	<input type="text"/>
<input type="button" value="Save"/> <input type="button" value="Cancel"/>	

Hemostatic Laser

Table: TxHemLaser

The screenshot shows a software window titled "Hemostatic Laser". It contains several input fields: "Type of laser" (a dropdown menu), "Watts" (a spinner control), "Joules" (a spinner control), and "Total seconds" (a spinner control). Below these are two more dropdown menus for "Bleeding outcome" and "Procedural outcome". A large text area for "Comments" is positioned below the dropdowns. At the bottom of the window are two buttons: "Save" and "Cancel".


Other hemostatic therapy(s)

Table: TxHemOther

The screenshot shows a software window titled "Other hemostatic therapy(s)". It features a large text area for "Description" at the top. Below this are two dropdown menus for "Bleeding outcome" and "Procedural outcome". A second large text area for "Comments" is located below the dropdowns. At the bottom of the window are two buttons: "Save" and "Cancel".

Non-hemostatic therapies

Table: PEDS_TheraLauncherNonHemo




The 'Therapies' dialog box contains a section titled 'Non-hemostatic' with a list of therapy options, each with an unchecked checkbox and a right-pointing arrow:

- APC
- Banding
- Clip
- Dilation
- EMR
- Heater probe
- Injection
- Laser
- Stent
- Other therapy

At the bottom of the dialog are 'Save' and 'Cancel' buttons.

Non-hemostatic Argon Plasma Coagulation

Table: TxNonHemAPC




The 'Non-hemostatic Argon Plasma Coagulation (APC)' dialog box includes the following fields:

- 'Watts' with a numeric spinner.
- 'Litres / min of Ar' with a numeric spinner.
- 'Procedural outcome' with a dropdown menu.
- 'Comments' with a text area.

'Save' and 'Cancel' buttons are located at the bottom.

Non-hemostatic Banding

Table: PEDS_TxNonHemBanding / TxNonHemBanding



The 'Non-hemostatic Banding' dialog box includes the following fields:

- 'Banding device' with a dropdown menu showing 'Two Shooter'.
- 'Total bands fired' with a numeric spinner.
- 'Bands placed' with a numeric spinner.
- 'Procedural outcome' with a dropdown menu.
- 'Comments' with a text area.

'Save' and 'Cancel' buttons are located at the bottom.

Non-hemostatic Clip(s)

Table: TxNonHemClip

Non-hemostatic Clip(s)

Total clips fired

Clips placed

Procedural outcome

Comments

Save Cancel

Non-hemostatic Dilation

Table: TxNonHemDilation

Non-hemostatic Dilation

Dilator type

Resistance

Performed under fluoroscopy

Performed with wire

Heme on extraction

Patient Tolerance

Dilator size used #1 #2 #3 #4

Units of size Fr mm

Procedural outcome

Length of time (secs)

Pressure (PSI)

Comments

Save Cancel

Non-hemostatic Endoscopic Mucosal Resection (EMR)

Table: TxNonHemEMR

Non-hemostatic Endoscopic Mucosal Resection (EMR)

Instrument

Complete resection

Sample retrieved

Procedural outcome

Comments

Save Cancel

Non-hemostatic Heater Probe

Table: TxNonHemProbe

Non-hemostatic Heater Probe	
Instrument	<input type="text"/>
Watts	<input type="text"/>
Procedural outcome	<input type="text"/>
Comments	<input type="text"/>
<input type="button" value="Save"/> <input type="button" value="Cancel"/>	

Non-hemostatic Injection

Table: TxNonHemInjection

Non-hemostatic Injection	
Injectant	<input type="text"/>
Combined with	<input type="text"/>
Number of injections	<input type="text"/>
Total volume injected (cc)	<input type="text"/>
Procedural outcome	<input type="text"/>
Comments	<input type="text"/>
<input type="button" value="Save"/> <input type="button" value="Cancel"/>	

Non-hemostatic Stent

Table: TxNonHemStent

Non-hemostatic Stent	
Number of stents used	<input type="text"/>
Stent type	<input type="text"/>
Length (cm)	<input type="text"/>
Covered (cm)	<input type="text"/>
Diameter	<input type="text"/> <input type="radio"/> Fr <input type="radio"/> mm
Flange (mm)	<input type="text"/>
Guidewire	<input type="text"/>
<input type="checkbox"/> Proximal clips placed	<input type="checkbox"/> Distal clips placed
<input type="checkbox"/> Performed under fluoroscopic guidance	
<input type="checkbox"/> Injected with contrast	
Procedural outcome	<input type="text"/>
Comments	<input type="text"/>
<input type="button" value="Save"/> <input type="button" value="Cancel"/>	

Non-hemostatic Laser

Table: TxNonHemLaser

The screenshot shows a software window titled "Non-hemostatic Laser". It contains several input fields: a dropdown menu for "Type of laser", three spinners for "Watts", "Joules", and "Total seconds", and another dropdown menu for "Procedural outcome". Below these is a large text area for "Comments". At the bottom of the window are two buttons: "Save" and "Cancel".

Other non-hemostatic therapy(s)

Table: TxNonHemOther

The screenshot shows a software window titled "Other non-hemostatic therapy(s)". It contains a large text area for "Description", a dropdown menu for "Procedural outcome", and another large text area for "Comments". At the bottom of the window are two buttons: "Save" and "Cancel".

EVENTS

Table: Intervention

Intervention medication grid: Intervention_Intervention_medication_grid

(Dose menu customized to Medication selection)

Intervention medication			Add med
Medication	Dose	Route	
atropine			
			<ul style="list-style-type: none"> Aerosol IM IV PO PR SC SL Topical
<input type="checkbox"/> Other intervention medication			

Cardiac events: Other cardiac event

Table: EventCardiacOther

Other cardiac events

Pulmonary events: Hypoxia – prolonged (>15 sec)

Table: EventHypoxia

Prolonged hypoxia comments

Pulmonary events: Other pulmonary event

Table: EventPulmOther

Other pulmonary events


Gastrointestinal events: Bleeding

Table: EventBleeding

Bleeding comments

Gastrointestinal events: Other GI event


Table: EventGIOther



A screenshot of a dialog box titled "Other GI events". It features a large, empty text area for input. At the bottom of the dialog, there are two buttons: "Save" and "Cancel".

Other events: Other event


Table: EventOther



A screenshot of a dialog box titled "Other unplanned events". It features a large, empty text area for input. At the bottom of the dialog, there are two buttons: "Save" and "Cancel".

If yes, specify the intervention(s): Oxygen administered


Table: EventsO2Admin



A screenshot of a dialog box titled "Supplemental oxygen detail". It contains several input fields: "Oxygen flow (liters)" with a numeric spinner, "Delivery method" with a dropdown menu, and "Comments" with a large text area. At the bottom, there are "Save" and "Cancel" buttons.

If yes, specify the interventions: Other interventions


Table: EventIntervenOther



A screenshot of a dialog box titled "Other interventions required". It features a large, empty text area for input. At the bottom of the dialog, there are two buttons: "Save" and "Cancel".

Intervention medications: Other intervention medication

Table: IntervenMedOther



The image shows a screenshot of a software window titled "Other intervention medication". The window has a standard Windows-style title bar with a close button on the right. The main area of the window is a large, empty rectangular box, likely intended for a list or table of data. At the bottom of the window, there are two buttons: "Save" on the left and "Cancel" on the right.

ASSESSMENT / PLAN

Table: PEDS_TreatmentPlan

New Medications grid: PEDS_TreatmentPlan_New_mediations_grid

Scheduling and Referring grid: PEDS_TreatmentPlan_Scheduling_and_Referring_grid (redacted)

The screenshot shows the 'Flexible Sigmoidoscopy Pediatrics' software interface. The 'Assessment/Plan' tab is selected in the left-hand navigation menu. The main window displays patient information (Aga_pt96, ALEXANDER, MRN 81750211, Birth date 4/30/1952, Procedure date Nov 10, 2014 02:53 PM) and various assessment options. The 'Medication plan' section includes checkboxes for 'Start new medications', 'Discontinue current medications', 'Continue current medications', 'Await pathology', 'Medications per referring provide', and 'No medications required'. Below this is a 'New medications' table with columns for Medication Type, Medication, Dose, Route, Sig, Disp, and Comments. The 'Scheduling and Referring' section also has a 'New activity' button and a table with columns for Activity Type, Activity, When, Date, and Comments. At the bottom, there are buttons for 'Save', 'Sign', 'Print Preview', and 'Close'.

This close-up shows the 'New medications' table with the 'Medication Type' dropdown menu open. The menu lists various medication categories such as Anti-constipation, Anti-diarrheal, Antibiotics, Antiemetic, Antispasmodics, Bile Acids, Fiber supplements, H2 Blocker, Hemorrhoidal Agent, Hormone therapy, HP Med, Immunosuppressants, Non-Steroidals, Other GI Medications, PPI, Promotility, Psychotropics, Steroids, and Venices Meds. The '5-ASA' category is currently selected.

This close-up shows the 'New medications' table with a customized dropdown menu for the 'Medication' field. The menu lists specific medication options: mesalamine, mesalamine enema, mesalamine suppository, olsalazine, and sulfasalazine. The 'mesalamine' option is currently selected.

(Medication menu customized to Medication Type selection)

New medications						
Medication Type	Medication	Dose	Route	Sig	Disp	Comments
5-ASA	mesalamine	1500 mg				
<input type="checkbox"/> Other new medications						

(Dose menu customized to Medication selection)

New medications						
Medication Type	Medication	Dose	Route	Sig	Disp	Comments
5-ASA	mesalamine		Aerosol			
<input type="checkbox"/> Other new medications						

New medications						
Medication Type	Medication	Dose	Route	Sig	Disp	Comments
5-ASA	mesalamine			AC		
<input type="checkbox"/> Other new medications						

Scheduling and Referring				
Activity Type	Activity	When	Date	Comments
Admit to hospital				
<input type="checkbox"/> Other plan				

Scheduling and Referring				
Activity Type	Activity	When	Date	Comments
Followup	Call office			
<input type="checkbox"/> Other plan				

(Activity menu customized to Activity Type selection)

Scheduling and Referring				
Activity Type	Activity	When	Date	Comments
Followup		Around		
<input type="checkbox"/> Other plan				

Medication plan: Discontinue current medications

Table: DiscontinueCurMeds

Discontinue current medication(s)

List current medication(s) to discontinue

Medication plan: Continue current medications

Table: ContinueMeds

The screenshot shows a dialog box titled "Continue current medication(s)". At the top, there is a checked checkbox labeled "Continue all current medications". Below this, the text "List current medication(s) to continue" is followed by a large, empty text area with a vertical scrollbar. At the bottom of the dialog, there are two buttons: "Save" and "Cancel".

New medications: Other new medications

Table: OtherNewMeds

The screenshot shows a dialog box titled "Other new medications". It features a large, empty text area with a vertical scrollbar. At the bottom of the dialog, there are two buttons: "Save" and "Cancel".

Scheduling and Referring: Other plan

Table: PlanOther

The screenshot shows a dialog box titled "Other plan". It features a large, empty text area with a vertical scrollbar. At the bottom of the dialog, there are two buttons: "Save" and "Cancel".

LETTERS / INSTRUCTIONS

Table: Letters

Flexible Sigmoidoscopy Pediatrics
Pathology Images Print Fax Orders L3LJUL

First name: Aga_pt36
Middle name:
Last name: ALEXANDER
MRN: 81750211
Birth date: 4/30/1952
Procedure date: Nov 10, 2014 02:53 PM

Use Defaults

Select Providers to receive copies of the report

Search by last name: [Providers](#)

Gissel, Theodore Whoville Clinic

Nimble, Jack

Provider, A Generic Clinic

Provider, Default Oregon Health and Science University

Provider, First

Provider, Second Second Tier Medical

Slughom, Prof Hogwarts

Test, Tom Northwest Test Center of Lower hoboken New Jersey

Turtle, Mertle Turtle Pond Digestive Care

Add ->
< Remove

Referring provider

Other providers to be copied

Print these providers at bottom of procedure report

Finding-specific instructions

Colon

<input type="checkbox"/> Arteriovenous malformation (AVM)	<input type="checkbox"/> Normal	<input type="checkbox"/> Submucosal Lesion
<input type="checkbox"/> Diverticulosis	<input type="checkbox"/> Polyp cluster	<input type="checkbox"/> Tumor / Cancer
<input type="checkbox"/> Fissure / Fistula	<input type="checkbox"/> Polyp	
<input type="checkbox"/> Hemorrhoids	<input type="checkbox"/> Prior surgery	
<input type="checkbox"/> Melanosis	<input type="checkbox"/> Solitary rectal ulcer	
<input type="checkbox"/> Mucosal abnormality / Colitis / IBD	<input type="checkbox"/> Stricture / Stenosis	

Instructions given in:

Standardized instructions given

Sedation High-fiber diet

Post-exam instructions given

NPO:

Liquids only:

Resume prior diet:

No alcohol:

ASA / NSAIDS:

Restart medications:

Other specific post-exam instructions

Save

Sign

Print Preview

Close

Save as Default