




Screenshots for Documentation of Small Caliber Endoscopy (SCE) Procedures in CORI v4

Table of Contents

HISTORY	3
<i>Surgical History</i>	5
<i>Medical History</i>	6
PHYSICAL EXAMINATION	8
LIVER DISEASE	9
INDICATIONS	13
PREPROCEDURE	22
SEDATION	24
PROCEDURE	28
FINDINGS	31
<i>Anatomical deformity</i>	32
<i>Barrett's esophagus</i>	33
<i>Esophageal ulcer</i>	34
<i>Food impaction</i>	35
<i>Hiatal Hernia</i>	36
<i>Image Taken</i>	36
<i>Laryngeal exam</i>	37
<i>Mallory-Weiss tear</i>	37
<i>Mucosal abnormality / Esophagus</i>	38
<i>Mucosal abnormality / Stomach – Duodenum</i>	40
<i>Polyp</i>	41
<i>Normal</i>	42
<i>Prior endotherapy</i>	42
<i>Prior surgery</i>	43
<i>Stricture / Stenosis</i>	44
<i>Tumor</i>	45
<i>Ulcer</i>	46
<i>Varices</i>	47
<i>Other finding</i>	47
THERAPIES	49
<i>Hemostatic therapies</i>	49
Hemostatic Argon Plasma Coagulation (APC)	50

Hemostatic Banding.....	50
Hemostatic Bipolar Coagulation (BiCap).....	51
Hemostatic Clip(s).....	51
Hemostatic Heater Probe	52
Hemostatic Injection.....	52
Hemostatic Laser	53
Other hemostatic therapy(s)	53
<i>Non-hemostatic therapies</i>	54
Non-hemostatic Argon Plasma Coagulation	54
Non-hemostatic Banding	54
Non-hemostatic Clip(s)	55
Non-hemostatic Dilation.....	55
Non-hemostatic Endoscopic Mucosal Resection (EMR)	56
Non-hemostatic Heater Probe.....	56
Non-hemostatic Injection	57
Non-hemostatic Laser.....	57
Non-hemostatic Stent.....	58
Other non-hemostatic therapy(s).....	58
EVENTS	59
ASSESSMENT / PLAN.....	63
LETTERS / INSTRUCTIONS	66

Above each screenshot or set of screenshots is the name of the table in the v4 National Endoscopic Database where the data collected on that screen is found. Some screenshots show the content of subscreens that are also documented in the same table. Controls which have subscreens are evidenced by the orange arrows: 

HISTORY

Table: History

Small Caliber Endoscopy

Pathology Images Print Fax Orders

First name: Fake Middle name: Last name: Patient MRN: 00000000 Birth date: 1/1/1901 Procedure date: 1/ 1/2000 12:00 PM

History

- Physical exam
- Liver Disease
- Indications
- Preprocedure
- Sedation
- Procedure
- Findings
- Events
- Assessment/Plan
- Letters/Instructions

Medications

Within the last 7 days, has the patient taken anti-inflammatory, anti-coagulant or anti-platelet medications? Yes No

Which medications	Stopped prior to exam?	# of days prior
<input type="checkbox"/> ASA	<input type="radio"/> Yes <input type="radio"/> No	<input type="text"/>
<input type="checkbox"/> NSAID	<input type="radio"/> Yes <input type="radio"/> No	<input type="text"/>
<input type="checkbox"/> COX-2	<input type="radio"/> Yes <input type="radio"/> No	<input type="text"/>
<input type="checkbox"/> Heparin	<input type="radio"/> Yes <input type="radio"/> No	<input type="text"/>
<input type="checkbox"/> LMWH	<input type="radio"/> Yes <input type="radio"/> No	<input type="text"/>
<input type="checkbox"/> Coumadin	<input type="radio"/> Yes <input type="radio"/> No	<input type="text"/>
<input type="checkbox"/> Plavix	<input type="radio"/> Yes <input type="radio"/> No	<input type="text"/>
<input type="checkbox"/> Other	<input type="radio"/> Yes <input type="radio"/> No	<input type="text"/>

Other antiinflammatory/anticoagulant/antiplatelet meds

Anticoagulation plan

Other medications

Patient habits

Smoking history:

Amount:

Number of years:

Smokes every day: Yes No

Current alcohol consumption (wine, beer, liquor):

No prior surgeries

Surgical history

No history of major medical illness

Medical history

Recent labs/studies: Yes No

Allergies: Yes No

History comments

Please do not use this field if you can document the information using other fields on the screen

Save Sign Print Preview Close

Patient habits

Smoking history:

Amount:

Number of years:

Smokes every day: Yes No

Current alcohol consumption (wine, beer, liquor):

Patient habits

Smoking history:

Amount:

Number of years:

Smokes every day:

Current alcohol consumption (wine, beer, liquor):

Patient habits

Smoking history

Amount

Number of years

Smokes every day Yes No

Current alcohol consumption (wine, beer, liquor)

No prior surgeries

Surgical history ▶

- Abstains
- Occasional (average less than daily)
- Moderate (1-2 drinks per day)
- Heavy (>2 drinks per day)

Surgical History

HxSurgHx

Patient History > Surgical History

Biliary/Pancreatic	GI, Upper	Genitourinary
<input type="checkbox"/> Biliary bypass <input type="checkbox"/> Cholecystectomy <input type="checkbox"/> Cyst removal <input type="checkbox"/> Liver surgery <input type="checkbox"/> Pancreatic resection <input type="checkbox"/> Pancreatic surgery <input type="checkbox"/> Sphincteroplasty <input type="checkbox"/> Whipple procedure	<input type="checkbox"/> Anti-reflux surgery <input type="checkbox"/> Billroth I <input type="checkbox"/> Billroth II <input type="checkbox"/> Esophageal myotomy (Heller) <input type="checkbox"/> Esophagectomy <input type="radio"/> partial <input type="radio"/> total <input type="checkbox"/> Gastrectomy <input type="radio"/> partial <input type="radio"/> total Gastric bypass <input type="checkbox"/> Banded gastroplasty <input type="checkbox"/> Roux-en-Y gastric bypass (RYGB) <input type="checkbox"/> Sleeve gastrectomy <input type="checkbox"/> Gastrojejunostomy <input type="checkbox"/> Gastrostomy tube <input type="checkbox"/> Jejunostomy tube <input type="checkbox"/> Pyloroplasty	<input type="checkbox"/> Cesarean Section <input type="checkbox"/> Total abdominal hysterectomy <input type="checkbox"/> Tubal ligation <input type="checkbox"/> Vaginal hysterectomy <input type="checkbox"/> Partial hysterectomy <input type="checkbox"/> TURP
Cardiovascular		Pulmonary
<input type="checkbox"/> Coronary artery bypass <input type="checkbox"/> Valve replacement		<input type="checkbox"/> Lobectomy
GI, Lower		Organ Transplant
<input type="checkbox"/> Colostomy <input type="checkbox"/> Left hemicolectomy <input type="checkbox"/> Right hemicolectomy <input type="checkbox"/> Segmental colectomy <input type="checkbox"/> Total colectomy with <input type="radio"/> ileostomy <input type="radio"/> ileo-anal pouch <input type="radio"/> Koch pouch <input type="checkbox"/> Hemorrhoidectomy <input type="checkbox"/> Terminal ileum resection <input type="checkbox"/> Appendectomy		<input type="checkbox"/> Heart <input type="checkbox"/> Liver <input type="checkbox"/> Lung <input type="checkbox"/> Kidney <input type="checkbox"/> Pancreas <input type="checkbox"/> Small Bowel <input type="checkbox"/> Bone marrow
		Other
		<input type="checkbox"/> Other surgical history ▶ <input type="checkbox"/> Tonsillectomy

Save Cancel

Other: Other surgical history

SurgHxOther

Other surgical history

Save Cancel

Medical History

HxMedHx

Patient history > Medical history

Cardiovascular <ul style="list-style-type: none"><input checked="" type="checkbox"/> Angina<input type="checkbox"/> Congestive heart failure (CHF)<input type="checkbox"/> Coronary artery disease (CAD)<input type="checkbox"/> Dysrhythmia<input type="checkbox"/> Deep vein thrombosis/PE<input type="checkbox"/> Hypertension (HTN)<input type="checkbox"/> Implanted defibrillator<input type="checkbox"/> Murmur<input type="checkbox"/> Myocardial Infarction (MI)<input type="checkbox"/> Pacemaker<input type="checkbox"/> Peripheral vascular disease (PVD)<input type="checkbox"/> Rheumatic fever<input type="checkbox"/> Valvular heart disease	Gastrointestinal <ul style="list-style-type: none"><input type="checkbox"/> Adenomatous polyps<input type="checkbox"/> Barrett's esophagusCancer<ul style="list-style-type: none"><input type="checkbox"/> Anal Cancer<input type="checkbox"/> Colorectal Cancer<input type="checkbox"/> Esophageal Cancer<input type="checkbox"/> Gastric Cancer<input type="checkbox"/> Small bowel Cancer<input type="checkbox"/> Crohn's disease<input type="checkbox"/> Diverticulitis<input type="checkbox"/> Dysphagia<input type="checkbox"/> Esophagitis<input type="checkbox"/> Eosinophilic esophagitis<input type="checkbox"/> Food impaction<input type="checkbox"/> Gastritis<input type="checkbox"/> Gastroesophageal reflux disease (GERD)<input type="checkbox"/> H. pylori<input type="checkbox"/> Inflammatory bowel disease (IBD)<input type="checkbox"/> Irritable bowel syndrome (IBS)<input type="checkbox"/> Pancreatitis<ul style="list-style-type: none"><input type="radio"/> acute<input type="radio"/> chronic<input type="checkbox"/> Small bowel obstruction<input type="checkbox"/> Sphincter of Oddi dysfunction<input type="checkbox"/> Ulcerative colitis<input type="checkbox"/> Ulcers	Infection <ul style="list-style-type: none"><input type="checkbox"/> Human immunodeficiency virus (HIV)<input type="checkbox"/> Methicillin resistant Staph. aureus (MRSA)<input type="checkbox"/> Sepsis<input type="checkbox"/> Vancomycin resistant Staph. aureus (VRSA)
Endocrine <ul style="list-style-type: none"><input type="checkbox"/> Diabetes<input type="checkbox"/> Hyperlipidemia<input type="checkbox"/> Osteoporosis<input type="checkbox"/> Steroid use<input type="checkbox"/> Thyroid abnormality<input type="checkbox"/> Weight change > 10 lbs (recent)	Genitourinary <ul style="list-style-type: none"><input type="checkbox"/> Benign prostatic hypertrophy<input type="checkbox"/> Nephrolithiasis<input type="checkbox"/> Prostate cancer	Neurological/Musculoskeletal <ul style="list-style-type: none"><input type="checkbox"/> Arthritis<input type="checkbox"/> Back problems<input type="checkbox"/> Dementia<input type="checkbox"/> Depression<input type="checkbox"/> Lupus/SLE<input type="checkbox"/> Migraines<input type="checkbox"/> Neuromuscular disease<input type="checkbox"/> Stroke<input type="checkbox"/> Seizure<input type="checkbox"/> Syncope<input type="checkbox"/> Transient ischemic attack
Gynecological <ul style="list-style-type: none"><input type="checkbox"/> Ovarian cancer<ul style="list-style-type: none">Age at diagnosis: <input type="text"/><input type="checkbox"/> Endometrial cancer<ul style="list-style-type: none">Age at diagnosis: <input type="text"/><input type="checkbox"/> Breast cancer<ul style="list-style-type: none">Age at diagnosis: <input type="text"/><input type="checkbox"/> Pregnancy	Liver/Biliary <ul style="list-style-type: none"><input type="checkbox"/> Cirrhosis<input type="checkbox"/> Portal hypertensionViral hepatitis<ul style="list-style-type: none"><input type="checkbox"/> Hepatitis B<input type="checkbox"/> Hepatitis C<input type="checkbox"/> Other hepatitis<input type="checkbox"/> Cholelithiasis<input type="checkbox"/> Cholecystitis	Pulmonary <ul style="list-style-type: none"><input type="checkbox"/> Asthma<input type="checkbox"/> Chronic obstructive lung disease<input type="checkbox"/> Dyspnea<input type="checkbox"/> Orthopnea<input type="checkbox"/> Pneumonia<input type="checkbox"/> Sleep apnea<input type="checkbox"/> Tuberculosis<input type="checkbox"/> Upper respiratory infection (recent)
Hematological <ul style="list-style-type: none"><input type="checkbox"/> Anemia<input type="checkbox"/> Thrombocytopenia<input checked="" type="checkbox"/> Hematological cancer ▶<input type="checkbox"/> Chemotherapy<input type="checkbox"/> Hemophilia<input type="checkbox"/> Radiation therapy<input type="checkbox"/> Sickle cell disease/trait		Renal <ul style="list-style-type: none"><input type="checkbox"/> Continuous abdominal peritoneal dialysis (CAPD)<input type="checkbox"/> Hemodialysis<input type="checkbox"/> Renal failure<input type="checkbox"/> Urinary tract infection (recent)
		Other <ul style="list-style-type: none"><input type="checkbox"/> Obesity<input checked="" type="checkbox"/> Other medical history ▶

Save Cancel

Hematological: Hematological cancer

HemeCaType


Hematological cancer

Please indicate type of hematological cancer

Save Cancel

Other: Other medical history

Table: MedHxOther



The image shows a screenshot of a software dialog box titled "Other medical history". The dialog box has a light blue title bar and a white main area. Inside the main area, there is a large, empty text input field with a vertical scrollbar on the right side. At the bottom of the dialog box, there are two buttons: "Save" and "Cancel".

PHYSICAL EXAMINATION

Table: PE

Small Caliber Endoscopy
Pathology Images Print Fax Orders

First name	Middle name	Last name	MRN	Birth date	Procedure date
Fake		Patient	00000000	1/1/1901	1/ 1/2000 12:00 PM

- History
- Physical exam
- Liver Disease
- Indications
- Preprocedure
- Sedation
- Procedure
- Findings
- Events
- Assessment/Plan
- Letters/Instructions

Physical exam performed

Measurements

Height/length in

Weight lbs

BMI #

BMI class (adults)

Physical exam(s)

Entire PE WNL

Abdominal Exam	<input type="radio"/> Normal	<input type="radio"/> Abnormal	<input type="radio"/> Not performed
Airway Exam	<input type="radio"/> Normal	<input type="radio"/> Abnormal	<input type="radio"/> Not performed
Cardio-pulmonary Exam	<input type="radio"/> Normal	<input type="radio"/> Abnormal	<input type="radio"/> Not performed
Extremity Exam	<input type="radio"/> Normal	<input type="radio"/> Abnormal	<input type="radio"/> Not performed
HEENT Exam	<input type="radio"/> Normal	<input type="radio"/> Abnormal	<input type="radio"/> Not performed
Mental status Exam	<input type="radio"/> Normal	<input type="radio"/> Abnormal	<input type="radio"/> Not performed
Neurological Exam	<input type="radio"/> Normal	<input type="radio"/> Abnormal	<input type="radio"/> Not performed
Rectal Exam	<input type="radio"/> Normal	<input type="radio"/> Abnormal	<input type="radio"/> Not performed

Systolic BP mm. Hg

Diastolic BP mm. Hg

Pulse beats / min.

Physical exam comments
 Please do not use this field if you can document the information using other fields on the screen

Save

Sign

Print Preview

Close

LIVER DISEASE

Table: Liver

Small Caliber Endoscopy
Pathology Images Print Fax Orders

First name	Aga_pt96	Middle name		Last name	ALEXANDER	MRN	81750211	Birth date	4/30/1952	Procedure date	6/ 9/2015 10:54 AM
------------	----------	-------------	--	-----------	-----------	-----	----------	------------	-----------	----------------	--------------------

History

Physical exam

Liver Disease

Indications

Preprocedure

Sedation

Procedure

Findings

Events

Assessment/Plan

Letters/Instructions

Save

Sign

Print Preview

Close

History of varices

Known history of varices
 No known history of varices
 Unknown history of varices

Prior variceal bleed

Has there been a prior bleed?

Status of the eradication

Prior variceal bleed comments

Specify the type of varices

Esophageal
 Duodenal
 Gastric
 Other type

Prior surveillance?

History of prior surveillance
 No known prior surveillance
 Unknown if prior surveillance

Prior surveillance exam date

Evidence of liver disease

Abnormal laboratory values
 Portal hypertension
 Histologic cirrhosis
 Portal vein thrombosis
 Other evidence

What is the etiology of the liver disease?

Alcohol
 Autoimmune hepatitis
 Biliary atresia
 Cryptogenic
 Cystic fibrosis
 Hepatitis B
 Hepatitis C
 Non-alcoholic steato-hepatitis (NASH)
 Primary biliary cirrhosis (PBC)
 Primary sclerosing cholangitis (PSC)
 Other etiology

Childs-Pugh classification

Encephalopathy

Ascites

Serum bilirubin

Serum albumin

Prothrombin time (INR)

Final classification

Prior variceal bleed

Has there been a prior bleed?

Status of the eradication

Prior variceal bleed comments

Prior variceal bleed

Has there been a prior bleed?

Status of the eradication

Prior variceal bleed comments

Childs-Pugh classification

Encephalopathy

Ascites

- None
- Mild
- Severe

Serum bilirubin

Serum albumin

Prothrombin time (INR)

Final classification

Childs-Pugh classification

Encephalopathy

Ascites

Serum bilirubin

- None
- Moderate or easily treated
- Severe or intractable

Serum albumin

Prothrombin time (INR)

Final classification

Childs-Pugh classification

Encephalopathy

Ascites

Serum bilirubin

Serum albumin

- < 2.0 mg/dL
- 2.0-3.0 mg/dL
- > 3.0 mg/dL

Prothrombin time (INR)

Final classification

Childs-Pugh classification

Encephalopathy

Ascites

Serum bilirubin

Serum albumin

Prothrombin time (INR)

- > 3.5 g/dL
- 2.8-3.5 g/dL
- < 2.8 g/dL

Final classification

Childs-Pugh classification

Encephalopathy

Ascites

Serum bilirubin

Serum albumin

Prothrombin time (INR)

Final classification

- < 1.7
- 1.7 - 2.3
- > 2.3

Specify the type of varices: Other type

Table: LiverVaricesOther

Other type of varices

Save Cancel

Evidence of liver disease: Other evidence of liver disease


Table: LiverEvidenceOther

Other evidence of liver disease

Save Cancel

Etiology of liver disease: Alcohol


Table: LiverDrinkStatus



The screenshot shows a dialog box titled "Alcohol detail". It contains two radio button options: "Current drinker" and "Former drinker". The "Current drinker" option is selected, and its label is highlighted with a blue background. Below the radio buttons is a text area labeled "Comments" with a vertical scrollbar. At the bottom of the dialog are two buttons: "Save" and "Cancel".

Etiology of liver disease: Other etiology of liver disease

Table: LiverEtiologyOther



The screenshot shows a dialog box titled "Other etiology of liver disease". It features a large text area with a vertical scrollbar. At the bottom of the dialog are two buttons: "Save" and "Cancel".

INDICATIONS

Table: ScelInd

Small Caliber Endoscopy

Pathology Images Print Fax Orders

First name: Fake Middle name: Last name: Patient MRN: 00000000 Birth date: 1/1/1901 Procedure date: 1/ 1/2000 12:00 PM

Indications

Evaluation of symptoms

- Nausea/vomiting
- Reflux symptoms
- Dyspepsia symptoms
- Dysphagia
- GI symptoms in an immunocompromised host
- Other symptoms

Management of GI blood loss

- Evaluation of active/recent bleeding
- Anemia
- Low ferritin without anemia
- Varices
- Positive fecal occult blood test (FOBT)
- Suspected UGI bleed without active bleeding
- Other GI blood loss management

Evaluation of suspected diagnosis

- Abnormal x-ray or imaging study
- Graft v host disease
- Infection
- Malabsorption/Celiac sprue
- Screening for varices in patient with known cirrhosis
- Other suspected diagnosis

Suspected malignancy or pre-malignancy

- Barrett's esophagus
- Familial adenomatous polyposis
- Gastric polyps
- Gastric ulcer
- Partial gastrectomy
- Personal history of cancer
- Other suspected malignancy or pre-malignancy

Therapeutic intervention

- Ablation
- Banding
- Endoscopic therapy for GERD
- Esophageal dilation
- Food impaction removal
- Foreign body removal
- Injection
- PEG tube
- PEJ tube
- Stent
- Other therapeutic intervention

Indications comments

Primary Indication

BERC - Small-caliber endoscopy study

Participant ID: site staff # participant #

Save Sign Print Preview Close

Evaluation of symptoms: Reflux symptoms

Table: ScelIndRefluxSx

Reflux symptoms detail

Please select the reflux symptoms which apply

- Chest pain
- ENT/pulmonary symptoms
- Heartburn (mid-epigastric pain radiating to the chest)
- Regurgitation

Comments

Save Cancel

ENT / Pulmonary symptoms

Table: SceIndENTPulm (no data)

ENT / Pulmonary symptoms detail

Please specify the ENT/pulmonary symptoms

- Asthma
- Cough
- Hoarseness
- Other ENT / pulmonary symptom

Save Cancel

Heartburn (mid-epigastric pain radiating to the chest)

Table: SceIndHeartburnLocation (no data)

Heartburn detail

Duration

Frequency

Save Cancel

Evaluation of symptoms: Dyspepsia symptoms

Table: SceIndDyspepsia (no data)

Dyspepsia symptoms detail

Please check all that apply

- Bloating
- Pain
- Other dyspepsia symptoms

Save Cancel

Evaluation of symptoms: GI symptoms in an immunocompromised host

Table: SceIndImmunocomp (no data)

GI symptoms in immuno-compromised host detail

Please check all that apply

Diarrhea

Pain

Other symptom

Save Cancel

This dialog box is titled "GI symptoms in immuno-compromised host detail". It contains a blue header bar with the title. Below the header, there is a light blue instruction: "Please check all that apply". Underneath, there are three checkboxes: "Diarrhea", "Pain", and "Other symptom". The "Diarrhea" checkbox is currently selected, indicated by a blue highlight behind it. Below the checkboxes is a large, empty text area with a vertical scrollbar on the right side. At the bottom of the dialog, there are two buttons: "Save" and "Cancel".

Evaluation of symptoms: Other symptoms

Table: SceIndSxOther

Other symptoms

Save Cancel

This dialog box is titled "Other symptoms". It features a light blue header bar with the title. The main area of the dialog is a large, empty text area with a vertical scrollbar on the right side. At the bottom of the dialog, there are two buttons: "Save" and "Cancel".

Evaluation of suspected diagnosis: Abnormal x-ray or imaging study

Table: SceIndAbnlXray

Abnormal x-ray/imaging study detail


Please describe the abnormal image

Save Cancel

This dialog box is titled "Abnormal x-ray/imaging study detail". It has a light blue header bar with the title. Below the header, there is a light blue instruction: "Please describe the abnormal image". This is followed by a large, empty text area with a vertical scrollbar on the right side. At the bottom of the dialog, there are two buttons: "Save" and "Cancel".

Evaluation of suspected diagnosis: Infection


Table: SceIndInfection (no data)



The 'Infection detail' dialog box contains the instruction 'Please select all that apply'. It features a list of checkboxes for the following conditions: Candida, CMV, Giardia, Helicobacter pylori, HSV, Whipple's disease, and Other infection. The 'Candida' checkbox is currently selected. Below the list is a text input field. At the bottom of the dialog are 'Save' and 'Cancel' buttons.

Evaluation of suspected diagnosis: Other suspected diagnosis


Table: SceIndDxOther (no data)



The 'Other suspected diagnosis' dialog box features a large, empty text input field for entering a diagnosis. At the bottom of the dialog are 'Save' and 'Cancel' buttons.

Therapeutic intervention: Ablation

Table: SceIndAblation (no data)



The 'Ablation detail' dialog box contains the instruction 'Please indicate the type of ablation:'. It features a list of checkboxes for the following conditions: Arteriovenous malformation (AVM), Barrett's esophagus, Endoscopic mucosal resection, Tumor, Watermelon stomach, and Other ablation. The 'Arteriovenous malformation (AVM)' checkbox is currently selected. Below the list is a text input field. At the bottom of the dialog are 'Save' and 'Cancel' buttons.

Therapeutic intervention: Endoscopic therapy for GERD

Table: SclIndGERDTx (no data)

The dialog box is titled "Endoscopic therapy for GERD detail". It contains the instruction "Please specify the GERD therapy". There are four radio button options: "Stretta procedure" (which is selected and highlighted in blue), "Enteryx procedure", "Endoscopic fundoplication", and "Other endoscopic therapy for GERD". Below the options is a text input field with a scroll bar. At the bottom are "Save" and "Cancel" buttons.

Therapeutic intervention: Injection

Table: SclIndInjection (no data)

The dialog box is titled "Injection detail". It contains the instruction "Please specify the type of injection". There are four radio button options: "Botox for achalasia" (which is selected and highlighted in blue), "Botox for pyloric stenosis", "Botox for other finding", and "Other injection". Below the options is a text input field with a scroll bar. At the bottom are "Save" and "Cancel" buttons.

Therapeutic intervention: PEG tube

Table: SclIndPEG (no data)

The dialog box is titled "PEG tube detail". It contains the instruction "Please select all that apply". There are four radio button options: "Placement" (which is selected and highlighted in blue), "Replacement", "Removal", and "Other". Below the options is a text input field with a scroll bar. At the bottom are "Save" and "Cancel" buttons.

Therapeutic intervention: PEJ tube

Table: SceIndPEJ (no data)

PEJ tube detail

Please select all that apply

- Placement
- Replacement
- Removal
- Other

Save Cancel

Therapeutic intervention: Stent

Table: SceIndStent (no data)

Stent detail

Please select all that apply

- Placement
- Replacement
- Removal
- Other

Save Cancel

Therapeutic intervention: Other therapeutic intervention

Table: SceIndTxOther

Other therapeutic intervention

Save Cancel

Management of GI blood loss: Evaluation of active / recent bleeding

Table: ScelndActiveBleed (no data)

Evaluation of active/recent bleeding detail

Please specify the type of bleeding (check all that apply)

Hematemesis

<= 24 hours ago or currently bleeding

> 24 hours ago

Hematochezia

<= 24 hours ago or currently bleeding

> 24 hours ago

Melena

<= 24 hours ago or currently bleeding

> 24 hours ago

Positive NG tube aspirate

<= 24 hours ago or currently bleeding

> 24 hours ago

Other active/recent GI bleeding

Save Cancel

Management of GI blood loss: Anemia

Table: ScelndAnemia (no data)

Anemia detail

Type of anemia

Iron deficiency / low ferritin anemia

Pernicious anemia

Other type

Specify other type of anemia

Save Cancel

Management of GI blood loss: Varices

Table: ScelndVarices (no data)

The screenshot shows a dialog box titled "Varices detail". Inside, there is a blue instruction text: "Please specify the management of varices". Below this, there are four unchecked checkboxes: "Banding of known varices", "Evaluation of suspected varices", "Sclerotherapy of known varices", and "Other management of varices". Underneath the checkboxes is a large, empty text area with a vertical scrollbar. At the bottom of the dialog box are two buttons: "Save" and "Cancel".

Management of GI blood loss: Positive fecal occult blood test (FOBT)

Table: ScelndFOBT (no data)

The screenshot shows a dialog box titled "Positive FOBT detail". Inside, there is a section titled "Fecal occult blood test method". Below this, there are two radio buttons: "Digital rectal exam" and "Home screening". The "Digital rectal exam" radio button is selected. At the bottom of the dialog box are three buttons: "Clear", "Save", and "Cancel".

Management of GI blood loss: Other GI blood loss management

Table: ScelndBloodLossOther (no data)

The screenshot shows a dialog box titled "Other GI blood loss management". Inside, there is a large, empty text area with a vertical scrollbar. At the bottom of the dialog box are two buttons: "Save" and "Cancel".

Suspected malignancy or pre-malignancy: Barrett's esophagus

Table: SclIndBarretts (no data)

Barrett's esophagus detail

This exam was performed for

Screening for Barrett's

Surveillance of known Barrett's

Last exam done (year)

Dysplasia present on last exam ?

Comments

Suspected malignancy or pre-malignancy: Other suspected malignancy or pre-malignancy

Table: SclIndMalignancyOther (no data)

Other suspected malignancy

PREPROCEDURE

Table: ScePreProc

Procedure personnel grid: ScePreProc_Procedure_personnel_grid

Antibiotics grid: ScePreProc_Antibiotics_grid (no data)

Menu containing only site-specific data: Performed by

Menu containing only site-specific data: Responsible endoscopist

Patient Admission Status

Outpatient
 Inpatient
 ED

Endoscopy performed in

Did the patient consent to be contacted for research purposes?

Procedure personnel

Endoscopy performed in

- Endoscopy suite
- Hospital ward
- ICU
- NICU
- OR
- PICU
- Radiology suite
- Short stay unit

Role

Endoscopist - Atten...

Did the patient consent to be contacted for research purposes?

Consented
 Did not consent
 Not asked for consent

Implantable defibrillator device?

Yes No

Procedure personnel

Add staff

Role	Name
Endoscopist - Attending physician	Corey Cori, MD
Bronchoscopist - Attending physician	
Bronchoscopist - Fellow	
Endoscopist - Attending physician	
Endoscopist - Fellow	
Nurse	
Nurse anesthetist	
Nurse assistant	
Nurse practitioner	

Perform

Corey Cori, MD

Performed by

Responsible endoscopist

Corey Cori, MD

Level of supervision

Attending present for the entire procedure
 Attending present for part of the procedure
 Attending available to assist

Antibiotics

Add med

Medication	Dose	Route
amoxicillin		
aztreonam		
ampicillin		
cefazolin		
cephalexin		
ciprofloxacin		
clindamycin		
gentamicin		
levofloxacin		
metronidazole		
moxifloxacin		
ofloxacin		
streptomycin		
trimethoprim/sulfamethoxazole		
vancomycin		

Other antibiotic medication

History of endocarditis

Antibiotics

Add med

Medication	Dose	Route
amoxicillin	250 mg 500 mg 750 mg 1000 mg 1500 mg 2000 mg	

Other antibiotic medication

(Dose menu customized to Medication selection)

Antibiotics

Add med

Medication	Dose	Route
amoxicillin		Aerosol IM IV PO PR SC SL Topical

Other antibiotic medication

SEDATION

Table: SceSedation

Sedation medications grid: SceSedation_Sedation_medications_grid (no data)

The screenshot shows the 'Small Caliber Endoscopy' software interface. The main window is titled 'Sedation' and contains several sections:

- Navigation Panel (Left):** Includes buttons for History, Physical exam, Liver Disease, Indications, Preprocedure, **Sedation** (highlighted), Procedure, Findings, Events, Assessment/Plan, and Letters/Instructions. At the bottom are buttons for Save, Sign, Print Preview, and Close.
- Top Bar:** Contains tabs for Pathology, Images, Print, Fax, and Orders. Below these are input fields for First name (Fake), Middle name, Last name (Patient), MRN (00000000), Birth date (1/1/1901), and Procedure date (1/ 1/2000 12:00 PM).
- Pre-sedation assessment:** Includes a dropdown for ASA classification, radio buttons for Urgency (Emergency, Urgent, Elective), an Assessed by dropdown, and a checkbox for Reassessment performed.
- Monitoring:** Includes checkboxes for Blood pressure, ECG, Pulse oximetry, Capnography, Other monitoring, Supplemental oxygen at baseline, Oxygen flow (liters), Delivery method, and Patient intubated.
- Sedation / Anesthesia:** Includes dropdowns for Level of sedation, Managed by, and Supervised by. Below this is a table for Sedation medications with columns for Medication, Dose, and Route, and an 'Add med' button. There are also checkboxes for Residual sedation from prior procedure present, Other sedation medication, and No sedation medications given.
- Sedation / Anesthesia comments:** A text area with a warning: 'Please do not use this field if you can document the information using other fields on the screen'.
- Bottom Right:** A 'Save as Default' button.

This is a close-up of the 'Pre-sedation assessment' section. The 'ASA classification' dropdown menu is open, showing the following options: I, II, III, IV, and V. The 'Urgency' section shows radio buttons for 'Emergency', 'Urgent', and 'Elective'. The 'Assessed by' field is a dropdown menu.

Pre-sedation assessment

ASA classification

Urgency Emergency
 Urgent
 Elective

Assessed by

Monitoring

Blood pressure
 ECG
 Pulse oximetry
 Capnography
 Other monitoring

Supplemental oxygen

Oxygen flow (liters)

Delivery method

Intubation / Ventilation

Patient intubated
 Ventilation used
Method of ventilation

(Dropdown menu options: Anesthesiologist, Assistant, Bronchoscopist (Attending physician), Bronchoscopist (Fellow), Bronchoscopist (Nurse Practitioner), Bronchoscopist (Physician assistant), ENT staff, ICU staff, Nurse, Nurse anesthetist, Nurse assistant, Nurse practitioner, Oncology staff, Pathology staff, Physician assistant, Primary care physician, Radiology staff, Research staff, Resident, Student, Surgeon, Technician)

Supplemental oxygen at baseline

Oxygen flow (liters)

Delivery method

Patient intubated

(Dropdown menu options: Blow by, Endotracheal tube, Face mask, Nasal prongs)

Sedation / Anesthesia

Level of sedation

Managed by

Supervised by

(Dropdown menu options: No sedation, Anxiolytic sedation, Moderate (conscious sedation), Deep sedation, General anesthesia)

Sedation medications

Medication	Dose	Route

Sedation / Anesthesia

Level of sedation

Managed by

Supervised by

Sedation medications

Medication
<input type="checkbox"/> Residual sedation
<input type="checkbox"/> Other sedation
<input type="checkbox"/> No sedation medication

Sedation / Anesthesia
Please do not use this field for other purposes

- Anesthesiologist
- Assistant
- Endoscopist (Attending physician)
- Endoscopist (Fellow)
- Endoscopist (Nurse Practitioner)
- Endoscopist (Physician assistant)
- ENT staff
- ICU staff
- Nurse
- Nurse anesthetist
- Nurse assistant
- Nurse practitioner
- Oncology staff
- Pathology staff
- Physician assistant
- Primary care physician
- Radiology staff
- Research staff
- Resident
- Student
- Surgeon
- Technician

Sedation / Anesthesia

Level of sedation

Managed by

Supervised by

Sedation medications

Medication
<input type="checkbox"/> Residual sedation
<input type="checkbox"/> Other sedation
<input type="checkbox"/> No sedation medication

Sedation / Anesthesia
Please do not use this field for other purposes

- Anesthesiologist
- Nurse anesthetist
- Endoscopist (Attending physician)
- Endoscopist (Nurse Practitioner)
- Endoscopist (Physician assistant)

Sedation medications Add med

Medication	Dose	Route
atropine		
atropine		
benzocaine spray		
Cetacaine		
diazepam		
diphenhydramine		
droperidol		
fentanyl		
flumazenil		
glucagon		
glycopyrolate		
ketamine		
lidocaine		
meperidine		
methohexital sodium 0.2%		
methohexital sodium 1%		
methohexital sodium 5%		
midazolam		
morphine		
nalbuphine		
naloxone		
ondansetron		
promethazine		
propofol		
Tetracaine		
thiopental sodium		

procedure present

document the information

Sedation medications		Add med	
Medication	Dose	Route	
atropine	<ul style="list-style-type: none"> 0.5 mg 1 mg 1.5 mg 2 mg 		

(Dose menu customized to Medication selection)

Sedation medications		Add med	
Medication	Dose	Route	
atropine		<ul style="list-style-type: none"> Aerosol IM IV PO PR SC SL Topical 	
<input type="checkbox"/> Residual sedation from prior procedure present			
<input type="checkbox"/> Other sedation medication			

PROCEDURE

Table: SceProc

Instruments grid: SceProc_Instruments_grid

The screenshot shows the 'Small Caliber Endoscopy' software interface. On the left is a vertical sidebar with buttons for: History, Physical exam, Liver Disease, Indications, Preprocedure, Sedation, Procedure (highlighted), Findings, Events, Assessment/Plan, and Letters/Instructions. At the bottom of the sidebar are buttons for Save, Sign, Print Preview, and Close. The main window has a menu bar with Pathology, Images, Print, Fax, and Orders. Below the menu bar are fields for Patient information: First name (Fake), Middle name, Last name (Patient), MRN (00000000), Birth date (1/1/1901), and Procedure date (1/ 1/2000 12:00 PM). There are 'Use Defaults' and 'Save as Default' buttons. The 'Procedure performed' section has checkboxes for 'Small Caliber Endoscopy' and 'Other procedure'. The 'Was the procedure completed?' section has radio buttons for 'Yes' and 'No'. Below this is a section for 'Reason(s) procedure was incomplete' with checkboxes for Inability to intubate, Patient unstable, Obstruction, Retained food, Patient discomfort, Stricture, and Other reason. The 'Endoscopic depth' section has dropdown menus for 'Intended' and 'Actually reached'. The 'Instruments' section has a table with columns 'Instrument' and 'Serial Number' and an 'Add instrument' button. The 'Procedure duration' section has dropdowns for 'min' and 'sec' and a clock icon. The 'Patient recovery location' section has dropdowns for 'After procedure patient sent' and 'After recovery patient sent'. The 'Procedure comments' section has a text area with a warning: 'Please do not use this field if you can document the information using other fields on the screen'. The 'Insufflation gas' section has radio buttons for Air and CO2. Other sections include 'Water immersion utilized?', 'Was gastric retroflexion performed?', 'Was narrow band imaging used?', 'Was chromoendoscopy used?', 'Were images taken?', 'Were biopsy(s) taken?', and 'Was fluoroscopy used?'.

Menus customized by site: Instrument, Serial Number in Instruments grid

This image is a close-up of the 'Endoscopic depth' section from the software interface. It shows two dropdown menus: 'Intended' and 'Actually reached'. The 'Actually reached' dropdown menu is open, displaying a list of options: Esophagus, Stomach, Duodenum, Jejunum, Ileum, and Anastomosis site. Below the dropdowns, the 'Instruments' section header and the 'Add instrument' button are partially visible.

Endoscopic depth

Intended

Actually reached

Instruments

Instrument

- Pharynx
- Esophagus
- Stomach
- Duodenum
- Jejunum
- Ileum
- Anastomosis site

Patient position

Procedure duration

Scope insertion to scope removal

Patient tolerance

Estimated blood loss (ml)

Patient recovery location

After procedure patient sent

- From side to side
- Left side
- Left side to back
- Prone
- Right side
- Right side to back
- Supine
- High Fowler's position (80-90°)
- Fowler's position (45-60°)
- Semi-Fowler's position (30-45°)
- Low Fowler's position (15-30°)

Patient tolerance

Estimated blood loss (ml)

Patient recovery location

After procedure patient sent

- excellent
- good
- fair
- poor

Patient recovery location

After procedure patient sent

After recovery patient sent

Procedure comments

Please do not use this field if you can fields on the screen

- home
- to ICU
- to NICU
- to PICU
- to hospital
- remain in endoscopy suite
- to recovery
- remain in bronchoscopy suite

(After procedure patient sent menu: customizable by site)

Patient recovery location

After procedure patient sent

After recovery patient sent

Procedure comments


Please do not use this field if you can fields on the screen

- in to hospital
- back to hospital
- home

(After recovery patient sent menu: customizable by site)

Procedure performed: Other procedure


Table: SceProcOther



A dialog box titled "Other procedure performed" with a large empty text area and "Save" and "Cancel" buttons at the bottom.

Reason(s) procedure was incomplete: Other reason for incomplete procedure


Table: SceProcIncompleteOther



A dialog box titled "Other reason for incomplete procedure" with a large empty text area and "Save" and "Cancel" buttons at the bottom.

Clock times

Table: SceClockTimes (no data)



A dialog box titled "Clock Times" with two dropdown menus: "Scope insertion" and "Scope removal" (showing "--:--:-- AM"). It includes "Save" and "Cancel" buttons at the bottom.

FINDINGS

Table: SceFind

Small Caliber Endoscopy

Pathology Images Print Fax Orders

First name Middle name Last name MRN Birth date Procedure date

Fake Patient 00000000 1/1/1901 1/ 1/2000 12:00 PM

SCE Findings

Import Images

Normal findings

- Esophagus
- Stomach
- Duodenum

Check all

Findings Instructions

- Add a Finding:** left click the diagram, or left click and drag to shade a region
- Delete a Finding:** right click on the finding label
- View/Edit Details:** double click on the finding label
- Move a Label:** left click and drag the finding label

Save Sign Print Preview Close


Finding Menu

Finding

- Anatomical deformity
- Barrett's esophagus
- Esophageal ulcer
- Food impaction
- Hiatal hernia
- Image taken
- Laryngeal exam
- Mallory-Weiss tear
- Mucosal abnormality - Esophagus
- Mucosal abnormality - Stomach / Duodenum
- Nodule / Polyp
- Normal
- Prior endotherapy
- Prior surgery
- Stricture / Stenosis
- Tumor
- Ulcer
- Varices
- Other finding

OK Cancel

Location menu used in SCE Finding details



Anatomical deformity

Table: SceAnatDeform (no data)

A screenshot of the 'Anatomical Deformity' form. The form is titled 'Anatomical Deformity' and contains several fields and controls. The 'Location' dropdown menu is set to 'Proximal Esophagus'. There is a checkbox for 'Image(s) taken'. The 'Diagnosis' field is empty. The 'Comments' field is a large text area, also empty. At the bottom right, there are 'Save' and 'Cancel' buttons.

Field	Value
Location	Proximal Esophagus
Image(s) taken	<input type="checkbox"/>
Diagnosis	
Comments	

Barrett's esophagus

Table: SceBarretts

Barrett's Esophagus	
<p>Description</p> <p> <input checked="" type="radio"/> Established by prior biopsy, seen on this exam <input type="radio"/> Established by prior biopsy, not seen on this exam <input type="radio"/> Suspected </p> <p>Margins (cm) from mouth</p> <p> Proximal <input type="text"/> Distal <input type="text"/> Z Line (Squamocolumnar junction) <input type="text"/> LES (Lower Esophageal Sphincter) <input type="text"/> Length of Barrett's (cm) <input type="text"/> </p> <p>Zap Classification - <input type="text"/></p> <p>Associated findings</p> <p> <input type="checkbox"/> Inflammation <input type="checkbox"/> Nodules ▶ <input type="checkbox"/> Esophageal ulcer ▶ </p> <p>Therapeutic procedure(s)</p> <p> <input type="checkbox"/> Hemostatic ▶ <input type="checkbox"/> Non - hemostatic ▶ </p>	<p>Diagnostics</p> <p> <input type="checkbox"/> Biopsy taken <input type="checkbox"/> Brushing taken Biopsy Forceps type <input type="radio"/> Regular <input type="radio"/> Jumbo Total # of biopsies taken <input type="text"/> </p> <p> Sent to pathology <input type="radio"/> Yes <input type="radio"/> No Enter pathology ID <input type="text"/> <input type="button" value="Add"/> Current pathology IDs <input type="text"/> </p> <p><input type="checkbox"/> Image(s) taken</p> <p>Diagnosis <input type="text"/></p> <p>Comments <input type="text"/></p> <p><input type="button" value="Save"/> <input type="button" value="Cancel"/></p>

Nodules submenu: See Nodule/polyp finding


Esophageal ulcer menu: See Esophageal ulcer finding

Zap Classification

Table: ZapClass

Zap Classification	
<input checked="" type="radio"/> 0 Z-line is sharp and circular	
<input type="radio"/> I Z-line is irregular and shows tongue-like protrusions or islands of columnar epithelium	<input type="button" value="Examples"/>
<input type="radio"/> II Tongue of columnar epithelium < 3 cm (width at base is less than the height)	
<input type="radio"/> III Tongues of columnar epithelium > 3 cm or cephalad placement of Z-line > 3 cm	
<input type="button" value="Clear"/>	<input type="button" value="Save"/> <input type="button" value="Cancel"/>

Zap classification examples



Esophageal ulcer


Table: SceEsoUlcer (no data)

Esophageal ulcer			
Location: <input type="text" value="Proximal Esophagus"/>	Ulcer stigmata <input type="checkbox"/> Active/Recent bleed <input type="checkbox"/> Visible vessel <input type="checkbox"/> Adherent clot <input type="checkbox"/> Dark spot <input type="checkbox"/> Non-bleeding, Clean <input type="checkbox"/> Healed / Scarred	Rate of bleed <input type="radio"/> Oozing <input type="radio"/> Spurting <input type="radio"/> Inactive <input type="radio"/> Uncertain	Diagnostics <input type="checkbox"/> Biopsy taken <input type="checkbox"/> Brushing taken Total # of biopsies taken: <input type="text" value=""/> Sent to pathology: <input type="radio"/> Yes <input type="radio"/> No Enter pathology ID: <input type="text" value=""/> <input type="button" value="Add"/> Current pathology IDs: <input type="text" value=""/>
Description <input type="radio"/> Single <input type="radio"/> Multiple Largest: <input type="radio"/> < 5 <input type="radio"/> 10+ <input type="radio"/> 5-9 Characteristics: <input type="text" value=""/>	Interventions for adherent clot <input type="checkbox"/> Injected <input type="checkbox"/> Washed with water <input type="checkbox"/> Snared	Rate of bleed after intervention <input type="radio"/> Oozing <input type="radio"/> Spurting <input type="radio"/> Inactive <input type="radio"/> Uncertain	<input type="checkbox"/> Image(s) taken Diagnosis: <input type="text" value=""/> Comments: <input type="text" value=""/>
Etiology <input type="checkbox"/> Caustic <input type="radio"/> Suspected <input type="radio"/> Established <input type="checkbox"/> GERD <input type="radio"/> Suspected <input type="radio"/> Established <input type="checkbox"/> Pill-related <input type="radio"/> Suspected <input type="radio"/> Established <input type="checkbox"/> Other ▶	Therapeutic procedure(s) <input type="checkbox"/> Hemostatic ▶ <input type="text" value=""/> <input type="checkbox"/> Non-hemostatic ▶ <input type="text" value=""/>		
Infectious <input type="checkbox"/> CMV <input type="radio"/> Suspected <input type="radio"/> Established <input type="checkbox"/> HSV <input type="radio"/> Suspected <input type="radio"/> Established <input type="checkbox"/> Candida <input type="radio"/> Suspected <input type="radio"/> Established			
<input type="button" value="Save"/> <input type="button" value="Cancel"/>			

Etiology: Other

Table: SceEtiologyOther (no data)

Other etiology of esophageal ulcer



Save Cancel

Food impaction

Table: SceFoodImpaction (no data)

Food impaction

Location: Proximal Esophagus

Description

Image (s) taken

Diagnosis

Comments

Save Cancel

Hiatal Hernia

Table: SceHiatalHernia

Hiatal Hernia	
<p>Description</p> <p><input checked="" type="radio"/> Regular, type 1 <input type="radio"/> Paraesophageal</p>	<p><input type="checkbox"/> Image (s) taken</p>
<p>Landmarks from mouth (cm)</p> <p>Diaphragm <input type="text"/></p> <p>Z-line/GEJ <input type="text"/></p> <p>Length <input type="text"/></p> <p>Cameron Erosions <input type="radio"/> Yes <input type="radio"/> No</p>	<p>Diagnosis <input type="text"/></p>
<p>Diagnostics</p> <p>Sent to pathology <input type="radio"/> Yes <input type="radio"/> No</p> <p>Enter pathology ID <input type="text"/> <input type="button" value="Add"/></p> <p>Current pathology IDs <input type="text"/></p>	<p>Comments <input type="text"/></p>
<p><input type="button" value="Save"/> <input type="button" value="Cancel"/></p>	

Image Taken

Table: SceImage (no data)

Image taken	
<p>Location <input type="text" value="Body"/></p>	
<p><input type="radio"/> squamocolumnar junction <input type="radio"/> gastric retroflexion <input type="radio"/> other</p>	
<p><input type="text"/></p>	
<p>Comments <input type="text"/></p>	
<p><input type="button" value="Save"/> <input type="button" value="Cancel"/></p>	

Laryngeal exam

Table: SceLaryngealExam (no data)

Laryngeal Exam	
Subglottic edema	<input type="text"/>
Ventricular obliteration	<input type="text"/>
Erythema/hyperemia	<input type="text"/>
Vocal fold edema	<input type="text"/>
Diffuse laryngeal edema	<input type="text"/>
Posterior commissure hypertrophy	<input type="text"/>
Granuloma/granulation tissue	<input type="text"/>
Thick endolaryngeal mucus	<input type="text"/>
Reflux finding score	<input type="text" value="0"/> (score > 7 confirms laryngopharyngeal reflux involvement)
Other laryngeal pathology <input type="text"/>	
<input type="checkbox"/> Image(s) taken	
Diagnosis <input type="checkbox"/> Normal laryngeal exam	
Comments <input type="text"/>	
<input type="button" value="Save"/> <input type="button" value="Cancel"/>	

Mallory-Weiss tear

Table: SceMallory (no data)

Mallory-Weiss Tear	
Starting Location	<input type="text" value="Proximal Esophagus"/>
Ending Location	<input type="text" value="Proximal Esophagus"/>
Rate of bleed	<input type="radio"/> Oozing <input type="radio"/> Spurting <input type="radio"/> Inactive <input type="radio"/> Uncertain
<input type="checkbox"/> Image(s) taken	
Diagnosis <input type="text"/>	
Comments <input type="text"/>	
Therapeutic procedure(s)	
<input type="checkbox"/> Hemostatic	<input type="text"/>
<input type="checkbox"/> Non - hemostatic	<input type="text"/>
<input type="button" value="Save"/> <input type="button" value="Cancel"/>	

Mucosal abnormality / Esophagus

Table: SceEsoMucosalAbnl

Mucosal abnormality / Esophagus

Starting Location:

Ending Location:

Length of inflammation (cm):

Etiology

Reflux disease Caustic

Infection Radiation

Pill - Related Other

Description

Erosions Mosaic / Scaly

Erythema Mottled

Friable Ulcers

Granular Nodularity

Edema Red Spots

Hemorrhage (oozing) Subepithelial hemorrhage

Rate of bleed

Oozing

Spurting

Inactive

Uncertain

Therapeutic procedure(s)

Hemostatic

Non - hemostatic

Diagnostics

Biopsy taken Brushing taken

Total # of biopsies taken:

Sent to pathology: Yes No

Enter pathology ID:

Current pathology IDs:

Image(s) taken

Diagnosis:

Comments:

Etiology: Reflux disease

Table: SceLAClass

LA Classification


Grade A One or more mucosal breaks no longer than 5 mm, none of which extends between the tops of the mucosal folds

Grade B One or more mucosal breaks more than 5 mm long, none of which extends between the tops of two mucosal folds

Grade C Mucosal breaks that extend between the tops of two or more mucosal folds, but which involve less than 75% of the esophageal circumference

Grade D Mucosal breaks which involve at least 75% of the esophageal circumference

Examples



Etiology: Infection

Table: SceInfection

Infection detail

<input checked="" type="checkbox"/> Candida	<input type="radio"/> Suspected	<input type="radio"/> Established
<input type="checkbox"/> CMV	<input type="radio"/> Suspected	<input type="radio"/> Established
<input type="checkbox"/> HSV	<input type="radio"/> Suspected	<input type="radio"/> Established
<input type="checkbox"/> Other		

Save Cancel

Etiology: Other

Table: SceOtherEtiology (no data)

Other etiology of esophageal inflammation / mucosal abnormality

Save Cancel

Mucosal abnormality / Stomach - Duodenum

Table: SceStoDuoMucosalAbnl

Mucosal abnormality / Stomach - Duodenum

Starting Location:

Ending Location:

Length of inflammation (cm):

Folds:

Description

Erosions Mosaic / Scaly
 Erythema Mottled
 Friable Ulcers
 Granular Nodularity
 Edema Red Spots
 Hemorrhage (oozing) Subepithelial hemorrhage
 Portal Hypertensive Gastropathy

Rate of bleed

Oozing
 Spurting
 Inactive
 Uncertain

Therapeutic procedure(s)

Hemostatic ▶
 Non - hemostatic ▶

Diagnostics

Biopsy taken Brushing taken

Total # of biopsies taken:

RUT results pending
 RUT results complete

RUT results:

Sent to pathology: Yes No

Enter pathology ID:

Current pathology IDs:

Image(s) taken

Diagnosis:

Comments:

Length of inflammation (cm)

Folds:

Description

Erosions Mosaic / Scaly

Diagnostics

Biopsy taken Brushing taken

Total # of biopsies taken:

RUT results pending
 RUT results complete

RUT results:

Sent to pathology: Yes No

Polyp

Table: ScePolyp

Nodule / Polyp finding

Location:

Description



Mucosal
 Submucosal

Single Nodule
 Multiple Polyp

Size (mm):

Attachment: Flat
 Pedunculated
 Sessile

Therapeutic procedure(s)

Hemostatic 
 Non - hemostatic 

Image(s) taken

Diagnostics

Biopsy without cauterly
 Biopsy with cauterly
 Snare with cauterly
 Snare with cauterly/saline
 Snare without cauterly

Total # of biopsies taken:

Nodule or Polyp removed?:

Tissue retrieved? Yes No

Sent to pathology Yes No
Enter pathology ID:

Current pathology IDs:

Diagnosis:

Comments:

Diagnostics

Biopsy without cauterly
 Biopsy with cauterly
 Snare with cauterly
 Snare with cauterly/saline
 Snare without cauterly

Total # of biopsies taken:

Nodule or Polyp removed?:

Tissue retrieved? Yes No

Dropdown menu options:
totally removed
partially removed
removed piecemeal
not removed (biopsy only)

Normal

Table: SceNormal

Normal	
Starting location: Mid Esophagus	<input type="checkbox"/> Image(s) taken
Ending location: Mid Esophagus	
Diagnostics	Comments
<input type="checkbox"/> Biopsy taken Total # of biopsies taken: [up/down]	
<input type="checkbox"/> RUT results pending	
<input type="checkbox"/> RUT results complete	
RUT results: [dropdown]	
Sent to pathology: <input type="radio"/> Yes <input type="radio"/> No	
Enter pathology ID: [text] [Add]	
Current pathology IDs: [text]	
	[Save] [Cancel]

Diagnostics	
<input type="checkbox"/> Biopsy taken Total # of biopsies taken: [up/down]	
<input type="checkbox"/> RUT results pending	
<input type="checkbox"/> RUT results complete	
RUT results: [dropdown]	
Sent to pathology: [dropdown]	

Prior endotherapy

Table: ScePriorEndo (no data)

Prior endotherapy	
Starting Location: Mid Esophagus	Diagnostics
Ending Location: Mid Esophagus	<input type="checkbox"/> Biopsy taken Total # of biopsies taken: [up/down]
Prior therapies performed	Sent to pathology: <input type="radio"/> Yes <input type="radio"/> No
<input type="checkbox"/> Stretta procedure	Enter pathology ID: [text] [Add]
<input type="checkbox"/> Enteryx procedure	Current pathology IDs: [text]
<input type="checkbox"/> Endoscopic fundoplication	
<input type="checkbox"/> Other ▶	Diagnosis: [text]
<input type="checkbox"/> Image(s) taken	Comments
	[Save] [Cancel]

Prior therapies performed: Other

Table: ScePriorEndoOther (no data)

A dialog box titled "Other prior endotherapy" with a large empty text area and "Save" and "Cancel" buttons at the bottom.

Prior surgery

Table: ScePriorSurg

A dialog box titled "Prior surgery" with the following fields and options:

- Starting Location: Proximal Esophagus
- Ending Location: Proximal Esophagus
- Prior Biopsies ? (dropdown menu)
- Image(s) taken
- Diagnosis (text field)
- Comments (text area)
- Save and Cancel buttons

Options for Prior surgery:

- Anti-reflux surgery
- Bilroth I
- Bilroth II
- Esophagectomy
- Gastrectomy
- Gastric bypass
 - Banded gastroplasty
 - Roux-en-Y gastric bypass (RYGB)
 - Sleeve Gastrectomy
- Gastrojejunostomy
- Gastrostomy tube
- Jejunostomy tube
- Pyloroplasty
- Other (selected)

A close-up of the "Prior Biopsies ?" dropdown menu showing three options: "No prior biopsies taken", "Prior biopsies taken", and "Unknown if prior biopsies taken".

Prior surgery: Other

Table: ScePriorSurgOther (no data)

A dialog box titled "Other prior surgery" with a large empty text area and "Save" and "Cancel" buttons at the bottom.

Stricture / Stenosis

Table: SceStricture

Stricture / Stenosis	
Starting Location: <input type="text" value="Proximal Esophagus"/>	Diagnostics <input type="checkbox"/> Biopsy taken Total # of biopsies taken: <input type="text" value=""/> Sent to pathology: <input type="radio"/> Yes <input type="radio"/> No Enter pathology ID: <input type="text"/> <input type="button" value="Add"/> Current pathology IDs: <input type="text"/>
Ending Location: <input type="text" value="Proximal Esophagus"/>	
Distance from mouth (cm): <input type="text"/>	
Severity: <input type="text"/>	<input type="checkbox"/> Image(s) taken Diagnosis: <input type="text"/> Comments: <input type="text"/>
Etiology <input type="checkbox"/> Reflux disease <input type="checkbox"/> Schatzki's ring (lower esophageal ring) <input type="checkbox"/> Malignancy <input type="checkbox"/> Web <input type="checkbox"/> Extrinsic compression <input type="checkbox"/> Benign inflammation (pill, infection, scar) <input type="checkbox"/> Anastomosis site <input type="checkbox"/> Eosinophilic esophagitis <input type="checkbox"/> Other ▶	
Therapeutic procedure(s) <input type="checkbox"/> Hemostatic ▶ <input type="text"/> <input type="checkbox"/> Non - hemostatic ▶ <input type="text"/>	
<input type="button" value="Save"/> <input type="button" value="Cancel"/>	

Severity:	<input type="text" value="partial, not obstructive"/>
Etiology	<input type="checkbox"/> Partial, obstructive, but able to pass endoscope <input type="checkbox"/> complete <input type="checkbox"/> Schatzki's ring (lower esophageal ring)

Etiology: Other

Table: SceOtherEtiology (no data)

Other etiology
<input type="text"/>
<input type="button" value="Save"/> <input type="button" value="Cancel"/>

Tumor

Table: SceTumor (no data)

Tumor

Starting Location: Proximal Esophagus
Ending Location: Proximal Esophagus

Description

Suspected malignant
 Established malignant by prior biopsy
 Suspected benign
 Established benign by prior biopsy

Length (cm):

Circumferential Mucosal
 Fungating Submucosal

Obstruction:

Therapeutic procedure(s)

Hemostatic ▶
 Non - hemostatic ▶

Diagnostics

Biopsy taken Brushing taken
Total # of biopsies taken:

RUT results pending
 RUT results complete
RUT results:

Sent to pathology: Yes No
Enter pathology ID:
Current pathology IDs:

Image(s) taken

Diagnosis:

Comments:

Obstruction

Partial, not obstructive
Partial, obstructive, but able to pass endoscope
Complete

Diagnostics

Biopsy taken Brushing taken
Total # of biopsies taken:

RUT results pending
 RUT results complete
RUT results:

Sent to pathology: negative positive
Enter pathology ID:

Ulcer

Table: SceUlcer

Location:

Size: (mm) x (mm)

Characteristics:

Ulcer stigmata

<input type="checkbox"/> Active/Recent bleed	<input type="radio"/> Oozing
<input type="checkbox"/> Visible vessel	<input type="radio"/> Spurting
<input type="checkbox"/> Adherent dot	<input type="radio"/> Inactive
<input type="checkbox"/> Dark spot	<input type="radio"/> Uncertain
<input type="checkbox"/> Non-bleeding, Clean	
<input type="checkbox"/> Healed / Scarred	

Interventions for adherent clot

Injected
 Washed with water
 Snared

Ulcer stigmata after intervention

<input type="checkbox"/> Active/Recent bleed	<input type="radio"/> Oozing
<input type="checkbox"/> Visible vessel	<input type="radio"/> Spurting
<input type="checkbox"/> Adherent dot	<input type="radio"/> Inactive
<input type="checkbox"/> Dark spot	<input type="radio"/> Uncertain
<input type="checkbox"/> Non-bleeding, Clean	
<input type="checkbox"/> Healed / Scarred	

Therapeutic procedure(s)

Hemostatic ▶

Non-hemostatic ▶

Diagnostics

Biopsy taken Brushing taken

Total # of biopsies taken:

RUT results pending
 RUT results complete

RUT results:

Sent to pathology: Yes No

Enter pathology ID:

Current pathology IDs:

Image(s) taken

Diagnosis:

Comments:

Size: (mm) x (mm)

Characteristics:

Ulcer stigmata

<input type="checkbox"/> Active/Recent bleed	<input type="radio"/> Inactive
<input type="checkbox"/> Visible vessel	
<input type="checkbox"/> Adherent dot	

Diagnostics

Biopsy taken Brushing taken

Total # of biopsies taken:

RUT results pending
 RUT results complete

RUT results:

Sent to pathology: positive

Enter pathology ID:

Varices

Table: SceVarices

Varices	
Starting Location: Proximal Esophagus	Therapeutic procedure(s)
Ending Location: Proximal Esophagus	<input type="checkbox"/> Hemostatic
Number of varices: [dropdown]	[text area]
Distance (cm) from incisors	<input type="checkbox"/> Non - hemostatic
Proximal: [input] Distal: [input]	[text area]
Size	<input type="checkbox"/> Image(s) taken
<input type="radio"/> small: completely flatten on insufflation	
<input type="radio"/> medium: do not flatten, but protrude minimally into lumen	
<input type="radio"/> large: do not flatten and protrude prominently into lumen	
Stigmata of recent hemorrhage (cherry red spots, red wale marking or hematocystic spot)	Diagnosis: [input]
<input type="radio"/> present <input type="radio"/> absent	Comments: [text area]
Esophagitis <input type="radio"/> present <input type="radio"/> absent	
Rate of bleed <input type="radio"/> Oozing	
<input type="radio"/> Spurting	
<input type="radio"/> Inactive	
<input type="radio"/> Uncertain	
[Save] [Cancel]	

Other finding

Table: SceFindOther

Other finding	
Starting Location: Proximal Esophagus	<input type="checkbox"/> Image(s) taken
Ending Location: Proximal Esophagus	
Diagnostics	Diagnosis: [input]
<input type="checkbox"/> Biopsy taken Total # of biopsies taken: [input]	Description / Comments: [text area]
<input type="checkbox"/> RUT results pending	
<input type="checkbox"/> RUT results complete	
RUT results: [dropdown]	
Sent to pathology <input type="radio"/> Yes <input type="radio"/> No	
Enter pathology ID: [input] [Add]	
Current pathology IDs: [input]	
Therapeutic procedure(s)	
<input type="checkbox"/> Hemostatic	
[text area]	
<input type="checkbox"/> Non - hemostatic	
[text area]	
[Save] [Cancel]	

Diagnostics

Biopsy taken Total # of biopsies taken

RUT results pending

RUT results complete

RUT results

Sent to p

negative

positive

THERAPIES

For all therapies:

The first screenshot shows a dropdown menu for 'Bleeding outcome' with options: 'bleeding continues', 'bleeding precipitated', and 'hemostasis achieved'. The second screenshot shows a dropdown menu for 'Procedural outcome' with options: 'technically successful' and 'technically not successful'.

Hemostatic therapies

Table: TheraLauncherHemo

The screenshot shows a dialog box titled 'Therapies' with a section for 'Hemostatic' therapies. The following options are listed with checkboxes and right-pointing arrows:

- APC
- Banding
- Bipolar coagulation
- Clip
- Heater probe
- Injection
- Laser
- Other therapy

At the bottom of the dialog box are 'Save' and 'Cancel' buttons.

Hemostatic Argon Plasma Coagulation (APC)

Table: TxHemAPC

The screenshot shows a software window titled "Hemostatic Argon Plasma Coagulation (APC)". It contains several input fields: "Watts" and "Litres / min of Ar" are numeric spinners; "Bleeding outcome" and "Procedural outcome" are dropdown menus; and "Comments" is a text area. At the bottom are "Save" and "Cancel" buttons.

Hemostatic Banding

Table: TxHemBanding

The screenshot shows a software window titled "Hemostatic Banding". It contains several input fields: "Banding device" is a dropdown menu; "Total bands fired" and "Bands placed" are numeric spinners; "Bleeding outcome" and "Procedural outcome" are dropdown menus; and "Comments" is a text area. At the bottom are "Save" and "Cancel" buttons.

(Banding device menu customized by site)

Hemostatic Bipolar Coagulation (BiCap)

Table: TxHemBiCap

The screenshot shows a software window titled "Hemostatic Bipolar Coagulation (BiCap)". It contains several input fields: a dropdown menu for "BiCap device", a spinner for "Watts", a spinner for "Total Seconds", and a checkbox for "Irrigation fluid used". Below these are two more dropdown menus for "Bleeding outcome" and "Procedural outcome". A large text area for "Comments" is positioned below the dropdowns. At the bottom of the window are "Save" and "Cancel" buttons.

(BiCap device menu customized by site)

Hemostatic Clip(s)

Table: TxHemClip

The screenshot shows a software window titled "Hemostatic Clip(s)". It contains two spinner controls for "Total clips fired" and "Clips placed". Below these are two dropdown menus for "Bleeding outcome" and "Procedural outcome". A large text area for "Comments" is positioned below the dropdowns. At the bottom of the window are "Save" and "Cancel" buttons.

Hemostatic Heater Probe

Table: TxHemProbe

The screenshot shows a software window titled "Hemostatic Heater Probe". It contains several input fields: "Instrument" (a dropdown menu), "Watts" (a spinner control), "Bleeding outcome" (a dropdown menu), and "Procedural outcome" (a dropdown menu). Below these is a "Comments" section with a text area. At the bottom of the window are "Save" and "Cancel" buttons.

(Instrument menu customized by site)

Hemostatic Injection

Table: TxHemInjection

The screenshot shows a software window titled "Hemostatic Injection". It contains several input fields: "Injectant" (a dropdown menu), "Combined with" (a text field), "Number of injections" (a spinner control), and "Total volume injected (cc)" (a text field). Below these are "Bleeding outcome" (a dropdown menu) and "Procedural outcome" (a dropdown menu). At the bottom is a "Comments" section with a text area. At the very bottom of the window are "Save" and "Cancel" buttons.

(Injectant menu customized by site)

Hemostatic Laser

Table: TxHemLaser

The screenshot shows a form titled "Hemostatic Laser". It contains the following fields from top to bottom: a dropdown menu for "Type of laser", three spinner boxes for "Watts", "Joules", and "Total seconds", a dropdown menu for "Bleeding outcome", a dropdown menu for "Procedural outcome", a text area for "Comments", and two buttons labeled "Save" and "Cancel" at the bottom.

(Type of laser menu customized by site)

Other hemostatic therapy(s)

Table: TxHemOther

The screenshot shows a form titled "Other hemostatic therapy(s)". It contains the following fields from top to bottom: a text area for "Description", a dropdown menu for "Bleeding outcome", a dropdown menu for "Procedural outcome", a text area for "Comments", and two buttons labeled "Save" and "Cancel" at the bottom.

Non-hemostatic therapies

Table: TheraLauncherNonHemo

The screenshot shows a dialog box titled "Therapies". Inside, there is a section labeled "Non-hemostatic" containing a list of therapy options, each with a checkbox and a right-pointing arrow. The options are: APC (checked), Banding, Clip, Dilation, EMR, Heater probe, Injection, Laser, Stent, and Other therapy. At the bottom of the dialog are "Save" and "Cancel" buttons.

Non-hemostatic Argon Plasma Coagulation

Table: TxNonHemAPC

The screenshot shows a dialog box titled "Non-hemostatic Argon Plasma Coagulation (APC)". It contains two spinners for "Watts" and "Litres / min of Ar". Below these is a dropdown menu for "Procedural outcome" and a text area for "Comments". "Save" and "Cancel" buttons are at the bottom.

Non-hemostatic Banding

Table: TxNonHemBanding

The screenshot shows a dialog box titled "Non-hemostatic Banding". It features a dropdown menu for "Banding device" with "Two Shooter" selected. Below are two spinners for "Total bands fired" and "Bands placed". There is also a dropdown for "Procedural outcome" and a text area for "Comments". "Save" and "Cancel" buttons are at the bottom.

(Banding device menu customized by site)

Non-hemostatic Clip(s)

Table: TxNonHemClip

Non-hemostatic Clip(s)

Total clips fired

Clips placed

Procedural outcome

Comments

Save Cancel

Non-hemostatic Dilatation

Table: TxNonHemDilation

Non-hemostatic Dilatation

Dilator type

Resistance

Heme on extraction

Patient Tolerance

Procedural outcome

Comments

Save Cancel

(Dilator type menu customized by site)

Resistance

Heme on extraction

Patient Tolerance

- Minimal
- Moderate
- None
- Significant

Resistance

Heme on extraction

Patient Tolerance

- Minimal
- Moderate
- None
- Significant

Resistance

Heme on extraction

Patient Tolerance

Procedural outcome

- Excellent
- Good
- Fair
- Poor

Non-hemostatic Endoscopic Mucosal Resection (EMR)

Table: TxNonHemEMR

Non-hemostatic Endoscopic Mucosal Resection (EMR)

Instrument

Complete resection

Sample retrieved

Procedural outcome

Comments

Save Cancel

(EMR instrument customized by site)

Non-hemostatic Heater Probe

Table: TxNonHemProbe

Non-hemostatic Heater Probe

Instrument

Watts

Procedural outcome

Comments

Save Cancel

(Heater probe Instrument customized by site)

Non-hemostatic Injection

Table: TxNonHemInjection

Non-hemostatic Injection

Injectant

Combined with

Number of injections

Total volume injected (cc)

Procedural outcome

Comments

Save Cancel

(Injectant menu customized by site)

Non-hemostatic Laser

Table: TxNonHemLaser

Non-hemostatic Laser

Type of laser

Watts

Joules

Total seconds

Procedural outcome

Comments

Save Cancel

(Type of laser menu customized by site)

Non-hemostatic Stent

Table: TxNonHemStent

The screenshot shows a software window titled "Non-hemostatic Stent". It contains several input fields and checkboxes. On the left side, there is a "Number of stents used" spinner, a "Stent type" dropdown menu, and input fields for "Length (cm)", "Covered (cm)", "Diameter" (with radio buttons for "Fr" and "mm"), "Flange (mm)", and "Guidewire" (a dropdown menu). On the right side, there are checkboxes for "Proximal clips placed", "Distal clips placed", "Performed under fluoroscopic guidance", and "Injected with contrast". Below these are a "Procedural outcome" dropdown menu and a "Comments" text area. At the bottom right, there are "Save" and "Cancel" buttons.

(Stent type menu customized by site)

This image is a close-up of the "Stent type" dropdown menu from the form above. The menu is open, showing two options: "Jag" and "Savary". The "Stent type" label and the dropdown arrow are visible at the top of the menu.

Other non-hemostatic therapy(s)

Table: TxNonHemOther

The screenshot shows a software window titled "Other non-hemostatic therapy(s)". It contains a "Description" text area, a "Procedural outcome" dropdown menu, and a "Comments" text area. At the bottom, there are "Save" and "Cancel" buttons.

EVENTS

Table: Intervention

Intervention medication grid: Intervention_Intervention_medication_grid

(Dose menu customized to Medication selection)

Intervention medication			Add med
Medication	Dose	Route	
atropine			
			<ul style="list-style-type: none"> Aerosol IM IV PO PR SC SL Topical
<input type="checkbox"/> Other intervention medication			

Cardiac events: Other cardiac event

Table: EventCardiacOther

Other cardiac events

Pulmonary events: Hypoxia – Prolonged (>15 sec)

Table: EventHypoxia

Prolonged hypoxia comments

Pulmonary events: Bleeding

Table: EventBleeding

Bleeding comments


Pulmonary events: Other pulmonary event

Table: EventPulmOther

Other pulmonary events

Gastrointestinal events: Other GI event


Table: EventGIOther



A screenshot of a dialog box titled "Other GI events". It features a large, empty text area for input. At the bottom of the dialog, there are two buttons: "Save" and "Cancel".

Other events: Other event


Table: EventOther



A screenshot of a dialog box titled "Other unplanned events". It features a large, empty text area for input. At the bottom of the dialog, there are two buttons: "Save" and "Cancel".

If yes, specify the interventions: Oxygen administered


Table: EventsO2Admin



A screenshot of a dialog box titled "Supplemental oxygen detail". It contains several input fields: "Oxygen flow (liters)" with a numeric spinner, "Delivery method" with a dropdown menu, and "Comments" with a large text area. At the bottom, there are "Save" and "Cancel" buttons.

If yes, specify the interventions: Other interventions


Table: EventIntervenOther



A screenshot of a dialog box titled "Other interventions required". It features a large, empty text area for input. At the bottom of the dialog, there are two buttons: "Save" and "Cancel".

Intervention medications: Other intervention medication

Table: IntervenMedOther



The image shows a screenshot of a software window titled "Other intervention medication". The window has a light blue title bar and a white main area. At the bottom of the window, there are two buttons: "Save" and "Cancel". The main area is currently empty, suggesting a form or table that is not yet populated with data.

ASSESSMENT / PLAN

Table: TreatmentPlan

New Medications grid: TreatmentPlan_New_medications_grid

Scheduling and Referring grid: TreatmentPlan_Scheduling_and_Referring_grid (redacted)

(Medication menu customized to Medication Type selection)

New medications						
Medication Type	Medication	Dose	Route	Sig	Disp	Comments
5-ASA	mesalamine	1500 mg				
<input type="checkbox"/> Other new medications						

(Dose menu customized to Medication selection)

New medications						
Medication Type	Medication	Dose	Route	Sig	Disp	Comments
5-ASA	mesalamine		Aerosol			
<input type="checkbox"/> Other new medications						

New medications						
Medication Type	Medication	Dose	Route	Sig	Disp	Comments
5-ASA	mesalamine			AC		
<input type="checkbox"/> Other new medications						

Scheduling and Referring				
Activity Type	Activity	When	Date	Comments
Admit to hospital				
<input type="checkbox"/> Other plan				

Scheduling and Referring				
Activity Type	Activity	When	Date	Comments
Followup	Call office			
<input type="checkbox"/> Other plan				

(Activity menu customized to Activity Type selection)

Scheduling and Referring				
Activity Type	Activity	When	Date	Comments
Followup		Around		
<input type="checkbox"/> Other plan				

Medication plan: Discontinue current medications


Table: DiscontinueCurMeds

Discontinue current medication(s)

List current medication(s) to discontinue

Medication plan: Continue all current medications


Table: ContinueMeds



The screenshot shows a dialog box titled "Continue current medication(s)". At the top, there is a checkbox labeled "Continue all current medications" which is currently unchecked. Below the checkbox is a text label "List current medication(s) to continue" followed by a large, empty text area with a vertical scrollbar. At the bottom of the dialog box, there are two buttons: "Save" and "Cancel".

Medication plan: Other new medications


Table: OtherNewMeds



The screenshot shows a dialog box titled "Other New Medications". It features a large, empty text area with a vertical scrollbar. At the bottom of the dialog box, there are two buttons: "Save" and "Cancel".

Scheduling and Referring: Other plan

Table: PlanOther



The screenshot shows a dialog box titled "Other plan". It contains a large, empty text area with a vertical scrollbar. At the bottom of the dialog box, there are two buttons: "Save" and "Cancel".

LETTERS / INSTRUCTIONS

Letters

Small Caliber Endoscopy
Close

History

Physical exam

Liver Disease

Indications

Preprocedure

Sedation

Procedure

Findings

Events

Assessment/Plan

Letters/Instructions

Pathology Images Print Fax Orders

First name Middle name Last name MRN Birth date Procedure date

Fake Patient 00000000 1/1/1901 1/ 1/2000 12:00 PM

Use Defaults

Select Providers to receive copies of the report

Search by last name [Providers](#)

Add ->
<- Remove

Referring provider

Other providers to be copied

Print these providers at bottom of procedure report

Finding-specific instructions

Upper GI |

<input type="checkbox"/> Achalasia	<input type="checkbox"/> Food impaction	<input type="checkbox"/> Nodule / Polyp	<input type="checkbox"/> Tumor
<input type="checkbox"/> Arteriovenous malformations (AVM)	<input type="checkbox"/> Foreign body	<input type="checkbox"/> Normal	<input type="checkbox"/> Ulcer
<input type="checkbox"/> Barrett's esophagus	<input type="checkbox"/> Hiatal hernia	<input type="checkbox"/> Prior endotherapy	<input type="checkbox"/> Varices
<input type="checkbox"/> Blood clot	<input type="checkbox"/> Mallory-Weiss tear	<input type="checkbox"/> Prior surgery	
<input type="checkbox"/> Duodenal diverticulum	<input type="checkbox"/> Mucosal abnormality - Esophagus	<input type="checkbox"/> Sprue (Celiac disease)	
<input type="checkbox"/> Esophageal ulcer	<input type="checkbox"/> Mucosal abnormality - Stomach / Duodenum	<input type="checkbox"/> Stricture / Stenosis	

Instructions given in

Standardized instructions given

Sedation High-fiber diet

Post-exam instructions given

NPO

Liquids only

Resume prior diet

No alcohol

ASA / NSAIDS

Restart medications

Other specific post-exam instructions

Save as Default

Save
Sign
Print Preview
Close