



Participant ID: \_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_

Participant Initials: \_\_\_\_\_

Clinical Center: \_\_\_\_\_ Site: \_\_\_\_\_

Visit Number: \_\_\_\_\_

CRF Date: \_\_\_\_/\_\_\_\_/\_\_\_\_

RC ID: \_\_\_\_\_

### BLOOD PRESSURE FORM

1. Date Blood Pressure taken: \_\_\_\_\_ / \_\_\_\_\_ / \_\_\_\_\_  
MM DD YYYY
2. Time of day when seated Blood Pressure taken: \_\_\_\_\_ : \_\_\_\_\_ (military time)
3. Blood Pressure device number: \_\_\_\_\_
4. Arm used: <sub>1</sub> Right <sub>2</sub> Left
5. Midpoint circumference of arm used: \_\_\_\_\_ . \_\_\_\_\_ cm
6. Size of cuff (**check one**):  
<sub>1</sub> Child (< 24.0 cm)  
<sub>2</sub> Adult (24.0 to < 33.0 cm)  
<sub>3</sub> Large adult (33.0 to 41.0 cm)  
<sub>4</sub> Thigh (> 41.0 cm to 50.0 cm)  
<sub>5</sub> Thigh (> 50.0 cm)
7. Seated Pulse measurement (**# in 30 seconds X 2**): \_\_\_\_\_ beats/minute  
**Have participant remain seated for 5 minutes.**
8. Observed Pulse Obliteration Pressure: \_\_\_\_\_
9. Peak Inflation Level (Pulse Obliteration Pressure **+30**): \_\_\_\_\_
10. First seated Blood Pressure measure (**Systolic/Diastolic**): \_\_\_\_\_ / \_\_\_\_\_ mmHg  
**Wait for 30 seconds.**
11. Second seated Blood Pressure measure (**Systolic/Diastolic**): \_\_\_\_\_ / \_\_\_\_\_ mmHg  
**Wait for 30 seconds.**
12. Third seated Blood Pressure measure (**Systolic/Diastolic**): \_\_\_\_\_ / \_\_\_\_\_ mmHg  
**Have participant stand for 2 minutes.**
13. Standing Pulse measurement (**# in 30 seconds X 2**): \_\_\_\_\_ beats/minute
14. Standing Blood Pressure (**Systolic/Diastolic**): \_\_\_\_\_ / \_\_\_\_\_ mmHg