

DCCT Data Set Documentation: CBL data (year 9)

Central Biochemistry Laboratory: Year 9

Collection Schedule: Ninth annual visit.

Data Set Name: CBL9

Structure: One record per patient.

Size: 273 observations of 67 variables.

Known Anomalies: There are no observations for patients who provided no ninth-annual biochemical data.

Comments: GFR variables labelled "T5" are split-duplicate quality-control samples of one of the other time periods, and were not used to calculate GFR. Details of the GFR computations may be found in Levey, A.S., *et al.*, "Glomerular Filtration Rate Measurement in Clinical Trials", *Journal of the American Society of Nephrology* 4: 1159-1171, 1993.



CONTENTS PROCEDURE

Data Set Name: DCEXPORT.CBL9
 Member Type: DATA
 Engine: V608
 Created: 19:51 Tuesday, December 5, 1995
 Last Modified: 19:51 Tuesday, December 5, 1995
 Protection:
 Data Set Type:
 Label:

Observations: 273
 Variables: 67
 Indexes: 0
 Observation Length: 341
 Deleted Observations: 0
 Compressed: NO
 Sorted: YES

-----Engine/Host Dependent Information-----

Data Set Page Size: 16384
 Number of Data Set Pages: 7
 File Format: 607
 First Data Page: 1
 Max Obs per Page: 47
 Obs in First Data Page: 22
 Userid : ONITE1
 File : CBL9 DCEXPORT

-----Alphabetic List of Variables and Attributes-----

#	Variable	Type	Len	Pos	Format	Label
28	BCCOCR	Num	8	113		24-Hr Urine Creatinine Coeff. mg/kg/spec
32	BCDURAT	Num	8	145		24-Hr Urine Duration
2	BCLDT	Char	6	8		GFR Collection Date
37	BCLDT12	Char	6	173		Renal Test-12 Collection Date
51	BCLDT21	Char	6	241		Lipid Test-21 Collection Date
25	BCLDTF	Char	6	91		24-Hr Urine Collection Date
55	BCMLD24	Char	6	256		TEST24-COLLECTION DATE
31	BCPH	Num	8	137		24-Hr Urine PH
17	BCSERUM0	Num	4	63		GFR Gamma Count Serum-T0
18	BCSERUM1	Num	4	67		GFR Gamma Count Serum-T1
19	BCSERUM2	Num	4	71		GFR Gamma Count Serum-T2
20	BCSERUM3	Num	4	75		GFR Gamma Count Serum-T3
21	BCSERUM4	Num	4	79		GFR Gamma Count Serum-T4
22	BCSERUM5	Num	4	83		GFR Gamma Count Serum-T5
16	BCSERUMB	Num	4	59		GFR Gamma Count Serum-Pre
4	BCSGLUC0	Num	3	17		GFR Serum Glucose-T0 (mg/dl)
5	BCSGLUC1	Num	3	20		GFR Serum Glucose-T1 (mg/dl)
6	BCSGLUC2	Num	3	23		GFR Serum Glucose-T2 (mg/dl)
7	BCSGLUC3	Num	3	26		GFR Serum Glucose-T3 (mg/dl)
8	BCSGLUC4	Num	3	29		GFR Serum Glucose-T4 (mg/dl)
9	BCSGLUC5	Num	3	32		GFR Serum Glucose-T5 (mg/dl)
3	BCSGLUCB	Num	3	14		GFR Serum Glucose-Pre (mg/dl)
29	BCSODIUM	Num	8	121		24-Hr Urine Sodium mg/l
27	BCSPCR	Num	8	105		24-Hr Urine Creatinine/Specimen mg/spec
26	BCURCR	Num	8	97		24-Hr Urine Creatinine/Urine mg/dl
30	BCUREAN	Num	8	129		24-Hr Urine Urea Nitrogen mg/dl
11	BCURINE1	Num	4	39		GFR Gamma Count Urine-T1
12	BCURINE2	Num	4	43		GFR Gamma Count Urine-T2
13	BCURINE3	Num	4	47		GFR Gamma Count Urine-T3
14	BCURINE4	Num	4	51		GFR Gamma Count Urine-T4
15	BCURINE5	Num	4	55		GFR Gamma Count Urine-T5
10	BCURINEB	Num	4	35		GFR Gamma Count Urine-Background

CONTENTS PROCEDURE

#	Variable	Type	Len	Pos	Format	Label
38	BCVAL12	Num	8	179		Renal Test-12 ALB (Serum) g/dl
39	BCVAL13	Num	8	187		Renal Test-13 Creatinine (Serum) mg/dl
40	BCVAL14	Num	3	195		Renal Test-14 Albumin (Urine) mg/l
41	BCVAL15	Num	3	198		Renal Test-15 AER ug/mn
42	BCVAL16	Num	3	201		Renal Test-16 Creatinine (Urine) mg/dl
43	BCVAL17	Num	8	204		Renal Test-17 Height cm
44	BCVAL18	Num	8	212		Renal Test-18 Weight kg
45	BCVAL19	Num	3	220		Renal Test-19 Raw Clear ml/mn
52	BCVAL21	Num	3	247		Lipid Test-21 Cholesterol (Serum) mg/dl
53	BCVAL22	Num	3	250		Lipid Test-22 Triglyceride (Serum) mg/dl
54	BCVAL23	Num	3	253		Lipid Test-23 HDL Chol. (Serum) mg/dl
56	BCVAL24	Num	3	262		Lipid Test-24 LDL Chol. (Serum) mg/dl
46	BCVAL20A	Num	3	223		Renal Test-20A Stand. Clear ml/mn/1.73m2
47	BCVAL20B	Num	8	226		Renal Test-20B Duration (hours)
48	BCVAL20C	Num	3	234		Renal Test-20C Volume ml
34	BCVOL	Num	8	161		24-Hr Urine Volume
33	BCWT	Num	8	153		24-Hr Urine Weight
63	BSA	Num	8	301		Body surface area (current)
49	F023CMBB	Num	3	237	MMDDYY8.	Form Date For Renal
57	F023CMBC	Num	3	265	MMDDYY8.	Form Date for Lipid
23	F023CMBG	Num	3	87	MMDDYY8.	Form Date for GFR
35	F0233F	Num	3	169	MMDDYY8.	Form Date for 24-Hr Urine
59	GFR1	Num	8	269		Glomerular filtration rate - 1st period
60	GFR2	Num	8	277		Glomerular filtration rate - 2nd period
61	GFR3	Num	8	285		Glomerular filtration rate - 3rd period
62	GFR4	Num	8	293		Glomerular filtration rate - 4th period
66	GFR_ADJ	Num	8	325		Average GFR adjusted for current BSA
64	GFR_AVG	Num	8	309		Mean UNADJUSTED GFR (ml/min)
65	GFR_CV	Num	8	317		GFR coefficient of variation (percent)
67	MASK_PAT	Num	8	333		Patient ID number
1	RANDSAS	Num	8	0	MMDDYY6.	Randomization Date (SAS Value)
50	REPEAT_B	Char	1	240		Repeat Evaluation for Renal
58	REPEAT_C	Char	1	268		Repeat Evaluation for Lipid
36	REPEAT_F	Char	1	172		Repeat Evaluation for 24-Hr Urine
24	REPEAT_G	Char	1	90		Repeat Evaluation for GFR

-----Sort Information-----

Sortedby: MASK_PAT
 Validated: YES
 Character Set: EBCDIC

*** DISTRIBUTIONAL SUMMARY ***

Variable Attributes	Statistic	<--Int-->	<--Env-->	<-Total->	<--Int-->	<--Env-->	<-Total->	<--Int-->	<--Env-->	<-Total->	<--Int-->	<--Env-->	<-Total->	<Overall-->
24-HR URINE CREATININE COEFF. MG/KG/SPEC														
Variable Name: BCCOOR														
N	44.00	50.00	94.00	86.00	77.00	163.00	130.00	127.00	257.00					
Nmiss	5.00	2.00	7.00	7.00	2.00	9.00	12.00	4.00	16.00					
Mean	18.22	18.81	18.54	18.06	17.61	17.84	18.11	18.08	18.10					
Std	4.57	5.03	4.80	4.05	4.74	4.38	4.22	4.87	4.54					
Minimum	8.70	8.50	8.50	9.50	3.40	3.40	8.70	3.40	3.40					
25th pct	14.60	15.40	15.20	15.40	15.90	15.40	15.30	15.40	15.40					
Median	18.25	18.95	18.90	17.65	18.20	18.10	17.85	18.60	18.20					
75th pct	21.15	21.40	21.30	21.80	20.70	21.10	21.20	21.20	21.20					
Maximum	31.60	29.40	31.60	27.20	25.70	27.20	31.60	29.40	31.60					
24-HR URINE DURATION														
Variable Name: BCDURAT														
N	45.00	50.00	95.00	86.00	77.00	163.00	131.00	127.00	258.00					
Nmiss	4.00	2.00	6.00	7.00	2.00	9.00	11.00	4.00	15.00					
Mean	23.93	23.97	23.95	23.97	23.96	23.96	23.95	23.97	23.96					
Std	0.41	0.36	0.38	0.42	0.37	0.40	0.42	0.36	0.39					
Minimum	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00	22.00					
25th pct	24.00	24.00	24.00	24.00	24.00	24.00	24.00	24.00	24.00					
Median	24.00	24.00	24.00	24.00	24.00	24.00	24.00	24.00	24.00					
75th pct	24.00	24.00	24.00	24.00	24.00	24.00	24.00	24.00	24.00					
Maximum	25.00	24.80	25.00	25.80	25.50	25.80	25.80	25.50	25.80					
24-HR URINE PH														
Variable Name: BCPH														
N	44.00	50.00	94.00	87.00	77.00	164.00	131.00	127.00	258.00					
Nmiss	5.00	2.00	7.00	6.00	2.00	8.00	11.00	4.00	15.00					
Mean	4.76	5.19	4.99	5.11	5.07	5.09	4.99	5.12	5.05					
Std	0.84	1.15	1.03	1.12	1.02	1.07	1.05	1.07	1.06					
Minimum	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00					
25th pct	4.25	4.50	4.50	4.50	4.50	4.50	4.50	4.50	4.50					
Median	4.50	4.50	4.50	4.50	4.50	4.50	4.50	4.50	4.50					
75th pct	4.75	6.00	6.00	6.50	6.00	6.00	6.00	6.00	6.00					
Maximum	7.00	7.50	7.50	7.50	7.50	7.50	7.50	7.50	7.50					
GFR GAMMA COUNT SERUM-PRE														
Variable Name: BCSERUMB														
N	46.00	42.00	88.00	82.00	70.00	152.00	128.00	112.00	240.00					
Nmiss	3.00	10.00	13.00	11.00	9.00	20.00	14.00	19.00	33.00					
Mean	7.04	7.00	7.02	7.91	7.57	7.76	7.60	7.36	7.49					
Std	10.34	8.57	9.48	17.71	9.85	14.58	15.43	9.36	12.93					
Minimum	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00					
25th pct	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00					
Median	4.00	4.00	4.00	2.50	4.50	4.00	3.50	4.00	4.00					
75th pct	9.00	11.00	9.00	11.00	12.00	11.00	10.00	12.00	11.00					
Maximum	53.00	28.00	53.00	149.00	58.00	149.00	149.00	58.00	149.00					

Notes: (VME=DOUGPROD 191: CBL9 LISTING)
(VME=ARNOLD 191: DOCUMENT SAS)

* * D I S T R I B U T I O N A L S U M M A R Y * *

Variable Attributes	Statistic	<--Int-->	<--Cnv-->	<--Total-->	<--Int-->	<--Cnv-->	<--Total-->	<--Int-->	<--Cnv-->	<--Total-->	<--Int-->	<--Cnv-->	<--Total-->
GFR GAMMA COUNT SERUM-T0 Variable Name: BCSENUM0	N	46.00	41.00	87.00	82.00	70.00	152.00	128.00	111.00	239.00	128.00	111.00	239.00
	Nmiss	3.00	11.00	14.00	11.00	9.00	20.00	14.00	20.00	34.00	14.00	20.00	34.00
	Mean	1611.43	1469.10	1544.36	1328.01	1458.33	1388.03	1429.87	1462.31	1444.93	1429.87	1462.31	1444.93
	Std	837.39	634.03	747.67	428.34	538.56	484.98	619.78	572.84	597.41	619.78	572.84	597.41
	Minimum	709.00	596.00	596.00	365.00	576.00	365.00	365.00	576.00	365.00	365.00	576.00	365.00
	25th pct	1198.00	1070.00	1099.00	1078.00	1133.00	1097.50	1087.00	1117.00	1099.00	1087.00	1117.00	1099.00
	Median	1398.50	1400.00	1400.00	1243.50	1348.50	1301.50	1268.50	1389.00	1329.00	1268.50	1389.00	1329.00
	75th pct	1932.00	1721.00	1896.00	1573.00	1624.00	1621.50	1731.00	1721.00	1731.00	1731.00	1721.00	1731.00
	Maximum	5686.00	4267.00	5686.00	2772.00	3848.00	3848.00	5686.00	4267.00	5686.00	5686.00	4267.00	5686.00
GFR GAMMA COUNT SERUM-T1 Variable Name: BCSENUM1	N	46.00	42.00	88.00	82.00	70.00	152.00	128.00	112.00	240.00	128.00	112.00	240.00
	Nmiss	3.00	10.00	13.00	11.00	9.00	20.00	14.00	19.00	33.00	14.00	19.00	33.00
	Mean	1173.63	1078.90	1128.42	1065.02	1136.66	1098.01	1104.05	1115.00	1109.16	1104.05	1115.00	1109.16
	Std	433.31	358.79	400.06	483.42	421.05	455.69	467.24	398.17	435.51	467.24	398.17	435.51
	Minimum	602.00	429.00	429.00	358.00	347.00	347.00	358.00	347.00	347.00	358.00	347.00	347.00
	25th pct	854.00	770.00	848.00	782.00	881.00	801.50	799.50	862.00	810.00	799.50	862.00	810.00
	Median	1094.00	1074.00	1074.00	997.50	1062.00	1022.00	1021.50	1070.50	1037.50	1021.50	1070.50	1037.50
	75th pct	1412.00	1306.00	1363.00	1166.00	1343.00	1212.50	1255.00	1324.50	1287.50	1255.00	1324.50	1287.50
	Maximum	2997.00	1945.00	2997.00	4160.00	3042.00	4160.00	4160.00	3042.00	4160.00	4160.00	3042.00	4160.00
GFR GAMMA COUNT SERUM-T2 Variable Name: BCSENUM2	N	46.00	41.00	87.00	82.00	70.00	152.00	128.00	111.00	239.00	128.00	111.00	239.00
	Nmiss	3.00	11.00	14.00	11.00	9.00	20.00	14.00	20.00	34.00	14.00	20.00	34.00
	Mean	936.37	851.39	896.32	834.01	897.96	863.46	870.80	880.76	875.42	870.80	880.76	875.42
	Std	368.78	292.98	336.02	293.27	354.58	323.44	324.77	332.55	327.75	324.77	332.55	327.75
	Minimum	476.00	325.00	325.00	307.00	217.00	217.00	307.00	217.00	217.00	307.00	217.00	217.00
	25th pct	658.00	616.00	647.00	619.00	652.00	624.50	634.00	616.00	631.00	634.00	616.00	631.00
	Median	848.50	858.00	853.00	803.50	823.50	815.50	830.50	828.00	829.00	830.50	828.00	829.00
	75th pct	1147.00	1010.00	1074.00	968.00	1073.00	1008.00	1005.50	1073.00	1031.00	1005.50	1073.00	1031.00
	Maximum	2230.00	1682.00	2230.00	1827.00	2125.00	2125.00	2230.00	2125.00	2230.00	2230.00	2125.00	2230.00
GFR GAMMA COUNT SERUM-T3 Variable Name: BCSENUM3	N	46.00	41.00	87.00	82.00	70.00	152.00	128.00	111.00	239.00	128.00	111.00	239.00
	Nmiss	3.00	11.00	14.00	11.00	9.00	20.00	14.00	20.00	34.00	14.00	20.00	34.00
	Mean	744.33	696.78	721.92	668.04	733.31	698.10	695.45	719.82	706.77	695.45	719.82	706.77
	Std	330.97	251.89	294.63	220.56	316.47	270.05	266.82	293.61	279.25	266.82	293.61	279.25
	Minimum	341.00	294.00	294.00	238.00	170.00	170.00	238.00	170.00	170.00	238.00	170.00	170.00
	25th pct	494.00	528.00	501.00	521.00	501.00	505.50	507.50	501.00	501.00	507.50	501.00	501.00
	Median	695.50	683.00	686.00	663.50	684.00	674.00	667.50	683.00	680.00	667.50	683.00	680.00
	75th pct	897.00	796.00	871.00	778.00	907.00	830.00	805.00	869.00	837.00	805.00	869.00	837.00
	Maximum	2179.00	1482.00	2179.00	1350.00	1913.00	1913.00	2179.00	1913.00	2179.00	2179.00	1913.00	2179.00

(VWF=DOUGPROD 191: CBL9 LISTING)
 (VWF=ARNOLD 191: DOCUMENT SAS)

Notes:

* * D I S T R I B U T I O N A L S U M M A R Y * *

Variable Attributes	Primary Retinopathy----->		Secondary Retinopathy----->		Treatment Group-->		<Overall>
	<-Int-->	<-Cnv-->	<-Total-->	<-Int-->	<-Cnv-->	<-Total-->	
GFR GAMMA COUNT SERUM-T4							
Variable Name: BCSERUM4							
N	46.00	41.00	87.00	81.00	68.00	149.00	109.00
Nmiss	3.00	11.00	14.00	12.00	11.00	23.00	22.00
Mean	583.07	581.32	582.24	546.31	612.59	576.56	600.83
Std	205.76	227.22	214.87	188.37	281.54	236.98	261.77
Minimum	279.00	224.00	224.00	184.00	145.00	145.00	145.00
25th pct	418.00	430.00	422.00	399.00	414.00	410.00	421.00
Median	540.50	546.00	543.00	546.00	573.00	547.00	571.00
75th pct	685.00	668.00	685.00	638.00	760.50	676.00	725.00
Maximum	1213.00	1295.00	1295.00	1128.00	1524.00	1524.00	1524.00
GFR GAMMA COUNT SERUM-T5							
Variable Name: BCSERUM5							
N	5.00	6.00	11.00	10.00	5.00	15.00	11.00
Nmiss	44.00	46.00	90.00	83.00	74.00	157.00	120.00
Mean	501.80	416.17	455.09	634.30	806.40	691.67	593.55
Std	476.05	320.18	379.35	406.99	794.05	525.35	565.88
Minimum	1.00	0.00	0.00	0.00	0.00	0.00	0.00
25th pct	6.00	47.00	6.00	511.00	306.00	306.00	47.00
Median	651.00	525.50	622.00	674.50	498.00	604.00	498.00
75th pct	806.00	698.00	701.00	863.00	1553.00	897.00	701.00
Maximum	1045.00	701.00	1045.00	1363.00	1665.00	1665.00	1665.00
GFR SERUM GLUCOSE-PRE (MG/DL)							
Variable Name: BCSGLUCB							
N	46.00	42.00	88.00	82.00	70.00	152.00	112.00
Nmiss	3.00	10.00	13.00	11.00	9.00	20.00	19.00
Mean	221.13	293.83	255.83	200.07	270.66	232.58	279.35
Std	107.60	126.42	121.88	91.11	94.07	98.71	107.38
Minimum	21.00	49.00	21.00	28.00	29.00	28.00	21.00
25th pct	140.00	241.00	176.50	132.00	225.00	150.50	233.00
Median	218.00	288.00	262.00	188.00	290.00	244.50	289.00
75th pct	277.00	353.00	311.50	278.00	330.00	307.50	336.50
Maximum	544.00	604.00	604.00	406.00	445.00	445.00	604.00
GFR SERUM GLUCOSE-TO (MG/DL)							
Variable Name: BCSGLUCO							
N	46.00	41.00	87.00	82.00	70.00	152.00	111.00
Nmiss	3.00	11.00	14.00	11.00	9.00	20.00	20.00
Mean	183.07	239.39	209.61	190.37	248.21	217.01	244.95
Std	89.39	96.23	96.38	87.22	105.50	100.02	101.82
Minimum	39.00	38.00	38.00	42.00	46.00	42.00	38.00
25th pct	103.00	193.00	130.00	132.00	180.00	142.50	180.00
Median	176.50	230.00	202.00	172.50	249.00	208.50	240.00
75th pct	242.00	297.00	276.00	245.00	317.00	278.50	312.00
Maximum	365.00	466.00	466.00	416.00	520.00	520.00	520.00

Notes: (VM=DUIGPROD 191: CBL9 LISTING)
 (VM=ARNOLD 191: DOCUMENT SAS)

*** DISTRIBUTIONAL SUMMARY ***

Variable Attributes	Statistic	-----Primary Retinopathy-----			-----Secondary Retinopathy-----			---Treatment Group---			Overall
		<--Int-->	<--Cnv-->	<--Total-->	<--Int-->	<--Cnv-->	<--Total-->	<--Int-->	<--Cnv-->	<--Total-->	
GFR SERUM GLUCOSE-T1 (MG/DL) Variable Name: BCSGLUC1	N	46.00	42.00	88.00	82.00	70.00	152.00	128.00	112.00	240.00	
	Nmiss	3.00	10.00	13.00	11.00	9.00	20.00	14.00	19.00	33.00	
	Mean	174.15	223.76	197.83	183.21	232.83	206.06	179.95	239.43	203.04	
	Std	88.64	92.89	93.55	85.27	104.28	97.39	86.26	99.83	95.89	
	Minimum	25.00	73.00	25.00	30.00	47.00	30.00	25.00	47.00	25.00	
	25th pct	108.00	169.00	110.50	125.00	144.00	136.00	110.50	150.50	126.50	
	Median	171.50	217.00	202.00	170.50	247.50	191.00	170.50	197.00	170.50	
	75th pct	239.00	279.00	257.00	235.00	296.00	268.00	238.00	292.00	265.00	
	Maximum	339.00	426.00	426.00	402.00	523.00	523.00	402.00	523.00	523.00	
GFR SERUM GLUCOSE-T2 (MG/DL) Variable Name: BCSGLUC2	N	46.00	41.00	87.00	82.00	70.00	152.00	128.00	111.00	239.00	
	Nmiss	3.00	11.00	14.00	11.00	9.00	20.00	14.00	20.00	34.00	
	Mean	168.11	214.68	190.06	183.07	218.00	199.16	177.70	216.77	195.85	
	Std	80.69	90.53	88.13	78.45	97.55	89.19	79.27	94.61	88.73	
	Minimum	24.00	53.00	24.00	26.00	63.00	26.00	24.00	53.00	24.00	
	25th pct	106.00	160.00	121.00	131.00	133.00	131.50	125.50	142.00	131.00	
	Median	158.00	207.00	181.00	171.50	221.50	184.00	168.00	209.00	182.00	
	75th pct	227.00	273.00	260.00	228.00	289.00	265.00	227.50	279.00	264.00	
	Maximum	334.00	399.00	399.00	382.00	497.00	497.00	382.00	497.00	497.00	
GFR SERUM GLUCOSE-T3 (MG/DL) Variable Name: BCSGLUC3	N	46.00	41.00	87.00	82.00	70.00	152.00	128.00	111.00	239.00	
	Nmiss	3.00	11.00	14.00	11.00	9.00	20.00	14.00	20.00	34.00	
	Mean	165.52	202.68	183.03	182.66	213.29	196.76	176.50	209.37	191.77	
	Std	77.98	91.02	85.92	76.14	95.63	86.74	76.94	93.68	86.51	
	Minimum	20.00	47.00	20.00	47.00	47.00	47.00	20.00	47.00	20.00	
	25th pct	104.00	141.00	120.00	131.00	131.00	131.00	116.00	132.00	125.00	
	Median	145.00	186.00	177.00	176.50	222.00	196.00	173.00	209.00	190.00	
	75th pct	221.00	251.00	239.00	229.00	266.00	254.00	224.50	264.00	251.00	
	Maximum	332.00	465.00	465.00	356.00	463.00	463.00	356.00	465.00	465.00	
GFR SERUM GLUCOSE-T4 (MG/DL) Variable Name: BCSGLUC4	N	46.00	41.00	87.00	81.00	68.00	149.00	127.00	109.00	236.00	
	Nmiss	3.00	11.00	14.00	12.00	11.00	23.00	15.00	22.00	37.00	
	Mean	160.65	200.02	179.21	179.33	211.62	194.07	172.57	207.26	188.59	
	Std	72.85	86.01	81.29	77.28	98.88	88.96	75.95	94.01	86.34	
	Minimum	25.00	51.00	25.00	52.00	40.00	40.00	25.00	40.00	25.00	
	25th pct	101.00	135.00	117.00	128.00	125.50	126.00	113.00	131.00	123.50	
	Median	147.00	182.00	177.00	171.00	229.50	186.00	169.00	208.00	179.00	
	75th pct	219.00	240.00	228.00	231.00	269.00	254.00	219.00	258.00	240.00	
	Maximum	313.00	503.00	503.00	389.00	504.00	504.00	389.00	504.00	504.00	

Notes:

(VIM=DOUGPROD 191: CBL9 LISTING)
 (VIM=ARNOLD 191: DOCUMENT SAS)

* * D I S T R I B U T I O N A L S U M M A R Y * *

Variable Attributes	Statistic	-----Primary Retinopathy-----		-----Secondary Retinopathy-----		-----Treatment Group-----		Overall
		<--Int-->	<--Cnv-->	<--Int-->	<--Cnv-->	<--Int-->	<--Cnv-->	
24-HR URINE UREA NITROGEN MG/DL								
Variable Name: BCUREAN								
N	44.00	50.00	94.00	87.00	77.00	164.00	131.00	127.00
Nmiss	5.00	2.00	7.00	6.00	2.00	8.00	11.00	4.00
Mean	536.82	468.00	500.27	509.71	499.48	504.91	518.82	487.09
Std	220.53	184.46	203.97	214.19	192.87	203.90	215.87	189.49
Minimum	140.00	140.00	140.00	45.00	140.00	45.00	45.00	140.00
25th pct	390.00	320.00	360.00	340.00	360.00	350.00	360.00	340.00
Median	490.00	460.00	480.00	480.00	480.00	480.00	480.00	480.00
75th pct	690.00	560.00	600.00	660.00	620.00	640.00	660.00	580.00
Maximum	1240.00	980.00	1240.00	1160.00	1140.00	1160.00	1240.00	1140.00
GFR GAMMA COUNT URINE-BACKGROUND								
Variable Name: BCURINEB								
N	46.00	42.00	88.00	80.00	69.00	149.00	126.00	111.00
Nmiss	3.00	10.00	13.00	13.00	10.00	23.00	16.00	20.00
Mean	8.15	8.26	8.20	13.30	9.74	11.65	11.42	9.18
Std	9.09	9.14	9.07	34.75	12.20	26.76	28.27	11.12
Minimum	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
25th pct	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Median	6.00	7.50	6.50	6.00	6.00	6.00	6.00	7.00
75th pct	12.00	13.00	12.50	15.50	15.00	15.00	14.00	14.00
Maximum	42.00	42.00	42.00	294.00	80.00	294.00	294.00	80.00
GFR GAMMA COUNT URINE-T1								
Variable Name: BCURINE1								
N	46.00	42.00	88.00	82.00	69.00	151.00	128.00	111.00
Nmiss	3.00	10.00	13.00	11.00	10.00	21.00	14.00	20.00
Mean	19331.70	23119.19	21139.36	21743.02	22745.58	22201.15	20876.45	22886.95
Std	11052.66	20009.87	15984.33	16550.58	14017.07	15402.56	14810.15	16453.89
Minimum	5291.00	7267.00	5291.00	3111.00	5879.00	3111.00	3111.00	5879.00
25th pct	12965.00	11663.00	12390.50	11197.00	12784.00	11763.00	11783.00	11867.00
Median	16429.00	19400.50	16708.50	16369.00	18529.00	17471.00	16395.50	18636.00
75th pct	20954.00	26766.00	23403.00	25832.00	28477.00	28077.00	24994.00	28458.00
Maximum	67388.00	124718.00	124718.00	81154.00	62039.00	81154.00	81154.00	124718.00
GFR GAMMA COUNT URINE-T2								
Variable Name: BCURINE2								
N	46.00	42.00	88.00	81.00	67.00	148.00	127.00	109.00
Nmiss	3.00	10.00	13.00	12.00	12.00	24.00	15.00	22.00
Mean	14027.72	13719.26	13880.50	12889.48	16463.72	14507.55	13301.76	15406.22
Std	6928.17	11069.63	9088.38	6883.30	12199.00	9787.08	6893.97	11800.93
Minimum	4620.00	4120.00	4120.00	3546.00	3546.00	3235.00	3235.00	3546.00
25th pct	9359.00	8747.00	8934.00	8232.00	8711.00	8497.00	8246.00	8747.00
Median	12349.00	11082.50	11657.50	10705.00	12654.00	11664.50	11606.00	11959.00
75th pct	17052.00	15171.00	15948.50	16514.00	19982.00	17846.00	17052.00	16706.00
Maximum	34133.00	73618.00	73618.00	33196.00	62439.00	62439.00	34133.00	73618.00

Notes:

(VMS=DOUGPROD 191: CBL9 LISTING)
 (VMS=ARNOLD 191: DOCUMENT SAS)

Variable Attributes	Statistic	<--Int-->	<--Cnv-->	<-Total->	<--Int-->	<--Cnv-->	<-Total->	<--Int-->	<--Cnv-->	<-Total->	<--Int-->	<--Cnv-->	<-Total->	<Overall>
GFR GAMMA COUNT URINE-T3														
Variable Name: BCURINE3														
N	46.00	40.00	86.00	82.00	69.00	151.00	128.00	109.00	237.00					
Nmiss	3.00	12.00	15.00	11.00	10.00	21.00	14.00	22.00	36.00					
Mean	13569.67	9449.40	11653.27	9476.95	9445.36	9462.52	10947.77	9446.84	10257.47					
Std	21143.82	5063.63	15897.08	5150.17	4251.08	4745.08	13386.98	4542.85	10317.27					
Minimum	2900.00	3032.00	2900.00	2510.00	3392.00	2510.00	2510.00	3032.00	2510.00					
25th pct	7363.00	6599.50	6890.00	6238.00	6275.00	6238.00	6420.00	6416.00	6416.00					
Median	9250.00	7837.00	8552.00	7853.00	8888.00	8274.00	8500.50	8373.00	8395.00					
75th pct	11610.00	10337.50	11079.00	12430.00	12260.00	12316.00	12096.00	11572.00	11993.00					
Maximum	142460.00	26874.00	142460.00	31180.00	24638.00	31180.00	142460.00	26874.00	142460.00					
GFR GAMMA COUNT URINE-T4														
Variable Name: BCURINE4														
N	46.00	42.00	88.00	82.00	68.00	150.00	128.00	110.00	238.00					
Nmiss	3.00	10.00	13.00	11.00	11.00	22.00	14.00	21.00	35.00					
Mean	9594.50	7776.38	8726.76	7051.62	7973.29	7469.45	7965.47	7898.11	7934.34					
Std	8643.23	3573.96	6744.96	3420.48	6228.90	4900.90	5952.55	5353.78	5671.94					
Minimum	3067.00	2964.00	2964.00	2158.00	2242.00	2158.00	2158.00	2242.00	2158.00					
25th pct	5398.00	5186.00	5340.50	4343.00	4612.50	4581.00	4960.00	4779.00	4850.00					
Median	7874.50	6800.00	7437.50	6410.50	6487.00	6426.50	6677.00	6528.00	6551.50					
75th pct	9913.00	9139.00	9732.00	8761.00	8473.00	8699.00	9446.00	8997.00	9139.00					
Maximum	57591.00	17619.00	57591.00	18968.00	45974.00	45974.00	57591.00	45974.00	57591.00					
GFR GAMMA COUNT URINE-T5														
Variable Name: BCURINE5														
N	5.00	6.00	11.00	9.00	5.00	14.00	14.00	11.00	25.00					
Nmiss	44.00	46.00	90.00	84.00	74.00	158.00	128.00	120.00	248.00					
Mean	7369.80	5604.83	6407.09	25372.22	8037.60	19181.29	18942.79	6710.64	13560.64					
Std	7353.85	4608.97	5753.48	28224.49	7482.21	24119.52	24228.08	5884.62	19255.93					
Minimum	6.00	8.00	6.00	23.00	0.00	0.00	6.00	0.00	0.00					
25th pct	14.00	41.00	14.00	6359.00	3945.00	3945.00	3204.00	41.00	3204.00					
Median	7742.00	7096.50	7257.00	11368.00	5316.00	9537.00	9555.00	6936.00	7706.00					
75th pct	12975.00	7962.00	11425.00	33778.00	11936.00	22645.00	22645.00	11425.00	12975.00					
Maximum	16112.00	11425.00	16112.00	73972.00	18991.00	73972.00	73972.00	18991.00	73972.00					
RENAL TEST-12 ALB (SERUM) G/DL														
Variable Name: BCVAL12														
N	48.00	51.00	99.00	91.00	79.00	170.00	139.00	130.00	269.00					
Nmiss	1.00	1.00	2.00	2.00	0.00	2.00	3.00	1.00	4.00					
Mean	3.86	3.94	3.90	3.91	3.81	3.86	3.89	3.86	3.88					
Std	0.31	0.33	0.32	0.33	0.36	0.34	0.32	0.35	0.34					
Minimum	3.22	3.02	3.02	3.02	2.65	2.65	3.02	2.65	2.65					
25th pct	3.69	3.72	3.71	3.66	3.56	3.61	3.68	3.64	3.66					
Median	3.84	3.96	3.89	3.89	3.81	3.87	3.88	3.86	3.87					
75th pct	4.01	4.09	4.07	4.14	4.09	4.09	4.09	4.09	4.09					
Maximum	4.56	4.97	4.97	4.62	4.63	4.63	4.62	4.97	4.97					

Notes: (VWF=DOUGPROD 191: CBL9 LISTING)
(VWF=ARNOLD 191: DOCUMENT SAS)

*** DISTRIBUTIONAL SUMMARY ***

Variable Attributes	Statistic	<--Int-->	<--Cnv-->	<--Total-->	<--Int-->	<--Cnv-->	<--Total-->	<--Int-->	<--Cnv-->	<--Total-->	<--Int-->	<--Cnv-->	<--Total-->
RENAL TEST-13 CREATININE (SERUM) MG/DL													
Variable Name: BCVAL13													
N	48.00	51.00	99.00	91.00	79.00	170.00	139.00	130.00	269.00				
Nmiss	1.00	1.00	2.00	2.00	0.00	2.00	3.00	1.00	4.00				
Mean	0.83	0.83	0.83	0.87	0.84	0.86	0.85	0.84	0.85				
Std	0.16	0.17	0.16	0.15	0.23	0.19	0.21	0.18	0.18				
Minimum	0.50	0.50	0.50	0.50	0.40	0.40	0.50	0.40	0.40				
25th pct	0.70	0.70	0.70	0.80	0.70	0.80	0.70	0.70	0.70				
Median	0.85	0.80	0.80	0.80	0.80	0.80	0.80	0.80	0.80				
75th pct	0.90	1.00	0.90	1.00	0.90	0.90	1.00	0.90	0.90				
Maximum	1.10	1.10	1.10	1.20	2.40	2.40	1.20	2.40	2.40				
RENAL TEST-14 ALBUMIN (URINE) MG/L													
Variable Name: BCVAL14													
N	47.00	51.00	98.00	91.00	79.00	170.00	138.00	130.00	268.00				
Nmiss	2.00	1.00	3.00	2.00	0.00	2.00	4.00	1.00	5.00				
Mean	3.79	20.53	12.50	14.37	24.20	18.94	10.77	22.76	16.59				
Std	10.81	125.09	90.51	67.46	100.78	84.47	55.26	110.49	86.61				
Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
25th pct	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
Median	1.00	2.00	1.00	1.00	2.00	1.50	1.00	2.00	1.00				
75th pct	3.00	3.00	3.00	3.00	11.00	5.00	3.00	5.00	4.00				
Maximum	73.00	896.00	896.00	497.00	876.00	876.00	497.00	896.00	896.00				
RENAL TEST-15 AER UG/MN													
Variable Name: BCVAL15													
N	47.00	51.00	98.00	91.00	79.00	170.00	138.00	130.00	268.00				
Nmiss	2.00	1.00	3.00	2.00	0.00	2.00	4.00	1.00	5.00				
Mean	22.30	64.06	44.03	58.40	114.59	84.51	46.10	94.77	69.71				
Std	70.37	351.48	257.81	346.21	437.01	390.85	284.07	404.93	348.17				
Minimum	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00				
25th pct	3.00	4.00	4.00	5.00	6.00	5.00	4.00	6.00	5.00				
Median	6.00	8.00	7.00	7.00	12.00	9.00	7.00	10.50	8.00				
75th pct	10.00	19.00	13.00	14.00	43.00	23.00	12.00	27.00	18.50				
Maximum	391.00	2520.00	2520.00	3257.00	3560.00	3560.00	3257.00	3560.00	3560.00				
RENAL TEST-16 CREATININE (URINE) MG/DL													
Variable Name: BCVAL16													
N	47.00	51.00	98.00	91.00	79.00	170.00	138.00	130.00	268.00				
Nmiss	2.00	1.00	3.00	2.00	0.00	2.00	4.00	1.00	5.00				
Mean	21.38	23.00	22.22	24.89	23.32	24.16	23.70	23.19	23.45				
Std	16.73	19.61	18.21	27.22	18.73	23.61	24.16	19.01	21.77				
Minimum	2.00	8.00	2.00	8.00	5.00	5.00	2.00	5.00	2.00				
25th pct	10.00	11.00	11.00	12.00	12.00	12.00	12.00	12.00	12.00				
Median	16.00	17.00	16.50	17.00	19.00	17.00	17.00	17.00	17.00				
75th pct	23.00	25.00	24.00	26.00	26.00	26.00	26.00	26.00	26.00				
Maximum	84.00	90.00	90.00	173.00	106.00	173.00	173.00	106.00	173.00				

Notes: (VM=DOUGPROO 191: CBL9 LISTING)
 (VM=ARNOLD 191: DOCUMENT SAS)

*** DISTRIBUTIONAL SUMMARY ***

Variable Attributes	Statistic	<--Int-->	<--Cnv-->	<-Total-->	<--Int-->	<--Cnv-->	<-Total-->	<--Int-->	<--Cnv-->	<-Total-->	<--Int-->	<--Cnv-->	<-Total-->
RENAL TEST-17 HEIGHT CM													
Variable Name: BCVAL17													
N	48.00	51.00	99.00	91.00	79.00	170.00	170.00	139.00	130.00	269.00	130.00	130.00	269.00
Nmiss	1.00	1.00	2.00	2.00	0.00	2.00	2.00	3.00	1.00	4.00	1.00	1.00	4.00
Mean	168.16	170.68	169.66	171.11	170.98	171.05	171.05	170.09	170.86	170.46	170.86	170.86	170.46
Std	8.48	9.03	8.81	9.85	9.68	9.75	9.75	9.47	9.40	9.43	9.40	9.40	9.43
Minimum	153.00	149.50	149.50	149.80	152.40	149.80	149.80	149.80	149.50	149.50	149.50	149.50	149.50
25th pct	162.45	163.00	163.00	163.00	163.20	163.20	163.20	163.00	163.00	163.00	163.00	163.00	163.00
Median	167.60	172.70	168.90	171.30	170.20	170.85	170.85	169.90	170.40	170.20	170.40	170.40	170.20
75th pct	174.65	177.80	175.50	176.20	178.40	177.00	177.00	176.00	178.00	176.50	178.00	178.00	176.50
Maximum	188.80	194.00	194.00	205.70	197.20	205.70	205.70	197.20	197.20	205.70	197.20	197.20	205.70
RENAL TEST-18 WEIGHT KG													
Variable Name: BCVAL18													
N	48.00	51.00	99.00	91.00	79.00	170.00	170.00	139.00	130.00	269.00	130.00	130.00	269.00
Nmiss	1.00	1.00	2.00	2.00	0.00	2.00	2.00	3.00	1.00	4.00	1.00	1.00	4.00
Mean	74.36	73.59	73.96	79.88	74.39	77.33	77.33	77.97	74.08	76.09	74.08	74.08	76.09
Std	14.26	14.59	14.36	16.35	12.51	14.90	14.90	15.83	13.32	14.77	13.32	13.32	14.77
Minimum	49.70	49.40	49.40	53.20	45.40	45.40	45.40	49.70	45.40	45.40	45.40	45.40	45.40
25th pct	65.30	61.70	63.50	66.70	65.30	66.70	66.70	66.20	63.90	65.60	63.90	63.90	65.60
Median	70.75	70.90	70.90	78.10	74.60	76.00	76.00	74.50	73.00	74.10	73.00	73.00	74.10
75th pct	81.75	83.90	82.70	90.50	83.40	86.50	86.50	87.30	83.40	84.60	83.40	83.40	84.60
Maximum	127.20	108.10	127.20	125.70	114.00	125.70	125.70	127.20	114.00	127.20	114.00	114.00	127.20
RENAL TEST-19 RAW CLEAR ML/MN													
Variable Name: BCVAL19													
N	47.00	51.00	98.00	91.00	79.00	170.00	170.00	138.00	130.00	268.00	130.00	130.00	268.00
Nmiss	2.00	1.00	3.00	2.00	0.00	2.00	2.00	4.00	1.00	5.00	1.00	1.00	5.00
Mean	134.70	128.59	131.52	134.18	130.71	132.56	132.56	134.36	129.88	132.18	129.88	129.88	132.18
Std	38.31	29.03	33.76	36.17	33.67	34.97	34.97	36.77	31.83	34.47	31.83	31.83	34.47
Minimum	74.00	54.00	54.00	45.00	42.00	42.00	42.00	45.00	42.00	42.00	42.00	42.00	42.00
25th pct	108.00	113.00	110.00	107.00	112.00	109.00	109.00	108.00	113.00	109.50	113.00	113.00	109.50
Median	127.00	131.00	128.00	131.00	128.00	129.50	129.50	128.00	129.00	128.50	129.00	129.00	128.50
75th pct	149.00	148.00	148.00	155.00	146.00	152.00	152.00	152.00	146.00	149.00	146.00	146.00	149.00
Maximum	246.00	208.00	246.00	276.00	229.00	276.00	276.00	276.00	229.00	276.00	229.00	229.00	276.00
RENAL TEST-20A STAND. CLEAR ML/MN/1.73M2													
Variable Name: BCVAL20A													
N	47.00	51.00	98.00	91.00	79.00	170.00	170.00	138.00	130.00	268.00	130.00	130.00	268.00
Nmiss	2.00	1.00	3.00	2.00	0.00	2.00	2.00	4.00	1.00	5.00	1.00	1.00	5.00
Mean	125.66	120.61	123.03	121.09	121.61	121.24	121.24	122.64	121.09	121.89	121.09	121.09	121.89
Std	28.91	24.93	26.89	30.81	29.21	29.99	29.99	30.15	27.51	28.86	27.51	27.51	28.86
Minimum	75.00	63.00	63.00	51.00	39.00	39.00	39.00	51.00	39.00	39.00	39.00	39.00	39.00
25th pct	109.00	107.00	109.00	103.00	106.00	105.00	105.00	104.00	106.00	105.00	106.00	106.00	105.00
Median	118.00	127.00	120.50	116.00	117.00	117.00	117.00	117.00	119.00	118.00	119.00	119.00	118.00
75th pct	136.00	135.00	135.00	135.00	136.00	135.00	135.00	135.00	135.00	135.00	135.00	135.00	135.00
Maximum	223.00	177.00	223.00	263.00	234.00	263.00	263.00	263.00	234.00	263.00	234.00	234.00	263.00

Notes: (VIM=DOUGPROD 191: CBL9 LISTING)
(VIM=ARNOLD 191: DOCUMENT SAS)

* * DISTRIBUTIONAL SUMMARY * *

Variable Attributes	Statistic	<--Int-->	<--Cnv-->	<-Total->	<--Int-->	<--Cnv-->	<-Total->	<--Int-->	<--Cnv-->	<-Total->	<--Int-->	<--Cnv-->	<-Total->	<Overall>
RENAL TEST-20B DURATION (HOURS)														
Variable Name: BCVAL20B														
N	47.00	51.00	98.00	91.00	79.00	170.00	138.00	130.00	268.00					
Nmiss	2.00	1.00	3.00	2.00	0.00	2.00	4.00	1.00	5.00					
Mean	4.02	4.09	4.06	4.02	4.07	4.04	4.02	4.08	4.05					
Std	0.35	0.46	0.41	0.20	0.28	0.24	0.26	0.36	0.31					
Minimum	3.10	3.30	3.10	3.20	3.20	3.20	3.10	3.20	3.10					
25th pct	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00					
Median	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00					
75th pct	4.00	4.20	4.10	4.00	4.00	4.00	4.00	4.10	4.10					
Maximum	5.20	6.10	6.10	4.70	5.00	5.00	5.20	6.10	6.10					
RENAL TEST-20C VOLUME ML														
Variable Name: BCVAL20C														
N	47.00	51.00	98.00	91.00	79.00	170.00	138.00	130.00	268.00					
Nmiss	2.00	1.00	3.00	2.00	0.00	2.00	4.00	1.00	5.00					
Mean	1599.83	1593.61	1596.59	1568.68	1520.47	1546.28	1579.29	1549.16	1564.68					
Std	735.58	773.76	751.80	654.95	745.35	696.73	680.95	754.49	716.37					
Minimum	425.00	190.00	190.00	180.00	285.00	180.00	180.00	190.00	180.00					
25th pct	1093.00	1040.00	1090.00	1134.00	950.00	1000.00	1134.00	1000.00	1035.00					
Median	1375.00	1574.00	1512.50	1555.00	1470.00	1540.00	1543.50	1507.50	1532.50					
75th pct	2242.00	2074.00	2092.00	1980.00	2042.00	2022.00	2037.00	2048.00	2046.50					
Maximum	3646.00	3630.00	3646.00	2980.00	4970.00	4970.00	3646.00	4970.00	4970.00					
LIPID TEST-21 CHOLESTEROL (SERUM) MG/DL														
Variable Name: BCVAL21														
N	48.00	51.00	99.00	92.00	79.00	171.00	140.00	130.00	270.00					
Nmiss	1.00	1.00	2.00	1.00	0.00	1.00	2.00	1.00	3.00					
Mean	178.10	194.65	186.63	177.58	184.13	180.60	177.76	188.25	182.81					
Std	31.14	43.37	38.65	35.31	37.15	36.22	33.83	39.88	37.17					
Minimum	102.00	85.00	85.00	111.00	117.00	111.00	102.00	85.00	85.00					
25th pct	156.00	165.00	161.00	153.50	156.00	154.00	156.00	159.00	157.00					
Median	176.50	192.00	183.00	172.50	181.00	174.00	173.00	186.00	178.50					
75th pct	201.00	223.00	210.00	200.50	209.00	206.00	200.50	211.00	207.00					
Maximum	245.00	286.00	286.00	319.00	282.00	319.00	319.00	286.00	319.00					
LIPID TEST-22 TRIGLYCERIDE (SERUM) MG/DL														
Variable Name: BCVAL22														
N	48.00	51.00	99.00	92.00	79.00	171.00	140.00	130.00	270.00					
Nmiss	1.00	1.00	2.00	1.00	0.00	1.00	2.00	1.00	3.00					
Mean	95.65	107.29	101.65	93.66	93.51	93.59	94.34	98.92	96.54					
Std	70.19	75.47	72.82	53.24	50.48	51.83	59.35	61.60	60.37					
Minimum	36.00	29.00	29.00	32.00	37.00	32.00	32.00	29.00	29.00					
25th pct	54.50	65.00	62.00	61.00	57.00	61.00	61.00	61.00	61.00					
Median	80.00	85.00	83.00	75.50	82.00	80.00	77.50	83.00	81.00					
75th pct	111.00	125.00	116.00	106.00	111.00	111.00	108.50	115.00	114.00					
Maximum	393.00	426.00	426.00	312.00	304.00	312.00	393.00	426.00	426.00					

Notes: (vm=DOLGPROD 191: CBL9 LISTING)
(vm=ARNOLD 191: DOCUMENT SAS)

* * D I S T R I B U T I O N A L S U M M A R Y * *

Variable Attributes	Statistic	Primary Retinopathy		Secondary Retinopathy		Treatment Group		Overall	
		<--Int-->	<--Cnv-->	<--Int-->	<--Cnv-->	<--Int-->	<--Cnv-->		
LIPID TEST-23 HDL CHOL. (SERUM) MG/DL									
Variable Name: BCVAL23									
N	48.00	51.00	99.00	92.00	79.00	171.00	140.00	130.00	270.00
Nmiss	1.00	1.00	2.00	1.00	0.00	1.00	2.00	1.00	3.00
Mean	50.85	52.29	51.60	48.27	48.25	48.26	49.16	49.84	49.49
Std	11.89	15.03	13.55	13.63	11.87	12.81	13.08	13.29	13.16
Minimum	25.00	31.00	25.00	26.00	26.00	26.00	25.00	26.00	25.00
25th pct	43.00	41.00	42.00	39.50	40.00	40.00	40.00	41.00	40.00
Median	49.50	50.00	50.00	46.00	46.00	46.00	47.00	47.00	47.00
75th pct	61.50	60.00	61.00	56.50	52.00	55.00	57.50	55.00	57.00
Maximum	80.00	94.00	94.00	85.00	90.00	90.00	85.00	94.00	94.00
LIPID TEST-24 LDL CHOL. (SERUM) MG/DL									
Variable Name: BCVAL24									
N	48.00	50.00	98.00	92.00	79.00	171.00	140.00	129.00	269.00
Nmiss	1.00	2.00	3.00	1.00	0.00	1.00	2.00	2.00	4.00
Mean	108.15	120.90	114.65	110.57	117.20	113.63	109.74	118.64	114.00
Std	26.41	34.55	31.34	29.85	31.76	30.83	28.64	32.79	30.96
Minimum	49.00	38.00	38.00	53.00	55.00	53.00	49.00	38.00	38.00
25th pct	94.50	97.00	96.00	91.00	95.00	93.00	92.50	97.00	94.00
Median	108.00	121.50	112.50	109.00	111.00	109.00	109.00	114.00	110.00
75th pct	128.50	146.00	137.00	131.00	136.00	133.00	130.00	140.00	134.00
Maximum	162.00	189.00	189.00	212.00	207.00	212.00	212.00	207.00	212.00
24-HR URINE VOLUME									
Variable Name: BCVOL									
N	45.00	50.00	95.00	86.00	77.00	163.00	131.00	127.00	258.00
Nmiss	4.00	2.00	6.00	7.00	2.00	9.00	11.00	4.00	15.00
Mean	2133.42	2594.72	2376.21	2331.92	2324.53	2328.43	2263.73	2430.91	2346.02
Std	986.63	1057.31	1044.99	1067.85	780.11	940.12	1041.16	905.19	978.29
Minimum	900.00	910.00	900.00	580.00	995.00	580.00	580.00	910.00	580.00
25th pct	1460.00	1800.00	1630.00	1660.00	1745.00	1675.00	1591.00	1772.00	1660.00
Median	2000.00	2487.50	2225.00	2075.00	2300.00	2140.00	2050.00	2330.00	2164.00
75th pct	2410.00	3200.00	2950.00	2798.00	2800.00	2800.00	2660.00	2950.00	2805.00
Maximum	5640.00	6130.00	6130.00	5620.00	4760.00	5620.00	5640.00	6130.00	6130.00
24-HR URINE WEIGHT									
Variable Name: BCWT									
N	45.00	50.00	95.00	86.00	77.00	163.00	131.00	127.00	258.00
Nmiss	4.00	2.00	6.00	7.00	2.00	9.00	11.00	4.00	15.00
Mean	74.84	73.75	74.27	80.40	74.13	77.44	78.49	73.98	76.27
Std	14.23	14.52	14.31	16.63	12.51	15.11	16.01	13.28	14.88
Minimum	49.70	49.40	49.40	53.20	45.40	45.40	49.70	45.40	45.40
25th pct	65.40	63.00	65.00	67.60	65.20	66.80	66.50	64.20	65.60
Median	72.70	71.45	72.40	79.20	73.60	76.30	75.00	72.80	73.65
75th pct	80.10	84.00	83.20	91.10	82.80	85.70	88.90	84.00	85.30
Maximum	127.20	108.10	127.20	128.30	112.00	128.30	128.30	112.00	128.30

Notes: (VM=DOUGPROD 191: GBL9 LISTING)
(VM=ARNOLD 191: DOCUMENT SAS)

* * * D I S T R I B U T I O N A L S U M M A R Y * *

Variable Attributes	-----Primary Retinopathy-----		-----Secondary Retinopathy-----		--Treatment Group--	
	<--Int-->	<--Cnv-->	<--Int-->	<--Cnv-->	<--Int-->	<--Cnv-->
BODY SURFACE AREA (CURRENT)						
Variable Name: BSA						
N	46.00	42.00	88.00	81.00	127.00	112.00
Miss	3.00	10.00	13.00	12.00	19.00	19.00
Mean	1.84	1.87	1.85	1.94	1.90	1.87
Std	0.20	0.21	0.20	0.22	0.22	0.20
Minimum	1.43	1.48	1.43	1.51	1.43	1.38
25th pct	1.69	1.73	1.70	1.75	1.73	1.72
Median	1.80	1.83	1.83	1.94	1.89	1.85
75th pct	1.97	2.03	2.01	2.09	2.06	2.02
Maximum	2.43	2.25	2.43	2.58	2.58	2.34
AVERAGE GFR ADJUSTED FOR CURRENT BSA						
Variable Name: GFR_ADJ						
N	46.00	42.00	88.00	81.00	127.00	112.00
Miss	3.00	10.00	13.00	12.00	19.00	19.00
Mean	120.79	116.37	118.68	117.54	118.72	119.77
Std	19.23	28.38	23.99	19.54	19.41	25.65
Minimum	44.36	11.68	11.68	66.76	44.36	11.68
25th pct	110.42	103.65	108.84	105.84	106.80	105.54
Median	121.61	118.88	120.59	117.65	119.96	121.18
75th pct	132.63	131.44	131.55	129.21	131.90	132.90
Maximum	153.92	163.74	163.74	167.17	167.17	186.27
MEAN UNADJUSTED GFR (ML/MIN)						
Variable Name: GFRAVG						
N	46.00	42.00	88.00	82.00	128.00	112.00
Miss	3.00	10.00	13.00	11.00	14.00	19.00
Mean	128.25	125.63	127.00	131.44	130.29	129.03
Std	25.30	32.34	28.74	26.04	25.72	30.57
Minimum	49.97	11.48	11.48	77.22	49.97	11.48
25th pct	113.99	119.61	114.57	113.46	113.72	115.21
Median	125.83	129.53	128.84	134.78	129.97	128.62
75th pct	147.81	135.52	143.41	145.63	145.72	144.15
Maximum	186.27	207.93	207.93	209.50	209.50	223.22
GFR COEFFICIENT OF VARIATION (PERCENT)						
Variable Name: GFRCV						
N	46.00	40.00	86.00	82.00	128.00	108.00
Miss	3.00	12.00	15.00	11.00	14.00	23.00
Mean	15.62	12.68	14.26	14.42	14.85	14.56
Std	10.75	12.90	11.82	13.12	12.29	12.84
Minimum	1.33	2.18	1.33	1.40	1.33	1.38
25th pct	8.10	5.69	6.01	6.23	6.75	5.99
Median	13.04	8.61	10.34	10.67	11.64	10.96
75th pct	19.83	13.06	18.35	18.68	18.71	18.53
Maximum	40.92	63.91	63.91	76.74	76.74	83.66

Notes: (VM=DOUGPROD 191: CBL9 LISTING)
(VM=ARNOLD 191: DOCUMENT SAS)

* DISTRIBUTIONAL SUMMARY *

Variable Attributes	Statistic	Primary Retinopathy		Secondary Retinopathy		Treatment Group		<Overall>
		<--Int-->	<--Env-->	<--Int-->	<--Env-->	<--Int-->	<--Env-->	
GLOMERULAR FILTRATION RATE - 1ST PERIOD								
Variable Name: GFR1								
N	46.00	41.00	87.00	82.00	69.00	151.00	128.00	238.00
Miss	3.00	11.00	14.00	11.00	10.00	21.00	14.00	21.00
Mean	137.00	129.29	133.57	139.85	142.86	141.22	138.82	137.80
Std	40.52	37.00	38.87	37.11	46.21	41.40	38.24	43.34
Minimum	40.61	11.48	11.48	32.32	29.49	29.49	32.32	11.48
25th pct	114.49	121.85	114.49	117.12	113.60	115.61	115.47	114.39
Median	132.06	134.21	132.65	138.89	135.93	136.46	135.04	134.87
75th pct	158.07	150.00	154.43	162.65	159.95	161.93	159.78	155.67
Maximum	263.89	214.34	263.89	252.35	349.21	349.21	263.89	349.21
GLOMERULAR FILTRATION RATE - 2ND PERIOD								
Variable Name: GFR2								
N	46.00	40.00	86.00	81.00	67.00	148.00	127.00	234.00
Miss	3.00	12.00	15.00	12.00	12.00	24.00	15.00	24.00
Mean	126.07	130.38	128.07	128.60	129.16	128.85	127.68	128.57
Std	29.42	37.30	33.19	34.22	36.57	35.19	32.47	36.68
Minimum	58.10	37.32	37.32	19.65	12.00	12.00	12.00	12.00
25th pct	107.07	113.63	111.29	106.58	108.45	107.88	106.58	112.28
Median	127.08	131.91	128.23	129.20	126.53	127.65	128.89	127.62
75th pct	146.73	148.86	148.83	146.77	153.00	149.32	146.77	148.93
Maximum	195.51	264.95	264.95	202.67	245.00	245.00	202.67	264.95
GLOMERULAR FILTRATION RATE - 3RD PERIOD								
Variable Name: GFR3								
N	46.00	40.00	86.00	82.00	69.00	151.00	128.00	237.00
Miss	3.00	12.00	15.00	11.00	10.00	21.00	14.00	22.00
Mean	123.67	123.35	123.52	129.28	127.73	128.57	127.26	126.74
Std	30.64	38.64	34.38	26.68	32.06	29.17	28.18	34.51
Minimum	35.05	22.55	22.55	47.65	30.90	30.90	35.05	22.55
25th pct	107.53	106.35	107.53	112.16	111.27	111.27	111.13	109.61
Median	124.09	123.18	123.57	132.18	124.43	127.96	127.63	123.31
75th pct	136.84	133.76	134.72	145.29	144.57	144.97	142.26	139.80
Maximum	189.44	265.55	265.55	201.05	234.56	234.56	201.05	265.55
GLOMERULAR FILTRATION RATE - 4TH PERIOD								
Variable Name: GFR4								
N	46.00	41.00	87.00	81.00	67.00	148.00	127.00	235.00
Miss	3.00	11.00	14.00	12.00	12.00	24.00	15.00	23.00
Mean	126.27	126.43	126.34	128.21	124.96	126.74	127.51	125.52
Std	27.87	26.38	27.02	30.94	39.12	34.80	29.77	34.71
Minimum	63.63	63.47	63.47	53.22	30.91	30.91	53.22	30.91
25th pct	111.24	111.53	111.53	109.03	101.36	106.22	109.03	107.16
Median	124.06	127.08	125.46	125.15	121.27	124.44	124.47	125.86
75th pct	142.51	144.12	144.12	143.12	137.52	142.57	143.12	141.16
Maximum	186.75	193.54	193.54	231.73	295.80	295.80	231.73	295.80

Notes: (VM=DOUGPROD 191: CBL9 LISTING) (VM=ARNOLD 191: DOCUMENT SAS)

* * D I S T R I B U T I O N A L S U M M A R Y * *

Variable Attributes	Statistic	-----Primary Retinopathy-----			-----Secondary Retinopathy-----			---Treatment Group---			<Overall>
		<--Int-->	<--Cnv-->	<-Total->	<--Int-->	<--Cnv-->	<-Total->	<--Int-->	<--Cnv-->	<-Total->	
REPEAT EVALUATION FOR RENAL Variable Name: REPEAT_B	N	49.00	52.00	101.00	93.00	79.00	172.00	142.00	131.00	273.00	273.00
	Nmiss	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Value (1) %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00
REPEAT EVALUATION FOR LIPID Variable Name: REPEAT_C	N	49.00	52.00	101.00	93.00	79.00	172.00	142.00	131.00	273.00	273.00
	Nmiss	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Value (1) %	97.96	98.08	98.02	100.00	100.00	100.00	99.30	99.24	99.27	99.27
	Value (2) %	2.04	1.92	1.98	0.00	0.00	0.00	0.70	0.76	0.73	0.73
REPEAT EVALUATION FOR 24-HR URINE Variable Name: REPEAT_F	N	49.00	52.00	101.00	93.00	79.00	172.00	142.00	131.00	273.00	273.00
	Nmiss	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Value (1) %	97.96	98.08	98.02	100.00	100.00	100.00	99.30	99.24	99.27	99.27
	Value (2) %	2.04	1.92	1.98	0.00	0.00	0.00	0.70	0.76	0.73	0.73
REPEAT EVALUATION FOR GFR Variable Name: REPEAT_G	N	49.00	52.00	101.00	93.00	79.00	172.00	142.00	131.00	273.00	273.00
	Nmiss	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
	Value (1) %	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00	100.00

Notes: (VM=DOUGPROD 191: CBL9 LISTING)
 (VM=ARNOLD 191: DOCUMENT SAS)