

EPIDEMIOLOGY OF DIABETES INTERVENTIONS AND COMPLICATIONS

Annual Medical History and Physical Examination

This form is to be completed at each of the annual follow-up clinic visits. At the time of the annual visit, data will be collected on this form to update information on the status of patients. Unless otherwise indicated, questions on this form refer to the patient's experience since the <u>last completed</u> annual clinic visit.

Send the original of this form to the Data Coordinating Center in the monthly forms mailing, retaining a copy in the clinic's files.

A. IDENTIFYING INFORMATION

date.

1.	EDIC Clinic Number
2.	Patient ID Number
3.	Patient's Initials
4.	Date of Visit
5.	What is the EDIC follow-up year?
6.	Enter the date of the LAST COMPLETED annual visit. Unless otherwise specified, all questions on this form refer to the patient's experience since this

B. DEMOGRAPHIC AND GENERAL INFORMATION

1a) Marital status of patient: (CHECK ONLY ONE)

	Never married		(1)
	Married or remarried		(2)
	Separated		(3)
	Divorced		(4)
	Widowed		(5)
b)	If married, how many times?		
с)	If married, remarried, separated, divorced or widowed, when did marital status change?	 Month	 Year

Month Day Year

2. OCCUPATION OF PATIENT AND HOUSEHOLD PROVIDERS:

(Check only one box for each person described. See Chapter 10 of the Manual of Operations. If the patient is married, indicate the occupation of his/her spouse. If not married and if living with parent(s), indicate occupation(s) of parent(s). If living with guardian, friend, or significant other who provides economic support to the patient's household, indicate occupation of guardian/friend/significant other. Always indicate occupation of patient. If any of these are retired or currently unemployed, check category corresponding to the type of occupation which the individual did or could do; also check the corresponding box marked "unemployed or retired.") Guardian/Friend/

Patient	Spouse	Mother	Father	Guardian/Friend/ Significant Other
(01)	(01)	(01)	(01)	(01)
(02)	(02)	(02)	(02)	(02)
(03)	(03)	(03)	(03)	(03)
(04)	(04)	(04)	(04)	(04)
(05)	(05)	(05)	(05)	(05)
(06)	(06)	(06)	(06)	(06)
(07)	(07)	(07)	(07)	(07)
(08)	(08)	(08)	(08)	(08)
(09)	(09)	(09)	(09)	(09)
(10)	(10)	(10)	(10)	(10)
(11)	(11)	(11)	(11)	(11)
(12)	(12)	(12)	(12)	(12)
(1)	(1)	(1)	(1)	(1)
	<pre>(01) (02) (03) (04) (05) (06) (07) (08) (09) (10) (11) (12)</pre>	$\begin{pmatrix} 01 \\ 02 \\ 02 \\ 03 \\ 03 \\ 04 \\ 05 \\ 05 \\ 06 \\ 06 \\ 07 \\ 06 \\ 07 \\ 07 \\ 07 \\ 07$	$ \begin{pmatrix} 01 \\ 02 \\ 02 \\ 03 \\ 03 \\ 04 \\ 05 \\ 05 \\ 06 \\ 06 \\ 06 \\ 06 \\ 06 \\ 06$	$ \left(\begin{array}{cccccccccccccccccccccccccccccccccccc$

3. Education of patient and household providers. (CHECK HIGHEST LEVEL COMPLETED BY EACH PERSON FOR WHOM OCCUPATION IS GIVEN IN QUESTION B.2.)

COMPLETED BI EACH PERSON FOR WHOM OCCOPATION IS	GIVEN IN	QUEBITON	D.Z.)		
	Patient	Spouse	Mother	Father	Guardian/Friend/ Significant Other
Graduate School	(1)	(1)	(1)	(1)	(1)
College graduate	(2)	(2)	(2)	(2)	(2)
Some college or trade school	(3)	(3)	(3)	(3)	(3)
Secondary school graduate	(4)	(4)	(4)	(4)	(4)
Some secondary school	(5)	(5)	(5)	(5)	(5)
Elementary school	(6)	(6)	(6)	(6)	(6)
None	(7)	(7)	(7)	(7)	(7)
Unknown	(8)	(8)	(8)	(8)	(8)

ent ID		EDIC Form 002.5, Page 3 of
EMOKING STATUS 1. During the past 12 months, has the patient ever smoked cigarettes or cigarillos?	No Yes (1) (2)	8. During the period in the past 12 months when the patient smoked pipes or cigars, on the average, how many pipefuls or cigars per week did the pipefuls or patient smoke?
Proceed to Question C.5	 No Yes (1) (2)	 9a) During the past 12 months has the patient lived in a resi- dence where there were indivi- duals who smoked? b) During the past 12 months has the patient worked in an envi- No Yes
Proceed to Question C.4		ronment where co-workers smoked? (1) (2)
. How long has it been since the patient quit smoking cigarettes c cigarillos?	or months	 D. DRINKING STATUS 1. During the past 12 months, has the patient consumed an average of at least one No Yes
. During the period in the past 12 months when the patient smoked cigarettes or cigarillos, on the average, how many cigarettes and cigarillos a day did he/she smoke?	cigarettes or cigarillos	<pre>alcoholic beverage per week? (1) (2) Proceed to Section E 2. How many 12-ounce bottles of beer (ex- cluding "light" beer) did the patient (A)</pre>
. During the past 12 months, has the patient ever	per day No Yes	consume during the past 7 days? (IF THE PAST 7 DAYS WERE ATYPICAL CHARACTERIZE A TYPICAL WEEK.) Bottles
Proceed to Question C.9		3. How many 12-ounce bottles of "light" beer did the patient consume during (B) the past 7 days? (IF THE PAST 7 DAYS WERE ATYPICAL, CHARACTERIZE A TYPICAL WEEK.) Bottles
Does the patient currently smoke pipes or cigars?	No Yes (1) (2)	 4. How many 4-ounce glasses of wine did (C) the patient consume during the past 7 days? (IF THE PAST 7 DAYS WERE ATYPICAL, CHARACTERIZE A TYPICAL WEEK.) Glasses
Proceed to Question C.8		5. How many 1 1/2-ounce shots of straight hard liquor and 1 1/2-ounce mixed drinks did the patient consume during the past 7 days? (IF THE PAST 7 (D) DAYS WERE ATYPICAL, CHARACTERIZE A TYPICAL WEEK.)

Patient ID

Ε.

6.) Yes
	Use this table if necessary:	
	Amount X Grams	
	(A) X 13 =	
	(B) X 10 =	
	(C) X 12 =	
	(D) X 15 =	
	TOTAL GRAMS OF ALCOHOL	
EXE	RCISE AND ACTIVITY	
1.	Which of the following best describes the patient's level of activity on the job, at school or, for homemakers, in homemaking? Sedentary (such as office work with occasional inter-office walking, etc.; e.g., secretary)	(1)
	Moderate activity (requires considerable, but not	t

Moderate activity (requires considerable, but not constant, lifting, walking, bending, pulling, etc.; e.g., homemaker with family and without domestic assistance, policeman, student taking physical education course) (2)

Strenuous activity (requires almost constant lifting, bending, pulling, scrubbing, etc.; e.g., furniture mover, heavy domestic work) (3)

 During the past seven days, how many hours and minutes did the patient spend in the following types of leisure time activities? (IF THE PAST SEVEN DAYS WERE ATYPICAL, CHARACTERIZE A TYPICAL WEEK.)

Light activity

(Examples: billiards, bowling, ballroom dancing, golf with power cart)

Hours Minute

EDIC Form 002.5, Page 4 of 19

Moderate activity

(This level is marked by modest increases heart rate in and breathing. Most healthy individuals find these activities comfortable and can continue them for a few hours without undue fatique. Examples: leisure cycling (5.5 mph), frisbee playing, horseback riding, sailing, table tennis, golf without power cart)

Hours Minutes

Hard activity

(When exercising at this intensity, most people will likely perspire. Most untrained people could not exercise at this intensity without taking frequent rest periods. Examples: cycling (9.4 mph), halfcourt basketball, water skiing, downhill skiing, karate or judo, doubles tennis, roller skating, gymnastics)

Hours Minutes

Very hard activity

(Includes strenuous sports involving a lot of movement or running. Only a well-trained individual can perform at this intensity for extended periods of time. Examples: racing cycling,football, full-court basketball, rapid marching, squash, continuous, moderate to fast swimming, rope jumping, cross country running, singles tennis, field hockey)

Hours Minutes

Patient ID		EDIC Form 002.5, Page 5 of 19	
F. DIABETES MANAGEMENT Answer Section F for all patients ex specified. When completing this section the previous day's insulin dosage only. If in your judgement the previous day's atypical of the patient's regimen, us recent day that you would consider typical	cept where , refer to However, if dosage was se another	3. Please summarize this patient's usual insulin regimen here. (Refer to the previous day's insulin dosage only. However, if the previous day's dosage was atypical, use the most recent day that you would consider typical. Round off to the nearest whole unit.) If you checked "other" in item #2, skip to item #4.	
 Specify types of insulins used by this (CHECK ALL THOSE THAT APPLY) 	s patient:	Total number of units per day: Number of	
Human regular (1) Pork Regula	ar (1)	Units Used Breakfast Lunch Supper Bedtime Other	
Human NPH (1) Pork NPH	(1)	Regular	
Human Lente (1) Pork Lente	(1)	NPH	
Human Ultralente (1) Humalog 75	/25 (1)	Lente	
Human 70/30 (1) Other		Ultralente	
HumaLog (1)		70/30	
Lantus - glargine (1)		HumaLog	
Beef/pork Regular (1)		Lantis	
Beef/pork NPH (1)		HumaLog 75/25	
Beef/pork Lente (1)		NOTE:	
2. a) What insulin regimen is currently i used by this patient?	being	Lunch dose=all insulin given between breakfast and lunchSupper dose=all insulin between lunch and supperSnack dose=all insulin between supper and bedtime snackRecord 0wwen a patient gives a prescribed mealtime	
insulin infusion pump	(1)	dose which happened to be zero on the day recorded.	
three or more daily injections	three or more daily injections (2)	<u>Leave the</u> if no dose was <u>prescribed</u> for a given time o space blank day.	
one or two daily injections	(3)	If a patient is on a pump, do not record basal here.	
other:	(4)		
(describe the regimen in Question Nur	aber 4)	Meal insulin only refers to bolus doses. Capture basal in number 5 following.	

Pat	ent ID	EDIC Form 002.5, Page 6 of 19
4.	If the insulin regimen used by this patient on a typical day cannot accurately be recorded on the table (question 3) please leave the table blank and describe the regimen here:	7. COMPLETE FOR ALL PATIENTS:a) How is this patient monitoring his/her diabetes?
	ANSWER IF #3 IS BLANK: Yes I am describing the insulin regimen here: (1)	No Yes Uncertain Self blood glucose monitoring (1) (2) (3) If yes, frequency per day:
		Urine glucose monitoring (1) (2) (3)
		If yes, frequency per day:
	Total Number of Units per day:	(IF FREQUENCY OF MONITORING IS LESS THAN ONCE PER DAY, PLEASE CODE 00)
5.	COMPLETE ONLY FOR PATIENTS USING AN INSULIN INFUSION PUMP	b) Does the patient adjust usual (1) (2) insulin regimen?
	Total number of different BASAL RATES used per day: Total number of UNITS BASAL insulin infused per day:	If yes, is the insulin adjustment based on any of the following? (Check all that apply):
	Has the patient had any technical problems No Yes	Glucose monitoring (1)
	with the insulin infusion pump? (1) (2)	Food intake (2)
	If YES, specify:	Exercise (3)
		Hypoglycemia (4)
6.	COMPLETE THIS OUESTION ONLY FOR PATIENTS CURRENTLY ON	Prescribed algorithm (5) (i.e., target BS at certain time of day)
•••	ONE OR TWO DAILY INJECTIONS:	Other (please describe): (6)
	 a) Have you or the patient's physician prescribed a change in the insulin regimen or dose since the last visit? No Yes Uncertain (1) (2) (3) 	
	If YES, please indicate the reason.	
	Symptomatic polyuria/polydipsia/ nocturia (1) (2) (3) Unacceptable degree of hypoglycemia (1) (2) (3) Recurrent ketonuria (1) (2) (3) Hemoglobin Alc above 13.0 (1) (2) (3) Pregnancy (1) (2) (3) Other: (1) (2) (3) Specify (1) (2) (3)	

Patient ID	EDIC Form 002.5, Page 7 of
<pre>Patient ID G. TRANSFER TO INACTIVE STATUS 1. Since the last visit, has the patient No Yes been on inactive status at any time? (1) (2) (as defined in Chapter 5 in the Manual of Operations) a. If yes, is the patient currently on No Yes transfer to inactive status? (1) (2) (i) If NO, enter date of return (1) (2) (i) If NO, enter date of return (1) (2) (ii) If this is a new transfer to inactive status: Month Day Year (ii) If this is a new transfer to inactive status; Month Day Year (ii) If this is a new transfer to inactive status: Month Day Year H. MODIFICATIONS OF FOLLOW-UP SCHEDULE FOR ENDPOINT</pre>	EDIC Form 002.5, Page 7 of b) Has the patient experienced other No Yes symptoms of hyperglycemia? (1) (2) If YES, specify symptoms and frequency:
H. MODIFICATIONS OF FOLLOW-UP SCHEDULE FOR ENDPOINT ASSESSMENTS (See Manual of Operations Chapter 13)	b) due to illness?
1. Since the last visit, has the patient No Yes been on a modified follow-up schedule (1) (2) at any time? If YES, indicate which assessments:	 c) due to medical equipment failure? d) spontaneous or unexplained? 3. Symptoms of hypoglycemia <u>during the past three months</u> a) Number of hospitalizations for hypoglycemia. (Hospitalization implies overnight admission to the hospital; an emergency ward visit that did not result in hospitalization does not apply
 2. Is the patient currently on a modified No Yes follow-up schedule? (1) (2) I. DIABETES CONTROL - ANSWER FOR ALL PATIENTS 	If the patient has been hospitalized for hypo- glycemia, complete the Notification and Further Details of Hypoglycemic Event (Form 042) if not previously completed for this hospitalization.
1. Symptoms of hyperglycemia	b) How many times did the patient experience hypoglycemia of such severity that the
 a) How many times did the patient experience DKA during the past three months? (As defined in Chapter 11 of the Manual of Operations) 	<pre>(i) lost consciousness with seizure</pre>
If the patient has had DKA, complete the the Verification of DKA Form (Form 093)	

atient ID	EDIC Form 002.5, Page 8 of 19
 c) How many times did the patient experience hypoglycemia of such severity (i) that the patient required professional medical assistance, including placement of an IV or an intravenous injection of glucose?	<pre>f) During the past three months, has the patient had recurrent (more than one) hypoglycemic episodes resulting in cerebral impairment (e.g., confusion, lethargy, bizarre behavior, etc.) that the patient recognized and was able to treat himself/herself, but occurred before the development of warning symptoms of hypoglycemia (.e.g, adrenergic symptoms or sweating)? No Yes (1) (2)</pre>
<pre>(iii) as to require the assistance of another person but did not require any of the help described in (I) or (ii)?</pre>	g) How many times in the past seven days did the patient experience hypoglycemia which was mild enough for the patient to treat himself/herself?
d) Complete only if severe hypoglycemia which the patient could not treat himself/herself has occurred:	h) If the patient has experienced hypoglycemia in the past seven days which was mild enough for the patient to treat
(i) How many times has the patient received glucagon?	himself/herself, answer items (i) through (iii) below.
(ii) How many times has the patient received IV glucose to treat hypoglycemia?	Otherwise, skip to Section J.
<pre>(iii) Did any episodes result in injury Yes No to the patient or others? (1) (2)</pre>	(i) Did mild hypoglycemia occur:
If YES, specify:	While the patient was awake (1)
	While the patient was asleep (2)
If the patient has experienced severe hypoglycemia which	Both (3)
he/she could not treat himself/herself, please complete Notification and Further Details of Hypogly-cemic Event	(ii) What was the usual reason for the mild hypoglycemia? (CHECK ALL THAT APPLY)
(Form 042) for any episodes for which this has not previously been done.	Missed meal or snack (1)
previously been done.	Decreased food intake at meal or snack (1)
e) During the past three months, has the	Delayed meal or snack (1)
patient had recurrent (more than one) hypoglycemic episodes resulting in	Increased exercise level (1)
cerebral impairment (e.g., coma, severe	Too much insulin taken (1)
confusion, seizure, loss of consciousness) of such severity that he/she was unable to help himself/herself	Lack of early warning signs (1)
before the development of warning symptoms of hypoglycemia (e.g.,	Other; specify: (1)
adrenergic symptoms or sweating)?	Unexplained (1)

с.

d.

(iii) What symptoms does the patient have with mild hypoglycemia? (CHECK ALL THAT APPLY)	
Adrenergic warning symptoms	(1)
Diaphoresis (sweating)	(1)
Altered mental status	(1)
Other	(1)
None	(1)

J. VERIFICATION OF EVENTS

1. CARDIOVASCULAR EVENTS

Since the last evaluation, has the patient suffered any of the following or experienced any signs or symptoms consistent with the following? (As defined in Chapter 11 of	
the Manual of Operations)	No Yes
a) Myocardial infarction	(1)(2)
b) Angina Pectoris	(1)(2)
c) Coronary artery disease	(1)(2)
d) Arrhythmia	(1)(2)

If YES to any of above, then complete EDIC Form 090, Verification of Cardiovascular Event.

2. CHEST PAIN

(If no pain, check here and skip to 2.c)	(1)
a.i) Has the patient complained of pain in the (Check all that apply)	
a) left anterior chest (1)
b) left arm (1)
c) jaw (1)
d) sternum upper or middle (1)
e) sternum lower (1)
ii) Did the pain also involve (Check all that apply)
a) the back (1)
b) the shoulder (1)
c) the right arm (1)
d) the abdomen on one or both sides (1)

o.i) If yes to any of the above, did the pain last for a duration of more than 20 minutes?	No Yes (1) (2)	
ii) Was there a definite non-cardiac cause for the pain (i.e.induced by an accident)?	(1)(2)	
iii) Were additional doses of nitrates or calcium channel blockers self-adminis- tered without obtaining relief of the pain? (before medical care was sought)	(1)(2)	
 Has the patient ever had any feeling of pressure or heaviness in the chest? If NO, skip to 2.e. 	No Yes (1)(2)	
d. If the patient has pain or discomfort (pressure, heaviness) in the chest:		
i) Does the patient get this walking up hill or hurrying?	(1)(2)	
ii) Does the patient get this pain when walking at an ordinary pace on a level surface?	(1)(2)	
<pre>iii) When the patient gets this pain, what does he/she do?</pre>	Stop (1)	
Slow	down (2)	
Continue at the same	pace (3)	
iv) What happens to the pain when standing still?		
5	ieved (1)	
Not rel:	ieved (2)	
v) If relieved when standing still, how soon does the pain go away?		
10 minutes or	less (1)	

More than 10 minutes (2)

Patient ID

No Yes (1) (2)

If yes, what tests were performed and what were the results?

e. Were any diagnostic tests performed on this patient?

	Result: Positive	Negative	?
Test 1	(1)	(2)	(3)
Test 2	(1)	(2)	(3)
Test 3	(1)	(2)	(3)
Test 4	(1)	(2)	(3)
Test 5	(1)	(2)	(3)

No Yes

3. CEREBROVASCULAR EVENTS

Since the last evaluation, has the patient suffered any of the following or experienced any signs or symptoms consistent with the following? (As defined in Chapter 11 of the Manual of Operations)

					No		Ye	s
a)	Cerebrovascular	accident	(CVA)	(1)	(2	2)

b) Transient ischemic attack (TIA) (1) (2)

If YES to any of above, then complete EDIC Form 091, Verification of Cerebrovascular Event.

4. PERIPHERAL VASCULAR EVENTS

Since the last evaluation, has the patient suffered any of the following or experienced any signs or symptoms consistent with the following? (As defined in Chapter 11 of the Manual of Operations)

a) Amputation (surgical or traumatic) (1)	(2	3)
-----------------------------------------	----	-----	----

b) Lower extremity ulcer (1) (2)

c) Other arterial events (specify below) (1) (2)

specify: _____

If YES to any of above, then complete EDIC Form 092, Verification of Peripheral Vascular Event.

5. INTERMITTENT CLAUDICATION (PERIPHERAL ISCHEMIA)

If patient does not have peripheral pain, check here and skip to Section 6.	(1)
a. Does the patient get pain in either leg when walking?	No Yes (1) (2)
b. Does this pain ever begin when standing still or sitting?	(1)(2)

c. In what part of the leg does the pain occur?

Buttock Thigh Calf

		Right (Left (. ,	•	'	
d.	Does the patient have pain uphill or hurrying?	when walkir	ıg	No (1)		
e.	Does the patient have pain an ordinary pace on a level	(1)	(2)		
f.	Does the pain ever disapped patient is walking?	ar while the	2	(1)	(2)
g.	What does the patient do if this pain when walking?	E he/she get	s			
			St	op	(1)
		Slo	w do	wn	(2)

Continue at the same pace (3)

Patient ID		EDIC Form 002.5, Page 11 of 19
h. What happens to the pain if the patient stands still?		j. Since first experiencing the pain, has the
Relieved	(1)	<pre>patient noticed a change in its severity? (Check one):</pre>
Not relieved	(2)	Increased (1)
 If the pain is relieved by standing still, how soon does relief occur? 		Decreased (2)
Not applicable	(1)	Unchanged (3)
10 minutes or less	(2)	
More than 10 minutes	(3)	

_

k.	Were	any	diagnostic	tests	performed	J	No	Yes	
	on th	nis p	patient?			(1)	(2)

If yes, what tests were performed and what were the results?

	Result:
	Positive Negative Equivocal
Test 1	(1) (2) (3)
Test 2	(1) (2) (3)
Test 3	(1) (2) (3)
Test 4	(1) (2) (3)
Test 5	(1) (2) (3)

No Yes

(1)(2)

6. PSYCHIATRIC EVENTS

Since the last evaluation, has the patient experienced any of the following?	No Yes
a) Nervousness or anxiety	(1)(2)
b) Unreasonable fears	(1)(2)
c) Eating disturbance	(1)(2)
d) Affective disorder	(1)(2)
e) Suicide attempt	(1)(2)
f) Criminal conduct	(1)(2)
g) Psychiatric hospitalization or outpatient psychiatric treatment which included the use of tran quilizers such as phenothiazines	No Yes (1) (2)
h) Other significant psychiatric condition?	(1) (2)
If VES to c-h then complete EDIC Form	1

If YES to c-h, then complete EDIC Form 094, Verification of Psychiatric Event.

7. MAJOR ACCIDENTS

Since the last evaulation, has the patient experienced any major accidents (e.g., auto accident, sports accident, on-the-job accident)

If YES to above, then complete EDIC Form 095, Verification of Major Accident.

K. RENAL COMPLICATIONS

Prior to the development of nephrotic-range proteinuria, few if any clinical signs or symptoms of progressive glomerulosclerosis are manifested.

Since the last evaluation, has the patient experienced any of the following?

		110	TCD	
1)	Cystitis	(1)	(2)	
2)	Pyelonephritis	(1)	(2)	
3)	Uncontrollable hypertension	(1)	(2)	
4)	Edema (of renal etiology only)	(1)	(2)	
5)	Dialysis	(1)	(2)	
6)	Renal Transplantation	(1)	(2)	
7)	Pancreas Transplantation	(1)	(2)	
8)	Other, specify:	(1)	(2)	

Patient ID ___

L. OPHTHALMIC COMPLICATIONS

Refer to the patient's experience since the last completed annual visit when answering Section L.

when answering Section L.	Right	Left
1. Has the patient had blurred or reduced vision?	Eye No Yes	$\frac{\text{Eye}}{\text{No Yes}}$
If YES, explain:	(1)(2)	(1)(2)
2. Has the patient experienced floaters or flashing lights?	No Yes	No Yes
2. has the patient experienced floaters of flabiling fights.	(1) (2)	(1) (2)
3.a,b) Is the eye enucleated?	(1)(2)	(1)(2)
IF YES FOR EITHER EYE, ANSWER THE FOLLOWING ITEM FOR THE APPROP- RIATE EYE(S). IF NO FOR BOTH EYES, PROCEED TO QUESTION 4.		
c,d) Has enucleation occurred since the last completed Annual Clinic Visit?	(1)(2)	(1)(2)
IF YES FOR EITHER EYE, COMPLETE THE REMAINDER OF SECTION L FOR THE TIME SINCE THE LAST VISIT AND BEFORE ENUCLEATION. IF NO, LEAVE BLANK QUESTIONS 4-9 FOR THAT EYE, I.E., EYE ENUCLEATED BEFORE LAST VISIT.		
4.a,b) Has the patient had any ocular surgical procedure(s) since	Right Eye No Yes	Left Eye No Yes
the last completed Annual Clinic Visit?	(1) (2)	(1) (2)
IF YES, IDENTIFY SURGICAL PROCEDURES IN THE FOLLOWING ITEMS FOR APPROPRIATE EYE(S).IF NO FOR BOTH EYES, PROCEED TO QUESTION 5.	Right Eye	Left Eye
c,d) Corneal transplant	No Yes (1) (2)	No Yes (1)(2)
e,f) Other corneal surgery	(1)(2)	(1)(2)
g,h) Filtering surgery, cyclocryotherapy, or other operative procedure to lower intraocular pressure	(1)(2)	(1)(2)
i,j) Cataract extraction	(1)(2)	(1)(2)
k,l) Vitrectomy	(1)(2)	(1)(2)
m,n) Retinal detachment surgery	(1)(2)	(1)(2)
o,p) Other surgery (specify below)	(1)(2)	(1)(2)
R –		
L		

ent ID			EDIC For	m 002.5, Page 14 of 19
5.a,b)	Has the patient had any photocoagulation since the last clinic visit? If both eyes are NO go to Question 6	completed Annual	Right Eye No Yes (1) (2)	Left Eye No Yes (1) (2)
c,d)	Has the patient had scatter treatment (given for retinop	pathy)?	(1)(2)	(1)(2)
e,f)	Has the patient had focal treatment (given for macular e	edema)	(1)(2)	(1)(2)
g,h)	Has the patient had other treatment (for non-diabetic re	etinopathy)?	(1)(2)	(1)(2)
6 a,b)	Has the patient been diagnosed as having glaucoma in eit since the last completed Annual Clinic Visit?	ther eye	(1)(2)	(1)(2)
7 a,b)	Has the patient used any ocular medications which requir prescription since the last completed Annual Clinic Vis		(1) 2)	(1)(2)
	IF YES, COMPLETE EDIC FORM 004, MEDICATION FORM. IF NO, Has the patient received any other ocular treatments adm: physician since the last completed Annual Clinic Visit? IF YES, SPECIFY BELOW . IF NO, PROCEED TO QUESTION 9. R	inistered by a	(1) (2)	(1)(2)
9.a,b)	L Does the patient describe symptoms which you believe to by vitreous hemorrhage since the last completed Annual (be caused	Right Eye No Yes (1) (2)	Left Eye No Yes (1) (2)
10.	Has the patient had any other eye problems?		(1) (2)	(1)(2)
	If YES, specify:			
11.	Will the patient be referred to an ophthalmologist for a conditions noticed during this exam?	any physical	No Ye (1) (
Has th the la 1. Par in (i)	GIC COMPLICATIONS e patient had any of the following since st completed annual visit? esthesias (pain or numbness) No Yes hands or feet (1) (2) If the patient has pain, is he/she taking medication for the pain? (1) (2) YES, complete EDIC Form 004, Medication Form No Yes	 Bouts of per Diarrhea with Urinary reter Dizziness or (not associated) Fainting (not 	th fecal incontiner ention r lightheadedness ated with hypoglyce	ent diarrhea (1) (2) nce (1) (2) (1) (2) (1) (2) emia) hypoglycemia)(1) (2)

If the patient is male answer M.10; if female go to M.11. No Yes 10. Impotence (1)(2) 11. Has the patient developed symptoms (1)(2) compatible with a focal neuropathy (described as sudden onset, asymmetrical and self-limited, i.e., cranial mononeuropathy, proximal motor neuropathy, truncal neuropathy)? No Yes 12. Other neurologic problem ? (1)(2) If YES, specify: _____ 13 Will the patient be referred to a neurologist for any physical conditions noticed during this exam? (1)(2) N. INFECTIONS, MAJOR SURGERY, MINOR OUTPATIENT SURGERY, ENDOCRINOLOGICAL, OR SKIN COMPLICATIONS 1. INFECTIONS Has the patient had any of the following since the last evaluation? (As defined in Chapter 11 of the Manual of Operations) a) Cutaneous (non-infusion site) or muocutaneous (e.g., Candida vulvo-vaginitis, furunculosis, dental abscess) infection (1)(2) If YES, specify: b) Post-operative or deep wound infection (1)(2) c) Gangrene (1)(2) d) Mononucleosis, epididymitis, measles, chicken pox (1)(2) If YES, specify: _____

	ANSWER THE FOLLOWING ONLY FOR PATIENTS W AN INDWELLING NEEDLE OR CATHETER FOR INS ADMINISTRATION.	
	e) Has the patient had infection at the insertion site (e.g., >1.5 cm erythema and purulence)?	No Yes (1) (2)
2.	Since the last evaluation, has the patient had MAJOR SURGERY	(1)(2)
	If YES, specify:	
3.	Since the last evaluation, has the patient had an autoimmune ENDOCRINE EVENT?	No Yes (1) (2)
	If YES, specify: a) Hypothydroidism b) Adrenal insufficiency c) Pernicious Anemia d) Premature Ovarian Failure	(1) $(2)(1)$ $(2)(1)$ $(2)(1)$ (2)
pat	YES to any of the items in N.1 through N.3 ient was prescribed medications for this co. n complete EDIC Form 004, Medication Form.	
FEMA	LE/REPRODUCTIVE	
(SKIF	TO SECTION P IF THE PATIENT IS MALE)	
1a)	Has the patient had any vaginal itching or discharge	No Yes (1) (2)
	Proceed to Question 0.2.A	
b)	Was the patient treated for this?	No Yes (1) (2)
C)	Specify treatment:	
2a)	Does the patient menstruate?	No Yes (1)(2)
	Proceed to Question 0.3	
k) Enter date of start of last menstrual per	iod:
	Month Day Year	

ο.

ent ID		EDIC Form 002.5, Page 16 of 19
<pre>c) Was the last menstrual period m five weeks ago?</pre>	ore than No Yes (1)(2) 	6. Has the patient ever used oral No Yes contraceptives? (1) (2)
d) Was a pregnancy test performed?	No Yes (1) (2)	7. Does the patient use any other form of birth control? (1) (2)
If no, why not?		If YES, specify:
e) Is the patient currently pregna If yes, estimated date of conce		No Yes Uncertai 8. a) Have the patient's menstrual (1) (2) (3) periods ceased? (<u>></u> 1 year without menses)
Month Day Year 3. Has the patient completed or termi	nated a No Yes	<pre>b) If yes, is this considered to be permanent? (1) (2) (3)</pre>
pregnancy since the last annual vi		c) At what age did the periods cease?
If yes, estimated date of concepti	on:	d) For what reason?
Month Day Year Date of termination of pregnancy:		Naturally(1)Due to radiation(2)Due to surgery(3)
Month Day Year		Due to use of oral contraceptives or (4 depo-provera or norplant
 Since the last annual visit, has t patient had any of the following? 	he	e) If due to surgery: No Yes were BOTH ovaries removed (1) (2
a) Nodules in breast	No Yes NA (1) (2) (3)	was only ONE ovary removed(1) (2was ONLY the uterus removed(1) (2
b) Breast cancer	(1)(2)(3)	f) After menstrual periods ceased, were female hormones taken? (1) (2)
c) Breast discharge		g) If yes, for how long?
d) Irregular menses e) Dysmenorrhea	(1) (2) $(3)(1)$ (2) (3)	If patient is currently taking hormones, please complete Form 004.
5. Other significant gynecologic cond	ition? (1) (2) (3)	
If YES, specify:		P. MEDICATIONS

 Has the patient used or is he/she currently using any prescription drug on a regular basis other than insulin? No Yes (1) (2)

If Yes, complete EDIC Form 004, Medication Form

Patie	nt I	D	
	2.	Has the patient used any over-the-counter drugs?	No Yes
		over-the-counter drugs?	(1)(2)
		If Yes, complete EDIC Form 004, Medication	Form
	3.	Does the patient use vitamin supplements on a regular basis?	No Yes (1) (2)
		If Yes, complete EDIC Form 004, Medication	Form
Q.		SICAL EXAMINATION (A COMPLETE PHYSICAL EXAM) ULD BE PERFORMED)	INATION
	1.	Weight (kg)	
		a. First measurement:	·
		b. Second measurement:	·
		Record (c) and (d) only if first 2 measured are not within 0.2 kilograms (200 gm).	nents
		c. Third measurement:	·
		d. Fourth measurement:	·
	2.	What is the patient's desired weight (kg)?	- <u> </u>
	3.	<u>Height</u> (cm)	
		a. First measurement:	·
		b. Second measurement:	•
		Record (c) and (d) only if first 2 measure are not within 1.0 cm (10.0 mm)	ements
		c. Third measurement:	·
		d. Fourth measurement:	·
	4.	Natural Waist Circumference (cm)	10 YES
		Is lipohypertropy present? (1) (2)
		Is lipoatrophy present? (1) (2)

		EDIC Form 002.5, Page 1	7 of	19
	a.	First measurement:	·	
	b.	Second measurement:	·	
		ecord (c) and (d) only if first 2 measure re not within 0.5 cm.	ment	S
	c.	Third measurement:	•	
	d.	Fourth measurement:		
5.	Ili	iac Waist Circumference (cm)		
	Is			YES (2)
	Is	s lipoatrophy present? (1)	(2)
	a.	First measurement:	<u> </u>	·
	b.	Second measurement:		·
		ecord (c) and (d) only if first 2 measure re not within 0.5 cm.	ment	S
	c.	Third measurement:		•
	d.	Fourth measurement:		·
6.	Hi	p Circumference (cm)		
	Is			YES (2)
	Is	s lipoatrophy present? (1)	(2)
	a.	First measurement:		·
	b.	Second measurement:		·
		ecord (c) and (d) only if first 2 measure re not within 0.5 cm.	ment	S
	c.	Third measurement:		·
	d.	Fourth measurement:		·

5.

Patient II)		EDIC Form 0	02.5, Page	e 18 of 19	
			10. Cardiovascular Examination	,		
7.	Pulse (bpm)		a) Examine the patient for the			
			following cardiac abnormali	ties.		
8.	Sitting blood pressure (Right arm at lev The measurement should begin after 5 min			Regular	Irregular	
	rest. A 2-minute rest should be given be		Rhythm	(1)	(2)	
	first and second measurements. The bloc	od pressure		Normal	Abnormal	
	measurement will be determined by the av first and second measurements.	verage of	Venous Pressure	(1)	(2)	
	lirst and second measurements.			Absent	Present	
		BP	Cardiomegaly	(1)	(2)	
	first measurement	Cuff Size	S3 Gallop	(1)	(2)	
		Req. Lq.	S4 Gallop	(1)	(2)	
	a) systolic (mm Hg)	(1) (2)	Systolic Ejection Murmur	(1)	(2)	
			Diastolic Murmur	(1) (1)	(2) (2)	
	b) diastolic (mm Hg)	(1)(2)	Other Murmur:	(1)	(2)	
		BP	If PRESENT, specify:			
	second measurement	<u>Cuff Size</u>	II FRESENT, Specify			
		Req. Lq.	Rub	(1)	(2)	
	c) systolic (mm Hg)	(1) (2)	Other Cardiac Abnormality:		(2)	
			*		, <i>,</i> ,	
	d) diastolic (mm Hg)	(1)(2)	If PRESENT, specify:			
e)	Is the current systolic or diastolic		11. Peripheral Pulse Examination			
	blood pressure so high as to indicate		a) Indicate the grade of the peripheral pulses			
	hypertension as defined in Chapter 11 of the Manual of Operations i.e.	L	using the following scale \overline{f}	or the rig	t and	
	—	No Yes	left pulse.			
		(1)(2)	RIGHT SIDE	L:	EFT SIDE	
9.	Doppler Arm/Leg Systolic Blood Pressure Results (collected supine, while resting)		Dimin-		Dimin-	
2.			Normal ished Abse Carotid (1) (2) (3			
			Brachial (1) (2) (3		(2) (3) (2) (3)	
	Right Left C	BP Suff Size	Radial (1) (2) (3	3) (1)	(2) (3)	
		ALL DIAC	Femoral (1) (2) (3		(2) (3)	
		Reg. Lg.	Popliteal (1) (2) (3 Posterior	3) (1)	(2) (3)	
	a) Brachial ((1) (2)	Tibial (1) (2) (3	3) (1)	(2) (3)	
			Demaslis	i		

Dorsalis

(1) (2) (3) (1) (2) (3)

Pedis

- b) Dorsalis pedis ____ (1) (2)
- c) Posterior tibial ____ (1) (2)

b) Indicate the presence or absence of bruits.	15. Were any other abnormalities notedNoYeson physical examination?(1)(2)
RIGHT LEFT Absent Present Absent Present Femoral (1) (2) (1) (2) Carotid (1) (2) (1) (2) Other: (1) (2) (1) (2)	Specify: R. CONTACT WITH PATIENT BETWEEN ANNUAL VISITS
If PRESENT, specify:	 Have you had any contact the patient in any way since the last annual visit? (i.e., phone calls, in person, No Yes cards, letters, etc.)
RIGHT SIDE LEFT SIDE Absent Present Absent Present Ulceration (1) (2) (1) (2) Gangrene (1) (2) (1) (2) Necrobiosis (1) (2) (1) (2) Xanthelasma (1) (2) (1) (2) Charcot joint (1) (2) (1) (2) Deformity (1) (2) (1) (2)	<pre>If YES, answer the following: 2. How many times did you have contact with the patient? 3. What forms of contact occurred? (Check all that apply)</pre>
If PRESENT, specify:	a) Telephone call (1)
13. <u>Injection sites</u> (INCLUDING CATHETER SITES):	b) Talked to patient in person (1)
AbsentPresenta) Lipoatrophy(1)(2)b) Lipohypertrophy(1)(2)c) Inflammation(1)(2)	 c) Sent card or letter or email d) Sent newsletter or university publication (1)
I4. Feet: Absent Present a) Ulcers (1) (2) b) Infection (1) (2) c) Abnormal toenails (1) (2) d) Other (1) (2)	e) Other, specify: (1)
14. Feet: Absent Present a) Ulcers (1) (2) b) Infection (1) (2) c) Abnormal toenails (1) (2) d) Other (1) (2)	<pre>d) Sent newsletter or university publication (1) e) Other, specify: (1)</pre>

(Study Coordinator, Nurse)

(Principal Investigator, Physician)

_ ___

- ____