

The SAS System

DATAFILE	VARIABLE	VAR_RESPONSE	NUM_RESPONSE
FIBROSCAN_DATA_SETUP	CTXVISNO	2240 : ELASTIC Baseline Visit	262
FIBROSCAN_DATA_SETUP	CTXVISNO	2250 : ELASTIC Year 1 Follow-up	235
FIBROSCAN_DATA_SETUP	CTXVISNO	2260 : ELASTIC Year 2 Follow-up	198
FIBROSCAN_DATA_SETUP	CTXVISNO	2330 : ELASTIC Follow-up Visit (PUSH Year 8 or 9)	146
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20171128_111439.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20171128_111845.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20171128_112324.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20171128_112553.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20171207_141306.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20171207_141620.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20180321_111842.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20180321_112405.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20180321_122317.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20180321_122725.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20180321_171157.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20180321_173700.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20180402_101824.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20180402_102212.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20180402_102723.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20180402_103033.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20180403_114434.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20180403_115026.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20180409_143045.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20180409_143802.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20180614_102908.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20180614_105348.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20180709_134150.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20180709_134611.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20180808_081314.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20180808_081621.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20180824_105918.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20180824_110309.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20180824_110531.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20180824_110931.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20181109_131405.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20181109_132108.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20181109_132503.fibx	1

The SAS System

DATAFILE	VARIABLE	VAR_RESPONSE	NUM_RESPONSE
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20181109_132934.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20181220_120923.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20181220_121457.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20181221_133549.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20181221_133844.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20190218_085712.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20190218_093357.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20190305_111420.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20190305_112201.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20190417_130128.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20190417_132344.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20190419_112943.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20190419_113438.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20190719_141610.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20190719_142056.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20190801_124034.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20190801_124353.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20190828_154740.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20190828_155030.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20190828_155548.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20190828_155751.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20191007_120832.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20191007_121242.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20191007_124220.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20191007_124429.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20191218_122909.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20191218_123329.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20191218_124017.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20191218_124306.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20200115_105455.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20200115_105742.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20200219_132030.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20200219_132311.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20200603_092505.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20200603_092737.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20200720_085120.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20200720_085355.fibx	1

The SAS System

DATAFILE	VARIABLE	VAR_RESPONSE	NUM_RESPONSE
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20200720_124054.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20200720_124350.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20200805_084928.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20200805_085146.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20200810_111059.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20200810_111411.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20201113_072830.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20201113_073210.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20201113_073426.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20201113_073808.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20201118_094325.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20201118_094518.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20201130_122120.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20201130_122653.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20210215_092228.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20210215_092512.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20210401_122316.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20210401_122857.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20210429_124202.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20210429_124402.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20210429_131032.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20210429_131222.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20210520_073350.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20210520_073559.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20210628_115326.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20210628_115533.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20210719_111732.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20210719_111946.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20210910_083251.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20210910_083529.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20220615_102156.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20220615_102448.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62324_20221111_122331.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20170607_075719.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20170607_080525.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20170612_115241.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20170612_115618.fibx	1

The SAS System

DATAFILE	VARIABLE	VAR_RESPONSE	NUM_RESPONSE
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20170828_074840.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20170828_074956.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20170828_115310.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20170828_120629.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20171128_103100.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20171128_121625.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20171211_110532.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20171211_111544.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20171221_085125.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20171221_085516.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20171221_092245.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20171221_093523.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20180129_130050.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20180129_130555.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20180226_130543.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20180226_131303.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20180502_103612.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20180502_104046.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20180612_100931.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20180612_101708.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20180621_125232.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20180621_130309.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20180703_081935.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20180703_084117.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20180910_124028.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20180910_131205.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20180913_090352.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20180913_091613.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20181119_100644.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20181119_101116.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20181219_120743.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20181219_124453.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20190111_125351.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20190111_131039.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20190115_123053.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20190115_124401.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20190313_130148.fibx	1

The SAS System

DATAFILE	VARIABLE	VAR_RESPONSE	NUM_RESPONSE
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20190313_131207.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20190523_115013.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20190523_115504.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20190617_121524.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20190617_121847.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20190708_100130.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20190708_101634.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20190725_130651.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20190725_131053.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20190819_113845.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20190819_114239.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20190820_113954.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20190820_114307.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20190923_104807.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20190923_105427.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20191119_101318.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20191119_102007.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20200128_101455.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20200128_102157.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20200901_113926.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20200901_115344.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20200914_130313.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20200914_130902.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20201203_133949.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20201207_124953.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20201207_125537.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20210405_110740.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20210405_111220.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20210413_085538.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20210413_085848.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20210512_120918.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20210512_121452.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20210824_103350.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20210824_104234.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20211025_085004.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20211025_090441.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62325_20211123_103639.fibx	1

The SAS System

DATAFILE	VARIABLE	VAR_RESPONSE	NUM_RESPONSE
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20170620_101452.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20170620_102130.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20170620_150658.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20170620_151327.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20170717_114744.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20170717_123933.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20170808_114620.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20170808_115257.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20170905_152422.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20170905_152903.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20170912_111805.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20170912_112050.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20171010_152856.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20171010_153159.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20171011_094858.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20171011_100146.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20180703_151203.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20180703_151900.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20180731_111052.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20180731_111640.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20180821_151319.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20180821_151643.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20180824_102345.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20180824_103021.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20180911_111814.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20180911_114547.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20181009_151530.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20181009_152109.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20181030_102919.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20181030_103444.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20190115_132142.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20190115_132758.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20190620_094246.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20190620_100627.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20190708_092346.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20190708_092643.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20190709_082225.fibx	1

The SAS System

DATAFILE	VARIABLE	VAR_RESPONSE	NUM_RESPONSE
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20190709_082648.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20190709_102639.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20190709_103234.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20190718_120834.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20190718_121317.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20190730_103550.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20190730_104148.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20191015_170013.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20191015_170539.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20191112_125252.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20191112_125500.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20210511_113438.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20210511_113702.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20210628_104250.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20210628_104454.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20210811_114130.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20210811_115737.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20210817_112030.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20210817_112259.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20211012_171235.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20211012_171644.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20211228_091442.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20220426_141248.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20220426_141635.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20220525_091954.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62326_20220525_092827.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20170308_132214.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20170308_133833.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20170310_134117.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20170321_130116.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20170321_130900.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20170531_160325.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20170531_161119.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20170627_160258.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20170627_160741.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20170628_095009.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20170628_095502.fibx	1

The SAS System

DATAFILE	VARIABLE	VAR_RESPONSE	NUM_RESPONSE
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20170628_153114.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20170628_153404.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20170705_145633.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20170705_150511.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20170711_121029.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20170711_122127.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20170720_124143.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20170720_124800.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20170726_103045.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20170726_103659.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20170802_085744.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20170802_090407.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20170802_103103_1.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20170802_104012.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20170802_165003.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20170802_165549.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20170809_090956.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20170809_091856.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20170809_144947.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20170809_145833.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20170811_124355.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20170811_124823.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20170823_111906.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20170823_112349.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20170830_133943.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20170830_134505.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20170913_152415.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20170913_153048.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20171003_150113.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20171003_150539.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20171017_144325.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20171017_145123.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20171220_102049.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20171220_102601.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20180209_131431.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20180209_132019.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20180228_102715.fibx	1

The SAS System

DATAFILE	VARIABLE	VAR_RESPONSE	NUM_RESPONSE
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20180228_104006.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20180228_145607.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20180228_150737.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20180314_112103.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20180314_112526.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20180418_135535.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20180418_140245.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20180515_145237.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20180515_145657.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20180516_145139.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20180516_145730.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20180529_150134.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20180529_150832.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20180530_135109.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20180530_135824.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20180605_155400.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20180605_155802.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20180606_152649.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20180606_153124.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20180724_132121.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20180724_132556.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20180801_085521.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20180801_090625.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20180815_113834.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20180815_114149.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20180829_115700.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20180829_120739.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20180911_150832.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20180911_151448.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20180918_144656.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20180918_152112.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20180918_161916.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20180918_162326.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20180925_112425.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20180925_112759.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20180925_124313.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20180925_130740.fibx	1

The SAS System

DATAFILE	VARIABLE	VAR_RESPONSE	NUM_RESPONSE
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20181016_090841.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20181016_093137.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20181023_103328.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20181023_103804.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20181120_133836.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20181120_134643.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20181219_103808.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20181219_104222.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20190122_142407.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20190122_143101.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20190219_120304.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20190219_121006.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20190326_114428.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20190326_114900.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20190521_121839.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20190521_123430.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20190612_152918.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20190612_153808.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20190619_094225.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20190619_094731.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20190703_142828.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20190703_143243.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20190724_111933.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20190724_112421.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20190731_102130.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20190731_103446.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20190731_131015.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20190731_131703.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20190806_133007.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20190806_133654.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20190806_140011.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20190806_140425.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20190807_124107.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20190807_124454.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20190807_133959.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20190807_134451.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20190821_143726.fibx	1

The SAS System

DATAFILE	VARIABLE	VAR_RESPONSE	NUM_RESPONSE
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20190821_144158.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20190823_092247.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20190823_092823.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20190911_112234.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20190911_112725.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20190930_151652.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20190930_152425.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20191001_150552.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20191001_150834.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20191025_101814.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20191025_102648.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20191211_141617.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20191211_142122.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20191218_100350.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20191218_101359.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20200115_112526.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20200115_112911.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20200819_090930.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20200819_091325.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20200902_090021.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20200902_091219.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20200928_085910.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20200928_090503.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20201012_150041.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20201012_152452.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20201015_094913.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20201015_095855.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20201023_102201.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20201023_105111.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20210120_101859.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20210120_102524.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20210203_105254.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20210203_110136.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20210209_131837.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20210209_134048.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20210303_084013.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20210303_085102.fibx	1

The SAS System

DATAFILE	VARIABLE	VAR_RESPONSE	NUM_RESPONSE
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20210316_133557.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20210316_134212.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20210318_134601.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20210318_140221.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20210714_145016.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20210714_145654.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20210921_140337.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62327_20210921_141232.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20170405_154002.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20170405_154802.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20170503_161147.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20170503_161633.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20170626_161441.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20170626_162013.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20170922_103354.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20170922_103711.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20170926_113757.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20170926_114028.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20170929_164433.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20170929_164710.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20171013_123823.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20171013_124740.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20171116_112202.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20171116_112518.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20171128_135023.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20171128_135344.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20171208_131759.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20171208_132035.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20180118_150147.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20180118_150433.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20180119_121823.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20180119_123121.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20180205_141011.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20180205_141455.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20180206_133653.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20180206_133928.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20180212_110220.fibx	1

The SAS System

DATAFILE	VARIABLE	VAR_RESPONSE	NUM_RESPONSE
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20180212_110451.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20180306_132414.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20180306_132601.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20180320_153826.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20180320_154002.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20180329_141107.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20180329_141615.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20180402_142003.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20180402_142351.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20180413_142556.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20180413_143123.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20180417_121503.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20180417_122328.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20180417_153926.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20180417_154918.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20180420_155213.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20180420_155742.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20180521_114506.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20180521_115000.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20180522_112304.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20180522_112810.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20180611_150820.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20180611_151351.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20180814_103225.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20180814_103611.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20180821_094725.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20180821_095122.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20180914_110010.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20180914_110422.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20181011_104253.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20181011_104646.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20181105_151649.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20181105_151955.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20181112_115715.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20181112_120229.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20190131_124125.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20190131_124525.fibx	1

The SAS System

DATAFILE	VARIABLE	VAR_RESPONSE	NUM_RESPONSE
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20190212_151027.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20190212_153748.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20190212_153942.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20190304_150035.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20190304_150403.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20190306_124305.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20190306_124645.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20190308_174047.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20190308_174310.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20190320_133949.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20190320_135242.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20190405_154043.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20190405_154534.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20190516_155244.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20190516_155732.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20190523_111706.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20190523_111947.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20190524_112700.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20190524_113046.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20190614_112518.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20190614_112800.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20190618_113134.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20190618_113743.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20190626_120500.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20190626_121108.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20190827_111541.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20190827_112131.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20200218_113256.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20200218_113736.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20200303_115122.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20201102_130645.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20201120_122116.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20201120_122714.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20210111_181307.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20210111_181943.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20210209_114606.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20210209_115105.fibx	1

The SAS System

DATAFILE	VARIABLE	VAR_RESPONSE	NUM_RESPONSE
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20210209_163145.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20210209_163453.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20210419_174629.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20210419_174939.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20210524_151241.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20210524_151901.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20210702_134211.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20210702_135627.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20210721_180252.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20210723_123118.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20210723_123330.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20210729_123005.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20210729_123600.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20210803_094349.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20210803_100915.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20210810_151123.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20210810_152746.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20210928_110517.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20210928_110919.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20211018_103952.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20211018_104254.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20211210_104505.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20211210_105234.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20211217_120212.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20220301_135052.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20220301_135552.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20220817_095115.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20221006_135716.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20221006_140145.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20221114_120128.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62329_20221114_120524.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20170718_102106.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20170718_102452.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20170726_101036.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20170726_101503.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20170906_121513.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20170906_122052.fibx	1

The SAS System

DATAFILE	VARIABLE	VAR_RESPONSE	NUM_RESPONSE
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20170922_082847.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20170922_083310.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20171010_082442.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20171010_082734.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20171017_101059.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20171024_085349.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20171024_085958.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20171121_100122.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20171121_100648.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20180112_084739.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20180112_085320.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20180119_081634.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20180119_081933.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20180209_081244.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20180209_081559.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20180309_090504.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20180309_090836.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20180612_100217.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20180612_101111.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20180710_114024.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20180710_114428.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20180807_092112.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20180807_092431.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20180810_104049.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20180810_104448.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20180925_081154.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20180925_081623.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20180925_093117.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20180925_093409.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20180928_123224.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20180928_123640.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20181009_101834.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20181009_102143.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20181009_114307.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20181009_114557.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20181012_082626.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20181012_082925.fibx	1

The SAS System

DATAFILE	VARIABLE	VAR_RESPONSE	NUM_RESPONSE
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20181219_155640.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20181219_160048.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20190131_111011.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20190131_111550.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20190208_095401.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20190208_100526.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20190215_091335.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20190220_115922.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20190220_120435.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20190308_083325.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20190308_084616.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20190503_115136.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20190503_115637.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20190702_120401.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20190702_120934.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20190709_082618.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20190709_083305.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20190709_085404.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20190709_085655.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20190813_091930.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20190813_092318.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20191210_144543.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20191210_151335.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20200114_083018.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20200129_125141.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20200129_125522.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20200303_100539.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20200303_100948.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20201013_090553.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20201013_090958.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20201015_110949.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20201015_111415.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20201016_121952.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20201016_122228.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20201113_102428.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20201113_103135.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20201215_095142.fibx	1

The SAS System

DATAFILE	VARIABLE	VAR_RESPONSE	NUM_RESPONSE
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20201215_095703.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20210209_111900.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20210304_120655.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20210316_093816.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20210316_094311.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20210618_112259.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20210618_112814.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20210831_153033.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62330_20210831_153701.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20171114_130226.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20171114_130537.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20171115_091906.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20171115_092418.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20171128_095829.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20171128_100428.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20171221_132437.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20171221_133000.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20171222_093543.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20171222_094506.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20171227_093432.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20171227_094023.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20180109_095908.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20180109_100301.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20180119_155735.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20180119_160811.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20180220_124619.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20180220_124907.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20180227_104702.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20180227_105101.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20180327_105224.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20180327_105820.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20180525_115356.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20180525_115716.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20181113_000010.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20181113_000414.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20190211_235331.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20190211_235912.fibx	1

The SAS System

DATAFILE	VARIABLE	VAR_RESPONSE	NUM_RESPONSE
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20190218_232416.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20190305_085129.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20190305_085510.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20190305_093037.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20190305_093416.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20190308_104924.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20190308_105301.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20190314_124348.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20190314_124811.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20190322_101421.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20190322_101912.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20190326_105411.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20190326_105918.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20190416_123752.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20190416_124159.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20190528_111630.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20190528_112208.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20190709_124908.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20190709_125718.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20200214_112745.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20200214_113033.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20200214_130541.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20200219_083903.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20200219_084133.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20200225_104221.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20200728_124812.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20200728_125421.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20200728_153033.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20200728_153318.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20200929_113023.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20200929_113725.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20201013_100617.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20201013_101535.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20201027_103931.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20201027_104405.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20210702_122359.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20210702_123114.fibx	1

The SAS System

DATAFILE	VARIABLE	VAR_RESPONSE	NUM_RESPONSE
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20220111_124134.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20220111_124452.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20220125_121513.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20220125_121832.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20220204_125512.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20220204_125914.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20220218_162803.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20220218_163038.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20220225_093921.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20220225_094536.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20220324_110846.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20220324_111430.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20220408_103230.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20220408_103637.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20220415_101434.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20221028_122253.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20221028_122707.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20221108_115541.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20221108_115918.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20221122_121605.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20221122_121902.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20230509_144133.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62331_20230509_144557.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20170509_143600.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20170509_144749.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20170509_155337.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20170509_155853.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20170510_183412.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20170510_184100.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20170524_170352.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20170524_170852.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20170607_145309.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20170607_145743.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20170711_143835.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20170711_144301.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20170712_112441.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20170712_113054.fibx	1

The SAS System

DATAFILE	VARIABLE	VAR_RESPONSE	NUM_RESPONSE
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20170717_133935.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20170717_134327.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20170718_132743.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20170718_133302.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20170718_140559.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20170718_141107.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20170721_120927.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20170721_121725.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20170725_141655.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20170725_142101.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20170726_152933.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20170726_153255.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20170913_180656.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20170913_180919.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20171011_185153.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20171011_185429.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20171027_175856.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20171027_180233.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20171121_121626.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20171121_121954.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20171121_133403.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20171121_133721.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20180110_183857.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20180110_184426.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20180502_140123.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20180502_140448.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20180508_125307.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20180508_125754.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20180523_155004.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20180523_155933.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20180530_171646.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20180530_172253.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20180601_110531.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20180601_111023.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20180626_092001.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20180626_092512.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20180627_155035.fibx	1

The SAS System

DATAFILE	VARIABLE	VAR_RESPONSE	NUM_RESPONSE
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20180627_155312.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20180706_130430.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20180706_130631.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20180718_153628.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20180718_153905.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20180718_154655.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20180718_154905.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20180724_102517.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20180724_102807.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20180724_120128.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20180724_120708.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20180725_142940.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20180725_143256.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20180803_093754.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20180803_094050.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20180821_114046.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20180821_114808.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20180904_102347.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20180904_102734.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20181008_105123.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20181008_105355.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20181213_111530.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20181213_111801.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20190327_130200.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20190327_132302.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20190501_173506.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20190501_174948.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20190514_135243.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20190514_135506.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20190522_153326.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20190522_154341.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20190522_172357.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20190522_172916.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20190522_174022.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20190522_174205.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20190524_104131.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20190524_104449.fibx	1

The SAS System

DATAFILE	VARIABLE	VAR_RESPONSE	NUM_RESPONSE
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20190625_134321.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20190625_135024.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20190628_130540.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20190628_131327.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20190702_132034.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20190702_132308.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20190709_101548.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20190709_101823.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20190719_121149.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20190719_121552.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20190724_132539.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20190724_132831.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20190731_143529.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20190731_143754.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20190807_145453.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20190807_145842.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20190821_162326.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20190821_163030.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20191106_162015.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20191106_162227.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20200527_160610.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20200527_161150.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20211112_134632.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20211112_135359.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62332_20220308_124227.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62724_20221228_133235.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	CF62724_20230426_160309.fibx	1
FIBROSCAN_DATA_SETUP	root_file_name	MF0110155_20220314_08-52-27	1
FIBROSCAN_DATA_SETUP	root_file_name	MF0110155_20220314_08-56-44	1
FIBROSCAN_DATA_SETUP	root_file_name	MF0110155_20230207_11-28-47	1
FIBROSCAN_DATA_SETUP	root_file_name	MF0110155_20230207_11-37-02	1

N_TOTAL	PERC_RESPONSE
841	0.31153
841	0.27943
841	0.23543
841	0.17360
841	0.00119

