

No.	Data Item	Data Value
a	Data collected? DB Name: [zDataCollected]	<input type="radio"/> 0 - No <input type="radio"/> 1 - Yes Data Source: [zCodelItem] Data Field: [zItemNb] Label Field: [zItemNm] Filter: [zGroupID=58 and zItemNb>=0]
1	Date of blood draw for Liver Function Test DB Name: [Q01]	<div style="border: 1px solid black; padding: 5px; width: 100%; text-align: center;"> <i>Complete Date</i> </div>
Liver Function Tests (LFT)		
2	Total Bilirubin DB Name: [Q02]	<i>mg/dL</i>
3	Direct Bilirubin DB Name: [Q03]	<i>mg/dL</i>
11	Direct Bilirubin range DB Name: [Q11]	<input type="radio"/> 1 - < upper limit of normal <input type="radio"/> 2 - 1-1.5 x ULN <input type="radio"/> 3 - > 1.5-2 x ULN <input type="radio"/> 4 - > 2-3 x ULN <input type="radio"/> 5 - >3 x ULN Data Source: [zCodelItem] Data Field: [zItemNb] Label Field: [zItemNm] Filter: [zGroupID=386]
4	Alkaline Phosphatase DB Name: [Q04]	<i>units/L</i>
12	Alkaline Phosphatase range DB Name: [Q12]	<input type="radio"/> 1 - < upper limit of normal <input type="radio"/> 2 - 1-1.5 x ULN <input type="radio"/> 3 - > 1.5-2 x ULN <input type="radio"/> 4 - > 2-3 x ULN <input type="radio"/> 5 - >3 x ULN Data Source: [zCodelItem] Data Field: [zItemNb] Label Field: [zItemNm] Filter: [zGroupID=386]
5	Aspartate transaminase (AST/SGOT) DB Name: [Q05]	<i>units/L</i>
13	Aspartate transaminase range DB Name: [Q13]	<input type="radio"/> 1 - < upper limit of normal <input type="radio"/> 2 - 1-1.5 x ULN <input type="radio"/> 3 - > 1.5-2 x ULN <input type="radio"/> 4 - > 2-3 x ULN <input type="radio"/> 5 - >3 x ULN Data Source: [zCodelItem] Data Field: [zItemNb] Label Field: [zItemNm] Filter: [zGroupID=386]
6	Alanine transaminase (ALT/SGPT) DB Name: [Q06]	<i>units/L</i>
14	Alanine transaminase range DB Name: [Q14]	<input type="radio"/> 1 - < upper limit of normal <input type="radio"/> 2 - 1-1.5 x ULN <input type="radio"/> 3 - > 1.5-2 x ULN <input type="radio"/> 4 - > 2-3 x ULN <input type="radio"/> 5 - >3 x ULN Data Source: [zCodelItem] Data Field: [zItemNb] Label Field: [zItemNm] Filter: [zGroupID=386]

7	Was the liver function test drawn within 48 hrs of a pain attack? DB Name: [Q07]	<input type="radio"/> 0 - No <input type="radio"/> 1 - Yes <input type="radio"/> 2 - Unknown Data Source: [zCodeltem] Data Field: [zItemNb] Label Field: [zItemNm] Filter: [zGroupID=112]
Amylase & Lipase		
8	Date of blood draw for Plasma Amylase and Plasma Lipase DB Name: [Q08]	<input type="text"/> Complete Date
9	Plasma Amylase DB Name: [Q09]	<input type="text"/> units/L
15	Plasma Amylase range DB Name: [Q15]	<input type="radio"/> 1 - < upper limit of normal <input type="radio"/> 2 - 1-1.5 x ULN <input type="radio"/> 3 - > 1.5-2 x ULN <input type="radio"/> 4 - > 2-3 x ULN <input type="radio"/> 5 - >3 x ULN Data Source: [zCodeltem] Data Field: [zItemNb] Label Field: [zItemNm] Filter: [zGroupID=386]
10	Plasma Lipase DB Name: [Q10]	<input type="text"/> units/L
16	Plasma Lipase range DB Name: [Q16]	<input type="radio"/> 1 - < upper limit of normal <input type="radio"/> 2 - 1-1.5 x ULN <input type="radio"/> 3 - > 1.5-2 x ULN <input type="radio"/> 4 - > 2-3 x ULN <input type="radio"/> 5 - >3 x ULN Data Source: [zCodeltem] Data Field: [zItemNb] Label Field: [zItemNm] Filter: [zGroupID=386]
c	General Comments DB Name: [zNotes]	<input type="text"/> 250 char.