Frequent Hemodialysis Network DETAILED DEATH FORM - FORM #306

Baseline: If a death occurred during the baseline period, complete Form, 305, Form 306 and a Form 308. Detailed documentation* will be required particularly if it was identified that the trial may have caused the patient's death.

Follow-Up: A Form 306 must be completed for all deaths that occurred in the follow-up period in addition to a Form 308.

*Detailed documentation regarding the patient's death (if hospitalized at time of death: expiration summary, autopsy report, lab reports, etc., or, if not hospitalized at time of death: physician summary, autopsy, office notes, etc.) must be submitted to the DCC within 6 weeks after the patient expired.	
	1. Participant ID # 2. Alpha Code 3. Date of death: dd/mon/yyyy
Part 1: To be completed by the Study Coordinator:	
4.	Date Death Review Packet submitted to DCC: (dd/mon/yyyy)
5.	Where did the death occur?
6.	Was an autopsy performed? (0=No, 1=Yes, 9=unknown)
Part 2: To be completed by the Principal Investigator:	
7.	For causes of death, use the attached Death Code List starting on page 2. a. Primary cause of death
	b. Secondary cause of death
	c. Other cause of death
	d.Other cause of death
Note that a narrative summary from the Principal Investigator of the events leading to the patient's death and the circumstances surrounding the death will be recorded on the SAE form.	
200). Date this form completed (dd/mon/yyyy)
201	. Username of person completing this form
For Clinical Center Use Only:	
202	2. Username of person entering this form:
203	3. Date Entered: (dd/mon/yyyy)//

FHN TRIAL CODE LIST OF CAUSES OF DEATH

Note: A "2" indicates that the disease or condition could only be a secondary or other cause of death and not the primary cause.

An asterisk (*) indicates that the disease or condition is also classified as an infection outcome.

1. ISCHEMIC HEART DISEASE (IHD)

- 01DA Sudden death (due to IHD)
- 01DB Myocardial infarction (acute) (MI)
- 01DC Angina:2
- 01DD Atherosclerotic heart disease (CAD):2
- 01DE Other acute and subacute forms of ischemic heart disease
- 01DF Old myocardial infarction:2
- 01DG Other forms of chronic ischemic heart disease:2

2. CONGESTIVE HEART FAILURE (CHF)

- 02DA CHF
- 02DB CHF or pulmonary edema due to exogenous fluid (volume overload)
- 02DC Pulmonary edema (cardiogenic)
- 02DD Cardiogenic shock

3. ARRHYTHMIAS AND CONDUCTION PROBLEMS

- 03DA Sudden death (due to arrhythmia, not due to IHD)
- 03DB Atrioventricular conduction block
- 03DC Sick sinus syndrome
- 03DD Atrial fibrillation
- 03DE Ventricular tachycardia
- 03DF Other cardiac arrhythmia and conduction disorder
- 03DG Hyperkalemia
- 03DH Ventricular fibrillation

4. OTHER HEART DISEASES AND CONDITIONS (OHD)

- 04DA Sudden death (due to heart conditions other than IHD/arrhythmia)
- 04DB Pericarditis
- 04DC Endocarditis *
- 04DD Myocarditis
- 04DE Pericardial effusion:2
- 04DF Cardiac tamponade
- 04DG Aortic valve stenosis or insufficiency:2
- 04DH Mitral valve stenosis, regurgitation, or prolapse:2
- 04DI Other valve defect:2
- 04DJ Prosthetic valve malfunction:2
- 04DK Cardiomyopathy (without IHD or CHF)

Notation: A "2" indicates that the disease or condition could only be a secondary or other cause of death and not the primary cause.

5. HYPERTENSION (HTN)/HYPOTENSION

- 05DA Hypertensive crisis or accelerated HTN
- 05DB Hypotensive crisis or accelerated hypotension

6. CEREBRAL VASCULAR DISEASE (CVD)

- 06DA Cerebral vascular accident (CVA)
- 06DB Carotid artery stenosis:2
- 06DC Cerebral artery aneurysm:2
- 06DD Subarachnoid or cerebral hemorrhage
- 06DE Other cerebrovascular disease

7. PERIPHERAL VASCULAR DISEASE (PVD)

- 07DA Hemorrhage from ruptured vascular aneurysm
- 07DB Peripheral vascular disease (atherosclerotic):2
- 07DC Deep vein thrombosis (DVT):2
- 07DD Pulmonary embolism (PE)
- 07DE Abdominal aortic aneurysm (AAA):2
- 07DF Thoracic aortic aneurysm (TAA):2
- 07DG Aortic aneurysm (not specified as AAA or TAA):2
- 07DH Other aneurysm:2
- 07DI Arterial embolism and thrombosis
- 07DJ Mesenteric ischemia or infarction/ischemic bowel
- 07DK Gangrene with septicemia-shock due to PVD *
- 07DL Polyarteritis nodosa and other arteritides:2
- 07DM Other disorders of arteries:2

8. DIABETES MELLITUS (DM) AND ENDOCRINE DISORDERS

- 08DA Diabetes mellitus, Type I (insulin dependent):2
- 08DB Diabetes mellitus, Type II (non insulin dependent, could be insulin required):2
- 08DC Diabetes mellitus, type unclassified or unknown:2
- 08DD Diabetes with ketoacidosis
- 08DE Diabetes with hyperosmolar state or coma (hyperglycemia)
- 08DF Diabetes with other coma
- 08DG Hypoglycemia coma
- 08DH Diabetic foot infection *
- 08DI Hypothyroidism:2
- 08DJ Disorders of the thyroid gland:2
- 08DK Other endocrine disorder:2
- 08DJ Hyperparathyroidism:2
- 08DK Hypoparathyroidism:2
- 08DL Other disorder of calcium and phosphorus metabolism

Notation: A "2" indicates that the disease or condition could only be a secondary or other cause of death and not the primary cause.

9. RESPIRATORY DISEASES

- 09DA Asthma
- 09DB COPD exacerbation
- 09DC Bronchitis (chronic):2
- 09DD COPD:2
- 09DE Pneumonia (community acquired)*
- 09DF Pneumonia (nosocomial)*
- 09DG Pneumonia-sepsis*
- 09DH Pneumonia (bacterial)*
- 09DI Pneumonia (fungal)*
- 09DJ Pneumonia (viral)*
- 09DK Pneumocystic pneumonia*
- 09DL Pneumonia (unspecified pathogen)*
- 09DM Empyema*
- 09DN Lung abscess*
- 09DO Pneumothorax
- 09DP Pulmonary hemorrhage
- 09DQ Cor pulmonale:2
- 09DR Pulmonary TB*
- 09DS Aspiration pneumonia
- 09DT Adult Respiratory Distress Syndrome (ARDS)
- 09DU Respiratory failure of unknown cause
- 09DV Sleep apnea:2
- 09DW Other respiratory cause

10. MALIGNANCY

- 10DA Hematologic malignancy (AML, CML, ALL, CLL)
- 10DB Lymphoma (unspecified)
- 10DC Hodgkin's lymphoma
- 10DD Non-Hodgkin's lymphoma
- 10DE Multiple myeloma
- 10DF Colon cancer
- 10DG Breast cancer
- 10DH Prostate cancer
- 10DI Ovarian cancer
- 10DJ Lung cancer
- 10DK Gastric cancer
- 10DL Pancreatic cancer
- 10DM Thyroid cancer
- 10DN Cervical cancer
- 10DO Endometrial cancer
- 10DP Primary cancer of the liver
- 10DQ Head and neck squamous cell carcinoma
- 10DR Testicular cancer

Notation: A "2" indicates that the disease or condition could only be a secondary or other cause of death and not the primary cause.

- 10DU Melanoma
- 10DV Other skin cancer
- 10DW Other malignancy or neoplasia
- 10DX Metastatic cancer with unknown primary

11. HEPATOBILIARY DISEASES

- 11DA Hepatitis B
- 11DB Hepatitis C
- 11DC Toxic/drug induced hepatitis
- 11DD Hepatitis (other unknown cause)
- 11DE Cirrhosis:2
- 11DF Ascites:2
- 11DG Portal hypertension or esophageal varices:2
- 11DH Hemorrhage from esophageal varices
- 11DI Hepatic (liver) failure/severe hepatic dysfunction
- 11DJ Polycystic liver disease:2
- 11DK Cholecystitis/cholangitis*
- 11DL Biliary sepsis*
- 11DM Other hepatobiliary disease

12. MUSCULOSKELETAL AND CONNECTIVE TISSUE DISEASES

- 12DA Wegener's granulomatosis
- 12DB Systemic vasculitis
- 12DC Rheumatoid arthritis:2
- 12DD Systemic lupus erythematosus (SLE)
- 12DE Osteomyelitis*
- 12DF Septic arthritis*
- 12DG Osteoporosis:2
- 12DH Bone fracture(s):2
- 12DI Renal osteodystrophy:2

13. GASTROINTESTINAL CONDITIONS (GI)

- 13DA Upper GI bleed
- 13DB Lower GI bleed
- 13DC GI bleeding, site unknown
- 13DD Peptic ulcer disease:2
- 13DE Gastritis:2
- 13DF Diverticulosis:2
- 13DG Ulcerative colitis (UC):2
- 13DH Enteritis (Crohn's disease):2
- 13DI Perforation of peptic ulcer
- 13DJ Perforation of bowel

Notation: A "2" indicates that the disease or condition could only be a secondary or other cause of death and not the primary cause.

- 15DB UTI-septicemia*
- 15DC Nephrolithiasis:2
- 15DD Prostatitis*
- 15DE Benign prostatic hypertrophy:2
- 15DF Orchitis*
- 15DG Cystic kidney disease (PKD or acquired):2
- 15DH Cyst-related hemorrhage
- 15DI Cyst-related infection*
- 15DJ Urinary tract hemorrhage

Notation: A "2" indicates that the disease or condition could only be a secondary or other cause of death and not the primary cause.

- 15DK Hemorrhage from renal transplant site
- 15DL Other renal and urologic condition (excluding ESRD)

16. HIV/AIDS

- 16DA HIV positive (not AIDS)
- 16DB AIDS
- 16DC AIDS-related infection
- 16DD Other AIDS-related condition (not infection)

17. OPHTHALMOLOGIC CONDITIONS

- 17DA Endophthalmitis*
- 17DB Legally blind:2

18. INFECTIONS (NOT ACCESS RELATED)

- 18DA Abscess (not recorded in previous category)*
- 18DB Other infection (not recorded in previous category)*
- 18DC Septic shock*
- 18DD Septicemia (bacteremia) (known source, not access related)*
- 18DE Septicemia (bacteremia) (unknown source, not access related)*
- 18DF Extrapulmonary TB*
- 18DG Miliary TB*
- 18DH Disseminated candida infection*
- 18DI Other fungal infection*
- 18DJ Viral infection (CMV)*
- 18DK Other viral infection (not hepatitis)*
- 18DL Protozoan or parasitic infection (not PCP)*

19. NON-MALIGNANT HEMATOLOGIC CONDITIONS

- 19DA Anemia:2
- 19DB Bone marrow depression:2
- 19DC Leukocytopenia:2
- 19DD Coagulation disorder:2
- 19DE Thrombocytopenia:2
- 19DF Disseminated Intravascular Coagulation (DIC)
- 19DG Other consumption coagulopathy:2
- 19DH Thrombotic thrombocytopenic purpura (TTP) and hemolytic uremic syndrome (HUS)
- 19DI Other non-malignant hematologic condition

20. HEMODIALYSIS VASCULAR ACCESS COMPLICATIONS

- 20DA Septicemia (bacteremia) access related*
- 20DB Hemorrhage from vascular access
- 20DC Venous thrombosis access related:2
- 20DD Arterial thrombosis or embolism access related

Notation: A "2" indicates that the disease or condition could only be a secondary or other cause of death and not the primary cause.

- 20DE Other access infection
- 20DF Other complication of temporary access placement

21. OTHER HEMODIALYSIS COMPLICATIONS

- 21DA Hemorrhage from dialysis circuit
- 21DB Air embolism
- 21DC Anaphylaxis, treatment related
- 21DD Hemolysis, treatment related
- 21DE Electrolyte and acid-base disorder, treatment related (other than hyperkalemia)
- 21DF Dialysis-induced hypotension
- 21DG Other accident related to treatment

22. OTHER SURGICAL COMPLICATIONS

- 22DA Hemorrhage from surgery
- 22DB Complications from surgery
- 22DC Complications from anesthesia

23. OTHER

- 23DA Withdrawal from dialysis:2
- 23DB Other hemorrhage
- 23DC Cachexia
- 23DD Other trauma
- 23DE Drug overdose (accidental)
- 23DF Accident unrelated to treatment
- 23DG Drug reaction, anaphylaxis
- 23DH Drug reaction, not anaphylaxis, not overdose
- 23DI Other electrolyte and acid-base disorder (not related to hemodialysis treatment)
- 23DJ Homicide
- 23DK Refusal of lifesaving therapy
- 23DL Multi-organ system failure (pt. in ICU):2
- 23DM Multi-organ system failure (pt. not in ICU):2
- 23DN Multi-organ system failure (therapy induced):2
- 23DO Multi-organ system failure (not therapy induced):2
- 23DP Natural cause
- 23DQ Patient ever on immunosuppressive therapy

24. UNKNOWN

- 24DA Sudden death, unknown cause
- 24DB Other death, unknown cause

25. HYPERTENSIVE CARDIOVASCULAR DISEASE (HCVD)

25DA Hypertensive cardiovascular disease

Notation: A "2" indicates that the disease or condition could only be a secondary or other cause of death and not the primary cause.