## 12. Physical Functioning

## **Short Physical Performance Battery and Score Sheet**

All of the tests should be performed in the same order as they are presented in this protocol. Instructions to the participant are shown in bold italic and should be given exactly as they are written in this script.

The participant must be able to stand unassisted without the use of a cane or walker. You may help the participant to get up.

Now let's begin the evaluation. I would now like you to try to move your body in different movements. I will first describe and show each movement to you. Then I'd like you to try to do it. If you cannot do a particular movement, or if you feel it would be unsafe to try to do it, tell me and we'll move on to the next one. Let me emphasize that I do not want you to try to do any exercise that you feel might be unsafe.

Do you have any questions before we begin?

### A. Script

#### Side-By-Side Stand

- 1. Now I will show you the first movement.
- 2. (Demonstrate) I want you to try to stand with your feet together, side-by-side, for about 10 seconds.
- 3. You may use your arms, bend your knees, or move your body to maintain your balance, but try not to move your feet. Try to hold this position until I tell you to stop.
- 4. Stand next to the participant to help him/her into the side-by-side position.
- 5. Supply just enough support to the participant's arm to prevent loss of balance.
- 6. When the participant has his/her feet together, ask "Are you ready?"
- 7. Then let go and begin timing as you say, "Ready, begin."
- 8. Stop the stopwatch and say "Stop" after 10 seconds or when the participant steps out of position or grabs your arm.
- 9. If participant is unable to hold the position for 10 seconds, record result and go to the gait speed test.

## Semi-Tandem Stand

#### B. Script

- 1. Now I will show you the second movement
- 2. (Demonstrate) Now I want you to try to stand with the side of the heel of one foot touching the big toe of the other foot for about 10 seconds. You may put either foot in front, whichever is more comfortable for you.
- 3. You may use your arms, bend your knees, or move your body to maintain your balance, but try not to move your feet. Try to hold this position until I tell you to stop.
- 4. Stand next to the participant to help him/her into the semi-tandem position.
- 5. Supply just enough support to the participant's arm to prevent loss of balance.
- 6. When the participant has his/her feet together, ask "Are you ready?"
- 7. Then let go and begin timing as you "Ready, begin."
- 8. Stop the stopwatch and say "Stop" after 10 seconds or when the participant steps out of position or grabs your arm.
- 9. If participant is unable to hold the position for 10 seconds, record result and go to the gait speed test.

# C. Tandem Stand Script

- 1. Now I will show you the third movement.
- 2. (Demonstrate) Now I want you to try to stand with heel of one foot in front of and touching the toes of the other foot for about 10 seconds. You may put either foot in front, whichever is more comfortable for you.
- 3. You may use your arms, bend your knees, or move your body to maintain your balance, but try not to move your feet. Try to hold this position until I tell you to stop.
- 4. Stand next to the participant to help him/her into the tandem position.
- 5. Supply just enough support to the participant's arm to prevent loss of balance.
- 6. When the participant has his/her feet together, ask "Are you ready?"
- 7. Then let go and begin timing as you say, "Ready, begin."
- 8. Stop the stopwatch and say "Stop" after 10 seconds or when the participant steps out of position or grabs your arm.

Scoring			
A. Side-by-side stand			
Held for 10 sec	1 point		
Not held for 10 sec	0 points		
Not attempted (check the reason on Page 4) If 0 points, end Balance Tests	0 points		
Number of seconds held if less than 10 sec: sec			
D. Comi Tondom Stand			
B. Semi-Tandem Stand			
Held for 10 sec	1 point		
Not held for 10 sec	0 points		
Not attempted (check the reason on Page 4) If 0 points, end Balance Tests	0 points		
Number of seconds held if less than 10 sec: sec			
C. Tandem Stand			
Held for 10 sec	2 points		
Not held for 3 to 9.99 sec	1 points		
Held for < than 3 sec	0 points		
Not attempted (check reason on page 4) If 0 points, end Balance Tests	0 points		
Number of seconds if less than 10 sec: sec			

If participant did not attempt test or failed, check why:		
Tried but unable	1	
Participant could not hold position unassisted	2	
Not attempted, you felt unsafe	3	
Not attempted, participant felt unsafe	4	
Participant unable to understand instructions	5	
Other (specify)	6	
Participant refused	7	

## **Gait Speed Test**

#### **Script**

Now I am going to observe how you normally walk. If you use a cane or other walking aid and you feel you need it to walk a short distance, then you may use it.

## **Gait Speed Test Scoring**

- 1. This is our walking course. I want you to walk to the other end of the course at your usual speed, just as if you were walking down the street to go to the store.
- 2. Demonstrate the walk for the participant.
- 3. Walk all the way past the other end of the tape before you stop. I will walk with you. Do you feel this would be safe?
- 4. Have the participant stand with both feet touching the starting line.
- 5. When I want you to start, I will say: "Ready, begin." When the participant acknowledges this instruction say: "Ready, begin."
- 6. Press the start/stop button to start the stopwatch as the participant begins walking.
- 7. Walk behind and to the side of the participant.
- 8. Stop timing when one of the participant's feet is completely across the end line.

#### B. Second Gait Speed Test

- 1. Now I want you to repeat the walk. Remember to walk at your usual pace, and go all the way past the other end of the course.
- 2. Have the participant stand with both feet touching the starting line.
- 3. When I want you to start, I will say: "Ready, begin." When the participant acknowledges this instruction say: "Ready, begin."
- 4. Press the start/stop button to start the stopwatch as the participant begins walking.
- 5. Walk behind and to side of the participant.
- 6. Stop timing when one of the participant's feet is completely across the end line.

Length of walk test course:	Four meters	Three meters
A. Time for First Gait Speed  1. Time for 3 or 4 meters		
If participant did not attempt	ot test or failed, check why: Tried but unable	1 📗
	Participant could not walk unassisted	2
	Not attempted, you felt unsafe	3
	Not attempted, participant felt unsafe	4
	Participant unable to understand instructions	5
	Other (specify)	6
	Participant Refused	7
Co	omplete score sheet and go to chair stand test	
3. Aids used for first walk:		
	None	,
	Cane	;
	Other (specify)	-
Comments:		

B. Time for Second Gait Speed Test (sec)  1. Time for 3 or 4 meters sec				
2. If participant did not atte	mpt test or failed, o	check why:		
	Tried but unable			
	Participant could n	ot walk unassisted	2	
	Not attempted, you	u felt unsafe	3	
	Not attempted, par	rticipant felt unsafe	4	
Participant unable to understand instructions			5	
	Other (Specify)		6	
Participant refused			7	
3. Aids used for second walk:				
		None		
		None		
		Cane		
Other (specify)				
What is the time for the fas	ter of the two walks	?		
Record the shorter of the two times sec				
[If only 1 walk done, record	that time]	sec		
If the participant was unable	e to do the walk:		0 points	
For 4-Meter Walk:		For 3-Meter Walk:		
If time is more than 8.70 se	c: 1 point	If time is more than 6.52 sec:	1 point	
If time is 6.21 to 8.70 sec:	2 points	If time is 4.66 to 6.52 sec:	2 points	
If time is 4.82 to 6.20 sec:	3 points	If time is 3.62 to 4.65 sec:	3 points	
If time is less than 4.82 sec	4 points	If time is less than 3.62 sec:	4 points	

#### **CHAIR STAND TEST**

## Script

#### **Single Chair Stand**

- 1. Let's do the last movement test. Do you think it would be safe for you to try to stand up from a chair without using your arms?
- 2. The next test measures the strength in your legs.
- 3. (Demonstrate and explain the procedure.) First, fold your arms across your chest and sit so that your feet are on the floor; then stand up keeping your arms folded across your chest.
- 4. **Please stand up keeping your arms folded across your chest.** (Record result).
- 5. If participant cannot rise without using arms, say "Okay, try to stand up using your arms." This is the end of their test. Record result and to the scoring page.

#### **Repeated Chair Stands**

- 1. Do you think it would be safe for you to try to stand up from a chair five times without using your arms?
- 2. (Demonstrate and explain the procedure): Please stand up straight as QUICKLY as you can five times, without stopping in between. After standing up each time, sit down and then stand up again. Keep your arms folded across your chest. I'll be timing you with a stopwatch
- 3. When the participant is properly seated, say: "Ready? Stand" and begin timing.
- 4. Count out loud as the participant arises each time, up to five times.
- 5. Stop if participant becomes tired or short of breath during repeated chair stands.
- 6. Stop the stopwatch when he/she has straightened up completely for the fifth time.
- 7. Also stop:
  - If participant uses his/her arms
  - After 1 minute, if participant has not completed rises
  - At your discretion, if concerned for participant's safety
- 8. If the participant stops and appears to be fatigued before completing the five stands, confirm this by asking *"Can you continue?"*
- 9. If participant says "Yes," continue timing. If participant says "no", stop and reset the stopwatch.

## **Single Chair Stand Scoring**

Sin	gle Chair Stand Test					
			YES NO	O		
A.	Safe to stand without help	)				
B.	Results					
	Participant stood without	using arms	$\rightarrow$	Go to Repeated Cha	air St	and Test
	Participant used arms to	stand	<b></b>	End test; score 0 po	oints	
	Test not completed		$\rightarrow$	End test; score as 0	poin	ts
C.	If participant did not atten	npt test or failed, c	circle why:			
		Tried but unable	<b>)</b>		1	
		Participant could		unassisted	2	
		Not attempted, y			3	
		Not attempted, p			4	
			•	rstand instructions	5	
		Other (specify)_			6	
		Participant refus			7	

Repeated Chair Stand Test		
	Yes	No
A. Safe to stand five times		
B. If five stands done successfully, record time in seconds.		
Time to complete five stands sec		
C. If participant did not attempt test or failed, check why:		
Tried but unable	1	
Participant could not stand unassisted	2	
Not attempted, you felt unsafe	3	
Not attempted, participant felt unsafe	4	
Participant unable to understand instructions	5	
Other (Specify)	6	
Participant refused	7	
Scoring the Repeated Chair Test		
Participant unable to complete 5 chair stands or completes stands in >60 sec:		0 points
If chair stand time is 16.70 sec or more		1 points
If chair stand time is 13.70 to 16.69 sec:		2 points
If chair stand time is 11.20 to 13.69 sec:		3 points
If chair stand time is 11.19 sec or less:		4 points

Scoring for Complete Short Physical Performance Battery			
Test Scores		points	
Total Balance Test score		points	
Gait Speed Test score		points	
Chair Stand Test score		points	
Total Score		points (sum of points above)	

Interviewer: Where was this test performed?	
	Clinic
	Other (specify)

## **Timing of Tests**

The coordinator may split up the bedside tests onto 2 or more separate days. Irrespective of whether they are done on the same day or on different days, the order of the tests should be set:

- 1) Feeling Thermometer (this is done first to avoid mental and physical exhaustion from other tests affecting mood).
- 2) MiniMental
- 3) Trailmaking
- 4) Physical Function Tests (these are done last to avoid physical exhaustion affecting ability to do cognitive tests).