

# HALT-C Trial

## QLFT AS Aliquot Form

Form # 193 Version A: 06/15/2000 (Rev. 06/30/2004)

### SECTION A: GENERAL INFORMATION

A1. Affix ID Label Here → \_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_

A2. Patient initials: \_\_\_\_\_

A3. Visit number: \_\_\_\_\_

A4. Date form completed: MM / DD / YYYY    \_\_\_\_ / \_\_\_\_ / \_\_\_\_\_

A5. Initials of person completing form: \_\_\_\_\_

**No**

### SECTION B: SAMPLE ID

B1. Enter the sample ID (2 letters + 6 numbers) **from the set of labels to be used for this patient at this study visit:**

Sample ID: D \_\_\_\_\_

B2. Date of blood draw: (MM/DD/YYYY)    \_\_\_\_ / \_\_\_\_ / \_\_\_\_\_

### SECTION C: SPECIMEN INFORMATION: SERUM, PLASMA + SALIVA

C1. Were there any problems after specimen collection, such as a delay in processing or hemolysis?

Yes ..... 1 (complete a, b, c + d for each tube collected/aliquotted)

No ..... 2 (complete a + b only for each tube collected/aliquotted)

C2. Serum, plasma + saliva in aliquot tubes, to be shipped frozen:

Sequence #	Purpose	Expected Volume	Study Visit	a. Aliquotted?		b. Volume (ml)	c. Code	d. Date Processed
				Yes	No (skip to next item)			
330	QLFT lidocaine/T=0 (2.0ml) Serum		W00,R00, M24, M48	1	2	____ . ____	____ specify ____	____ / ____ / ____
331	QLFT lidocaine/T=15 (2.0ml) Serum		W00,R00, M24, M48	1	2	____ . ____	____ specify ____	____ / ____ / ____
332	QLFT lidocaine/T=30 (2.0ml) Serum		W00,R00, M24, M48	1	2	____ . ____	____ specify ____	____ / ____ / ____
333	QLFT cholate/T=0 (2.0ml) Serum		W00,R00, M24, M48	1	2	____ . ____	____ specify ____	____ / ____ / ____

\_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_

Sequence #	Purpose	Expected Volume	Study Visit	a. Aliquotted?		b. Volume (ml)	c. Code	d. Date Processed
				Yes	No (skip to next item)			
334	QLFT cholate/T=5 Serum	(2.0ml)	W00, R00, M24, M48	1	2	_____ . _____	____ specify ____	___/___/___
335	QLFT cholate/T=10 Serum	(2.0ml)	W00, R00, M24, M48	1	2	_____ . _____	____ specify ____	___/___/___
336	QLFT cholate/T=15 Serum	(2.0ml)	W00, R00, M24, M48	1	2	_____ . _____	____ specify ____	___/___/___
337	QLFT cholate/T=20 Serum	(2.0ml)	W00, R00, M24, M48	1	2	_____ . _____	____ specify ____	___/___/___
338	QLFT cholate/T=30 Serum	(2.0ml)	W00, R00, M24, M48	1	2	_____ . _____	____ specify ____	___/___/___
339	QLFT cholate/T=45 Serum	(2.0ml)	W00, R00, M24, M48	1	2	_____ . _____	____ specify ____	___/___/___
340	QLFT cholate/T=60 Serum	(2.0ml)	W00, R00, M24, M48	1	2	_____ . _____	____ specify ____	___/___/___
341	QLFT cholate/T=75 Serum	(2.0ml)	W00, R00, M24, M48	1	2	_____ . _____	____ specify ____	___/___/___
342	QLFT cholate/T=90 Serum	(2.0ml)	W00, R00, M24, M48	1	2	_____ . _____	____ specify ____	___/___/___
343	QLFT cholate/T=105 Serum	(2.0ml)	W00, R00, M24, M48	1	2	_____ . _____	____ specify ____	___/___/___
344	QLFT cholate/T=120 Serum	(2.0ml)	W00, R00, M24, M48	1	2	_____ . _____	____ specify ____	___/___/___
345	QLFT cholate/T=150 Serum	(2.0ml)	W00, R00, M24, M48	1	2	_____ . _____	____ specify ____	___/___/___
346	QLFT cholate/T=180 Serum	(2.0ml)	W00, R00, M24, M48	1	2	_____ . _____	____ specify ____	___/___/___

Sequence #	Purpose	Expected Volume	Study Visit	a. Aliquotted?		b. Volume (ml)	c. Code	d. Date Processed
				Yes	No (skip to next item)			
347	QLFT galactose/T=0 (2.0ml) Plasma		W00, M24, M48	1	2	_____ . _____	_____ specify _____	_____/_____/_____
348	QLFT galactose/T=20 (2.0ml) Plasma		W00, M24, M48	1	2	_____ . _____	_____ specify _____	_____/_____/_____
349	QLFT galactose/T=40 (2.0ml) Plasma		W00, M24, M48	1	2	_____ . _____	_____ specify _____	_____/_____/_____
350	QLFT galactose/T=60 (2.0ml) Plasma		W00, M24, M48	1	2	_____ . _____	_____ specify _____	_____/_____/_____
351	QLFT galactose/T=80 (2.0ml) Plasma		W00, M24, M48	1	2	_____ . _____	_____ specify _____	_____/_____/_____
352	QLFT saliva/T=0 (2.0ml)		W00, R00, M24, M48	1	2	_____ . _____	_____ specify _____	_____/_____/_____
353	QLFT saliva /T=6 (2.0ml)		W00, R00, M24, M48	1	2	_____ . _____	_____ specify _____	_____/_____/_____
354	QLFT saliva /T=12 (2.0ml)		W00, R00, M24, M48	1	2	_____ . _____	_____ specify _____	_____/_____/_____
355	QLFT saliva /T=24 (2.0ml)		W00, R00, M24, M48	1	2	_____ . _____	_____ specify _____	_____/_____/_____
356	QLFT saliva /T=36 (2.0ml)		W00, R00, M24, M48	1	2	_____ . _____	_____ specify _____	_____/_____/_____
357	QLFT saliva /T=48 (2.0ml)		W00, R00, M24, M48	1	2	_____ . _____	_____ specify _____	_____/_____/_____
358	QLFT saliva /T=60 (2.0ml)		W00, R00, M24, M48	1	2	_____ . _____	_____ specify _____	_____/_____/_____

**Codes for specimen processing**

1. okay
2. hemolysis
3. delay in processing-processed within 4-6 hours of collection
4. delay in processing-processed within 6-8 hours of collection
5. delay in processing-processed within 8-12 hours of collection
6. delay in processing-processed within 12-18 hours of collection
7. delay in processing-processed within 18-24 hours of collection
8. delay in processing-processed within 24-48 hours of collection
9. delay in processing-processed 48+ hours after collection
10. delay in shipping
11. collected in incorrect tube-plasma collected instead of serum
12. delay in snap freezing liver tissue
13. Vacutainer tube stored in refrigerator
99. Other-please specify