

HBV/HIV Opportunistic Infection Log

Patient ID		-			_		

Instructions: record <u>all opportunistic infections</u> reported by the participant or available in the medical record. Begin with a history of all opportunistic infections that occurred prior to the screening/baseline visit and continue to update the list through the completion of the follow-up period or discontinuation from the study. The list of opportunistic infections should be reviewed with the patient at every protocol visit and the log updated as necessary.

Infection Code	Specify	Start Date (mm/dd/yyyy)	Status of Infection	System ID
			☐ Active☐ Resolved date:// ☐ Unknown	
			☐ Active☐ Resolved date://	
		/	☐ Active ☐ Resolved date:// ☐ Unknown	
			☐ Active ☐ Resolved date:// ☐ Unknown	
			☐ Active ☐ Resolved date:// ☐ Unknown	
			☐ Active ☐ Resolved date:// ☐ Unknown	
			☐ Active☐ Resolved date://	
		/	☐ Active ☐ Resolved date:// ☐ Unknown	
		/	☐ Active ☐ Resolved date:// ☐ Unknown	

^{*} record UNK for any piece of the Start or Resolved date that is not known

1	Candidiasis of bronchi, trachea, esophagus, or lungs	12	Lymphoma, multiple forms
2	Invasive cervical cancer	13	Mycobacterium avium complex
3	Coccidioidomycosis	14	Tuberculosis
4	Cryptococcosis	15	Pneumocystis carinii pneumonia
5	Cryptosporidiosis, chronic intestinal (> 1 month's duration)	16	Pneumonia, recurrent
6	Cytomegalovirus disease (particularly CMV retinitis)	17	Progressive multifocal leukoencephalopathy
7	Encephalopathy, HIV-related	18	Salmonella septicemia, recurrent
8	Herpes simplex: chronic ulcer(s) (> 1 month's duration); or bronchitis, pneumonitis, or esophagitis	19	Toxoplasmosis of brain
9	Histoplasmosis	20	Wasting syndrome due to HIV
10	Isosporiasis, chronic intestinal (> 1 month's duration)	99	Other, specify
11	Kaposi's sarcoma	-3	Unknown