

Dose Change (Adult)

Patient ID	_	ID	_	

Instructions:

Complete one line for each <u>prescribed</u> dose change (reduction or increase) in one or both study medications. Record the newly prescribed dose for one or both study medications.

If only one study medication has been changed, record the current dose of the other study medication.

The Date of Change is the date that the first changed dose is taken.

If a Dose Reduction, record the reason for the dose reduction, otherwise leave that column blank.

Date of Change (mm/dd/yy)	Entecavir Prescribed Dose	Peginterferon Prescribed Dose	Reason for Dose Reduction (check all that apply)		System ID
DCHM/D/Y	1 □ 0.5 mg daily 2 □ 0.5 mg q 48 hours 3 □ Discontinued ETVDOSE	I 0.5 mg q 48 hours 3 □ 90 μg I Discontinued Adverse reaction (complete AF form			SYSID
/	1 □ 0.5 mg daily 2 □ 0.5 mg q 48 hours 3 □ Discontinued	1 □ 180 μg 2 □ 135 μg 3 □ 90 μg 4 □ 45 μg 5 □ Discontinued	 □ CrCl ≥ 30 - 50 ml/min □ CrCl < 30 ml/min □ Reduction in platelet count □ Reduction in neutrophil count □ Lab result (other than platelet or neutrophil) □ Adverse reaction (complete AE form) □ Emotional symptoms □ Pregnant □ Patient preference □ Other, specify: 		
	1 □ 0.5 mg daily 2 □ 0.5 mg q 48 hours 3 □ Discontinued	1 □ 180 μg 2 □ 135 μg 3 □ 90 μg 4 □ 45 μg 5 □ Discontinued	 □ CrCl ≥ 30 - 50 ml/min □ CrCl < 30 ml/min □ Reduction in platelet count □ Reduction in neutrophil count □ Lab result (other than platelet or neutrophil) □ Adverse reaction (complete AE form) □ Emotional symptoms □ Pregnant □ Patient preference □ Other, specify: 		