C_T PROTOCOL #1	Run-In Dosage Record	Patient ID: Patient Initials: Clinical Center: RC ID:
-------------------	-------------------------	--

(RC completed during the run-in period (weeks 1 through 3). To record telephone conversation between the Research Coordinator and the patient, and to record variation of dosage, if applicable, of the <u>green capsules</u>.)

The left side of the slash (" x / _ ") indicates the column number (dose #1, #2, #3) of the blister packet from which the patient is scheduled to take the capsules.

The Research Coordinator should record on the right side of the slash (" _ / x ") the actual column number/s from which the patient is taking the capsules.

There must be a documented conversation between the Research Coordinator and the patient if the patient requests to take capsules from a different column than the scheduled column. This must be documented in the lines below.

Date patient started study medication:///										
GREEN CAPSULES: scheduled / actual (column) (column)	Run-in Period	Day 1	Day 2	Day 3	Day 4	Day 5	Day 6	Day 7		
1 / <u>?</u>	Week #1	1 /	1 /	1 /	1 /	1 /	1 /	1 /		
2 / <u>?</u>	Week #2	2 /	2 /	2 /	2 /	2 /	2 /	2 /		
2&3 / <u>??</u>	Week #3	2&3/	2&3/	2&3/	2&3/	2&3/	2&3/	2&3/		
_ / _	Week #4	_/	_/	_/	_/	_/	_/	_/		

If **extra dose** is used, explain here:

Use this area to record comments and document patient contacts that resulted in a change in dosage. Indicate the changed dose, the reason for the change (complete an Adverse Event report, if necessary), and the date the change became effective.