



Diet Assessment Center

Nutrition Questionnaire

 **UNIVERSITY OF SOUTH CAROLINA.**
Arnold School of Public Health



46638



Staff ID:	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	Administration Type:	<input type="text"/>
Patient ID:	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	Visit Code:	<input type="text"/>
Acrostic:	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	Reviewed by:	<input type="text"/>
Visit Date:	<input type="text"/>	<input type="text"/>	/	<input type="text"/>	<input type="text"/>	/	<input type="text"/>	<input type="text"/>	<input type="text"/>	Language:	<input type="text"/>
Date form completed:	<input type="text"/>	<input type="text"/>	/	<input type="text"/>	<input type="text"/>	/	<input type="text"/>	<input type="text"/>	<input type="text"/>		

INSTRUCTIONS:

Your eating habits can be important to your health. The questions on this form are about your usual eating habits over the last six months. Please follow the directions and complete the questionnaire.

You may work on the questionnaire while waiting in the clinic and return the completed questionnaire to the clinic. Or, you may take it home to complete and mail the questionnaire back to us using the stamped, addressed envelope that we will give to you.

Feel free to take breaks if you are getting tired. If you have any questions, you may call

_____ at _____.

Please return the questionnaire within **ONE WEEK** of today, by _____.

Answer the questions by filling in the bubbles using a pencil. Be sure to fill in the bubbles completely.

Like This:



Not Like This:



If you make a mistake, just erase the mistake and fill in the correct bubble.

First, please answer these questions:

1. How old are you?

Less than 20

20-29

30-39

40-49

50-59

60-69

70+

2. Are you:

Male

Female

3. How many times per day do you usually eat, including both meals and snacks?

0

1

2

3

4

5

6

7

8

9+

4. How many times per week do you eat at restaurants for meals, including fast-food and take-out?

0

1

2

3

4

5

6

7

8

9+



The following pages include a list of foods and a place for you to tell us how often you typically eat the food and whether your usual serving size is small, medium or large.



For each line:

- Fill in the bubble that best describes HOW OFTEN you eat the foods.
- Fill in the bubble that best describes your USUAL SERVING SIZE. Simply mark "small", "medium", or "large" compared to what seems typical for other men or women about your age.
- Be sure to fill in only one bubble for how often you eat the food and only one bubble for usual serving size.

EXAMPLE: John eats 1 medium-sized banana, 5 days a week.

FRUITS AND JUICES													
Type of Food	Average Last 6 Months								Your Serving Size				
	Rare or Never	1 Time Per Month	2-3 Times Per Month	1 Time Per Week	2 Times Per Week	3-4 Times Per Week	5-6 Times Per Week	1 Time Per Day	2+ Times Per Day	S	M	L	
Bananas	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>

For any food that you eat, be sure to record it in only one place. If you do not know how you should record a food, ask a staff person at the clinic.

If you don't eat the food, you may leave the serving size blank.

Some ethnic foods, including Mexican foods, are included. If you don't recognize the name of a food, you probably don't eat it and can mark "Rare or Never."

Please include foods that you eat at home and at restaurants, as well as TV dinners and other frozen foods.

No one remembers everything about what they eat. Just relax and answer to the best of your ability. Thank you very much for taking the time to fill out this questionnaire!

FRUITS AND JUICES

Type of Food	Average Last 6 Months								Your Serving Size			
	Rare or Never	1 Per Mo.	2-3 Per Mo.	1 Per Wk.	2 Per Wk.	3-4 Per Wk.	5-6 Per Wk.	1 Per Day	2+ Per Day	S	M	L
Fruits												
Apples, applesauce, pears	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Bananas	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Oranges, grapefruits, tangerines	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Peaches, apricots, nectarines (canned, frozen or dried)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Peaches, apricots, nectarines (fresh)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Cantaloupe, mango, papaya	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Watermelon	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Strawberries, kiwi	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Dried fruits (raisins, prunes, figs)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Any other fruit (other melons, grapes, berries, pineapples, fruit cocktail, persimmon, guava, pomegranate, etc.)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Fruit Juices												
Orange juice or grapefruit juice	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Other fruit juice with vitamin C, fortified fruit drinks, hi-c, kool-aid, cranberry juice, Tang	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Any other fruit juice (apple juice, grape juice, punch, guava, papaya, or passion fruit juice)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

If you eat canned or frozen fruit is it usually: unsweetened or in fruit juice in light syrup in heavy syrup Don't know or don't eat canned fruit

VEGETABLES AND SIDE DISHES

Type of Food	Average Last 6 Months										Your Serving Size		
	Rare or Never	1 Per Mo.	2-3 Per Mo.	1 Per Wk.	2 Per Wk.	3-4 Per Wk.	5-6 Per Wk.	1 Per Day	2+ Per Day	S	M	L	
String beans, green beans	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Peas, snow peas	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Broccoli	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Cooked spinach, mustard greens, turnip greens, collards, kale	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Carrots or mixed vegetables containing carrots	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Cooked cabbage, cauliflower, brussel sprouts, oriental cabbage, nappa cabbage, sauerkraut, pickled cabbage (kimchee or tsukemono)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Refried beans (as a side dish, not including those in burritos, etc.)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other beans such as pintos, black beans, black-eyed peas, butter beans, red beans, garbanzos, baked beans, adzuki beans (not including soups)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Lentils, dahl	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Corn, chicos, hominy	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Winter squash, acorn squash, other baked squash	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Tomatoes, tomato juice (including pico de gallo or chopped tomatoes and onions as a condiment)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	



VEGETABLES AND SIDE DISHES (Continued)

Type of Food	Average Last 6 Months										Your Serving Size		
	Rare or Never	1 Per Mo.	2-3 Per Mo.	1 Per Wk.	2 Per Wk.	3-4 Per Wk.	5-6 Per Wk.	1 Per Day	2+ Per Day	S	M	L	
Salsa, picante, taco sauce	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Avocado, guacamole	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Spinach (raw)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other green salad	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Pasta salad, macaroni salad, potato salad with diet mayonnaise or diet salad dressing	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Pasta salad, macaroni salad, potato salad with mayonnaise, salad dressing or oil	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Diet salad dressing, diet mayonnaise (including on sandwiches)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Salad dressing, mayonnaise, tartar sauce (including on sandwiches)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
French fries, fried potatoes, hash browns	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Sweet potatoes, yams, taro	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Other potatoes, such as boiled, baked, mashed, poi, cassava, yucca, turnips	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Rice or musubi (steamed, including white, brown or wild) (including rice eaten for breakfast)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Rice (fried)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	
Pasta, noodles (including lo mein), fideo, couscous (plain, without cheese or tomato sauce)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	



VEGETABLES AND SIDE DISHES (Continued)

Type of Food	Average Last 6 Months								Your Serving Size			
	Rare or Never	1 Per Mo.	2-3 Per Mo.	1 Per Wk.	2 Per Wk.	3-4 Per Wk.	5-6 Per Wk.	1 Per Day	2+ Per Day	S	M	L
Any other vegetable, including summer squash, asparagus, sweet peppers, bok choy, okra, eggplant, beets, etc.	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Butter, margarine, or other fat on vegetables, potatoes, rice, etc. at the table	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

As you go through the remaining items, please include regular and low-fat products. We will ask about your use of low-fat products later. Also, please remember to include homemade and frozen foods as well as foods from restaurants.

MEATS, FISH, POULTRY AND MIXED DISHES

Hamburgers, cheeseburgers, meat loaf, picadillo, carne guisada (asada)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Beef (steaks, roasts, teriyaki, cube steak, beef on sandwiches, BBQ beef, etc.)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Beef stew, pot pie, or gumbo with carrots or other vegetables	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Pork, including chops, roasts, ribs, barbeque, teriyaki, breaded pork chops	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Mixed dish with beef or pork and rice (Oriental main dishes, cajun jambalaya, Spanish rice)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Ham, ham hocks (including ham on sandwiches)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Lamb, mutton, mutton stew, steaks or ribs	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Game, including venison, rabbit, possum, squirrel	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Liver (chicken livers, other organ meats)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>



MEAT, FISH, POULTRY AND MIXED DISHES (Continued)

Type of Food	Average Last 6 Months						Your Serving Size					
	Rare or Never	1 Per Mo.	2-3 Per Mo.	1 Per Wk.	2 Per Wk.	3-4 Per Wk.	5-6 Per Wk.	1 Per Day	2+ Per Day	S	M	L
Chicken, turkey or wild fowl (roasted, broiled, or ground) (Including teriyaki and on sandwiches)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Chicken or turkey stew, pot pie or gumbo with carrots or other vegetables, chicken and dumplings	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Mixed dish with chicken and rice (Oriental main dish, cajun jambalaya, arroz con pollo)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Fried chicken	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Fried fish or fish sandwich	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Tuna fish, salmon, sardines (including raw tuna or salmon)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Tuna or chicken salad	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Tuna or salmon casserole	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Shell fish (shrimp, lobster, crab, oysters, mussels, etc., including raw)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Other broiled, baked or raw fish (trout, sole, halibut, poke, grouper, etc.)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Mixed dish with seafood and rice (Oriental main dish, cajun jambalaya, paella)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Fish stew or seafood gumbo	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Mixed dish with tofu or tempeh with vegetables or rice	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>



MEAT, FISH, POULTRY AND MIXED DISHES (Continued)

Type of Food	Average Last 6 Months						Your Serving Size					
	Rare or Never	1 Per Mo.	2-3 Per Mo.	1 Per Wk.	2 Per Wk.	3-4 Per Wk.	5-6 Per Wk.	1 Per Day	2+ Per Day	S	M	L
Spaghetti, lasagna, other pasta dishes with tomato and meat sauce	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Spaghetti, lasagna, other pasta dishes with tomato sauce and no meat	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Pizza	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Mixed dishes with cheese but no tomato sauce (including macaroni and cheese, chile rellenos, cheese quesadillas, quiche)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Burritos, including breakfast burritos, soft tacos with flour tortillas	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Enchiladas, tamales, tacos, tostadas, chalupas, posole, other Mexican dishes with corn tortillas, including nachos with chile and cheese	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Red chile con carne	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Green chile con carne	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Gravies made with meat drippings or white sauce	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

LUNCH ITEMS (Please include food eaten away from home. Also include times other than lunch that you might eat these items,)

Hot dogs (pork, beef or turkey) (including regular, low-fat and non-fat)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Bologna, salami, spam, other lunch meats (excluding ham) (including regular, low-fat and non-fat)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Vegetable and tomato soup (including vegetable beef, minestrone)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

LUNCH ITEMS (Continued)

Type of Food	Average Last 6 Months						Your Serving Size					
	Rare or Never	1 Per Mo.	2-3 Per Mo.	1 Per Wk.	2 Per Wk.	3-4 Per Wk.	5-6 Per Wk.	1 Per Day	2+ Per Day	S	M	L
Other broth-based soups (including chicken noodle soup, caldo, tortilla soup, egg drop, wonton soup, salmon or wonton mein)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Bean soups (including pea, lentil, black bean, potajes, miso soups)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Cream soups, such as chowders, potato, tomato, cheese	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

BREAD, SALTY SNACKS, SPREADS

White bread (including sandwiches, ham-burger or hot dog buns, bagels, baguettes, pita bread, English muffins, French bread, (Zuni) yeast bread, taro bread)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Dark bread (including whole wheat, rye, pumpernickel, other high-fiber bread)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Biscuits, scones, croissants, muffins, fry bread (pop-overs), hush puppies, fritter, puri	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Flour tortilla (by itself, not in burritos, etc.), chapati, naan, roti	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

How often do you eat extra-large tortillas? Seldom or Never Sometimes Often or Always

Corn tortilla (by itself, not in enchiladas, etc.)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Corn bread, corn muffins, coo-coo	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Potato chips, corn chips, tortilla chips, popcorn	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Pretzels, crackers	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>



BREAD, SALTY SNACKS, SPREADS (Continued)

Type of Food	Average Last 6 Months								Your Serving Size			
	Rare or Never	1 Per Mo.	2-3 Per Mo.	1 Per Wk.	2 Per Wk.	3-4 Per Wk.	5-6 Per Wk.	1 Per Day	2+ Per Day	S	M	L
Nuts and seeds, including peanuts, peanut butter, pinyon or pine nuts, sunflower seeds	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Margarine on bread or roll	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Butter on bread or roll	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

BREAKFAST FOODS (Please include times other than breakfast that you might eat these items.)

High fiber, bran or granola cereals, shredded wheat	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Highly fortified cereals, such as Product 19, Total or Most	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Cold cereals that are low in sugar, such as Corn Flakes, Rice Krispies, Kix	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Sweetened cold cereals, such as Frosted Flakes, Fruit Loops	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Cooked cereals (including oatmeal, cream of wheat, grits, blue corn mush)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Milk on cereal (including cold and cooked cereals)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Sugar, molasses or honey added to cereal	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Eggs, omelettes, fritatta	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Bacon (including regular, low-fat and non-fat)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Sausage, chorizo, scrapple (including regular, low-fat and non-fat)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>



DAIRY

Type of Food	Average Last 6 Months						Your Serving Size				
	Rare or Never	1 Per Mo.	2-3 Per Mo.	1 Per Wk.	2 Per Wk.	3-4 Per Wk.	5-6 Per Wk.	1 Per Day	2+ Per Day	S	M

Cottage cheese, ricotta cheese, paneer (including regular, low-fat and non-fat)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Cheese (cheddar, American, cream cheese, parmesan, Velveeta, cheese spreads, including on sandwiches or as snacks) (including regular, low-fat and non-fat)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Plain yogurt (unflavored), raita (regular, low-fat and non-fat)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Flavored yogurt (regular, low-fat and non-fat)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

SWEETS

Ice cream	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Frozen yogurt, low-fat ice cream, ice milk	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Doughnuts, cookies, cakes, pastry, Pop Tarts, brownies, sopapillas, pan dulce, gulab jamun, ras gulla, sira, tres leche (including regular, low-fat and non-fat)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Pudding, custard, flan, rice pudding	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Pumpkin pie, sweet potato pie, empanadas with pumpkin	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Other pies	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Chocolate including Hershey's Kisses, M&M's, chocolate candy bars	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Other candy, jelly, honey, brown sugar, jams or molasses (including on bread or other foods)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>



MEAL PLACEMENTS (You can report up to 4 or more per day. Please use the following serving sizes:)

Liquids: Small Serving $\frac{1}{2}$ can Medium Serving 1 can Large Serving 1 $\frac{1}{2}$ cans
Powders: $\frac{1}{2}$ serving mix (made according to label) 1 serving mix (made according to label) 1 $\frac{1}{2}$ servings of mix (made according to label)
Bars: 1 small bar or $\frac{1}{2}$ regular bar 1 regular bar or 2 small bars 1 $\frac{1}{2}$ regular bars or 3 small bars

46638



Type of Food	Average Last 6 Months						Your Serving Size				
	Rate or Never	1-3 Per Mo.	1 Per Wk.	2-4 Per Wk.	5-6 Per Wk.	1 Per Day	2 Per Day	3 Per Day	4+ Per Day	S	M

Liquid Meal Replacements

Glucerna	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Ultra Slim-Fast	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Other liquid meal replacements	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Please specify: _____

DAC Use Only:

--	--	--

Powder Meal Replacements

Slim-Fast, Ultra Slim-Fast, HMR	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Optifast	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Other powder meal replacements	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Please specify: _____

DAC Use Only:

--	--	--

If you use powder meal replacements, what do you mix the powder with?

Skim (non-fat) milk
 1% milk
 2% milk
 Water
 Other, specify _____

DAC Use Only:

--	--	--

Meal Replacement Bars

Slim-Fast	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Other meal replacement bars	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Please specify: _____

DAC Use Only:

--	--	--

BEVERAGES

Notice that you can report up to 6 or more per day of any item in the beverage list. When you answer these questions about milk, include ONLY beverages; DO NOT include milk that you use on your cereal or mix with meal replacements.

Type of Food	Average Last 6 Months								Your Serving Size			
	Rare or Never	1-3 Per Mo.	1 Per Wk.	2-4 Per Wk.	5-6 Per Wk.	1 Per Day	2-3 Per Day	4-5 Per Day	6+ Per Day	S	M	L
Whole milk and beverages made with whole milk including cafe latte, cafe au lait	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2% milk and beverages made with 2% milk including cafe latte, cafe au lait	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Skim milk, 1% or buttermilk and beverages made with these including cafe latte, cafe au lait	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Soy milk and beverages with soy milk	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Regular soft drinks (including colas, 7-up, etc.)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Diet soft drinks, unsweetened mineral water	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Lemonade, sweetened mineral water	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Coffee (regular or decaffeinated, including espresso), tea (hot or iced, including black tea, herbal tea and green tea)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Non-dairy creamer in coffee or tea	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Milk in coffee or tea	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Cream (real) or half-and-half in coffee or tea	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Sugar in coffee or tea, or honey in tea (not including artificial sweeteners)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>



BEVERAGES (Continued)

Type of Food	Average Last 6 Months						Your Serving Size					
	Rate or Never	1-3 Per Mo.	1 Per Wk.	2-4 Per Wk.	5-6 Per Wk.	1 Per Day	2-3 Per Day	4-5 Per Day	6+ Per Day	S	M	L
Beer	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Wine	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Hard liquor (including mixed drinks)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

In the spaces below, please list any foods that you eat at least once per week (even in small quantities) that were not listed on the previous pages. Also, please indicate the average frequency over the last 6 months and the typical serving size. Note that the last column is for Diet Assessment Center (DAC) use only.

Food Description	Average Last 6 Months						Serving Size			Food Code <i>(FOR DAC USE ONLY)</i>									
	1 Per Wk.	2 Per Wk.	3-4 Per Wk.	5-6 Per Wk.	1 Per Day	2+ Per Day	S	M	L	1	2	3	4	5	6	7	8	9	0
	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



The next few questions will help us understand the kind of food you eat. If you never eat the food, please mark "I Do Not Eat The Food".

	I Do Not Eat The Food	SELDOM or NEVER	SOMETIMES	OFTEN or ALWAYS
If you eat chicken, how often do you eat the skin?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
If you eat meat, how often do you eat the fat on the meat?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
If you eat ground beef, how often is it lean or extra lean ground beef?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
If you eat hot dogs, bologna or other lunch meats, how often are they low-fat?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
If you eat snacks, such as chips, popcorn or crackers, how often are they low-fat?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
If you eat bacon or sausage, how often is it low-fat?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
If you eat cheese, how often is it low-fat cheese?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
If you eat yogurt, how often is it low-fat yogurt?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
If you eat cookies or cake, how often are they low-fat cookies or cake?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>



Continued:

	I Do Not Eat The Food	SELDOM or NEVER	SOMETIMES	OFTEN or ALWAYS
--	--------------------------	-----------------	-----------	-----------------

46638



If you eat mixed dishes with beef or pork, how often are they low-fat frozen entrees or low-fat recipes (Including beef stew)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
If you eat mixed dishes with chicken or seafood, how often are they low-fat frozen entrees or low-fat recipes (including chicken or turkey stew)?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
If you eat mixed dishes with tofu or cheese, how often are they low-fat frozen entrees or low-fat recipes?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
If you eat spaghetti (with or without meat), how often is it a low-fat frozen entree or low-fat recipe?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
If you eat pizza, how often is it a low-fat frozen entree or low-fat recipe?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
If you eat burritos, enchiladas, tamales, or tacos (including soft tacos), how often are they low-fat frozen entrees or low-fat recipes?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

How often do you add salt to food at the table?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
---	-----------------------	-----------------------	-----------------------	-----------------------

The next few questions are about using fat in cooking. If someone else does the cooking, please answer to the best of your knowledge.

	Average Last 6 Months								
	Less Than 1 Per Wk.	1-2 Per Wk.	3-4 Per Wk.	5-6 Per Wk.	1 Per Day	1 1/2 Per Day	2 Per Day	3 Per Day	4+ Per Day
How often is fat or oil used in cooking the foods you eat? For example in sauteing, stir frying or frying eggs, meat or vegetables?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

What kind of fat or oil is usually used in cooking? (You may select two fats used in sauteing, stir frying or frying food)

- Don't know
- Soft margarine (tub or liquid)
- Stick margarine or shortening
- Butter
- Lard, fatback, bacon fat, fat from hamburger
- Pam or no oil
- Olive oil
- Canola oil
- Coconut oil
- Other oil (such as vegetable, corn, sesame, sunflower or safflower)

If you eat refried beans or pinto beans, what kind of oil or fat is used in cooking the beans? (You may select two choices)

- Don't know / Don't eat beans
- Soft margarine (tub or liquid)
- Stick margarine or shortening
- Butter
- Lard, fatback, bacon fat, fat from hamburger
- Pam or no oil
- Olive oil
- Canola oil
- Coconut oil
- Other oil (such as vegetable, corn, sesame, sunflower or safflower)

What kind of fat do you usually add to vegetables, potatoes, etc. at the tables? (You may select two choices)

- Don't add fat
- Soft margarine (tub or liquid)
- Stick margarine or shortening
- Butter
- Half butter, half margarine
- Lard, fatback, bacon fat
- Olive oil
- Canola oil
- Coconut oil
- Other oil (such as vegetable, corn, sunflower or safflower)
- Sour cream



The next few questions are about your usual dietary intake over the past 6 months.

	Average Last 6 Months								
	Less Than 1 Per Wk.	1-2 Per Wk.	3-4 Per Wk.	5-6 Per Wk.	1 Per Day	1 1/2 Per Day	2 Per Day	3 Per Day	4+ Per Day
Not counting salads, potatoes, or mixed dishes, about how often do you eat vegetables?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
About how often do you eat cold cereal?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Not counting juices, how often do you eat fruit?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Is there anything else that you would like to tell us about your eating habits? No Yes

Thank you very much for providing information about your diet!

Clinic Use Only:

EDITOR: Review form for completeness and consistency, complete missing items and obtain clarifications.

46638



Comments? (1) -None

(2) -Yes, no review needed

(3) -Yes, Diet Assessment Center review needed

Comments:

FOR DIET ASSESSMENT CENTER (DAC) USE ONLY

Review completed: Yes

No

Reviewed by:

--	--

Additional coding: No coding required

Coding required and completed

Coded by:

--	--

Clinic Input:

No input required

Input required and received

Logged:

Yes

No

Comments:
