

Data Set Name: mappniddkdata_bsl_21jan2016.sas7bdat

Num	Variable	Type	Len	Format	Label
1	pid	Num	8	7.	Unique Subject ID
2	enroll_date	Num	8	MMDDYY10.	Date of Enrollment
3	cohorttype	Num	8	STUDYGROUP.	Cohort Type:1=UCPPS,2=Healthy Controls,3=Positive Controls
4	clinic	Char	4		Clinical Center ID Number
5	siteid	Num	8	SITEID.	Clinical Center ID (separate sub-sites)
6	sitenum	Num	3	SITES.	Clinical Center ID
7	sex	Num	8	SEX.	Gender: 1=male,2=female
8	DurSym	Num	8	DURSYM.	Duration of symptom:0=no symptom,1:<2yr,2:>=2yrs
9	ethnicat	Num	8	ETHNICAT.	Ethnicity: 1=Hisp, 2=Not Hisp, 3=Unknow
10	RACENAT	Char	1	\$YNU.	DEMO Q4a RACE:NorthAmerican
11	RACEAS	Char	1	\$YNU.	DEMO Q4b RACE:Asian
12	RACEAA	Char	1	\$YNU.	DEMO Q4c RACE:AfricanAmerican
13	RACENH	Char	1	\$YNU.	DEMO Q4d RACE:NativeHawaiian
14	RACECAU	Char	1	\$YNU.	DEMO Q4e RACE:Caucasian
15	RACEOTH	Char	1	\$YNU.	DEMO Q4f RACE:Other
16	COVAL	Char	200	\$200.	DEMO Q4f RACE:specify
17	Education	Num	8	EDUCATION.	Highest level of education completed
18	Job	Num	8	JOB.	Employment
19	income	Num	8	INCOME.	Annual family income
20	ICBPS_famx	Num	8	YN3F.	Have any family members ever been diagnosed with PBS/IC
21	CPCPPS_famx	Num	8	YN3F.	Have any family members ever been diagnosed with CPPS/CP
22	SCSPOUSE	Char	1	\$1.	SCSPOUSE
23	racecat	Num	8	RACECAT.	Race category
24	age	Num	8		Age in years
25	agegrp	Num	8	AGEGRP.	Categorical Age: 1:<35yrs,2:35-50yrs,3:>=50yrs
26	symq1_bsl	Num	8		SYM-Q1: Baseline Pain (0-10)
27	symq2_bsl	Num	8		SYM-Q2: Baseline Urgency (0-10)
28	symq3_bsl	Num	8		SYM-Q3: Baseline Frequency (0-10)
29	symq4_bsl	Num	8		SYM-Q4: Baseline Void (1-4)
30	symq5_bsl	Num	8		SYM-Q5: Baseline Uro-Symptoms (0-10)
31	symq6_bsl	Num	8		SYM-Q6: Baseline NonUro-Symptoms (0-10)
32	symq7_bsl	Num	8		SYM-Q7: Baseline Mood (0-10)
33	symq8_bsl	Num	8	MOSTBOTHER.	SYM-Q8: Baseline Most Bothersome Symptoms
34	symq8_1_bsl	Num	8	YN.	SYM-Q8:Symptoms in pubic/bladder area
35	symq8_2m_bsl	Num	8	YN.	SYM-Q8:Symptoms in perineum (Males)
36	symq8_2fm_bsl	Num	8	YN.	SYM-Q8:Symptoms in vaginal area (Females)
37	symq8_3_bsl	Num	8	YN.	SYM-Q8:Symptoms during/after sexual activity

Num	Variable	Type	Len	Format	Label
38	symq8_4_bsl	Num	8	YN.	SYM-Q8:Strong need to urinate
39	symq8_5_bsl	Num	8	YN.	SYM-Q8:Frequent urination during the day
40	symq8_6_bsl	Num	8	YN.	SYM-Q8:Frequent urination at night
41	symq8_7_bsl	Num	8	YN.	SYM-Q8:Sense of not emptying bladder completely
42	symq8_8_bsl	Num	8	YN.	SYM-Q8:Other
43	symq9a_bsl	Num	8	YN.	SYM-Q9a: Baseline Contacted a healthcare provider
44	symq9b_bsl	Num	8	YN.	SYM-Q9b: Baseline Seen a healthcare provider
45	symq9c_bsl	Num	8	YN.	SYM-Q9c: Baseline Made a trip to ER/Urgent care center
46	symq9d_bsl	Num	8	YN.	SYM-Q9d: Baseline Had a medication changed
47	symq9e_bsl	Num	8	YN.	SYM-Q9e: Baseline Undergone a medical procedure
48	symq10a_bsl	Num	8	MMDDYY10.	SYM_Q10a: date of last menstrual period
49	symq10b_bsl	Num	8	PENOMENSEF.	SYM_Q10b: reason for without menstrual period
50	symq11_bsl	Num	8	YN.	SYM-Q11: Baseline Flare
51	symq12_bsl	Num	8	FLAREIC.	SYM-Q12: Flare history
52	symq1_cat_bsl	Num	8	PAINCAT.	SYM-Q: Baseline Ordinal Pain
53	symq1c_bsl	Num	8	PAINCAT.	SYM-Q-Q1, Baseline Ordinal Pain
54	symq2c_bsl	Num	8	SYMQ6CF.	SYM-Q-Q2, Baseline Ordinal Urgency
55	symq3c_bsl	Num	8	SYMQ6CF.	SYM-Q-Q3, Baseline Ordinal Frequency
56	symq5c_bsl	Num	8	SYMQ6CF.	SYM-Q-Q5, Baseline Ordinal Overall UROLOGIC Pain Severity
57	symq6c_bsl	Num	8	SYMQ6CF.	SYM-Q-Q6, Baseline Ordinal Overall Not-UROLOGIC Pain Severity
58	elig_fm	Num	8	YN.	Q8: Fibromyalgia (CMSI-FM2)
59	elig_ibs	Num	8	YN.	Q9: Irritable bowel syndrome (CMSI-IBS2)
60	elig_cfs	Num	8	YN.	Q10: Chronic fatigue syndrome (CMSI-CFS2)
61	icpbs_elig	Num	8	YN.	IC diagnosis from Elig form
62	cpcpps_elig	Num	8	YN.	CP diagnosis from Elig form
63	IEPAINUTS	Char	1	\$1.	IEPAINUTS
64	IEIC36	Char	2	\$2.	IEIC36
65	IEICREC3	Char	2	\$2.	IEICREC3
66	IEMGUPI	Char	2	\$2.	IEMGUPI
67	IECP36	Char	2	\$2.	IECP36
68	IECPREC3	Char	2	\$2.	IECPREC3
69	NUAS	Num	8	NUAS.	Non-Urologic Associated Syndromes
70	ICINDEX_S1	Num	8		ICSI Q1: Strong need to urinate (0-5)
71	ICINDEX_S2	Num	8		ICSI Q2: Frequency (0-5)
72	ICINDEX_S3	Num	8		ICSI Q3: Frequency at night (0-5)
73	ICINDEX_S4	Num	8		ICSI Q4: Bladder pain (0-5)
74	ICINDEX_P1	Num	8		ICPI Q1: Strong need to urinate (0-4)
75	ICINDEX_P2	Num	8		ICPI Q2: Frequency (0-4)

Num	Variable	Type	Len	Format	Label
76	ICINDEX_P3	Num	8		ICPI Q3: Frequency at night (0-4)
77	ICINDEX_P4	Num	8		ICPI Q4: Bladder pain (0-4)
78	ICSItot_bsl	Num	8		Baseline ICINDEX-Symptom (0-20)
79	ICPItot_bsl	Num	8		Baseline ICINDEX-Problem (0-16)
80	AUASI_1	Num	8		AUASI Q1: Sensation (0-5)
81	AUASI_2	Num	8		AUASI Q2: Frequency (0-5)
82	AUASI_3	Num	8		AUASI Q3: Frequent stopped / started during urination (0-5)
83	AUASI_4	Num	8		AUASI Q4: Urgency (0-5)
84	AUASI_5	Num	8		AUASI Q5: Weak urinary stream (0-5)
85	AUASI_6	Num	8		AUASI Q6: Problem to begin urination (0-5)
86	AUASI_7	Num	8		AUASI Q7: Frequency at night (0-5)
87	AUASItot_bsl	Num	8	8.1	AUA baseline symptom score index over the past month (0-35)
88	RICE_1	Num	8		
89	RICE_2	Num	8		RICE q2: Urgency
90	RICE_3	Num	8	RICE3F.	
91	RICE_4	Num	8		
92	RICE_5	Num	8		
93	Ricecase	Num	8	YN.	IC diagnosis from Rice form
94	RICE_Subtype	Num	8	RICE_SUBTYPE4F.	UCPPS Baseline Subtypes (4 categories)
95	BPS_type	Num	8	BPS_TYPE.	
96	MHDIAGN	Char	2	\$2.	MHDIAGN
97	MHDIAGDTC	Num	8		Age at which symptoms began
98	MHUTI	Char	2	\$2.	MHUTI
99	MHCPP2Y	Char	1	\$1.	MHCPP2Y
100	MHPBS	Char	1	\$1.	MHPBS
101	MHAGE2	Num	8		MHAGE2
102	mhpbs_age	Num	8		Age diagnosed with IC/BPS
103	mhcpps_age	Num	8		Age diagnosed with CP/CPPS
104	MHCPPS	Char	1	\$1.	MHCPPS
105	MHAGE1	Num	8		MHAGE1
106	MHPID	Char	2	\$2.	MHPID
107	MHENDOM	Char	2	\$2.	MEDHX Q5: Endometriosis
108	MHACPROS	Char	2	\$2.	MHACPROS
109	MHEPIDID	Char	2	\$2.	MHEPIDID
110	MHPEYR	Char	2	\$2.	MHPEYR
111	MHDRESP	Char	2	\$2.	MHDRESP
112	MHGASTR	Char	2	\$2.	MHGASTR
113	MHMETA	Char	2	\$2.	MHMETA
114	MHLYMPH	Char	2	\$2.	MHLYMPH

Num	Variable	Type	Len	Format	Label
115	MHPSYCH	Char	2	\$2.	MHPSYCH
116	CMANTIBIO	Char	2	\$2.	CMANTIBIO
117	f_gen_disorder	Num	8		Gastrointestinal Disorder (females)
118	m_gen_disorder	Num	8		Gastrointestinal Disorder (males)
119	gen_disorder	Num	8		
120	MHSTD	Char	2	\$2.	MHSTD
121	MHCVD	Char	2	\$2.	MHCVD
122	MHAUTOIMM	Char	2	\$2.	MHAUTOIMM
123	MHURO	Char	2	\$2.	MHURO
124	MHUROSURG	Char	2	\$2.	MHUROSURG
125	MHBIRTHVAG	Num	8		# of children given birth by vaginal delivery
126	MHBVAGNA	Char	2	\$2.	MHBVAGNA
127	MHBIRTHCS	Num	8		# of children given birth by caesarean delivery
128	MHBCSNA	Char	2	\$2.	MHBCSNA
129	MHBIRTH	Num	8		Total # of children obtained
130	MHNEURO	Char	200	\$200.	History of neurological diseases
131	MHLUMBO	Char	2	\$2.	History of Lumbosacral
132	MHSEIZURE	Char	2	\$2.	History of seizures
133	MHHEADACHE	Char	2	\$2.	History of migraine headaches
134	MHPERINEUR	Char	2	\$2.	History of peripheral Neuropathy
135	MHONEUR	Char	2	\$2.	History of other neurological diseases
136	icpbs_medhx	Num	8	YN.	IC diagnosis from MEDHX form
137	cpcpps_medhx	Num	8	YN.	Past CP/CPPS
138	ICLikely	Num	8		IClikely
139	dursym_yrs	Num	8		Duration of Symptoms in Years
140	Bladder_inf	Num	8	YN.	Bladder infection
141	Kidney_inf	Num	8	YN.	Kidney infection
142	Fam_his_UTIs	Num	8	YN.	Family history of UTIs
143	fhrel	Num	8	FHRELF.	Any of first degree blood relatives diagnosed with any of the disorders?
144	fhpaindisorder	Num	8		No. of Pain Disorder from members of immediate family
145	fhpsychdisorder	Num	8		No. of Psych. Disorder from members of immediate family
146	FHXMENDOM	Num	8		FAMHX: Common chronic pain disorders, Endometriosis
147	medcat_bsl	Num	8	MEDCATF.	Medication Category 3=Opioid 2=Central 1=Peripheral 0=None
148	medcat1_bsl	Char	3		Oral Narcotics
149	medcat2_bsl	Char	3		Morphine
150	medcat3_bsl	Char	3		Alpha Blockers
151	medcat4_bsl	Char	3		Amitriptyline
152	medcat5_bsl	Char	3		Imipramine

Num	Variable	Type	Len	Format	Label
153	medcat6_bsl	Char	3		Cyclosporine
154	medcat7_bsl	Char	3		Antimuscranics
155	medcat8_bsl	Char	3		Lyrica, Neurontin, Tegretol
156	medcat9_bsl	Char	3		NSAIDs
157	medcat10_bsl	Char	3		Tizanidines
158	medcat11_bsl	Char	3		Valium
159	medcat12_bsl	Char	3		SSRIs
160	medcat13_bsl	Char	3		SNRIs
161	medcat14_bsl	Char	3		All other level #1 meds
162	medcat15_bsl	Char	3		Anticonvulsant medication
163	cmed4urop_bsl	Num	8	YN.	Meds for urologic or pelvic pain symptoms
164	Anticonvulsant	Num	8		CMED: Anticonvulsant
165	HEIGHTFEET	Num	8		HEIGHTFEET
166	HEIGHTINCH	Num	8		HEIGHTINCH
167	WEIGHT	Num	8		WEIGHT
168	VSBPS	Num	8		EXAM Q3a: Blood Pressure Systolic
169	VSBPD	Num	8		EXAM Q3b: Blood Pressure Diastolic
170	PEORRES	Char	80	\$80.	EXAM Q4: Abdominal exam
171	PEGENTAL	Char	2	\$2.	EXAM Q5: External Genitalia
172	PEABNS	Char	100	\$100.	EXAM Q5a: Abnormal External Genitalia
173	PERECEXAM	Char	2	\$2.	EXAM Q6: Rectal / Bimanual exam
174	PEPELVIC	Num	8	YN.	EXAM Q7: Pelvic floor tenderness
175	PESUPRAP	Num	8	YN.	EXAM Q8: Subrapubic Tenderness (Men only)
176	PEPENIS	Num	8	YN.	EXAM Q9: Penis Circumcised (Men only)
177	PEPROSENL	Char	2	\$2.	EXAM Q10a: Prostate Enlarged (Men only)
178	PEPROSIRR	Char	2	\$2.	EXAM Q10a: Prostate Irregular (Men only)
179	PEPROSTEND	Num	8	YN.	EXAM Q10a: Prostate Tender (Men only)
180	PEVB3	Char	2	\$2.	EXAM Q11: VB3 specimen obtained
181	PESCRVAR	Char	2	\$2.	EXAM Q12a: Scrotal exam,Varicocele
182	PESCRHYD	Char	2	\$2.	EXAM Q12b: Scrotal exam,Hydrocele
183	PESCRMAS	Char	2	\$2.	EXAM Q12c: Scrotal exam,Mass of testis/epididymis
184	PESCRHERN	Char	2	\$2.	EXAM Q12d: Scrotal exam,Hernia
185	PEUTERUS	Char	2	\$2.	EXAM 13: Uterus present? (Women only)
186	PEUTNORM	Char	1	\$1.	EXAM 13a: Uterus present (Women only)
187	PEPELVNONE	Char	2	\$2.	EXAM 14a: Prolapse present, no vaginal points beyond the hymen(Women only)
188	PEPELVNO	Char	2	\$2.	EXAM 14b: Prolapse present, at least one vaginal point beyond the hymen (Women only)
189	BMI	Num	8		BMI

Num	Variable	Type	Len	Format	Label
190	PEPROLAP	Num	8	YN.	Female only: Prolapse
191	PESCRIRR	Num	8	YN.	Males only: Scrotum irregularity
192	PEPROSIRG	Num	8	YN.	Males only: Prostate irregularity
193	Gupi_qspainent_bsl	Num	3		GUPI 1a: Any pain in Entrance to vagina (F) or perineum(M)
194	Gupi_qspainvag_bsl	Num	3		GUPI 1b: Any pain in Vagina (F) or Testicles (M)
195	Gupi_qspainure_bsl	Num	3		GUPI 1c: Any pain in Urethra (F) or Tip of the penis (M)
196	Gupi_qspainpub_bsl	Num	3		GUPI 1d: Any pain in Below your waist, in your pubic or bladder area
197	Gupi_qspainurin_bsl	Num	3		GUPI 2a: Any experience of Pain or burning during urination
198	Gupi_qspainsex_bsl	Num	3		GUPI 2b: Any experience of Pain or discomfort during or after sexual intercourse
199	Gupi_qspainbladfill_bsl	Num	3		GUPI 2c: Pain as bladder filling
200	Gupi_qspainbladvoid_bsl	Num	3		GUPI 2d: Pain as bladder voiding
201	Gupi_qspainarea_bsl	Num	3		GUPI 3: how often have you had pain or discomfort
202	Gupi_qspainave_bsl	Num	3		GUPI 4: rate your AVERAGE pain or discomfort
203	Gupi_qssense_bsl	Num	3		GUPI 5: Frequency having a sensation of not emptying your bladder
204	Gupi_qsurin2h_bsl	Num	3	GUPI_QSURIN2HF.	GUPI 6: Frequency to urinate again less than two hours
205	Gupi_qssymkind_bsl	Num	3		GUPI 7: Symptoms kept you from doing the kinds of things you would usually do
206	Gupi_qssymthink_bsl	Num	3		GUPI 8: Frequency of thinking about your symptoms
207	Gupi_qssymfeel_bsl	Num	3		GUPI 9: feeling if spend rest of life with symptoms just the way during the last week
208	gupiscorepain_bsl	Num	3		Baseline GUPI pain score (0-23)
209	gupiscoreqol_bsl	Num	3		Baseline GUPI QOL impact subscore (0-12)
210	gupiscoretotal_bsl	Num	3		Baseline GUPI total score (0-45)
211	gupiscoreurin_bsl	Num	3		Baseline GUPI urinary subscale (0-10)
212	PAIN_Severity_bsl	Num	8		
213	Urinary_Severity_bsl	Num	8		
214	FSFI_Q1	Char	100	\$100.	
215	FSFI_Q2	Char	100	\$100.	
216	FSFI_Q3	Char	100	\$100.	
217	FSFI_Q4	Char	100	\$100.	
218	FSFI_Q5	Char	100	\$100.	
219	FSFI_Q6	Char	100	\$100.	
220	FSFI_Q7	Char	100	\$100.	
221	FSFI_Q8	Char	100	\$100.	
222	FSFI_Q9	Char	100	\$100.	
223	FSFI_Q10	Char	100	\$100.	
224	FSFI_Q11	Char	100	\$100.	
225	FSFI_Q12	Char	100	\$100.	

Num	Variable	Type	Len	Format	Label
226	FSFI_Q13	Char	100	\$100.	
227	FSFI_Q14	Char	100	\$100.	
228	FSFI_Q15	Char	100	\$100.	
229	FSFI_Q16	Char	100	\$100.	
230	FSFI_Q17	Char	100	\$100.	
231	FSFI_Q18	Char	100	\$100.	
232	FSFI_Q19	Char	100	\$100.	
233	FSFI_desire_bsl	Num	8		
234	FSFI_arousal_bsl	Num	8		
235	FSFI_lubrication_bsl	Num	8		
236	FSFI_organism_bsl	Num	8		
237	FSFI_satisfaction_bsl	Num	8		
238	FSFI_pain_bsl	Num	8		
239	FSFI_total_bsl	Num	8		Baseline FSFI(Female) (0-36)
240	MSEAR_Q1	Num	8		
241	MSEAR_Q2	Num	8		
242	MSEAR_Q3	Num	8		
243	MSEAR_Q4	Num	8		
244	MSEAR_Q5	Num	8		
245	MSEAR_Q6	Num	8		
246	MSEAR_Q7	Num	8		
247	MSEAR_Q8	Num	8		
248	MSEAR_Q9	Num	8		
249	MSEAR_Q10	Num	8		
250	MSEAR_Q11	Num	8		
251	MSEAR_Q12	Num	8		
252	MSEAR_Q13	Num	8		
253	MSEAR_Q14	Num	8		
254	FSEAR_Q1	Num	8		
255	FSEAR_Q2	Num	8		
256	FSEAR_Q3	Num	8		
257	FSEAR_Q4	Num	8		
258	FSEAR_Q5	Num	8		
259	FSEAR_Q6	Num	8		
260	FSEAR_Q7	Num	8		
261	FSEAR_Q8	Num	8		
262	FSEAR_Q9	Num	8		
263	FSEAR_Q10	Num	8		
264	FSEAR_Q11	Num	8		

Num	Variable	Type	Len	Format	Label
265	FSEAR_Q12	Num	8		
266	Sear_SexRel	Num	8	5.1	SEAR: Sexual Relationship Domain (0-100)
267	Sear_Confi	Num	8	5.1	SEAR: Confidence Domain (0-100)
268	Sear_tot	Num	8	5.1	SEAR: Overall Score (0-100)
269	Sear_SlfEsteem	Num	8	5.1	SEAR: Self_Esteem Subscale (0-100)
270	Sear_OvallRel	Num	8	5.1	SEAR: Overall Relationship Subscale (0-100)
271	IIEF_Q1	Char	100	\$100.	
272	IIEF_Q2	Char	100	\$100.	
273	IIEF_Q3	Char	100	\$100.	
274	IIEF_Q4	Char	100	\$100.	
275	IIEF_Q5	Char	100	\$100.	
276	IIEF_Q6	Char	100	\$100.	
277	iieftot_bsl	Num	8		Baseline IIEF-6(Male) (0-30)
278	EFS_Q1	Num	8		EFS Q1: Pain with ejaculation
279	EFS_Q2	Num	8		EFS Q2: Premature ejaculation
280	EFS_Q3	Num	8		EFS Q3: Difficulty in reaching ejaculation
281	Pain_ejaculation	Num	8		EFS: Pain with ejaculation (Binary)
282	Premature_ejacu	Num	8		EFS: Premature ejaculation (Binary)
283	Diff_reach_ejacu	Num	8		EFS: Difficulty in reaching ejaculation (Binary)
284	BPI_1	Num	8		BPI area on the body diagram: 1
285	BPI_2	Num	8		BPI area on the body diagram: 2
286	BPI_3	Num	8		BPI area on the body diagram: 3
287	BPI_4	Num	8		BPI area on the body diagram: 4
288	BPI_5	Num	8		BPI area on the body diagram: 5
289	BPI_6	Num	8		BPI area on the body diagram: 6
290	BPI_7	Num	8		BPI area on the body diagram: 7
291	BPI_8	Num	8		BPI area on the body diagram: 8
292	BPI_9	Num	8		BPI area on the body diagram: 9
293	BPI_10	Num	8		BPI area on the body diagram: 10
294	BPI_11	Num	8		BPI area on the body diagram: 11
295	BPI_12	Num	8		BPI area on the body diagram: 12
296	BPI_13	Num	8		BPI area on the body diagram: 13
297	BPI_14	Num	8		BPI area on the body diagram: 14
298	BPI_15	Num	8		BPI area on the body diagram: 15
299	BPI_16	Num	8		BPI area on the body diagram: 16
300	BPI_17	Num	8		BPI area on the body diagram: 17
301	BPI_18	Num	8		BPI area on the body diagram: 18
302	BPI_19	Num	8		BPI area on the body diagram: 19
303	BPI_20	Num	8		BPI area on the body diagram: 20

Num	Variable	Type	Len	Format	Label
304	BPI_21	Num	8		BPI area on the body diagram: 21
305	BPI_22	Num	8		BPI area on the body diagram: 22
306	BPI_23	Num	8		BPI area on the body diagram: 23
307	BPI_24	Num	8		BPI area on the body diagram: 24
308	BPI_25	Num	8		BPI area on the body diagram: 25
309	BPI_26	Num	8		BPI area on the body diagram: 26
310	BPI_27	Num	8		BPI area on the body diagram: 27
311	BPI_28	Num	8		BPI area on the body diagram: 28
312	BPI_29	Num	8		BPI area on the body diagram: 29
313	BPI_30	Num	8		BPI area on the body diagram: 30
314	BPI_31	Num	8		BPI area on the body diagram: 31
315	BPI_32	Num	8		BPI area on the body diagram: 32
316	BPI_33	Num	8		BPI area on the body diagram: 33
317	BPI_34	Num	8		BPI area on the body diagram: 34
318	BPI_35	Num	8		BPI area on the body diagram: 35
319	BPI_36	Num	8		left lower back (36)
320	BPI_37	Num	8		right lower back (37)
321	BPI_38	Num	8		left buttocks (38)
322	BPI_39	Num	8		right buttocks (39)
323	BPI_40	Num	8		BPI area on the body diagram: 40
324	BPI_41	Num	8		BPI area on the body diagram: 41
325	BPI_42	Num	8		BPI area on the body diagram: 42
326	BPI_43	Num	8		BPI area on the body diagram: 43
327	BPI_44	Num	8		BPI area on the body diagram: 44
328	BPI_45	Num	8		BPI area on the body diagram: 45
329	BPI2A_2A	Num	8		BPI: most hurt area # on diagram
330	BPIg_1	Num	8		BPI area on the genital diagram: 1
331	BPIg_2	Num	8		BPI area on the genital diagram: 2
332	BPIg_3	Num	8		BPI area on the genital diagram: 3
333	BPIg_4	Num	8		BPI area on the genital diagram: 4
334	BPI_Q4	Num	8		
335	BPI_Q5	Num	8		
336	BPI_Q6	Num	8		
337	BPI_Q7	Num	8		
338	BPI_Q8	Char	100	\$100.	
339	BPI_Q9	Num	8		BPI Q9: Pain relief by pain treatments or medications
340	bpi_10a	Num	8		
341	bpi_10b	Num	8		
342	bpi_10c	Num	8		

Num	Variable	Type	Len	Format	Label
343	bpi_10d	Num	8		
344	bpi_10e	Num	8		
345	bpi_10f	Num	8		
346	bpi_10g	Num	8		
347	bpisiten_bsl	Num	8		Baseline BPI: reported # of sites checked (0-45)
348	bpisitepct_bsl	Num	8		Baseline BPI: reported % of sites checked (out of 45)
349	bpisiten2_bsl	Num	8		Baseline BPI: reported # of sites checked, including gender region (0-49)
350	bpisitepct2_bsl	Num	8		Baseline BPI: reported % of sites checked (out of 49),including gender region
351	BPIsite_pp_bsl	Num	8		Baseline BPI: reported # of pelvic pain region checked
352	BPIsite_other_bsl	Num	8		Baseline BPI: reported # of other except pelvic pain region checked
353	bpisevs_bsl	Num	8	8.1	Baseline BPI pain severity sore (0-10)
354	bpiifs_bsl	Num	8	8.1	Baseline BPI pain interference score (0-10)
355	BPI_pponly	Num	8	BPI_PPONLYF.	BPI PP only vs. PP & Beyond
356	BPIother_ord_bsl	Num	8	BPIOTHER_ORD.	Baseline ordinal BPI other region: 0,[1,3],[3,6],[6,42]
357	BPI_Head	Num	8		BPI Head (1,2,3,23,24,25)
358	BPI_rightarm	Num	8		BPI Right Arm (4,6,8,10,27,29,31,33)
359	BPI_leftarm	Num	8		BPI Left Arm (5,7,9,11,26,28,30,32)
360	BPI_rightleg	Num	8		BPI Right Leg (17,19,21,39,41,43,45)
361	BPI_leftleg	Num	8		BPI Left Leg (18,20,22,38,40,42,44)
362	BPI_trunk	Num	8		BPI Trunk (12,13)
363	BPI_Back	Num	8		BPI Back (34,35,36,37)
364	BPI_Region_NotPP	Num	8		
365	BPI_Region_NotPP_cat	Num	8		
366	SF12_PF	Num	8	BEST12.	Physical (0-100)
367	SF12_RP	Num	8	BEST12.	Physical role (0-100)
368	SF12_BP	Num	8	BEST12.	Bodily pain (0-100)
369	SF12_GH	Num	8	BEST12.	General health (0-100)
370	SF12_VT	Num	8	BEST12.	Energy/vitality (0-100)
371	SF12_SF	Num	8	BEST12.	Social functioning (0-100)
372	SF12_RE	Num	8	BEST12.	Emotional role (0-100)
373	SF12_MH	Num	8	BEST12.	Mental health (0-100)
374	SF12_PCS	Num	8	BEST12.	SF12 physical health composite scores
375	SF12_MCS	Num	8	BEST12.	SF12 mental health composite scores
376	panaspos_bsl	Num	8		Baseline PANAS positive affect (5-50)
377	panasneg_bsl	Num	8		Baseline PANAS negative affect (5-50)
378	hadsanxtot_bsl	Num	8		HADS-Anxiety (0-21)
379	hadsdeptot_bsl	Num	8		HADS-Depression (0-21)

Num	Variable	Type	Len	Format	Label
380	Promis_anger	Num	8		PROMIS anger scale in the past 7 days (8-40)
381	Promis_anger_TS	Num	8		PROMIS ANGER T-score (32.4-85.2)
382	PROMIS_fatigue	Num	8		PROMIS fatigue scale in the past 7 days (7-35)
383	Promis_fatigue_TS	Num	8		PROMIS FATIGUE T-score
384	Promis_sleep	Num	8		PROMIS sleep scale in the past 7 days (8-40)
385	Promis_sleep_TS	Num	8		PROMIS Sleep T-score
386	MASQ_Q1	Num	8		
387	MASQ_Q2	Num	8		
388	MASQ_Q3	Num	8		
389	MASQ_Q4	Num	8		
390	MASQ_Q5	Num	8		
391	MASQ_Q6	Num	8		
392	MASQ_Q7	Num	8		
393	MASQ_Q8	Num	8		
394	MASQ_Q9	Num	8		
395	MASQ_Q10	Num	8		
396	MASQ_Q11	Num	8		
397	MASQ_Q12	Num	8		
398	MASQ_Q13	Num	8		
399	MASQ_Q14	Num	8		
400	MASQ_Q15	Num	8		
401	MASQ_Q16	Num	8		
402	MASQ_Q17	Num	8		
403	MASQ_Q18	Num	8		
404	MASQ_Q19	Num	8		
405	MASQ_Q20	Num	8		
406	MASQ_Q21	Num	8		
407	MASQ_Q22	Num	8		
408	MASQ_Q23	Num	8		
409	MASQ_Q24	Num	8		
410	MASQ_Q25	Num	8		
411	MASQ_Q26	Num	8		
412	MASQ_Q27	Num	8		
413	MASQ_Q28	Num	8		
414	MASQ_Q29	Num	8		
415	MASQ_Q30	Num	8		
416	MASQ_Q31	Num	8		
417	MASQ_Q32	Num	8		
418	MASQ_Q33	Num	8		

Num	Variable	Type	Len	Format	Label
419	MASQ_Q34	Num	8		
420	MASQ_Q35	Num	8		
421	MASQ_Q36	Num	8		
422	MASQ_Q37	Num	8		
423	MASQ_Q38	Num	8		
424	MASQ_Language	Num	8		MASQ: Language (8-40)
425	MASQ_VPA	Num	8		MASQ: Visual Perceptual Ability (6-30)
426	MASQ_VM	Num	8		MASQ: Verbal Memory (8-40)
427	MASQ_VSM	Num	8		MASQ: Visual Spatial Memory (8-40)
428	MASQ_Attention	Num	8		MASQ: Attention Concentration (8-40)
429	IPIP_N	Num	8		IPIP: Neuroticism (24-120)
430	IPIP_E	Num	8		IPIP: Extraversion (24-120)
431	IPIP_O	Num	8		IPIP: Openness (24-120)
432	IPIP_A	Num	8		IPIP: Agreeableness (24-120)
433	IPIP_C	Num	8		IPIP: Conscientiousness (24-120)
434	IPIP_N1	Num	8		IPIP: Neuroticism Anxiety
435	IPIP_N2	Num	8		IPIP: Neuroticism Anger
436	IPIP_N3	Num	8		IPIP: Neuroticism Depression
437	IPIP_N4	Num	8		IPIP: Neuroticism Self-Consciousness
438	IPIP_N5	Num	8		IPIP: Neuroticism Immoderation
439	IPIP_N6	Num	8		IPIP: Neuroticism Vulnerability
440	IPIP_E1	Num	8		IPIP: Extraversion Friendliness
441	IPIP_E2	Num	8		IPIP: Extraversion Gregariousness
442	IPIP_E3	Num	8		IPIP: Extraversion Assertiveness
443	IPIP_E4	Num	8		IPIP: Extraversion Activity Level
444	IPIP_E5	Num	8		IPIP: Extraversion Excitement-Seeking
445	IPIP_E6	Num	8		IPIP: Extraversion Cheerfulness
446	IPIP_O1	Num	8		IPIP: Openness Imagination
447	IPIP_O2	Num	8		IPIP: Openness Artistic Interests
448	IPIP_O3	Num	8		IPIP: Openness Emotionality
449	IPIP_O4	Num	8		IPIP: Openness Adventurousness
450	IPIP_O5	Num	8		IPIP: Openness Intellect
451	IPIP_O6	Num	8		IPIP: Openness Liberalism
452	IPIP_A1	Num	8		IPIP: Agreeableness Trust
453	IPIP_A2	Num	8		IPIP: Agreeableness Morality
454	IPIP_A3	Num	8		IPIP: Agreeableness Altruism
455	IPIP_A4	Num	8		IPIP: Agreeableness Cooperation
456	IPIP_A5	Num	8		IPIP: Agreeableness Modesty
457	IPIP_A6	Num	8		IPIP: Agreeableness Sympathy

Num	Variable	Type	Len	Format	Label
458	IPIP_C1	Num	8		IPIP:Conscientiousness Self-Efficacy
459	IPIP_C2	Num	8		IPIP:Conscientiousness Orderliness
460	IPIP_C3	Num	8		IPIP:Conscientiousness Dutifulness
461	IPIP_C4	Num	8		IPIP:Conscientiousness Achievement-Striving
462	IPIP_C5	Num	8		IPIP:Conscientiousness Self-Discipline
463	IPIP_C6	Num	8		IPIP:Conscientiousness Cautiousness
464	PSS_Q1	Num	8		
465	PSS_Q2	Num	8		
466	PSS_Q3	Num	8		
467	PSS_Q4	Num	8		
468	PSS_Q5	Num	8		
469	PSS_Q6	Num	8		
470	PSS_Q7	Num	8		
471	PSS_Q8	Num	8		
472	PSS_Q9	Num	8		
473	PSS_Q10	Num	8		
474	PSS_bsl	Num	8	8.1	Baseline perceived stress scale (PSS)(0-40)
475	CSQ_Q1	Num	8		
476	CSQ_Q2	Num	8		
477	CSQ_Q3	Num	8		
478	CSQ_Q4	Num	8		
479	CSQ_Q5	Num	8		
480	CSQ_Q6	Num	8		
481	CSQ_Q7	Num	8		
482	CSQ_Q8	Num	8		
483	csqsum1to6_bsl	Num	8		CSQ: CAT (0-36)
484	csqavg1to6_bsl	Num	8	8.1	CSQ: baseline average of questions 1 to 6 (0-6)
485	BPCQ_Q1	Num	8		
486	BPCQ_Q2	Num	8		
487	BPCQ_Q3	Num	8		
488	BPCQ_Q4	Num	8		
489	BPCQ_Q5	Num	8		
490	BPCQ_Q6	Num	8		
491	BPCQ_Q7	Num	8		
492	BPCQ_Q8	Num	8		
493	BPCQ_Q9	Num	8		
494	BPCQ_Q10	Num	8		
495	BPCQ_Q11	Num	8		
496	BPCQ_Q12	Num	8		

Num	Variable	Type	Len	Format	Label
497	BPCQ_Q13	Num	8		
498	BPCQ_I	Num	8		BPCQ: Internal Locus of Pain Control (5-30)
499	BPCQ_PD	Num	8		BPCQ: External locus - Powerful Doctors (4-24)
500	BPCQ_C	Num	8		BPCQ: External locus – Chance happenings (4-24)
501	CTES_1	Num	8	YN.	CTES Q1: Prior to the age of 17, did you experience a death of a very close friend or family member? 1=yes 0=no
502	CTES_1A	Char	100	\$100.	CTES Q1a: If yes, how old were you?
503	CTES_1B	Char	100	\$100.	CTES Q1b: If yes, how traumatic was this? (using a 7-point scale, where 1 = not at all traumatic, 4 = somewhat traumatic, 7 = extremely traumatic)
504	CTES_1C	Char	100	\$100.	CTES Q1c: If yes, how much did you confide in others about this traumatic experience at the time? (1 = not at all, 7 = a great deal)
505	CTES_2	Num	8	YN.	CTES Q2: Prior to the age of 17, was there a major upheaval between your parents (such as divorce, separation)?
506	CTES_2A	Char	100	\$100.	CTES Q2a: If yes, how old were you?
507	CTES_2B	Char	100	\$100.	CTES Q2b: If yes, how traumatic was this? (where 7 = extremely traumatic)
508	CTES_2C	Char	100	\$100.	CTES Q2c: If yes, how much did you confide in others? (7 = a great deal)
509	CTES_3	Num	8	YN.	CTES Q3: Prior to the age of 17, did you have a traumatic sexual experience (raped, molested, etc.)?
510	CTES_3A	Char	100	\$100.	CTES Q3a: If yes, how old were you?
511	CTES_3B	Char	100	\$100.	CTES Q3b: If yes, how traumatic was this? (7 = extremely traumatic)
512	CTES_3C	Char	100	\$100.	CTES Q3c: If yes, how much did you confide in others? (7 = a great deal)
513	CTES_4	Num	8	YN.	CTES Q4: Prior to the age of 17, were you the victim of violence (child abuse, mugged or assaulted other than sexual)?
514	CTES_4A	Char	100	\$100.	CTES Q4a: If yes, how old were you?
515	CTES_4B	Char	100	\$100.	CTES Q4b: If yes, how traumatic was this? (7 = extremely traumatic)
516	CTES_4C	Char	100	\$100.	CTES Q4c: If yes, how much did you confide in others? (7 = a great deal)
517	CTES_5	Num	8	YN.	CTES Q5: Prior to the age of 17, were you extremely ill or injured?
518	CTES_5A	Char	100	\$100.	CTES Q5a: If yes, how old were you?
519	CTES_5B	Char	100	\$100.	CTES Q5b: If yes, how traumatic was this? (7 = extremely traumatic)
520	CTES_5C	Char	100	\$100.	CTES Q5c: If yes, how much did you confide in others? (7 = a great deal)
521	CTES_6	Num	8	YN.	CTES Q6: Prior to the age of 17, did you experience any other major upheaval that you think may have shaped your life or personality significantly?
522	CTES_6A	Char	100	\$100.	CTES Q6a: If yes, how old were you?
523	CTES_6B	Char	100	\$100.	CTES Q6b: If yes, what was the event?

Num	Variable	Type	Len	Format	Label
524	CTES_6C	Char	100	\$100.	CTES Q6c: If yes, how traumatic was this? (7 = extremely traumatic)
525	CTES_6D	Char	100	\$100.	CTES Q6d: If yes, how much did you confide in others? (7 = a great deal)
526	CTES_7	Num	8	YN.	CTES Q7: Within the last 3 years, did you experience a death of a very close friend or family member?
527	CTES_7A	Char	100	\$100.	CTES Q7a: If yes, how traumatic was this? (1 = not at all traumatic, 7 = extremely traumatic)
528	CTES_7B	Char	100	\$100.	CTES Q7b: If yes, how much did you confide in others about the experience at the time? (1 = not at all, 7 = a great deal)
529	CTES_8	Num	8	YN.	CTES Q8: Within the last 3 years, was there a major upheaval between you and your spouse (such as divorce, separation)?
530	CTES_8A	Char	100	\$100.	CTES Q8a: If yes, how traumatic was this? (1 = not at all traumatic, 7 = extremely traumatic)
531	CTES_8B	Char	100	\$100.	CTES Q8b: If yes, how much did you confide in others? (1 = not at all, 7 = a great deal)
532	CTES_9	Num	8	YN.	CTES Q9: Within the last 3 years, did you have a traumatic sexual experience (raped, molested, etc.)?
533	CTES_9A	Char	100	\$100.	CTES Q9a: If yes, how traumatic was this? (1 = not at all traumatic, 7 = extremely traumatic)
534	CTES_9B	Char	100	\$100.	CTES Q9b: If yes, how much did you confide in others? (1 = not at all, 7 = a great deal)
535	CTES_10	Num	8	YN.	CTES Q10: Within the last 3 years, were you the victim of violence (other than sexual)?
536	CTES_10A	Char	100	\$100.	CTES Q10a: If yes, how traumatic was this? (1 = not at all traumatic, 7 = extremely traumatic)
537	CTES_10B	Char	100	\$100.	CTES Q10b: If yes, how much did you confide in others? (1 = not at all, 7 = a great deal)
538	CTES_11	Num	8	YN.	CTES Q11: Within the last 3 years, were you extremely ill or injured?
539	CTES_11A	Char	100	\$100.	CTES Q11a: If yes, how traumatic was this? (1 = not at all traumatic, 7 = extremely traumatic)
540	CTES_11B	Char	100	\$100.	CTES Q11b: If yes, how much did you confide in others? (1 = not at all, 7 = a great deal)
541	CTES_12	Num	8	YN.	CTES Q12: Within the last 3 years, has there been a major change in the kind of work you do (e.g., a new job, promotion, demotion, lateral transfer)?
542	CTES_12A	Char	100	\$100.	CTES Q12a: If yes, how traumatic was this? (1 = not at all traumatic, 7 = extremely traumatic)
543	CTES_12B	Char	100	\$100.	CTES Q12b: If yes, how much did you confide in others? (1 = not at all, 7 = a great deal)
544	CTES_13	Num	8	YN.	CTES Q13: Within the last 3 years, did you experience any other major upheaval that you think may have shaped your life or personality significantly?
545	CTES_13A	Char	100	\$100.	CTES Q13a: If yes, what was the event?
546	CTES_13B	Char	100	\$100.	CTES Q13b: If yes, how traumatic was this? (1 = not at all traumatic, 7 = extremely traumatic)

Num	Variable	Type	Len	Format	Label
547	CTES_13C	Char	100	\$100.	CTES Q13c: If yes, how much did you confide in others? (1 = not at all,7 = a great deal)
548	CTES_1to6	Num	8		CTES: prior to age 17 (sum of Q1 to Q6)
549	CTES_7to13	Num	8		CTES: within last 3 years (sum of Q7 to Q13)
550	CTES_TC	Num	8	CTES_TC.	CTES: Childhood Traumatic Events Scale 0:no trauma 1:mild trauma 2:trauma with confiding 3:trauma without confiding
551	RTES_TC	Num	8	CTES_TC.	CTES: Recent Traumatic Events Scale 0:no trauma 1:mild trauma 2:trauma with confiding 3:trauma without confiding
552	CMSI1st3m_1	Num	8		CMSI 3 months during the last year: 1
553	CMSI1st3m_2	Num	8		CMSI 3 months during the last year: 2
554	CMSI1st3m_3	Num	8		CMSI 3 months during the last year: 3
555	CMSI1st3m_4	Num	8		CMSI 3 months during the last year: 4
556	CMSI1st3m_5	Num	8		CMSI 3 months during the last year: 5
557	CMSI1st3m_6	Num	8		CMSI 3 months during the last year: 6
558	CMSI1st3m_7	Num	8		CMSI 3 months during the last year: 7
559	CMSI1st3m_8	Num	8		CMSI 3 months during the last year: 8
560	CMSI1st3m_9	Num	8		CMSI 3 months during the last year: 9
561	CMSI1st3m_10	Num	8		CMSI 3 months during the last year: 10
562	CMSI1st3m_11	Num	8		CMSI 3 months during the last year: 11
563	CMSI1st3m_12	Num	8		CMSI 3 months during the last year: 12
564	CMSI1st3m_13	Num	8		CMSI 3 months during the last year: 13
565	CMSI1st3m_14	Num	8		CMSI 3 months during the last year: 14
566	CMSI1st3m_15	Num	8		CMSI 3 months during the last year: 15
567	CMSI1st3m_16	Num	8		CMSI 3 months during the last year: 16
568	CMSI1st3m_17	Num	8		CMSI 3 months during the last year: 17
569	CMSI1st3m_18	Num	8		CMSI 3 months during the last year: 18
570	CMSI1st3m_19	Num	8		CMSI 3 months during the last year: 19
571	CMSI1st3m_20	Num	8		CMSI 3 months during the last year: 20
572	CMSI1st3m_21	Num	8		CMSI 3 months during the last year: 21
573	CMSI1st3m_22	Num	8		CMSI 3 months during the last year: 22
574	CMSI1st3m_23	Num	8		CMSI 3 months during the last year: 23
575	CMSI1st3m_24	Num	8		CMSI 3 months during the last year: 24
576	CMSI1st3m_25	Num	8		CMSI 3 months during the last year: 25
577	CMSI1st3m_26	Num	8		CMSI 3 months during the last year: 26
578	CMSI1st3m_27	Num	8		CMSI 3 months during the last year: 27
579	CMSI1st3m_28	Num	8		CMSI 3 months during the last year: 28
580	CMSI1st3m_29	Num	8		CMSI 3 months during the last year: 29
581	CMSI1st3m_30	Num	8		CMSI 3 months during the last year: 30
582	CMSI1st3m_31	Num	8		CMSI 3 months during the last year: 31
583	CMSI1st3m_32	Num	8		CMSI 3 months during the last year: 32

Num	Variable	Type	Len	Format	Label
584	CMSI1st3m_33	Num	8		CMSI 3 months during the last year: 33
585	CMSI1st3m_34	Num	8		CMSI 3 months during the last year: 34
586	CMSI1st3m_35	Num	8		CMSI 3 months during the last year: 35
587	CMSI1st3m_36	Num	8		CMSI 3 months during the last year: 36
588	CMSI1st3m_37	Num	8		CMSI 3 months during the last year: 37
589	CMSI1st3m_38	Num	8		CMSI 3 months during the last year: 38
590	CMSI1st3m_39	Num	8		CMSI 3 months during the last year: 39
591	CMSI1st3m_40	Num	8		CMSI 3 months during the last year: 40
592	CMSI1st3m_41	Num	8		CMSI 3 months during the last year: 41
593	CMSI1ife_1	Num	8		CMSI 3 months during your lifetime: 1
594	CMSI1ife_2	Num	8		CMSI 3 months during your lifetime: 2
595	CMSI1ife_3	Num	8		CMSI 3 months during your lifetime: 3
596	CMSI1ife_4	Num	8		CMSI 3 months during your lifetime: 4
597	CMSI1ife_5	Num	8		CMSI 3 months during your lifetime: 5
598	CMSI1ife_6	Num	8		CMSI 3 months during your lifetime: 6
599	CMSI1ife_7	Num	8		CMSI 3 months during your lifetime: 7
600	CMSI1ife_8	Num	8		CMSI 3 months during your lifetime: 8
601	CMSI1ife_9	Num	8		CMSI 3 months during your lifetime: 9
602	CMSI1ife_10	Num	8		CMSI 3 months during your lifetime: 10
603	CMSI1ife_11	Num	8		CMSI 3 months during your lifetime: 11
604	CMSI1ife_12	Num	8		CMSI 3 months during your lifetime: 12
605	CMSI1ife_13	Num	8		CMSI 3 months during your lifetime: 13
606	CMSI1ife_14	Num	8		CMSI 3 months during your lifetime: 14
607	CMSI1ife_15	Num	8		CMSI 3 months during your lifetime: 15
608	CMSI1ife_16	Num	8		CMSI 3 months during your lifetime: 16
609	CMSI1ife_17	Num	8		CMSI 3 months during your lifetime: 17
610	CMSI1ife_18	Num	8		CMSI 3 months during your lifetime: 18
611	CMSI1ife_19	Num	8		CMSI 3 months during your lifetime: 19
612	CMSI1ife_20	Num	8		CMSI 3 months during your lifetime: 20
613	CMSI1ife_21	Num	8		CMSI 3 months during your lifetime: 21
614	CMSI1ife_22	Num	8		CMSI 3 months during your lifetime: 22
615	CMSI1ife_23	Num	8		CMSI 3 months during your lifetime: 23
616	CMSI1ife_24	Num	8		CMSI 3 months during your lifetime: 24
617	CMSI1ife_25	Num	8		CMSI 3 months during your lifetime: 25
618	CMSI1ife_26	Num	8		CMSI 3 months during your lifetime: 26
619	CMSI1ife_27	Num	8		CMSI 3 months during your lifetime: 27
620	CMSI1ife_28	Num	8		CMSI 3 months during your lifetime: 28
621	CMSI1ife_29	Num	8		CMSI 3 months during your lifetime: 29
622	CMSI1ife_30	Num	8		CMSI 3 months during your lifetime: 30

Num	Variable	Type	Len	Format	Label
623	CMSIlife_31	Num	8		CMSI 3 months during your lifetime: 31
624	CMSIlife_32	Num	8		CMSI 3 months during your lifetime: 32
625	CMSIlife_33	Num	8		CMSI 3 months during your lifetime: 33
626	CMSIlife_34	Num	8		CMSI 3 months during your lifetime: 34
627	CMSIlife_35	Num	8		CMSI 3 months during your lifetime: 35
628	CMSIlife_36	Num	8		CMSI 3 months during your lifetime: 36
629	CMSIlife_37	Num	8		CMSI 3 months during your lifetime: 37
630	CMSIlife_38	Num	8		CMSI 3 months during your lifetime: 38
631	CMSIlife_39	Num	8		CMSI 3 months during your lifetime: 39
632	CMSIlife_40	Num	8		CMSI 3 months during your lifetime: 40
633	CMSIlife_41	Num	8		CMSI 3 months during your lifetime: 41
634	cmsisurv_year	Num	8		CMSI: sum of symptoms for at least 3 month in past year (F:(0-41) M: (0-39))
635	cmsisurv_lifetime	Num	8		CMSI: sum of symptoms for at least 3 month in lifetime (F:(0-41) M: (0-39))
636	CMSItot_year	Num	8		CMSI: sum of symptoms for at least 3 month in past year (0-39)
637	CMSIsub_pain	Num	8		CMSI: any pelvic/bladder pain at least 3 month in past year
638	CMSIsub_urin	Num	8		CMSI: any urinary frequency and urgency symptoms at least 3 month in past year (0-4)
639	CFSonly_trig	Num	8		CMSI survey: CFS (not FM)
640	CFS_trig	Num	8		CMSI survey: CFS
641	FM_trig	Num	8		CMSI survey: FM
642	IBS_trig	Num	8		CMSI survey: IBS
643	MI_trig	Num	8		CMSI survey: MI
644	VDYN_trig	Num	8		CMSI survey: VDYN
645	TMJ_trig	Num	8		CMSI survey: TMJ
646	somatic_trig	Num	8	SOMATIC.	Other Somatic Synd from the trigger point survey :1=None, 2=FM only, 3=IBS only, 4=CFS only, 5=>1 Dx
647	wpitot	Num	8		Widespread Pain Index (WPI)
648	sstot	Num	8		Symptom Severity Score (SS)
649	fstot	Num	8		Fibromyalgianess Scale (FS)
650	fmdmd_bin	Num	8	YN.	Binary FM
651	cfsmd_bin	Num	8	YN.	Binary CFS
652	ibsmmd_bin	Num	8	YN.	Binary IBS
653	mimdold_bin	Num	3		Binary MI from old module
654	mimdnew_ord	Num	8	MIGRP.	Ordinal Migraine (new module)0=none 1=doubtful 2=probable 3=definite
655	vdynmd_bin	Num	8		Binary VDYN
656	tmjmd_bin	Num	8		Binary TMJ

Num	Variable	Type	Len	Format	Label
657	cmsigrp	Num	8	CMSIF.	CMSI group: 1=NONE,2=CFS,3=IBS,4=CFS+IBS,5=FM,6=CFS+FM,7=FM+IBS,8=CFS+FM+IBS
658	NUAS_3	Num	8	SOMATIC.	Other Somatic Synd: 1=None, 2=FM only, 3=IBS only, 4=CFS only, 5=>1 Dx
659	IMSEEN	Char	2	\$YNU.	Have scan data: 0=no, 1=yes
660	ELIG_scan_neuro	Num	3		Neuroscan eligibility at the time scan
661	LBCOLLECT1	Char	2	\$2.	Neuro SCAN: Was additional Biomarker Urine specimen collected?
662	IMREASON2	Char	2	\$2.	Neuro SCAN: Reason why Biomarker Urine specimen not collected
663	LBCOLLECT2	Char	2	\$2.	Neuro SCAN: Was additional plasma specimen collected?
664	IMREASON3	Char	2	\$2.	Neuro SCAN: Reason why plasma specimen not collected
665	Elig_sch_neuro	Num	3		Neuroscan eligibility at time of scheduling
666	handedness_neuro	Num	3	HANDF.	Handedness: 1=right 0=left
667	symq1_scan	Num	3		SYM-Q: Baseline neuro scan Pain
668	symq2_scan	Num	3		SYM-Q: Baseline neuro scan Urgency
669	symq3_scan	Num	3		SYM-Q: Baseline neuro scan Frequency
670	symq4_scan	Num	3		SYM-Q: Baseline neuro scan Void
671	symq5_scan	Num	3		SYM-Q: Baseline neuro scan Uro-Symptoms
672	symq6_scan	Num	3		SYM-Q: Baseline neuro scan NonUro-Symptoms
673	symq7_scan	Num	3		SYM-Q: Baseline neuro scan Mood
674	symq1_cat_scan	Num	8		SYM-Q: Baseline neuro scan Ordinal Pain
675	symq1_sev_scan	Num	8		SYM-Q: Baseline neuro scan Severe Pain
676	grace_unpls_scan	Num	8		Neuro scan GBS Unpleasantness of your symptoms over the last 24 hours
677	grace_ints_scan	Num	8		Neuro scan GBS intensity score of your symptoms over the last 24 hours
678	medcat1_scan	Num	3	MEDCAT2F.	Neuro CMED: Oral Narcotics
679	medcat2_scan	Num	3	MEDCAT2F.	Neuro CMED: Morphine
680	medcat3_scan	Num	3	MEDCAT2F.	Neuro CMED: Alpha Blockers
681	medcat4_scan	Num	3	MEDCAT2F.	Neuro CMED: Amitriptyline
682	medcat5_scan	Num	3	MEDCAT2F.	Neuro CMED: Imipramine
683	medcat6_scan	Num	3	MEDCAT2F.	Neuro CMED: Cyclosporine
684	medcat7_scan	Num	3	MEDCAT2F.	Neuro CMED: Antimuscranics
685	medcat8_scan	Num	3	MEDCAT2F.	Neuro CMED: Lyrica, Neurontin, Tegretol
686	medcat9_scan	Num	3	MEDCAT2F.	Neuro CMED: NSAIDs
687	medcat10_scan	Num	3	MEDCAT2F.	Neuro CMED: Tizanidines
688	medcat11_scan	Num	3	MEDCAT2F.	Neuro CMED: Valium
689	medcat12_scan	Num	3	MEDCAT2F.	Neuro CMED: SSRIs
690	medcat13_scan	Num	3	MEDCAT2F.	Neuro CMED: SNRIs
691	medcat14_scan	Num	3	MEDCAT2F.	Neuro CMED: All other level #1 meds

Num	Variable	Type	Len	Format	Label
692	medcat_scan	Num	8	MEDCATF.	Neuro CMED: medicaton category 3=Opioid 2=Central 1=Peripheral 0=None
693	Promisslp_scan	Num	8	8.1	Neuro PROMIS sleep scale for last night (8-40)
694	mpqss_scan	Num	8	8.1	Neuro scan McGill pain sensory total score
695	mpqas_scan	Num	8		Neuro scan McGill pain affective totol score
696	mpqtot_scan	Num	8	8.1	Neuro scan McGill pain total score (sensory+affective)
697	hadsanx_scan	Num	8		Neuro scan HADS anxiety score
698	hadsdepress_scan	Num	8		Neuro scan HADs depression score
699	panaspos_scan	Num	8	8.1	Neuro scan PANAS positive affects (5-50)
700	panasneg_scan	Num	8	8.1	Neuro scan PANAS negative affects (5-50)
701	gupipain_scan	Num	3		Neuroscan GUPI pain subscale (0-23)
702	gupiurin_scan	Num	3		Neuroscan GUPI urinary subscale (0-10)
703	gupiqol_scan	Num	3		Neuroscan GUPI QOL impact (0-12)
704	gupitotal_scan	Num	3		Neuroscan GUPI total score (0-45)