

| Participant ID: | Pin # |
|-----------------|-----------------|
| Discovery Site: | Clinical Center |
| CRF Date:// | Visit #: |

MALE GENITOURINARY PAIN INDEX PARTICIPANT COMPLETES THIS FORM AT THE BASELINE CONTACT.

| <u>Pa</u> | in or Di | scomfort | | | | | | | | | |
|---|--|--|--------------------|----------------|----------------|--|--|------------|--------------------|-------------------|---------------------|
| 1. | In the I | ast week, | have you | experienc | ed any pai | n or discor | nfort in the fo | llowir | ng areas? | | |
| | a. | | | | | | | | | \square_0 No | |
| | b. | Testicles | 3 | | | | | | □₁ Yes | \square_0 No | |
| | c. | Tip of th | e penis (no | ot related t | o urination | n) | | | □₁ Yes | \square_0 No | |
| | d. | Below ye | our waist, i | n you pub | ic or bladd | er area | | | □ ₁ Yes | □ ₀ No | |
| 2. | In the last week, have you experienced: | | | | | | | | | | |
| | a. | Pain or I | ourning du | □₁ Yes | \square_0 No | | | | | | |
| | b. | Pain or o | □ ₁ Yes | \square_0 No | | | | | | | |
| | c. | Pain or o | discomfort | as your bl | adder fills? | ? | | | □ ₁ Yes | \square_0 No | |
| | d. | d. Pain or discomfort relieved by voiding? | | | | | | | □ ₁ Yes | \square_0 No | |
| 3. | 3. How often have you had pain or discomfort in any of these areas over the last week? | | | | | | \square_0 Never \square_1 Rarely \square_2 Sometimes \square_3 Often \square_4 Usually \square_5 Always | | | | |
| 4. Which number best describes your AVERAGE pain or discomfort on the days that you had it, over tweek? | | | | | | | | , over the | e last | | |
| | | | | | | | | | | | |
| | 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 |
| N | o Pain | | | | | | | | | Pain a you can | s bad as imagine |
| 5. How often have you had a sensation of not emptying your bladder completely after you finished urinating, over the last week? | | | | | | □ ₀ Not at all □ ₁ Less than 1 time in 5 □ ₂ Less than half the time □ ₃ About half the time □ ₄ More than half the time □ ₅ Almost always | | | | | |
| 6. How often have you had to urinate again less than two hours after you finished urinating, over the last week? | | | | | | □ ₀ Not at all □ ₁ Less than 1 time in 5 □ ₂ Less than half the time □ ₃ About half the time □ ₄ More than half the time □ ₅ Almost always | | | | | |



| Participant ID: | | Pin # | |
|-----------------|----|-----------------|--|
| Discovery Site: | | Clinical Center | |
| CRF Date: | // | _ Visit #: | |

MALE GENITOURINARY PAIN INDEX PARTICIPANT COMPLETES THIS FORM AT THE BASELINE CONTACT.

| 7. | How much have your symptoms kept you from doing the kinds of things you would usually do, over the last week? | \square_0 None \square_1 Only a little \square_2 Some \square_3 A lot |
|-----|--|---|
| 8. | How much did you think about your symptoms, over the last week? | \square_0 None \square_1 Only a little \square_2 Some \square_3 A lot |
| 9. | If you were to spend the rest of your life with your symptoms just the way they have been during the last week, how would you feel about that? | □₀ Delighted □₁ Pleased □₂ Mostly satisfied □₃ Mixed (about equally satisfied and dissatisfied) □₄ Mostly dissatisfied □₅ Unhappy □₆ Terrible |
| 00. | or mg | |
| 10. | Pain subscale: Total of items 1a, 1b, 1c, 1d, 2a, 2b, 2c, 2d, 3, and 4 | = (range 0-23) |
| 11. | Urinary subscale: Total of items 5 and 6 | = (range 0-10) |
| 12. | QOL Impact: Total of items 7, 8, and 9 | = (range 0-12) |
| 13. | Total score: Sum of subscale scores | = (range 0-45) |