| Patient number Date of vis | it BPH FORM F06.2 November, 1999 Page 1 of 3 FORM NUMBER = (FORM) FORM VERSION = (VERS) | | | | | | |
|--|---|--|--|--|--|--|--|
| NIH - BPH TRIA | L | | | | | | |
| TITRATION VISIT INVENTORY | | | | | | | |
| This form should be completed at End-Week 3 and End-We | eek 4 of any titration period. | | | | | | |
| Part I / IDENTIFICATION | | | | | | | |
| A. Patient Identification | | | | | | | |
| 1. Patient number (PATID) | | | | | | | |
| 2. Patient's initials (INITS) | clinic patient | | | | | | |
| 3. Patient's date of birth (DOB) | | | | | | | |
| B. Visit Information | month day year | | | | | | |
| 1. Date of visit (KVSTDT) | | | | | | | |
| 2. Week of visit (KVIWK) | month day year | | | | | | |
| Part II / VITAL SIGNS | | | | | | | |
| C. Blood Pressure Readings | | | | | | | |
| 1. Supine Blood Pressure (After lying 5 minutes) | | | | | | | |
| a. Blood Pressure Reading (KBPLS)/(KBPLD) | mmHg | | | | | | |
| b. Heart Rate (KBPLHR) | bpm | | | | | | |
| 2. Standing Blood Pressure (Immediately) | | | | | | | |
| a. Blood Pressure Reading 1 (KBPSS1)/(KBPSD1) | mmHg | | | | | | |
| b. Heart Rate 1 (KBPSHR1) | bpm | | | | | | |
| Wait 2 minutes | | | | | | | |
| c. Blood Pressure Reading 2 (KBPSS2)/(KBPSD2) | mmHg | | | | | | |
| d. Heart Rate 2 (KBPSHR2) | bpm | | | | | | |
| D. Orthostatic Hypotension | YES NO | | | | | | |
| 1. Did the patient have orthostatic hypotension? (KORTHYP) | | | | | | | |
| Orthostatic hypotension is defined as a decrease of more than 20mmHg in supine to standing | | | | | | | |

Orthostatic hypotension is defined as a decrease of more than 20mmHg in supine to standing systolic blood pressure or a decrease of more than 10mmHg in supine to standing diastolic blood pressure (in either standing blood pressure reading) or the development of significant postural hypotension.

| | | | | | | | BPH FORM F06.2 |
|----------------|--|--|---------------|-------|-----|------|-------------------------------|
| Patient number | | | Date of visit | | | | November, 1999 Page 2 of 3 |
| | | | | month | day | year | 1 490 2 01 0 |

Part III / MEDICATION DISPENSING AND COMPLIANCE AND ADVERSE EVENTS

| E. Number of days since last visit (KCDAYS) | | | | | | | |
|---|--|--|--|--|--|--|--|
| F. Doxazosin Compliance | | | | | | | |
| If doxazosin was dispensed at the last visit, retur CONTINUE. If not, SKIP to Section G. | ned and/or dispensed today, 1 mg 2 mg 4 mg 8 mg | | | | | | |
| 1. Dose of doxazosin (KCDDOSE) | | | | | | | |
| 2. Number of doxazosin tablets dispensed at the last visit (KCDDISL) | | | | | | | |
| 3. Number of doxazosin tablets returned today (KCDRET) | | | | | | | |
| 4. Compliance (KCDCOMP) tabs dispensed (#2) - tabs returned (#3) days since last visit (question E) X 100 | | | | | | | |
| NOTE: Counsel patient if less than 80% compliant with doxazosin. | | | | | | | |
| 5. Number of doxazosin tablets dispensed today (KCDDIST) | | | | | | | |
| G. <u>Finasteride Compliance</u> | | | | | | | |
| If finasteride was dispensed at the last visit, retu CONTINUE. If not, SKIP to Section H. | rned and/or dispensed today, | | | | | | |
| 1. Number of finasteride tablets dispensed at the | last visit (KCFDISL) | | | | | | |
| 2. Number of finasteride tablets returned today | y (KCFRET) | | | | | | |
| 3. Compliance (KCFCOMP) tabs dispensed (#1) - tabs returned (#2) days since last visit (question E) | (100 // % | | | | | | |
| NOTE: Counsel patient if less than 80% complia | nt with finasteride. | | | | | | |
| 4. Number of finasteride tablets dispensed tod | ay (KCFDIST) | | | | | | |

| H. Concomitant Medications YES NO 1. Is the patient currently taking coded doxazosin? (KCDCODE) Image: Code down and the state of | Patient number Date of visit I I I I I I I I I I I I I I I I I I I | BPH FORM F06.2 November, 1999 Page 3 of 3 | | | | | | |
|--|---|---|--|--|--|--|--|--|
| b. (KCMCONB) (KCMCODB) g. (KCMCONG) (KCMCODG) c. (KCMCONC) (KCMCODC) h. (KCMCONH) (KCMCODH) d. (KCMCOND) (KCMCODD) i. (KCMCONI) (KCMCODI) e. (KCMCONE) (KCMCODE) j. (KCMCONJ) (KCMCODJ) e. (KCMCONE) (KCMCODE) j. i. (KCMCODJ) i. e. (KCMCONE) (KCMCODE) j. j. (KCMCODJ) i. i. f. Has the patient taken viagra (sildenafil citrate) since the last visit? (KCMVIAG) i. i. i. 1. Adverse Events I. Since the last scheduled follow-up visit, has the patient had any adverse experiences, drug reactions, side effects, abnormal laboratory values, hospitaliza | YES NO 1. Is the patient currently taking coded doxazosin? (KCDCODE) 1 2 2. Is the patient currently taking coded finasteride? (KCFCODE) 1 2 3. Is the patient currently taking any medication other than the coded medications? (KCMCON) 1 2 | | | | | | | |
| I. <u>Adverse Events</u> 1. Since the last scheduled follow-up visit, has the patient had any adverse experiences, drug reactions, side effects, abnormal laboratory values, hospitalizations, coded medications, other complications or pre-existing conditions | a.(KCMCONA)(KCMCODA)f.(KCMCONF)(KCMCODF)b.(KCMCONB)(KCMCODB)g.(KCMCONG)(KCMCODG)c.(KCMCONC)(KCMCODC)h.(KCMCONH)(KCMCODH)d.(KCMCOND)(KCMCODD)i.(KCMCONI)(KCMCODI) | | | | | | | |
| If YES, an Adverse Event Report (Form E05) MUST be completed. | | | | | | | | |

| Initials of person completing form (FORMIN) | | | | Form entered in computer? |
|---|------|-----|-----|---------------------------|
| | firs | t I | ast | |