



(affix label here)

Patient ID Number	<input type="text"/>						
	Site	Sub-site	Sequential ID				

NOTE: All variables in the data have suffix "_adult"
SEARCH Low Blood Sugar Survey – Adult version (age 18 and over)

I. **Behavior:** Below is a list of things people with diabetes sometimes do in order to avoid low blood sugar and its consequences. Circle one of the numbers to the right that best describes what you have done during the last 6 months in your daily routine to AVOID low blood sugar and its consequences. **(Please do not skip any!).**

To avoid low blood sugar and how it affects me, I ...

			Never	Rarely	Some- times	Often	Almost Always
1.	Ate large snacks. largesnack_BLSG	0	1	2	3	4	
2.	Tried to keep my blood sugar above 150. tryBS150_BLSG	0	1	2	3	4	
3.	Reduced my insulin when my blood sugar was low. reduceTooLow_BLSG	0	1	2	3	4	
4.	Measured my blood sugar <u>six</u> or more times a day. test6daily_BLSG	0	1	2	3	4	
5.	Made sure I had someone with me when I go out. withmegoout_BLSG	0	1	2	3	4	
6.	Limited my out of town travel. limitTravel_BLSG	0	1	2	3	4	
7.	Limited my driving (car, truck or bicycle). limitDriving_BLSG	0	1	2	3	4	
8.	Avoided visiting friends. avoidFriends_BLSG	0	1	2	3	4	
9.	Stayed at home more than I liked. stayHome_BLSG	0	1	2	3	4	
10.	Limited my exercise/physical activity. limitExercise_BLSG	0	1	2	3	4	
11.	Made sure there were other people around. notAlone_BLSG	0	1	2	3	4	
12.	Avoided sex. avoidSex_BLSG	0	1	2	3	4	

Public reporting burden of this collection of information is estimated to average 5 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC Reports Clearance Officer; 1600 Clifton Road NE, MS D-74, Atlanta, Georgia 30333; ATTN: PRA (0920-0904).

	Never	Rarely	Some- times	Often	Almost Always
13. Kept my blood sugar higher than usual in social situations. <i>bsHighSocial_BLSG</i>	0	1	2	3	4
14. Kept my blood sugar higher than usual when doing important tasks. <i>bsHighTasks_BLSG</i>	0	1	2	3	4
15. Had people check on me several times during the day and night. <i>peoplecheckme_BLSG</i>	0	1	2	3	4

II. Worry: Below is a list of concerns people with diabetes sometimes have about low blood sugar. Please read each item carefully (do not skip any). Circle one of the numbers to the right that best describes how often in the last 6 months you WORRIED about each item because of low blood sugar.

Because my blood sugar could go low, I worried about...

	Never	Rarely	Some- times	Often	Almost Always
16. Not recognizing/realizing I was having low blood sugar. <i>notrealizelow_BLSG</i>	0	1	2	3	4
17. Not having food, fruit, or juice available. <i>nofoodavail_BLSG</i>	0	1	2	3	4
18. Passing out in public. <i>passoutPublic_BLSG</i>	0	1	2	3	4
19. Embarrassing myself or my friends in a social situation. <i>embarassMyself_BLSG</i>	0	1	2	3	4
20. Having a hypoglycemic episode while alone. <i>hypoAlone_BLSG</i>	0	1	2	3	4
21. Appearing stupid or drunk. <i>appearDrunk_BLSG</i>	0	1	2	3	4
22. Losing control. <i>loseControl_BLSG</i>	0	1	2	3	4
23. No one being around to help me during a hypoglycemic episode. <i>hypoNoHelp_BLSG</i>	0	1	2	3	4
24. Having a hypoglycemic episode while driving. <i>hypoDriving_BLSG</i>	0	1	2	3	4
25. Making a mistake or having an accident. <i>haveAccident_BLSG</i>	0	1	2	3	4
26. Getting a bad evaluation or being criticized. <i>getBadEval_BLSG</i>	0	1	2	3	4
27. Difficulty thinking clearly when responsible for others. <i>diffThinkClear_BLSG</i>	0	1	2	3	4
28. Feeling lightheaded or dizzy. <i>feelDizzy_BLSG</i>	0	1	2	3	4
29. Accidentally injuring myself or others. <i>injureMyself_BLSG</i>	0	1	2	3	4

	Never	Rarely	Some- times	Often	Almost Always
30. Permanent injury or damage to my health or body. <i>damageHealth_BLSG</i>	0	1	2	3	4
31. Low blood sugar interfering with important things I was doing. <i>lowInterfere_BLSG</i>	0	1	2	3	4
32. Becoming hypoglycemic during sleep. <i>hypoSleep_BLSG</i>	0	1	2	3	4
33. Getting emotionally upset and difficult to deal with. <i>getUpset_BLSG</i>	0	1	2	3	4

This is the end of the questionnaire. Thank you for answering these questions.

FOR STUDY USE ONLY					
Date Completed <i>compldat</i>	<input type="text"/>	<input type="text"/>	<input type="text"/>	Completed By <i>complby</i>	<input type="text"/>
	Month	Day	Year		
Date Reviewed <i>revwdate</i>	<input type="text"/>	<input type="text"/>	<input type="text"/>	Reviewer Code <i>revwby</i>	<input type="text"/>
	Month	Day	Year		
Date Entered <i>enterdat</i>	<input type="text"/>	<input type="text"/>	<input type="text"/>	Data Entry Code <i>enterby</i>	<input type="text"/>
	Month	Day	Year		