	Site ID: Subject ID:	Reviewed by (certification no.):	
	For coordinator	use only. Review date: / / / / / / / / / / / / / / / / / / /	
	Teen-LABS (PATH2) Liver	Pathology Evaluation	
Fo	orm completion date:// _2_0 (mm/dd	/yyyy) Completed by (certification no.):	
	ease PRINT NEATLY and complete this form in blue or black IN		
SE	ECTION 1: NASH CRN FEATURE SCORING SYSTEM		
1.	Steatosis grade: □ 0 (0%)	<ul><li>7. Lipogranulomas:</li><li>□ 0 Absent</li></ul>	
	□ 0 trace (<5%)	☐ 1 Present	
	□ 1 (5-33%)		
	□ 2 (33-67%)	8. Portal inflammation:	
	□ 3 (>67%)	□ 0 None	
2.	Steatosis location:	☐ 1 No more than mild ☐ 2 More than mild	
	☐ Predominantly zone 3	□ 2 Wore than fillid	
	☐ Predominantly zone 1	9. Ballooning hepatocellular injury:	
	□ Azonal	□ 0 None	
	☐ Panacinar	☐ 1 Few, less characteristic	
3.	Microvesicular steatosis:	☐ 2 Many, prominent	
	□ 0 Not present in contiguous patches	10. Acidophil bodies:	
	☐ 1 Present in contiguous patches	□ 0 None	
4.	Fibrosis stage:	☐ 1 More than rare	
	□ 0 (None)	11. Pigmented macrophages:	
	☐ 1 (Periportal OR Perisinusoidal)	□ 0 None to rare	
	→ 4.1 Specify: ☐ 1A (Mild perisinusoidal - Trichrome only)	☐ 1 More than rare	
	☐ 1B (Moderate perisinusoidal only)	12. Megamitochondria:	
	☐ 1C (Periportal only)	□ 0 None to rare	
	☐ 2 (Periportal AND Perisinusoidal)	☐ 1 More than rare	
	☐ 3 (Bridging fibrosis)	13. Mallory bodies:	
	4 (Cirrhosis)	□ 0 None to rare	
5.	Lobular inflammation:	☐ 1 More than rare	
	□ 0 None	14. Glycogen nuclei:	
	☐ 1 Mild (<2 foci per 20x high power field)	□ 0 Not present in contiguous patches	
	☐ 2 Moderate (2-4 foci per 20x field)	☐ 1 Present in contiguous patches	
	☐ 3 Marked (>4 foci per 20x field)	15 NACHA (* * G (0.0)	
6.	Microgranulomas:	15. NASH Activity Score (0-8):  (Calculated, sum of steatosis grade [with trace	
	□ 0 Absent	steatosis counted as a 0], lobular inflammation	
	□ 1 Present	and ballooning injury items 1, 5, and 9)	

0295405937

	Site ID: Subject ID:	
	For coordinator use only.	

## Teen-LABS (PATH2) Liver Pathology Evaluation

SECTION 2: MODIFIED ISHAK HAI	SECTION 3: IRON ASSESSMENT (same as		
1. Piecemeal necrosis:	planned for NASH CRN, only if iron stain available)		
□ 0 Absent	Hepatocellular Iron Grade:		
□ 1 Mild	□ 0 Absent or barely discernible, 40x		
☐ 2 Mild/moderate	☐ 1 Barely discernible granules, 20x		
☐ 3 Moderate	☐ 2 Discrete granules resolved, 10x		
☐ 4 Severe	☐ 3 Discrete granules resolved, 4x		
2. Confluent necrosis:	☐ 4 Masses visible by naked eye		
□ 0 Absent			
☐ 1 Focal confluent necrosis	2. Hepatocellular Iron Distribution:		
☐ 2 Zone 3 necrosis in some areas	☐ Periportal		
☐ 3 Zone 3 in most areas	☐ Periportal and midzonal		
☐ 4 Zone 3 necrosis + occasional portal-central bridg	ing □ Panacinar		
☐ 5 Zone 3 necrosis + multiple portal-central bridgin	□ Zone 3 / Nonzonal		
☐ 6 Panacinar or multiacinar necrosis			
	3. Sinusoidal Lining Cell Iron:		
3. Focal (spotty) necrosis:	□ 0 None		
□ 0 Absent	□ 1 Mild		
☐ 1 One focas or less per 10x objective	☐ 2 More than mild		
$\square$ 2 Two to four foci per 10x objective	4. Sinusoidal Lining Cell Iron Distribution:		
$\square$ 3 Five to ten foci per 10x objective	☐ Large vessel endothelium only		
$\square$ 4 More than ten foci per 10x objective	☐ Portal/fibrous bands only (beyond 1st category)		
4. Portal inflammation:	☐ Intraparenchymal only		
□ 0 None	☐ Portal and intraparenchymal		
☐ 1 Mild, some or all portal areas			
☐ 2 Moderate, some or all portal areas			
☐ 3 Moderate/marked, some or all portal areas			
☐ 4 Marked, all portal areas			
5. Fibrosis:			
□ 0 No fibrosis			
☐ 1 Fibrous expansion of some portal areas			
☐ 2 Fibrous expansion of most portal areas			
☐ 3 Occasional portal to portal bridging			
☐ 4 Marked bridging			
☐ 5 Marked bridging with occasional nodules			
☐ 6 Cirrhosis, probable or definite			

4680405939

Site ID: Subject ID:	
For coordinator use only.	

## Teen-LABS (PATH2) Liver Pathology Evaluation

## **SECTION 4: DIAGNOSTIC ASSESSMENT**

1.	Steatohepatitis:	
	☐ Not steatohepatitis	
	☐ Possible/borderline steatohepatitis (Type 1, typical zone 3 pattern)	
	☐ Possible/borderline steatohepatitis (Type 2, zone 1 pattern)	
	☐ Definite steatohepatitis	
2.	Chronic Hepatitis:	
	☐ Not chronic hepatitis	
	☐ Possible chronic hepatitis	
	☐ Definite chronic hepatitis	
SECTION 5: OTHER NOTES		
1.	Are there other notes?	
	□ No	
	□ Yes	
2.	If yes, record other notes:	

2329405937