



F377: Annual Follow-Up Patient Survey

F377: Annual Patient Survey, Version 02/05/09 (A)

SECTION A: GENERAL STUDY INFORMATION

A1. Study ID#: LABEL

A2. Visit # F/U 36 MonthsET36 F/U 48 Months ET48
F/U 60 Months.....ET60 F/U 72 Months ET72
F/U 84 Months.....ET84

VISIT	Frequency	Percent	Cum Freq	Cum Percent
ET36	366	30.76	366	30.76
ET48	346	29.08	712	59.83
ET60	305	25.63	1017	85.46
ET72	146	12.27	1163	97.73
ET84	27	2.27	1190	100.00

A3. Date Form Distributed: ____ / ____ / ____
Month Day Year

A4. Study Staff Initials: ____

A5. Mode Self-Administered 1
Interviewer-Administered 2

A6. Which version of these measures was used? English 1
Spanish 2

Introduction: This survey contains questions about quality of life, satisfaction and measures of your current urinary symptoms.

As with all of the information we collect for this research study, all of your responses are completely confidential. Your responses are never linked with your name and your name never appears on any of the research documents. Providing this information will not affect any of your services, benefits, or eligibility for coverage.

This survey should take about 15 minutes to complete. Ideally, you will be able to complete the entire survey in one sitting.

There are five (5) parts to the Annual Follow-Up Patient Survey. Please read the instructions at the start of each section carefully before you begin each new section.

Try to answer every item, but do not dwell too long on any one question. We want your answers, so please complete the questionnaire on your own. After you have completed the Survey, please check to make sure you have not missed any items. If you have any questions about any of these items, please call me:

_____ at _____.

A7. What is the date that you are starting to fill out this Survey?

____ / ____ / ____
Month Day Year

Section B: Satisfaction with the Results of Surgery

You have had surgery to reduce urinary incontinence (urine leakage) and to lessen the impact of these symptoms on your life. These questions ask you to tell us how satisfied you are with the result(s) of your bladder surgery related to your symptoms, emotions, and participation in physical and social activities. This information will help us to understand your views of your surgical experience.

GENERAL INSTRUCTIONS: Please read the question and symptoms in the first column. Then, work across the page and tell us about how satisfied or dissatisfied you are with the result of your bladder surgery related to that symptom. Circle the one response that **best** describes your level of satisfaction. If you **NEVER** experienced the symptom (neither before nor after surgery), **DO NOT** rate your satisfaction. **Instead**, circle **NA** in the last column labeled “**Not Applicable (NA)**”.

This section asks about **symptoms** that you may have experienced **before** and/or **after** surgery.

How satisfied or dissatisfied are you with the result of bladder surgery related to the following symptoms....

	Completely dissatisfied	Mostly dissatisfied	Neutral	Mostly satisfied	Completely satisfied	Not Applicable
B1. ...Urine leakage?	1	2	3	4	5	NA

UR_LEAK	Frequency	Percent	Cum Freq	Cum Percent
.	6	.	.	.
1: Completely Dissatisfied	41	3.46	41	3.46
2: Mostly Dissatisfied	92	7.77	133	11.23
3: Neutral	61	5.15	194	16.39
4: Mostly Satisfied	362	30.57	556	46.96
5: Completely Satisfied	628	53.04	1184	100.00

Frequency Missing = 6

B2. ...An urgency to urinate such that you fear not making it to the bathroom in time?	1	2	3	4	5	NA
--	----------	----------	----------	----------	----------	-----------

UR_URIN	Frequency	Percent	Cum Freq	Cum Percent
.	42	.	.	.
1: Completely Dissatisfied	43	3.75	43	3.75
2: Mostly Dissatisfied	112	9.76	155	13.50
3: Neutral	101	8.80	256	22.30
4: Mostly Satisfied	390	33.97	646	56.27
5: Completely Satisfied	502	43.73	1148	100.00

Frequency Missing = 42

B3. ...Frequent urination?	1	2	3	4	5	NA
----------------------------	----------	----------	----------	----------	----------	-----------

FREQ_URIN	Frequency	Percent	Cum Freq	Cum Percent
.	72	.	.	.
1: Completely Dissatisfied	37	3.31	37	3.31
2: Mostly Dissatisfied	64	5.72	101	9.03
3: Neutral	157	14.04	258	23.08
4: Mostly Satisfied	283	25.31	541	48.39
5: Completely Satisfied	577	51.61	1118	100.00

Frequency Missing = 72

This next section asks about **activities** that you may have limited **before** and/or **after** surgery because of your bladder problem.

How satisfied or dissatisfied are you with the result of bladder surgery regarding your current capability to perform the following activities...

	Completely dissatisfied	Mostly dissatisfied	Neutral	Mostly satisfied	Completely satisfied	Not Applicable
B4. ...Physical activities (e.g. housework, yardwork, going for a walk, dancing, jogging, golfing)?	1	2	3	4	5	NA

PHY_ACT	Frequency	Percent	Cum Freq	Cum Percent
.	8	.	.	.
1: Completely Dissatisfied	47	3.98	47	3.98
2: Mostly Dissatisfied	63	5.33	110	9.31
3: Neutral	44	3.72	154	13.03
4: Mostly Satisfied	227	19.20	381	32.23
5: Completely Satisfied	801	67.77	1182	100.00

Frequency Missing = 8

B5. ...Social activities (e.g. visiting friends, vacationing, going to church or temple)?	1	2	3	4	5	NA
---	---	---	---	---	---	----

SOC_ACT	Frequency	Percent	Cum Freq	Cum Percent
.	16	.	.	.
1: Completely Dissatisfied	44	3.75	44	3.75
2: Mostly Dissatisfied	40	3.41	84	7.16
3: Neutral	45	3.83	129	10.99
4: Mostly Satisfied	181	15.42	310	26.41
5: Completely Satisfied	864	73.59	1174	100.00

Frequency Missing = 16

B6. ...Sexual activity?	1	2	3	4	5	NA
-------------------------	----------	----------	----------	----------	----------	-----------

SEX_ACT	Frequency	Percent	Cum Freq	Cum Percent
.	355	.	.	.
1: Completely Dissatisfied	42	5.03	42	5.03
2: Mostly Dissatisfied	41	4.91	83	9.94
3: Neutral	63	7.54	146	17.49
4: Mostly Satisfied	141	16.89	287	34.37
5: Completely Satisfied	548	65.63	835	100.00

Frequency Missing = 355

This next section asks about **emotions** that you may have experienced **before** and/or **after** surgery because of your bladder problem.

How satisfied or dissatisfied are you with the result of bladder surgery regarding...

	Completely dissatisfied	Mostly dissatisfied	Neutral	Mostly satisfied	Completely satisfied	Not Applicable
B7. ...Your emotions (e.g., feelings of embarrassment, helplessness, frustration, and/or depression)?	1	2	3	4	5	NA

EMOTIONS	Frequency	Percent	Cum Freq	Cum Percent
.	22	.	.	.
1: Completely Dissatisfied	45	3.85	45	3.85
2: Mostly Dissatisfied	65	5.57	110	9.42
3: Neutral	60	5.14	170	14.55
4: Mostly Satisfied	206	17.64	376	32.19
5: Completely Satisfied	792	67.81	1168	100.00

Frequency Missing = 22

Please answer the following questions by circling either **1** (Yes) or **2** (No).

B8. If you could go back in time to when you had your bladder surgery, and knowing what you know now, would you still choose to have the surgery?	Yes 1	No 2
---	------------------	-----------------

SURG_AGAIN	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
1: Yes	1125	94.78	1125	94.78
2: No	62	5.22	1187	100.00

Frequency Missing = 3

B9. Would you recommend this surgery to a family member or friend?	Yes 1	No 2
--	------------------	-----------------

SURG_REC	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
1: Yes	1125	94.78	1125	94.78
2: No	62	5.22	1187	100.00

Frequency Missing = 3

Section C: Urinary Symptoms

C1. Circle the one answer that best describes how your urinary tract condition is now, compared with how it was before your incontinence surgery:

- Very much better 1
- Much better 2
- A little better 3
- No change 4
- A little worse 5
- Much worse 6
- Very much worse 7

COND_NOW	Frequency	Percent	Cum Freq	Cum Percent
.	35	.	.	.
1: Very Much Better	677	58.61	677	58.61
2: Much Better	307	26.58	984	85.19
3: A Little Better	72	6.23	1056	91.43
4: No Change	41	3.55	1097	94.98
5: A Little Worse	29	2.51	1126	97.49
6: Much Worse	20	1.73	1146	99.22
7: Very Much Worse	9	0.78	1155	100.00

Frequency Missing = 35

	Never	About once a week or less often	Two or three times a week	About once a day	Several times a day	All the time
C2. How often do you leak urine?	0	1	2	3	4	5

OFTEN_LK	Frequency	Percent	Cum Freq	Cum Percent
0:Never	380	31.93	380	31.93
1:About once a week or less often	405	34.03	785	65.97
2:Two or three times a week	154	12.94	939	78.91
3:About once a day	107	8.99	1046	87.90
4:Several times a day	133	11.18	1179	99.08
5:All the time	11	0.92	1190	100.00

	None	A small amount	A moderate amount	A large amount
C3. We would like to know how much urine you think leaks. How much urine do you usually leak whether you wear protection or not?	0	1	2	3

USUAL_LK	Frequency	Percent	Cum Freq	Cum Percent
.	2	.	.	.
0: None	380	31.99	380	31.99
1: A small amount	681	57.32	1061	89.31
2: A moderate amount	109	9.18	1170	98.48
3: A large amount	18	1.52	1188	100.00

Frequency Missing = 2

C4. Overall, how much does leaking interfere with your everyday life? Draw a single vertical line at the point on this line from “not at all” to “a great deal” that represents how much leaking interferes with your daily life.

|-----|
 (not at all) (a great deal)

Analysis Variable : LK_INTERFERE								
N	N Miss	Mean	SD	Minimum	Lower Quartile	Median	Upper Quartile	Maximum
1187	3	16.2	30.5	0.0	0.0	2.0	14.0	150.0

C4 Code

Please tell us when urine leaks. Circle YES for all that apply to you and NO for those that do not.		
	Yes	No
C5. Never – urine does not leak	Yes 1	No 2

NEVER_LEAK	Frequency	Percent	Cum Freq	Cum Percent
.	7	.	.	.
1: Yes	389	32.88	389	32.88
2: No	794	67.12	1183	100.00

Frequency Missing = 7

C6. Leaks before you can get to the toilet	Yes 1	No 2
--	----------	---------

LK_TOILET	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
1: Yes	568	47.85	568	47.85
2: No	619	52.15	1187	100.00

Frequency Missing = 3

C7. Leaks when you cough or sneeze	Yes 1	No 2
------------------------------------	----------	---------

LK_COUGH	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
1: Yes	311	26.20	311	26.20
2: No	876	73.80	1187	100.00

Frequency Missing = 3

C8. Leaks when you are asleep	Yes 1	No 2
-------------------------------	----------	---------

LK_ASLEEP	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
1: Yes	127	10.70	127	10.70
2: No	1060	89.30	1187	100.00

Frequency Missing = 3

C9. Leaks when you are physically active/exercising	Yes 1	No 2
---	----------	---------

LK_ACTIVE	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
1: Yes	273	23.00	273	23.00
2: No	914	77.00	1187	100.00

Frequency Missing = 3

C10. Leaks when you have finished urinating and are dressed	Yes 1	No 2
---	----------	---------

LK_DRESS	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
1: Yes	213	17.94	213	17.94
2: No	974	82.06	1187	100.00

Frequency Missing = 3

C11. Leaks for no obvious reason	Yes 1	No 2
----------------------------------	----------	---------

LK_OBVIOUS	Frequency	Percent	Cum Freq	Cum Percent
.	4	.	.	.
1: Yes	209	17.62	209	17.62
2: No	977	82.38	1186	100.00

Frequency Missing = 4

C12. Leaks all the time	Yes 1	No 2
-------------------------	----------	---------

LK_ALLTIME	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
1: Yes	27	2.27	27	2.27
2: No	1160	97.73	1187	100.00

Frequency Missing = 3

Section D: Quality of Life

These questions deal specifically with your accidental urine loss and/or prolapse. The symptoms in this section have been described by women who experience accidental urine loss and/or prolapse. Please indicate which symptoms you are now experiencing, and how bothersome they are for you. Be sure to circle an answer for all items.

GENERAL INSTRUCTIONS: Please read the first column of symptoms and circle "Yes" or "No" for each symptom. Then, for each question marked by a “Yes” answer, work across the page and tell us how bothersome that symptom is for you currently.

Do you currently experience	Yes	No	IF YES, Circle the one response below that best describes how bothersome that symptom is for you.			
			Not at all bothersome	Slightly bothersome	Moderately bothersome	Greatly bothersome
			0	1	2	3
D1. ...frequent urination?	Yes 1	No 2				

FREQ_URINE	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
1: Yes	321	27.00	321	27.00
2: No	868	73.00	1189	100.00

Frequency Missing = 1

FREQ_URINE_A	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
0:Not At All Bothersome	899	75.61	899	75.61
1:Slightly Bothersome	179	15.05	1078	90.66
2:Moderately Bothersome	80	6.73	1158	97.39
3:Greatly Bothersome	31	2.61	1189	100.00

Frequency Missing = 1

D2. ...a strong feeling of urgency to empty your bladder?	Yes 1	No 2
---	----------	---------

0	1	2	3
---	---	---	---

URGENCY	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
1: Yes	438	36.84	438	36.84
2: No	751	63.16	1189	100.00

Frequency Missing = 1

URGENCY_A	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
0:Not At All Bothersome	798	67.23	798	67.23
1:Slightly Bothersome	235	19.80	1033	87.03
2:Moderately Bothersome	113	9.52	1146	96.55
3:Greatly Bothersome	41	3.45	1187	100.00

Frequency Missing = 3

D3. ...urine leakage related to the feeling of urgency?	Yes 1	No 2
---	----------	---------

0	1	2	3
---	---	---	---

URGE_LEAK	Frequency	Percent	Cum Freq	Cum Percent
1: Yes	495	41.60	495	41.60
2: No	695	58.40	1190	100.00

URGE_LEAK_A	Frequency	Percent	Cum Freq	Cum Percent
0:Not At All Bothersome	731	61.43	731	61.43
1:Slightly Bothersome	262	22.02	993	83.45
2:Moderately Bothersome	137	11.51	1130	94.96
3:Greatly Bothersome	60	5.04	1190	100.00

D4. ...urine leakage related to physical activity, coughing or sneezing?	Yes 1	No 2	0	1	2	3
--	----------	---------	---	---	---	---

ACTV_LEAK	Frequency	Percent	Cum Freq	Cum Percent
1: Yes	338	28.40	338	28.40
2: No	852	71.60	1190	100.00

ACTV_LEAK_A	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
0:Not At All Bothersome	884	74.35	884	74.35
1:Slightly Bothersome	156	13.12	1040	87.47
2:Moderately Bothersome	86	7.23	1126	94.70
3:Greatly Bothersome	63	5.30	1189	100.00

Frequency Missing = 1

D5. ...general urine leakage not related to urgency or activity?	Yes 1	No 2	0	1	2	3
---	----------	---------	---	---	---	---

GEN_LEAK	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
1: Yes	235	19.76	235	19.76
2: No	954	80.24	1189	100.00

Frequency Missing = 1

GEN_LEAK_A	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
0:Not At All Bothersome	975	82.00	975	82.00
1:Slightly Bothersome	130	10.93	1105	92.94
2:Moderately Bothersome	49	4.12	1154	97.06
3:Greatly Bothersome	35	2.94	1189	100.00

Frequency Missing = 1

D6. ...small amounts of urine leakage (that is, drops)?	Yes 1	No 2
---	----------	---------

0	1	2	3
---	---	---	---

SMALL_LEAK	Frequency	Percent	Cum Freq	Cum Percent
.	2	.	.	.
1: Yes	635	53.45	635	53.45
2: No	553	46.55	1188	100.00

Frequency Missing = 2

SMALL_LEAK_A	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
0:Not At All Bothersome	674	56.88	674	56.88
1:Slightly Bothersome	410	34.60	1084	91.48
2:Moderately Bothersome	81	6.84	1165	98.31
3:Greatly Bothersome	20	1.69	1185	100.00

Frequency Missing = 5

D7. ...large amounts of urine leakage?	Yes 1	No 2
--	----------	---------

0	1	2	3
---	---	---	---

LARGE_LEAK	Frequency	Percent	Cum Freq	Cum Percent
1: Yes	145	12.18	145	12.18
2: No	1045	87.82	1190	100.00

LARGE_LEAK_A	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
0:Not At All Bothersome	1046	87.97	1046	87.97
1:Slightly Bothersome	22	1.85	1068	89.82
2:Moderately Bothersome	55	4.63	1123	94.45
3:Greatly Bothersome	66	5.55	1189	100.00

Frequency Missing = 1

D8. ...nighttime urination?	Yes 1	No 2
-----------------------------	----------	---------

0	1	2	3
---	---	---	---

NITE_LEAK	Frequency	Percent	Cum Freq	Cum Percent
1: Yes	450	37.82	450	37.82
2: No	740	62.18	1190	100.00

NITE_LEAK_A	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
0:Not At All Bothersome	821	69.05	821	69.05
1:Slightly Bothersome	211	17.75	1032	86.80
2:Moderately Bothersome	111	9.34	1143	96.13
3:Greatly Bothersome	46	3.87	1189	100.00

Frequency Missing = 1

Do you currently experience		
	Yes	No
D9. ...bedwetting?	Yes 1	No 2

IF YES, Circle the one response below that best describes how bothersome that symptom is for you.			
Not at all bothersome	Slightly bothersome	Moderately bothersome	Greatly bothersome
0	1	2	3

BED_WET	Frequency	Percent	Cum Freq	Cum Percent
1: Yes	44	3.70	44	3.70
2: No	1146	96.30	1190	100.00

BED_WET_A	Frequency	Percent	Cum Freq	Cum Percent
0:Not At All Bothersome	1147	96.39	1147	96.39
1:Slightly Bothersome	16	1.34	1163	97.73
2:Moderately Bothersome	13	1.09	1176	98.82
3:Greatly Bothersome	14	1.18	1190	100.00

D10. ...difficulty emptying your bladder?	Yes 1	No 2	0	1	2	3
---	----------	---------	---	---	---	---

DIFF_EMPTY	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
1: Yes	173	14.55	173	14.55
2: No	1016	85.45	1189	100.00

Frequency Missing = 1

DIFF_EMPT_A	Frequency	Percent	Cum Freq	Cum Percent
.	5	.	.	.
0:Not At All Bothersome	1029	86.84	1029	86.84
1:Slightly Bothersome	92	7.76	1121	94.60
2:Moderately Bothersome	39	3.29	1160	97.89
3:Greatly Bothersome	25	2.11	1185	100.00

Frequency Missing = 5

D11. ...a feeling of incomplete bladder emptying?	Yes 1	No 2	0	1	2	3
---	----------	---------	---	---	---	---

INCOM_BLAD	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
1: Yes	285	23.97	285	23.97
2: No	904	76.03	1189	100.00

Frequency Missing = 1

INCOM_BLAD_A	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
0:Not At All Bothersome	938	79.02	938	79.02
1:Slightly Bothersome	166	13.98	1104	93.01
2:Moderately Bothersome	59	4.97	1163	97.98
3:Greatly Bothersome	24	2.02	1187	100.00

Frequency Missing = 3

D12. ...lower abdominal pressure?	Yes 1	No 2	0	1	2	3
-----------------------------------	----------	---------	---	---	---	---

ABD_PRESS	Frequency	Percent	Cum Freq	Cum Percent
1: Yes	156	13.11	156	13.11
2: No	1034	86.89	1190	100.00

ABD_PRESS_A	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
0:Not At All Bothersome	1046	87.97	1046	87.97
1:Slightly Bothersome	83	6.98	1129	94.95
2:Moderately Bothersome	47	3.95	1176	98.91
3:Greatly Bothersome	13	1.09	1189	100.00

Frequency Missing = 1

D13. ...pain when urinating?	Yes 1	No 2	0	1	2	3
------------------------------	----------	---------	---	---	---	---

PAIN_URIN	Frequency	Percent	Cum Freq	Cum Percent
1: Yes	27	2.27	27	2.27
2: No	1163	97.73	1190	100.00

PAIN_URIN_A	Frequency	Percent	Cum Freq	Cum Percent
0:Not At All Bothersome	1164	97.82	1164	97.82
1:Slightly Bothersome	13	1.09	1177	98.91
2:Moderately Bothersome	5	0.42	1182	99.33
3:Greatly Bothersome	8	0.67	1190	100.00

D14. ...pain in the lower abdominal or genital area?	Yes 1	No 2	0	1	2	3
--	----------	---------	---	---	---	---

ABD_PAIN	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
1: Yes	93	7.82	93	7.82
2: No	1096	92.18	1189	100.00

Frequency Missing = 1

ABD_PAIN_A	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
0:Not At All Bothersome	1096	92.18	1096	92.18
1:Slightly Bothersome	44	3.70	1140	95.88
2:Moderately Bothersome	34	2.86	1174	98.74
3:Greatly Bothersome	15	1.26	1189	100.00

Frequency Missing = 1

D15. ...heaviness or dullness in the pelvic area?	Yes 1	No 2	0	1	2	3
---	----------	---------	---	---	---	---

DULL_PELVIC	Frequency	Percent	Cum Freq	Cum Percent
1: Yes	122	10.25	122	10.25
2: No	1068	89.75	1190	100.00

DUL_PELVIC_A	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
0:Not At All Bothersome	1074	90.33	1074	90.33
1:Slightly Bothersome	69	5.80	1143	96.13
2:Moderately Bothersome	32	2.69	1175	98.82
3:Greatly Bothersome	14	1.18	1189	100.00

Frequency Missing = 1

D16. ...a feeling of bulging or protrusion in the vaginal area?	Yes 1	No 2	0	1	2	3
---	----------	---------	---	---	---	---

PROT_FEEL	Frequency	Percent	Cum Freq	Cum Percent
1: Yes	110	9.24	110	9.24
2: No	1080	90.76	1190	100.00

PROT_FEEL_A	Frequency	Percent	Cum Freq	Cum Percent
.	2	.	.	.
0:Not At All Bothersome	1091	91.84	1091	91.84
1:Slightly Bothersome	51	4.29	1142	96.13
2:Moderately Bothersome	33	2.78	1175	98.91
3:Greatly Bothersome	13	1.09	1188	100.00

Frequency Missing = 2

D17. ...bulging or protrusion you can see in the vaginal area?	Yes 1	No 2
--	----------	---------

0	1	2	3
---	---	---	---

PROT_SEE	Frequency	Percent	Cum Freq	Cum Percent
1: Yes	48	4.03	48	4.03
2: No	1142	95.97	1190	100.00

PROT_SEE_A	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
0:Not At All Bothersome	1149	96.64	1149	96.64
1:Slightly Bothersome	18	1.51	1167	98.15
2:Moderately Bothersome	12	1.01	1179	99.16
3:Greatly Bothersome	10	0.84	1189	100.00

Frequency Missing = 1

D18. ...pelvic discomfort when standing or physically exerting yourself?	Yes 1	No 2
--	----------	---------

0	1	2	3
---	---	---	---

PELV_DIS	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
1: Yes	72	6.06	72	6.06
2: No	1117	93.94	1189	100.00

Frequency Missing = 1

PELV_DIS_A	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
0:Not At All Bothersome	1118	94.03	1118	94.03
1:Slightly Bothersome	36	3.03	1154	97.06
2:Moderately Bothersome	23	1.93	1177	98.99
3:Greatly Bothersome	12	1.01	1189	100.00

Frequency Missing = 1

D19. Do you have to push on the vagina or perineum to empty your bladder?	Yes 1	No 2
---	----------	---------

0	1	2	3
---	---	---	---

PUSH_BLAD	Frequency	Percent	Cum Freq	Cum Percent
1: Yes	61	5.13	61	5.13
2: No	1129	94.87	1190	100.00

PUSH_BLAD_A	Frequency	Percent	Cum Freq	Cum Percent
.	2	.	.	.
0:Not At All Bothersome	1140	95.96	1140	95.96
1:Slightly Bothersome	29	2.44	1169	98.40
2:Moderately Bothersome	16	1.35	1185	99.75
3:Greatly Bothersome	3	0.25	1188	100.00

Frequency Missing = 2

D20. Do you have to push on the vagina or perineum to have a bowel movement?	Yes 1	No 2
--	----------	---------

0	1	2	3
---	---	---	---

PUSH_BOWEL	Frequency	Percent	Cum Freq	Cum Percent
1: Yes	181	15.21	181	15.21
2: No	1009	84.79	1190	100.00

PUSH_BOWEL_A	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
0:Not At All Bothersome	1026	86.29	1026	86.29
1:Slightly Bothersome	73	6.14	1099	92.43
2:Moderately Bothersome	58	4.88	1157	97.31
3:Greatly Bothersome	32	2.69	1189	100.00

Frequency Missing = 1

D21. Do you experience any **other** symptoms related to accidental urine loss or prolapse?

YES..... 1

NO..... 2 ➔ **SKIP TO D22**

OTH_SYMP	Frequency	Percent	Cum Freq	Cum Percent
.	2	.	.	.
1: Yes	81	6.82	81	6.82
2: No	1107	93.18	1188	100.00

Frequency Missing = 2

D21a. If yes, what is it (are they)? _____

D22. Please go back and review all of the symptoms in Section D above, items D1 – 21, and write below the one symptom that bothers you the most. For this item, please list **one** symptom only.

Some women find that accidental urine loss and/or prolapse may affect their activities, relationships, and feelings. The questions in this section refer to areas in your life which may have been influenced or changed by your problem. For each question in this section, circle the one response that best describes how much your activities, relationships and feelings are being affected by urine leakage and/or prolapse.

To what extent has accidental urine loss and/or prolapse affected your

	Not at all	Slightly	Moderately	Greatly
D23. ...ability to do household chores (cooking, housecleaning, laundry)?	0	1	2	3

CHORES	Frequency	Percent	Cum Freq	Cum Percent
.	2	.	.	.
0:Not at All	1085	91.33	1085	91.33
1:Slightly	72	6.06	1157	97.39
2:Moderately	22	1.85	1179	99.24
3:Greatly	9	0.76	1188	100.00

Frequency Missing = 2

D24. ...ability to do usual maintenance or repair work done in home or yard?	0	1	2	3
--	---	---	---	---

REPAIR	Frequency	Percent	Cum Freq	Cum Percent
.	2	.	.	.
0:Not at All	1061	89.31	1061	89.31
1:Slightly	81	6.82	1142	96.13
2:Moderately	30	2.53	1172	98.65
3:Greatly	16	1.35	1188	100.00

Frequency Missing = 2

D25. ...shopping activities?

0

1

2

3

SHOPPING	Frequency	Percent	Cum Freq	Cum Percent
.	2	.	.	.
0:Not at All	1037	87.29	1037	87.29
1:Slightly	96	8.08	1133	95.37
2:Moderately	38	3.20	1171	98.57
3:Greatly	17	1.43	1188	100.00

Frequency Missing = 2

D26. ...hobbies and pastime activities?

0

1

2

3

HOBBIES	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
0:Not at All	1071	90.23	1071	90.23
1:Slightly	74	6.23	1145	96.46
2:Moderately	28	2.36	1173	98.82
3:Greatly	14	1.18	1187	100.00

Frequency Missing = 3

D27. ...physical recreational activities such as walking, swimming, or other exercise?

0

1

2

3

RECR_ACT	Frequency	Percent	Cum Freq	Cum Percent
.	2	.	.	.
0:Not at All	961	80.89	961	80.89
1:Slightly	140	11.78	1101	92.68
2:Moderately	56	4.71	1157	97.39
3:Greatly	31	2.61	1188	100.00

Frequency Missing = 2

D28. ...entertainment activities such as going to a movie or concert?	0	1	2	3
---	---	---	---	---

ENTER_ACT	Frequency	Percent	Cum Freq	Cum Percent
.	2	.	.	.
0:Not at All	1043	87.79	1043	87.79
1:Slightly	92	7.74	1135	95.54
2:Moderately	34	2.86	1169	98.40
3:Greatly	19	1.60	1188	100.00

Frequency Missing = 2

To what extent has accidental urine loss and/or prolapse affected your

	Not at all	Slightly	Moderately	Greatly
D29. ...ability to travel by car or bus for distances less than 20 minutes away from home?	0	1	2	3

TRAV_LESS_20	Frequency	Percent	Cum Freq	Cum Percent
0:Not at All	1095	92.02	1095	92.02
1:Slightly	64	5.38	1159	97.39
2:Moderately	22	1.85	1181	99.24
3:Greatly	9	0.76	1190	100.00

D30. ...ability to travel by car or bus for distances greater than 20 minutes away from home?	0	1	2	3
---	---	---	---	---

TRAV_GRT_20	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
0:Not at All	982	82.59	982	82.59
1:Slightly	131	11.02	1113	93.61
2:Moderately	54	4.54	1167	98.15
3:Greatly	22	1.85	1189	100.00

Frequency Missing = 1

D31. ...going to places if you are not sure about available restrooms?

0

1

2

3

GOING_PLACE	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
0:Not at All	847	71.24	847	71.24
1:Slightly	224	18.84	1071	90.08
2:Moderately	66	5.55	1137	95.63
3:Greatly	52	4.37	1189	100.00

Frequency Missing = 1

D32. ...going on vacation?

0

1

2

3

VACATION	Frequency	Percent	Cum Freq	Cum Percent
.	4	.	.	.
0:Not at All	1029	86.76	1029	86.76
1:Slightly	98	8.26	1127	95.03
2:Moderately	36	3.04	1163	98.06
3:Greatly	23	1.94	1186	100.00

Frequency Missing = 4

D33. ...church or temple attendance?

0

1

2

3

CHURCH	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
0:Not at All	1090	91.67	1090	91.67
1:Slightly	69	5.80	1159	97.48
2:Moderately	19	1.60	1178	99.07
3:Greatly	11	0.93	1189	100.00

Frequency Missing = 1

D34. ...volunteer activities?	0	1	2	3
-------------------------------	---	---	---	---

VOL_ACT	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
0:Not at All	1094	92.17	1094	92.17
1:Slightly	57	4.80	1151	96.97
2:Moderately	17	1.43	1168	98.40
3:Greatly	19	1.60	1187	100.00

Frequency Missing = 3

D35. ...employment (work) outside the home?	0	1	2	3
---	---	---	---	---

WORK_OUT	Frequency	Percent	Cum Freq	Cum Percent
.	13	.	.	.
0:Not at All	1076	91.42	1076	91.42
1:Slightly	59	5.01	1135	96.43
2:Moderately	26	2.21	1161	98.64
3:Greatly	16	1.36	1177	100.00

Frequency Missing = 13

D36. ...having friends visit you in your home?	0	1	2	3
--	---	---	---	---

VISIT_FRNDS	Frequency	Percent	Cum Freq	Cum Percent
.	2	.	.	.
0:Not at All	1122	94.44	1122	94.44
1:Slightly	46	3.87	1168	98.32
2:Moderately	13	1.09	1181	99.41
3:Greatly	7	0.59	1188	100.00

Frequency Missing = 2

D37. ...participation in social activities outside your home?

0

1

2

3

SOC_OUT_ACT	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
0:Not at All	1060	89.15	1060	89.15
1:Slightly	79	6.64	1139	95.79
2:Moderately	35	2.94	1174	98.74
3:Greatly	15	1.26	1189	100.00

Frequency Missing = 1

D38. ...relationship with friends?

0

1

2

3

FRIENDS	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
0:Not at All	1114	93.85	1114	93.85
1:Slightly	47	3.96	1161	97.81
2:Moderately	17	1.43	1178	99.24
3:Greatly	9	0.76	1187	100.00

Frequency Missing = 3

D39. ...relationship with family excluding husband/companion?

0

1

2

3

FAMILY	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
0:Not at All	1108	93.34	1108	93.34
1:Slightly	50	4.21	1158	97.56
2:Moderately	17	1.43	1175	98.99
3:Greatly	12	1.01	1187	100.00

Frequency Missing = 3

D40. ...ability to have sexual relations?	0	1	2	3
---	---	---	---	---

HAVE_SEX	Frequency	Percent	Cum Freq	Cum Percent
.	40	.	.	.
0:Not at All	1012	88.00	1012	88.00
1:Slightly	73	6.35	1085	94.35
2:Moderately	31	2.70	1116	97.04
3:Greatly	34	2.96	1150	100.00

Frequency Missing = 40

D41. ...the way you dress?	0	1	2	3
----------------------------	---	---	---	---

WAY_DRESS	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
0:Not at All	1023	86.04	1023	86.04
1:Slightly	106	8.92	1129	94.95
2:Moderately	34	2.86	1163	97.81
3:Greatly	26	2.19	1189	100.00

Frequency Missing = 1

D42. ...emotional health?	0	1	2	3
---------------------------	---	---	---	---

EMO_HEALTH	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
0:Not at All	1031	86.71	1031	86.71
1:Slightly	94	7.91	1125	94.62
2:Moderately	42	3.53	1167	98.15
3:Greatly	22	1.85	1189	100.00

Frequency Missing = 1

To what extent has accidental urine loss and/or prolapse affected your

	Not at all	Slightly	Moderately	Greatly
D43. ...physical health?	0	1	2	3

PHYS_HEALTH	Frequency	Percent	Cum Freq	Cum Percent
0:Not at All	1048	88.07	1048	88.07
1:Slightly	96	8.07	1144	96.13
2:Moderately	34	2.86	1178	98.99
3:Greatly	12	1.01	1190	100.00

D44. ...sleep?	0	1	2	3
----------------	---	---	---	---

SLEEP	Frequency	Percent	Cum Freq	Cum Percent
0:Not at All	959	80.59	959	80.59
1:Slightly	151	12.69	1110	93.28
2:Moderately	61	5.13	1171	98.40
3:Greatly	19	1.60	1190	100.00

D45. How much does fear of odor restrict your activities?	0	1	2	3
---	---	---	---	---

ODOR_RTRCT	Frequency	Percent	Cum Freq	Cum Percent
0:Not at All	940	78.99	940	78.99
1:Slightly	160	13.45	1100	92.44
2:Moderately	57	4.79	1157	97.23
3:Greatly	33	2.77	1190	100.00

D46. How much does fear of embarrassment restrict your activities?	0	1	2	3
--	---	---	---	---

EMBAR_RTRCT	Frequency	Percent	Cum Freq	Cum Percent
0:Not at All	934	78.49	934	78.49
1:Slightly	169	14.20	1103	92.69
2:Moderately	49	4.12	1152	96.81
3:Greatly	38	3.19	1190	100.00

In addition, does your problem with accidental urine loss and/or prolapse cause you to experience

	Not at all	Slightly	Moderately	Greatly
D47. ...nervousness or anxiety?	0	1	2	3

NERVOUS	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
0:Not at All	945	79.48	945	79.48
1:Slightly	175	14.72	1120	94.20
2:Moderately	44	3.70	1164	97.90
3:Greatly	25	2.10	1189	100.00

Frequency Missing = 1

D48. ...fear?	0	1	2	3
---------------	---	---	---	---

FEAR	Frequency	Percent	Cum Freq	Cum Percent
0:Not at All	1045	87.82	1045	87.82
1:Slightly	99	8.32	1144	96.13
2:Moderately	30	2.52	1174	98.66
3:Greatly	16	1.34	1190	100.00

D49. ...frustration?	0	1	2	3
----------------------	---	---	---	---

FRUSTRATION	Frequency	Percent	Cum Freq	Cum Percent
0:Not at All	862	72.44	862	72.44
1:Slightly	228	19.16	1090	91.60
2:Moderately	51	4.29	1141	95.88
3:Greatly	49	4.12	1190	100.00

D50. ...anger?	0	1	2	3
----------------	---	---	---	---

ANGER	Frequency	Percent	Cum Freq	Cum Percent
0:Not at All	1072	90.08	1072	90.08
1:Slightly	83	6.97	1155	97.06
2:Moderately	19	1.60	1174	98.66
3:Greatly	16	1.34	1190	100.00

D51. ...depression?	0	1	2	3
---------------------	---	---	---	---

DEPRESSION	Frequency	Percent	Cum Freq	Cum Percent
0:Not at All	1089	91.51	1089	91.51
1:Slightly	66	5.55	1155	97.06
2:Moderately	21	1.76	1176	98.82
3:Greatly	14	1.18	1190	100.00

D52. ...embarrassment?	0	1	2	3
------------------------	---	---	---	---

EMBARRASS	Frequency	Percent	Cum Freq	Cum Percent
0:Not at All	901	75.71	901	75.71
1:Slightly	196	16.47	1097	92.18
2:Moderately	41	3.45	1138	95.63
3:Greatly	52	4.37	1190	100.00

Section E: General Health

Over the last 2 weeks, how often have you been bothered by any of the following problems? Please circle the number that indicates how often you have been bothered by each problem.

	Not at all	Several days	More than half the days	Nearly every day
E1. Little interest or pleasure in doing things	0	1	2	3

LITTLE_INT	Frequency	Percent	Cum Freq	Cum Percent
0: Not at all	1007	84.62	1007	84.62
1: Several days	136	11.43	1143	96.05
2: More than half the days	30	2.52	1173	98.57
3: Nearly every day	17	1.43	1190	100.00

E2. Feeling down, depressed, or hopeless	0	1	2	3
--	---	---	---	---

FEEL_DOWN	Frequency	Percent	Cum Freq	Cum Percent
0: Not at all	963	80.92	963	80.92
1: Several days	165	13.87	1128	94.79
2: More than half the days	39	3.28	1167	98.07
3: Nearly every day	23	1.93	1190	100.00

E3. Trouble falling asleep or staying asleep, or sleeping too much	0	1	2	3
--	---	---	---	---

TROUB_SLEEP	Frequency	Percent	Cum Freq	Cum Percent
0: Not at all	790	66.39	790	66.39
1: Several days	226	18.99	1016	85.38
2: More than half the days	93	7.82	1109	93.19
3: Nearly every day	81	6.81	1190	100.00

E4. Feeling tired or having little energy	0	1	2	3
---	---	---	---	---

FEEL_TIRED	Frequency	Percent	Cum Freq	Cum Percent
.	2	.	.	.
0: Not at all	732	61.62	732	61.62
1: Several days	287	24.16	1019	85.77
2: More than half the days	83	6.99	1102	92.76
3: Nearly every day	86	7.24	1188	100.00

Frequency Missing = 2

E5. Poor appetite or overeating	0	1	2	3
---------------------------------	---	---	---	---

POOR_APP	Frequency	Percent	Cum Freq	Cum Percent
0: Not at all	910	76.47	910	76.47
1: Several days	161	13.53	1071	90.00
2: More than half the days	73	6.13	1144	96.13
3: Nearly every day	46	3.87	1190	100.00

E6. Feeling bad about yourself – or that you are a failure or have let yourself or your family down	0	1	2	3
---	---	---	---	---

FEEL_BAD	Frequency	Percent	Cum Freq	Cum Percent
0: Not at all	1003	84.29	1003	84.29
1: Several days	124	10.42	1127	94.71
2: More than half the days	33	2.77	1160	97.48
3: Nearly every day	30	2.52	1190	100.00

E7. Trouble concentrating on things, such as reading the newspaper or watching television	0	1	2	3
---	---	---	---	---

TROU_CON	Frequency	Percent	Cum Freq	Cum Percent
0: Not at all	1025	86.13	1025	86.13
1: Several days	113	9.50	1138	95.63
2: More than half the days	28	2.35	1166	97.98
3: Nearly every day	24	2.02	1190	100.00

E8. Moving or speaking so slowly that other people could have noticed. Or the opposite – being so fidgety or restless that you have been moving around a lot more than usual	0	1	2	3
--	---	---	---	---

MOVE_SLOW	Frequency	Percent	Cum Freq	Cum Percent
0: Not at all	1110	93.28	1110	93.28
1: Several days	51	4.29	1161	97.56
2: More than half the days	20	1.68	1181	99.24
3: Nearly every day	9	0.76	1190	100.00

E9. Thoughts that you would be better off dead, or of hurting yourself in some way	0	1	2	3
--	---	---	---	---

DEAD_HURT	Frequency	Percent	Cum Freq	Cum Percent
0: Not at all	1158	97.31	1158	97.31
1: Several days	20	1.68	1178	98.99
2: More than half the days	6	0.50	1184	99.50
3: Nearly every day	6	0.50	1190	100.00

E10. If you circled 1, 2 or 3 for any of the above problems, how *difficult* have these problems made it for you to do your work, take care of things at home, or get along with other people?

Not difficult at all 1
 Somewhat difficult 2
 Very difficult 3
 Extremely difficult..... 4

HOW_DIFF	Frequency	Percent	Cum Freq	Cum Percent
.	617	.	.	.
1: Not difficult at all	295	51.48	295	51.48
2: Somewhat difficult	247	43.11	542	94.59
3: Very difficult	21	3.66	563	98.25
4: Extremely difficult	10	1.75	573	100.00

Frequency Missing = 617

Section F: Sexual Activities

This section covers material that is sensitive and personal. Specifically, these questions ask about matters related to your sexual activity **in the past 6 months**. For some women, sexual activity is an important part of their lives; but for others it is not. Everyone has different ideas on the subject. To help us understand how your bladder problems might affect your sexual activity, we would like you to answer the following questions from your own personal viewpoint.

There are no right or wrong answers. Remember, your confidentiality is assured. While we hope you are willing to answer all of the questions, if there are questions you would prefer not to answer, you are free to skip them. Please select the most appropriate response to each question by circling the answer you choose. Remember these questions are only relevant to sexual activity **in the past six months**.

F1. **In the past 6 months**, have you engaged in sexual activities with a partner?

Yes 1 ➔ **COMPLETE SECTION G BELOW**

No 2 ➔ **SKIP TO PAGE 15 AND COMPLETE SECTION H**

SIX_MONTHS	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
1: Yes	718	60.49	718	60.49
2: No	469	39.51	1187	100.00

Frequency Missing = 3

Section G: FOR WOMEN WHO HAVE ENGAGED IN SEXUAL ACTIVITY WITH A PARTNER IN THE LAST 6 MONTHS

G1. How frequently do you feel sexual desire? This feeling may include wanting to have sex, planning to have sex, feeling frustrated due to lack of sex, etc.

Always Usually Sometimes Seldom Never
1 2 3 4 5

FREQ_DES	Frequency	Percent	Cum Freq	Cum Percent
.	476	.	.	.
1: Always	52	7.28	52	7.28
2: Usually	220	30.81	272	38.10
3: Sometimes	269	37.68	541	75.77
4: Seldom	138	19.33	679	95.10
5: Never	35	4.90	714	100.00

Frequency Missing = 476

G2. Do you climax (have an orgasm) when having sexual intercourse with your partner?

Always Usually Sometimes Seldom Never
1 2 3 4 5

CLIMAX	Frequency	Percent	Cum Freq	Cum Percent
.	477	.	.	.
1: Always	107	15.01	107	15.01
2: Usually	263	36.89	370	51.89
3: Sometimes	164	23.00	534	74.89
4: Seldom	103	14.45	637	89.34
5: Never	76	10.66	713	100.00

Frequency Missing = 477

G3. Do you feel sexually excited (turned on) when having sexual activity with your partner?

Always Usually Sometimes Seldom Never
1 2 3 4 5

SEX_EXCIT	Frequency	Percent	Cum Freq	Cum Percent
.	475	.	.	.
1: Always	205	28.67	205	28.67
2: Usually	307	42.94	512	71.61
3: Sometimes	103	14.41	615	86.01
4: Seldom	72	10.07	687	96.08
5: Never	28	3.92	715	100.00

Frequency Missing = 475

G4. How satisfied are you with the variety of sexual activities in your current sex life?

Always Usually Sometimes Seldom Never
1 2 3 4 5

SATIS_SEX	Frequency	Percent	Cum Freq	Cum Percent
.	481	.	.	.
1: Always	224	31.59	224	31.59
2: Usually	266	37.52	490	69.11
3: Sometimes	115	16.22	605	85.33
4: Seldom	76	10.72	681	96.05
5: Never	28	3.95	709	100.00

Frequency Missing = 481

G5. Do you feel pain during sexual intercourse?

Always
1

Usually
2

Sometimes
3

Seldom
4

Never
5

PAIN_SEX	Frequency	Percent	Cum Freq	Cum Percent
.	476	.	.	.
1: Always	42	5.88	42	5.88
2: Usually	33	4.62	75	10.50
3: Sometimes	119	16.67	194	27.17
4: Seldom	169	23.67	363	50.84
5: Never	351	49.16	714	100.00

Frequency Missing = 476

G6. Are you incontinent of urine (leak urine) with sexual activity?

Always
1

Usually
2

Sometimes
3

Seldom
4

Never
5

INCON_SEX	Frequency	Percent	Cum Freq	Cum Percent
.	473	.	.	.
1: Always	5	0.70	5	0.70
2: Usually	12	1.67	17	2.37
3: Sometimes	51	7.11	68	9.48
4: Seldom	91	12.69	159	22.18
5: Never	558	77.82	717	100.00

Frequency Missing = 473

G7. Does fear of incontinence (either urine or stool) restrict your sexual activity?

Always Usually Sometimes Seldom Never
1 2 3 4 5

FEAR_SEX	Frequency	Percent	Cum Freq	Cum Percent
.	473	.	.	.
1: Always	4	0.56	4	0.56
2: Usually	12	1.67	16	2.23
3: Sometimes	54	7.53	70	9.76
4: Seldom	62	8.65	132	18.41
5: Never	585	81.59	717	100.00

Frequency Missing = 473

G8. Do you avoid sexual intercourse because of bulging in the vagina (either the bladder, rectum or vagina falling out)?

Always Usually Sometimes Seldom Never
1 2 3 4 5

AVOID_SEX	Frequency	Percent	Cum Freq	Cum Percent
.	473	.	.	.
1: Always	3	0.42	3	0.42
2: Usually	2	0.28	5	0.70
3: Sometimes	18	2.51	23	3.21
4: Seldom	22	3.07	45	6.28
5: Never	672	93.72	717	100.00

Frequency Missing = 473

G9. When you have sex with your partner, do you have negative emotional reactions such as fear, disgust, shame or guilt?

Always Usually Sometimes Seldom Never
 1 2 3 4 5

NEG_SEX	Frequency	Percent	Cum Freq	Cum Percent
.	473	.	.	.
1: Always	4	0.56	4	0.56
2: Usually	6	0.84	10	1.39
3: Sometimes	47	6.56	57	7.95
4: Seldom	44	6.14	101	14.09
5: Never	616	85.91	717	100.00

Frequency Missing = 473

G10. Does your partner have a problem with erections that affects your sexual activity?

Always Usually Sometimes Seldom Never
 1 2 3 4 5

ERECT_SEX	Frequency	Percent	Cum Freq	Cum Percent
.	474	.	.	.
1: Always	37	5.17	37	5.17
2: Usually	28	3.91	65	9.08
3: Sometimes	135	18.85	200	27.93
4: Seldom	98	13.69	298	41.62
5: Never	418	58.38	716	100.00

Frequency Missing = 474

G11. Does your partner have a problem with premature ejaculation that affects your sexual activity?

Always Usually Sometimes Seldom Never
 1 2 3 4 5

PE_SEX	Frequency	Percent	Cum Freq	Cum Percent
.	476	.	.	.
1: Always	7	0.98	7	0.98
2: Usually	13	1.82	20	2.80
3: Sometimes	67	9.38	87	12.18
4: Seldom	92	12.89	179	25.07
5: Never	535	74.93	714	100.00

Frequency Missing = 476

G12. Compared to orgasms you have had in the past, how intense are the orgasms you have had in the past 6 months?

Much Less Same More Much
 less intense intense intensity intense more intense
 1 2 3 4 5

ORGAS_SEX	Frequency	Percent	Cum Freq	Cum Percent
.	488	.	.	.
1: Much less intense	71	10.11	71	10.11
2: Less intense	117	16.67	188	26.78
3: Same intensity	442	62.96	630	89.74
4: More intense	58	8.26	688	98.01
5: Much more intense	14	1.99	702	100.00

Frequency Missing = 488

YOU ARE DONE WITH THIS QUESTIONNAIRE. THANK YOU.

Section H: FOR WOMEN WHO REPORT NO SEXUAL ACTIVITY WITH A PARTNER IN THE LAST 6 MONTHS

H1. Do you have a partner at this time?

Yes 1

No..... 2

PARTNER	Frequency	Percent	Cum Freq	Cum Percent
.	729	.	.	.
1: Yes	199	43.17	199	43.17
2: No	262	56.83	461	100.00

Frequency Missing = 729

H2. How frequently do you feel sexual desire? This feeling may include wanting to have sex, planning to have sex, feeling frustrated due to lack of sex, etc.

Always
1

Usually
2

Sometimes
3

Seldom
4

Never
5

FREQ_DES_2	Frequency	Percent	Cum Freq	Cum Percent
.	761	.	.	.
1: Always	7	1.63	7	1.63
2: Usually	35	8.16	42	9.79
3: Sometimes	149	34.73	191	44.52
4: Seldom	139	32.40	330	76.92
5: Never	99	23.08	429	100.00

Frequency Missing = 761

H3. How satisfied are you with the variety of sexual activities in your current sex life?

Always Usually Sometimes Seldom Never
1 2 3 4 5

SATIS_SEX_2	Frequency	Percent	Cum Freq	Cum Percent
.	813	.	.	.
1: Always	67	17.77	67	17.77
2: Usually	61	16.18	128	33.95
3: Sometimes	47	12.47	175	46.42
4: Seldom	60	15.92	235	62.33
5: Never	142	37.67	377	100.00

Frequency Missing = 813

H4. Does fear of pain during sexual intercourse restrict your activity?

Always Usually Sometimes Seldom Never
1 2 3 4 5

PAIN_SEX_2	Frequency	Percent	Cum Freq	Cum Percent
.	798	.	.	.
1: Always	15	3.83	15	3.83
2: Usually	11	2.81	26	6.63
3: Sometimes	24	6.12	50	12.76
4: Seldom	19	4.85	69	17.60
5: Never	323	82.40	392	100.00

Frequency Missing = 798

H5. Does fear of incontinence (either stool or urine) during sexual intercourse restrict your sexual activity?

Always Usually Sometimes Seldom Never
1 2 3 4 5

INCON_SEX_2	Frequency	Percent	Cum Freq	Cum Percent
.	795	.	.	.
1: Always	9	2.28	9	2.28
2: Usually	4	1.01	13	3.29
3: Sometimes	15	3.80	28	7.09
4: Seldom	27	6.84	55	13.92
5: Never	340	86.08	395	100.00

Frequency Missing = 795

H6. Do you avoid sexual intercourse because of bulging in the vagina (either the bladder, rectum or vagina falling out)?

Always Usually Sometimes Seldom Never
1 2 3 4 5

AVOID_SEX_2	Frequency	Percent	Cum Freq	Cum Percent
.	794	.	.	.
1: Always	2	0.51	2	0.51
2: Usually	1	0.25	3	0.76
3: Sometimes	9	2.27	12	3.03
4: Seldom	5	1.26	17	4.29
5: Never	379	95.71	396	100.00

Frequency Missing = 794

YOU ARE DONE WITH THIS QUESTIONNAIRE. THANK YOU.