

SECTION A: GENERAL STUDY INFORMATION FOR OFFICE USE ONLY:

A1. STUDY ID #: LABEL A2. VISIT # BASELINETBAS

A3. DATE INTERVIEW COMPLETED: ____ / ____ / ____
MONTH DAY YEAR A4. INTERVIEWER INITIALS: _____

A5. CONSENT OBTAINED? YES..... 1
 NO 2 A6. WHICH VERSION OF ENGLISH 1
 THIS FORM WAS USED? SPANISH..... 2

FORM_LANG	Frequency	Percent	Cum Freq	Cum Percent
1	594	99.50	594	99.50
2	3	0.50	597	100.00

A7. IS THIS A REPEAT MEASURE DUE TO A PREVIOUSLY EXPIRED MEASURE?
 YES 1 → REPEAT MEASURES START AT SECTION C
 NO 2

INSTRUCTIONS: First, we need to confirm that you are eligible to participate in the study. I will start with a series of general questions about you, such as your race, marital status, education and other things like that and then we'll cover questions about your health and health habits, life-style and medical conditions. Then, if you are still eligible for the study, we will ask you to complete a few other questionnaires. Some of the questions I will ask you today are of a personal and sensitive nature, but are necessary to determine if you are eligible for the study. Let's begin...

SECTION B: SOCIODEMOGRAPHIC INFORMATION

B1. Do you consider your ethnicity to be Hispanic or Latino? YES 1 NO 2

ETHNICITY	Frequency	Percent	Cum Freq	Cum Percent
1	71	11.89	71	11.89
2	526	88.11	597	100.00

B2. For this question on racial background, you may select one or more choices from this list that I'll read. Do you consider yourself to be
 (READ AND CODE ALL RACE CHOICES)

B2g. IF MORE THAN ONE, ASK: Which do you consider to be your **primary** racial background?

	YES	NO	
a. White, Caucasian,.....	1	2	1
b. Black, African American,	1	2	2
c. Asian,	1	2	3
d. Native Hawaiian, Pacific Islander,	1	2	4
e. American Indian or Alaskan Native.....	1	2	5
f. WAS ANY OTHER MENTIONED?	1↓	2	99

SPECIFY: _____

Hispanic	Frequency	Percent	Cum Freq	Cum Percent
1 Hispanic	71	11.89	71	11.89
2 Non-hispanic White	473	79.23	544	91.12
3 Non-hispanic Black	17	2.85	561	93.97
4 Non-hispanic Other	36	6.03	597	100.00

B3. What is the highest grade or year of school that you have completed?

- LESS THAN HIGH SCHOOL 1
- COMPLETED HIGH SCHOOL OR GED 2
- SOME COLLEGE/ASSOCIATE DEGREE 3
- COMPLETED 4 YEARS OF COLLEGE 4
- GRADUATE/PROFESSIONAL DEGREE 5

educ	Frequency	Percent	Cum Freq	Cum Percent
1	35	5.86	35	5.86
2	149	24.96	184	30.82
3	217	36.35	401	67.17
4	101	16.92	502	84.09
5	95	15.91	597	100.00

B4. What is your current marital status?

- Married 1
- Separated 2
- Living as married 3
- Divorced 4
- Widowed 5
- Single, never married 6 → SKIP TO B7
- OTHER 99 → SPECIFY: _____

marital	Frequency	Percent	Cum Freq	Cum Percent
0:Not-married	185	30.99	185	30.99
1:Married/Living as Married	412	69.01	597	100.00

B5. Next, we have some questions about employment, including self-employment and any full or part-time work. This does not include unpaid or volunteer work. Have you ever worked?

- YES 1
- NO 2 → SKIP TO B6

Because the frequency of at least one category is very low, the variable was not included in the dataset

B5a. What type of work did you do or which occupation did you hold for the longest period of time?
(PROBE: What do you consider your occupation to be?)

SPECIFY: _____

B5b. NAM-POWERS-BOYD OCCUPATION SCORE: _____

Analysis Variable : OCCUP_CODE								
N	N Miss	Mean	SD	Minimum	Lower Quartile	Median	Upper Quartile	Maximum
559	0	59.6	22.8	1.0	45.0	60.0	82.0	100.0

OCCUP_CODE	Frequency	Percent	Cum Freq	Cum Percent
-2	38	100.00	38	100.00

TOMMUS

B6. Has your spouse / partner ever worked? OR (Did your spouse / partner ever work?) This includes self-employment.

YES..... 1

NO..... 2 → SKIP TO SECTION C

Because the frequency of at least one category is very low, the variable was not included in the dataset

B6a. What type of work did your spouse /partner do or what occupation did your spouse /partner hold for the longest period of time? (**PROBE**: What occupation does your spouse/partner consider himself / herself?)

SPECIFY: _____

B6b. NAM-POWERS-BOYD OCCUPATION SCORE: _____ → SKIP TO SECTION C

Analysis Variable : SP_OCC_CODE								
N	N Miss	Mean	SD	Minimum	Lower Quartile	Median	Upper Quartile	Maximum
554	0	64.1	23.7	5.0	42.0	68.0	85.0	100.0

SP_OCC_CODE	Frequency	Percent	Cum Freq	Cum Percent
-9	4	9.30	4	9.30
-2	39	90.70	43	100.00

B7. Next, we have some questions about employment, including self-employment and any full or part-time work. This does not include unpaid or volunteer work. Have you ever worked?

YES..... 1

NO..... 2 → SKIP TO SECTION C

Because the frequency of at least one category is very low, the variable was not included in the dataset

B7a. What type of work did you do or which occupation did you hold for the longest period of time? (**PROBE**: What do you consider your occupation to be?)

SPECIFY: _____

B7b. NAM-POWERS-BOYD OCCUPATION SCORE: _____

Analysis Variable : OCCUP2_CODE								
N	N Miss	Mean	SD	Minimum	Lower Quartile	Median	Upper Quartile	Maximum
29	0	56.8	23.9	11.0	32.0	60.0	76.0	94.0

OCCUP2_CODE	Frequency	Percent	Cum Freq	Cum Percent
-2	568	100.00	568	100.00

TOMMUS

SECTION C: MESA PART I: STRESS INCONTINENCE

These next questions ask about symptoms you may have related to urine leakage. For each question that I ask, please tell me the response that best represents how frequently you experience the symptom.

PART I: STRESS SYMPTOMS	<i>Never</i>	<i>Rarely</i>	<i>Sometimes</i>	<i>Often</i>																									
C1. Does coughing gently cause you to lose urine? (Would you say..)	0	1	2	3																									
<table border="1"> <thead> <tr> <th>mesa_str_1a</th> <th>Frequency</th> <th>Percent</th> <th>Cum Freq</th> <th>Cum Percent</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>70</td> <td>11.73</td> <td>70</td> <td>11.73</td> </tr> <tr> <td>2</td> <td>202</td> <td>33.84</td> <td>272</td> <td>45.56</td> </tr> <tr> <td>3</td> <td>325</td> <td>54.44</td> <td>597</td> <td>100.00</td> </tr> </tbody> </table>					mesa_str_1a	Frequency	Percent	Cum Freq	Cum Percent	1	70	11.73	70	11.73	2	202	33.84	272	45.56	3	325	54.44	597	100.00					
mesa_str_1a	Frequency	Percent	Cum Freq	Cum Percent																									
1	70	11.73	70	11.73																									
2	202	33.84	272	45.56																									
3	325	54.44	597	100.00																									
C2. Does coughing hard cause you to lose urine? (Would you say...)	0	1	2	3																									
<table border="1"> <thead> <tr> <th>mesa_str_2a</th> <th>Frequency</th> <th>Percent</th> <th>Cum Freq</th> <th>Cum Percent</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>74</td> <td>12.40</td> <td>74</td> <td>12.40</td> </tr> <tr> <td>2</td> <td>523</td> <td>87.60</td> <td>597</td> <td>100.00</td> </tr> </tbody> </table>					mesa_str_2a	Frequency	Percent	Cum Freq	Cum Percent	1	74	12.40	74	12.40	2	523	87.60	597	100.00										
mesa_str_2a	Frequency	Percent	Cum Freq	Cum Percent																									
1	74	12.40	74	12.40																									
2	523	87.60	597	100.00																									
C3. Does sneezing cause you to lose urine?	0	1	2	3																									
<table border="1"> <thead> <tr> <th>mesa_str_3a</th> <th>Frequency</th> <th>Percent</th> <th>Cum Freq</th> <th>Cum Percent</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>23</td> <td>3.85</td> <td>23</td> <td>3.85</td> </tr> <tr> <td>2</td> <td>154</td> <td>25.80</td> <td>177</td> <td>29.65</td> </tr> <tr> <td>3</td> <td>420</td> <td>70.35</td> <td>597</td> <td>100.00</td> </tr> </tbody> </table>					mesa_str_3a	Frequency	Percent	Cum Freq	Cum Percent	1	23	3.85	23	3.85	2	154	25.80	177	29.65	3	420	70.35	597	100.00					
mesa_str_3a	Frequency	Percent	Cum Freq	Cum Percent																									
1	23	3.85	23	3.85																									
2	154	25.80	177	29.65																									
3	420	70.35	597	100.00																									
C4. Does lifting things cause you to lose urine?	0	1	2	3																									
<table border="1"> <thead> <tr> <th>MESA_STR_4</th> <th>Frequency</th> <th>Percent</th> <th>Cum Freq</th> <th>Cum Percent</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>58</td> <td>9.72</td> <td>58</td> <td>9.72</td> </tr> <tr> <td>1</td> <td>72</td> <td>12.06</td> <td>130</td> <td>21.78</td> </tr> <tr> <td>2</td> <td>274</td> <td>45.90</td> <td>404</td> <td>67.67</td> </tr> <tr> <td>3</td> <td>193</td> <td>32.33</td> <td>597</td> <td>100.00</td> </tr> </tbody> </table>					MESA_STR_4	Frequency	Percent	Cum Freq	Cum Percent	0	58	9.72	58	9.72	1	72	12.06	130	21.78	2	274	45.90	404	67.67	3	193	32.33	597	100.00
MESA_STR_4	Frequency	Percent	Cum Freq	Cum Percent																									
0	58	9.72	58	9.72																									
1	72	12.06	130	21.78																									
2	274	45.90	404	67.67																									
3	193	32.33	597	100.00																									
C5. Does bending cause you to lose urine?	0	1	2	3																									
<table border="1"> <thead> <tr> <th>MESA_STR_5</th> <th>Frequency</th> <th>Percent</th> <th>Cum Freq</th> <th>Cum Percent</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>135</td> <td>22.61</td> <td>135</td> <td>22.61</td> </tr> <tr> <td>1</td> <td>138</td> <td>23.12</td> <td>273</td> <td>45.73</td> </tr> <tr> <td>2</td> <td>219</td> <td>36.68</td> <td>492</td> <td>82.41</td> </tr> <tr> <td>3</td> <td>105</td> <td>17.59</td> <td>597</td> <td>100.00</td> </tr> </tbody> </table>					MESA_STR_5	Frequency	Percent	Cum Freq	Cum Percent	0	135	22.61	135	22.61	1	138	23.12	273	45.73	2	219	36.68	492	82.41	3	105	17.59	597	100.00
MESA_STR_5	Frequency	Percent	Cum Freq	Cum Percent																									
0	135	22.61	135	22.61																									
1	138	23.12	273	45.73																									
2	219	36.68	492	82.41																									
3	105	17.59	597	100.00																									
C6. Does laughing cause you to lose urine?	0	1	2	3																									

MESA_STR_6	Frequency	Percent	Cum Freq	Cum Percent
0	32	5.36	32	5.36
1	56	9.38	88	14.74
2	284	47.57	372	62.31
3	225	37.69	597	100.00

C7. Does walking briskly or jogging cause you to lose urine? 0 1 2 3

MESA_STR_7	Frequency	Percent	Cum Freq	Cum Percent
0	65	10.89	65	10.89
1	50	8.38	115	19.26
2	157	26.30	272	45.56
3	325	54.44	597	100.00

C8. Does straining, if you are constipated, cause you to lose urine? 0 1 2 3

MESA_STR_8	Frequency	Percent	Cum Freq	Cum Percent
0	69	11.56	69	11.56
1	70	11.73	139	23.28
2	187	31.32	326	54.61
3	271	45.39	597	100.00

C9. Does getting up from a sitting to a standing position cause you to lose urine? 0 1 2 3

MESA_STR_9	Frequency	Percent	Cum Freq	Cum Percent
0	158	26.47	158	26.47
1	142	23.79	300	50.25
2	201	33.67	501	83.92
3	96	16.08	597	100.00

COLUMN TOTALS AND GRAND TOTAL

C10. DID THE PATIENT ANSWER “RARELY, SOMETIMES OR OFTEN” TO ANY OF THE ITEMS IN C1 – C9?
 YES..... 1 NO..... 2 ➔ **INELIGIBLE; SKIP TO SECTION H**

MESA_STRESS	Frequency	Percent	Cum Freq	Cum Percent
1	597	100.00	597	100.00

C11. Have you had these types of problems with urine leakage for 3 months or more?
 YES..... 1 NO..... 2 ➔ **INELIGIBLE*; SKIP TO SECTION H**

***THE PATIENT MAY BE ELIGIBLE AT A LATER DATE.**

LEAK_DUR	Frequency	Percent	Cum Freq	Cum Percent
1	597	100.00	597	100.00

C12. Approximately when did these problems begin? _____ / _____
 Month Year

C13. **STRESS SYMPTOMS SCORE** (GRAND TOTAL OF PART I COLUMN SCORES: C1-C9) _____ / 27

Analysis Variable : STRESS_SCORE								
N	N Miss	Mean	SD	Minimum	Lower Quartile	Median	Upper Quartile	Maximum
597	0	19.3	4.6	3.0	16.0	20.0	23.0	27.0

C14. **STRESS INDEX** (USE LOOK-UP TABLE BELOW.) _____ %

Analysis Variable : STRESS_INDEX								
N	N Miss	Mean	SD	Minimum	Lower Quartile	Median	Upper Quartile	Maximum
597	0	71.6	17.0	11.0	59.0	74.0	85.0	100.0

STRESS SYMPTOMS INDEX LOOK-UP TABLE						
1/27 = 4%	5/27 = 19%	9/27 = 33%	13/27 = 48%	17/27 = 63%	21/27 = 78%	25/27 = 93%
2/27 = 7%	6/27 = 22%	10/27 = 37%	14/27 = 52%	18/27 = 67%	22/27 = 81%	26/27 = 96 %
3/27 = 11%	7/27 = 26%	11/27 = 41%	15/27 = 56%	19/27 = 70%	23/27 = 85 %	27/27 = 100%
4/27 = 15%	8/27 = 30%	12/27 = 44%	16/27 = 59%	20/27 = 74%	24/27 = 89%	

SECTION D: MESA PART II: URGE INCONTINENCE

Now, tell me the response that best represents how frequently you experience each of **these** symptoms.

PART II URGE SYMPTOMS	<i>Never</i>	<i>Rarely</i>	<i>Sometimes</i>	<i>Often</i>
D1. Some women receive very little warning and suddenly find that they are losing, or are about to lose urine beyond their control. How often does this happen to you? (Would you say....)	0	1	2	3

MESA_URG_1	Frequency	Percent	Cum Freq	Cum Percent
0	104	17.42	104	17.42
1	143	23.95	247	41.37
2	219	36.68	466	78.06
3	131	21.94	597	100.00

D2. If you can't find a toilet or find that the toilet is occupied, and you have an urge to urinate, how often do you end up losing urine or wetting yourself? (Would you say....)	0	1	2	3
--	---	---	---	---

MESA_URG_2	Frequency	Percent	Cum Freq	Cum Percent
0	132	22.11	132	22.11
1	167	27.97	299	50.08
2	187	31.32	486	81.41
3	111	18.59	597	100.00

D3. Do you lose urine when you suddenly have the feeling that your bladder is very full?	0	1	2	3
--	---	---	---	---

MESA_URG_3	Frequency	Percent	Cum Freq	Cum Percent
0	121	20.27	121	20.27
1	131	21.94	252	42.21
2	229	38.36	481	80.57
3	116	19.43	597	100.00

D4. Does washing your hands cause you to lose urine?	0	1	2	3
--	---	---	---	---

MESA_URG_4	Frequency	Percent	Cum Freq	Cum Percent
0	397	66.50	397	66.50
1	93	15.58	490	82.08
2	87	14.57	577	96.65
3	20	3.35	597	100.00

D5. Does cold weather cause you to lose urine?	0	1	2	3
--	---	---	---	---

MESA_URG_5	Frequency	Percent	Cum Freq	Cum Percent
0	370	61.98	370	61.98
1	94	15.75	464	77.72
2	110	18.43	574	96.15
3	23	3.85	597	100.00

D6. Does drinking cold beverages cause you to lose urine? 0 1 2 3

MESA_URG_6	Frequency	Percent	Cum Freq	Cum Percent
0	438	73.37	438	73.37
1	93	15.58	531	88.94
2	52	8.71	583	97.65
3	14	2.35	597	100.00

COLUMN TOTALS AND GRAND TOTAL

D7. **URGE SYMPTOMS SCORE** (GRAND TOTAL OF PART II COLUMN SCORES: D1-D6) ____ / 18

Analysis Variable : URGE_SCORE								
N	Miss	Mean	SD	Minimum	Lower Quartile	Median	Upper Quartile	Maximum
597	0	6.3	4.0	0.0	3.0	6.0	9.0	17.0

D8. **URGE INDEX** (USE LOOK-UP TABLE BELOW.) ____ %

Analysis Variable : URGE_INDEX								
N	Miss	Mean	SD	Minimum	Lower Quartile	Median	Upper Quartile	Maximum
597	0	34.8	22.0	0.0	17.0	33.0	50.0	94.0

URGE SYMPTOMS INDEX LOOK-UP TABLE

1/18 = 6%	5/18 = 28%	9/18 = 50%	13/18 = 72%	17/18 = 94%
2/18 = 11%	6/18 = 33%	10/18 = 56%	14/18 = 78%	18/18 = 100%
3/18 = 17%	7/18 = 39%	11/18 = 61%	15/18 = 83%	
4/18 = 22%	8/18 = 44%	12/18 = 67%	16/18 = 89%	

MESA WORKSHEET	
STRESS INDEX (FROM C14)	URGE INDEX (FROM D8)

D9. DO THE INDEX SCORES INDICATE PREDOMINANT STRESS INCONTINENCE?

* IF ANY MESA SYMPTOM ITEMS ARE MISSING FROM PART I OR II, DO NOT CODE D9. CONTACT THE BCC AFTER FORM 01 IS COMPLETED.

YES, STRESS INDEX > URGE INDEX 1

NO, STRESS INDEX ≤ URGE INDEX..... 2 → **INELIGIBLE*; SKIP TO SECTION H**

PRED_STRESS	Frequency	Percent	Cum Freq	Cum Percent
1	597	100.00	597	100.00

***THE PATIENT MAY BE ELIGIBLE AFTER TREATMENT FOR URGE SYMPTOMS.**

SECTION E: PHYSICAL ACCOMMODATIONS AND CHARACTER OF URINE STREAM

The next set of questions asks about urinary symptoms you might currently be experiencing.

E1. Do you **currently** have to...

YES	NO
1	2

a. ... strain to urinate?

STRAIN_UR	Frequency	Percent	Cum Freq	Cum Percent
1	74	12.40	74	12.40
2	523	87.60	597	100.00

b. ... bend forward to urinate?

BEND_UR	Frequency	Percent	Cum Freq	Cum Percent
1	124	20.77	124	20.77
2	473	79.23	597	100.00

c. ... lean back to urinate?

LEAN_UR	Frequency	Percent	Cum Freq	Cum Percent
1	35	5.86	35	5.86
2	562	94.14	597	100.00

d. ... stand up to urinate?

STAND_UR	Frequency	Percent	Cum Freq	Cum Percent
1	18	3.02	18	3.02
2	579	96.98	597	100.00

e. ... press on your bladder to urinate?

PRESS_UR	Frequency	Percent	Cum Freq	Cum Percent
1	48	8.04	48	8.04
2	549	91.96	597	100.00

f. ... push on the vagina or perineum to empty your bladder?

PUSH_UR	Frequency	Percent	Cum Freq	Cum Percent
1	23	3.85	23	3.85

2	574	96.15	597	100.00
---	-----	-------	-----	--------

g. ... do any thing else to urinate?

1 ↓ 2

OTH_ACC_UR	Frequency	Percent	Cum Freq	Cum Percent
1	23	3.85	23	3.85
2	574	96.15	597	100.00

E1h. If yes, describe: _____

E2. How bothered are you by the way you now urinate? Would you say...

- Not at all bothered..... 1
- Slightly bothered..... 2
- Moderately bothered..... 3
- Greatly bothered 4

URINE_BOTHER	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.17	1	0.17
1	271	45.39	272	45.56
2	71	11.89	343	57.45
3	108	18.09	451	75.54
4	146	24.46	597	100.00

E3. Would you describe your **current** urine stream as...

YES	NO
1	2

a. ... a steady stream of urine?

STEADY_STR	Frequency	Percent	Cum Freq	Cum Percent
1	506	84.76	506	84.76
2	91	15.24	597	100.00

b. ... a slow stream of urine?

1 2

SLOW_STR	Frequency	Percent	Cum Freq	Cum Percent
1	151	25.29	151	25.29
2	446	74.71	597	100.00

c. ... a spurting, splitting or spraying stream of urine?

1 2

SPURT_STR	Frequency	Percent	Cum Freq	Cum Percent
1	206	34.51	206	34.51
2	391	65.49	597	100.00

d. ... a hesitating stream of urine (stops and starts)? 1 2

HESIT_STR	Frequency	Percent	Cum Freq	Cum Percent
1	169	28.31	169	28.31
2	428	71.69	597	100.00

e. ... dribbling after you have finished voiding? 1 2

DRIB_STR	Frequency	Percent	Cum Freq	Cum Percent
1	424	71.02	424	71.02
2	173	28.98	597	100.00

f. ... some other description? 1↓ 2

OTH_STR	Frequency	Percent	Cum Freq	Cum Percent
1	40	6.70	40	6.70
2	557	93.30	597	100.00

E2g. If yes, describe: _____

E4. Do you **currently** experience a feeling of incomplete bladder emptying?

YES 1

NO 2

INC_BLADDER	Frequency	Percent	Cum Freq	Cum Percent
1	337	56.45	337	56.45
2	260	43.55	597	100.00

SECTION F: PREGNANCY AND FUTURE AVAILABILITY

F1. These next few questions are about your current and lifetime pregnancy status. Are you currently pregnant or do you ever intend to become pregnant?

YES..... 1 **→ INELIGIBLE; SKIP TO SECTION H**

NO..... 2

CURR_PREG	Frequency	Percent	Cum Freq	Cum Percent
2	597	100.00	597	100.00

F2. Have you ever been pregnant? YES..... 1

NO 2 **→ SKIP TO F8**

EVER_PREG	Frequency	Percent	Cum Freq	Cum Percent
1	572	95.81	572	95.81
2	25	4.19	597	100.00

F3. What was the date of delivery or termination of your most recent pregnancy that was greater than 20 weeks?

____ / ____ / ____
MONTH DAY YEAR

F4. IS THAT ≥ 12 MONTHS AGO TODAY?

YES..... 1

NO 2 **→ INELIGIBLE*; SKIP TO SECTION H**

REC_PREG_ELG	Frequency	Percent	Cum Freq	Cum Percent
-2	25	4.19	25	4.19
1	572	95.81	597	100.00

***THE PATIENT MAY BE ELIGIBLE AT A LATER DATE.**

F5. How many times have you been pregnant? _____

Analysis Variable : num_preg1								
N	Miss	Mean	SD	Minimum	Lower Quartile	Median	Upper Quartile	Maximum
572	0	3.1	1.4	1.0	2.0	3.0	4.0	6.0

num_preg1	Frequency	Percent	Cum Freq	Cum Percent
-2	25	100.00	25	100.00

F6. How many of these pregnancies were vaginal deliveries? _____ **→IF 0, SKIP TO F8**

Analysis Variable : v_del								
N	N Miss	Mean	SD	Minimum	Lower Quartile	Median	Upper Quartile	Maximum
597	0	2.2	1.4	0.0	1.0	2.0	3.0	7.0

F7. What was the weight of your largest baby delivered vaginally?

WEIGHT IN POUNDS / OUNCES: _____ LBS / _____ OZ

Analysis Variable : VAG_DEL_LB								
N	N Miss	Mean	SD	Minimum	Lower Quartile	Median	Upper Quartile	Maximum
526	0	7.6	1.2	4.0	7.0	8.0	8.0	11.0

VAG_DEL_LB	Frequency	Percent	Cum Freq	Cum Percent
-9	1	1.41	1	1.41
-2	70	98.59	71	100.00

Analysis Variable : VAG_DEL_OZ								
N	N Miss	Mean	SD	Minimum	Lower Quartile	Median	Upper Quartile	Maximum
523	0	6.9	4.6	0.0	3.0	7.0	11.0	15.0

VAG_DEL_OZ	Frequency	Percent	Cum Freq	Cum Percent
-9	1	1.35	1	1.35
-8	3	4.05	4	5.41
-2	70	94.59	74	100.00

OR

WEIGHT IN GRAMS: _____ GMS

Analysis Variable : VAG_DEL_GM								
N	N Miss	Mean	SD	Minimum	Lower Quartile	Median	Upper Quartile	Maximum
523	0	3646.1	534.4	1984.5	3288.5	3628.7	3997.3	5188.0

VAG_DEL_GM	Frequency	Percent	Cum Freq	Cum Percent
-2	74	100.00	74	100.00

F8. **SCHEDULE/AVAILABILITY:** WILL THE PATIENT BE AVAILABLE FOR THE REQUIRED 2-YEAR FOLLOW-UP PERIOD? ASK,

Are you planning to move away from the area or be out of the area for extended periods of time in the next couple of years or so? [**PROBE:** Are you planning to move out of this area or do you regularly go (south in the winter / north in the summer) for several months?

NO, NOT MOVING, **WILL BE AVAILABLE** 1

YES, MOVING OUT OF TOWN OR AWAY OFTEN,

SCHEDULE	Frequency	Percent	Cum Freq	Cum Percent
1	597	100.00	597	100.00

F9. Are you currently enrolled or do you plan to enroll in another intervention trial(s) in the next 24 months? Yes.....1 No.....2 → SKIP TO SECTION G

Because the frequency of at least one category is very low, the variable was not included in the dataset

F9a HAS THE UITN ELIGIBILITY COMMITTEE APPROVED HER ENROLLMENT? Yes.....1 No 2 → INELIGIBLE; SKIP TO SECTION H

ELIG_APPROV	Frequency	Percent	Cum Freq	Cum Percent
-2	594	99.50	594	99.50
1	3	0.50	597	100.00

TOMMUS

SECTION G: MEDICAL HISTORY AND NEUROLOGIC SYMPTOMS

INSTRUCTIONS: So far, you are still eligible, so we can keep going. These next questions are about past and current smoking habits.

G1. In your lifetime, did you ever smoke more than 100 cigarettes (or 5 packs of cigarettes)?

YES..... 1

NO..... 2 → SKIP TO G7

LIFETIME_CIG	Frequency	Percent	Cum Freq	Cum Percent
1	278	46.57	278	46.57
2	319	53.43	597	100.00

G2. How old were you when you first started smoking cigarettes regularly?

YEARS OLD.....

NEVER SMOKED REGULARLY -1 → SKIP TO G7

Analysis Variable : REG_SMOK_AGE								
N	N Miss	Mean	SD	Minimum	Lower Quartile	Median	Upper Quartile	Maximum
267	0	18.0	4.3	3.0	15.0	18.0	20.0	40.0

REG_SMOK_AGE	Frequency	Percent	Cum Freq	Cum Percent
-2	319	96.67	319	96.67
-1	11	3.33	330	100.00

G3. During the entire time you smoked, on average, how many cigarettes did you usually smoke per day?
(**PROBE:** Is that cigarettes, not packs?)

RECORD _____ **CIGARETTES PER DAY**

Analysis Variable : CIG_DAY_ALL								
N	N Miss	Mean	SD	Minimum	Lower Quartile	Median	Upper Quartile	Maximum
266	0	15.6	12.0	1.0	8.0	15.0	20.0	100.0

CIG_DAY_ALL	Frequency	Percent	Cum Freq	Cum Percent
-8	1	0.30	1	0.30
-2	330	99.70	331	100.00

G4. Do you currently smoke? YES..... 1
 NO 2 → SKIP TO G6

CURR_SMOKE	Frequency	Percent	Cumulative	CURR_SMOKE
Skip	392	55.76	392	55.76
1: Yes	92	13.09	484	68.85
2: No	219	31.15	703	100.00

Frequency Missing = 46

G5. On the average, about how many cigarettes per day do you now smoke?

RECORD _____ **CIGARETTES PER DAY** → SKIP TO G7

Analysis Variable : CIG_DAY_NOW								
N	N Miss	Mean	SD	Minimum	Lower Quartile	Median	Upper Quartile	Maximum
80	0	15.1	8.6	1.0	10.0	15.0	20.0	40.0

CIG_DAY_NOW	Frequency	Percent	Cum Freq	Cum Percent
-2	517	100.00	517	100.00

G6. How old were you when you most recently quit?

RECORD _____ **YEARS OLD**

Analysis Variable : AGE_QUIT								
N	N Miss	Mean	SD	Minimum	Lower Quartile	Median	Upper Quartile	Maximum
187	0	35.9	12.8	16.0	24.0	35.0	44.0	83.0

AGE_QUIT	Frequency	Percent	Cum Freq	Cum Percent
-2	410	100.00	410	100.00

G7. We've found that many women who experience urinary incontinence also experience bowel incontinence. These last few questions ask about any symptoms of bowel incontinence you may have.

Do you have to strain to have a bowel movement? YES..... 1
 NO..... 2 → SKIP TO G8

STR_BM	Frequency	Percent	Cum Freq	Cum Percent
--------	-----------	---------	----------	-------------

STR_BM	Frequency	Percent	Cum Freq	Cum Percent
1	317	53.10	317	53.10
2	280	46.90	597	100.00

G7a. How **often** do you have to strain to have a bowel movement? Would you say....

Less than or equal to 25% of the time? 1

More than 25% of the time? 2

OFT_STR_BM	Frequency	Percent	Cum Freq	Cum Percent
-2	280	46.90	280	46.90
1	157	26.30	437	73.20
2	160	26.80	597	100.00

G8. Do you have leaking or loss of control of gas? YES 1

NO 2 → **SKIP TO G9**

GAS_LK	Frequency	Percent	Cum Freq	Cum Percent
1	312	52.26	312	52.26
2	285	47.74	597	100.00

G8a. How **often** does this happen? Would you say....

less than once a month? 1

more than once a month but less than once a week? 2

more than once a week but less than every day? 3

every day? 4

OFT_GAS_LK	Frequency	Percent	Cum Freq	Cum Percent
-2	285	47.74	285	47.74
1	25	4.19	310	51.93
2	80	13.40	390	65.33
3	128	21.44	518	86.77
4	79	13.23	597	100.00

G9. Do you have leaking or loss of control of liquid stool? YES 1

NO 2 → **SKIP TO G10**

LIQ_STOOL_LK	Frequency	Percent	Cum Freq	Cum Percent
1	129	21.61	129	21.61
2	468	78.39	597	100.00

- G9a. How **often** does this happen? Would you say....
- less than once a month?..... 1
 - more than once a month but less than once a week? 2
 - more than once a week but less than every day?..... 3
 - every day?..... 4

oft_liq_lk1	Frequency	Percent	Cum Freq	Cum Percent
-2	468	78.39	468	78.39
1:less than once a month	76	12.73	544	91.12
2: more than once a month but less than once a week	33	5.53	577	96.65
3: more than once a week or every day	20	3.35	597	100.00

- G10. Do you have leaking or loss of control of solid stool? YES..... 1
- NO..... 2 → **SKIP TO G11**

SOL_STOOL_LK	Frequency	Percent	Cum Freq	Cum Percent
1	29	4.86	29	4.86
2	568	95.14	597	100.00

- G10a. How **often** does this happen? Would you say....
- less than once a month?..... 1
 - more than once a month but less than once a week?..... 2
 - more than once a week but less than every day?..... 3
 - every day? 4

oft_solid_lk1	Frequency	Percent	Cum Freq	Cum Percent
-2	568	95.14	568	95.14
1:less than once a month	16	2.68	584	97.82
2:more than once a month	13	2.18	597	100.00

INSTRUCTIONS: We also want to know if you have any numbness or weakness in your lower abdomen or your pelvic area or in your lower extremities.

G11. First, I'll ask about numbness. Do you have any **numbness** in your lower abdomen or your pelvic area or your legs?

YES..... 1 NO 2 ➔ **SKIP TO G12**

NUMBNESS	Frequency	Percent	Cum Freq	Cum Percent
1	79	13.23	79	13.23
2	518	86.77	597	100.00

SHOW ATTACHED BODY MAPS 1, 2, 4, AND 6 FOR MARKING NUMBNESS:

Here are 4 pictures of those areas. The specific areas we're asking about are circled on the pictures. Take a minute to look at the pictures and mark Xs to show where you feel numbness.

WHEN THE PATIENT COMPLETES HER MARKINGS, INSPECT THE PICTURES AND COMPLETE G11a-e.

G11a. DID THE PATIENT MARK ANY Xs IN THE **SUPRAPUBIC** AREA (PICTURE #1)?

NUMB_SUP	Frequency	Percent	Cum Freq	Cum Percent
-2	518	86.77	518	86.77
1	42	7.04	560	93.80
2	37	6.20	597	100.00

YES..... 1 NO 2 ➔ **SKIP TO G11b**

G11ai. SHOW PICTURE #1: How bothersome is the numbness in **this** location? Would you say...

not at all bothersome 1

slightly bothersome 2

moderately bothersome 3

greatly bothersome 4

Because the frequency of at least one category is very low, the variable was not included in the dataset

G11b. DID THE PATIENT MARK ANY Xs IN THE **GROIN** AREA? (PICTURE #2)

YES..... 1 NO 2 ➔ **SKIP TO G11c**

G11bi. SHOW PICTURE #2: How bothersome is the numbness in **this** location? Would you say...

- not at all bothersome 1
- slightly bothersome 2
- moderately bothersome 3
- greatly bothersome 4

Because the frequency of at least one category is very low, the variable was not included in the dataset

G11c. DID THE PATIENT MARK ANY Xs IN THE **VULVAR** AREA? (PICTURE #4)

- YES 1 NO 2 ➔ SKIP TO G11d

Because the frequency of at least one category is very low, the variable was not included in the dataset

G11ci. SHOW PICTURE #4: How bothersome is the numbness in **this** location? Would you say...

- not at all bothersome 1
- slightly bothersome 2
- moderately bothersome 3
- greatly bothersome 4

Because the frequency of at least one category is very low, the variable was not included in the dataset

G11d. DID THE PATIENT MARK ANY Xs IN THE **UPPER LEG** AREA? (PICTURE #6)

- YES 1 NO 2 ➔ SKIP TO G11e

NUM_UL	Frequency	Percent	Cum Freq	Cum Percent
-2	518	86.77	518	86.77
1	25	4.19	543	90.95
2	54	9.05	597	100.00

G11di. SHOW PICTURE #6 **FOR NUMBNESS**:

How bothersome is the numbness in **this** location? Would you say...

- not at all bothersome 1
- slightly bothersome 2
- moderately bothersome 3
- greatly bothersome 4

Because the frequency of at least one category is very low, the variable was not included in the dataset

G11e. DID THE PATIENT mark ANY xs in THE **LOWER LEG** area? (PICTURE #6)

YES 1 NO 2 ➔ **SKIP TO G12**

Because the frequency of at least one category is very low, the variable was not included in the dataset

G11ei. SHOW PICTURE #6 FOR NUMBNESS:

How bothersome is the numbness in **this** location? Would you say...

- not at all bothersome 1
- slightly bothersome 2
- moderately bothersome 3
- greatly bothersome 4

Because the frequency of at least one category is very low, the variable was not included in the dataset

G12. Finally, I'll ask about weakness. Do you have any **weakness** in your legs?

YES 1 NO 2 ➔ **SKIP TO SECTION H**

WEAKNESS	Frequency	Percent	Cum Freq	Cum Percent
1	82	13.74	82	13.74
2	515	86.26	597	100.00

SHOW PICTURE # 6 FOR WEAKNESS: Here is another picture of the legs. Look at the picture and mark Xs to show where you feel weakness.

WHEN THE PATIENT COMPLETES HER MARKINGS, INSPECT THE PICTURE AND FINISH G12 a-b.

G12a. DID THE PATIENT MARK ANY Xs IN THE **UPPER LEG** AREA?

YES 1 NO 2 ➔ **SKIP TO G12b**

WEAK_UL	Frequency	Percent	Cum Freq	Cum Percent
-2	515	86.26	515	86.26
1	60	10.05	575	96.31
2	22	3.69	597	100.00

G12ai. SHOW PICTURE #6 FOR WEAKNESS: POINT TO Xs MARKED ON UPPER LEG.

How bothersome is the weakness in **this** location? Would you say...

- not at all bothersome 1
- slightly bothersome 2
- moderately bothersome 3

greatly bothersome 4

Because the frequency of at least one category is very low, the variable was not included in the dataset

G12b. DID THE PATIENT MARK ANY Xs IN THE LOWER LEG AREA?

YES 1 NO 2 → SKIP TO H1

WEAK_LL	Frequency	Percent	Cum Freq	Cum Percent
-2	515	86.26	515	86.26
1	50	8.38	565	94.64
2	32	5.36	597	100.00

G12bi. SHOW PICTURE #6 FOR WEAKNESS: POINT TO Xs MARKED ON LOWER LEG.
How bothersome is the weakness in **this** location? Would you say...

not at all bothersome 1

slightly bothersome 2

moderately bothersome 3

greatly bothersome 4

Because the frequency of at least one category is very low, the variable was not included in the dataset

SECTION H: ELIGIBILITY SUMMARY

H1. DOES THE PATIENT MEET ALL ELIGIBILITY CRITERIA AS REQUIRED IN THIS FORM? (REVIEW CODES TO ITEMS C10, C11, D9, F1, F4, F8, F9a)

YES 1 → CONTINUE SCREENING

NO 2 → INELIGIBLE; END SCREENING

ALL_ELIG_sum	Frequency	Percent	Cum Freq	Cum Percent
1	597	100.00	597	100.00