

SECTION A: GENERAL STUDY INFORMATION FOR OFFICE USE ONLY:

A1. STUDY ID #: A2. VISIT # BASELINETBAS

A3. DATE INTERVIEW COMPLETED: ____ / ____ / ____ MONTH / DAY / YEAR A4. INTERVIEWER INITIALS: _____

A5. CONSENT OBTAINED? YES..... 1 NO 2 A6. WHICH FORM VERSION WAS USED? ENGLISH..... 1 SPANISH..... 2

| FORM LANG | Frequency | Percent | Cum Freq | Cum Percent |
|-----------|-----------|---------|----------|-------------|
| 1 | 593 | 99.33 | 593 | 99.33 |
| 2 | 4 | 0.67 | 597 | 100.00 |

A7. ARE THESE REPEAT MEASURES DUE TO PREVIOUSLY EXPIRED MEASURES? YES..... 1 NO 2

| REPEAT MEAS | Frequency | Percent | Cum Freq | Cum Percent |
|-------------|-----------|---------|----------|-------------|
| 1 | 5 | 0.84 | 5 | 0.84 |
| 2 | 592 | 99.16 | 597 | 100.00 |

SECTION B: ELIGIBILITY AND RELATED HEALTH CONDITIONS

This section includes questions about your general health, and conditions you may have had earlier in your life, or conditions that you have now.

†SOURCE CODES: 1 = PATIENT; 2 = MEDICAL RECORD; 3 = BOTH PT & RECORD, 4 = SITE PI, 5 = PT REPORT AND SENT FOR MR. ↓

| DOES THE PATIENT REPORT OR IS THERE EVIDENCE OF ANY OF THE FOLLOWING CONDITIONS? | | YES | NO | a. SOURCE CODE | | | | | | | | | | |
|--|---|---------|----------|----------------|------------|-----------|---------|----------|-------------|---|-----|--------|-----|--------|
| B1. | Do you consistently use a wheel chair to get around | 1 | 2 | | | | | | | | | | | |
| | <table border="1"> <thead> <tr> <th>WHEELCHAIR</th> <th>Frequency</th> <th>Percent</th> <th>Cum Freq</th> <th>Cum Percent</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>597</td> <td>100.00</td> <td>597</td> <td>100.00</td> </tr> </tbody> </table> | | | | WHEELCHAIR | Frequency | Percent | Cum Freq | Cum Percent | 2 | 597 | 100.00 | 597 | 100.00 |
| WHEELCHAIR | Frequency | Percent | Cum Freq | Cum Percent | | | | | | | | | | |
| 2 | 597 | 100.00 | 597 | 100.00 | | | | | | | | | | |
| B2. | Have you ever had cancer of the lower urinary tract (includes bladder cancer)? | 1 | 2 | | | | | | | | | | | |
| | <table border="1"> <thead> <tr> <th>UT_CANCER</th> <th>Frequency</th> <th>Percent</th> <th>Cum Freq</th> <th>Cum Percent</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>597</td> <td>100.00</td> <td>597</td> <td>100.00</td> </tr> </tbody> </table> | | | | UT_CANCER | Frequency | Percent | Cum Freq | Cum Percent | 2 | 597 | 100.00 | 597 | 100.00 |
| UT_CANCER | Frequency | Percent | Cum Freq | Cum Percent | | | | | | | | | | |
| 2 | 597 | 100.00 | 597 | 100.00 | | | | | | | | | | |
| B3. | Have you ever had pelvic radiation therapy for any reason? | 1 | 2 | | | | | | | | | | | |
| | <table border="1"> <thead> <tr> <th>PELV_RAD</th> <th>Frequency</th> <th>Percent</th> <th>Cum Freq</th> <th>Cum Percent</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>597</td> <td>100.00</td> <td>597</td> <td>100.00</td> </tr> </tbody> </table> | | | | PELV_RAD | Frequency | Percent | Cum Freq | Cum Percent | 2 | 597 | 100.00 | 597 | 100.00 |
| PELV_RAD | Frequency | Percent | Cum Freq | Cum Percent | | | | | | | | | | |
| 2 | 597 | 100.00 | 597 | 100.00 | | | | | | | | | | |
| B4. | Are you currently receiving chemotherapy? | 1 | 2 | | | | | | | | | | | |
| | <table border="1"> <thead> <tr> <th>CHEMO</th> <th>Frequency</th> <th>Percent</th> <th>Cum Freq</th> <th>Cum Percent</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>597</td> <td>100.00</td> <td>597</td> <td>100.00</td> </tr> </tbody> </table> | | | | CHEMO | Frequency | Percent | Cum Freq | Cum Percent | 2 | 597 | 100.00 | 597 | 100.00 |
| CHEMO | Frequency | Percent | Cum Freq | Cum Percent | | | | | | | | | | |
| 2 | 597 | 100.00 | 597 | 100.00 | | | | | | | | | | |

| CHEMO_A | Frequency | Percent | Cum Freq | Cum Percent |
|---------|-----------|---------|----------|-------------|
| 1 | 441 | 73.87 | 441 | 73.87 |
| 3 | 156 | 26.13 | 597 | 100.00 |

B5. Do you **currently** use a catheter to empty your bladder

1

2

Because the frequency of at least one category is very low, the variable was not included in the dataset

B6. Have you **ever** had urethral diverticulum (pocket or outpouching in the urethra)?

1

2

Because the frequency of at least one category is very low, the variable, URETH_DIV, was not included in the dataset

| URETH_DIV_A | Frequency | Percent | Cum Freq | Cum Percent |
|-------------|-----------|---------|----------|-------------|
| 1 | 442 | 74.04 | 442 | 74.04 |
| 2 | 1 | 0.17 | 443 | 74.20 |
| 3 | 154 | 25.80 | 597 | 100.00 |

B7. Have you **ever** had augmentation cystoplasty (surgical expansion of the bladder) or an artificial urethral sphincter?

1

2

| AUG_CST | Frequency | Percent | Cum Freq | Cum Percent |
|---------|-----------|---------|----------|-------------|
| 2 | 597 | 100.00 | 597 | 100.00 |

| AUG_CST_A | Frequency | Percent | Cum Freq | Cum Percent |
|-----------|-----------|---------|----------|-------------|
| 1 | 443 | 74.20 | 443 | 74.20 |
| 3 | 154 | 25.80 | 597 | 100.00 |

B8. Do you have implanted nerve stimulators for urinary symptoms?

1

2

| NERVE_STIM | Frequency | Percent | Cum Freq | Cum Percent |
|------------|-----------|---------|----------|-------------|
| 2 | 597 | 100.00 | 597 | 100.00 |

| NERVE_STIM_A | Frequency | Percent | Cum Freq | Cum Percent |
|--------------|-----------|---------|----------|-------------|
| 1 | 439 | 73.53 | 439 | 73.53 |
| 3 | 158 | 26.47 | 597 | 100.00 |

B9. Do you have Parkinson's disease?

1

2

Because the frequency of at least one category is very low, the variable, PARK_DIS, was not included in the dataset

| PARK_DIS_A | Frequency | Percent | Cum Freq | Cum Percent |
|------------|-----------|---------|----------|-------------|
| 1 | 384 | 64.32 | 384 | 64.32 |
| 2 | 1 | 0.17 | 385 | 64.49 |
| 3 | 212 | 35.51 | 597 | 100.00 |

B10. Do you have multiple sclerosis?

1

2

| MULT_SCL | Frequency | Percent | Cum Freq | Cum Percent |
|----------|-----------|---------|----------|-------------|
| 2 | 597 | 100.00 | 597 | 100.00 |

| | | <table border="1"> <thead> <tr> <th>MULT_SCL_A</th> <th>Frequency</th> <th>Percent</th> <th>Cum Freq</th> <th>Cum Percent</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>388</td> <td>64.99</td> <td>388</td> <td>64.99</td> </tr> <tr> <td>3</td> <td>209</td> <td>35.01</td> <td>597</td> <td>100.00</td> </tr> </tbody> </table> | MULT_SCL_A | Frequency | Percent | Cum Freq | Cum Percent | 1 | 388 | 64.99 | 388 | 64.99 | 3 | 209 | 35.01 | 597 | 100.00 | | | | | | | | |
|-------------|---|--|-------------|-------------|---------|----------|-------------|---|-----|--------|-----|--------|---|-----|-------|-----|--------|---|-----|-------|-----|--------|--|--|--|
| MULT_SCL_A | Frequency | Percent | Cum Freq | Cum Percent | | | | | | | | | | | | | | | | | | | | | |
| 1 | 388 | 64.99 | 388 | 64.99 | | | | | | | | | | | | | | | | | | | | | |
| 3 | 209 | 35.01 | 597 | 100.00 | | | | | | | | | | | | | | | | | | | | | |
| B11. | Do you have spina bifida? | | 1 | 2 | | | | | | | | | | | | | | | | | | | | | |
| | | <table border="1"> <thead> <tr> <th>SPIN_BIF</th> <th>Frequency</th> <th>Percent</th> <th>Cum Freq</th> <th>Cum Percent</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>597</td> <td>100.00</td> <td>597</td> <td>100.00</td> </tr> </tbody> </table> | SPIN_BIF | Frequency | Percent | Cum Freq | Cum Percent | 2 | 597 | 100.00 | 597 | 100.00 | | | | | | | | | | | | | |
| SPIN_BIF | Frequency | Percent | Cum Freq | Cum Percent | | | | | | | | | | | | | | | | | | | | | |
| 2 | 597 | 100.00 | 597 | 100.00 | | | | | | | | | | | | | | | | | | | | | |
| | | <table border="1"> <thead> <tr> <th>SPIN_BIF_A</th> <th>Frequency</th> <th>Percent</th> <th>Cum Freq</th> <th>Cum Percent</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>441</td> <td>73.87</td> <td>441</td> <td>73.87</td> </tr> <tr> <td>3</td> <td>156</td> <td>26.13</td> <td>597</td> <td>100.00</td> </tr> </tbody> </table> | SPIN_BIF_A | Frequency | Percent | Cum Freq | Cum Percent | 1 | 441 | 73.87 | 441 | 73.87 | 3 | 156 | 26.13 | 597 | 100.00 | | | | | | | | |
| SPIN_BIF_A | Frequency | Percent | Cum Freq | Cum Percent | | | | | | | | | | | | | | | | | | | | | |
| 1 | 441 | 73.87 | 441 | 73.87 | | | | | | | | | | | | | | | | | | | | | |
| 3 | 156 | 26.13 | 597 | 100.00 | | | | | | | | | | | | | | | | | | | | | |
| B12. | Have you ever had a spinal cord injury or trauma? | | 1 | 2 | | | | | | | | | | | | | | | | | | | | | |
| | | <table border="1"> <thead> <tr> <th>SPIN_INJ</th> <th>Frequency</th> <th>Percent</th> <th>Cum Freq</th> <th>Cum Percent</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>597</td> <td>100.00</td> <td>597</td> <td>100.00</td> </tr> </tbody> </table> | SPIN_INJ | Frequency | Percent | Cum Freq | Cum Percent | 2 | 597 | 100.00 | 597 | 100.00 | | | | | | | | | | | | | |
| SPIN_INJ | Frequency | Percent | Cum Freq | Cum Percent | | | | | | | | | | | | | | | | | | | | | |
| 2 | 597 | 100.00 | 597 | 100.00 | | | | | | | | | | | | | | | | | | | | | |
| | | <table border="1"> <thead> <tr> <th>SPIN_INJ_A</th> <th>Frequency</th> <th>Percent</th> <th>Cum Freq</th> <th>Cum Percent</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>441</td> <td>73.87</td> <td>441</td> <td>73.87</td> </tr> <tr> <td>3</td> <td>156</td> <td>26.13</td> <td>597</td> <td>100.00</td> </tr> </tbody> </table> | SPIN_INJ_A | Frequency | Percent | Cum Freq | Cum Percent | 1 | 441 | 73.87 | 441 | 73.87 | 3 | 156 | 26.13 | 597 | 100.00 | | | | | | | | |
| SPIN_INJ_A | Frequency | Percent | Cum Freq | Cum Percent | | | | | | | | | | | | | | | | | | | | | |
| 1 | 441 | 73.87 | 441 | 73.87 | | | | | | | | | | | | | | | | | | | | | |
| 3 | 156 | 26.13 | 597 | 100.00 | | | | | | | | | | | | | | | | | | | | | |
| B13. | Are you under current evaluation or treatment for chronic pelvic pain (painful bladder syndrome)? | | 1 | 2 | | | | | | | | | | | | | | | | | | | | | |
| | | <table border="1"> <thead> <tr> <th>PELV_PAIN</th> <th>Frequency</th> <th>Percent</th> <th>Cum Freq</th> <th>Cum Percent</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>597</td> <td>100.00</td> <td>597</td> <td>100.00</td> </tr> </tbody> </table> | PELV_PAIN | Frequency | Percent | Cum Freq | Cum Percent | 2 | 597 | 100.00 | 597 | 100.00 | | | | | | | | | | | | | |
| PELV_PAIN | Frequency | Percent | Cum Freq | Cum Percent | | | | | | | | | | | | | | | | | | | | | |
| 2 | 597 | 100.00 | 597 | 100.00 | | | | | | | | | | | | | | | | | | | | | |
| | | <table border="1"> <thead> <tr> <th>PELV_PAIN_A</th> <th>Frequency</th> <th>Percent</th> <th>Cum Freq</th> <th>Cum Percent</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>441</td> <td>73.87</td> <td>441</td> <td>73.87</td> </tr> <tr> <td>2</td> <td>1</td> <td>0.17</td> <td>442</td> <td>74.04</td> </tr> <tr> <td>3</td> <td>155</td> <td>25.96</td> <td>597</td> <td>100.00</td> </tr> </tbody> </table> | PELV_PAIN_A | Frequency | Percent | Cum Freq | Cum Percent | 1 | 441 | 73.87 | 441 | 73.87 | 2 | 1 | 0.17 | 442 | 74.04 | 3 | 155 | 25.96 | 597 | 100.00 | | | |
| PELV_PAIN_A | Frequency | Percent | Cum Freq | Cum Percent | | | | | | | | | | | | | | | | | | | | | |
| 1 | 441 | 73.87 | 441 | 73.87 | | | | | | | | | | | | | | | | | | | | | |
| 2 | 1 | 0.17 | 442 | 74.04 | | | | | | | | | | | | | | | | | | | | | |
| 3 | 155 | 25.96 | 597 | 100.00 | | | | | | | | | | | | | | | | | | | | | |

B14. ANY "YES" CODES TO ITEMS B1 – B13? YES..... 1 → INELIGIBLE; SKIP TO SECTION D
NO 2

Because the frequency of at least one category is very low, the variable was not included in the dataset

SOURCE CODES: 1 = PATIENT; 2 = MEDICAL RECORD; 3 = BOTH PT & RECORD, 4 = SITE PI, 5 = PT REPORT AND SENT FOR MR. ↓

| DOES THE PATIENT REPORT OR IS THERE EVIDENCE OF ANY OF THE FOLLOWING CONDITIONS? | | YES | NO | a. SOURCE CODE |
|--|--|-----|----|----------------------|
| B15. | Have you had more than 3 episodes of a urinary tract infection, treated with antibiotics, in the past 12 months? | 1 | 2 | |

| UTI_3 | Frequency | Percent | Cum Freq | Cum Percent |
|-------|-----------|---------|----------|-------------|
| -2 | 2 | 0.34 | 2 | 0.34 |
| 1 | 42 | 7.04 | 44 | 7.37 |
| 2 | 553 | 92.63 | 597 | 100.00 |

| UTI_3_A | Frequency | Percent | Cum Freq | Cum Percent |
|---------|-----------|---------|----------|-------------|
| -2 | 2 | 0.34 | 2 | 0.34 |
| 1 | 445 | 74.54 | 447 | 74.87 |
| 3 | 150 | 25.13 | 597 | 100.00 |

B16. WHAT IS THE PATIENT'S MENOPAUSE / HORMONE REPLACEMENT STATUS? ASK,
Do you currently consider yourself to be pre-menopausal, post-menopausal or somewhere in between (peri-menopausal)? (PROBE: Menopausal is defined as not having had a menstrual period for the past 12 months.)

- PRE-MENOPAUSAL 1 → SKIP TO SECTION C
- POST-MENOPAUSAL 2
- SOMEWHERE IN-BETWEEN 3
- NOT SURE 4

| menop | Frequency | Percent | Cum Freq | Cum Percent |
|-------|-----------|---------|----------|-------------|
| . | 2 | . | . | . |
| 1 | 180 | 30.25 | 180 | 30.25 |
| 2 | 284 | 47.73 | 464 | 77.98 |
| 3 | 109 | 18.32 | 573 | 96.30 |
| 4 | 22 | 3.70 | 595 | 100.00 |

B17. DOES THE PATIENT CURRENTLY USE ANY OF THE FOLLOWING? ASK,
Do you currently use....

†SOURCE CODES: 1 = PATIENT; 2 = MEDICAL RECORD; 3 = BOTH PT & RECORD, 4 = SITE PI, 5 = PT REPORT AND SENT FOR MR. ↓

| | | YES | NO | i. SOURCE CODE | | | | | | | | | | | | | | | | | | | | |
|----------|--|---------|----------|----------------------|----------|-----------|---------|----------|-------------|----|-----|-------|-----|-------|---|----|-------|-----|-------|---|-----|-------|-----|--------|
| a. | ...an oral estrogen, either pills or caplets? | 1 | 2 | | | | | | | | | | | | | | | | | | | | | |
| | <table border="1"> <thead> <tr> <th>EST_ORAL</th> <th>Frequency</th> <th>Percent</th> <th>Cum Freq</th> <th>Cum Percent</th> </tr> </thead> <tbody> <tr> <td>-2</td> <td>182</td> <td>30.49</td> <td>182</td> <td>30.49</td> </tr> <tr> <td>1</td> <td>91</td> <td>15.24</td> <td>273</td> <td>45.73</td> </tr> <tr> <td>2</td> <td>324</td> <td>54.27</td> <td>597</td> <td>100.00</td> </tr> </tbody> </table> | | | | EST_ORAL | Frequency | Percent | Cum Freq | Cum Percent | -2 | 182 | 30.49 | 182 | 30.49 | 1 | 91 | 15.24 | 273 | 45.73 | 2 | 324 | 54.27 | 597 | 100.00 |
| EST_ORAL | Frequency | Percent | Cum Freq | Cum Percent | | | | | | | | | | | | | | | | | | | | |
| -2 | 182 | 30.49 | 182 | 30.49 | | | | | | | | | | | | | | | | | | | | |
| 1 | 91 | 15.24 | 273 | 45.73 | | | | | | | | | | | | | | | | | | | | |
| 2 | 324 | 54.27 | 597 | 100.00 | | | | | | | | | | | | | | | | | | | | |

| | | <table border="1"> <thead> <tr> <th>EST_ORAL_A</th> <th>Frequency</th> <th>Percent</th> <th>Cum Freq</th> <th>Cum Percent</th> </tr> </thead> <tbody> <tr> <td>-2</td> <td>182</td> <td>30.49</td> <td>182</td> <td>30.49</td> </tr> <tr> <td>1</td> <td>282</td> <td>47.24</td> <td>464</td> <td>77.72</td> </tr> <tr> <td>3</td> <td>133</td> <td>22.28</td> <td>597</td> <td>100.00</td> </tr> </tbody> </table> | EST_ORAL_A | Frequency | Percent | Cum Freq | Cum Percent | -2 | 182 | 30.49 | 182 | 30.49 | 1 | 282 | 47.24 | 464 | 77.72 | 3 | 133 | 22.28 | 597 | 100.00 | | | | | | | | |
|--------------|--|---|--------------|-------------|---------|----------|-------------|----|-----|-------|-----|-------|---|-----|-------|-----|-------|---|-----|-------|-----|--------|---|-----|-------|-----|--------|--|--|--|
| EST_ORAL_A | Frequency | Percent | Cum Freq | Cum Percent | | | | | | | | | | | | | | | | | | | | | | | | | | |
| -2 | 182 | 30.49 | 182 | 30.49 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 282 | 47.24 | 464 | 77.72 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 133 | 22.28 | 597 | 100.00 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| b. | ...an estrogen patch? | | 1 | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | <table border="1"> <thead> <tr> <th>EST_PATCH</th> <th>Frequency</th> <th>Percent</th> <th>Cum Freq</th> <th>Cum Percent</th> </tr> </thead> <tbody> <tr> <td>-2</td> <td>182</td> <td>30.49</td> <td>182</td> <td>30.49</td> </tr> <tr> <td>1</td> <td>18</td> <td>3.02</td> <td>200</td> <td>33.50</td> </tr> <tr> <td>2</td> <td>397</td> <td>66.50</td> <td>597</td> <td>100.00</td> </tr> </tbody> </table> | EST_PATCH | Frequency | Percent | Cum Freq | Cum Percent | -2 | 182 | 30.49 | 182 | 30.49 | 1 | 18 | 3.02 | 200 | 33.50 | 2 | 397 | 66.50 | 597 | 100.00 | | | | | | | | |
| EST_PATCH | Frequency | Percent | Cum Freq | Cum Percent | | | | | | | | | | | | | | | | | | | | | | | | | | |
| -2 | 182 | 30.49 | 182 | 30.49 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 18 | 3.02 | 200 | 33.50 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 397 | 66.50 | 597 | 100.00 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | <table border="1"> <thead> <tr> <th>EST_PATCH_A</th> <th>Frequency</th> <th>Percent</th> <th>Cum Freq</th> <th>Cum Percent</th> </tr> </thead> <tbody> <tr> <td>-2</td> <td>182</td> <td>30.49</td> <td>182</td> <td>30.49</td> </tr> <tr> <td>1</td> <td>287</td> <td>48.07</td> <td>469</td> <td>78.56</td> </tr> <tr> <td>2</td> <td>1</td> <td>0.17</td> <td>470</td> <td>78.73</td> </tr> <tr> <td>3</td> <td>127</td> <td>21.27</td> <td>597</td> <td>100.00</td> </tr> </tbody> </table> | EST_PATCH_A | Frequency | Percent | Cum Freq | Cum Percent | -2 | 182 | 30.49 | 182 | 30.49 | 1 | 287 | 48.07 | 469 | 78.56 | 2 | 1 | 0.17 | 470 | 78.73 | 3 | 127 | 21.27 | 597 | 100.00 | | | |
| EST_PATCH_A | Frequency | Percent | Cum Freq | Cum Percent | | | | | | | | | | | | | | | | | | | | | | | | | | |
| -2 | 182 | 30.49 | 182 | 30.49 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 287 | 48.07 | 469 | 78.56 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 1 | 0.17 | 470 | 78.73 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 127 | 21.27 | 597 | 100.00 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| c. | ...natural estrogen, non-prescription ? | | 1 | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Because the frequency of at least one category is very low, the variable (B17c) was not included in the dataset | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | <table border="1"> <thead> <tr> <th>EST_NAT_A</th> <th>Frequency</th> <th>Percent</th> <th>Cum Freq</th> <th>Cum Percent</th> </tr> </thead> <tbody> <tr> <td>-2</td> <td>182</td> <td>30.49</td> <td>182</td> <td>30.49</td> </tr> <tr> <td>1</td> <td>290</td> <td>48.58</td> <td>472</td> <td>79.06</td> </tr> <tr> <td>3</td> <td>125</td> <td>20.94</td> <td>597</td> <td>100.00</td> </tr> </tbody> </table> | EST_NAT_A | Frequency | Percent | Cum Freq | Cum Percent | -2 | 182 | 30.49 | 182 | 30.49 | 1 | 290 | 48.58 | 472 | 79.06 | 3 | 125 | 20.94 | 597 | 100.00 | | | | | | | | |
| EST_NAT_A | Frequency | Percent | Cum Freq | Cum Percent | | | | | | | | | | | | | | | | | | | | | | | | | | |
| -2 | 182 | 30.49 | 182 | 30.49 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 290 | 48.58 | 472 | 79.06 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 125 | 20.94 | 597 | 100.00 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| d. | ...a vaginal estrogen cream? | | 1 | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | <table border="1"> <thead> <tr> <th>EST_VAG</th> <th>Frequency</th> <th>Percent</th> <th>Cum Freq</th> <th>Cum Percent</th> </tr> </thead> <tbody> <tr> <td>-2</td> <td>182</td> <td>30.49</td> <td>182</td> <td>30.49</td> </tr> <tr> <td>1</td> <td>59</td> <td>9.88</td> <td>241</td> <td>40.37</td> </tr> <tr> <td>2</td> <td>356</td> <td>59.63</td> <td>597</td> <td>100.00</td> </tr> </tbody> </table> | EST_VAG | Frequency | Percent | Cum Freq | Cum Percent | -2 | 182 | 30.49 | 182 | 30.49 | 1 | 59 | 9.88 | 241 | 40.37 | 2 | 356 | 59.63 | 597 | 100.00 | | | | | | | | |
| EST_VAG | Frequency | Percent | Cum Freq | Cum Percent | | | | | | | | | | | | | | | | | | | | | | | | | | |
| -2 | 182 | 30.49 | 182 | 30.49 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 59 | 9.88 | 241 | 40.37 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 356 | 59.63 | 597 | 100.00 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | <table border="1"> <thead> <tr> <th>EST_VAG_A</th> <th>Frequency</th> <th>Percent</th> <th>Cum Freq</th> <th>Cum Percent</th> </tr> </thead> <tbody> <tr> <td>-2</td> <td>182</td> <td>30.49</td> <td>182</td> <td>30.49</td> </tr> <tr> <td>1</td> <td>278</td> <td>46.57</td> <td>460</td> <td>77.05</td> </tr> <tr> <td>3</td> <td>137</td> <td>22.95</td> <td>597</td> <td>100.00</td> </tr> </tbody> </table> | EST_VAG_A | Frequency | Percent | Cum Freq | Cum Percent | -2 | 182 | 30.49 | 182 | 30.49 | 1 | 278 | 46.57 | 460 | 77.05 | 3 | 137 | 22.95 | 597 | 100.00 | | | | | | | | |
| EST_VAG_A | Frequency | Percent | Cum Freq | Cum Percent | | | | | | | | | | | | | | | | | | | | | | | | | | |
| -2 | 182 | 30.49 | 182 | 30.49 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 278 | 46.57 | 460 | 77.05 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 137 | 22.95 | 597 | 100.00 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| e. | ...an intravaginal estrogen, either tablet or ring? | | 1 | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | <table border="1"> <thead> <tr> <th>EST_INTVAG</th> <th>Frequency</th> <th>Percent</th> <th>Cum Freq</th> <th>Cum Percent</th> </tr> </thead> <tbody> <tr> <td>-2</td> <td>182</td> <td>30.49</td> <td>182</td> <td>30.49</td> </tr> <tr> <td>1</td> <td>19</td> <td>3.18</td> <td>201</td> <td>33.67</td> </tr> <tr> <td>2</td> <td>396</td> <td>66.33</td> <td>597</td> <td>100.00</td> </tr> </tbody> </table> | EST_INTVAG | Frequency | Percent | Cum Freq | Cum Percent | -2 | 182 | 30.49 | 182 | 30.49 | 1 | 19 | 3.18 | 201 | 33.67 | 2 | 396 | 66.33 | 597 | 100.00 | | | | | | | | |
| EST_INTVAG | Frequency | Percent | Cum Freq | Cum Percent | | | | | | | | | | | | | | | | | | | | | | | | | | |
| -2 | 182 | 30.49 | 182 | 30.49 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 19 | 3.18 | 201 | 33.67 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | 396 | 66.33 | 597 | 100.00 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | <table border="1"> <thead> <tr> <th>EST_INTVAG_A</th> <th>Frequency</th> <th>Percent</th> <th>Cum Freq</th> <th>Cum Percent</th> </tr> </thead> <tbody> <tr> <td>-2</td> <td>182</td> <td>30.49</td> <td>182</td> <td>30.49</td> </tr> <tr> <td>1</td> <td>285</td> <td>47.74</td> <td>467</td> <td>78.22</td> </tr> <tr> <td>3</td> <td>130</td> <td>21.78</td> <td>597</td> <td>100.00</td> </tr> </tbody> </table> | EST_INTVAG_A | Frequency | Percent | Cum Freq | Cum Percent | -2 | 182 | 30.49 | 182 | 30.49 | 1 | 285 | 47.74 | 467 | 78.22 | 3 | 130 | 21.78 | 597 | 100.00 | | | | | | | | |
| EST_INTVAG_A | Frequency | Percent | Cum Freq | Cum Percent | | | | | | | | | | | | | | | | | | | | | | | | | | |
| -2 | 182 | 30.49 | 182 | 30.49 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | 285 | 47.74 | 467 | 78.22 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | 130 | 21.78 | 597 | 100.00 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| f. | ...estrogen injections? | | 1 | 2 | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | Because the frequency of at least one category is very low, the variable (B17f) was not included in | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

the dataset

| EST_INJ_A | Frequency | Percent | Cum Freq | Cum Percent |
|-----------|-----------|---------|----------|-------------|
| -2 | 182 | 30.49 | 182 | 30.49 |
| 1 | 289 | 48.41 | 471 | 78.89 |
| 3 | 126 | 21.11 | 597 | 100.00 |

TOMMUS

SECTION C: MEDICAL, SURGICAL OR BEHAVIORAL TREATMENT FOR INCONTINENCE

C1. DOES THE PATIENT REPORT OR IS THERE EVIDENCE OF ANY LAPAROSCOPIC, ENDOSCOPIC, OPEN OR OTHER **PELVIC SURGERY IN THE LAST 3 MONTHS?** ASK,

Have you had any **pelvic** surgery in the past 3 months?

YES..... 1

NO..... 2 → **SKIP TO C3**

Because the frequency of at least one category is very low, the variable was not included in the dataset

C2. RECORD NAMES, CODES AND DATES OF ANY PELVIC SURGERIES IN THE PAST 3 MONTHS. SAY,
Tell me a little bit more about pelvic surgeries you've had in the last 3 months.

†SOURCE CODES: 1 = PATIENT; 2 = MEDICAL RECORD; 3 = BOTH PT & RECORD; 4 = SITE PL; 5 = PT REPORT AND SENT FOR MR. ↓

| | a. | b. | c. | d. | e. |
|----|------------------------|---------------|----------------------------|-------------------|-------------|
| | NAME OF PELVIC SURGERY | SURGICAL CODE | SPECIFY, IF SURG CODE = 07 | DATE OF SURGERY | SOURCE CODE |
| 1. | | | | ___ / ___ / _____ | |
| 2. | | | | ___ / ___ / _____ | |
| 3. | | | | ___ / ___ / _____ | |
| 4. | | | | ___ / ___ / _____ | |

C3. CLASSIFY THE PATIENT'S PELVIC SURGERY STATUS

NO RECENT DISQUALIFYING PELVIC SURGERY 1

RECENT DISQUALIFYING PELVIC SURGERY < 3 MONTHS AGO..... 2 → **INELIGIBLE *; SKIP TO SECTION D**

***THE PATIENT MAY BE ELIGIBLE AT A LATER DATE.**

Because the frequency of at least one category is very low, the variable was not included in the dataset

C4. DOES THE PATIENT REPORT OR IS THERE EVIDENCE OF ANY SURGERY SPECIFICALLY FOR THE TREATMENT OF URINARY INCONTINENCE? ASK,

Have you ever had any surgery specifically for the treatment of urinary incontinence?

YES..... 1

NO..... 2 → **SKIP TO C6**

| UI SURG | Frequency | Percent | Cum Freq | Cum Percent |
|---------|-----------|---------|----------|-------------|
| -2 | 2 | 0.34 | 2 | 0.34 |
| 1 | 79 | 13.23 | 81 | 13.57 |
| 2 | 516 | 86.43 | 597 | 100.00 |

C5. RECORD NAMES, CODES AND DATES OF ANY SURGERY SPECIFICALLY FOR THE TREATMENT OF URINARY INCONTINENCE. SAY,

Tell me a little bit more about that...(surgeries you've ever had specifically for the treatment of urinary incontinence.)

PROBE: IF PATIENT HISTORY OF SLING, DETERMINE IF SYNTHETIC

†SOURCE CODES: 1 = PATIENT; 2 = MEDICAL RECORD; 3 = BOTH PT & RECORD, 4 = SITE PI, 5 = PT REPORT AND SENT FOR MR. ↓

| | a. | b. | c. | d. |
|----|-----------------|---------------|-------------------|-------------|
| | TYPE OF SURGERY | SURGICAL CODE | DATE OF SURGERY | SOURCE CODE |
| 1. | | | ___ / ___ / _____ | |
| 2. | | | ___ / ___ / _____ | |
| 3. | | | ___ / ___ / _____ | |
| 4. | | | ___ / ___ / _____ | |
| 5. | | | ___ / ___ / _____ | |
| 6. | | | ___ / ___ / _____ | |
| 7. | | | ___ / ___ / _____ | |

C6. DOES THE PATIENT REPORT OR IS THERE EVIDENCE OF A HISTORY OF SURGICAL PLACEMENT OF A SYNTHETIC SLING FOR TREATMENT OF SUI?

YES..... 1 → **INELIGIBLE; SKIP TO SECTION D**

NO..... 2

Affix ID Label Here

| SYN_SLING | Frequency | Percent | Cum Freq | Cum Percent |
|-----------|-----------|---------|----------|-------------|
| -2 | 2 | 0.34 | 2 | 0.34 |
| 2 | 595 | 99.66 | 597 | 100.00 |

TOMMUS

C7. DOES THE PATIENT REPORT OR IS THERE EVIDENCE OF **ANY OTHER PELVIC SURGERIES**? ASK,
Have you ever had any **other** pelvic surgery, including a Cesarean delivery?

- YES 1
- NO 2 ➔ **SKIP TO C9**

| OTH_PEL_SURG | Frequency | Percent | Cum Freq | Cum Percent |
|--------------|-----------|---------|----------|-------------|
| -2 | 2 | 0.34 | 2 | 0.34 |
| 1 | 421 | 70.52 | 423 | 70.85 |
| 2 | 174 | 29.15 | 597 | 100.00 |

C8. RECORD NAMES, CODES AND DATES OF **ANY OTHER PELVIC SURGERIES**. SAY,
Tell me a little bit more about any other pelvic surgeries you've ever had.

†SOURCE CODES: 1 = PATIENT; 2 = MEDICAL RECORD; 3 = BOTH PT & RECORD, 4 = SITE PI, 5 = PT REPORT AND SENT FOR MR. ↓

| | a. | b. | c. | d. | e. |
|----|------------------------|---------------|----------------------------|-------------------|-------------|
| | TYPE OF PELVIC SURGERY | SURGICAL CODE | SPECIFY, IF SURG CODE = 07 | DATE OF SURGERY | SOURCE CODE |
| 1. | | | | ___ / ___ / _____ | |
| 2. | | | | ___ / ___ / _____ | |
| 3. | | | | ___ / ___ / _____ | |
| 4. | | | | ___ / ___ / _____ | |
| 5. | | | | ___ / ___ / _____ | |

C9. DOES THE PATIENT REPORT OR IS THERE EVIDENCE OF ANY NON-SURGICAL TREATMENT FOR URINARY INCONTINENCE? ASK,

Have you ever received any **non-surgical** treatment for your urinary incontinence?

YES 1

NO 2 ➔ **SKIP TO SECTION D**

| UI_TREAT | Frequency | Percent | Cum Freq | Cum Percent |
|----------|-----------|---------|----------|-------------|
| -2 | 2 | 0.34 | 2 | 0.34 |
| 1 | 308 | 51.59 | 310 | 51.93 |
| 2 | 287 | 48.07 | 597 | 100.00 |

C10. RECORD THE NAMES, CODES AND DATES OF ALL NON-SURGICAL TREATMENTS FOR UI. SAY,
Tell me a little bit more about that / those... (non-surgical treatments for urinary incontinence)

†SOURCE CODES: 1 = PATIENT; 2 = MEDICAL RECORD; 3 = BOTH PT & RECORD, 4 = SITE PL, 5 = PT REPORT AND SENT FOR MR ↓

| | a. | b. | c. | d. |
|----|-------------------|----------------|--|-------------|
| | TYPE OF TREATMENT | TREATMENT CODE | DATES OF TREATMENT | SOURCE CODE |
| 1. | | | FROM: ___ / ___ / ___ TO: ___ / ___ / ___ | |
| 2. | | | FROM: ___ / ___ / ___ TO: ___ / ___ / ___ | |
| 3. | | | FROM: ___ / ___ / ___ TO: ___ / ___ / ___ | |
| 4. | | | FROM: ___ / ___ / ___ TO: ___ / ___ / ___ | |
| 5. | | | FROM: ___ / ___ / ___ TO: ___ / ___ / ___ | |

SECTION D: ELIGIBILITY SUMMARY

D1. DOES THE PATIENT MEET ALL ELIGIBILITY CRITERIA AS REQUIRED IN THIS FORM?
(REVIEW CODES TO ITEMS B14, C3 AND C6)

YES 1 ➔ **CONTINUE SCREENING**

NO 2 ➔ **INELIGIBLE; END SCREENING**

Attachment

| PELVIC SURGERY CODES | |
|-----------------------------|------------------------------------|
| 01 | Abdominoplasty |
| 02 | Anterior repair |
| 03 | Cesarean delivery |
| 04 | Femoral hernia repair |
| 05 | Hysterectomy |
| 06 | Inguinal hernia repair |
| 07 | Laparoscopy |
| 08 | Posterior repair |
| 09 | Removal of an ectopic pregnancy |
| 10 | Removal of an ovarian cyst |
| 11 | Removal of both ovaries |
| 12 | Removal of one ovary |
| 13 | Supracervical hysterectomy |
| 14 | Tubal ligation |
| 15 | D and C (dilatation and curettage) |
| 16 | Colpopexy (abdominal) |
| 17 | Colpopexy (vaginal) |
| 18 | UNKNOWN TYPE |
| 19 | OTHER |

| PELVIC SURGERY FOR UI CODES | |
|------------------------------------|---|
| 20 | Anterior repair, Kelly plication, suburethral plication |
| 21 | Collagen injection |
| 22 | Durasphere injection |
| 23 | Laparoscopic Burch colposuspension |
| 24 | Marshall-Marchetti-Krantz (MMK) bladder suspension |
| 25 | Needle suspensions: Raz, Pereyra, Gittes |
| 26 | Open Burch colposuspension |
| 27 | Sling procedure (autologous or cadaveric) |
| 28 | Sling procedures (synthetic material) |
| 38 | UNKNOWN TYPE |
| 39 | OTHER |

| TREATMENT CODES | |
|------------------------|--|
| 40 | Medicine (drug treatment) |
| 41 | Bladder training (including behavior changes involving the timing of urination or changes in fluid intake) |
| 42 | Pelvic muscle exercises (Kegel exercises) |
| 43 | Electrical stimulation |
| 44 | Electromagnetic therapy |
| 45 | Biofeedback |
| 46 | Acupuncture or other alternative medicine techniques |
| 58 | UNKNOWN TYPE |
| 59 | OTHER |