


The UITN is supported by cooperative agreements from the National Institute of Diabetes and Digestive and Kidney Diseases (NIDDK) in collaboration with the National Institute of Child Health and Human Development (NICHD)



REPEAT_MEAS	Frequency	Percent	Cum Freq	Cum Percent
1	10	1.68	10	1.68
2	587	98.32	597	100.00

Introduction: Thank you for agreeing to participate in the TOMUS study.

We will ask you to complete a survey like this one at several time points in the study. This survey is called the Baseline Patient Survey and is completed at a pre-surgical study visit. The survey contains questions about your expectations of the surgery, and measures of your current urinary symptoms, your quality of life, your capabilities to perform routine daily living activities, and sexual activities.

As with all of the information we collect for this research study, all of your responses are completely confidential. Your responses are never linked with your name and your name never appears on any of the research documents. Providing this information will <u>not</u> affect any of your services, benefits, or eligibility for coverage.

This survey should take about 15 minutes to complete. Ideally, you will be able to complete the entire survey in one sitting.

There are five (5) parts to the Baseline Patient Survey. Please read the instructions at the start of each section carefully before you begin each new section.

Try to answer every item, but do not dwell too long on any one question. We want your answers, so please complete the questionnaire on your own. After you have completed the Survey, please check to make sure you have not missed any items. If you have any questions about any of these items, please call me:

at _____.

A8. What is the date that you are starting to fill out this Survey?

Month Day Year

F307 codebook

Section B: Expectations of Surgery

Women with urinary incontinence can be bothered by symptoms such as urine leakage, urgency to urinate, frequent urination, etc. It is also common for women to alter their lifestyle, limit social and physical activities, or feel certain emotions because of urinary incontinence. These questions ask you to tell us what <u>expectations</u> you have for symptom relief **after** you recover from your upcoming bladder surgery. This will help us to understand how you think that surgery will improve your symptoms, lifestyle, and/or emotions.

GENERAL INSTRUCTIONS: Please read the first column of each section and indicate a "Yes" or "No" answer to each question by circling 1 (Yes) or 2 (No). Then, for each question marked by a "Yes" answer, work across the page and tell us about what you expect to happen after you recover from surgery. Circle the one response that best describes your expectation.

This first section asks about **symptoms** that you might currently experience because of your bladder problem.

Do you currently experience any of the f	following syr	nptor			IF YES, Circle the one response below that best describes how much better you expect this symptom to be after you recover from surgery.					
		Yes	No	No Better	Slight bette	•	Somewhat better	Much better	Completely better	
B1. Urine leakage		Yes 1	No 2	1	2		3	4	5	
	UR_LEAK	Fre	quency	Percent	Cum Freq	Cum	Percent			
	1 595		99.66	595	9	99.66				
	2 2		0.34	597	1	00.00				
						To-				
	UR_LEAK_A	Fr	requency	Percent	Cum Freq	Cur	n Percent			
	-2		2	0.34	2		0.34			
	1		5	0.84	7		1.17			
	3		8	1.34	15		2.51			
	4		266	44.56	281		47.07			
	5		316	52.93	597		100.00			
	,									
B2. An urgency to urinate such that you for making it to the bathroom in time	ear not	Yes 1	No 2	1	2		3	4	5	

	UR_URIN	Frequency	Percent	Cum Freq	Cum Percent		
	1	399	66.83	399	66.83		
	2	198	33.17	597	100.00		
	UR_URIN_A	Frequency	Percent	Cum Freq	Cum Percent		
	-2	198	33.17	198	33.17		
	1	9	1.51	207	34.67		
	2	8	1.34	215	36.01		1
	3	28	4.69	243	40.70		\
	4	200	33.50	443	74.20		
	5	154	25.80	597	100.00		
B3. Frequent urination		res No	1	2	3	4	5
				1\\///			
	FREQ_URIN	Frequency	Percent	Cum Freq	Cum Percent		
	1	405	67.84	405	67.84		
	2	192	32.16	597	100.00		
	FREQ_URIN_A	Frequency	Percent	Cum Freq	Cum Percent		
	-9	1	0.17	1	0.17		
	-2	192	32.16	193	32.33		
	1	16	2.68	209	35.01		
	2	8	1.34	217	36.35		
	3	62	10.39	279	46.73		
	4	223	37.35	502	84.09		
L	5	95	15.91	597	100.00		
B4. Any other symptoms? (If <u>yes</u> , specify symptom)		Tes No 1 2	1	2	3	4	5

OTH_URIN	Frequency	Percent	Cum Freq	Cum Percent
-9	7	1.17	7	1.17
-7	1	0.17	8	1.34
1	106	17.76	114	19.10
2	483	80.90	597	100.00

OTH_URIN_A	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.17	1	0.17
-2	491	82.24	492	82.41
1	4	0.67	496	83.08
2	1	0.17	497	83.25
3	3	0.50	500	83.75
4	40	6.70	540	90.45
5	57	9.55	597	100.00
			\ \/ / /	



This next section asks about activities that you might currently limit because of your bladder problems.

Do you currently limit any of the following activities because of	IF YES, circle the or
your bladder problems?	you expect to be able

IF YES, circle the one response that best describes how much more capable you expect to be able to perform this activity after you recover from surgery.

	Yes	No	No more capable	Slightly more capable	Somewhat more capable	Much more capable	Completely capable
B5. Physical activities (e.g. housework, yardwork, going for a walk, dancing, jogging, golfing)	Yes 1	No 2	1	2	3	4	5

PHY_ACT	Frequency	Percent	Cum Freq	Cum Percent
1	421	70.52	421	70.52
2	176	29.48	597	100.00

PHY_ACT_A	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.17	1	0.17
-2	176	29.48	177	29.65
1	3	0.50	180	30.15
2	3	0.50	183	30.65
3	22	3.69	205	34.34
4	218	36.52	423	70.85
5	174	29.15	597	100.00
	•	•		

B6. Social activities (e.g. visiting friends, v going to church or temple).	vacationing,	Yes 1	No 2	1	2	3	4	5
	SOC_ACT	Frequency	Percent	Cum Freq	Cum Percent			
	-9	1	0.17	1	0.17	•		
	1	178	29.82	179	29.98			
	2	418	70.02	597	100.00			
						<u> </u>		
	SOC_ACT_A	Frequency	Percent	Cum Freq		nt /		
	-2	419	70.18	419	70.18			
	2	1	0.17 0.17	420 421	70.35			
	3	9	1.51	430	72.03			
	4	76	12.73	506	84.76			
	5	91	15.24	597	100.00			
				\ \ \ /				
B7. Sexual activity		Yes 1	No 2	1	2	3	4	5
			/ 7					
	SEX_ACT	Frequency	Percent	Cum Freq	Cum Percent	:		
	-9	9	1.51	9	1.51			
	-7	2	0.34	11	1.84			
	1	227	38.02	238	39.87			
	2	359	60.13	597	100.00			
	SEX_ACT_A	Frequency	Percent	Cum Freq	Cum Percer	nt		
	-2	370	61.98	370	61.98			
	1	4	0.67	374	62.65			
	2	4	0.67	378	63.32			
	3	17	2.85	395	66.16			
	4	106	17.76	501	83.92			
	5	96	16.08	597	100.00			

B8. Any other activities?(If <u>yes</u> , descr	ibe activity)	Yes 1	No 2	1	2	3	4	5
	OTH_ACT	Frequency	Percent	Cum Freq	Cum Percent	:		
	-9	16	2.68	16	2.68			
	-7	1	0.17	17	2.85			
	1	87	14.57	104	17.42			
	2	493	82.58	597	100.00			
	OTH_ACT_A	Frequency	Percent	Cum Freq	Cum Percer	nt		
	-9	1	0.17	1	0.17			
	-2	510	85.43	511	85.59			
	3	7	1.17	518	86.77			
	4	43	7.20	561	93.97			
	5	36	6.03	597	100.00			
				\				

This section asks about emotions that you might currently experience because of your bladder problems.

		/			nse that best describons after you recove		ss you expect
B9. Are you bothered by feelings of embarrassment, helplessness, frustration, and/or depression because of your bladder problems?	Yes 1	No 2	No less bothered	Slightly less bothered	Somewhat less bothered	Much less bothered	Completely not bothered

F307 codebook

FEELINGS	Frequency	Percent	Cum Freq	Cum Percent
1	515	86.26	515	86.26
2	82	13.74	597	100.00

FEELINGS_A	Frequency	Percent	Cum Freq	Cum Percent
-9	3	0.50	3	0.50
-2	82	13.74	85	14.24
1	6	1.01	91	15.24
2	4	0.67	95	15.91
3	15	2.51	110	18.43
4	266	44.56	376	62.98
5	221	37.02	597	100.00



B10. Of all the symptoms, lifestyle restrictions or emotions that you experience because of your bladder problems, which one problem do you expect to improve the most after you recover from surgery?

Section C: Urinary Symptoms

	Normal	Mild	Moderate	Severe
C1. Circle the one number that best describes how your urinary tract condition is now.	1	2	3	4

COND_NOW	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.34	2	0.34
1	61	10.22	63	10.55
2	62	10.39	125	20.94
3	301	50.42	426	71.36
4	171	28.64	597	100.00


	Never	About once a week or less often	Two or three times a week	About once a day	Several times a day	All the time
C2. How often do you leak urine?	0		2	3	4	5

OFTE	N_LK	Frequency	Percent	Cum Freq	Cum Percent
-	9	2	0.34	2	0.34
:	1	17	2.85	19	3.18
:	2	59	9.88	78	13.07
	3	89	14.91	167	27.97
4	4	331	55.44	498	83.42
į	5	99	16.58	597	100.00

	None	A small amount	A moderate amount	A large amount
C3. We would like to know how much urine you think leaks. How much urine do you usually leak whether you wear protection or not?	0	1	2	3

USUAL_LK	Frequency	Percent	Cum Freq	Cum Percent
-9	5	0.84	5	0.84
-4	1	0.17	6	1.01
0	1	0.17	7	1.17
1	226	37.86	233	39.03
2	283	47.40	516	86.43
3	81	13.57	597	100.00

C4. Overall, how much does leaking interfere with your everyday life? Draw a single vertical line at the point on this line from "not at all" to "a great deal" that represents how much leaking interferes with your daily life.



-9 3 100.00 3 100.00

Please tell us when urine leaks. Circle YES for all that apply to you and NO for those that do not.

							Yes	No
C5. Never – uri	ne does not	leak					Yes	No 2
	NEVER_LEAK	Frequency	Percent	Cum Freq	Cum Percent			
	-9	1	0.17	1	0.17			
	1	71	11.89	72	12.06			
	2	525	87.94	597	100.00			
C6. Leaks before	you can get to	the toilet				. []	Yes	No
							1	2
	LK_TOILET	Frequency	Percent	Cum Freq	Cum Percent			
	1	447	74.87	447	74.87			
	2	150	25.13	597	100.00			/
C7. Leaks when y	ou cough or s	neeze					Yes	No 2
	LK_COUGH	Frequency	Percent	Cum Freq	Cum Percent			
	1	587	98.32	587	98.32	J		
	2	10	1.68	597	100.00			
C8. Leaks when y	ou are asleep						Yes 1	No 2
	LK_ASLEEP	Frequency	Percent	Cum Freq	Cum Percent			
	-9	1	0.17	1	0.17			
	1	219	36.68	220	36.85			- 1
	2	377	63.15	597	100.00			

C9. Leaks when	you are physic	cally active/e	exercising			Yes	No 2
l .	LK_ACTIVE	Frequency	Percent	Cum Freq	Cum Percent		
I	1	563	94.30	563	94.30		
I	2	34	5.70	597	100.00		
C10 Leaks when	vou hove fini	ah ad veinatin	o and ara d	raggad		Yes	No
C10. Leaks when	you have him	sned urmaun	ig and are d	resseu		res	No 2
l .	LK_DRESS	Frequency	Percent	Cum Freq	Cum Percent		
I	1	398	66.67	398	66.67		
l	2	199	33.33	597	100.00		
C11. Leaks for no	obvious reas	on				Yes 1	No 2
	LK_OBVIOUS	Frequency	Percent	Cum Freq	Cum Percent		
	1	340	56.95	340	56.95		
	2	257	43.05	597	100.00		
C12. Leaks all the	e time					Yes 1	No 2
	LK_ALLTIME	Frequency	Percent	Cum Freq	Cum Percent		
	-9	2	0.34	2	0.34		
	-4	1	0.17	3	0.50		
	1	128	21.44	131	21.94		
	2	466	78.06	597	100.00		
l							

Section D: Quality of Life, Part II

These questions deal specifically with your accidental urine loss and/or prolapse. The symptoms in this section have been described by women who experience accidental urine loss and/or prolapse. Please indicate which symptoms you are now experiencing, and how bothersome they are for you. Be sure to circle an answer for all items.

GENERAL INSTRUCTIONS: Please read the first column of symptoms and circle "Yes" or "No" for each symptom. Then, for each question marked by a "Yes" answer, work across the page and tell us how bothersome that symptom is for you currently.

Do you currently experience				Circle the one	response below	IF YES, that best describe tom is for you.	es how bothersome that
		Yes No		Not at all oothersome	Slightly bothersome	Moderately bothersome	Greatly bothersome
D1frequent urination?		Yes No		0	1	$\frac{2}{2}$	3
	FREQ_URINE	Frequency	Percent	Cum Freq	Cum Percent		
	1	405	67.84	405	67.84		
	2	192	32.16	597	100.00		
						_	
	FREQ_URINE_A	Frequency	Percen	t Cum Freq	Cum Percent		
	-2	192	32.16	192	32.16		
	0	2	0.34	194	32.50		
	1	66	11.06	260	43.55		
	2	194	32.50	454	76.05		
	3	143	23.95	597	100.00		
D2a strong feeling of urgency to emp bladder?	ty your	Yes No		0	1	2	3

	URGENCY	Frequency	Percent	Cum Freq	Cum Percent		
	1	395	66.16	395	66.16		
	2	202	33.84	597	100.00		
	<u> </u>	<u> </u>		<u> </u>			
	URGENCY_A	Frequency	Percent	Cum Freq	Cum Percent		
	-2	202	33.84	202	33.84		
	0	1	0.17	203	34.00		
	1	86	14.41	289	48.41		
	2	186	31.16	475	79.56		
	3	122	20.44	597	100.00		
				1			
urine leakage related to the feeling	of urgency?	Yes N	No 2	\ 0/	1	$\frac{2}{2}$	
				\ / /			
	URGE_LEAK	Frequency	Percent	Cum Freq	Cum Percent		
	-9	3	0.50	3	0.50		
	-8	1	0.17	4	0.67		
L	1	403	67.50	407	68.17		
	2	190	31.83	597	100.00		
						_	
	URGE_LEAK_A	Frequency	Percent	Cum Freq	Cum Percent		
	-2	194	32.50	194	32.50		
	0	1	0.17	195	32.66		
	1	83	13.90	278	46.57		
	2	162	27.14	440	73.70		
	3	157	26.30	597	100.00		
urine leakage related to physical act thing or sneezing?	ivity,	Yes N	No 2	0	1	2	


	ACTV_LEAK	Frequency	Percent	Cum Freq	Cum Percent				
	1	587	98.32	587	98.32				
	2	10	1.68	597	100.00				
						7			
	ACTV_LEAK_A	Frequency	Percent	Cum Freq	Cum Percent				
	-2	10	1.68	10	1.68				
	1	20	3.35	30	5.03				
	2	98	16.42	128	21.44				
	3	469	78.56	597	100.00				
D					1	2			
D5general urine leakage not related to u activity?	rgency or	Yes N	0	\ 0			3		
	GEN_LEAK	Frequency	Percent	Cum Freq	Cum Percent				
	-9	1	0.17	1	0.17				
	1	334	55.95	335	56.11				
	2	262	43.89	597	100.00				
	GEN_LEAK_A	Frequency	Percent	Cum Freq	Cum Percent				
	-2	263	44.05	263	44.05				
	0	2	0.34	265	44.39				
	1	48	8.04	313	52.43				
	2	128	21.44	441	73.87				
	3	156	26.13	597	100.00				
D6small amounts of urine leakage (tha	t is, drops)?	Yes N	0	0	1	2	3		

	SMALL LEAK	Frequency	Percent	Cum Freq	Cum Percent		
	1	501	83.92	501	83.92		
	2	96	16.08	597	100.00		
	<u> </u>						
						_	
	SMALL_LEAK_A	Frequency	Percent	Cum Freq	Cum Percent		
	-2	96	16.08	96	16.08		
	0	2	0.34	98	16.42		
	1	117	19.60	215	36.01		
	2	221	37.02	436	73.03		
	3	161	26.97	597	100.00		
D7large amounts of urine leakage?		Yes No	·	\ 0/ /		$\frac{2}{2}$	3
			\				
	LARGE LEAK	Frequency	Percent	Cum Freq	Cum Percent		
	1	351	58.79	351	58.79		
	2	246	41.21	597	100.00		
					T	7	
	LARGE_LEAK_A	Frequency	Percent	Cum Freq	Cum Percent		
	-2	246	41.21	246	41.21	=	
	1	4	0.67	250	41.88	=	
	2	54	9.05	304	50.92		
	3	293	49.08	597	100.00		
D8nighttime urination?		Yes No		0	1	2	3
Doingittime urmation:		1 2		0	1	2	<i>J</i>

F307 codebook

NITE_LEAK	Frequency	Percent	Cum Freq	Cum Percent
1	337	56.45	337	56.45
2	260	43.55	597	100.00

NITE_LEAK_A	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.17	1	0.17
-2	260	43.55	261	43.72
0	18	3.02	279	46.73
1	95	15.91	374	62.65
2	100	16.75	474	79.40
3	123	20.60	597	100.00



Do you currently experience				Ci	rcle the one	•	IF YES, that best describe btom is for you.	s how bothersome that
		Yes	No		Not at all othersome	Slightly bothersome	Moderately bothersome	Greatly bothersome
D9bedwetting?		Yes 1	No 2	Ш	0	1	2	3
	BED_WET -9 1 2	Frequen	ісу	Percent 0.17 12.73 87.10	Cum Freq 1 77 597	Cum Percent 0.17 12.90 100.00		
	BED_WET_A	Freque		Percent 87.27	Cum Freq 521	Cum Percent 87.27		
	1	14		2.35	535	89.61		
	2	18		3.02	553	92.63	-	
	3	44		7.37	597	100.00	J	
D10difficulty emptying your bladder	?	Yes	No 2	Ш	0	1	2	3

	DIFF_EMPTY	Frequency	Percent	Cum Freq	Cum Percent	
	-9	1	0.17	1	0.17	
	1	161	26.97	162	27.14	
	2	435	72.86	597	100.00	
			I			
	DIFF_EMPT_A	Frequency	Percent	Cum Freq	Cum Percent	
	-2	436	73.03	436	73.03	
	1	47	7.87	483	80.90	
	2	69	11.56	552	92.46	
	3	45	7.54	597	100.00	
		ı		\ /		
11a feeling of incomplete bladder	emptying?	Yes No		$\setminus 0$	1	
ſ	INCOM_BLAD	Frequency	Percent	Cum Freq	Cum Percent	
	-9	1	0.17	1	0.17	
Į	1	320	53.60	321	53.77	
	2	276	46.23	597	100.00	
r						
	INCOM_BLAD_A	Frequency	Percent	Cum Freq	Cum Percent	
	-9	1	0.17	1	0.17	
	-2	277	46.40	278	46.57	
	0	2	0.34	280	46.90	
	1	101	16.92	381	63.82	
	2	131	21.94	512	85.76	
	3	85	14.24	597	100.00	
D12lower abdominal pressure?		Yes No	П	0	1	
212ower addominal pressure:		1 2	Ш		1	

	ABD_PRESS	Frequency	Percent	Cum Freq	Cum Percent		
	1	208	34.84	208	34.84		
	2	389	65.16	597	100.00		
						-	
	ABD_PRESS_A	Frequency	Percent	Cum Freq	Cum Percent	-	
	-9	3	0.50	3	0.50		
	-2	389	65.16	392	65.66	1	
	0	3	0.50	395	66.16		J
	1	66	11.06	461	77.22		
	2	90	15.08	551	92.29]	
	3	46	7.71	597	100.00		
				\ / / /			
D13pain when urinating?		Yes No		0		2	3
				V /			
	PAIN_URIN	Frequency	Percent	Cum Freq	Cum Percent		
	1	38	6.37	38	6.37		
	2	559	93.63	597	100.00		
						-	
	PAIN_URIN_A	Frequency	Percent	Cum Freq	Cum Percent		
	-2	559	93.63	559	93.63		
	1	14	2.35	573	95.98		
	2	15	2.51	588	98.49		
	3	9	1.51	597	100.00]	
		1		1			T
D14pain in the lower abdominal or	genital area?	Yes No		0	1	2	3

	ABD_PAIN	Frequency	Percent	Cum Freq	Cum Percent		
	1	113	18.93	113	18.93		
	2	484	81.07	597	100.00		
	_						
	ABD_PAIN_A	Frequency	Percent	Cum Freq	Cum Percent		
	-2	484	81.07	484	81.07		
	0	2	0.34	486	81.41		
	1	33	5.53	519	86.93)
	2	47	7.87	566	94.81		
	3	31	5.19	597	100.00	(
		<u> </u>		1 /			
D15heaviness or dullness in the pelv	vic area?	Yes No	,	$\setminus 0$	1 1	2) /	3
		1 2		\ / /			
Ţ	DULL PELVIC	Frequency	Percent	Cum Freq	Cum Percent	1	
	-9	1	0.17	1	0.17		
	1	147	24.62	148	24.79	=	
	2	449	75.21	597	100.00	-	
		\				1	
			/				
	DUL PELVIC A	Frequency	Percent	Cum Fred	Cum Percent		
	-9	1	0.17	1	0.17		
	-2	450	75.38	451	75.54		
	0	3	0.50	454	76.05		
	1	46	7.71	500	83.75		
	2	61	10.22	561	93.97		
	3	36	6.03	597	100.00		
D16a feeling of bulging or protrusio	on in the	Yes No	,	0	1	2	3
vaginal area?		1 2	11	-	_	_	_
, , , , , , , , , , , , , , , , , , ,			11				

	PROT_FEEL	Frequency	Percent	Cum Freq	Cum Percent		
	1	152	25.46	152	25.46		
	2	445	74.54	597	100.00		
_						_	
	PROT_FEEL_A	Frequency	Percent	Cum Freq	Cum Percent		
	-9	1	0.17	1	0.17		
	-2	445	74.54	446	74.71	\	
	0	4	0.67	450	75.38		,
	1	36	6.03	486	81.41		
	2	47	7.87	533	89.28		
	3	64	10.72	597	100.00		
	Ţ	Ţ					
D17bulging or protrusion you can see in the	vaginal area?	Yes No		0		2	3
				V /		Л	
	PROT_SEE	Frequency	Percent	Cum Freq	Cum Percent		
	-9	1	0.17	1	0.17		
	1	85	14.24	86	14.41		
	2	511	85.59	597	100.00		
	PROT_SEE_A	Frequency	Percent	Cum Freq	Cum Percent		
	-2	512	85.76	512	85.76		
	0	1	0.17	513	85.93		
	1	8	1.34	521	87.27		
	2	29	4.86	550	92.13		
	3	47	7.87	597	100.00		
D18pelvic discomfort when standing physically exerting yourself?	g or	Yes No		0	1	2	3

	PELV_DIS	Frequenc		Cum Freq	Cum Percent		
	1	120	20.10	120	20.10		
	2	477	79.90	597	100.00		
	PELV_DIS_A	Frequen	cy Percent	Cum Freq	Cum Percent		
	-2	477	79.90	477	79.90		
	1	25	4.19	502	84.09		
	2	55	9.21	557	93.30		
	3	40	6.70	597	100.00		
					1		
D19. Do you have to push on the vagina perineum to empty your bladder?	a or	Yes	No 2	0			3
						1	
	PUSH_BLAD	Frequenc	y Percent	Cum Freq	Cum Percent		
	1	60	10.05	60	10.05		
	2	537	89.95	597	100.00		
	PUSH_BLAD_A	Freque	ncy Percen	t Cum Freq	Cum Percent		
	-2	537	89.95	537	89.95		
	0	6	1.01	543	90.95		
	1	12	2.01	555	92.96		
	2	22	3.69	577	96.65		
	3	20	3.35	597	100.00		
D20. Do you have to push on the vagina perineum to have a bowel movement?	a or	Yes 1	No 2	0	1	2	3

PUSH_BOWEL	Frequency	Percent	Cum Freq	Cum Percent
1	132	22.11	132	22.11
2	465	77.89	597	100.00

PUSH_BOWEL_A	Frequency	Percent	Cum Freq	Cum Percent
-2	465	77.89	465	77.89
0	4	0.67	469	78.56
1	35	5.86	504	84.42
2	26	4.36	530	88.78
3	67	11.22	597	100.00



D21. Do you experience any **other** symptoms related to accidental urine loss or prolapse?

YES..... 1

OTH_SYMP	Frequency	Percent	Cum Freq	Cum Percent
1	54	9.05	54	9.05
2	543	90.95	597	100.00

D21a. If yes, what is it (are they)?

D22. Please go back and review all of the symptoms in Section D above, items D1-21, and write below the one symptom that bothers you the most. For this item, please list **one** symptom only.

Some women find that accidental urine loss and/or prolapse may affect their activities, relationships, and feelings. The questions in this section refer to areas in your life which may have been influenced or changed by your problem. For each question in this section, circle the one response that best describes how much your activities, relationships and feelings are being affected by urine leakage and/or prolapse.

To what extent has accidental urine loss and/or prolapse affected your

	Not at all	Slightly	Moderately	Greatly
D23ability to do household chores (cooking, housecleaning, laundry)?	0	1	2	3

CHORES	Frequency	Percent	Cum Freq	Cum Percent
0	305	51.09	305	51.09
1	164	27.47	469	78.56
2	96	16.08	565	94.64
3	32	5.36	597	100.00

D24ability to do usual maintenance or	repair wor	k done in hor	ne or yard?		0	1	2	3
	REPAIR	Frequency	Percent	Cum Freq	Cum Percent			
	-9	3	0.50	3	0.50			
	-8	1	0.17	4	0.67			
	0	257	43.05	261	43.72			
	1	150	25.13	411	68.84			
	2	120	20.10	531	88.94			
	3	66	11.06	597	100.00	$1/\bigcirc$		
D25shopping activities?					0	1	2	3
				_/				
	SHOPPING	Frequency	Percent	Cum Freq	Cum Percent			
	-9	1	0.17	1	0.17			
	0	234	39.20	235	39.36			
	1	158	26.47	393	65.83			
	2	141	23.62	534	89.45			
	3	63	10.55	597	100.00			
D26hobbies and pastime activities?	\				0	1	2	3
		_						
	HOBBIES	Frequency	Percent	Cum Freq	Cum Percent			
	-9	1	0.17	1	0.17			
	0	219	36.68	220	36.85			
	1	147	24.62	367	61.47			
	3	140	23.45	507	84.92			
	3	90	15.08	597	100.00			
D27physical recreational activities suc	h as walkir	ng, swimming	g, or other e	exercise?	0	1	2	3

F307 codebook

RECR_ACT	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.17	1	0.17
0	95	15.91	96	16.08
1	81	13.57	177	29.65
2	141	23.62	318	53.27
3	279	46.73	597	100.00

D28. ...entertainment activities such as going to a movie or concert?

0

2

3

ENTER_ACT	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.17	1	0.17
0	240	40.20	241	40.37
1	156	26.13	397	66.50
2	128	21.44	525	87.94
3	72	12.06	597	100.00

F307 codebook

To what extent has accidental urine loss and/or prolapse affected your

							Not at all	Slightly	Moderately	Greatly
D29abilit	ty to travel by ca	ar or bus for	distances le	ss than 20 n	ninutes away fro	om home?	0	1	2	3
						1				
I 1	TRAV_LESS_20	Frequency	Percent	Cum Freq	Cum Percent					
I	0	364	60.97	364	60.97	-				
I 1	2	114 77	19.10 12.90	478 555	80.07 92.96					
I 1	3	42	7.04	597	100.00					
Ι '	<u> </u>	42	7.04	337	100.00	1				
D30abilit	ty to travel by ca e?	ar or bus for	distances gr	reater than 2	0 minutes away	from	0	1	2	3
	TRAV_GRT_20	Frequency	Percent	Cum Freq	Cum Percent					
	0	246	41.21	246	41.21					
	1	139	23.28	385	64.49					
	2	122	20.44	507	84.92					
	3	90	15.08	597	100.00					
D31going	g to places if yo	u are not sure	e about ava	ilable restro	oms?		0	1	2	3
I	GOING_PLACE	Frequency	Percent	Cum Freq	Cum Percent					
I	0	166	27.81	166	27.81					
ı	1	132	22.11	298	49.92					
I	2	128	21.44	426	71.36					
I	3	171	28.64	597	100.00					

D32going o	on vacation	1?					0	1	2	3
	VACATION	Frequency	Percent	Cum Freq	Cum Percent					
	0	291	48.74	291	48.74					
	1	106	17.76	397	66.50					
	2	115	19.26	512	85.76					
	3	85	14.24	597	100.00					
D33church	or temple	attendance?					0	1	2	3
l	CHURCH	Frequency	Percent	Cum Freq	Cum Percent	1 /				
	-9	1	0.17	1	0.17	\ / /				
	-7	2	0.34	3	0.50	\ / /				
	0	379	63.48	382	63.99	\				
	1	107	17.92	489	81.91	V / \				
	2	74	12.40	563	94.30					
	3	34	5.70	597	100.00					
D34volunte	er activition	es?					0	1	2	3
	VOL_ACT	Frequency	Percent	Cum Freq	Cum Percent					
	-9	2	0.34	2	0.34					
	0	355	59.46	357	59.80					
l	1	106	17.76	463	77.55					
	2	83	13.90	546	91.46					
l	3	51	8.54	597	100.00]				

D35emple	oyment (work) outside the	home?				0	1	2	3
	WORK_OUT	Frequency	Percent	Cum Freq	Cum Percent					
l .	-9	3	0.50	3	0.50					
	-8	2	0.34	5	0.84					
	0	343	57.45	348	58.29					
	1	81	13.57	429	71.86					
	2	97	16.25	526	88.11					
	3	71	11.89	597	100.00					
D36havin	g friends visit	t you in your	home?				0		2	3
	VISIT_FRNDS	Frequency	Percent	Cum Freq	Cum Percent					
	0	410	68.68	410	68.68					
	1	99	16.58	509	85.26					
	2	64	10.72	573	95.98					
	3	24	4.02	597	100.00					
					/] L					
D37partic	cipation in soc	ial activities	outside you	ar home?			0	1	2	3
	SOC_OUT_ACT	Frequency	Percent	Cum Freq	Cum Percent	_ 				
	0	274	45.90	274	45.90	_l				
	1	130	21.78	404	67.67	_ 				
	2	116	19.43	520	87.10	_ 				
	3	77	12.90	597	100.00	_				

									Affix II	Label Here
D38relation	nship with	friends?					0	1	2	3
					I	_				
	FRIENDS	Frequency	Percent	Cum Freq	Cum Percent					
	0	392	65.66	392	65.66					
	1	97	16.25	489	81.91					
	2	77	12.90	566	94.81					
	3	31	5.19	597	100.00					
D39relation	nship with	family exclud	ling husban	nd/companio	on?		0	1	2	3
	FAMILY	Frequency	Percent	Cum Freq	Cum Percent	n /				
	-9	3	0.50	3	0.50	\ / /				
	0	378	63.32	381	63.82					
	1	108	18.09	489	81.91					
	2	69	11.56	558	93.47	V / \				
	3	39	6.53	597	100.00					
D40ability	to have sex	kual relations	?				0	1	2	3
	HAVE_SEX	Frequency	Percent	Cum Freq	Cum Percent					
	-9	12	2.01	12	2.01					
	-8	1	0.17	13	2.18					
	-7	2	0.34	15	2.51					

F307 codebook

49.58

65.33

79.06

100.00

281

94

82

125

0

2

3

47.07

15.75

13.74

20.94

296

390

472

597

D41the w	ay you dress?					0	1	2	3
l .	WAY_DRESS	Frequency	Percent	Cum Freq	Cum Percent				
	-9	2	0.34	2	0.34				
	0	208	34.84	210	35.18				
ı	1	144	24.12	354	59.30				
	2	129	21.61	483	80.90				
	3	114	19.10	597	100.00				
l .									
D42emoti	ional health?					0	1	2	3
ı	EMO_HEALTH	Frequency	Percent	Cum Freq	Cum Percent				
	-4	1	0.17	1	0.17				
	0	174	29.15	175	29.31				
l	1	146	24.46	321	53.77				
l	2	154	25.80	475	79.56				
l	3	122	20.44	597	100.00				

To what extent has accidental urine loss and/or prolapse affected your

					Not at all	Slightly	Moderately	Greatly
D43physical health?					0	1	2	3
D44sleep?	PHYS_HEALTH -9 0 1 2 3 SLEEP Fr -9 0 1 2 3	1 244 4 167 112 1	Percent 0.17 41.71 24.12 20.94 13.07 ercent Cr 0.17 40.87 27.97 18.76 12.23	Cum Freq 1 250 394 519 597 um Freq 1 245 412 524 597	Cum Percent 0.17 41.88 66.00 86.93 100.00 0 Cum Percent 0.17 41.04 69.01 87.77 100.00		2	3
D45. How much does fear of odor restrict	et your activitie	s?			0	1	2	3
	ODOR_RTRCT 0 1 2 3	Frequency 119 163 133 182	Percent 19.93 27.30 22.28 30.49	Cum Freq 119 282 415 597	Cum Percent 19.93 47.24 69.51 100.00			
D46. How much does fear of embarrassr	nent restrict you	ur activities?			0	1	2	3

F307 codebook

EMBAR_RTRCT	Frequency	Percent	Cum Freq	Cum Percent
0	77	12.90	77	12.90
1	144	24.12	221	37.02
2	150	25.13	371	62.14
3	226	37.86	597	100.00

In addition, does your problem with accidental urine loss and/or prolapse cause you to experience

					Not at all	Slightly	Moderately	Greatly
D47nervousness or anxiety?				\	0 /	1	2	3
				V /			1	
	NERVOUS	Frequency	Percent	Cum Freq	Cum Percent			
	0	159	26.63	159	26.63			
	1	169	28.31	328	54.94			
	2	158	26.47	486	81.41			
	3	111	18.59	597	100.00			
D48fear?					0	1	2	3
							•	
	FEAR	Frequency	Percent	Cum Freq	Cum Percent			
	FEAR -9	Frequency 1	Percent 0.17	Cum Freq	Cum Percent 0.17			
	-9	1	0.17	1	0.17			
	-9 0	1 250	0.17 41.88	1 251	0.17 42.04			
	-9 0 1	1 250 144	0.17 41.88 24.12	1 251 395	0.17 42.04 66.16			
	-9 0 1 2	1 250 144 121	0.17 41.88 24.12 20.27	1 251 395 516	0.17 42.04 66.16 86.43			

	FRUSTRATION	Frequency	Percent	Cum Freq	Cum Percent			
	0	70	11.73	70	11.73			
	1	112	18.76	182	30.49			
	2	173	28.98	355	59.46			
	3	242	40.54	597	100.00			
						_		
							\	1
D50anger?					0	1	2	3
				[
	ANGER F	requency P	ercent Cu	um Freq C	Cum Percent			
	0		41.54	248	41.54			
	1		22.78	384	64.32			
	2		17.59	489	81.91			
	3	108	18.09	597	100.00			
			\ \					
D51depression?	1				0	1	2	3
				-				•
	DEPRESSION	Frequency	Percent	Cum Freq	Cum Percent			
	0	284	47.57	284	47.57			
	1	136	22.78	420	70.35			
	2	99	16.58	519	86.93			
	3	78	13.07	597	100.00			
D52embarrassment?					0	1	2	3
	EMBARRASS	Frequency	Percent	Cum Freq	Cum Percent			
	0	59	9.88	59	9.88			
	1	145	24.29	204	34.17			
	2	127	21.27	331	55.44			
	3	266	44.56	597	100.00			
						-		



Over the last 2 weeks, how often have you been bothered by any of the following problems? Please circle the number that indicates how often you have been bothered by each problem.

					Not at all	Several days	More than half the days	Nearly every day
E14. Little interest or pleasure in doing thin	gs				0	1	2	3
					-			
	LITTLE_INT	Frequency	Percent	Cum Freq	Cum Percent	1 / _		
	-9	3	0.50	3	0.50			
	0	386	64.66	389	65.16			
	1	110	18.43	499	83.58			
	2	64	10.72	563	94.30			
	3	34	5.70	597	100.00			
E15. Feeling down, depressed, or hopeless				V /	0	1	2	3
	FEEL_DOWN	Frequency	Percent	Cum Freq	Cum Percent			
	-9	1	0.17	1	0.17			
	0	369	61.81	370	61.98			
	1	129	21.61	499	83.58			
	2	58	9.72	557	93.30			
	3	40	6.70	597	100.00			
							_	
E16. Trouble falling asleep or staying asleep	o, or sleeping 1	oo much			0	1	2	3
_					,			
	TROUB_SLEEP	Frequency	Percent	Cum Freq	Cum Percent			
	-9	1	0.17	1	0.17			
	0	266	44.56	267	44.72			
	1	146	24.46	413	69.18			
	2	78	13.07	491	82.24			
	3	106	17.76	597	100.00			

E17. Feeling tired or having little energy					0	1	2	3
	FEEL_TIRED	Frequency	Percent	Cum Freq	Cum Percent			
	-9	4	0.67	4	0.67			
	0	216	36.18	220	36.85			
	1	192	32.16	412	69.01			
	2	84	14.07	496	83.08			
	3	101	16.92	597	100.00			
						$1/ \cap$		
E18. Poor appetite or overeating					0	1	2	3
				1				
	POOR_APP	Frequency	Percent	Cum Freq	Cum Percent			
	<u> </u>	3	0.50	3	0.50			
	-8	1	0.17	4	0.67			
	0	339	56.78	343	57.45			
	1	103	17.25	446	74.71			
	2	85	14.24	531	88.94			
	3	66	11.06	597	100.00			
E19. Feeling bad about yourself – or that yo down	ou are a failur	e or have let	yourself or	your family	0	1	2	3
					-	1	1	I
	FEEL_BAD	Frequency	Percent	Cum Freq	Cum Percent			
	-9	2	0.34	2	0.34			
	0	391	65.49	393	65.83			
	1	96	16.08	489	81.91			
	2	53	8.88	542	90.79			
	3	55	9.21	597	100.00			
E20. Trouble concentrating on things, such	as reading the	e newspaper (or watching	television	0	1	2	3

	TROU_CON	Frequency	Percent	Cum Freq	Cum Percent			
	-9	1	0.17	1	0.17			
	0	422	70.69	423	70.85			
	1	103	17.25	526	88.11			
	2	31	5.19	557	93.30			
	3	40	6.70	597	100.00			
								1
E21. Moving or speaking so slowly that other being so fidgety or restless that you have							2	3
	MOVE_SLOW	Frequency	Percent	Cum Freq	Cum Percent			
	-9	2	0.34	2	0.34			
	0	507	84.92	509	85.26			
	1	45	7.54	554	92.80			
	2	23	3.85	577	96.65			
	3	20	3.35	597	100.00			
					<u></u>			
E22. Thoughts that you would be better off of	lead, or of h	urting yourse	elf in some	way	0	1	2	3
	DEAD_HURT	Frequency	Percent	Cum Freq	Cum Percent			
	-9	1	0.17	1	0.17			
	0	564	94.47	565	94.64			
	1	20	3.35	585	97.99			
	2	7	1.17	592	99.16			
	3	5	0.84	597	100.00			

E23. If you circled 1, 2 or 3 for any of the above problems, how *difficult* have these problems made it for you to do your work, take care of things at home, or get along with other people?

Not	difficult	t at all		1	
-----	-----------	----------	--	---	--

Somewhat difficult	2
Very difficult	3
Extremely difficult	4

HOW_DIFF	Frequency	Percent	Cum Freq	Cum Percent	
-9	6	1.01	6	1.01	
-2	137	22.95	143	23.95	
1	191	31.99	334	55.95	1/0
2	211	35.34	545	91.29	
3	45	7.54	590	98.83	
4	7	1.17	597	100.00	

Section F: Sexual Activities

This section covers material that is sensitive and personal. Specifically, these questions ask about matters related to your sexual activity **in the past 6 months**. For some women, sexual activity is an important part of their lives; but for others it is not. Everyone has different ideas on the subject. To help us understand how your bladder problems might affect your sexual activity, we would like you to answer the following questions from your own personal viewpoint.

There are no right or wrong answers. Remember, your confidentiality is assured. While we hope you are willing to answer all of the questions, if there are questions you would prefer not to answer, you are free to skip them. Please select the most appropriate response to each question by circling the answer you choose. Remember these questions are only relevant to sexual activity **in the past six months**.

F1. In the past 6 months, have you engaged in sexual activities with a partner?

Yes 1 → COMPLETE SECTION G BELOW

	/			
SIX_MONTHS	Frequency	Percent	Cum Freq	Cum Percent
-9	3	0.50	3	0.50
-7	1	0.17	4	0.67
1	403	67.50	407	68.17
2	190	31.83	597	100.00

Section G: FOR WOMEN WHO HAVE ENGAGED IN SEXUAL ACTIVITY WITH A PARTNER IN THE LAST 6 MONTHS

G1. How frequently do you feel sexual desire? This feeling may include wanting to have sex, planning to have sex, feeling frustrated due to lack of sex, etc.

Always	Usually	Sometimes	Seldom	Never
1	2	3	4	5

FREQ_DES	Frequency	Percent	Cum Freq	Cum Percent
-7	2	0.34	2	0.34
-2	190	31.83	192	32.16
1	26	4.36	218	36.52
2	109	18.26	327	54.77

FREQ_DES	Frequency	Percent	Cum Freq	Cum Percent
3	168	28.14	495	82.91
4	83	13.90	578	96.82
5	19	3.18	597	100.00

G2. Do you climax (have an orgasm) when having <u>sexual intercourse</u> with your partner?

Always	Usually	Sometimes	Seldom
1	2	3	4

CLIMAX	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.17	1	0.17
-7	2	0.34	3	0.50
-2	190	31.83	193	32.33
1	60	10.05	253	42.38
2	141	23.62	394	66.00
3	105	17.59	499	83.58
4	67	11.22	566	94.81
5	31	5.19	597	100.00
			\ /	


G3. Do you feel sexually excited (turned on) when having sexual activity with your partner?

Always	Usually	Sometimes	Seldom	Never
1	2	3	4	5

SEX_EXCIT	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.17	1	0.17
-7	2	0.34	3	0.50
-2	190	31.83	193	32.33
1	126	21.11	319	53.43
2	152	25.46	471	78.89
3	67	11.22	538	90.12
4	44	7.37	582	97.49
5	15	2.51	597	100.00

G4. How satisfied are you with the variety of sexual activities in your current sex life?

Always	Usually	Sometimes	Seldom	Never
1	2	3	4	5



G5. Do you feel pain during sexual intercourse?

Always	Usually	Sometimes	Seldom	Never
1	2	3	4	5

PAIN_SEX	Frequency	Percent	Cum Freq	Cum Percent
-7	1	0.17	1	0.17
-2	190	31.83	191	31.99
1	16	2.68	207	34.67
2	29	4.86	236	39.53
3	108	18.09	344	57.62
4	100	16.75	444	74.37
5	153	25.63	597	100.00

G6. Are you incontinent of urine (leak urine) with sexual activity?

Always	Usually	Sometimes	Seldom
1	2	3	4

INCON_SEX	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.17	1	0.17
-8	1	0.17	2	0.34
-7	1	0.17	3	0.50
-2	190	31.83	193	32.33
1	33	5.53	226	37.86
2	48	8.04	274	45.90
3	123	20.60	397	66.50
4	97	16.25	494	82.75
5	103	17.25	597	100.00

G7. Does fear of incontinence (either urine or stool) restrict your sexual activity?

Always	Usually	Sometimes	Seldom	Never
1	2	3	4	5

FEAR_SEX	Frequency	Percent	Cum Freq	Cum Percent
-9	1	0.17	1	0.17
-7	1	0.17	2	0.34

5

FEAR_SEX	Frequency	Percent	Cum Freq	Cum Percent
-2	190	31.83	192	32.16
1	37	6.20	229	38.36
2	42	7.04	271	45.39
3	102	17.09	373	62.48
4	77	12.90	450	75.38
5	147	24.62	597	100.00

G8. Do you avoid sexual intercourse because of bulging in the vagina (either the bladder, rectum or vagina falling out)?

Always

1

2

3

AVOID_SEX Frequency Percent Cum Freq Cum Percent

-7

1

0.17

-2

190

31.83

191

31.99

Ī	AVOID_SEX	Frequency	Percent	Cum Freq	Cum Percent
	-7	1	0.17	1	0.17
	-2	190	31.83	191	31.99
	-1	1	0.17	192	32.16
4	1	4	0.67	196	32.83
	2	23	3.85	219	36.68
	3	31	5.19	250	41.88
	4	30	5.03	280	46.90
	5	317	53.10	597	100.00

G9. When you have sex with your partner, do you have negative emotional reactions such as fear, disgust, shame or guilt?

Always Usually Sometimes Seldom Never

1 2 3 4 5

NEG_SEX	Frequency	Percent	Cum Freq	Cum Percent
-7	1	0.17	1	0.17
-2	190	31.83	191	31.99
1	14	2.35	205	34.34
2	27	4.52	232	38.86
3	79	13.23	311	52.09
4	48	8.04	359	60.13
5	238	39.87	597	100.00

G10. Does your partner have a problem with <u>erections</u> that affects your sexual activity?

Always Usually Sometimes Seldom Never 1 2 3 4 5

ERECT SEX	Frequency	Percent	Cum Freq	Cum Percent
-7	4	0.67	4	0.67
-2	190	31.83	194	32.50
-1	1	0.17	195	32.66
1	10	1.68	205	34.34
2	22	3.69	227	38.02
3	64	10.72	291	48.74
4	49	8.21	340	56.95
5	257	43.05	597	100.00

G11. Does your partner have a problem with <u>premature ejaculation</u> that affects your sexual activity?

Always	Usually	Sometimes	Seldom
1	2/	3	4

			\ /	
PE_SEX	Frequency	Percent	Cum Freq	Cum Percent
-7	2	0.34	2	0.34
-2	190	31.83	192	32.16
-1	1	0.17	193	32.33
1	5	0.84	198	33.17
2	15	2.51	213	35.68
3	41	6.87	254	42.55
4	53	8.88	307	51.42
5	290	48.58	597	100.00

G12. Compared to orgasms you have had in the past, how intense are the orgasms you have had in the past 6 months?

Much	Less	Same	More	Much
less intense	intense	intensity	intense	more intense
1	2	3	4	5

ORGAS_SEX	Frequency	Percent	Cum Freq	Cum Percent
-9	2	0.34	2	0.34
-7	4	0.67	6	1.01
-2	190	31.83	196	32.83
-1	4	0.67	200	33.50

ORGAS_SEX	Frequency	Percent	Cum Freq	Cum Percent
1	66	11.06	266	44.56
2	105	17.59	371	62.14
3	197	33.00	568	95.14
4	22	3.69	590	98.83
5	7	1.17	597	100.00





Section H: FOR WOMEN WHO REPORT NO SEXUAL ACTIVITY WITH A PARTNER IN THE LAST 6 MONTHS

H1. Do you have a partner at this time?

Yes...... 1

No 2

PARTNER	Frequency	Percent	Cum Freq	Cum Percent
-2	407	68.17	407	68.17
1	83	13.90	490	82.08
2	107	17.92	597	100.00

H2. How frequently do you feel sexual desire? This feeling may include wanting to have sex, planning to have sex, feeling frustrated due to lack of sex, etc.

Always

ys

Usually Son

Sometimes

Seldom

Never

5

			/		
FREQ	_DES_2	Frequency	Percent	Cum Freq	Cum Percent
	-9	1	0.17	1	0.17
	-7	8	1.34	9	1.51
	-2	407	68.17	416	69.68
	-1	3	0.50	419	70.18
	1	9	1.51	428	71.69
	2	16	2.68	444	74.37
	3	62	10.39	506	84.76
	4	53	8.88	559	93.63
	5	38	6.37	597	100.00

H3. How satisfied are you with the variety of sexual activities in your current sex life?

Always Usually Sometimes Seldom Never

1 2 3 4 5

SATIS_SEX_2	Frequency	Percent	Cum Freq	Cum Percent
-9	5	0.84	5	0.84
-7	14	2.35	19	3.18

SATIS_SEX_2	Frequency	Percent	Cum Freq	Cum Percent
-2	407	68.17	426	71.36
-1	10	1.68	436	73.03
1	23	3.85	459	76.88
2	20	3.35	479	80.23
3	20	3.35	499	83.58
4	29	4.86	528	88.44
5	69	11.56	597	100.00

H4. Does fear of pain during sexual intercourse restrict your activity?

Always	Usually	Sometimes	Seldom
1	2	3	4

		_		
PAIN_SEX_2	Frequency	Percent	Cum Freq	Cum Percent
-9	4	0.67	4	0.67
-7	11	1.84	15	2.51
-2	407	68.17	422	70.69
-1	7	1.17	429	71.86
1	11	1.84	440	73.70
2	9	1.51	449	75.21
3	12	2.01	461	77.22
4	8	1.34	469	78.56
5	128	21.44	597	100.00

H5. Does fear of incontinence (either stool or urine) during sexual intercourse restrict your sexual activity?


Always	Usually	Sometimes	Seldom	Never
1	2	3	4	5

INCON_SEX_2	Frequency	Percent	Cum Freq	Cum Percent
-9	3	0.50	3	0.50
-7	11	1.84	14	2.35
-2	407	68.17	421	70.52
-1	7	1.17	428	71.69
1	31	5.19	459	76.88
2	18	3.02	477	79.90
3	17	2.85	494	82.75
4	16	2.68	510	85.43
5	87	14.57	597	100.00

Do you avoid sexual intercourse because of bulging in the vagina (either the bladder, rectum or vagina falling out)? H6.

Always	Usually	Sometimes	Seldom	Never
1	2	3	4	5

AVOID_SEX_2	Frequency	Percent	Cum Freq	Cum Percent
-9	3	0.50	3	0.50
-7	11	1.84	14	2.35
-2	407	68.17	421	70.52
-1	7	1.17	428	71.69
1	12	2.01	440	73.70
2	6	1.01	446	74.71
3	6	1.01	452	75.71
4	6	1.01	458	76.72
5	139	23.28	597	100.00
	/	/ / /		



YOU ARE DONE WITH THIS QUESTIONNAIRE. THANK YOU.