



SECTION A: GENERAL STUDY INFORMATION FOR OFFICE USE ONLY

A1. Study ID#:

Label

A2. Visit # F/U 2 Weeks..... TF2W

F/U 6 Weeks..... TF6W

VISIT	Frequency	Percent	Cum Freq	Cum Percent
TF2W	590	50.13	590	50.13
TF6W	587	49.87	1177	100.00

SECTION B: Pain Exam

B1. Did the patient answer “no” to B0 on F328?

YES..... 1 → **SKIP EXAM & GO TO B5**

NO..... 2

PT ANS NO	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
1	956	81.43	956	81.43
2	218	18.57	1174	100.00

Frequency Missing = 3

B2. Is there evidence of pain to palpation in the location of the ...

Circle yes or no for all types listed

YES NO N/A

a. ...lower abdomen, right side? 1 2 -1

PAIN ABD R	Frequency	Percent	Cum Freq	Cum Percent
.	991	.	.	.
1	52	27.96	52	27.96
2	134	72.04	186	100.00

Frequency Missing = 991

b. ...lower abdomen, left side?..... 1 2 -1

PAIN ABD L	Frequency	Percent	Cum Freq	Cum Percent
.	989	.	.	.
1	51	27.13	51	27.13
2	137	72.87	188	100.00

Frequency Missing = 989

c. ...inner thigh, right side?..... 1 2 -1

PAIN THIGH R	Frequency	Percent	Cum Freq	Cum Percent
.	1005	.	.	.
1	26	15.12	26	15.12
2	146	84.88	172	100.00

Frequency Missing = 1005

d. ...inner thigh, left side?..... 1 2 -1

PAIN THIGH L	Frequency	Percent	Cum Freq	Cum Percent
.	1004	.	.	.
1	36	20.81	36	20.81
2	137	79.19	173	100.00

Frequency Missing = 1004

e. ...vagina (inside), right side? 1 2 -1

PAIN VAG R	Frequency	Percent	Cum Freq	Cum Percent
.	997	.	.	.
1	35	19.44	35	19.44
2	145	80.56	180	100.00

Frequency Missing = 997

f. ...vagina (inside), left side? 1 2 -1

PAIN VAG L	Frequency	Percent	Cum Freq	Cum Percent
.	997	.	.	.
1	29	16.11	29	16.11
2	151	83.89	180	100.00

Frequency Missing = 997

g. ... vulva, right side? 1 2 -1

PAIN_VULVA_R	Frequency	Percent	Cum Freq	Cum Percent
.	1003	.	.	.
1	21	12.07	21	12.07
2	153	87.93	174	100.00

Frequency Missing = 1003

h. ...vulva, left side? 1 2 -1

PAIN_VULVA_L	Frequency	Percent	Cum Freq	Cum Percent
.	1003	.	.	.
1	23	13.22	23	13.22
2	151	86.78	174	100.00

Frequency Missing = 1003

i. ...lower back, right side? 1 2 -1

PAIN_BACK_R	Frequency	Percent	Cum Freq	Cum Percent
.	1014	.	.	.
1	14	8.59	14	8.59
2	149	91.41	163	100.00

Frequency Missing = 1014

j. ...lower back, left side?..... 1 2 -1

PAIN_BACK_L	Frequency	Percent	Cum Freq	Cum Percent
.	1011	.	.	.
1	14	8.43	14	8.43
2	152	91.57	166	100.00

Frequency Missing = 1011

k. ...front leg, right side? 1 2 -1

PAIN_FRLEG_R	Frequency	Percent	Cum Freq	Cum Percent
.	1021	.	.	.
1	7	4.49	7	4.49
2	149	95.51	156	100.00

Frequency Missing = 1021

l. ...front leg, left side?..... 1 2 -1

PAIN FRLEG L	Frequency	Percent	Cum Freq	Cum Percent
.	1021	.	.	.
1	7	4.49	7	4.49
2	149	95.51	156	100.00

Frequency Missing = 1021

m. ...back leg or buttocks, right side?..... 1 2 -1

PAIN BALEG R	Frequency	Percent	Cum Freq	Cum Percent
.	1016	.	.	.
1	9	5.59	9	5.59
2	152	94.41	161	100.00

Frequency Missing = 1016

n. ...back leg or buttocks, left side?..... 1 2 -1

PAIN BALEG L	Frequency	Percent	Cum Freq	Cum Percent
.	1013	.	.	.
1	14	8.54	14	8.54
2	150	91.46	164	100.00

Frequency Missing = 1013

B3. Date Pain Exam Completed: ____/____/____
 Month Day Year

B4. Examiner's ID: ____

Analysis Variable : EXAM_DAYS								
N	N Miss	Mean	SD	Minimum	Lower Quartile	Median	Upper Quartile	Maximum
221	0	22.0	13.7	9.0	14.0	16.0	24.0	117.0

EXAM_DAYS	Frequency	Percent	Cum Freq	Cum Percent
.	956	100.00	956	100.00

B5. Date Abstract Completed: ____/____/____
 Month Day Year

B6. Abstractor's ID: ____

Analysis Variable : ABSR_DAYS								
N	N Miss	Mean	SD	Minimum	Lower Quartile	Median	Upper Quartile	Maximum
1177	0	31.2	16.9	8.0	15.0	34.0	44.0	143.0