



TOMUS

TOMUS

F327

2 AND 6 WEEK PATIENT SURVEY

**The UITN is supported by cooperative agreements from
the National Institute of Diabetes and Digestive and Kidney Diseases (NIDDK)
in collaboration with
the National Institute of Child Health and Human Development (NICHD)**

F327: 2 AND 6 WEEK PATIENT SURVEY 04/21/06 (A)

SECTION A: GENERAL STUDY INFORMATION FOR OFFICE USE ONLY:

A1. STUDY ID#: LABEL

A2. VISIT # F/U 2 Weeks TF2W
F/U 6 Weeks TF6W

A3. DATE FORM DISTRIBUTED: ___/___/___
 MONTH DAY YEAR

A4. STUDY STAFF INITIALS: _____

A5. MODE: SELF-ADMINISTERED 1
INTERVIEWER-ADMINISTERED 2

A6. WHICH VERSION OF THIS FORM WAS USED? ENGLISH 1
SPANISH 2

VISIT	Frequency	Percent	Cumulative Frequency	Cumulative Percent
TF2W	586	50.00	586	50.00
TF6W	586	50.00	1172	100.00

INT MODE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1	1160	98.98	1160	98.98
2	12	1.02	1172	100.00

Introduction: Thank you for agreeing to participate in the TOMUS study.

We will ask you to complete a survey like this one at several time points in the study. This survey is called the 2 and 6 Week Patient Survey and is completed at these two study visits. The survey contains questions about your quality of life and your capabilities to perform routine daily living activities.

As with all of the information we collect for this research study, all of your responses are completely confidential. Your responses are never linked with your name and your name never appears on any of the research documents. Providing this information will not affect any of your services, benefits, or eligibility for coverage.

This survey should take about 10 minutes to complete. Ideally, you will be able to complete the entire survey in one sitting.

There are two (2) parts to the 2 and 6 Week Patient Survey. Please read the instructions at the start of each section carefully before you begin each new section.

Try to answer every item, but do not dwell too long on any one question. We want your answers, so please complete the questionnaire on your own. After you have completed the Survey, please check to make sure you have not missed any items. If you have any questions about any of these items, please call me:

_____ at _____.

TOMMUS

A7. What is the date that you are starting to fill out this Survey? _____ / _____ / _____
 Month Day Year

Analysis Variable : age								
N	Miss	Mean	Std Dev	Minimum	Lower Quartile	Median	Upper Quartile	Maximum
1172	0	53.0	10.9	24.9	45.3	51.6	60.6	86.6

Section B: Quality of Life, Part I

These questions deal specifically with your accidental urine loss and / or prolapse. The symptoms in this section have been described by women who experience accidental urine loss and/or prolapse. Please indicate which symptoms you are now experiencing, and how bothersome they are for you. Be sure to circle an answer for all items.

GENERAL INSTRUCTIONS: Please read the first column of symptoms and circle "Yes" or "No" for each symptom. Then, for each question marked by a "Yes" answer, work across the page and tell us how bothersome that symptom is for you currently.

Do you currently experience

	Yes	No
B1. ...frequent urination?	Yes 1	No 2

FREQ URINE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1	306	26.11	306	26.11
2	866	73.89	1172	100.00

	Yes	No
B2. ...a strong feeling of urgency to empty your bladder?	Yes 1	No 2

IF YES,

Circle the one response below that best describes how bothersome that symptom is for you.

Not at all bothersome	Slightly bothersome	Moderately bothersome	Greatly bothersome
0	1	2	3

FREQ URINE A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	866	.	.	.
0	69	22.55	69	22.55
1	162	52.94	231	75.49
2	61	19.93	292	95.42
3	14	4.58	306	100.00

Frequency Missing = 866

0	1	2	3
---	---	---	---

URGENCY	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1	341	29.10	341	29.10
2	831	70.90	1172	100.00

URGENCY A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	833	.	.	.
0	53	15.63	53	15.63
1	182	53.69	235	69.32
2	81	23.89	316	93.22
3	23	6.78	339	100.00

Frequency Missing = 833

B3. ...urine leakage related to the feeling of urgency?

Yes
1

No
2

0

1

2

3

URGE LEAK	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	2	.	.	.
1	259	22.14	259	22.14
2	911	77.86	1170	100.00

Frequency Missing = 2

URGE LEAK A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	914	.	.	.
0	28	10.85	28	10.85
1	117	45.35	145	56.20
2	67	25.97	212	82.17
3	46	17.83	258	100.00

Frequency Missing = 914

B4. ...urine leakage related to physical activity, coughing or sneezing?

Yes
1

No
2

0

1

2

3

ACTV_LEAK	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1	.	.	.
1	169	14.43	169	14.43
2	1002	85.57	1171	100.00

Frequency Missing = 1

ACTV_LEAK A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1004	.	.	.
0	22	13.10	22	13.10
1	80	47.62	102	60.71
2	39	23.21	141	83.93
3	27	16.07	168	100.00

Frequency Missing = 1004

B5. ..general urine leakage **not** related to urgency or activity?

Yes
1

No
2

0

1

2

3

GEN_LEAK	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	3	.	.	.
1	107	9.15	107	9.15
2	1062	90.85	1169	100.00

Frequency Missing = 3

GEN_LEAK A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1065	.	.	.
0	11	10.28	11	10.28
1	43	40.19	54	50.47
2	22	20.56	76	71.03
3	31	28.97	107	100.00

Frequency Missing = 1065

B6. ...small amounts of urine leakage (that is, drops)?

Yes
1

No
2

0

1

2

3

SMALL LEAK	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1	377	32.17	377	32.17
2	795	67.83	1172	100.00

SMALL LEAK A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	798	.	.	.
0	94	25.13	94	25.13
1	219	58.56	313	83.69
2	39	10.43	352	94.12
3	22	5.88	374	100.00

Frequency Missing = 798

B7. ...large amounts of urine leakage?

Yes
1

No
2

LARGE LEAK	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1	63	5.38	63	5.38
2	1109	94.62	1172	100.00

0

1

2

3

LARGE LEAK A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1109	.	.	.
1	4	6.35	4	6.35
2	19	30.16	23	36.51
3	40	63.49	63	100.00

Frequency Missing = 1109

B8. ...nighttime urination?

Yes
1

No
2

0

1

2

3

NITE_LEAK	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1	490	41.81	490	41.81
2	682	58.19	1172	100.00

NITE_LEAK A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	682	.	.	.
0	179	36.53	179	36.53
1	208	42.45	387	78.98
2	66	13.47	453	92.45
3	37	7.55	490	100.00

Frequency Missing = 682

TOMMUS

Do you currently experience

	Yes	No
B9. ...bedwetting?	Yes 1	No 2

BED_WET	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1	.	.	.
1	14	1.20	14	1.20
2	1157	98.80	1171	100.00

Frequency Missing = 1

	Yes	No
B10. ...difficulty emptying your bladder?	Yes 1	No 2

IF YES,
Circle the one response below that best describes how bothersome that symptom is for you.

Not at all bothersome	Slightly bothersome	Moderately bothersome	Greatly bothersome
0	1	2	3

BED_WET_A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1158	.	.	.
0	1	7.14	1	7.14
1	2	14.29	3	21.43
2	2	14.29	5	35.71
3	9	64.29	14	100.00

Frequency Missing = 1158

	0	1	2	3

DIFF_EMPTY	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1	115	9.81	115	9.81
2	1057	90.19	1172	100.00

DIFF_EMPT_A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1059	.	.	.
0	10	8.85	10	8.85
1	68	60.18	78	69.03
2	25	22.12	103	91.15
3	10	8.85	113	100.00

Frequency Missing = 1059

B11. ...a feeling of incomplete bladder emptying?

Yes
1 No
2

0 1 2 3

INCOM_BLAD	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1	212	18.09	212	18.09
2	960	81.91	1172	100.00

INCOM_BLAD_A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	963	.	.	.
0	37	17.70	37	17.70
1	117	55.98	154	73.68
2	44	21.05	198	94.74
3	11	5.26	209	100.00

Frequency Missing = 963

B12. ...lower abdominal pressure?

Yes 1	No 2
----------	---------

0	1	2	3
---	---	---	---

ABD_PRESS	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1	163	13.91	163	13.91
2	1009	86.09	1172	100.00

ABD_PRESS_A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1010	.	.	.
0	10	6.17	10	6.17
1	105	64.81	115	70.99
2	32	19.75	147	90.74
3	15	9.26	162	100.00

Frequency Missing = 1010

B13. ...pain when urinating?

Yes 1	No 2
----------	---------

0	1	2	3
---	---	---	---

PAIN_URIN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1	.	.	.
1	44	3.76	44	3.76
2	1127	96.24	1171	100.00

Frequency Missing = 1

PAIN_URIN_A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1128	.	.	.
0	4	9.09	4	9.09
1	23	52.27	27	61.36
2	14	31.82	41	93.18
3	3	6.82	44	100.00

Frequency Missing = 1128

B14. ...pain in the lower abdominal or genital area?

Yes
1

No
2

0

1

2

3

ABD_PAIN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1	.	.	.
1	154	13.15	154	13.15
2	1017	86.85	1171	100.00

Frequency Missing = 1

ABD_PAIN_A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1019	.	.	.
0	9	5.88	9	5.88
1	90	58.82	99	64.71
2	40	26.14	139	90.85
3	14	9.15	153	100.00

Frequency Missing = 1019

B15. ...heaviness or dullness in the pelvic area?

Yes 1	No 2
----------	---------

0

1

2

3

DULL_PELVIC	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1	.	.	.
1	114	9.74	114	9.74
2	1057	90.26	1171	100.00

Frequency Missing = 1

DULL_PELV_A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1059	.	.	.
0	17	15.04	17	15.04
1	69	61.06	86	76.11
2	20	17.70	106	93.81
3	7	6.19	113	100.00

Frequency Missing = 1059

B16. ...a feeling of bulging or protrusion in the vaginal area?	Yes 1	No 2
---	----------	---------

0	1	2	3
---	---	---	---

PROT_FEEL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1	78	6.66	78	6.66
2	1094	93.34	1172	100.00

PROT_FEEL_A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1096	.	.	.
0	13	17.11	13	17.11
1	36	47.37	49	64.47
2	22	28.95	71	93.42
3	5	6.58	76	100.00

Frequency Missing = 1096

TOOLBOX

B17. ...bulging or protrusion you can see in the vaginal area?

Yes
1

No
2

PROT_SEE	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	4	.	.	.
1	11	0.94	11	0.94
2	1157	99.06	1168	100.00

Frequency Missing = 4

B18. ...pelvic discomfort when standing or physically exerting yourself?

Yes
1

No
2

0

1

2

3

PROT_SEE_A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1161	.	.	.
1	5	45.45	5	45.45
2	6	54.55	11	100.00

Frequency Missing = 1161

0

1

2

3

PELV_DIS	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1	147	12.54	147	12.54
2	1025	87.46	1172	100.00

PELV_DIS_A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1026	.	.	.
0	9	6.16	9	6.16
1	85	58.22	94	64.38
2	44	30.14	138	94.52
3	8	5.48	146	100.00

Frequency Missing = 1026

B19. Do you have to push on the vagina or perineum to empty your bladder?	Yes 1	No 2
---	----------	---------

0	1	2	3
---	---	---	---

PUSH_BLAD	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1	23	1.96	23	1.96
2	1149	98.04	1172	100.00

PUSH_BLAD_A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1150	.	.	.
0	5	22.73	5	22.73
1	15	68.18	20	90.91
2	1	4.55	21	95.45
3	1	4.55	22	100.00

Frequency Missing = 1150

B20. Do you have to push on the vagina or perineum to have a bowel movement?


Yes 1	No 2
----------	---------

0	1	2	3
---	---	---	---

PUSH_BOWEL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1	87	7.42	87	7.42
2	1085	92.58	1172	100.00

PUSH_BOWEL_A	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1086	.	.	.
0	11	12.79	11	12.79
1	44	51.16	55	63.95
2	24	27.91	79	91.86
3	7	8.14	86	100.00

Frequency Missing = 1086



B21. Do you experience any **other** symptoms related to accidental urine loss or prolapse? YES..... 1

NO..... 2 → **SKIP TO B22**

OTH SYMP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
.	1	.	.	.
1	59	5.04	59	5.04
2	1112	94.96	1171	100.00

Frequency Missing = 1

B21a. If yes, what is it (are they)? _____

B22. Please go back and review all of the symptoms in Section B above, items B1 – 21, and write below the one symptom that bothers you the most. For this item, please list **one** symptom only.

TOMMUS