Persons using assistive technology may not be able to fully access information in this file. For assistance, e-mail niddk-cr@imsweb.com. Include the web site and filename in your message.

UITN

TOMUS

TOMUS

# F357
# 12 AND 24 MONTH FOLLOW-UP PATIENT SURVEY

**The UITN is supported by cooperative agreements from**
**the National Institute of Diabetes and Digestive and Kidney Diseases (NIDDK)**
**in collaboration with**
**the National Institute of Child Health and Human Development (NICHD)**

TOMUS

**F357: 12 and 24 MONTH FOLLOW-UP PATIENT SURVEY 08/28/06 (A)_rev01/09/07**

**SECTION A: GENERAL STUDY INFORMATION FOR OFFICE USE ONLY:**

**A1.** STUDY ID#: LABEL

**A2.** VISIT #
F/U 12 Months ..... TF12
F/U 24 Months ..... TF24
Failure ..... TFAI

| VISIT | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| TF12 | 527 | 52.91 | 527 | 52.91 |
| TF24 | 469 | 47.09 | 996 | 100.00 |

**A3.** DATE FORM DISTRIBUTED: ___ ___ / ___ ___ / ___ ___ ___ ___
MONTH DAY YEAR

**A4.** STUDY STAFF INITIALS: ____ ____ ____

**A5.** MODE: SELF-ADMINISTERED..... 1

INTERVIEWER-ADMINISTERED..... 2

**A6.** WHICH VERSION OF THIS FORM WAS USED? ENGLISH ..... 1

SPANISH ..... 2

| MODE1 | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| 1 | 990 | 99.40 | 990 | 99.40 |
| 2 | 6 | 0.60 | 996 | 100.00 |

TOMUS

Affix ID Label Here

**Introduction:** This survey contains questions about your satisfaction with the results of your surgery, and measures of your current urinary symptoms, your quality of life, your capabilities to perform routine daily living activities, and sexual activities.

As with all of the information we collect for this research study, all of your responses are completely confidential. Your responses are never linked with your name and your name never appears on any of the research documents. Providing this information will not affect any of your services, benefits, or eligibility for coverage.

**This survey should take about 15 minutes to complete. Ideally, you will be able to complete the entire survey in one sitting.**

There are five (5) parts to the 12 and 24 Month Follow-Up Patient Survey. Please read the instructions at the start of each section carefully before you begin each new section.

Try to answer every item, but do not dwell too long on any one question. We want your answers, so please complete the questionnaire on your own. After you have completed the Survey, please check to make sure you have not missed any items. If you have any questions about any of these items, please call me:

_____ at _____.

TOMUS

A7. What is the date that you are starting to fill out this Survey? ____ ___ / ____ ____ / ____ ____ ____ ____
Month Day Year

Affix ID Label Here

## Section B: Satisfaction with the Results of Surgery

You have had surgery to reduce urinary incontinence (urine leakage) and to lessen the impact of these symptoms on your life. These questions ask you to tell us how satisfied you are with the result(s) of your bladder surgery related to your symptoms, emotions, and participation in physical and social activities. This information will help us to understand your views of your surgical experience.

**GENERAL INSTRUCTIONS:** Please read the question and symptoms in the first column. Then, work across the page and tell us about how satisfied or dissatisfied you are with the result of your bladder surgery related to that symptom. Circle the one response that **best** describes your level of satisfaction. If you **NEVER** experienced the symptom (neither before nor after surgery), **DO NOT** rate your satisfaction. **Instead**, circle **NA** in the last column labeled "**Not Applicable (NA)".**

This section asks about **symptoms** that you may have experienced **before** and/or **after** surgery.

**How satisfied or dissatisfied are you with the result of bladder surgery related to the following symptoms….**

| | Completely dissatisfied | Mostly dissatisfied | Neutral | Mostly satisfied | Completely satisfied | Not Applicable |
|---|---|---|---|---|---|---|
| B1. …Urine leakage? | **1** | **2** | **3** | **4** | **5** | **NA** |

| UR_LEAK | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 11 | . | . | . |
| 1 | 40 | 4.06 | 40 | 4.06 |
| 2 | 50 | 5.08 | 90 | 9.14 |
| 3 | 32 | 3.25 | 122 | 12.39 |
| 4 | 260 | 26.40 | 382 | 38.78 |
| 5 | 603 | 61.22 | 985 | 100.00 |

Frequency Missing = 11

| | | | | | | |
|---|---|---|---|---|---|---|
| B2. …An urgency to urinate such that you fear not making it to the bathroom in time? | **1** | **2** | **3** | **4** | **5** | **NA** |

Affix ID Label Here

| UR_URIN | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 64 | . | . | . |
| 1 | 39 | 4.18 | 39 | 4.18 |
| 2 | 54 | 5.79 | 93 | 9.98 |
| 3 | 71 | 7.62 | 164 | 17.60 |
| 4 | 321 | 34.44 | 485 | 52.04 |
| 5 | 447 | 47.96 | 932 | 100.00 |

Frequency Missing = 64

| B3. …Frequent urination? | 1 | 2 | 3 | 4 | 5 | NA |
|---|---|---|---|---|---|---|

| FREQ_URIN | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 85 | . | . | . |
| 1 | 34 | 3.73 | 34 | 3.73 |
| 2 | 41 | 4.50 | 75 | 8.23 |
| 3 | 105 | 11.53 | 180 | 19.76 |
| 4 | 261 | 28.65 | 441 | 48.41 |
| 5 | 470 | 51.59 | 911 | 100.00 |

Frequency Missing = 85

Terminus

Affix ID Label Here

This next section asks about **activities** that you may have limited **before** and/or **after** surgery because of your bladder problem.

**How satisfied or dissatisfied are you with the result of bladder surgery regarding your current capability to perform the following activities…**

| | Completely dissatisfied | Mostly dissatisfied | Neutral | Mostly satisfied | Completely satisfied | Not Applicable |
|---|---|---|---|---|---|---|
| B4. …Physical activities (e.g. housework, yardwork, going for a walk, dancing, jogging, golfing)? | **1** | **2** | **3** | **4** | **5** | **NA** |

| PHY_ACT | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 9 | . | . | . |
| 1 | 37 | 3.75 | 37 | 3.75 |
| 2 | 45 | 4.56 | 82 | 8.31 |
| 3 | 23 | 2.33 | 105 | 10.64 |
| 4 | 182 | 18.44 | 287 | 29.08 |
| 5 | 700 | 70.92 | 987 | 100.00 |

Frequency Missing = 9

| | | | | | | |
|---|---|---|---|---|---|---|
| B5. …Social activities (e.g. visiting friends, vacationing, going to church or temple)? | **1** | **2** | **3** | **4** | **5** | **NA** |

| SOC_ACT | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 25 | . | . | . |
| 1 | 39 | 4.02 | 39 | 4.02 |
| 2 | 25 | 2.57 | 64 | 6.59 |
| 3 | 25 | 2.57 | 89 | 9.17 |
| 4 | 125 | 12.87 | 214 | 22.04 |
| 5 | 757 | 77.96 | 971 | 100.00 |

Frequency Missing = 25

| | | | | | | |
|---|---|---|---|---|---|---|
| B6. …Sexual activity? | **1** | **2** | **3** | **4** | **5** | **NA** |

FOCUS

Affix ID Label Here

| SEX_ACT | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 267 | . | . | . |
| 1 | 33 | 4.53 | 33 | 4.53 |
| 2 | 20 | 2.74 | 53 | 7.27 |
| 3 | 59 | 8.09 | 112 | 15.36 |
| 4 | 106 | 14.54 | 218 | 29.90 |
| 5 | 511 | 70.10 | 729 | 100.00 |

Frequency Missing = 267

This next section asks about **emotions** that you may have experienced **before** and/or **after** surgery because of your bladder problem.

**How satisfied or dissatisfied are you with the result of bladder surgery regarding…**

| | Completely dissatisfied | Mostly dissatisfied | Neutral | Mostly satisfied | Completely satisfied | Not Applicable |
|---|---|---|---|---|---|---|
| B7. …Your emotions ( e.g., feelings of embarrassment, helplessness, frustration, and/or depression)? | **1** | **2** | **3** | **4** | **5** | **NA** |

| EMOTIONS | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 16 | . | . | . |
| 1 | 43 | 4.39 | 43 | 4.39 |
| 2 | 38 | 3.88 | 81 | 8.27 |
| 3 | 36 | 3.67 | 117 | 11.94 |
| 4 | 144 | 14.69 | 261 | 26.63 |
| 5 | 719 | 73.37 | 980 | 100.00 |

Frequency Missing = 16

Please answer the following questions by circling either **1** (Yes) or **2** (No).

| | Yes 1 | No 2 |
|---|---|---|
| B8. If you could go back in time to when you had your bladder surgery, and knowing what you know now, would you still choose to have the surgery? | | |

Affix ID Label Here

| SURG_AGAIN | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 1 | . | . | . |
| 1 | 950 | 95.48 | 950 | 95.48 |
| 2 | 45 | 4.52 | 995 | 100.00 |

Frequency Missing = 1

| B9. Would you recommend this surgery to a family member or friend? | **Yes**<br>**1** | **No**<br>**2** |
|---|---|---|

| SURG_REC | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 1 | . | . | . |
| 1 | 955 | 95.98 | 955 | 95.98 |
| 2 | 40 | 4.02 | 995 | 100.00 |

Frequency Missing = 1

TOMUS

Affix ID Label Here

## Section C: Urinary Symptoms

C1. Circle the one answer that best describes how your urinary tract condition is now, compared with how it was before your incontinence surgery:

Very much better ..... 1

Much better ..... 2

A little better ..... 3

No change ..... 4

A little worse ..... 5

Much worse ..... 6

Very much worse ..... 7

REPLACE THIS PAGE WITH COPY PROVIDED BY BCC

| COND_NOW | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 33 | . | . | . |
| 1 | 643 | 66.77 | 643 | 66.77 |
| 2 | 222 | 23.05 | 865 | 89.82 |
| 3 | 65 | 6.75 | 930 | 96.57 |
| 4 | 22 | 2.28 | 952 | 98.86 |
| 5 | 5 | 0.52 | 957 | 99.38 |
| 6 | 4 | 0.42 | 961 | 99.79 |
| 7 | 2 | 0.21 | 963 | 100.00 |

Frequency Missing = 33

| | Never | About once a week or less often | Two or three times a week | About once a day | Several times a day | All the time |
|---|---|---|---|---|---|---|
| C2. How often do you leak urine? | 0 | 1 | 2 | 3 | 4 | 5 |

| OFTEN_LK | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 15 | . | . | . |
| 0 | 406 | 41.39 | 406 | 41.39 |
| 1 | 319 | 32.52 | 725 | 73.90 |
| 2 | 99 | 10.09 | 824 | 84.00 |

Affix ID Label Here

| OFTEN_LK | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| 3 | 69 | 7.03 | 893 | 91.03 |
| 4 | 79 | 8.05 | 972 | 99.08 |
| 5 | 9 | 0.92 | 981 | 100.00 |

Frequency Missing = 15

| | None | A small amount | A moderate amount | A large amount |
|---|---|---|---|---|
| C3. We would like to know how much urine you think leaks. How much urine do you usually leak whether you wear protection or not? | 0 | 1 | 2 | 3 |

| USUAL_LK | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 14 | . | . | . |
| 0 | 412 | 41.96 | 412 | 41.96 |
| 1 | 512 | 52.14 | 924 | 94.09 |
| 2 | 51 | 5.19 | 975 | 99.29 |
| 3 | 7 | 0.71 | 982 | 100.00 |

Frequency Missing = 14

**C4. Overall, how much does leaking interfere with your everyday life? Draw a single vertical line at the point on this line from "not at all" to "a great deal" that represents how much leaking interferes with your daily life.**

**(not at all)** **(a great deal)**

**C4 Code**

| Analysis Variable : LK_INTERFERE | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| N | N Miss | Mean | SD | Minimum | Lower Quartile | Median | Upper Quartile | Maximum |
| 984 | 0 | 10.2 | 23.3 | 0.0 | 0.0 | 0.0 | 8.0 | 150.0 |

| LK_INTERFERE | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 12 | 100.00 | 12 | 100.00 |

Affix ID Label Here

**Please tell us when urine leaks. Circle YES for all that apply to you and NO for those that do not.**

| | Yes | No |
|---|---|---|
| C5. Never – urine does not leak | Yes<br>1 | No<br>2 |

| NEVER_LEAK | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 7 | . | . | . |
| 1 | 392 | 39.64 | 392 | 39.64 |
| 2 | 597 | 60.36 | 989 | 100.00 |

Frequency Missing = 7

| | | |
|---|---|---|
| C6. Leaks before you can get to the toilet | Yes<br>1 | No<br>2 |

| LK_TOILET | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 4 | . | . | . |
| 1 | 383 | 38.61 | 383 | 38.61 |
| 2 | 609 | 61.39 | 992 | 100.00 |

Frequency Missing = 4

| | | |
|---|---|---|
| C7. Leaks when you cough or sneeze | Yes<br>1 | No<br>2 |

| LK_COUGH | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 4 | . | . | . |
| 1 | 216 | 21.77 | 216 | 21.77 |
| 2 | 776 | 78.23 | 992 | 100.00 |

Frequency Missing = 4

| | | |
|---|---|---|
| C8. Leaks when you are asleep | Yes<br>1 | No<br>2 |

Formus

Affix ID Label Here

| LK_ASLEEP | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 4 | . | . | . |
| 1 | 87 | 8.77 | 87 | 8.77 |
| 2 | 905 | 91.23 | 992 | 100.00 |

Frequency Missing = 4

| C9. Leaks when you are physically active/exercising | Yes<br>1 | No<br>2 |
|---|---|---|

| LK_ACTIVE | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 5 | . | . | . |
| 1 | 193 | 19.48 | 193 | 19.48 |
| 2 | 798 | 80.52 | 991 | 100.00 |

Frequency Missing = 5

| C10. Leaks when you have finished urinating and are dressed | Yes<br>1 | No<br>2 |
|---|---|---|

| LK_DRESS | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 4 | . | . | . |
| 1 | 143 | 14.42 | 143 | 14.42 |
| 2 | 849 | 85.58 | 992 | 100.00 |

Frequency Missing = 4

| C11. Leaks for no obvious reason | Yes<br>1 | No<br>2 |
|---|---|---|

| LK_OBVIOUS | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 4 | . | . | . |
| 1 | 157 | 15.83 | 157 | 15.83 |
| 2 | 835 | 84.17 | 992 | 100.00 |

Frequency Missing = 4

Affix ID Label Here

| C12. Leaks all the time | Yes<br>1 | No<br>2 |
|---|---|---|

| LK_ALLTIME | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 5 | . | . | . |
| 1 | 22 | 2.22 | 22 | 2.22 |
| 2 | 969 | 97.78 | 991 | 100.00 |

Frequency Missing = 5

TOMUS

Affix ID Label Here

## Section D: Quality of Life

These questions deal specifically with your accidental urine loss and/or prolapse. The symptoms in this section have been described by women who experience accidental urine loss and/or prolapse. Please indicate which symptoms you are now experiencing, and how bothersome they are for you. Be sure to circle an answer for all items.

**GENERAL INSTRUCTIONS**: Please read the first column of symptoms and circle "Yes" or "No" for each symptom. Then, for each question marked by a **"Yes"** answer, work across the page and tell us how bothersome that symptom is for you currently.

**Do you currently experience …..**

| | Yes | No |
|---|---|---|
| D1. …frequent urination? | Yes 1 | No 2 |

| FREQ_URINE | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| 1 | 270 | 27.11 | 270 | 27.11 |
| 2 | 726 | 72.89 | 996 | 100.00 |

**IF YES,**
Circle the one response below that best describes how bothersome that symptom is for you.

| Not at all bothersome | Slightly bothersome | Moderately bothersome | Greatly bothersome |
|---|---|---|---|
| 0 | 1 | 2 | 3 |

| FREQ_URINE_A | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 1 | . | . | . |
| 0 | 758 | 76.18 | 758 | 76.18 |
| 1 | 150 | 15.08 | 908 | 91.26 |
| 2 | 65 | 6.53 | 973 | 97.79 |
| 3 | 22 | 2.21 | 995 | 100.00 |

Frequency Missing = 1

| | | | |
|---|---|---|---|
| D2. …a strong feeling of urgency to empty your bladder? | Yes 1 | No 2 | |

| URGENCY | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| 1 | 310 | 31.12 | 310 | 31.12 |
| 2 | 686 | 68.88 | 996 | 100.00 |

| | | | |
|---|---|---|---|
| 0 | 1 | 2 | 3 |

| URGENCY_A | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 1 | . | . | . |
| 0 | 722 | 72.56 | 722 | 72.56 |
| 1 | 161 | 16.18 | 883 | 88.74 |
| 2 | 83 | 8.34 | 966 | 97.09 |
| 3 | 29 | 2.91 | 995 | 100.00 |

Frequency Missing = 1

Affix ID Label Here

| D3. …urine leakage related to the feeling of urgency? | Yes 1 | No 2 |
|---|---|---|

| URGE_LEAK | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 1 | . | . | . |
| 1 | 294 | 29.55 | 294 | 29.55 |
| 2 | 701 | 70.45 | 995 | 100.00 |

Frequency Missing = 1

| 0 | 1 | 2 | 3 |
|---|---|---|---|

| URGE_LEAK_A | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 1 | . | . | . |
| 0 | 718 | 72.16 | 718 | 72.16 |
| 1 | 164 | 16.48 | 882 | 88.64 |
| 2 | 78 | 7.84 | 960 | 96.48 |
| 3 | 35 | 3.52 | 995 | 100.00 |

Frequency Missing = 1

| D4. …urine leakage related to physical activity, coughing or sneezing? | Yes 1 | No 2 |
|---|---|---|

| ACTV_LEAK | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| 1 | 253 | 25.40 | 253 | 25.40 |
| 2 | 743 | 74.60 | 996 | 100.00 |

| 0 | 1 | 2 | 3 |
|---|---|---|---|

| ACTV_LEAK_A | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 1 | . | . | . |
| 0 | 768 | 77.19 | 768 | 77.19 |
| 1 | 124 | 12.46 | 892 | 89.65 |
| 2 | 69 | 6.93 | 961 | 96.58 |
| 3 | 34 | 3.42 | 995 | 100.00 |

Frequency Missing = 1

| D5. ..general urine leakage **not** related to urgency or activity? | Yes 1 | No 2 |
|---|---|---|

| GEN_LEAK | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| 1 | 132 | 13.25 | 132 | 13.25 |
| 2 | 864 | 86.75 | 996 | 100.00 |

| 0 | 1 | 2 | 3 |
|---|---|---|---|

| GEN_LEAK_A | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| 0 | 872 | 87.55 | 872 | 87.55 |
| 1 | 73 | 7.33 | 945 | 94.88 |
| 2 | 28 | 2.81 | 973 | 97.69 |
| 3 | 23 | 2.31 | 996 | 100.00 |

| D6. …small amounts of urine leakage (that is, drops)? | Yes 1 | No 2 |
|---|---|---|

| 0 | 1 | 2 | 3 |
|---|---|---|---|

TOWNS

Affix ID Label Here

| SMALL_LEAK | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| 1 | 476 | 47.79 | 476 | 47.79 |
| 2 | 520 | 52.21 | 996 | 100.00 |

| D7. …large amounts of urine leakage? | Yes 1 | No 2 |
|---|---|---|

| LARGE_LEAK | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| 1 | 68 | 6.83 | 68 | 6.83 |
| 2 | 928 | 93.17 | 996 | 100.00 |

| D8. …nighttime urination? | Yes 1 | No 2 |
|---|---|---|

| NITE_LEAK | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| 1 | 328 | 32.93 | 328 | 32.93 |
| 2 | 668 | 67.07 | 996 | 100.00 |

| SMALL_LEAK_A | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| 0 | 626 | 62.85 | 626 | 62.85 |
| 1 | 281 | 28.21 | 907 | 91.06 |
| 2 | 72 | 7.23 | 979 | 98.29 |
| 3 | 17 | 1.71 | 996 | 100.00 |

| 0 | 1 | 2 | 3 |
|---|---|---|---|

| LARGE_LEAK_A | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 1 | . | . | . |
| 0 | 928 | 93.27 | 928 | 93.27 |
| 1 | 13 | 1.31 | 941 | 94.57 |
| 2 | 22 | 2.21 | 963 | 96.78 |
| 3 | 32 | 3.22 | 995 | 100.00 |

Frequency Missing = 1

| 0 | 1 | 2 | 3 |
|---|---|---|---|

| NITE_LEAK_A | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 1 | . | . | . |
| 0 | 757 | 76.08 | 757 | 76.08 |
| 1 | 153 | 15.38 | 910 | 91.46 |
| 2 | 54 | 5.43 | 964 | 96.88 |
| 3 | 31 | 3.12 | 995 | 100.00 |

Frequency Missing = 1

Affix ID Label Here

**Do you currently experience …..**

**IF YES,**
Circle the one response below that best describes how bothersome that symptom is for you.

| | Yes | No | Not at all bothersome | Slightly bothersome | Moderately bothersome | Greatly bothersome |
|---|---|---|---|---|---|---|
| D9. …bedwetting? | Yes 1 | No 2 | 0 | 1 | 2 | 3 |

| BED_WET | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 1 | . | . | . |
| 1 | 24 | 2.41 | 24 | 2.41 |
| 2 | 971 | 97.59 | 995 | 100.00 |

Frequency Missing = 1

| BED_WET_A | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 1 | . | . | . |
| 0 | 971 | 97.59 | 971 | 97.59 |
| 1 | 9 | 0.90 | 980 | 98.49 |
| 2 | 6 | 0.60 | 986 | 99.10 |
| 3 | 9 | 0.90 | 995 | 100.00 |

Frequency Missing = 1

| | Yes | No | 0 | 1 | 2 | 3 |
|---|---|---|---|---|---|---|
| D10. …difficulty emptying your bladder? | Yes 1 | No 2 | 0 | 1 | 2 | 3 |

| DIFF_EMPTY | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 2 | . | . | . |
| 1 | 120 | 12.07 | 120 | 12.07 |
| 2 | 874 | 87.93 | 994 | 100.00 |

Frequency Missing = 2

| DIFF_EMPT_A | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 2 | . | . | . |
| 0 | 879 | 88.43 | 879 | 88.43 |
| 1 | 67 | 6.74 | 946 | 95.17 |
| 2 | 36 | 3.62 | 982 | 98.79 |
| 3 | 12 | 1.21 | 994 | 100.00 |

Frequency Missing = 2

| | Yes | No | 0 | 1 | 2 | 3 |
|---|---|---|---|---|---|---|
| D11. …a feeling of incomplete bladder emptying? | Yes 1 | No 2 | 0 | 1 | 2 | 3 |

FOMUS

Affix ID Label Here

| INCOM_BLAD | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 1 | . | . | . |
| 1 | 212 | 21.31 | 212 | 21.31 |
| 2 | 783 | 78.69 | 995 | 100.00 |

Frequency Missing = 1

| | | |
|---|---|---|
| D12. …lower abdominal pressure? | Yes 1 | No 2 |

| ABD_PRESS | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 2 | . | . | . |
| 1 | 97 | 9.76 | 97 | 9.76 |
| 2 | 897 | 90.24 | 994 | 100.00 |

Frequency Missing = 2

| | | |
|---|---|---|
| D13. …pain when urinating? | Yes 1 | No 2 |

| PAIN_URIN | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 1 | . | . | . |
| 1 | 18 | 1.81 | 18 | 1.81 |
| 2 | 977 | 98.19 | 995 | 100.00 |

Frequency Missing = 1

| | | |
|---|---|---|
| D14. …pain in the lower abdominal or genital area? | Yes 1 | No 2 |

| INCOM_BLAD_A | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 2 | . | . | . |
| 0 | 810 | 81.49 | 810 | 81.49 |
| 1 | 120 | 12.07 | 930 | 93.56 |
| 2 | 47 | 4.73 | 977 | 98.29 |
| 3 | 17 | 1.71 | 994 | 100.00 |

Frequency Missing = 2

| 0 | 1 | 2 | 3 |
|---|---|---|---|

| ABD_PRESS_A | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 3 | . | . | . |
| 0 | 902 | 90.84 | 902 | 90.84 |
| 1 | 63 | 6.34 | 965 | 97.18 |
| 2 | 23 | 2.32 | 988 | 99.50 |
| 3 | 5 | 0.50 | 993 | 100.00 |

Frequency Missing = 3

| 0 | 1 | 2 | 3 |
|---|---|---|---|

| PAIN_URIN_A | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 1 | . | . | . |
| 0 | 978 | 98.29 | 978 | 98.29 |
| 1 | 5 | 0.50 | 983 | 98.79 |
| 2 | 8 | 0.80 | 991 | 99.60 |
| 3 | 4 | 0.40 | 995 | 100.00 |

Frequency Missing = 1

| 0 | 1 | 2 | 3 |
|---|---|---|---|

FOMICS

Affix ID Label Here

| ABD_PAIN | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 3 | . | . | . |
| 1 | 60 | 6.04 | 60 | 6.04 |
| 2 | 933 | 93.96 | 993 | 100.00 |

Frequency Missing = 3

| | | |
|---|---|---|
| D15. …heaviness or dullness in the pelvic area? | Yes 1 | No 2 |

| DULL_PELVIC | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 1 | . | . | . |
| 1 | 62 | 6.23 | 62 | 6.23 |
| 2 | 933 | 93.77 | 995 | 100.00 |

Frequency Missing = 1

| | | |
|---|---|---|
| D16. …a feeling of bulging or protrusion in the vaginal area? | Yes 1 | No 2 |

| ABD_PAIN_A | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 3 | . | . | . |
| 0 | 938 | 94.46 | 938 | 94.46 |
| 1 | 34 | 3.42 | 972 | 97.89 |
| 2 | 18 | 1.81 | 990 | 99.70 |
| 3 | 3 | 0.30 | 993 | 100.00 |

Frequency Missing = 3

| | | | |
|---|---|---|---|
| 0 | 1 | 2 | 3 |

| DUL_PELVIC_A | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 1 | . | . | . |
| 0 | 939 | 94.37 | 939 | 94.37 |
| 1 | 37 | 3.72 | 976 | 98.09 |
| 2 | 17 | 1.71 | 993 | 99.80 |
| 3 | 2 | 0.20 | 995 | 100.00 |

Frequency Missing = 1

| | | | |
|---|---|---|---|
| 0 | 1 | 2 | 3 |

FOMICS

Affix ID Label Here

| PROT_FEEL | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 1 | . | . | . |
| 1 | 53 | 5.33 | 53 | 5.33 |
| 2 | 942 | 94.67 | 995 | 100.00 |

Frequency Missing = 1

| PROT_FEEL_A | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 1 | . | . | . |
| 0 | 948 | 95.28 | 948 | 95.28 |
| 1 | 32 | 3.22 | 980 | 98.49 |
| 2 | 11 | 1.11 | 991 | 99.60 |
| 3 | 4 | 0.40 | 995 | 100.00 |

Frequency Missing = 1

| D17. ...bulging or protrusion you can see in the vaginal area? | Yes 1 | No 2 |
|---|---|---|

| 0 | 1 | 2 | 3 |
|---|---|---|---|

| PROT_SEE | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 1 | . | . | . |
| 1 | 23 | 2.31 | 23 | 2.31 |
| 2 | 972 | 97.69 | 995 | 100.00 |

Frequency Missing = 1

| PROT_SEE_A | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 1 | . | . | . |
| 0 | 976 | 98.09 | 976 | 98.09 |
| 1 | 10 | 1.01 | 986 | 99.10 |
| 2 | 4 | 0.40 | 990 | 99.50 |
| 3 | 5 | 0.50 | 995 | 100.00 |

Frequency Missing = 1

| D18. ...pelvic discomfort when standing or physically exerting yourself? | Yes 1 | No 2 |
|---|---|---|

| 0 | 1 | 2 | 3 |
|---|---|---|---|

| PELV_DIS | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 1 | . | . | . |
| 1 | 33 | 3.32 | 33 | 3.32 |
| 2 | 962 | 96.68 | 995 | 100.00 |

Frequency Missing = 1

| PELV_DIS_A | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 1 | . | . | . |
| 0 | 962 | 96.68 | 962 | 96.68 |
| 1 | 16 | 1.61 | 978 | 98.29 |
| 2 | 11 | 1.11 | 989 | 99.40 |
| 3 | 6 | 0.60 | 995 | 100.00 |

Frequency Missing = 1

| D19. Do you have to push on the vagina or perineum to empty your bladder? | Yes 1 | No 2 |
|---|---|---|

| 0 | 1 | 2 | 3 |
|---|---|---|---|

FOMIC

Affix ID Label Here

| PUSH_BLAD | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 1 | . | . | . |
| 1 | 36 | 3.62 | 36 | 3.62 |
| 2 | 959 | 96.38 | 995 | 100.00 |

Frequency Missing = 1

| D20. Do you have to push on the vagina or perineum to have a bowel movement? | Yes 1 | No 2 |
|---|---|---|

| PUSH_BOWEL | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 1 | . | . | . |
| 1 | 130 | 13.07 | 130 | 13.07 |
| 2 | 865 | 86.93 | 995 | 100.00 |

Frequency Missing = 1

| PUSH_BLAD_A | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 2 | . | . | . |
| 0 | 968 | 97.38 | 968 | 97.38 |
| 1 | 14 | 1.41 | 982 | 98.79 |
| 2 | 7 | 0.70 | 989 | 99.50 |
| 3 | 5 | 0.50 | 994 | 100.00 |

Frequency Missing = 2

| 0 | 1 | 2 | 3 |
|---|---|---|---|

| PUSH_BOWEL_A | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 5 | . | . | . |
| 0 | 880 | 88.80 | 880 | 88.80 |
| 1 | 50 | 5.05 | 930 | 93.84 |
| 2 | 34 | 3.43 | 964 | 97.28 |
| 3 | 27 | 2.72 | 991 | 100.00 |

Frequency Missing = 5

Affix ID Label Here

D21. Do you experience any **other** symptoms related to accidental urine loss or prolapse? YES..... 1

NO..... 2 ➔ **SKIP TO D22**

| OTH_SYMP | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 1 | . | . | . |
| 1 | 52 | 5.23 | 52 | 5.23 |
| 2 | 943 | 94.77 | 995 | 100.00 |

Frequency Missing = 1

D21a. If yes, what is it (are they)? _____

D22. Please go back and review all of the symptoms in Section D above, items D1 – 21, and write below the one symptom that bothers you the most. For this item, please list **one** symptom only.

_____

_____

TOMUS

Some women find that accidental urine loss and/or prolapse may affect their activities, relationships, and feelings. The questions in this section refer to areas in your life which may have been influenced or changed by your problem. For each question in this section, circle the one response that best describes how much your activities, relationships and feelings are being affected by urine leakage and/or prolapse.

**To what extent has accidental urine loss and/or prolapse affected your …..**

| | **Not at all** | **Slightly** | **Moderately** | **Greatly** |
|---|---|---|---|---|
| D23. …ability to do household chores (cooking, housecleaning, laundry)? | 0 | 1 | 2 | 3 |

Affix ID Label Here

| CHORES | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 2 | . | . | . |
| 0 | 926 | 93.16 | 926 | 93.16 |
| 1 | 46 | 4.63 | 972 | 97.79 |
| 2 | 13 | 1.31 | 985 | 99.09 |
| 3 | 9 | 0.91 | 994 | 100.00 |

Frequency Missing = 2

| D24. …ability to do usual maintenance or repair work done in home or yard? | 0 | 1 | 2 | 3 |
|---|---|---|---|---|

| REPAIR | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 2 | . | . | . |
| 0 | 899 | 90.44 | 899 | 90.44 |
| 1 | 65 | 6.54 | 964 | 96.98 |
| 2 | 18 | 1.81 | 982 | 98.79 |
| 3 | 12 | 1.21 | 994 | 100.00 |

Frequency Missing = 2

| D25. …shopping activities? | 0 | 1 | 2 | 3 |
|---|---|---|---|---|

| SHOPPING | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 2 | . | . | . |
| 0 | 893 | 89.84 | 893 | 89.84 |
| 1 | 65 | 6.54 | 958 | 96.38 |
| 2 | 25 | 2.52 | 983 | 98.89 |
| 3 | 11 | 1.11 | 994 | 100.00 |

Frequency Missing = 2

| D26. …hobbies and pastime activities? | 0 | 1 | 2 | 3 |
|---|---|---|---|---|

FOWCUS

Affix ID Label Here

| HOBBIES | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 3 | . | . | . |
| 0 | 908 | 91.44 | 908 | 91.44 |
| 1 | 55 | 5.54 | 963 | 96.98 |
| 2 | 18 | 1.81 | 981 | 98.79 |
| 3 | 12 | 1.21 | 993 | 100.00 |

Frequency Missing = 3

| D27. …physical recreational activities such as walking, swimming, or other exercise? | 0 | 1 | 2 | 3 |
|---|---|---|---|---|

| RECR_ACT | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 3 | . | . | . |
| 0 | 820 | 82.58 | 820 | 82.58 |
| 1 | 104 | 10.47 | 924 | 93.05 |
| 2 | 45 | 4.53 | 969 | 97.58 |
| 3 | 24 | 2.42 | 993 | 100.00 |

Frequency Missing = 3

| D28. …entertainment activities such as going to a movie or concert? | 0 | 1 | 2 | 3 |
|---|---|---|---|---|

| ENTER_ACT | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 2 | . | . | . |
| 0 | 894 | 89.94 | 894 | 89.94 |
| 1 | 62 | 6.24 | 956 | 96.18 |
| 2 | 20 | 2.01 | 976 | 98.19 |
| 3 | 18 | 1.81 | 994 | 100.00 |

Frequency Missing = 2

Forms

Affix ID Label Here

**To what extent has accidental urine loss and/or prolapse affected your …..**

| | Not at all | Slightly | Moderately | Greatly |
|---|---|---|---|---|
| D29. …ability to travel by car or bus for distances less than 20 minutes away from home? | 0 | 1 | 2 | 3 |

| TRAV_LESS_20 | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 1 | . | . | . |
| 0 | 936 | 94.07 | 936 | 94.07 |
| 1 | 36 | 3.62 | 972 | 97.69 |
| 2 | 17 | 1.71 | 989 | 99.40 |
| 3 | 6 | 0.60 | 995 | 100.00 |

Frequency Missing = 1

| | | | | |
|---|---|---|---|---|
| D30. …ability to travel by car or bus for distances greater than 20 minutes away from home? | 0 | 1 | 2 | 3 |

| TRAV_GRT_20 | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 1 | . | . | . |
| 0 | 871 | 87.54 | 871 | 87.54 |
| 1 | 84 | 8.44 | 955 | 95.98 |
| 2 | 25 | 2.51 | 980 | 98.49 |
| 3 | 15 | 1.51 | 995 | 100.00 |

Frequency Missing = 1

| | | | | |
|---|---|---|---|---|
| D31. …going to places if you are not sure about available restrooms? | 0 | 1 | 2 | 3 |

FOMUS

Affix ID Label Here

| GOING_PLACE | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 1 | . | . | . |
| 0 | 744 | 74.77 | 744 | 74.77 |
| 1 | 174 | 17.49 | 918 | 92.26 |
| 2 | 44 | 4.42 | 962 | 96.68 |
| 3 | 33 | 3.32 | 995 | 100.00 |

Frequency Missing = 1

| D32. …going on vacation? | 0 | 1 | 2 | 3 |
|---|---|---|---|---|

| VACATION | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 2 | . | . | . |
| 0 | 887 | 89.24 | 887 | 89.24 |
| 1 | 56 | 5.63 | 943 | 94.87 |
| 2 | 37 | 3.72 | 980 | 98.59 |
| 3 | 14 | 1.41 | 994 | 100.00 |

Frequency Missing = 2

| D33. …church or temple attendance? | 0 | 1 | 2 | 3 |
|---|---|---|---|---|

| CHURCH | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 1 | . | . | . |
| 0 | 944 | 94.87 | 944 | 94.87 |
| 1 | 30 | 3.02 | 974 | 97.89 |
| 2 | 12 | 1.21 | 986 | 99.10 |
| 3 | 9 | 0.90 | 995 | 100.00 |

Frequency Missing = 1

| D34. …volunteer activities? | 0 | 1 | 2 | 3 |
|---|---|---|---|---|

Forms

Affix ID Label Here

| VOL_ACT | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 1 | . | . | . |
| 0 | 935 | 93.97 | 935 | 93.97 |
| 1 | 36 | 3.62 | 971 | 97.59 |
| 2 | 13 | 1.31 | 984 | 98.89 |
| 3 | 11 | 1.11 | 995 | 100.00 |

Frequency Missing = 1

| D35. …employment (work) outside the home? | 0 | 1 | 2 | 3 |
|---|---|---|---|---|

| WORK_OUT | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 11 | . | . | . |
| 0 | 922 | 93.60 | 922 | 93.60 |
| 1 | 34 | 3.45 | 956 | 97.06 |
| 2 | 14 | 1.42 | 970 | 98.48 |
| 3 | 15 | 1.52 | 985 | 100.00 |

Frequency Missing = 11

| D36. …having friends visit you in your home? | 0 | 1 | 2 | 3 |
|---|---|---|---|---|

| VISIT_FRNDS | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 1 | . | . | . |
| 0 | 956 | 96.08 | 956 | 96.08 |
| 1 | 23 | 2.31 | 979 | 98.39 |
| 2 | 11 | 1.11 | 990 | 99.50 |
| 3 | 5 | 0.50 | 995 | 100.00 |

Frequency Missing = 1

| D37. …participation in social activities outside your home? | 0 | 1 | 2 | 3 |
|---|---|---|---|---|

FOMES

Affix ID Label Here

| SOC_OUT_ACT | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 1 | . | . | . |
| 0 | 905 | 90.95 | 905 | 90.95 |
| 1 | 57 | 5.73 | 962 | 96.68 |
| 2 | 25 | 2.51 | 987 | 99.20 |
| 3 | 8 | 0.80 | 995 | 100.00 |

Frequency Missing = 1

| D38. …relationship with friends? | 0 | 1 | 2 | 3 |
|---|---|---|---|---|

| FRIENDS | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 2 | . | . | . |
| 0 | 954 | 95.98 | 954 | 95.98 |
| 1 | 23 | 2.31 | 977 | 98.29 |
| 2 | 11 | 1.11 | 988 | 99.40 |
| 3 | 6 | 0.60 | 994 | 100.00 |

Frequency Missing = 2

| D39. …relationship with family excluding husband/companion? | 0 | 1 | 2 | 3 |
|---|---|---|---|---|

| FAMILY | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 3 | . | . | . |
| 0 | 951 | 95.77 | 951 | 95.77 |
| 1 | 23 | 2.32 | 974 | 98.09 |
| 2 | 9 | 0.91 | 983 | 98.99 |
| 3 | 10 | 1.01 | 993 | 100.00 |

Frequency Missing = 3

| D40. …ability to have sexual relations? | 0 | 1 | 2 | 3 |
|---|---|---|---|---|

TOMUS

Affix ID Label Here

| HAVE_SEX | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 33 | . | . | . |
| 0 | 866 | 89.93 | 866 | 89.93 |
| 1 | 49 | 5.09 | 915 | 95.02 |
| 2 | 23 | 2.39 | 938 | 97.40 |
| 3 | 25 | 2.60 | 963 | 100.00 |

Frequency Missing = 33

| D41. …the way you dress? | 0 | 1 | 2 | 3 |
|---|---|---|---|---|

| WAY_DRESS | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 1 | . | . | . |
| 0 | 901 | 90.55 | 901 | 90.55 |
| 1 | 61 | 6.13 | 962 | 96.68 |
| 2 | 20 | 2.01 | 982 | 98.69 |
| 3 | 13 | 1.31 | 995 | 100.00 |

Frequency Missing = 1

| D42. …emotional health? | 0 | 1 | 2 | 3 |
|---|---|---|---|---|

| EMO_HEALTH | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 1 | . | . | . |
| 0 | 886 | 89.05 | 886 | 89.05 |
| 1 | 71 | 7.14 | 957 | 96.18 |
| 2 | 19 | 1.91 | 976 | 98.09 |
| 3 | 19 | 1.91 | 995 | 100.00 |

Frequency Missing = 1

FOWCS

Affix ID Label Here

**To what extent has accidental urine loss and/or prolapse affected your …..**

| | Not at all | Slightly | Moderately | Greatly |
|---|---|---|---|---|
| D43. …physical health? | 0 | 1 | 2 | 3 |

| PHYS_HEALTH | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 2 | . | . | . |
| 0 | 908 | 91.35 | 908 | 91.35 |
| 1 | 61 | 6.14 | 969 | 97.48 |
| 2 | 20 | 2.01 | 989 | 99.50 |
| 3 | 5 | 0.50 | 994 | 100.00 |

Frequency Missing = 2

| | | | | |
|---|---|---|---|---|
| D44. …sleep? | 0 | 1 | 2 | 3 |

| SLEEP | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 2 | . | . | . |
| 0 | 853 | 85.81 | 853 | 85.81 |
| 1 | 98 | 9.86 | 951 | 95.67 |
| 2 | 25 | 2.52 | 976 | 98.19 |
| 3 | 18 | 1.81 | 994 | 100.00 |

Frequency Missing = 2

| | | | | |
|---|---|---|---|---|
| D45. How much does fear of odor restrict your activities? | 0 | 1 | 2 | 3 |

| ODOR_RTRCT | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 4 | . | . | . |
| 0 | 814 | 82.06 | 814 | 82.06 |
| 1 | 118 | 11.90 | 932 | 93.95 |
| 2 | 34 | 3.43 | 966 | 97.38 |
| 3 | 26 | 2.62 | 992 | 100.00 |

Frequency Missing = 4

| | | | | |
|---|---|---|---|---|
| D46. How much does fear of embarrassment restrict your activities? | 0 | 1 | 2 | 3 |

| EMBAR_RTRCT | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 4 | . | . | . |
| 0 | 824 | 83.06 | 824 | 83.06 |
| 1 | 116 | 11.69 | 940 | 94.76 |
| 2 | 36 | 3.63 | 976 | 98.39 |
| 3 | 16 | 1.61 | 992 | 100.00 |

Frequency Missing = 4

Forms

**In addition, does your problem with accidental urine loss and/or prolapse cause you to experience ….**

| | Not at all | Slightly | Moderately | Greatly |
|---|---|---|---|---|
| D47. …nervousness or anxiety? | 0 | 1 | 2 | 3 |

Affix ID Label Here

| NERVOUS | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 2 | . | . | . |
| 0 | 845 | 85.01 | 845 | 85.01 |
| 1 | 114 | 11.47 | 959 | 96.48 |
| 2 | 27 | 2.72 | 986 | 99.20 |
| 3 | 8 | 0.80 | 994 | 100.00 |

Frequency Missing = 2

| D48. …fear? | 0 | 1 | 2 | 3 |
|---|---|---|---|---|

| FEAR | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 2 | . | . | . |
| 0 | 906 | 91.15 | 906 | 91.15 |
| 1 | 67 | 6.74 | 973 | 97.89 |
| 2 | 16 | 1.61 | 989 | 99.50 |
| 3 | 5 | 0.50 | 994 | 100.00 |

Frequency Missing = 2

| D49. …frustration? | 0 | 1 | 2 | 3 |
|---|---|---|---|---|

| FRUSTRATION | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 2 | . | . | . |
| 0 | 784 | 78.87 | 784 | 78.87 |
| 1 | 149 | 14.99 | 933 | 93.86 |
| 2 | 40 | 4.02 | 973 | 97.89 |
| 3 | 21 | 2.11 | 994 | 100.00 |

Frequency Missing = 2

| D50. …anger? | 0 | 1 | 2 | 3 |
|---|---|---|---|---|

FOWCUS

| ANGER | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 2 | . | . | . |
| 0 | 917 | 92.25 | 917 | 92.25 |
| 1 | 50 | 5.03 | 967 | 97.28 |
| 2 | 18 | 1.81 | 985 | 99.09 |
| 3 | 9 | 0.91 | 994 | 100.00 |

Frequency Missing = 2

| D51. …depression? | 0 | 1 | 2 | 3 |
|---|---|---|---|---|

| DEPRESSION | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 2 | . | . | . |
| 0 | 928 | 93.36 | 928 | 93.36 |
| 1 | 44 | 4.43 | 972 | 97.79 |
| 2 | 14 | 1.41 | 986 | 99.20 |
| 3 | 8 | 0.80 | 994 | 100.00 |

Frequency Missing = 2

| D52. …embarrassment? | 0 | 1 | 2 | 3 |
|---|---|---|---|---|

| EMBARRASS | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 3 | . | . | . |
| 0 | 799 | 80.46 | 799 | 80.46 |
| 1 | 136 | 13.70 | 935 | 94.16 |
| 2 | 33 | 3.32 | 968 | 97.48 |
| 3 | 25 | 2.52 | 993 | 100.00 |

Frequency Missing = 3

FOCUS

Affix ID Label Here

## Section F: Sexual Activities

This section covers material that is sensitive and personal. Specifically, these questions ask about matters related to your sexual activity **in the past 6 months**. For some women, sexual activity is an important part of their lives; but for others it is not. Everyone has different ideas on the subject. To help us understand how your bladder problems might affect your sexual activity, we would like you to answer the following questions from your own personal viewpoint.

There are no right or wrong answers. Remember, your confidentiality is assured. While we hope you are willing to answer all of the questions, if there are questions you would prefer not to answer, you are free to skip them. Please select the most appropriate response to each question by circling the answer you choose. Remember these questions are only relevant to sexual activity **in the past six months**.

F1. **In the past 6 months**, have you engaged in sexual activities with a partner?

Yes ..... 1 ➔**COMPLETE SECTION G BELOW**

No..... 2 ➔**SKIP TO PAGE 15 AND COMPLETE SECTION H**

| SIX_MONTHS | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 2 | . | . | . |
| 1 | 647 | 65.09 | 647 | 65.09 |
| 2 | 347 | 34.91 | 994 | 100.00 |

Frequency Missing = 2

## Section G: FOR WOMEN WHO HAVE ENGAGED IN SEXUAL ACTIVITY WITH A PARTNER IN THE LAST 6 MONTHS

G1. How frequently do you feel sexual desire? This feeling may include wanting to have sex, planning to have sex, feeling frustrated due to lack of sex, etc.

| Always | Usually | Sometimes | Seldom | Never |
|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 |

| FREQ_DES | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 350 | . | . | . |
| 1 | 61 | 9.44 | 61 | 9.44 |
| 2 | 200 | 30.96 | 261 | 40.40 |
| 3 | 249 | 38.54 | 510 | 78.95 |
| 4 | 116 | 17.96 | 626 | 96.90 |
| 5 | 20 | 3.10 | 646 | 100.00 |

Affix ID Label Here

Frequency Missing = 350

G2. Do you climax (have an orgasm) when having sexual intercourse with your partner?

| Always | Usually | Sometimes | Seldom | Never |
|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 |

| CLIMAX | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 351 | . | . | . |
| 1 | 109 | 16.90 | 109 | 16.90 |
| 2 | 249 | 38.60 | 358 | 55.50 |
| 3 | 150 | 23.26 | 508 | 78.76 |
| 4 | 95 | 14.73 | 603 | 93.49 |
| 5 | 42 | 6.51 | 645 | 100.00 |

Frequency Missing = 351

G3. Do you feel sexually excited (turned on) when having sexual activity with your partner?

| Always | Usually | Sometimes | Seldom | Never |
|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 |

| SEX_EXCIT | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 351 | . | . | . |
| 1 | 213 | 33.02 | 213 | 33.02 |
| 2 | 245 | 37.98 | 458 | 71.01 |
| 3 | 112 | 17.36 | 570 | 88.37 |
| 4 | 58 | 8.99 | 628 | 97.36 |
| 5 | 17 | 2.64 | 645 | 100.00 |

Frequency Missing = 351

G4. How satisfied are you with the variety of sexual activities in your current sex life?

| Always | Usually | Sometimes | Seldom | Never |
|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 |

| SATIS_SEX | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 352 | . | . | . |
| 1 | 207 | 32.14 | 207 | 32.14 |
| 2 | 245 | 38.04 | 452 | 70.19 |
| 3 | 95 | 14.75 | 547 | 84.94 |
| 4 | 71 | 11.02 | 618 | 95.96 |

Affix ID Label Here

| SATIS_SEX | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| 5 | 26 | 4.04 | 644 | 100.00 |

Frequency Missing = 352

TOMUS

G5. Do you feel pain during sexual intercourse?

| Always | Usually | Sometimes | Seldom | Never |
|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 |

| PAIN_SEX | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 354 | . | . | . |
| 1 | 19 | 2.96 | 19 | 2.96 |
| 2 | 19 | 2.96 | 38 | 5.92 |
| 3 | 129 | 20.09 | 167 | 26.01 |
| 4 | 152 | 23.68 | 319 | 49.69 |
| 5 | 323 | 50.31 | 642 | 100.00 |

Frequency Missing = 354

G6. Are you incontinent of urine (leak urine) with sexual activity?

| Always | Usually | Sometimes | Seldom | Never |
|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 |

| INCON_SEX | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 353 | . | . | . |
| 2 | 6 | 0.93 | 6 | 0.93 |
| 3 | 43 | 6.69 | 49 | 7.62 |
| 4 | 79 | 12.29 | 128 | 19.91 |
| 5 | 515 | 80.09 | 643 | 100.00 |

Frequency Missing = 353

G7. Does fear of incontinence (either urine or stool) restrict your sexual activity?

| Always | Usually | Sometimes | Seldom | Never |
|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 |

| FEAR_SEX | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 353 | . | . | . |
| 1 | 1 | 0.16 | 1 | 0.16 |
| 2 | 8 | 1.24 | 9 | 1.40 |
| 3 | 31 | 4.82 | 40 | 6.22 |
| 4 | 54 | 8.40 | 94 | 14.62 |
| 5 | 549 | 85.38 | 643 | 100.00 |

Frequency Missing = 353

G8. Do you avoid sexual intercourse because of bulging in the vagina (either the bladder, rectum or vagina falling out)?

| Always | Usually | Sometimes | Seldom | Never |
|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 |

| AVOID_SEX | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 353 | . | . | . |
| 1 | 1 | 0.16 | 1 | 0.16 |
| 2 | 3 | 0.47 | 4 | 0.62 |
| 3 | 4 | 0.62 | 8 | 1.24 |
| 4 | 21 | 3.27 | 29 | 4.51 |
| 5 | 614 | 95.49 | 643 | 100.00 |

Frequency Missing = 353

G9. When you have sex with your partner, do you have negative emotional reactions such as fear, disgust, shame or guilt?

| Always | Usually | Sometimes | Seldom | Never |
|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 |

| NEG_SEX | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 354 | . | . | . |
| 1 | 2 | 0.31 | 2 | 0.31 |
| 2 | 9 | 1.40 | 11 | 1.71 |
| 3 | 44 | 6.85 | 55 | 8.57 |
| 4 | 32 | 4.98 | 87 | 13.55 |
| 5 | 555 | 86.45 | 642 | 100.00 |

Frequency Missing = 354

G10. Does your partner have a problem with <u>erections</u> that affects your sexual activity?

| Always | Usually | Sometimes | Seldom | Never |
|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 |

| ERECT_SEX | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 353 | . | . | . |
| 1 | 18 | 2.80 | 18 | 2.80 |
| 2 | 30 | 4.67 | 48 | 7.47 |
| 3 | 97 | 15.09 | 145 | 22.55 |
| 4 | 83 | 12.91 | 228 | 35.46 |
| 5 | 415 | 64.54 | 643 | 100.00 |

Frequency Missing = 353

Affix ID Label Here

G11. Does your partner have a problem with premature ejaculation that affects your sexual activity?

| Always | Usually | Sometimes | Seldom | Never |
|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 |

| PE_SEX | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 354 | . | . | . |
| 1 | 7 | 1.09 | 7 | 1.09 |
| 2 | 18 | 2.80 | 25 | 3.89 |
| 3 | 56 | 8.72 | 81 | 12.62 |
| 4 | 78 | 12.15 | 159 | 24.77 |
| 5 | 483 | 75.23 | 642 | 100.00 |

Frequency Missing = 354

G12. Compared to orgasms you have had in the past, how intense are the orgasms you have had in the past 6 months?

| Much less intense | Less intense | Same intensity | More intense | Much more intense |
|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 |

| ORGAS_SEX | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 363 | . | . | . |
| 1 | 66 | 10.43 | 66 | 10.43 |
| 2 | 98 | 15.48 | 164 | 25.91 |
| 3 | 387 | 61.14 | 551 | 87.05 |
| 4 | 65 | 10.27 | 616 | 97.31 |
| 5 | 17 | 2.69 | 633 | 100.00 |

Frequency Missing = 363

**YOU ARE DONE WITH THIS QUESTIONNAIRE. THANK YOU.**

Affix ID Label Here

## Section H: FOR WOMEN WHO REPORT NO SEXUAL ACTIVITY WITH A PARTNER IN THE LAST 6 MONTHS

H1. Do you have a partner at this time?

Yes ..... 1

No ..... 2

| PARTNER | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 663 | . | . | . |
| 1 | 141 | 42.34 | 141 | 42.34 |
| 2 | 192 | 57.66 | 333 | 100.00 |

Frequency Missing = 663

H2. How frequently do you feel sexual desire? This feeling may include wanting to have sex, planning to have sex, feeling frustrated due to lack of sex, etc.

| Always | Usually | Sometimes | Seldom | Never |
|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 |

| FREQ_DES_2 | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 686 | . | . | . |
| 1 | 8 | 2.58 | 8 | 2.58 |
| 2 | 18 | 5.81 | 26 | 8.39 |
| 3 | 113 | 36.45 | 139 | 44.84 |
| 4 | 98 | 31.61 | 237 | 76.45 |
| 5 | 73 | 23.55 | 310 | 100.00 |

Frequency Missing = 686

H3. How satisfied are you with the variety of sexual activities in your current sex life?

| Always | Usually | Sometimes | Seldom | Never |
|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 |

| SATIS_SEX_2 | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 724 | . | . | . |
| 1 | 35 | 12.87 | 35 | 12.87 |
| 2 | 37 | 13.60 | 72 | 26.47 |

FOMUS

Affix ID Label Here

| SATIS_SEX_2 | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| 3 | 48 | 17.65 | 120 | 44.12 |
| 4 | 48 | 17.65 | 168 | 61.76 |
| 5 | 104 | 38.24 | 272 | 100.00 |

Frequency Missing = 724

H4. Does fear of pain during sexual intercourse restrict your activity?

| Always | Usually | Sometimes | Seldom | Never |
|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 |

| PAIN_SEX_2 | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 714 | . | . | . |
| 1 | 8 | 2.84 | 8 | 2.84 |
| 2 | 8 | 2.84 | 16 | 5.67 |
| 3 | 12 | 4.26 | 28 | 9.93 |
| 4 | 15 | 5.32 | 43 | 15.25 |
| 5 | 239 | 84.75 | 282 | 100.00 |

Frequency Missing = 714

H5. Does fear of incontinence (either stool or urine) during sexual intercourse restrict your sexual activity?

| Always | Usually | Sometimes | Seldom | Never |
|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 |

| INCON_SEX_2 | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 713 | . | . | . |
| 1 | 4 | 1.41 | 4 | 1.41 |
| 2 | 2 | 0.71 | 6 | 2.12 |
| 3 | 16 | 5.65 | 22 | 7.77 |
| 4 | 21 | 7.42 | 43 | 15.19 |
| 5 | 240 | 84.81 | 283 | 100.00 |

Frequency Missing = 713

H6. Do you avoid sexual intercourse because of bulging in the vagina (either the bladder, rectum or vagina falling out)?

Affix ID Label Here

| Always | Usually | Sometimes | Seldom | Never |
|---|---|---|---|---|
| 1 | 2 | 3 | 4 | 5 |

| AVOID_SEX_2 | Frequency | Percent | Cum Freq | Cum Percent |
|---|---|---|---|---|
| . | 713 | . | . | . |
| 1 | 4 | 1.41 | 4 | 1.41 |
| 2 | 1 | 0.35 | 5 | 1.77 |
| 3 | 3 | 1.06 | 8 | 2.83 |
| 4 | 6 | 2.12 | 14 | 4.95 |
| 5 | 269 | 95.05 | 283 | 100.00 |

Frequency Missing = 713

**YOU ARE DONE WITH THIS QUESTIONNAIRE. THANK YOU.**

TOMUS