



The UITN is supported by cooperative agreements from the National Institute of Diabetes and Digestive and Kidney Diseases (NIDDK) in collaboration with the National Institute of Child Health and Human Development (NICHD)



	F3	57: 12 and 24	MONTH FØLI	LOW-UP PAT	IENT SURVE	EY 08/28/06 (A)_rev0	01/09/07		
SECTION A: GENERAL STUDY INFORMATION FOR OFFICE USE ONLY:									
A1. STUDY ID#: LABEL				A2. VIS	F/U	J 24 Months	TF12 TF24 TFAI		
		VISIT	Frequency	Percent	Cum Freq	Cum Percent			
		TF12	527	52.91	527	52.91			
		TF24	469	47.09	996	100.00			
<b>A3.</b> DATE FORM DISTRIBUTED: _	/ MONTH	/	YEAR	A4. STU	JDY STAFF	INITIALS:			

MOD	E1	Frequency	Percent	Cum Freq	Cum Percent
1		990	99.40	990	99.40
2		6	0.60	996	100.00



Δ ffiv	ID	Lahel	Here
AIIIX	111	Lanci	11010


**Introduction:** This survey contains questions about your satisfaction with the results of your surgery, and measures of your current urinary symptoms, your quality of life, your capabilities to perform routine daily living activities, and sexual activities.

As with all of the information we collect for this research study, all of your responses are completely confidential. Your responses are never linked with your name and your name never appears on any of the research documents. Providing this information will <u>not</u> affect any of your services, benefits, or eligibility for coverage.

This survey should take about 15 minutes to complete. Ideally, you will be able to complete the entire survey in one sitting.

There are five (5) parts to the 12 and 24 Month Follow-Up Patient Survey. Please read the instructions at the start of each section carefully before you begin each new section.

Try to answer every item, but do not dwell too long on any one question. We want your answers, so please complete the questionnaire on your own. After you have completed the Survey, please check to make sure you have not missed any items. If you have any questions about any of these items, please call me:



A7. What is the date that you are starting to fill out this Survey?

	/	/		
Month	Day		Year	

F357 codebook

### Section B: Satisfaction with the Results of Surgery

You have had surgery to reduce urinary incontinence (urine leakage) and to lessen the impact of these symptoms on your life. These questions ask you to tell us how satisfied you are with the result(s) of your bladder surgery related to your symptoms, emotions, and participation in physical and social activities. This information will help us to understand your views of your surgical experience.

GENERAL INSTRUCTIONS: Please read the question and symptoms in the first column. Then, work across the page and tell us about how satisfied or dissatisfied you are with the result of your bladder surgery related to that symptom. Circle the one response that **best** describes your level of satisfaction. If you NEVER experienced the symptom (neither before nor after surgery), **DO NOT** rate your satisfaction. **Instead**, circle **NA** in the last column labeled "**Not Applicable (NA)**".

This section asks about **symptoms** that you may have experienced **before** and/or **after** surgery.

How satisfied or dissatisfied are you with the result of bladder surgery related to the following symptoms....

		Completely dissatisfied	Mostly dissatisfied	Neutral	Mostly satisfied	Completely satisfied	Not Applicable
B1Urine leakage?		1	2	3	4	5	NA
	UR_LEAK Frequence 1	11 40 4.0 50 5.0 32 3.2 260 26.4 603 61.2		Cum Percent			
B2An urgency to urinate such that you fe bathroom in time?	ar not making it to the	1	2	3	4	5	NA

F357 codebook

	UR_URIN	Frequency	Percent	Cum Freq	Cum Percent			
	•	64			•			
	1	39	4.18	39	4.18			
	2	54	5.79	93	9.98			
	3	71	7.62	164	17.60			
	4	321	34.44	485	52.04			
	5	447	47.96	932	100.00			
		Fr	equency Mis	ssing = 64				
B3Frequent urination?			1	2	3	4	5	NA
		•						
	FREQ_URIN	Frequency	Percent	Cum Freq	Cum Percent			
	•	85	•		•			
	1	34	3.73		3.73			
	2	41	4.50		8.23			
	3	105	11.53		19.76			
	4	261	28.65		48.41			
	5	470	51.59	911	100.00			
		Fr	equency Mis	ssing = 85				

This next section asks about **activities** that you may have limited **before** and/or **after** surgery because of your bladder problem.

How satisfied or dissatisfied are you with the result of bladder surgery regarding your current capability to perform the following activities...

	Completely dissatisfied	Mostly dissatisfied	Neutral	Mostly satisfied	Completely satisfied	Not Applicable
B4Physical activities (e.g. housework, yardwork, going for a walk, dancing, jogging, golfing)?	1	2	3	4	5	NA
PHY_ACT Frequency	9 37 3.7 45 4.5 23 2.3 182 18.4 700 70.9		Cum Percent . 3.75 8.31 10.64 29.08 100.00			
B5Social activities (e.g. visiting friends, vacationing, going to church or temple)?	1	Missing = 9	3	4	5	NA
SOC_ACT Frequence  .	25 39 4.0 25 2.5 25 2.5 125 12.8 757 77.9		Cum Percent . 4.02 6.59 9.17 22.04 100.00			
B6Sexual activity?	1	2	3	4	5	NA

SEX_ACT	Frequency	Percent	Cum Freq	Cum Percent
	267			•
1	33	4.53	33	4.53
2	20	2.74	53	7.27
3	59	8.09	112	15.36
4	106	14.54	218	29.90
5	511	70.10	729	100.00

Frequency Missing = 267

This next section asks about emotions that you may have experienced before and/or after surgery because of your bladder problem.

How satisfied or dissatisfied are you with the result of bladder surgery regarding.

	Completely dissatisfied	Mostly dissatisfied	Neutral	Mostly satisfied	Completely satisfied	Not Applicable
B7Your emotions (e.g., feelings of embarrassment, helplessness, frustration, and/or depression)?	1	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	3	4	5	NA

EMOTIONS	Frequency	Percent	Cum Freq	Cum Percent
	16			•
1	43	4.39	43	4.39
2	38	3.88	81	8.27
3	36	3.67	117	11.94
4	144	14.69	261	26.63
5	719	73.37	980	100.00

Frequency Missing = 16

Please answer the following questions by circling either 1 (Yes) or 2 (No).

B8. If you could go back in time to when you had your bladder surgery, and knowing what you know now, would you still choose to have the surgery?	Yes 1	No 2
---	----------	---------


SURG_AGAIN	Frequency	Percent	Cum Freq	Cum Percent
•	1	•	•	•
1	950	95.48	950	95.48
2	45	4.52	995	100.00

Frequency Missing = 1


B9. Would you recommend this surgery to a family member or friend?

Yes No 2

SURG_REC	Frequency	Percent	Cum Freq	Cum Percent
•	1			•
1	955	95.98	955	95.98
2	40	4.02	995	100.00



# **Section C: Urinary Symptoms**



	Never	About once a week or less often	Two or three times a week	About once a day	Several times a day	All the time
C2. How often do you leak urine?	0	1	2	3	4	5

Frequency Missing = 33

OFTEN_LK	Frequency	Percent	Cum Freq	Cum Percent
•	15	•	•	•
0	406	41.39	406	41.39
1	319	32.52	725	73.90
2	99	10.09	824	84.00

OFTEN_LK	Frequency	Percent	Cum Freq	Cum Percent
3	69	7.03	893	91.03
4	79	8.05	972	99.08
5	9	0.92	981	100.00

Frequency Missing = 15

	None	A small amount	A moderate amount	A large amount
C3. We would like to know how much urine you think leaks. How much urine do you usually leak whether you wear protection or not?	0	1	2	3

USUAL_LK	Frequency	Percent	Cum Freq	Cum Percent
•	14	•	•	•
0	412	41.96	412	41.96
1	512	52.14	924	94.09
2	51	5.19	975	99.29
3	7	0.71	982	100.00

Frequency Missing = 14

C4. Overall, how much does leaking interfere with your everyday life? Draw a single vertical line at the point on this line from "not at all" to "a great deal" that represents how much leaking interferes with your daily life.



C4 Code

Anal	Analysis Variable : LK_INTERFERE							
	N				Lower		Upper	
N	Miss	Mean	SD	Minimum	Quartile	Median	Quartile	Maximum
984	0	10.2	23.3	0.0	0.0	0.0	8.0	150.0

LK_INTERFERE	Frequency	Percent	Cum Freq	Cum Percent
	12	100.00	12	100.00


Please tell us when urine leaks. Circle YES for all that apply to you and NO for those that do not.						
				Yes	No	
C5. Never – urine does not leak				Yes 1	No 2	
NEVER . 1 2	R_LEAK Frequency 7 392 597	Percent 39.64 60.36	Cum Free	q Cum Percent . 39.64 . 100.00		
	Freque	ncy Missing	= 7			
C6. Leaks before you can get to the t	coilet			Yes	No 2	
LK_T . 1 2	OILET Frequency 4 383 609 Freque	Percent . 38.61 61.39 ency Missing	Cum Freq . 383 992	Cum Percent		
C7. Leaks when you cough or sneeze				Yes	No 2	
LK_( 1 2	COUGH Frequency 4 216 776 Freque	Percent . 21.77 78.23 ency Missing	Cum Freq 216 992	Cum Percent 21.77 100.00		
C8. Leaks when you are asleep				Yes	No 2	

	LV ACLEED	Fnoguency	Doncont	Cum Enga	Cum Doncont	
	LK_ASLEEP	Frequency	Percent	Cum Freq	Cum Percent	
	•	4				
	1	87	8.77	87	8.77	
	2	905	91.23	992	100.00	
		_				
		Freque	ency Missin	g = 4		
C9. Leaks when you are physic	ally active/e	evercising			Yes	No
C). Leaks when you are physic	ally active/c	Acreising			1 63	2
	LK ACTIVE	Frequency	Percent	Cum Freq	Cum Percent	
	LK_ACTIVE	5	1 CI CCIIC	cum 11 cq	Cam Terecite	
	1	193	19.48	193	19.48	
	2	798	80.52	991	100.00	
	2	7 9 6	80.32	991	100.00	
				\ /	/	
		Fnogue	ency Missin	~		
		Freque	ency MISSIN	g = 5		
				1\ \/ //		
C10. Leaks when you have fini	shed urinati	ng and are di	ressed	\	\ Yes	No
,				\		2
	LK_DRESS	Frequency	Percent	Cum Freq	Cum Percent	
	•	4	•	•	•	
	1	143	14.42	143	14.42	
	2	849	85.58	992	100.00	
		Freque	ency Missin	g = 4		
C11. Leaks for no obvious reas	on				Yes	No
C11. Leaks for no obvious reas	OII				1	2
					1	-
		-				
	LK_OBVIOUS	Frequency	Percent	Cum Freq	Cum Percent	
	•	4	•	•	<u>                                     </u>	
	1	157	15.83	157	15.83	
	2	835	84.17	992	100.00	
		_		_		
		Freque	ency Missin	g = 4		

C12. Leaks all the time	Yes	No
	1	2

LK_ALLTIME	Frequency	Percent	Cum Freq	Cum Percent
	5	•	•	•
1	22	2.22	22	2.22
2	969	97.78	991	100.00


Frequency Missing = 5



# Section D: Quality of Life

These questions deal specifically with your accidental urine loss and/or prolapse. The symptoms in this section have been described by women who experience accidental urine loss and/or prolapse. Please indicate which symptoms you are now experiencing, and how bothersome they are for you. Be sure to circle an answer for all items.

**GENERAL INSTRUCTIONS**: Please read the first column of symptoms and circle "Yes" or "No" for each symptom. Then, for each question marked by a "Yes" answer, work across the page and tell us how bothersome that symptom is for you currently.



D3urine leakage related to the feeling of urgency?	Yes	No 2	0	1		2	3
URGE_LEAK Frequency Percent Cum Freq Cum Percent . 1	cent		URGE_LEAK_A . 0 1 2 3	Frequency 1 718 164 78 35	Percer 72.16 16.48 7.84 3.52	718 882 960 995	Cum Percent 72.16 88.64 96.48 100.00
D4urine leakage related to physical activity, coughing or sneezing?	Yes 1	No 2	0	1		2	3
ACTV_LEAK Frequency Percent Cum Freq Cum Percent 1 253 25.40 253 25.40 2 743 74.60 996 100.00	cent		ACTV_LEAK_A . 0 1 2 3	Frequency 1 768 124 69 34  Frequence	Percer 77.19 12.46 6.93 3.42	768 892 961 995	Cum Percent . 77.19 89.65 96.58 100.00
D5general urine leakage <b>not</b> related to urgency or activity?	Yes	No 2	0	1		2	3
GEN_LEAK         Frequency         Percent         Cum Freq         Cum Perc           1         132         13.25         132         13.25           2         864         86.75         996         100.00	ent		GEN_LEAK_A 0 1 2 3	Frequency 872 73 28 23	Percent 87.55 7.33 2.81 2.31	t Cum Freq 872 945 973 996	Cum Percent 87.55 94.88 97.69 100.00
D6small amounts of urine leakage (that is, drops)?	Yes	No 2	0	1		2	3

		1-		1				Ш
	SMALL_LEAK	Frequency	Percent	Cum Freq	Cum Per	cent		
	1	476	47.79	476	47.79			ш
	2	520	52.21	996	100.00			ш
								ш
								ı II.
D7.	large amoui	nts of urine le	eakage?			Yes	No	ш
	υ		J			1	2	ш
								Ш
	LARGE_LEAK	Frequency	Percent	Cum Freq	Cum Per	cent		ш
	1	68	6.83	68	6.83			ш
	2	928	93.17	996	100.00			ш
								ш
								ш
								ш
								ш
							\ \	ш
								M
D6	nighttime u	ringtion?				Yes	No	V
Do	mgmume u	i illation?				1 65	2	ш
						1	2	H.
	NITE_LEAK	Frequency	Percent	Cum Freq	Cum Pero	ent		И
	1	328	32.93	328	32.93			ш
	2	668	67.07	996	100.00			ш
								ш
								ш
								П

SMALL_LEAK_A	Frequency	Percent	Cum Freq	Cum Percent
0	626	62.85	626	62.85
1	281	28.21	907	91.06
2	72	7.23	979	98.29
3	17	1.71	996	100.00
		'	1	
0	1		2	3
Ů	•		_	
L			<u> </u>	
LARGE_LEAK_A	Frequency	Percent	Cum Freq	Cum Percent
	1			
0	928	93.27	928	93.27
1	13	1.31	941	94.57
2	22	2.21	963	96.78
3	32	3.22	995	100.00
	Frequency	/ Missing =	1	
0	1	:	2	3
	· ·			
NITE_LEAK_A	Frequency	Percent	Cum Freq	Cum Percent
•	1	•	•	
0		76.08	757	76.08
1	153	15.38	910	91.46
2	54	5.43	964	96.88
3	31	3.12	995	100.00
	Frequency	/ Missing =	1	

97.59

98.49

99.10

100.00

#### Do you currently experience ..... Yes No D9. ...bedwetting? Yes No 2 Frequency BED WET Percent Cum Freq Cum Percent 24 2.41 24 2.41 971 97.59 995 100.00 Frequency Missing = 1 D10. ...difficulty emptying your bladder? No Yes DIFF\_EMPTY Frequency Cum Freq Percent Cum Percent 120 12.07 120 12.07 874 87.93 994 100.00 Frequency Missing = 2 D11. ...a feeling of incomplete bladder emptying? Yes No

Circle the one	Circle the one response below that best describes how bothersome that symptom is for you.								
Not at all bothersome	Slightly botherson		derately hersome	Greatly bothersome					
0	1	3							
BED WET A	BED WET A Frequency Percent Cum Freq Cum Percent								

97.59

0.90

0.60

0.90

971

980

986

995

971

9

IF YES.

	Fr	equency Mi	.ssing = 1		
0		1	2	3	

DIFF_EMPT_A	Frequency	Percent	Cum Freq	Cum Percent
•	2	•	•	•
0	879	88.43	879	88.43
1	67	6.74	946	95.17
2	36	3.62	982	98.79
3	12	1.21	994	100.00

Frequency Missing = 2

0 1 2 3

INCOM	RI AD	Frequency	Percent	Cum Freq	Cum Pero	cent	ш	INCOM BLAD A	Frequency	Percent	Cum Freq	Cum Percer
1110011_	DEAD	1	i ci cene	cum 11 cq	- Cum Tere	cerre		INCON_DEAD_A	2		- cum 11 cq	- Cum i ci cci
1		212	21.31	212	21.31			0	810	81.49	810	81.49
2		783	78.69	995	100.00			1	120	12.07	930	93.56
_		1,03	, 0.03	1333	100.00			2	47	4.73	977	98.29
								3	17	1.71	994	100.00
		Freque	ncy Missing	= 1			Ш					
							Ш		Frequenc	y Missing	= 2	
12lowe	er abdo	ominal pressi	ure?			Yes No	╢	0	1		2	3
							ш				\	
ABD_PF	RESS	Frequency	Percent	Cum Freq	Cum Perc	ent		ABD_PRESS_A	Frequency	Percent	Cum Freq	Cum Percen
•		2		•	•			•	3	•		•
1		97	9.76	97	9.76		-111	0	902	90.84	902	90.84
2		897	90.24	994	100.00			1	63	6.34	965	97.18
							- 11 - 1	2	23	2.32	988	99.50
		Freque	ncy Missing	= 2				3	5	0.50	993	100.00
		Freque	ncy Missing	= 2				3	5	0.50		100.00
3pain	when		ncy Missing	= 2		Yes No		0	5			100.00
		urinating?			Cum Perc	1/ 2		0	Frequence 1	cy Missing	= 3	3
3pain			Percent	= 2  Cum Freq	Cum Perc	1/ 2		3	5 Frequence		= 3	3
	URIN	urinating?			Cum Perc	1/ 2		0	Frequency  Frequency	cy Missing	= 3	Cum Percen
PAIN_U	URIN	urinating?  Frequency  1	Percent .	Cum Freq		1/ 2		0  PAIN_URIN_A .	Frequency 1	Percent	= 3  2  Cum Freq	Cum Percen
PAIN_L	URIN	urinating?  Frequency 1 18	Percent . 1.81	Cum Freq . 18	1.81	1/ 2		O  PAIN_URIN_A  O  1	Frequency 1 978	Percent . 98.29	= 3  2    Cum Freq   .	3 Cum Percen 98.29 98.79
PAIN_L	URIN	urinating?  Frequency 1 18	Percent . 1.81	Cum Freq . 18	1.81	1/ 2		O  PAIN_URIN_A  O	Frequency 1 978 5	Percent . 98.29	= 3 2   Cum Freq   .   978	3 Cum Percen 98.29 98.79 99.60
PAIN_L	URIN	urinating?  Frequency 1 18 977	Percent . 1.81 98.19	Cum Freq . 18 995	1.81	1/ 2		O  PAIN_URIN_A  O  1 2	Frequency 1 978 5 8	Percent	= 3  2    Cum Freq   .	3 Cum Percen 98.29 98.79
1	URIN	urinating?  Frequency 1 18 977	Percent . 1.81	Cum Freq . 18 995	1.81	1/ 2		O  PAIN_URIN_A  O  1 2	Frequency 1 978 5 8 4	Percent	= 3  2    Cum Freq	3 Cum Percen 98.29 98.79 99.60

ABD_PAIN	Frequency	Percent	Cum Freq	Cum Percent
•	3	•	•	•
1	60	6.04	60	6.04
2	933	93.96	993	100.00

Frequency Missing = 3

D15. ...heaviness or dullness in the pelvic area?

Yes No

DULL_PELVIC	Frequency	Percent	Cum Freq	Cum Percent
•	1			•
1	62	6.23	62	6.23
2	933	93.77	995	100.00

Frequency Missing = 1

D16. ...a feeling of bulging or protrusion in the vaginal area? Yes No

ABD_PAIN_A	Frequency	Percent	Cum Freq	Cum Percent				
	3	•						
0	938	94.46	938	94.46				
1	34	3.42	972	97.89				
2	18	1.81	990	99.70				
3	3	0.30	993	100.00				
Frequency Missing = 3								
0	1		2	3				
DUL_PELVIC_A	Frequency	Percent	Cum Fre	q Cum Percent				
	1	•						
0								
1								
2		1.71						
3	2	0.20	99	5 100.00				
Frequency Missing = 1								
0	1		2	3				

PROT_FEEL	Frequency	Percent	Cum Freq	Cum Percent
•	1	•	•	•
1	53	5.33	53	5.33
2	942	94.67	995	100.00

Frequency Missing = 1

D17. ...bulging or protrusion you can see in the vaginal area?

Yes No

PROT SEE	Frequency	Percent	Cum Freq	Cum Percent
-	1			
1	23	2.31	23	2.31
2	972	97.69	995	100.00

Frequency Missing = 1

D18. ...pelvic discomfort when standing or physically exerting yourself?

Yes No

PELV_DIS	Frequency	Percent	Cum Freq	Cum Percent
•	1	•		•
1	33	3.32	33	3.32
2	962	96.68	995	100.00

Frequency Missing = 1

D19. Do you have to push on the vagina or perineum to empty your bladder?

Yes No 2

PROT_FEEL_A	Frequency	Percent	Cum Freq	Cum Percent
	1	•	•	•
0	948	95.28	948	95.28
1	32	3.22	980	98.49
2	11	1.11	991	99.60
3	4	0.40	995	100.00

Frequency Missing = 1

0	1	2	3

			\		
1	PROT_SEE_A	Frequency	Percent	Cum Freq	Cum Percent
	•	1	•	•	•
	0	976	98.09	976	98.09
	1	10	1.01	986	99.10
	2	4	0.40	990	99.50
	3	5	0.50	995	100.00
- 1					

Frequency Missing = 1

0	1	2	3

PELV_DIS_A	Frequency	Percent	Cum Freq	Cum Percent
	1	•	•	•
0	962	96.68	962	96.68
1	16	1.61	978	98.29
2	11	1.11	989	99.40
3	6	0.60	995	100.00

Frequency Missing = 1

0	1	2	3

F357 codebook

3

PUSH_BLAD	Frequency	Percent	Cum Freq	Cum Percent
•	1	•	•	•
1	36	3.62	36	3.62
2	959	96.38	995	100.00

Frequency Missing = 1

D20. Do you have to push on the vagina or perineum to have a bowel movement?

Yes

No

2

PUSH_BOWEL	Frequency	Percent	Cum Freq	Cum Percent
	1	•	•	•
1	130	13.07	130	13.07
2	865	86.93	995	100.00

Frequency Missing = 1

PUSH_BLAD_A	Frequency	Percent	Cum Freq	Cum Percent	
	2			•	
0	968	97.38	968	97.38	
1	14	1.41	982	98.79	
2	7	0.70	989	99.50	
3	5	0.50	994	100.00	
Frequency Missing = 2					

PUSH_BOWEL_A	Frequency	Percent	Cum Freq	Cum Percent
	5			
0	880	88.80	880	88.80
1	50	5.05	930	93.84
2	34	3.43	964	97.28
3	27	2.72	991	100.00

Frequency Missing = 5

D21. Do you experience any **other** symptoms related to accidental urine loss or prolapse?

YES..... 1

NO...... 2 **→** SKIP TO D22

OTH_SYMP	Frequency	Percent	Cum Freq	Cum Percent
•	1	•	•	•
1	52	5.23	52	5.23
2	943	94.77	995	100.00

Frequency Missing = 1

D21a. If yes, what is it (are they)?

D22. Please go back and review all of the symptoms in Section D above, items D1-21, and write below the one symptom that bothers you the most. For this item, please list **one** symptom only.

Some women find that accidental urine loss and/or prolapse may affect their activities, relationships, and feelings. The questions in this section refer

to areas in your life which may have been influenced or changed by your problem. For each question in this section, circle the one response that best describes how much your activities, relationships and feelings are being affected by urine leakage and/or prolapse.

# To what extent has accidental urine loss and/or prolapse affected your .....

	Not at all	Slightly	Moderately	Greatly
D23ability to do household chores (cooking, housecleaning, laundry)?	0	1	2	3

	CHORES	Frequency	Percent	Cum Freq	Cum Percent			
	•	2	•	•				
	0	926	93.16	926	93.16			
	1	46	4.63	972	97.79			
	2	13	1.31	985	99.09			
	3	9	0.91	994	100.00			
		Freq	uency Missi	ng = 2				
D24ability to do usual maintenance or	r repair wo	ork done in ho	ome or yard	?	0	1	2	3
		1-						
l	REPAIR	Frequency	Percent	Cum Freq	Cum Percent			
l	•	2						
	0	899	90.44	899 964	90.44			
	1	65	6.54		96.98			
	2	18 12	1.81	982	98.79			
	3	12	1.21	994	100.00			
		Freq	uency Missi	ng = 2				
D25shopping activities?					0	1	2	3
	CUARRENIA							
l	SHOPPING	Frequency	Percent	Cum Freq	Cum Percent			
l	•	2 893						
	0	65	89.84	893	89.84 96.38			
l	1	25	6.54 2.52	958 983	98.89			
l	2	11	1.11	983	100.00			
l	3	TT	1.11	JJ4	שמי ממד			
		Freq	uency Missi	ng = 2				
D26hobbies and pastime activities?					0	1	2	3

F357 codebook

HOBBIES	Frequency	Percent	Cum Freq	Cum Percent
•	3			•
0	908	91.44	908	91.44
1	55	5.54	963	96.98
2	18	1.81	981	98.79
3	12	1.21	993	100.00

Frequency Missing = 3

D27. ...physical recreational activities such as walking, swimming, or other exercise?

(

2

3

RECR_ACT	Frequency	Percent	Cum Freq	Cum Percent
•	3	•	•	
0	820	82.58	820	82.58
1	104	10.47	924	93.05
2	45	4.53	969	97.58
3	24	2.42	993	100.00

Frequency Missing = 3

D28. ...entertainment activities such as going to a movie or concert?

0

1

2

3

ENTER_ACT	Frequency	Percent	Cum Freq	Cum Percent
•	2	•	•	•
0	894	89.94	894	89.94
1	62	6.24	956	96.18
2	20	2.01	976	98.19
3	18	1.81	994	100.00

Frequency Missing = 2

# To what extent has accidental urine loss and/or prolapse affected your .....

					Not at all	Slightly	Moderately	Greatly
D29ability to travel by car or bu	TRAV_GRT_20   Frequency   Percent   Color					1	2	3
	0 1 2	1 936 36 17	94.07 3.62 1.71	Cum Freq	Cum Percent 94.07 97.69 99.40 100.00			
D30ability to travel by car or bu home?	s for distances gre		0	1	2	3		
	0 1 2	1 871 84 25 15	87.54 8.44 2.51 1.51	Cum Freq 871 955 980 995	Cum Percent 87.54 95.98 98.49 100.00			
D31going to places if you are no	ot sure about availa		0	1	2	3		

								·
<u> </u>						_		
	GOING_PLACE	Frequency	Percent	Cum Fre	q Cum Percent			
		1	•	•	•			
•	)	744	74.77	744	74.77			
	L	174	17.49	918	92.26			
<u> </u>		44	4.42	962	96.68			
	3	33	3.32	995	100.00			
		Frequ	ency Missin	g = 1				
D32going on vacation?					0	1	2	3
							·	
	VACATION	Frequency	Percent	Cum Freq	Cum Percent			
	•	2	•	•	•			
	0	887	89.24	887	89.24			
	1	56	5.63	943	94.87			
	2	37	3.72	980	98.59			
	3	14	1.41	994	100.00			
		Frequ	ency Missin	g = 2				
D33church or temple attendance?					0	1	2	3
	CHIDCH		5 1	C -	6 5 1			
		Frequency	Percent	Cum Freq	Cum Percent			
	-	1 944	94.87	944	94.87			
		30	3.02	974	94.87			
		12	1.21	986	99.10			
I		9	0.90	995	100.00			
	3	J	U. JU	<i>33</i> 3	100.00			
		Frequ	ency Missin	g = 1				
D34volunteer activities?					0	1	2	3

	VOL_ACT	Frequency	Percent	Cum Freq	Cum Percent			
	•	1	•	•	•			
	0	935	93.97	935	93.97			
	1	36	3.62	971	97.59			
	2	13	1.31	984	98.89			
	3	11	1.11	995	100.00			
		Frequ	uency Missi	ng = 1				
D35employment (work) outside the h	nome?				0	1	2	3
l	WORK_OUT	Frequency	Percent	Cum Freq	Cum Percent			
	•	11	•	•	•			
	0	922	93.60	922	93.60			
	1	34	3.45	956	97.06			
	2	14	1.42	970	98.48			
	3	15	1.52	985	100.00			
		Frequ	ency Missin	g = 11				
D36having friends visit you in your h	nome?				0	1	2	3
,	VICIT FRUSC	\		6 5				
	VISIT_FRNDS		y Percent	Cum Fre	q Cum Percent			
	•	1		•				
	0	956	96.08	956	96.08			
	1	23 11	2.31	979 990	98.39 99.50			
	3	5	1.11 0.50	990	100.00			
	3	כ	0.50	כצב	100.00			
		Frequ	uency Missi	ng = 1				
D37participation in social activities of	outside your	home?			0	1	2	3

								·
						_		
	SOC_OUT_ACT	Frequency	Percent	Cum Freq	Cum Percent			
	•	1	•	•	•			
	0	905	90.95	905	90.95			
	1	57	5.73	962	96.68			
	2	25	2.51	987	99.20			
	3	8	0.80	995	100.00			
		Freque	ency Missin	g = 1				
D38relationship with friends?					0		2	3
	FRIENDS	Frequency	Percent	Cum Freq	Cum Percent			
	•	2	•					
	0	954	95.98	954	95.98			
	1	23	2.31	977	98.29			
	2	11	1.11	988	99.40			
	3	6	0.60	994	100.00		/	
		/ _	\    \	\/ /				
			\    \	V / I I	\			
		Freque	ency Missin	g = 2				
				7				
	1		/					
D39relationship with family excludir	ng husband/c	ompanion?	/		0	1	2	3
		1						
	\							
			Percent	Cum Freq	Cum Percent			
		3	<u>.                                    </u>	•	<u>.                                    </u>			
			95.77		95.77			
			2.32		98.09			
			0.91		98.99			
	3	10	1.01	993	100.00			
		Freque	ency Missin	g = 3				
D40ability to have sexual relations?					0	1	2	3
15 To ability to have sexual relations:						1	<b>-</b>	
·		-		•				

	HAVE_SEX	Frequency	Percent	Cum Freq	Cum Percent			
		33			•			
	0	866	89.93	866	89.93			
	1	49	5.09	915	95.02			
	2	23	2.39	938	97.40			
	3	25	2.60	963	100.00			
		Freque	ncy Missing	= 33				
D41the way you dress?					0		2	3
	WAY_DRESS	Frequency	Percent	Cum Freq	Cum Percent	1		
	WAI_DILESS	1	reicenc	Cum 11 eq	Cum Fercenc			
	0	901	90.55	901	90.55			
	1	61	6.13	962	96.68			
	2	20	2.01	982	98.69			
	3	13	1.31	995	100.00	\ /	,	
		Freque	ency Missing	g = 1				
D42emotional health?					0	1	2	3
						_		
l	EMO_HEALTH	Frequency	Percent	Cum Freq	Cum Percent			
l	•	1	•					
	0	886	89.05	886	89.05	_		
	1	71	7.14	957	96.18	_		
	2	19	1.91	976	98.09	_		
l	3	19	1.91	995	100.00			
		Freque	ency Missing	g = 1				

# To what extent has accidental urine loss and/or prolapse affected your .....

D45. How much does fear of odor restrict your activities?

					Not at all	Slightly	Moderately	Greatly
D43physical health?	PHYS_HEALTH Frequency Percent					1	2	3
		. 2 0 908 1 61 2 20 3 5	91.35 6.14 2.01 0.50	Cum Freq	Cum Percent 91.35 97.48 99.56 100.06	6 8 0		
D44sleep?						1	2	3
	SLEEP 0 1 2 3	2 853 98 25 18	Percent Cur 	853 951 976 994	St.81 95.67 98.19 100.00			

0

1

2

3

Г	ODOR_RTRCT	Frequency	Percent	Cum Freq	Cum Percent							
	•	4	•	•	•							
	0	814	82.06	814	82.06							
	1	118	11.90	932	93.95							
	2	34	3.43	966	97.38							
l L	3	26	2.62	992	100.00							
ı												
l		Enoc	quency Missi	ing - 1								
l		rrec	quency MISS.	ing = 4								
D46. How much does fear of embarrassm	ent restrict you	ur activities?			0	1 2	2	3				
	EMBAR_RTRCT	Frequency	Percent	Cum Freq	Cum Percent							
	•	4	•	•	•							
	0	824	83.06	824	83.06							
	1	116	11.69	940	94.76							
	2	36	3.63	976	98.39							
	3	16	1.61	992	100.00							
	Frequency Missing = 4											

In addition, does your problem with accidental urine loss and/or prolapse cause you to experience ....

	Not at all	Slightly	Moderately	Greatly
D47nervousness or anxiety?	0	1	2	3

F357 codebook

							<u> </u>	
	NERVOUS	Frequency	Percent	Cum Freq	Cum Percent			
		2						
	0	845	85.01	845	85.01			
	1	114	11.47	959	96.48			
	2	27	2.72	986	99.20			
	3	8	0.80	994	100.00			
		Fre	equency Mis	ssing = 2			\	
D48fear?					0	1	2	3
	FEAR	Frequency	Percent	Cum Freq	Cum Percent			
	ILAN	2		cum 11 eq	cum rercent			
	0	906	91.15	906	91.15			
	1	67	6.74	973	97.89			
	2	16	1.61	989	99.50			
	3	5	0.50	994	100.00			
		Fre	equency Mis	ssing = 2				
D49frustration?					0	1	2	3
	FRUSTRATIO			t Cum Fre	q Cum Percen	t		
		. 2 0 784		7 78	78.8	·		
		1 149						
l		2 40						
l		3 21			100.00	0		
l								
		Fre	equency Mis	ssing = 2				
D50anger?					0	1	2	3

	ANGER F	requency	Percent	Cum Freq	Cum Percent			
	•	2			•			
	0	917	92.25	917	92.25			
	1	50	5.03	967	97.28			
	2	18	1.81	985	99.09			
	3	9	0.91	994	100.00			
			,					
		Fr	equency Mis	ssing = 2				
D51depression?					0	1	2	3
	DEPRESSION	Frequency	Percent	: Cum Freq	Cum Percent			
	•	2		•	•			
	0	928	93.36					
	1	44	4.43					
	2	14	1.41					
	3	8	0.80	994	100.00			
				/ /				
		Fre	equency Mis	ssing = 2				
D52embarrassment?	1				0	1	2	3
	EMBARRASS	Frequency	Percent	Cum Freq	Cum Percent			
		3	•		•			
	0	799	80.46		80.46			
	1	136	13.70	935	94.16			
	2	33	3.32		97.48			
	3	25	2.52	993	100.00			
		Fr	equency Mis	ssing = 3				

### **Section F: Sexual Activities**

This section covers material that is sensitive and personal. Specifically, these questions ask about matters related to your sexual activity **in the past 6 months**. For some women, sexual activity is an important part of their lives; but for others it is not. Everyone has different ideas on the subject. To help us understand how your bladder problems might affect your sexual activity, we would like you to answer the following questions from your own personal viewpoint.

There are no right or wrong answers. Remember, your confidentiality is assured. While we hope you are willing to answer all of the questions, if there are questions you would prefer not to answer, you are free to skip them. Please select the most appropriate response to each question by circling the answer you choose. Remember these questions are only relevant to sexual activity in the past six months.

F1. **In the past 6 months**, have you engaged in sexual activities with a partner?

Yes ...... 1 → COMPLETE SECTION G BELOW

SIX_MONTHS	Frequency	Percent	Cum Freq	Cum Percent
•	2		•	•
1	647	65.09	647	65.09
2	347	34.91	994	100.00

Frequency Missing = 2

### Section G: FOR WOMEN WHO HAVE ENGAGED IN SEXUAL ACTIVITY WITH A PARTNER IN THE LAST 6 MONTHS

G1. How frequently do you feel sexual desire? This feeling may include wanting to have sex, planning to have sex, feeling frustrated due to lack of sex, etc.

Always Usually Sometimes Seldom Never 1 2 3 4 5

FREQ_DES	Frequency	Percent	Cum Freq	Cum Percent
•	350	•		•
1	61	9.44	61	9.44
2	200	30.96	261	40.40
3	249	38.54	510	78.95
4	116	17.96	626	96.90
5	20	3.10	646	100.00

F357 codebook

### Frequency Missing = 350

G2. Do you climax (have an orgasm) when having <u>sexual intercourse</u> with your partner?

Always

Always

Usually

150

95

42

Usually

	2	3		4
CLIMAX	Frequency	Percent	Cum Freq	Cum Percent
	351	•		•
1	109	16.90	109	16.90
2	249	38.60	358	55.50

508

603

645

Sometimes

Seldom

78.76

93.49

100.00

Seldom

Never

5

Never

Frequency Missing = 351

Sometimes

23.26

14.73

6.51

G3. Do you feel sexually excited (turned on) when having sexual activity with your partner?

1		2'	3	v /	4
	SEX_EXCIT	Frequency	Percent	Cum Freq	Cum Percent
		351	•		•
	1	213	33.02	213	33.02
	2	245	37.98	458	71.01
	3	112	17.36	570	88.37
	4	58	8.99	628	97.36
	5	17	2.64	645	100.00

Frequency Missing = 351

G4. How satisfied are you with the variety of sexual activities in your current sex life?

Always	Usually	Sometimes	Seldom	Never
1	2	3	4	5

SATIS_SEX	Frequency	Percent	Cum Freq	Cum Percent
•	352	•	•	•
1	207	32.14	207	32.14
2	245	38.04	452	70.19
3	95	14.75	547	84.94
4	71	11.02	618	95.96

SATIS_SEX	Frequency	Percent	Cum Freq	Cum Percent
5	26	4.04	644	100.00

Frequency Missing = 352



Never

G5. Do you feel pain during sexual intercourse?

Always Usually Sometimes Seldom Never 1 2 3 4 5

PAIN_SEX	Frequency	Percent	Cum Freq	Cum Percent
	354	•		•
1	19	2.96	19	2.96
2	19	2.96	38	5.92
3	129	20.09	167	26.01
4	152	23.68	319	49.69
5	323	50.31	642	100.00

Frequency Missing = 354

G6. Are you incontinent of urine (leak urine) with sexual activity?

Always Usually Sometimes Seldom

INCON_SEX	Frequency	Percent	Cum Freq	Cum Percent
	353	•	•	•
2	6	0.93	6	0.93
3	43	6.69	49	7.62
4	79	12.29	128	19.91
5	515	80.09	643	100.00

Frequency Missing = 353

G7. Does fear of incontinence (either urine or stool) restrict your sexual activity?

Always Usually Sometimes Seldom Never
1 2 3 4 5

FEAR_SEX	Frequency	Percent	Cum Freq	Cum Percent
	353	•		•
1	1	0.16	1	0.16
2	8	1.24	9	1.40
3	31	4.82	40	6.22
4	54	8.40	94	14.62
5	549	85.38	643	100.00

Frequency Missing = 353

Never

G8. Do you avoid sexual intercourse because of bulging in the vagina (either the bladder, rectum or vagina falling out)?

Always Usually Sometimes Seldom Never 1 2 3 4 5

AVOID_SEX	Frequency	Percent	Cum Freq	Cum Percent
•	353	•	•	•
1	1	0.16	1	0.16
2	3	0.47	4	0.62
3	4	0.62	8	1.24
4	21	3.27	29	4.51
5	614	95.49	643	100.00

Frequency Missing = 353

G9. When you have sex with your partner, do you have negative emotional reactions such as fear, disgust, shame or guilt?

Always Usually Sometimes Seldom

	/ /	\      \	V / I	\ \ \
NEG_SEX	Frequency	Percent	Cum Freq	Cum Percent
	354			•
1	2	0.31	2	0.31
2	9	1.40	11	1.71
3	44	6.85	55	8.57
4	32	4.98	87	13.55
5	555	86.45	642	100.00

Frequency Missing = 354

G10. Does your partner have a problem with <u>erections</u> that affects your sexual activity?

Always Usually Sometimes Seldom Never

1 2 3 4 5

ERECT_SEX	Frequency	Percent	Cum Freq	Cum Percent
•	353	•	•	•
1	18	2.80	18	2.80
2	30	4.67	48	7.47
3	97	15.09	145	22.55
4	83	12.91	228	35.46
5	415	64.54	643	100.00

Frequency Missing = 353

G11. Does your partner have a problem with <u>premature ejaculation</u> that affects your sexual activity?

Usually

483

Less

Always

Much

2 4 5 3 Frequency Percent Cum Percent PE SEX Cum Freq 354 1.09 1.09 7 2.80 25 3.89 18 56 81 12.62 8.72 24.77 78 12.15 159

642

Seldom

100.00

More

Never

Much

Sometimes

Frequency Missing = 354

75.23

G12. Compared to orgasms you have had in the past, how intense are the orgasms you have had in the past 6 months?

less intense	int	ense	intensity	\ / /	intense	more intense
1		2	3	$\vee$ /	4	5
	ORGAS_SEX	Frequency	Percent	Cum Freq	Cum Percent	
	•	363	•	•	•	
	1	66	10.43	66	10.43	
	2	98	15.48	164	25.91	
	3	387	61.14	551	87.05	
	4	65	10.27	616	97.31	
	5	17	2.69	633	100.00	
		Frequenc	cy Missing =	363		

\$ame

YOU ARE DONE WITH THIS QUESTIONNAIRE. THANK YOU.

## Section H: FOR WOMEN WHO REPORT NO SEXUAL ACTIVITY WITH A PARTNER IN THE LAST 6 MONTHS

H1. 1	Do you	have a	partner	at	this	time?

Yes..... 1

No ..... 2

PARTNER	Frequency	Percent	Cum Freq	Cum Percent
	663			
1	141	42.34	141	42.34
2	192	57.66	333	100.00

Frequency Missing = 663

How frequently do you feel sexual desire? This feeling may include wanting to have sex, planning to have sex, feeling frustrated due to lack H2. of sex, etc.

Always		Usu	ially	/	Son	netii	nes		S	Seldom	Never
1			2			3				4	5
	FREQ_	DES_2	Fre	equency	Per	cent		Cum	Freq	Cum Percent	
			686	5							
	1		8		2.5	8		8		2.58	
	2		18		5.8	1		26		8.39	
	3		113	3	36.	45		139		44.84	
	4		98		31.	61		237		76.45	

Frequency Missing = 686

23.55

310

100.00

73

How satisfied are you with the variety of sexual activities in your current sex life? H3.

Always	Usually	Sometimes	Seldom	Never
1	2	3	4	5

SATIS_SEX_2	Frequency	Percent	Cum Freq	Cum Percent
	724			
1	35	12.87	35	12.87
2	37	13.60	72	26.47

SATIS_SEX_2	Frequency	Percent	Cum Freq	Cum Percent
3	48	17.65	120	44.12
4	48	17.65	168	61.76
5	104	38.24	272	100.00

Frequency Missing = 724

H4. Does fear of pain during sexual intercourse restrict your activity?

Always

Usu	Usually 2			Seldom
:				4
PAIN_SEX_2	Frequency	Percent	Cum Freq	Cum Percent
	714			•
1	8	2.84	8	2.84
2	8	2.84	16	5.67
3	12	4.26	28	9.93
4	15	5.32	43	15.25
5	239	84.75	282	100.00
	/ / \		V / I	

Frequency Missing = 714

H5. Does fear of incontinence (either stool or urine) during sexual intercourse restrict your sexual activity?

Always		Usually		Sometimes	Seldom		Never
1		2		3		4	5
	INCO	N_SEX_2	Frequency	Percent	Cum Freq	Cum Percent	]
	•		713			•	
	1		4	1.41	4	1.41	
	2		2	0.71	6	2.12	
	3		16	5.65	22	7.77	
	4		21	7.42	43	15.19	
	5		240	84.81	283	100.00	

Frequency Missing = 713

H6. Do you avoid sexual intercourse because of bulging in the vagina (either the bladder, rectum or vagina falling out)?

Always	Usually	Sometimes	Seldom	Never
1	2	3	4	5

AVOID_SEX_2	Frequency	Percent	Cum Freq	Cum Percent
•	713	•	•	•
1	4	1.41	4	1.41
2	1	0.35	5	1.77
3	3	1.06	8	2.83
4	6	2.12	14	4.95
5	269	95.05	283	100.00

Frequency Missing = 713

YOU ARE DONE WITH THIS QUESTIONNAIRE. THANK YOU.