


The UITN is supported by cooperative agreements from the National Institute of Diabetes and Digestive and Kidney Diseases (NIDDK) in collaboration with the National Institute of Child Health and Human Development (NICHD)



F327: 2 AND 6 WEEK PATIENT SURVEY 04/21/06 (A) SECTION A: GENERAL STUDY INFORMATION FOR OFFICE USE ONLY:							
A1. STUDY ID#: LABEL	<b>A2.</b> VISIT # F/U 2 Weeks						
A3. DATE FORM DISTRIBUTED:/	A4. STUDY STAFF INITIALS:						
A5. MODE: SELF-ADMINISTERED	A6. WHICH VERSION OF THIS FORM WAS USED? ENGLISH						

Affix ID Label Here

**Introduction:** Thank you for agreeing to participate in the TOMUS study.

We will ask you to complete a survey like this one at several time points in the study. This survey is called the 2 and 6 Week Patient Survey and is completed at these two study visits. The survey contains questions about your quality of life and your capabilities to perform routine daily living activities.

As with all of the information we collect for this research study, all of your responses are completely confidential. Your responses are never linked with your name and your name never appears on any of the research documents. Providing this information will <u>not</u> affect any of your services, benefits, or eligibility for coverage.

This survey should take about 10 minutes to complete. Ideally, you will be able to complete the entire survey in one sitting.

There are two (2) parts to the 2 and 6 Week Patient Survey. Please read the instructions at the start of each section carefully before you begin each new section.

Try to answer every item, but do not dwell too long on any one question. We want your answers, so please complete the questionnaire on your own. After you have completed the Survey, please check to make sure you have not missed any items. If you have any questions about any of these items, please call me:

\_\_\_\_\_ at \_\_\_\_\_

A7. What is the date that you are starting to fill out this Survey?

Month Day Year

## Section B: Quality of Life, Part I

These questions deal specifically with your accidental urine loss and / or prolapse. The symptoms in this section have been described by women who experience accidental urine loss and/or prolapse. Please indicate which symptoms you are now experiencing, and how bothersome they are for you. Be sure to circle an answer for all items.

**GENERAL INSTRUCTIONS**: Please read the first column of symptoms and circle "Yes" or "No" for each symptom. Then, for each question marked by a "Yes" answer, work across the page and tell us how bothersome that symptom is for you currently.

Do you currently experience				Circle the one	response below t	YES, hat best describes om is for you.	bes how bothersome	
	Yes	No	П	Not at all bothersome	Slightly bothersome	Moderately bothersome	Greatly bothersome	
B1frequent urination?	Yes	No 2		0		2	3	
B2a strong feeling of urgency to empty your bladder?	Yes	No 2	V	0	1	2	3	
B3urine leakage related to the feeling of urgency?	Yes	No 2	_	0	1	2	3	
B4urine leakage related to physical activity, coughing or sneezing?	Yes 1	No 2		0	1	2	3	
B5general urine leakage <b>not</b> related to urgency or activity?	Yes 1	No 2		0	1	2	3	
B6small amounts of urine leakage (that is, drops)?		No 2		0	1	2	3	
B7large amounts of urine leakage?		No 2		0	1	2	3	
B8nighttime urination?		No 2		0	1	2	3	

## Do you currently experience .....

	Yes	No
B9bedwetting?	Yes	No 2
B10difficulty emptying your bladder?	Yes	No 2
B11a feeling of incomplete bladder emptying?	Yes	No 2
B12lower abdominal pressure?	Yes	No 2
B13pain when urinating?	Yes	No 2
B14pain in the lower abdominal or genital area?	Yes	No 2
B15heaviness or dullness in the pelvic area?	Yes	No 2
B16a feeling of bulging or protrusion in the vaginal area?	Yes	No 2
B17bulging or protrusion you can see in the vaginal area?	Yes	No 2
B18pelvic discomfort when standing or physically exerting yourself?	Yes 1	No 2
B19. Do you have to push on the vagina or perineum to empty your bladder?	Yes 1	No 2
B20. Do you have to push on the vagina or perineum to have a bowel movement?	Yes 1	No 2

## IF YES,

Circle the one response below that best describes how bothersome that symptom is for you.

Not at all bothersome	Slightly bothersome	Moderately bothersome	Greatly bothersome
0	1	2	3
0		2	3
0	1	2	3
0	1	$\Big)$ $\Big/2$	3
0	//1	2	3
0	1	2	3
0	1	2	3
0	1	2	3
0	1	2	3
0	1	2	3
0	1	2	3
0	1	2	3

B21. Do you experience any **other** symptoms related to accidental urine loss or prolapse?

YES..... 1

NO...... 2 → SKIP TO B22

B21a. If yes, what is it (are they)?

B22. Please go back and review all of the symptoms in Section B above, items B1 - 21, and write below the one symptom that bothers you the most. For this item, please list **one** symptom only.

