# F351: 12 and 24 Month Follow-Up Interview, version 08/28/06 (A)\_rev10/17/06



SECTION A: GENERAL STUDY INFORMATION FOR OFFICE USE ONLY:						
A1. STUDY ID#:	LABEL		<b>A2.</b> VISIT #	F/U 12 Months TF12 F/U 24 Months TF24	FailureTFAI	
A3. DATE INTERV	IEW COMPLETED: /	/	A4. INTERV	/IEWER INITIALS:		
A5. INTERVIEW T	YPE? IN-PERSON	1	A6. FORM	VERSION USED?	ENGLISH 1	
	TELEPHONE	2			SPANISH 2	

## SECTION B: THE MESA INTERVIEW AND BLADDER AND BOWEL SYMPTOMS

This first set of questions asks about symptoms you may currently have related to urine leakage. For each question that I ask, please tell me the response that best represents how frequently you currently experience the symptom.

MESA PART I	Never	Rarely	Sometimes	Often
B1. Does coughing gently cause you to lose urine? (Would you say)	0/	1	2	3
B2. Does coughing hard cause you to lose urine? (Would you say)	0		2	3
B3. Does sneezing cause you to lose urine?	0	1	2	3
B4. Does lifting things cause you to lose urine?	0	<u></u>	/ 2	3
B5. Does bending cause you to lose urine?	0	1/	2	3
B6. Does laughing cause you to lose urine?	0	1	2	3
B7. Does walking briskly or jogging cause you to lose urine?	0	1	2	3
B8. Does straining, if you are constipated, cause you to lose urine?	0	1	2	3
B9. Does getting up from a sitting to a standing position cause you to lose urine?	0	1	2	3

B10.	DID THE PATIENT ANSWER "SOMETIMES OR OFTEN" TO ANY OF THE ITEMS IN B1 – B9?					
	YES1	→ FAILURE; COMPLETE FAILURE PROTOCOL				
	NO 2					

MESA	A PART II	Never	Rarely	Sometimes	Often
B11.	Some women receive very little warning and suddenly find that they are losing, or are about to lose urine beyond their control. How often does this happen to you? (Would you say)	0	1	2	3
B12.	If you can't find a toilet or find that the toilet is occupied, and you have an urge to urinate, how often do you end up losing urine or wetting yourself? (Would you say)	0	1	2	3
B13.	Do you lose urine when you suddenly have the feeling that your bladder is very full?	0	1	2	3
B14.	Does washing your hands cause you to lose urine?	0	1	2	3
B15.	Does cold weather cause you to lose urine?	0	1	2	3
B16.	Does drinking cold beverages cause you to lose urine?	0	1	2	3

# **BLADDER AND BOWEL SYMPTOMS**

B17.	Compared to before your surgery for	or urinary incont	inence, hav	ve you had	an incr	ease in your fr	equency of
	urination?						

YES ..... 1

NO......2

B18. Do you currently have to...

		YES	NO
a.	strain to urinate?	1	2
b.	bend forward to urinate?	1	2
c.	lean back to urinate?	1	2
d.	stand up to urinate?	1	2
e.	press on your bladder to urinate?	1	2
f.	push on the vagina or perineum to empty your bladder?	1	2
g.	do anything else to urinate?	1♥	2
	B18h. If yes, describe:		

B19.	How bothered are you by the way you now urinate compared to how you urinated prior to the surgery? Would you say						
	Not at all bothered 1						
	Slightly bothered 2						
	Moderately bothered 3						
	Greatly bothered 4						
B20.	Would you describe your <b>current</b> urine stream as  YES NO						
	a a steady stream of urine? 1 2						
	b a slow stream of urine?						
	c a spurting, splitting or spraying stream of urine? 1 2						
	d a hesitating stream of urine (stops and starts)?						
	e dribbling after you have finished urinating? 1 2						
	f some other description?						
	B20g. If yes, describe:						
B21.	Do you currently experience a feeling of incomplete bladder emptying?						
	YES 1						
	NO 2						
Daa	How would you describe the time it takes to princte now, compared to before your surgery? Would you						
B22.	How would you describe the <b>time it takes</b> to urinate now, compared to before your surgery? Would you say there's been no change, or does it seem to take more or less time to urinate now compared to before the surgery?						
	NO CHANGE 1						
	TAKES MORE TIME TO URINATE 2						
	TAKES LESS TIME TO URINATE 3						

B23.	These r	next few questions ask about any symptoms of bowel incontinence you may have.
	Do you	have to strain to have a bowel movement? YES 1
		NO 2 → SKIP TO B24
	B23a.	How often do you have to strain to have a bowel movement? Would you say
		Less than or equal to 25% of the time? 1
		More than 25% of the time? 2
B24.	Do you	nave leaking or loss of control of gas? YES 1
		NO 2 → SKIP TO B25
	B24a.	How often does this happen? Would you say
		less than once a month?
		more than once a month but less than once a week? 2
		more than once a week but less than every day?3
		every day?
B25.	Do you	have leaking or loss of control of <u>liquid stool</u> ? YES 1
		NO 2 → SKIP TO B26
	B25a.	How often does this happen? Would you say
		less than once a month? 1
		more than once a month but less than once a week? 2
		more than once a week but less than every day? 3
		every day? 4

B26.	Do you	have leaking or loss of control of solid stool?	YES	1	
			NO	2	→ SKIP TO SECTION C
	B26a.	How <b>often</b> does this happen? Would you say			
		less than once a month?		1	
		more than once a month but less than once	e a week?	2	
		more than once a week but less than ever	y day?	3	



## SECTION C: HEALTH SERVICES UTILIZATION

IDENTIFY THE REFERENCE DATE FOR US	SE IN SECTION C:
DATE OF THE LAST STUDY VISIT (TF06 OR TF12) FROM THE VCS:	Month Day Year —
nis next series of questions asks about any health care or treatments that sit.	you may have received since your last stu

C1. DOES THE PATIENT REPORT OR IS THERE EVIDENCE OF ANY **PHYSICIAN VISITS RELATED TO SURGERY, OR TREATMENT OF URINARY SYMPTOMS INCLUDING URINARY TRACT INFECTIONS OR INCONTINENCE** SINCE THE LAST FOLLOW-UP VISIT? LOOK SPECIFICALLY FOR REPORTS OF COMPLICATIONS. ASK,

Have you <u>seen a doctor</u> (nurse practitioner, physician's assistant) for any reason <u>related to your TOMUS surgery</u> or for treatment of any urinary symptoms including urinary tract infections or urinary incontinence since your last TOMUS study visit (on DATE OF LAST VISIT)?

C2. DATES OF AND REASONS FOR ANY PHYSICIAN VISITS FOR URINARY SYMPTOMS OR TOMUS SURGERY; ASK,

What was (were) the (approximate) date(s) and reason(s) for those physician (NP, PA) visit(s) since your last TOMUS study visit?

SOURCE CODES: 1 = PATIENT; 2 = MEDICAL RECORD; 3 = BOTH PT AND RECORD, 5 = PT REPORT AND SENT FOR MR. ♥

	a.	b.	c.
	APPROXIMATE DATE	REASON FOR THE VISIT	SOURCE CODE
1	//		
2	/		
3	//		

C3. IS THERE EVIDENCE OF ANY **PHYSICIAN VISITS FOR ANY OTHER REASON** SINCE THE LAST FOLLOW-UP VISIT? LOOK SPECIFICALLY FOR REPORTS OF COMPLICATIONS. ASK,

Have you <u>seen a doctor</u> (nurse practitioner, physician's assistant) for any other reason since your last TOMUS study visit (on DATE OF LAST VISIT)?

YES	1	
NO	2	→ SKIP TO C5

#### C4. DATES OF AND REASONS FOR ANY OTHER PHYSICIAN VISITS; ASK,

What was (were) the (approximate) date(s) and reason(s) for those physician (NP, PA) visit(s)?

SOURCE CODES: 1 = PATIENT; 2 = MEDICAL RECORD; 3 = BOTH PT AND RECORD, 5 = PT REPORT AND SENT FOR MR. ◆

	a.	b.	c.
	APPROXIMATE DATE	REASON FOR THE VISIT	SOURCE CODE
1	//		
2	//		
3	//		

C5.	DOES THE PATIENT REPORT OR IS THERE EVIDENCE OF ANY <b>EMERG</b>	ENCY R	OOM	VISITS SI	NCE THE
	LAST FOLLOW-UP VISIT? ASK,		/		,

Have you been to an emergency room for any reason s	nce you	last '	TOMUS	study	visit	(on DATE	OF I	LAST
VISIT)?							1	

YES ..... 1

NO ...... 2 **→ SKIP TO C7** 

#### C6. DATES OF AND REASONS FOR ANY EMERGENCY ROOM VISIT(S), ASK,

What was (were) the (approximate) date(s) and reason(s) for the emergency room visit(s) since your last TOMUS study visit?

SOURCE CODES: 1 = PATIENT; 2 = MEDICAL RECORD; 3 = BOTH PT AND RECORD, 5 = PT REPORT AND SENT FOR MR. ♥

	a.	b.	c.
	APPROXIMATE DATE	REASON FOR THE ER VISIT	SOURCE CODE
1	//		
2	//		
3	//		

C7.	DOES THE PATIENT REPORT OR IS THERE EVIDENCE OF ANY <b>NEW SURGERIES</b> SINCE THE LAST FOLLOW-UP VISIT? ASK,					
	Have you had any new surgery since your last TOMUS study visit (on DATE OF LAST VISIT)?					
	YES 1					
	NO	2 → SKI	IP ТО С9			
C8.	DATES OF AND DE	ESCRIPTION OF	F NEW SURGERIES. ASK	ζ,		
	Tell me more abou	t these surgeries	S.			
	SOURCE CODES: 1 =	PATIENT; 2 = ME	EDICAL RECORD; 3 = BOTH	PT AND RECORD, 5 = P	T REPORT AND SENT FO	OR MR. ♥
	<u>a.</u>	<u>b.</u>	<u>c.</u>		<u>d.</u>	<u>e.</u>
	NAME OF SURGERY	SURGICAL CODE	SPECIFY (IF SURGICAL CODE = 07)	DATE O	OF SURGERY	SOURC CODE
1				/	1_/	
2						
3				1 /_ /		
C9.	9. OTHER THAN ANY DESCRIBED ABOVE IN C8, DOES THE PATIENT REPORT OR IS THERE EVIDENCE OF ANY <b>HOSPITAL ADMISSIONS</b> SINCE THE LAST FOLLOW-UP VISIT? ASK,					
	Have you been <u>hospitalized</u> for any (other) reason since your last TOMUS study visit (on DATE OF LAST VISIT)?					
	YES 1					
	NO					
C10	DATES OF AND DEASONS FOR MOSPITAL ADMISSIONS ASK					
C10.	What was (were) the (approximate) date(s) and reason for each hospitalization that occurred since your last					
	TOMUS study visi		EDICAL DECORD. 2. DOTH	DT AND DECORD 5	DE DEDODE AND CENT E	on we de
	a.	PATIENT; Z = MI	EDICAL RECORD; 3 = BOTH	<u>b.</u>		<u>C.</u>
	<u>APPROXIMA</u>	TE DATE	REASON FO	<u>R HOSPITALIZAT</u>		URCE ODE
1	///					
2	///////					
2	/ /					

\*REMINDER: COMPLETE ADVERSE EVENT FORM (F391) AS NECESSARY\*

## SECTION D: SOURCE DOCUMENT REVIEW ATTESTATION

D1. Initials of Interviewer/Data Collector who completed a thorough review of all source documents (i.e. inpatient medical records, clinic charts, etc.) for any pertinent study information since the last study visit (e.g. adverse events, retreatments, interim visits, etc.):

D3. Signature of Data Collector Completing D1:



# Attachment

	SURGERY CODES			
00	Urethrolysis/Tape Takedown			
01	Abdominoplasty			
02	Anterior repair			
03	Cesarean delivery			
04	Femoral hernia repair			
05	Hysterectomy			
06	Inguinal hernia repair			
07	Laparoscopy			
08	Posterior repair			
09	Removal of an ectopic pregnancy			
10	Removal of an ovarian cyst			
11	Removal of both ovaries			
12	Removal of one ovary			
13	Supracervical hysterectomy			
14	Tubal ligation			
15	D and C (dilatation and curettage)			
16	Colpopexy (abdominal)			
17	Colpopexy (vaginal)			
31	Enterocele repair			
32	Vaginal vault suspension			
18	UNKNOWN TYPE			
19	OTHER			

SLING REVISION CODES		
60	Tape loosening	
61	Tape incision	

	SURGERY FOR UI CODES
20	Anterior repair, Kelly plication, suburethral plication
21	Collagen injection
22	Durasphere injection
23	Other periurethral bulking agent
24	Laparoscopic Burch colposuspension
25	Marshall-Marchetti-Krantz (MMK) bladder suspension
26	Needle suspensions: Raz, Pereyra, Gittes
27	Open Burch colposuspension
28	Sling procedure (autologous or cadaveric)
29	Sling procedures (synthetic material)
30	Tightening of previous sling
38	UNKNOWN TYPE
39	OTHER

	TREATMENT CODES
40	Medicine (drug treatment)
41	Bladder training (including behavior changes involving the timing of urination or changes in fluid intake)
42	Pelvic muscle exercises (Kegel exercises)
43	Electrical stimulation
44	Electromagnetic therapy
45	Biofeedback
46	Acupuncture or other alternative medicine techniques
58	UNKNOWN TYPE
59	OTHER TYPE