



A7. Is this a repeat measure due to expired measures? Yes ..... 1  
 No..... 2

REPEAT_MEAS	Frequency	Percent	Cum Freq	Cum Percent
2:No	630	100.00	630	100.00

**Introduction:** Thank you for agreeing to participate in the ValUE study.

We will ask you to complete a survey like this one at a few time points in the study. This survey is called the Baseline Patient Survey and is completed at a pre-treatment study visit. The survey contains questions about your current urinary symptoms, quality of life, capabilities to perform routine daily living activities, and sexual activities.

As with all of the information we collect for this research study, all of your responses are completely confidential. Your responses are never linked with your name and your name never appears on any of the research documents. Providing this information will not affect any of your services, benefits, or eligibility for coverage.

**This survey should take about 15 minutes to complete. Ideally, you will be able to complete the entire survey in one sitting.**

There are three (3) parts to the Baseline Patient Survey. Please read the instructions at the start of each section carefully before you begin each new section.

Try to answer every item, but do not dwell too long on any one question. We want your answers, so please complete the questionnaire on your own. After you have completed the Survey, please check to make sure you have not missed any items. If you have any questions about any of these items, please call me:

\_\_\_\_\_ at \_\_\_\_\_.

A8. Date you are completing this survey? \_\_\_\_\_ / \_\_\_\_\_ / \_\_\_\_\_  
**Month Day Year**

Analysis Variable : rando_dt SURVEY_DATE								
N	N Miss	Mean	SD	Minimum	Lower Quartile	Median	Upper Quartile	Maximum
630	0	12.7	25.1	0.0	0.0	5.0	15.0	281.0

**SECTION B: QUALITY OF LIFE - PART I**

These questions deal specifically with your accidental urine loss and/or prolapse. The symptoms in this section have been described by women who experience accidental urine loss and/or prolapse. Please indicate which symptoms you are now experiencing, and how bothersome they are for you. Be sure to circle an answer for all items.

**GENERAL INSTRUCTIONS:** Please read the first column of symptoms and circle "Yes" or "No" for each symptom. Then, for each question marked by a "Yes" answer, work across the page and tell us how bothersome that symptom is for you currently.

valuable

Do you currently experience any of the following symptoms?			IF YES, Circle the one response below that best describes how bothersome that symptom is for you.			
	Yes	No	Not at all Bothersome	Slightly Bothersome	Moderately Bothersome	Greatly Bothersome
B1. ...frequent urination?	Yes 1	No 2	0	1	2	3

FREQ_URINE	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
1:Yes	385	61.40	385	61.40
2:No	242	38.60	627	100.00

Frequency Missing = 3

FREQ_URINE_A	Frequency	Percent	Cum Freq	Cum Percent
.	245	.	.	.
0:Not at All Bothersome	12	3.12	12	3.12
1:Slightly Bothersome	102	26.49	114	29.61
2:Moderately Bothersome	166	43.12	280	72.73
3:Greatly Bothersome	105	27.27	385	100.00

Frequency Missing = 245

B2. ...a strong feeling of urgency to empty your bladder?	Yes 1	No 2	0	1	2	3

URGENC Y	Frequency	Percent	Cum Freq	Cum Percent
1:Yes	351	55.71	351	55.71
2:No	279	44.29	630	100.00

URGENCY_A	Frequency	Percent	Cum Freq	Cum Percent
.	279	.	.	.
0:Not at All Bothersome	8	2.28	8	2.28
1:Slightly Bothersome	112	31.91	120	34.19
2:Moderately Bothersome	128	36.47	248	70.66
3:Greatly Bothersome	103	29.34	351	100.00

Frequency Missing = 279

B3. ...urine leakage related to the feeling of urgency?	Yes 1	No 2	0	1	2	3
---	----------	---------	---	---	---	---

URGE_LEAK	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
1:Yes	398	63.28	398	63.28
2:No	231	36.72	629	100.00

Frequency Missing = 1

URGE_LEAK_A	Frequency	Percent	Cum Freq	Cum Percent
.	232	.	.	.
0:Not at All Bothersome	5	1.26	5	1.26
1:Slightly Bothersome	101	25.38	106	26.63
2:Moderately Bothersome	125	31.41	231	58.04
3:Greatly Bothersome	167	41.96	398	100.00

Frequency Missing = 232

B4. ...urine leakage related to physical activity, coughing or sneezing?	Yes 1	No 2	0	1	2	3
--	----------	---------	---	---	---	---

ACTV_LEAK	Frequency	Percent	Cum Freq	Cum Percent
1:Yes	628	99.68	628	99.68
2:No	2	0.32	630	100.00

ACTV_LEAK_A	Frequency	Percent	Cum Freq	Cum Percent
.	2	.	.	.
0:Not at All Bothersome	1	0.16	1	0.16
1:Slightly Bothersome	15	2.39	16	2.55
2:Moderately Bothersome	90	14.33	106	16.88
3:Greatly Bothersome	522	83.12	628	100.00

Frequency Missing = 2

B5. ...general urine leakage <b>not</b> related to urgency or activity?	Yes 1	No 2	0	1	2	3
---	----------	---------	---	---	---	---

GEN_LEAK	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
1:Yes	303	48.17	303	48.17
2:No	326	51.83	629	100.00

Frequency Missing = 1

GEN_LEAK_A	Frequency	Percent	Cum Freq	Cum Percent
.	328	.	.	.
0:Not at All Bothersome	4	1.32	4	1.32
1:Slightly Bothersome	83	27.48	87	28.81
2:Moderately Bothersome	92	30.46	179	59.27
3:Greatly Bothersome	123	40.73	302	100.00

Frequency Missing = 328

B6. ...small amounts of urine leakage (that is, drops)?	Yes 1	No 2	0	1	2	3
---	----------	---------	---	---	---	---

SMALL_LEAK	Frequency	Percent	Cum Freq	Cum Percent
.	2	.	.	.
1:Yes	533	84.87	533	84.87
2:No	95	15.13	628	100.00

Frequency Missing = 2

SMALL_LEAK_A	Frequency	Percent	Cum Freq	Cum Percent
.	98	.	.	.
0:Not at All Bothersome	5	0.94	5	0.94
1:Slightly Bothersome	148	27.82	153	28.76
2:Moderately Bothersome	179	33.65	332	62.41
3:Greatly Bothersome	200	37.59	532	100.00

Frequency Missing = 98

B7. ...large amounts of urine leakage?	Yes 1	No 2	0	1	2	3
--	----------	---------	---	---	---	---

LARGE_LEAK	Frequency	Percent	Cum Freq	Cum Percent
1:Yes	396	62.86	396	62.86
2:No	234	37.14	630	100.00

LARGE_LEAK_A	Frequency	Percent	Cum Freq	Cum Percent
.	234	.	.	.
1: Slightly bothersome	28	7.07	28	7.07
2: Moderately bothersome	58	14.65	86	21.72
3: Greatly bothersome	310	78.28	396	100.00

Frequency Missing = 234

B8. ...nighttime urination?	Yes 1	No 2	0	1	2	3
-----------------------------	----------	---------	---	---	---	---

NITE_LEAK	Frequency	Percent	Cum Freq	Cum Percent
1:Yes	356	56.51	356	56.51
2:No	274	43.49	630	100.00

NITE_LEAK_A	Frequency	Percent	Cum Freq	Cum Percent
.	274	.	.	.
0:Not at All Bothersome	21	5.90	21	5.90
1:Slightly Bothersome	146	41.01	167	46.91
2:Moderately Bothersome	109	30.62	276	77.53
3:Greatly Bothersome	80	22.47	356	100.00

Frequency Missing = 274

Do you currently experience any of the following symptoms?			IF YES, circle the one response below that best describes how bothersome that symptom is for you.			
	Yes	No	Not at All Bothersome	Slightly Bothersome	Moderately Bothersome	Greatly Bothersome
B9. ...bedwetting?	Yes 1	No 2	0	1	2	3

BED_WET	Frequency	Percent	Cum Freq	Cum Percent
1:Yes	37	5.87	37	5.87
2:No	593	94.13	630	100.00

BED_WET_A	Frequency	Percent	Cum Freq	Cum Percent
.	593	.	.	.
1: Slightly bothersome	11	29.73	11	29.73
2: Moderately bothersome	11	29.73	22	59.46
3: Greatly bothersome	15	40.54	37	100.00

Frequency Missing = 593

B10. ...difficulty emptying your bladder?	Yes 1	No 2	0	1	2	3
---	----------	---------	---	---	---	---

DIFF_EMPTY	Frequency	Percent	Cum Freq	Cum Percent
1:Yes	126	20.00	126	20.00
2:No	504	80.00	630	100.00

DIFF_EMPT_A	Frequency	Percent	Cum Freq	Cum Percent
.	504	.	.	.
0:Not at All Bothersome	3	2.38	3	2.38
1:Slightly Bothersome	54	42.86	57	45.24
2:Moderately Bothersome	43	34.13	100	79.37
3:Greatly Bothersome	26	20.63	126	100.00

Frequency Missing = 504



B11. ...a feeling of incomplete bladder emptying?	Yes 1	No 2	0	1	2	3
---	----------	---------	---	---	---	---

INCOM_BLAD	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
1:Yes	254	40.51	254	40.51
2:No	373	59.49	627	100.00

Frequency Missing = 3

INCOM_BLAD_A	Frequency	Percent	Cum Freq	Cum Percent
.	377	.	.	.
0:Not at All Bothersome	4	1.58	4	1.58
1:Slightly Bothersome	124	49.01	128	50.59
2:Moderately Bothersome	73	28.85	201	79.45
3:Greatly Bothersome	52	20.55	253	100.00

Frequency Missing = 377

B12. ...lower abdominal pressure?	Yes 1	No 2	0	1	2	3
-----------------------------------	----------	---------	---	---	---	---

ABD_PRESS	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
1:Yes	212	33.70	212	33.70
2:No	417	66.30	629	100.00

Frequency Missing = 1

ABD_PRESS_A	Frequency	Percent	Cum Freq	Cum Percent
.	418	.	.	.
0:Not at All Bothersome	3	1.42	3	1.42
1:Slightly Bothersome	111	52.36	114	53.77
2:Moderately Bothersome	69	32.55	183	86.32
3:Greatly Bothersome	29	13.68	212	100.00

Frequency Missing = 418

B13. ...pain when urinating?	Yes 1	No 2	0	1	2	3
------------------------------	----------	---------	---	---	---	---

PAIN_URIN	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
1:Yes	36	5.72	36	5.72
2:No	593	94.28	629	100.00

Frequency Missing = 1

PAIN_URIN_A	Frequency	Percent	Cum Freq	Cum Percent
.	594	.	.	.
1:Slightly Bothersome	20	55.56	20	55.56
2:Moderately Bothersome	11	30.56	31	86.11
3:Greatly Bothersome	5	13.89	36	100.00

Frequency Missing = 594

B14. ...pain in the lower abdominal or genital area?	Yes 1	No 2	0	1	2	3
--	----------	---------	---	---	---	---

ABD_PAIN	Frequency	Percent	Cum Freq	Cum Percent
1:Yes	104	16.51	104	16.51
2:No	526	83.49	630	100.00

ABD_PAIN_A	Frequency	Percent	Cum Freq	Cum Percent
.	527	.	.	.
0:Not at All Bothersome	3	2.91	3	2.91
1:Slightly Bothersome	49	47.57	52	50.49
2:Moderately Bothersome	39	37.86	91	88.35
3:Greatly Bothersome	12	11.65	103	100.00

Frequency Missing = 527

B15. ...heaviness or dullness in the pelvic area?	Yes 1	No 2	0	1	2	3
---	----------	---------	---	---	---	---

DULL_PELVIC	Frequency	Percent	Cum Freq	Cum Percent
1:Yes	139	22.06	139	22.06
2:No	491	77.94	630	100.00

DUL_PELVIC_A	Frequency	Percent	Cum Freq	Cum Percent
.	491	.	.	.
0:Not at All Bothersome	5	3.60	5	3.60
1:Slightly Bothersome	62	44.60	67	48.20
2:Moderately Bothersome	57	41.01	124	89.21
3:Greatly Bothersome	15	10.79	139	100.00

Frequency Missing = 491

B16. ...a feeling of bulging or protrusion in the vaginal area?	Yes 1	No 2	0	1	2	3
---	----------	---------	---	---	---	---

PROT_FEEL	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
1:Yes	103	16.38	103	16.38
2:No	526	83.62	629	100.00

Frequency Missing = 1

PROT_FEEL_A	Frequency	Percent	Cum Freq	Cum Percent
.	527	.	.	.
0:Not at All Bothersome	2	1.94	2	1.94
1:Slightly Bothersome	45	43.69	47	45.63
2:Moderately Bothersome	34	33.01	81	78.64
3:Greatly Bothersome	22	21.36	103	100.00

Frequency Missing = 527

B17. ...bulging or protrusion you can see in the vaginal area?	Yes 1	No 2	0	1	2	3
--	----------	---------	---	---	---	---

PROT_SEE	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
1:Yes	46	7.31	46	7.31
2:No	583	92.69	629	100.00

Frequency Missing = 1

PROT_SEE_A	Frequency	Percent	Cum Freq	Cum Percent
.	584	.	.	.
0:Not at All Bothersome	4	8.70	4	8.70
1:Slightly Bothersome	16	34.78	20	43.48
2:Moderately Bothersome	15	32.61	35	76.09
3:Greatly Bothersome	11	23.91	46	100.00

Frequency Missing = 584

B18. ...pelvic discomfort when standing or physically exerting yourself?	Yes 1	No 2	0	1	2	3
--	----------	---------	---	---	---	---

PELV_DIS	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
1:Yes	99	15.74	99	15.74
2:No	530	84.26	629	100.00

Frequency Missing = 1

PELV_DIS_A	Frequency	Percent	Cum Freq	Cum Percent
.	531	.	.	.
0:Not at All Bothersome	2	2.02	2	2.02
1:Slightly Bothersome	40	40.40	42	42.42
2:Moderately Bothersome	32	32.32	74	74.75
3:Greatly Bothersome	25	25.25	99	100.00

Frequency Missing = 531

B19. Do you have to push on the vagina or perineum to empty your bladder?	Yes 1	No 2	0	1	2	3
---	----------	---------	---	---	---	---

PUSH_BLAD	Frequency	Percent	Cum Freq	Cum Percent
1:Yes	62	9.84	62	9.84
2:No	568	90.16	630	100.00

PUSH_BLAD_A	Frequency	Percent	Cum Freq	Cum Percent
.	568	.	.	.
0:Not at All Bothersome	4	6.45	4	6.45
1:Slightly Bothersome	30	48.39	34	54.84
2:Moderately Bothersome	10	16.13	44	70.97
3:Greatly Bothersome	18	29.03	62	100.00

Frequency Missing = 568

B20. Do you have to push on the vagina or perineum to have a bowel movement?	Yes 1	No 2	0	1	2	3
--	----------	---------	---	---	---	---

PUSH_BOWEL	Frequency	Percent	Cum Freq	Cum Percent
1:Yes	100	15.87	100	15.87
2:No	530	84.13	630	100.00

PUSH_BOWEL_A	Frequency	Percent	Cum Freq	Cum Percent
.	531	.	.	.
0:Not at All Bothersome	6	6.06	6	6.06
1:Slightly Bothersome	32	32.32	38	38.38
2:Moderately Bothersome	33	33.33	71	71.72
3:Greatly Bothersome	28	28.28	99	100.00

Frequency Missing = 531

B21. Do you experience any **other** symptoms related to accidental urine loss or prolapse? YES ..... 1  
 NO ..... 2 → SKIP TO B22

B21a. If yes, what is it (are they)? \_\_\_\_\_

OTH_SYMP	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
1:Yes	61	9.70	61	9.70
2:No	568	90.30	629	100.00

Frequency Missing = 1

B22. Please go back and review all of the symptoms in Section B above, items B1 – 21, and write below the one symptom that bothers you the most. For this item, please list **one** symptom only.

\_\_\_\_\_

\_\_\_\_\_

B23. How often do you experience urinary leakage? Less than once a month ..... 1  
 A few times a month..... 2  
 A few times a week ..... 3  
 Every day and/or night ..... 4

isi_leak_cat	Frequency	Percent	Cum Freq	Cum Percent
1:Less than Once a Day	163	25.87	163	25.87
2:Every Day And/Or Night	467	74.13	630	100.00

B24. How much urine do you lose each time?

Drops ..... 1

Small splashes..... 2

More..... 3

ISI_U_LOSS	Frequency	Percent	Cum Freq	Cum Percent
.	6	.	.	.
1: Drops	98	15.71	98	15.71
2: Small splashes	373	59.78	471	75.48
3: More	153	24.52	624	100.00

Frequency Missing = 6

**SECTION C: QUALITY OF LIFE - PART II**

Some women find that accidental urine loss and/or prolapse may affect their activities, relationships, and feelings. The questions in this section refer to areas in your life which may have been influenced or changed by your problem. For each question in this section, circle the one response that best describes how much your activities, relationships and feelings are being affected by urine leakage and/or prolapse.

To what extent has accidental urine loss and/or prolapse affected your .....

	Not at All	Slightly	Moderately	Greatly
C1. ...ability to do household chores (cooking, housecleaning, laundry)?	0	1	2	3

CHORES	Frequency	Percent	Cum Freq	Cum Percent
0:Not at All	339	53.81	339	53.81
1:Slightly	176	27.94	515	81.75
2:Moderately	90	14.29	605	96.03
3:Greatly	25	3.97	630	100.00

C2. ...physical recreational activities such as walking, swimming, or other exercise?	0	1	2	3
---	---	---	---	---

RECR_ACT	Frequency	Percent	Cum Freq	Cum Percent
0:Not at All	63	10.00	63	10.00
1:Slightly	105	16.67	168	26.67
2:Moderately	154	24.44	322	51.11
3:Greatly	308	48.89	630	100.00

C3. ...entertainment activities such as going to a movie or concert?	0	1	2	3
--	---	---	---	---

ENTER_ACT	Frequency	Percent	Cum Freq	Cum Percent
0:Not at All	299	47.46	299	47.46
1:Slightly	155	24.60	454	72.06
2:Moderately	121	19.21	575	91.27
3:Greatly	55	8.73	630	100.00

C4. ...ability to travel by car or bus for distances less than 20 minutes away from home?	0	1	2	3
---	---	---	---	---

TRAV_LESS_20	Frequency	Percent	Cum Freq	Cum Percent
0:Not at All	388	61.59	388	61.59
1:Slightly	135	21.43	523	83.02
2:Moderately	67	10.63	590	93.65
3:Greatly	40	6.35	630	100.00

C5. ...participation in social activities outside your home?	0	1	2	3
--	---	---	---	---

SOC_OUT_ACT	Frequency	Percent	Cum Freq	Cum Percent
0:Not at All	253	40.16	253	40.16
1:Slightly	170	26.98	423	67.14
2:Moderately	130	20.63	553	87.78
3:Greatly	77	12.22	630	100.00



C6. ...emotional health?	0	1	2	3
--------------------------	---	---	---	---

EMO_HEALTH	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
0:Not at All	160	25.44	160	25.44
1:Slightly	177	28.14	337	53.58
2:Moderately	172	27.34	509	80.92
3:Greatly	120	19.08	629	100.00

Frequency Missing = 1

C7. In addition, does your problem with accidental urine loss and/or prolapse cause you to experience frustration?	0	1	2	3
--	---	---	---	---

FRUSTRATION	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
0:Not at All	26	4.13	26	4.13
1:Slightly	110	17.49	136	21.62
2:Moderately	183	29.09	319	50.72
3:Greatly	310	49.28	629	100.00

Frequency Missing = 1

	<b>Excellent</b>	<b>Very Good</b>	<b>Good</b>	<b>Fair</b>	<b>Poor</b>
C8. In general, would you say your health is:	1	2	3	4	5

HEALTH	Frequency	Percent	Cum Freq	Cum Percent
1: Excellent	136	21.59	136	21.59
2: Very Good	246	39.05	382	60.63
3: Good	185	29.37	567	90.00
4: Fair	59	9.37	626	99.37
5: Poor	4	0.63	630	100.00

This section asks for your views about your health. This information will help us keep track of how you feel and how well you are able to do your usual activities. These questions are about your health now and your current activities.

The following items are about activities you might do during a typical day. Does your health now limit you in these activities? If so, how much?  
**Circle one number for each activity.**

	YES, I'm limited a lot	YES, I'm limited a little	NO, I'm not limited at all
C9. <b>Moderate activities</b> , such as moving a table, pushing a vacuum cleaner, bowling, or playing golf	1	2	3

MOD_ACT	Frequency	Percent	Cum Freq	Cum Percent
.	2	.	.	.
1:Yes, limited a lot	98	15.61	98	15.61
2:Yes, a little limited	211	33.60	309	49.20
3:No, not limited at all	319	50.80	628	100.00

Frequency Missing = 2

C10. Climbing <b>several</b> flights of stairs	1	2	3
--	---	---	---

CLIMB_STAIRS	Frequency	Percent	Cum Freq	Cum Percent
.	4	.	.	.
1:Yes, limited a lot	85	13.58	85	13.58
2:Yes, a little limited	206	32.91	291	46.49
3:No, not limited at all	335	53.51	626	100.00

Frequency Missing = 4

During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of your physical health? **Circle one number for each activity.**

	YES	NO
C11. <b>Accomplished less</b> than you would like	1	2

PHY_LESS	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
1:Yes	208	33.07	208	33.07
2:No	421	66.93	629	100.00

Frequency Missing = 1

	1	2
C12. Were limited in the <b>kind</b> of work or other activities		

PHY_LIMIT	Frequency	Percent	Cum Freq	Cum Percent
.	2	.	.	.
1:Yes	223	35.51	223	35.51
2:No	405	64.49	628	100.00

Frequency Missing = 2

During the past 4 weeks, have you had any of the following problems with your work or other regular daily activities as a result of any emotional problems (such as feeling depressed or anxious)? **Circle one number for each activity.**

	YES	NO
C13. <b>Accomplished less</b> than you would like	1	2

EMOT_LESS	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
1:Yes	171	27.19	171	27.19
2:No	458	72.81	629	100.00

Frequency Missing = 1

C14. Didn't do work or other activities as <b>carefully</b> as usual	1	2
--	---	---

EMOT_LIMIT	Frequency	Percent	Cum Freq	Cum Percent
.	2	.	.	.
1:Yes	126	20.06	126	20.06
2:No	502	79.94	628	100.00

Frequency Missing = 2

	Not at All	Slightly	Moderately	Quite a Bit	Extremely
C15. During the <u>past 4 weeks</u> , how much did <u>pain</u> interfere with your normal work (including both work outside the home and housework)?	1	2	3	4	5

PAIN_INTRF_cat	Frequency	Percent	Cum Freq	Cum Percent
1:Not at all	402	63.81	402	63.81
2:Slightly	135	21.43	537	85.24
3:Moderately	48	7.62	585	92.86
4:Quite a bit/Extremely	45	7.14	630	100.00

These questions ask about how you feel and how things have been with you during the past 4 weeks. For each question, please give the one answer that comes closest to the way you have been feeling. **Circle one number for each activity.**

How much of the time during the past 4 weeks...

	All of the Time	Most of the Time	A Good Bit of the Time	Some of the Time	A Little of the Time	None of the Time
C16. ...have you felt calm and peaceful?	1	2	3	4	5	6

FEEL_CALM	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
1: All of the time	31	4.93	31	4.93
2: Most of the time	225	35.77	256	40.70
3: A good bit of the time	141	22.42	397	63.12
4: Some of the time	152	24.17	549	87.28
5: A little of the time	72	11.45	621	98.73
6: None of the time	8	1.27	629	100.00

Frequency Missing = 1

C17. ...did you have a lot of energy?	1	2	3	4	5	6
---------------------------------------	---	---	---	---	---	---

FEEL_ENERGY	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
1: All of the time	27	4.29	27	4.29
2: Most of the time	165	26.23	192	30.52
3: A good bit of the time	150	23.85	342	54.37
4: Some of the time	167	26.55	509	80.92
5: A little of the time	85	13.51	594	94.44
6: None of the time	35	5.56	629	100.00

Frequency Missing = 1

C18. ...have you felt downhearted and blue?	1	2	3	4	5	6
---	---	---	---	---	---	---

FEEL_BLUE	Frequency	Percent	Cum Freq	Cum Percent
1: All of the time	16	2.54	16	2.54
2: Most of the time	11	1.75	27	4.29
3: A good bit of the time	47	7.46	74	11.75
4: Some of the time	144	22.86	218	34.60
5: A little of the time	227	36.03	445	70.63
6: None of the time	185	29.37	630	100.00

	All of the Time	Most of the Time	Some of the Time	A Little of the Time	None of the Time
C19. During the past 4 weeks, how much of the time has your <u>physical health</u> or <u>emotional problems</u> interfered with your social activities (like visiting with friends, relatives, etc.)?	1	2	3	4	5

SOC_INTRF	Frequency	Percent	Cum Freq	Cum Percent
1: All of the time	14	2.22	14	2.22
2: Most of the time	34	5.40	48	7.62
3: Some of the time	101	16.03	149	23.65
4: A little of the time	147	23.33	296	46.98
5: None of the time	334	53.02	630	100.00

**SECTION D: PATIENT PREPAREDNESS**

We are interested in learning more about how prepared women feel for incontinence surgery and how this relates to their surgical experience. Your doctors will not see the answers to these questions until after your surgery is completed, so please **ask** your doctor any questions that you still have. The results of this questionnaire will be kept confidential. For each question below, please circle the number that best describes how much you agree with each statement.

	Strongly Agree	Agree	Somewhat Agree	Somewhat Disagree	Disagree	Strongly Disagree
D1. I know about the <i>alternatives</i> to the planned surgery.	1	2	3	4	5	6

SURG_ALTERN	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
1: Strongly Agree	337	53.75	337	53.75
2: Agree	214	34.13	551	87.88
3: Somewhat Agree	53	8.45	604	96.33
4: Somewhat Disagree	11	1.75	615	98.09
5: Disagree	8	1.28	623	99.36
6: Strongly Disagree	4	0.64	627	100.00

Frequency Missing = 3

D2. I understand the <i>purpose</i> of the planned surgery (what this surgery can accomplish).	1	2	3	4	5	6
--	---	---	---	---	---	---

SURG_PURPOSE	Frequency	Percent	Cum Freq	Cum Percent
1: Strongly Agree	448	71.11	448	71.11
2: Agree	169	26.83	617	97.94
3: Somewhat Agree	10	1.59	627	99.52
6: Strongly Disagree	3	0.48	630	100.00

D3. I understand the <i>benefits</i> of the planned surgery (how this surgery should help me).	1	2	3	4	5	6
--	---	---	---	---	---	---

SURG_BENEFIT	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
1: Strongly Agree	443	70.43	443	70.43
2: Agree	173	27.50	616	97.93
3: Somewhat Agree	8	1.27	624	99.21
4: Somewhat Disagree	2	0.32	626	99.52
6: Strongly Disagree	3	0.48	629	100.00

Frequency Missing = 1

D4. I understand the risks of the planned surgery (what are the chances of something not going the way my doctor and I want it to go).	1	2	3	4	5	6
--	---	---	---	---	---	---

SURG_RISKS	Frequency	Percent	Cum Freq	Cum Percent
1: Strongly Agree	320	50.79	320	50.79
2: Agree	221	35.08	541	85.87
3: Somewhat Agree	59	9.37	600	95.24
4: Somewhat Disagree	20	3.17	620	98.41
5: Disagree	6	0.95	626	99.37
6: Strongly Disagree	4	0.63	630	100.00

D5. I understand the <i>complications</i> of the planned surgery (what problems can come from this surgery).	1	2	3	4	5	6
--	---	---	---	---	---	---

SURG_COMPLIC	Frequency	Percent	Cum Freq	Cum Percent
1: Strongly Agree	297	47.14	297	47.14
2: Agree	206	32.70	503	79.84
3: Somewhat Agree	77	12.22	580	92.06
4: Somewhat Disagree	28	4.44	608	96.51
5: Disagree	14	2.22	622	98.73
6: Strongly Disagree	8	1.27	630	100.00



D6. I feel prepared about what to expect after surgery while I am in the hospital.	1	2	3	4	5	6
--	---	---	---	---	---	---

P_HOSP	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
1: Strongly Agree	260	41.34	260	41.34
2: Agree	218	34.66	478	75.99
3: Somewhat Agree	93	14.79	571	90.78
4: Somewhat Disagree	37	5.88	608	96.66
5: Disagree	16	2.54	624	99.21
6: Strongly Disagree	5	0.79	629	100.00

Frequency Missing = 1

D7. I feel prepared about what to expect after surgery when I am at home.	1	2	3	4	5	6
---	---	---	---	---	---	---

P_HOME	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
1: Strongly Agree	233	37.04	233	37.04
2: Agree	220	34.98	453	72.02
3: Somewhat Agree	120	19.08	573	91.10
4: Somewhat Disagree	36	5.72	609	96.82
5: Disagree	16	2.54	625	99.36
6: Strongly Disagree	4	0.64	629	100.00

Frequency Missing = 1

D8. I feel prepared to cope with a catheter after the surgery while I am in the hospital.	1	2	3	4	5	6
---	---	---	---	---	---	---

P_CATH_HOSP	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
1: Strongly Agree	216	34.34	216	34.34
2: Agree	229	36.41	445	70.75
3: Somewhat Agree	106	16.85	551	87.60
4: Somewhat Disagree	45	7.15	596	94.75
5: Disagree	17	2.70	613	97.46
6: Strongly Disagree	16	2.54	629	100.00

Frequency Missing = 1

D9. I feel prepared to cope with a catheter after the surgery when I am at home.	1	2	3	4	5	6
--	---	---	---	---	---	---

P_CATH_HOME	Frequency	Percent	Cum Freq	Cum Percent
.	2	.	.	.
1: Strongly Agree	145	23.09	145	23.09
2: Agree	164	26.11	309	49.20
3: Somewhat Agree	143	22.77	452	71.97
4: Somewhat Disagree	83	13.22	535	85.19
5: Disagree	46	7.32	581	92.52
6: Strongly Disagree	47	7.48	628	100.00

Frequency Missing = 2

D10. My doctors and nurses have spent enough time preparing for my upcoming surgery	1	2	3	4	5	6
---	---	---	---	---	---	---

DOC_TIME	Frequency	Percent	Cum Freq	Cum Percent
.	3	.	.	.
1: Strongly Agree	270	43.06	270	43.06
2: Agree	215	34.29	485	77.35
3: Somewhat Agree	88	14.04	573	91.39
4: Somewhat Disagree	37	5.90	610	97.29
5: Disagree	11	1.75	621	99.04
6: Strongly Disagree	6	0.96	627	100.00

Frequency Missing = 3

D11. Overall, I feel prepared for my upcoming surgery.	1	2	3	4	5	6
--	---	---	---	---	---	---

PREP_OVERALL	Frequency	Percent	Cum Freq	Cum Percent
.	1	.	.	.
1: Strongly Agree	300	47.69	300	47.69
2: Agree	217	34.50	517	82.19
3: Somewhat Agree	73	11.61	590	93.80
4: Somewhat Disagree	29	4.61	619	98.41
5: Disagree	6	0.95	625	99.36
6: Strongly Disagree	4	0.64	629	100.00

Frequency Missing = 1

**YOU ARE DONE WITH THIS SURVEY. THANK YOU.**