

F512: Cost and Utilities Questionnaire

F512: Cost and Utilities Questionnaire, version 09/08/08 (A) SECTION A: GENERAL STUDY INFORMATION FOR OFFICE USE ONLY					
A1. Study ID#:	LABEL	A2. Visit #	BaselineV		

VISIT	Frequency	Percent	Cum Freq	Cum Percent
V12M	536	45.97	536	45.97
VBAS	630	54.03	1166	100.00

A3.	Date Form Distributed:	,	/ ,	/	A4. Study Staff Initials:	
		Month	Day	Year		

Analysis Variable : rando_dt_DISTRIB_D								
	N				Lower		Upper	
N	Miss	Mean	SD	Minimum	Quartile	Median	Quartile	Maximum
1166	0	-157.3	191.3	-513.0	-356.0	0.0	9.0	291.0

A5. Mode:		1 red2	A6.	Which version of this form was used?	English 1 Spanish 2
A7. Is this a re	peat measure?	Yes1 No2			

Introduction: This questionnaire includes questions about costs in your daily life that are related to your problem of incontinence.

100.00

Cum Percent

Cum Freq

1166

As with all of the information we collect for the ValUE study, all of your responses are completely confidential. Your responses are never linked with your name, and your name never appears on any of the research documents. Providing this information will <u>not</u> affect any of your services, benefits, or eligibility for coverage.

The Cost and Utilities Questionnaire takes about 15 minutes to complete. Ideally, you will be able to complete it in one sitting.

There are two (2) parts included in this questionnaire. Please read the instructions at the start of each section carefully. Try to answer every item, but do not dwell too long on any one question. We want <u>your</u> answers, so please try to complete the survey on your own. After you have completed the survey, please check to make sure you have not missed any items. If you have any questions about any of these items, please call me.

	at	
Contact Name		Phone number

Analys	Analysis Variable : rando_dt_start_d							
	N				Lower		Upper	
N	Miss	Mean	SD	Minimum	Quartile	Median	Quartile	Maximum
1166	0	-163.6	193.4	-522.0	-365.0	0.0	6.0	281.0

f512

REPEAT MEAS

2:No

Frequency

1166

Percent

100.00

SECTION B: EXPENSES FOR SUPPLIES, LAUNDERING AND DRY CLEANING

NUMBER OF SUPPLIES USED

Over the past 7 days, please record the average number of supplies you used $\underline{\text{each day}}$ for your urinary incontinence.

B1. Pantyliners or minipads (Check one box only)

	None (I did not use this product in the last 7 days)	₆ □ 6
$_{1}$	1	₇ 7
$_2$	2	₈ 8
$_3$	3	9□ 9
$_4$	4	₁₀ □ 10
. 	5	□ more than 10

LINERS	Frequency	Percent	Cum Freq	Cum Percent
0	717	61.49	717	61.49
1	103	8.83	820	70.33
2	87	7.46	907	77.79
3	52	4.46	959	82.25
4	41	3.52	1000	85.76
5	22	1.89	1022	87.65
6	10	0.86	1032	88.51
7	53	4.55	1085	93.05
8	11	0.94	1096	94.00
9	6	0.51	1102	94.51
10	10	0.86	1112	95.37
11	54	4.63	1166	100.00

B2. Maxipads such as Kotex or Modess (Check one box only)

\square_0	None (I did not use this product in the last 7 days)	₆ □ 6
$_{1}\Box$	1	₇ 7
$_2$	2	8 □ 8
$_3$	3	9□ 9
$_4$	4	₁₀ □ 10
₅	5	$_{11}\Box$ more than 10

MAXIPADS	Frequency	Percent	Cum Freq	Cum Percent
	1			
0	988	84.81	988	84.81
1	32	2.75	1020	87.55
2	41	3.52	1061	91.07
3	24	2.06	1085	93.13
4	15	1.29	1100	94.42
5	14	1.20	1114	95.62
6	2	0.17	1116	95.79
7	18	1.55	1134	97.34
8	5	0.43	1139	97.77
9	4	0.34	1143	98.11
10	4	0.34	1147	98.45
11	18	1.55	1165	100.00

Frequency Missing = 1

B3. Incontinence Pads such as Serenity or Poise (Check one box only)

\square_0	None (I did not use this product in the last 7 days)	₆ □ 6
	1	₇ 7
$_2$	2	8 □8
$_3$	3	9□ 9
$_4$	4	₁₀ □ 10
. 	5	\Box more than 10

INCONT_PADS	Frequency	Percent	Cum Freq	Cum Percent
0	940	80.62	940	80.62
1	44	3.77	984	84.39
2	43	3.69	1027	88.08
3	33	2.83	1060	90.91
4	21	1.80	1081	92.71
5	9	0.77	1090	93.48
6	6	0.51	1096	94.00
7	17	1.46	1113	95.45
8	3	0.26	1116	95.71
9	1	0.09	1117	95.80
10	11	0.94	1128	96.74
11	38	3.26	1166	100.00

B4. Diapers such as Depends or Attends (Check one box only)

	None (I did not use this product in the last 7 days)	₆ □ 6
$_{1}\Box$	1	₇ . 7
$_2$	2	8 □ 8
$_{3}\square$	3	9□ 9
$_4$	4	₁₀ 10
5	5	$_{11}\Box$ more than 10

DIAPERS	Frequency	Percent	Cum Freq	Cum Percent
0	1147	98.37	1147	98.37
1	9	0.77	1156	99.14
2	3	0.26	1159	99.40
3	1	0.09	1160	99.49
5	1	0.09	1161	99.57
7	3	0.26	1164	99.83
11	2	0.17	1166	100.00

B5. Urethral pads such as Impress, Femassist (Check one box only)

\square_0	None (I did not use this product in the last 7 days)	₆ □ 6
$_{1}$	1	$_{7}$ \Box 7
$_2$	2	8 □ 8
$_3$	3	9□ 9
$_{4}\Box$	4	₁₀ □ 10
₅	5	$_{11}\Box$ more than 10

URETH_PADS	Frequency	Percent	Cum Freq	Cum Percent
0	1163	99.74	1163	99.74
1	2	0.17	1165	99.91
7	1	0.09	1166	100.00

B6. Toilet paper - number of sheets (Check one box only)

None (I did not use this product in the last 7 days)	$_{6}$	51 to 60
₁ □ 1 to 10	7	61 to 70
₂ □ 11 to 20	\square_8	71 to 80
₃□ 21 to 30	9	81 to 90
₄□ 31 to 40	10	91 to 100
₅□ 41 to 50	11	more than 100

TOILET_PAP	Frequency	Percent	Cum Freq	Cum Percent
	2			
0	744	63.92	744	63.92
1	85	7.30	829	71.22
2	36	3.09	865	74.31
3	34	2.92	899	77.23
4	30	2.58	929	79.81
5	46	3.95	975	83.76
6	21	1.80	996	85.57
7	14	1.20	1010	86.77
8	19	1.63	1029	88.40
9	13	1.12	1042	89.52
10	25	2.15	1067	91.67
11	97	8.33	1164	100.00

Frequency Missing = 2

B7. Paper towels - number of sheets (Check one box only)

₀ \square None (I did not use this product in the last 7 days)	$_{6}$	51 to 60
₁□ 1 to 10	₇	61 to 70
₂ 11 to 20	\square_8	71 to 80
₃□ 21 to 30	\square_ϱ	81 to 90
₄ 31 to 40	$_{10}$	91 to 100
₅ 41 to 50	11	more than 100

PAP_TOWEL	Frequency	Percent	Cum Freq	Cum Percent
	2			
0	1064	91.41	1064	91.41
1	52	4.47	1116	95.88
2	20	1.72	1136	97.59
3	7	0.60	1143	98.20
4	6	0.52	1149	98.71
5	9	0.77	1158	99.48
6	4	0.34	1162	99.83
8	1	0.09	1163	99.91
11	1	0.09	1164	100.00

B8. Other (Please describe what you used: _____ None (I did not use any other product in the last 7 days) $_{6}\Box$ 6 ₇ **7** 1 $_2$ 2 8 □8 $_{3}\square$ 3 9 □ 9 $_4$ 4 ₁₀**□** 10 ₅ 5 $_{11}\Box$ more than 10

OTHER	Frequency	Percent	Cum Freq	Cum Percent
	22			
0	1099	96.07	1099	96.07
1	7	0.61	1106	96.68
2	6	0.52	1112	97.20
3	5	0.44	1117	97.64
4	1	0.09	1118	97.73
5	4	0.35	1122	98.08
6	2	0.17	1124	98.25
7	3	0.26	1127	98.51
8	1	0.09	1128	98.60
9	3	0.26	1131	98.86
11	13	1.14	1144	100.00

Frequency Missing = 22

CHANGING AND WASHING CLOTHING AND LINENS

B9. How many loads of wash did you do during the last 7 days because of your incontinence?

(Check one box only)	$_{\scriptscriptstyle 0}$ \square None	5 □ 5
	₁ 1	₆ □ 6
	$_{\scriptscriptstyle 2}$ \square 2	₇ 1 7
	₃ 3	$_8$ more than 7
	. 🗖 4	

LAUNDRY	Frequency	Percent	Cum Freq	Cum Percent
	2			
0	691	59.36	691	59.36
1	202	17.35	893	76.72
2	119	10.22	1012	86.94
3	65	5.58	1077	92.53
4	41	3.52	1118	96.05
5	12	1.03	1130	97.08
6	6	0.52	1136	97.59
7	15	1.29	1151	98.88
8	13	1.12	1164	100.00

DRY CLEANING

How many items of clothing did you dry clean <u>during the last 7 days</u> because of your incontinence?

B10. Pants	$_{\scriptscriptstyle 0}$ None	₆ □ 6
(Check one box only)	₁ □ 1	₇ - 7
(cheen one out only)	$_{2}\square$ 2	8 □ 8
	₃ 3	9 □ 9
	₄ 4	₁₀ 10
	5 □ 5	$_{11}\Box$ more than 10

DC_PANTS	Frequency	Percent	Cum Freq	Cum Percent
	1			
0	1041	89.36	1041	89.36
1	48	4.12	1089	93.48
2	34	2.92	1123	96.39
3	15	1.29	1138	97.68
4	7	0.60	1145	98.28
5	8	0.69	1153	98.97
6	3	0.26	1156	99.23
8	2	0.17	1158	99.40
9	2	0.17	1160	99.57
10	1	0.09	1161	99.66
11	4	0.34	1165	100.00

B11. Skirt	₀ None	₆ □ 6
(Check one box only)	₁ 1	$_{7}$ \square 7
(encent one cont only)	₂ 2 2	₈ - 8
	₃ 3	9 □ 9
	₄ 4	₁₀ □ 10
	₅ 5	$_{11}\Box$ more than 10

DC_SKIRT	Frequency	Percent	Cum Freq	Cum Percent
0	1145	98.20	1145	98.20
1	12	1.03	1157	99.23
2	5	0.43	1162	99.66
4	2	0.17	1164	99.83
5	2	0.17	1166	100.00

B12. Dress (Check one box only) □ 1 □ 2 3 □ 3 □ 4 5 □ 5 DC_DRESS Frequency Percent Cum Freq Cum Percent Cum Percent Cum Percent Cum Percent Cum Percent Cum Percent Cum	6 □ 6 7 □ 7 8 □ 8 9 □ 9 10 □ 10 11 □ more than 10
3 2 0.17 1164 99.83 4 2 0.17 1166 100.00 B13. Suit (Check one box only) 0 None 1 1 2 2 3 3 3 4 4 5 5 5	6 □ 6 7 □ 7 8 □ 8 9 □ 9 10 □ 10 11 □ more than 10
DC_SUIT Frequency Percent Cum Freq Cum Percent 0 1144 98.11 1144 98.11 1 19 1.63 1163 99.74 2 2 0.17 1165 99.91 5 1 0.09 1166 100.00 B14. Blouse (Check one box only)	1t
DC_BLOUSE Frequency Percent Cum Freq Cum Percent 0 1155 99.06 1155 99.06 1 2 0.17 1157 99.23 2 6 0.51 1163 99.74 3 2 0.17 1165 99.91 11 1 0.09 1166 100.00 LOSS OF EMPLOYMENT AND VOLUNTEER WORD	
B15. Did your urinary incontinence limit your years of Yes Yes your years of Yes No B15a. If yes, how old were you when you stopp to incontinence?	SKIP TO SECTION C

B15b. How much additional money <u>per month</u> would you have earned if you had continued your work?

¢				
Ψ	 	 	•	

SECTION C: MATTERS OF HEALTH: THE HEALTH UTILITIES INDEX (HUI)

<u>Instructions</u>: This next section contains questions which ask about various aspects of your health. When answering these questions please think about your health and your ability to do things on a day-to-day basis, <u>during the past week</u>. To define the past week period, please think about the date this time 7 days ago and recall the major events that you have experienced during this period. Please focus your answers on your overall abilities, disabilities and how you felt during the past week.

You may feel that some of these questions do not apply to you, but it is important that we ask the same questions of everyone. Also, a few questions are similar; please excuse the apparent overlap and answer each question independently.

Please read each question and consider your answers carefully. For each question, please select <u>one</u> answer that <u>best describes</u> your level of ability or disability <u>during the past week</u>. Please indicate the selected answer by <u>circling</u> the number beside the answer.

All information you provide is confidential. There are no right or wrong answers; what we want is your opinion about your abilities and feelings.

C1. Which <u>one</u> of the following best describes your ability, during the past week, to see well enough to read ordinary newsprint?

Able to see well enough without glasses or contact lenses.	1
Able to see well enough with glasses or contact lenses	2
Unable to see well enough even with glasses or contact lenses.	3
Unable to see at all	4

SEE_NEWS	Frequency	Percent	Cum Freq	Cum Percent
	4			
1: Able to see w/out glasses or	397	34.17	397	34.17
2: Able to see with glasses or c	744	64.03	1141	98.19
3: Unable to see with glasses or	21	1.81	1162	100.00

C2.	Which <u>one</u> of the followed to recognize a friend of	_	•	•	ring the pas	t week, to see	well enough
	Able to see w	ell enough wi	thout glass	es or contac	et lenses		. 1
	Able to see w	ell enough wi	th glasses o	or contact le	enses		. 2
	Unable to see	well enough	even with g	glasses or co	ontact lenses	l	. 3
	Unable to see	at all					. 4
	FRIEND le to see w/out glasses or		Frequency 614	Percent 52.66	Cum Freq 614	Cum Percent 52.66	
	le to see with glasses or c		530	45.45	1144	98.11	
3: Una	able to see with glasses or		22	1.89	1166	100.00	
	Able to hear wurden with the Able to hear wi	what was said r what was sa	with a hear	ring aid	aid		. 3
					_		
	Unable to hea	r at all					. 5
C4.	Which <u>one</u> of the follosaid in a conversation	_	-	-		t week, to hear	what was
	Able to hear v	what was said	without a l	nearing aid.			. 1
				_			
					_		
	Unable to hea	r at all					. 3
C5.	Which <u>one</u> of the followhen speaking your o	_	•	•	•		inderstood,
	Able to be un	derstood com	pletely				1
	Able to be un	derstood parti	ally				2
f512							Page 11

	Unable to be understood	
C6.	Which <u>one</u> of following best describes your ability, during the past week to be understoo speaking with people who know you well?	od when
	Able to be understood completely	
	Able to be understood partially2	
	Unable to be understood	
	Unable to speak at all	
C7.	Which one of the following best describes how you have been feeling during the past we	eek?
	Happy and interested in life. 1	
	Somewhat happy	
	Somewhat unhappy	
	Very unhappy. 4	
	So unhappy that life was not worthwhile	

C8. Which <u>one</u> of the following be the past week?	st describes the	pain and di	scomfort yo	и наче ехрепч	лос
Free of pain and disco	mfort				. 1
Mild to moderate pain	or discomfort t	hat prevent	ed no activit	ies	. 2
Moderate pain or disco	omfort that prev	vented a few	activities		. 3
Moderate to severe pa	in or discomfor	t that preve	nted some ac	ctivities	4
Severe pain or discom		-			
DISCOMFORT_1	Frequency	Percent	Cum Freq	Cum Percent	
: Free of pain and discomfort	551	47.26	551	47.26	
: Mild pain prevented no activi	388	33.28	939	80.53	
Moderate pain that prevented	162	13.89	1101	94.43	
: Moderate pain that prevented : Moderate/severe pain that pre : Severe pain that prevented mo	46 19 st describes you	3.95 1.63 ur ability, du	1147 1166 uring the pas	98.37 100.00 t week, to wal	
S: Moderate pain that prevented S: Moderate/severe pain that pre S: Severe pain that prevented mo C9. Which one of the following be	st describes yours to mechanicate neighborhood	3.95 1.63 ar ability, dual supports and without d	1147 1166 uring the pas such as brace	98.37 100.00 t week, to wales, a cane, cru	tch
: Moderate pain that prevented : Moderate/severe pain that pre : Severe pain that prevented mo C9. Which one of the following be Note: Walking equipment refe	st describes yours to mechanicate neighborhood ment	3.95 1.63 ar ability, dual supports and without dual with difficulties and with difficu	1147 1166 uring the pas such as brace ifficulty, and	98.37 100.00 t week, to wales, a cane, cru	tch
S: Moderate pain that prevented S: Moderate/severe pain that pre S: Severe pain that prevented mo C9. Which one of the following be Note: Walking equipment refe Able to walk around the without walking equipment walking equipment reference.	st describes you ers to mechanicate neighborhood ment	3.95 1.63 ar ability, dual supports and without difficulties of anode with walk	1147 1166 uring the passuch as brace ifficulty, and culty; but dicther person	98.37 100.00 t week, to walkes, a cane, cru	tch
: Moderate pain that prevented : Moderate/severe pain that pre : Severe pain that prevented mo C9. Which one of the following be Note: Walking equipment reference Able to walk around the without walking equipment require walking equipment equipment e	st describes yours to mechanicate neighborhood uipment or the neighborhood another personate distances with	3.95 1.63 ar ability, dual supports and without difficult of anough with walk and walking e	1147 1166 uring the passuch as brace ifficulty, and culty; but dicther person ing equipment,	98.37 100.00 t week, to walkes, a cane, cru	. 1 . 2
C9. Which one of the following be Note: Walking equipment refer Able to walk around the without walking equipment require walking equipment reference walking equi	st describes you ers to mechanicate neighborhood ment	3.95 1.63 It ability, dual supports of without distributed with difficient and with walk and walking end the neighbor anothelp of anothel	aring the passuch as brace ifficulty, and culty; but did ther person and in the person are in the person are in the person are in the person, the person, the person, the person,	98.37 100.00 t week, to walkes, a cane, cru	. 1 . 2
: Moderate pain that prevented : Moderate/severe pain that pre : Severe pain that prevented mo C9. Which one of the following be Note: Walking equipment reference Able to walk around the without walking equipment require wal	st describes you ers to mechanicate neighborhood ment	3.95 1.63 It ability, dual supports of without distributed with difficient and with walk and walking end the neighbor anothelp of anothel	aring the passuch as brace ifficulty, and culty; but did ther person and in the person are in the person are in the person are in the person, the person, the person, the person,	98.37 100.00 t week, to walkes, a cane, cru	. 1 . 2

C10. Which <u>one</u> of the following best describes your ability, during the past week, to use your hands and fingers?

Note: Special tools refers to hooks for buttoning clothes, gripping devices for opening jars or lifting small items, and other devices to compensate for limitations of hands or fingers.

Full use of two hands and ten fingers ________1

		Limitations in the use of but did not require specia			other persor	1	2
		Limitations in the use of use of special tools (did r				n)	3
		Limitations in the use of person for some tasks (no					4
		Limitations in the use of person for most tasks (no					5
		Limitations in the use of person for all tasks (not i			-		6
C11.	Which	n one of the following best	describes yo	our ability, o	during the p	ast week, to re	emember things?
		Able to remember most t	hings				1
		Somewhat forgetful					2
		Very forgetful					3
		Unable to remember any	thing at all				4
REME			Frequency	Percent	Cum Freq	Cum Percent	
1: Able	e to remer	mber most things	925	79.33	925	79.33	
1: Able 2: Som		rgetful					
1: Able 2: Som 3: Very	e to remer newhat for y forgetfu Which	rgetful	describes you solve day to en trying to the trying trying to the trying	79.33 18.35 2.32 our ability, of day proble think and so anink and solutink and so	925 1139 1166 during the p ems olve day to day ve day to day ve day to day	79.33 97.68 100.00 ast week, to the state of the state o	1 2 3 4
1: Able 2: Som 3: Very	e to remer what for y forgetfu Which day to	Able to think clearly and Had some difficulty when Had great difficult	describes you solve day to the trying to the trying to the day to	79.33 18.35 2.32 our ability, of day proble think and solaink and	925 1139 1166 during the p ems	79.33 97.68 100.00 ast week, to the state of the state o	1 2 3 4 5 erform basic activities?
1: Able 2: Som 3: Very	e to remer what for y forgetfu Which day to	rgetful n one of the following best day problems? Able to think clearly and Had a little difficulty when Had great difficulty when Unable to think or solve on one of the following best in	describes you solve day to en trying to the trying to the day to day to day to day to describes you the toilet not	our ability, of day problechink and solution	925 1139 1166 during the p ems olve day to day	79.33 97.68 100.00 ast week, to the state of the state o	1 2 3 4 5 erform basic activities?

	Required mechanical equipment to eat, bathe, dress or use the toilet independently 3	
	Required the help of another person to eat, bathe, dress or use the toilet	
C14.	Which one of the following best describes how you have been feeling during the past week?	
	Generally happy and free from worry	
	Occasionally fretful, angry, irritable, anxious or depressed	
	Often fretful, angry, irritable, anxious or depressed	
	Almost always fretful, angry, irritable, anxious or depressed	
	Extremely fretful, angry, irritable, anxious or depressed; to the point of needing professional help	
C15.	Which <u>one</u> of the following best describes the pain or discomfort you have experienced during the week?	he past
C15.		-
C15.	week?	-
C15.	week? Free of pain and discomfort	
C15.	week? Free of pain and discomfort	
C15.	week? Free of pain and discomfort	
C15.	week? Free of pain and discomfort	

DISCOMFORT_2	Frequency	Percent	Cum Freq	Cum Percent
	1			
1: Free of pain and discomfort	549	47.12	549	47.12
2: Occasional pain or discomfort	446	38.28	995	85.41
3: Frequent pain or discomfort w	117	10.04	1112	95.45
4: Frequent pain or discomfort;	43	3.69	1155	99.14
5: Severe pain or discomfort	10	0.86	1165	100.00

C16. C	Overall, how would you rate your health during	the past week?	
	Excellent	1	
	Very good	2	
	Good	3	
	Fair	4	
	Poor	5	
	Iow did you complete the questionnaire? Please ituation?	e select the <u>one</u> ans	wer that best describes your
	By myself, without any help from anyone el	se 1	→ END OF FORM
	By myself, except <u>someone else circled</u> the the questionnaire form for me.		→ END OF FORM
	With the help of someone else.	3	→ END OF FORM
	This questionnaire was completed by a family without help from the subject or patient		
C17a	a. If this questionnaire was completed without h	elp from the subjec	et or patient, who completed it?
	Nurse or Other Health Professional 1	◆ SPECIFY TYP	PE OF HEALTH PROFESSIONAL
	Other Person	→ SPECIFY REI	LATIONSHIP TO PATIENT

YOU ARE DONE WITH THIS SURVEY. THANK YOU.