

**ADHERENCE SELF-EFFICACY (AD)**

<b>DATA SECTION</b>	<b>COMPLETION INSTRUCTIONS</b>
<p>PURPOSE</p> <p>PERSON(S) RESPONSIBLE</p> <p>SOURCE(S) OF INFORMATION</p> <p>WHEN TO ADMINISTER FORM:</p> <p>PATIENT ID</p> <p>TIME POINT</p> <p>DATE OF EVALUATION</p>	<p>The Adherence Self Efficacy questionnaire is designed to assess the confidence of the patient in their ability to take the study medication as directed, per study protocol.</p> <p>Patient</p> <p>Patient</p> <p>Treatment Weeks 0, 4, 12 and 24 Follow-up Weeks 4 At the time of premature discontinuation of treatment or study</p> <p><b>SPECIFIC INSTRUCTIONS:</b></p> <p>Record the Patient ID number in the top left hand corner of the page.</p> <p>Record the protocol time point for the evaluation.</p> <p>Record the date (month/day/year) of the patient evaluation.</p>
	<p><b>GENERAL INSTRUCTIONS:</b></p> <p>Typically the patient is asked to complete the questionnaire without additional instructions. The clinical coordinator should not attempt to interpret, elaborate upon, or rephrase questions. If the patient asks for assistance from the clinical coordinator, the coordinator should encourage the patient to do his/her best to answer the questions on his/her own.</p> <p>Help may be provided by the next of kin if the patient is confused or unable to understand the questions because of educational, cultural or language difficulties. In these situations the next of kin can read the questions to the patient and record the answers.</p> <p>After completing the questionnaire: Record whether the questionnaire was completed by the patient alone or by the patient with assistance.</p> <p>Review the form for any missing items. If there are any incomplete items ask the patient to provide a response. If the patient does not answer the question, indicate whether the response is unknown or the patient refused to answer the question.</p> <p>Do not review the completed questionnaire for consistency of responses.</p>